1346.5403 SECTION 403 (IFGC) PIPING MATERIALS.

Subpart 1. Section 403.8. IFGC Section 403.8 is amended to read as follows:

403.8 Protective coating. Where in contact with material, or passing through concrete or other abrasive material or atmosphere exerting a corrosive action, metallic piping and fittings coated with a corrosion-resistant material, sleeve, or casing shall be used. Steel pipe exposed in exterior locations shall be galvanized or coated with approved corrosion-resistant material. External or internal coatings or linings used on piping or components shall not be considered as adding strength.

Subp. 1a. **Section 403.10.2.** IFGC Section 403.10.2 is amended to read as follows:

403.10.2 Tubing joints. Tubing joints shall be either made with approved gas tubing fittings or brazed with a material having a melting point in excess of 1,000°F (538°C), or made by press connect fittings complying with ANSI LC-4, Press-Connect Copper and Copper Alloy, Fittings for Use in Fuel Gas Distribution Systems. Brazing alloys shall not contain more than 0.05-percent phosphorus.

Subp. 2. Section 403.10.4. IFGC Section 403.10.4 is amended to read as follows:

403.10.4 Metallic fittings. Metallic fittings, including valves, strainers, and filters, shall comply with the following:

- 1. Threaded fittings in sizes larger than 2 inches (51 mm) shall not be used except where approved.
- 2. Fittings used with steel or wrought-iron pipe shall be steel, brass, bronze, or malleable iron.
 - 3. Fittings used with copper or brass pipe shall be copper, brass, or bronze.
 - 4. Fittings used with aluminum alloy pipe shall be of aluminum alloy.
- 5. Brass, bronze, or copper fittings. Fittings, if exposed to soil, shall have a minimum 80 percent copper content.
 - 6. Aluminum alloy fittings. Threads shall not form the joint seal.
- 7. Zinc-aluminum alloy fittings. Fittings shall not be used in systems containing flammable gas-air mixtures.

Statutory Authority: MS s 16B.59; 16B.61; 16B.64; 326B.101; 326B.106; 326B.13

History: 29 SR 299; L 2007 c 140 art 4 s 61; art 13 s 4; 34 SR 537

Published Electronically: October 23, 2009