



2.1 (e) **Family and group family day care.** Until the legislature enacts legislation specifying  
2.2 appropriate standards, the definition of dwellings constructed in accordance with the  
2.3 International Residential Code as adopted as part of the State Building Code applies to  
2.4 family and group family day care homes licensed by the Department of Human Services  
2.5 under Minnesota Rules, chapter 9502.

2.6 (f) **Enclosed stairways.** No provision of the code or any appendix chapter of the code  
2.7 may require stairways of existing multiple dwelling buildings of two stories or less to be  
2.8 enclosed.

2.9 (g) **Double cylinder dead bolt locks.** No provision of the code or appendix chapter of  
2.10 the code may prohibit double cylinder dead bolt locks in existing single-family homes,  
2.11 townhouses, and first floor duplexes used exclusively as a residential dwelling. Any  
2.12 recommendation or promotion of double cylinder dead bolt locks must include a warning  
2.13 about their potential fire danger and procedures to minimize the danger.

2.14 (h) **Relocated residential buildings.** A residential building relocated within or into a  
2.15 political subdivision of the state need not comply with the State Energy Code or section  
2.16 326B.439 provided that, where available, an energy audit is conducted on the relocated  
2.17 building.

2.18 (i) **Automatic garage door opening systems.** The code must require all residential  
2.19 buildings as defined in section 325F.82 to comply with the provisions of sections 325F.82  
2.20 and 325F.83.

2.21 (j) **Exterior wood decks, patios, and balconies.** The code must permit the decking  
2.22 surface and upper portions of exterior wood decks, patios, and balconies to be constructed  
2.23 of (1) heartwood from species of wood having natural resistance to decay or termites,  
2.24 including redwood and cedars, (2) grades of lumber which contain sapwood from species  
2.25 of wood having natural resistance to decay or termites, including redwood and cedars, or  
2.26 (3) treated wood. The species and grades of wood products used to construct the decking  
2.27 surface and upper portions of exterior decks, patios, and balconies must be made available  
2.28 to the building official on request before final construction approval.

2.29 (k) **Bioprocess piping and equipment.** No permit fee for bioprocess piping may be  
2.30 imposed by municipalities under the State Building Code, except as required under section  
2.31 326B.92 subdivision 1. Permits for bioprocess piping shall be according to section 326B.92  
2.32 administered by the Department of Labor and Industry. All data regarding the material  
2.33 production processes, including the bioprocess system's structural design and layout, are  
2.34 nonpublic data as provided by section 13.7911.

(l) **Use of ungraded lumber.** The code must allow the use of ungraded lumber in geographic areas of the state where the code did not generally apply as of April 1, 2008, to the same extent that ungraded lumber could be used in that area before April 1, 2008.

(m) **Window cleaning safety.** The code must require the installation of dedicated anchorages for the purpose of suspended window cleaning on (1) new buildings four stories or greater; and (2) buildings four stories or greater, only on those areas undergoing reconstruction, alteration, or repair that includes the exposure of primary structural components of the roof.

The commissioner may waive all or a portion of the requirements of this paragraph related to reconstruction, alteration, or repair, if the installation of dedicated anchorages would not result in significant safety improvements due to limits on the size of the project, or other factors as determined by the commissioner.

(n)(1) **Adult-size changing facilities.** The code must require the installation of adult-size changing facilities on each floor where there is a restroom accessible to the public. This requirement is met by providing adult-size changing facilities in either a unisex restroom or in both a men's restroom and a women's restroom. Adult-size changing facilities consist of:

(i) an adult-size changing table in a private location;

(ii) a supply of paper table liners and disinfectant wipes;

(iii) an appropriately sized waste container for used supplies;

(iv) nonslip flooring;

(v) wall-mounted hooks and a shelf for a user's personal supplies;

(vi) a chair for the user's attendant or caregiver; and

(vii) signage indicating the presence of the adult-size changing facilities.

(2) Adult-size changing tables must have a changing surface that:

(i) is a minimum of 24 inches wide and 71 inches long;

(ii) either sits at or is capable of being adjusted to a height of between 18 and 28 inches above the floor;

(iii) is weight-bearing to a minimum of 350 pounds; and

(iv) has both a safety rail and restraint straps available.