REVISOR

1307.0035 INSPECTION, TESTS, AND APPROVALS.

Subpart 1. **Approval of plans.** Any person, firm, or corporation desiring to install, relocate, alter, or remove any installation covered by this chapter shall obtain approval for doing so from the authority having jurisdiction. Two sets of drawings and/or specifications, or PDF files containing the same information if submitted electronically, showing the installation, relocation, alteration, or removal shall be submitted as required by the authority having jurisdiction. A corporation desiring to install, relocate, alter, or remove any installation covered by this chapter shall obtain approval for doing so from the authority having jurisdiction. Two sets of drawings and/or specifications showing the installation, relocation, alteration, or removal shall be submitted as required by the authority having jurisdiction. Two sets of drawings and/or specifications showing the installation, relocation, alteration, or removal shall be submitted as required by the authority having jurisdiction.

Subp. 2. **Inspections and tests.** No person, firm, or corporation may put into service any installation covered by parts 1307.0010 to 1307.0100 whether the installation is newly installed, relocated, or altered materially, without the installation being inspected and approved by the authority having jurisdiction. The installer of any equipment included in this chapter must request inspections by notifying the authority having jurisdiction to schedule a date and time for inspection. The authority having jurisdiction shall require tests as described in the applicable ASME Code to prove the safe operation of the installation.

Subp. 3. **Approval.** A certificate or letter of approval shall be issued by the authority having jurisdiction for equipment governed by ASME A17.1/CSA B44-2010, ASME A17.3-2011, ASME A90.1-2009, and ASME B20.1-2009 when the entire installation is completed in conformity with this code.

Subp. 4. Limited use approval. When a building or structure is equipped with one or more elevators, at least one of the elevators may be approved for limited use before completion of the building or structure. The limited use approval must specify the class of service permitted and the conditions of approval.

Statutory Authority: MS s 16B.59 to 16B.75; 326B.02; 326B.101 to 326B.194

History: 15 SR 70; 23 SR 2051; 31 SR 935; L 2007 c 140 art 4 s 61; art 13 s 4; L 2008 c 337 s 64; 39 SR 91

Published Electronically: January 26, 2015