01/09/24 REVISOR CKM/AD 24-05907 as introduced

## SENATE STATE OF MINNESOTA NINETY-THIRD SESSION

A bill for an act

relating to environment; requiring certain physical measurements of air emissions

and reporting of emission-related statistics; proposing coding for new law in

**OFFICIAL STATUS** 

S.F. No. 4379

(SENATE AUTHORS: FATEH)

1.1

1 2

1.3

DATE D-PG
02/29/2024 11844 Introduction and first reading

Referred to Environment, Climate, and Legacy

Minnesota Statutes, chapter 116. 1.4 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MINNESOTA: 1 5 Section 1. [116.0718] ENSURING COMPLIANCE WITH AIR EMISSION LIMITS. 1.6 Subdivision 1. **Definitions.** (a) For purposes of this section, the following terms have 17 the meanings given. 1.8 (b) "Agency" means the Pollution Control Agency. 1.9 (c) "Attainment area" means a geographically defined region that is in compliance with 1.10 the national ambient air quality standards set by the federal Environmental Protection 1.11 1.12 Agency. (d) "Commissioner" means the commissioner of the Pollution Control Agency. 1.13 (e) "Continuous emission monitoring system" has the meaning given in Minnesota Rules, 1.14 part 7017.1002, subpart 4. 1.15 (f) "Hazardous air pollutant" has the meaning given in section 609.671, subdivision 1, 1.16 paragraph (e). 1.17 (g) "Major facility" means a facility that has a potential to emit: 1.18 (1) an air pollutant in excess of 100 tons per year; 1.19 (2) a single hazardous air pollutant in excess of ten tons per year; or 1.20 (3) a combination of hazardous air pollutants in excess of 25 tons per year. 1.21

2.1	(h) "Nonattainment area" means a geographically defined region that is not in compliance
2.2	with the national ambient air quality standards set by the federal Environmental Protection
2.3	Agency.
2.4	(i) "Performance test" has the meaning given in Minnesota Rules, part 7017.2005, subpart
2.5	<u>4.</u>
2.6	(j) "Potential to emit" means the maximum annual air emissions of a pollutant from a
2.7	facility operating at full design capacity continuously for 8,760 hours throughout a year.
2.8	Subd. 2. Compliance determination protocol. (a) To determine a facility's compliance
2.9	with the facility's permit, an air quality permit issued by the agency must contain a
2.10	compliance determination protocol that includes:
2.11	(1) a list of methods the commissioner requires a permitted facility to employ to physically
2.12	measure the actual emissions of each pollutant emitted by the permitted facility; and
2.13	(2) the frequency with which the commissioner requires the permitted facility to employ
2.14	each method.
2.15	(b) The compliance determination protocol must be designed to minimize the time
2.15	between physical measures of each pollutant emitted by the facility. Methods of physical
2.17	measurement the commissioner may employ include but are not limited to:
2.18	(1) continuous emission monitoring systems;
2.19	(2) performance tests;
2.20	(3) ambient monitoring near the permitted facility;
2.21	(4) portable monitoring units that have been calibrated with performance tests or
2.22	continuous emission monitors; and
2.23	(5) any other physical method of measuring actual emissions that the commissioner
2.24	determines is accurate.
2.25	Subd 2 Panarting requirements (a) A narmit that requires a facility to maintain
<ul><li>2.25</li><li>2.26</li></ul>	Subd. 3. Reporting requirements. (a) A permit that requires a facility to maintain records of parameters that serve as indirect measures of a facility's air emissions must require
2.27	the facility to transmit the records to the agency no less often than monthly. For purposes
2.28	of this subdivision, "indirect measures of a facility's air emissions" means proxy measures
2.29	or calculations that affect, indicate, or are correlated with the volume of emissions released
2.30	by the facility, including but not limited to measurements of the pollution removal efficiency
2.31	of pollution control equipment, temperature or pressure of equipment or processes, and the

volume of inputs the facility purchases or uses that emit hazardous air pollutants during the 3.1 production process. 3.2 (b) A third party under contract to a facility operating under an air quality permit issued 3.3 by the agency must report the results of any tests or measurements required under the permit 3.4 3.5 or ordered by the commissioner directly to the agency at the same time the results are reported to the facility. 3.6 Subd. 4. **Performance tests**; schedule. (a) A facility operating under an air quality 3.7 permit issued by the agency must conduct performance tests according to the following 3.8 schedule for all applicable pollutants that are emitted by the facility and that are not measured 3.9 by a continuous emission monitoring system installed at the facility: 3.10 (1) annual performance tests are required of: 3.11 3.12 (i) a major facility located in a nonattainment area; (ii) a facility whose permit contains an air emissions limit for any hazardous air pollutant; 3.13 3.14 (iii) a facility that emits a pollutant identified as a chemical of high concern under section 116.9402; 3.15 (iv) a facility located within one mile of an environmental justice area, as defined in 3.16 section 116.065, subdivision 1; or 3.17 (v) a facility whose most recent performance test showed emissions equal to or greater 3.18 than 85 percent of the emission limit contained in the facility's permit for that pollutant; 3.19 (2) biennial performance tests are required of a major facility that is located in an 3.20 attainment area and that does not meet any of the conditions in clause (1); 3 21 (3) two performance tests during a five-year period are required of a facility that is 3.22 located in a nonattainment area and does not meet any of the conditions in clause (1); and 3.23 (4) one performance test every five years is required of a facility that is located in an 3.24 attainment area and does not meet any of the conditions in clause (1). 3.25 3.26 (b) A facility that exceeds an emissions limit in a permit must conduct a performance test for that pollutant in each of the two years following the year in which the exceedance 3.27 3.28 occurs. (c) A facility whose pollution control equipment has undergone a significant alteration, 3.29 repair, or parts replacement that may affect the facility's ability to meet an emissions limit, 3.30 as determined by the commissioner, must conduct a performance test within 90 days of the 3.31 pollution control equipment becoming operational following the modification. 3.32

Subd. 5. Permit terms. This section is made part of all air quality permits issued on or
after the effective date of this section. The commissioner must incorporate this section by
reference, as applicable, into all air quality permits issued before the effective date of this
section.

**EFFECTIVE DATE.** This section is effective the day following final enactment.

4.5