### CHAPTER 5221

# DEPARTMENT OF LABOR AND INDUSTRY FEES FOR MEDICAL SERVICES

5221.0100	DEFINITIONS.	5221,4041	FEE ADJUSTMENTS FOR
5221.0200	AUTHORITY.		PROFESSIONAL/TECHNICAL COMPONENTS
5221.0300	PURPOSE		FOR PATHOLOGY/LABORATORY SERVICES.
	SCOPE.	5221.4050	PHYSICAL MEDICINE AND
5221.0400			REHABILITATION PROCEDURE CODES.
5221 0405	INCORPORATIONS BY REFERENCE.	5221.4051	FEE ADJUSTMENTS FOR PHYSICAL
5221.0410	REQUIRED REPORTING AND FILING OF		MEDICINE AND REHABILITATION
	MEDICAL INFORMATION.		SERVICES.
5221.0420	HEALTH CARE PROVIDER PARTICIPATION	5221.4060	CHIROPRACTIC PROCEDURE CODES.
	WITH RETURN TO WORK PLANNING.	5221.4061	FEE ADJUSTMENTS FOR CHIROPRACTIC
5221.0430	CHANGE OF HEALTH CARE PROVIDER.		SERVICES.
5221.0500	EXCESSIVE CHARGES; LIMITATION OF	5221.4062	PROFESSIONAL/TECHNICAL COMPONENTS
	PAYER LIABILITY.	5221.4070	FOR CHIROPRACTIC SERVICES. PHARMACY.
5221.0600	PAYER RESPONSIBILITIES.	5221,6010	AUTHORITY
5221.0650	DATA COLLECTION, RETENTION, AND	5221.6020	PURPOSE AND APPLICATION.
3221.0030	REPORTING REQUIREMENTS.	5221,6030	INCORPORATION BY REFERENCE
6221 0700		5221.6040	DEFINITIONS
5221.0700	PROVIDER RESPONSIBILITIES.	5221.6050	GENERAL TREATMENT PARAMETERS:
5221,4000	APPLICATION SCHEDULE; INSTRUCTIONS	3227.0050	EXCESSIVE TREATMENT, PRIOR
5221.4010	EMPLOYER'S LIABILITY FOR SERVICES		NOTIFICATION.
	UNDER MEDICAL FEE SCHEDULE.	5221.6100	PARAMETERS FOR MEDICAL IMAGING.
5221.4020	DETERMINING FEE SCHEDULE PAYMENT	5221.6200	LOW BACK PAIN.
	LIMITS.	5221.6205	NECK PAIN.
5221.4030	MEDICAL/SURGICAL PROCEDURE CODES.	5221.6210	THORACIC BACK PAIN
5221.4032	PROFESSIONAL/TECHNICAL COMPONENTS	5221.6300	UPPER EXTREMITY DISORDERS.
	FOR MEDICAL/SURGICAL SERVICES.	5221.6305	REFLEX SYMPATHETIC DYSTROPHY OF
5221.4033	OUTPATIENT LIMITATION FOR		THE UPPER AND LOWER EXTREMITIES.
	MEDICAL/SURGICAL FACILITY FEE.	5221.6400	INPATIENT HOSPITALIZATION
5221.4035	FEE ADJUSTMENTS FOR	5004 6500	PARAMETERS.
	MEDICAL/SURGICAL SERVICES.	5221.6500	PARAMETERS FOR SURGICAL PROCEDURES.
5221,4040	PATHOLOGY AND LABORATORY	5221,6600	CHRONIC MANAGEMENT
J221.4040	PROCEDURE CODES.	5221,8900	DISCIPLINARY ACTION: PENALTIES
	I NOCEDONE CODES.	3521.0900	DISCITEMANT ACTION; FEMALITES

#### **5221.0100 DEFINITIONS.**

Subpart 1. Scope. The following terms have the meanings given in this chapter unless the context clearly indicates a different meaning.

Subp. 1a. Ambulatory surgical center. "Ambulatory surgical center" means a distinct entity that operates exclusively for the purpose of providing surgical services to patients not requiring hospitalization and is accredited by Medicare or is an outpatient surgical center as defined in part 4675.0100, subpart 8, and licensed by the Minnesota Department of Health.

Subp. 1b. Appropriate record. "Appropriate record" is a legible medical record or report which substantiates the nature and necessity of a service being billed and its relationship to the work injury.

- Subp. 2. Bill or billing. "Bill" or "billing" means a provider's statement of charges and services rendered for treatment of a work related injury.
- Subp. 3. Charge. "Charge" means the payment requested by a provider on a bill for a particular service. This chapter does not prohibit a provider from billing usual and customary charges which are in excess of the amount listed in the fee schedule.
- Subp. 4. Code. "Code" means the alphabetic, numeric, or alphanumeric symbol used to identify a specific health care service, place of service, or diagnosis as follows:
- A. "Billing code" means a procedure code as defined in item F plus any applicable modifiers as defined in subpart 10a. A billing code is used to identify a specific health care service, article, or supply for billing purposes.
- B. "CPT code" means a numeric code included in the Current Procedural Terminology Coding System manual, incorporated by reference in part 5221.0405, item D. A CPT code is used to identify a specific medical service, article, or supply.
- C. "HCPCS code" means a numeric or alphanumeric code included in the United States Health Care Financing Administration's Common Procedure Coding

- System. An HCPCS code is used to identify a specific medical service, article, or supply. HCPCS level I codes are the numeric CPT codes listed in the CPT manual, incorporated by reference in part 5221.0405, item D. HCPCS level II codes are alphanumeric codes created for national use. HCPCS level III codes are alphanumeric codes created for statewide use. HCPCS level II and level III codes are listed in the HCPCS manual, incorporated by reference in part 5221.0405, item E.
- D. "ICD-9-CM code" means a numeric code included in the International Classification of Diseases, Clinical Modification manual, incorporated by reference in part 5221.0405, item A. An ICD-9-CM code is used to identify a particular medical or chiropractic diagnosis.
- E. "Place of service code" means the code used to identify the type of facility and classification of service as inpatient or outpatient service on the HCFA 1500 claim form or the Uniform Billing Claim Form (UB-92 HCFA 1450), incorporated by reference in part 5221.0405, items B and C.
- F. "Procedure code" means a numeric or alphanumeric code used to identify a particular health care service. Procedure codes used in this chapter include CPT codes, HCPCS codes, revenue codes, dental codes, and prescription numbers.
- G. "Revenue code" means a numeric or alphanumeric code included in the UB-92 manual, incorporated by reference in part 5221.0405, item G. Revenue codes are used in institutional settings such as hospitals to identify an individual or group of medical services, articles, or supplies.
- Subp. 5. Commissioner. "Commissioner" means the commissioner of the Department of Labor and Industry.
- Subp. 6. Compensable injury. "Compensable injury" means an injury or condition for which a payer is liable under Minnesota Statutes, chapter 176.
- Subp. 6a. Conversion factor. "Conversion factor" means the dollar value of the maximum fee payable for one relative value unit of a compensable health care service delivered under Minnesota Statutes, chapter 176.
- Subp. 6b. **Division.** "Division" means the Workers' Compensation Division of the Department of Labor and Industry.
- Subp. 6c. Emergency care. "Emergency care" means those medical services that are required for the immediate diagnosis and treatment of medical conditions that, if not immediately diagnosed and treated, could lead to serious physical or mental disability or death, or that are immediately necessary to alleviate severe pain. Emergency treatment includes treatment delivered in response to symptoms that may or may not represent an actual emergency, but is necessary to determine whether an emergency exists.
  - Subp. 7. [Repealed, 18 SR 1472]
  - Subp. 8. [Repealed, 18 SR 1472]
- Subp. 9. Injury. "Injury" is as defined in Minnesota Statutes, section 176.011, subdivision 16 as a "personal injury."
- Subp. 10. Medical fee schedule. "Medical fee schedule" means the list of codes, service descriptions, and corresponding dollar amounts allowed under Minnesota Statutes, section 176.136, subdivisions 1 and 5, and parts 5221.4000 to 5221.4070.
- Subp. 10a. **Modifier.** "Modifier" means a two-digit number or two-letter symbol that is added to a procedure code to indicate that the service rendered differs in some material respect from the service as described in this chapter or in the CPT or HCPCS manual in effect on the date the service was rendered. Only those modifiers listed and described in the CPT or HCPCS manual in effect on the date the service was rendered may be used. Applicable modifiers must be used with a procedure code, even if the modifier has no effect on the payment level.
- Subp. 11. Payer. "Payer" refers to any entity responsible for payment and administration of workers' compensation claims under Minnesota Statutes, chapter 176.

- Subp. 11a. **Physician.** "Physician" means a person who is authorized by law to practice the medical profession within the United States, is in good standing in the profession, and includes only those persons holding the degree D.O. (Doctor of Osteopathy) or M.D. (Doctor of Medicine), as defined in Minnesota Statutes, sections 176.011, subdivision 17, and 176.135, subdivision 2a.
- Subp. 12. **Provider.** "Provider" is as defined in Minnesota Statutes, section 176.011, subdivision 24.

Subp. 13. [Repealed, 18 SR 1472]

Subp. 14. [Repealed, 18 SR 1472]

- Subp. 14a. Relative value unit or RVU. "Relative value unit" or "RVU" means the numeric value assigned to a health care service or procedure to represent or quantify its worth, as compared to a standard service.
- Subp. 15. Service or treatment. "Service" or "treatment" means any procedure, operation, consultation, supply, product, or other thing performed or provided for the purpose of curing or relieving an injured worker from the effects of a compensable injury under Minnesota Statutes, section 176.135, subdivision 1.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 15 SR 124; 18 SR 1472; 25 SR 1142

#### 5221.0200 AUTHORITY.

This chapter is adopted under the authority of Minnesota Statutes, sections 175.171; 176.101, subdivision 3e; 176.135, subdivisions 2 and 7; 176.136; 176.231; and 176.83.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 1472

#### 5221.0300 PURPOSE.

This chapter is intended to prohibit health care providers treating employees with compensable injuries from receiving excessive reimbursement for their services. This chapter defines the payer's maximum liability for medical services, articles, and supplies. This chapter also governs health care provider communication with parties; required reporting of medical, disability, and billing information under Minnesota Statutes, chapter 176; change of health care provider; and criteria for determining, serving, and filing maximum medical improvement.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 1472

#### 5221.0400 SCOPE.

The following are subject to this chapter: all entities responsible for payment and administration of medical claims compensable under Minnesota Statutes, chapter 176; providers of medical services or supplies for compensable injuries under Minnesota Statutes, section 176.135, subdivision 1; and employees as defined in Minnesota Statutes, section 176.011, subdivision 9. This chapter shall be applied in all relevant determinations made by compensation judges at the department and the Office of Administrative Hearings, and by the commissioner.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 2545

#### 5221.0405 INCORPORATIONS BY REFERENCE.

The following documents are incorporated by reference to the extent cited in this chapter. Many of these documents may be accessed through the Internet by contacting the organization listed.

#### 5221.0405 FEES FOR MEDICAL SERVICES

- A. The International Classification of Diseases, Clinical Modification, 9th revision, 1991 (ICD-9-CM). It is subject to frequent change. It is published by the United States Department of Health and Human Services, Health Care Financing Administration, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402. It is available through the Minitex interlibrary loan system.
- B. The Federal Health Care Financing Administration claim form (HCFA-1500)(U2)(12-90), and any subsequent revisions. It is not subject to frequent change. It is developed by the United States Department of Health and Human Services, Health Care Financing Administration, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402, telephone number (202) 512-1800. It is available through the Minitex interlibrary loan system.
- C. The Uniform Billing Claim form (UB-92, HCFA-1450) developed by the National Uniform Billing Committee, and any subsequent revisions. The federal Health Care Financing Administration determines the standards for printing this form. It is not subject to frequent change. It may be purchased from local commercial business office supply stores. It is available through the Minitex interlibrary loan system.
- D. The Physician's Current Procedural Terminology, (CPT manual) 4th edition, 1998, 1999, 2000, and any subsequent revisions. CPT codes are subject to frequent change. They are published by and may be purchased from the American Medical Association, Order Department: OP054196, P.O. Box 10950, Chicago, Illinois 60610. They are available through the Minitex interlibrary loan system.
- E. The alphanumeric HCFA Common Procedural Coding System (HCPCS manual), January 1998, 1999, and 2000 editions, and any subsequent revisions. It is subject to frequent change. It is published by the HCPCS subcommittee of Minnesota under the authority of the federal Health Care Financing Administration and may be purchased from Minnesota's Bookstore, (651) 297-3000 or (800) 657-3757. It is available through the Minitex interlibrary loan system.
- F. Minnesota Standards for the Use of the HCFA 1500 Claim Form, third edition effective October 1, 1998, as referenced in the August 31, 1998, edition of the State Register, and any subsequent revisions adopted by the Department of Health under Minnesota Statutes, sections 62J.52 and 62J.61. It is subject to frequent change. It is published by the Administrative Uniformity Committee in conjunction with the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It may be purchased from Minnesota's Bookstore, (651) 297-3000 or (800) 657-3757. It is available through the Minitex interlibrary loan system.
- G. The Manual for the Standards of Use of the UB-92 (HCFA 1450) form, 1994, and any subsequent revisions adopted by the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It is subject to frequent change. It is developed by the National Uniform Billing Committee and the Minnesota Uniform Billing Committee and published in conjunction with the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It may be purchased from the Minnesota Hospital and Health Care Partnership, (651) 641-1121. It is available through the Minitex interlibrary loan system.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

#### 5221.0410 REQUIRED REPORTING AND FILING OF MEDICAL INFORMATION. .

Subpart 1. Scope. This part prescribes information the health care provider is required to submit to the employer, insurer, or commissioner. This part does not preclude any party or the commissioner from requesting supplementary reports from the health care provider under Minnesota Statutes, section 176.231, subdivision 4.

Subp. 2. Health care provider report. Within ten days of receipt of a request for information on the prescribed health care provider report form from an employer,

insurer, or the commissioner, a health care provider must respond on the report form or in a narrative report that contains the same information requested on the form.

The health care provider's report form prescribed by the commissioner must include the information required by items A to M:

- A. information identifying the employee and employer, and insurer, if known;
- B. date of first examination for this injury or disease by the health care provider;
- C. diagnosis and appropriate ICD-9-CM diagnostic codes for the injury or disease;
  - D. history of the injury or disease as given by the employee;
  - E. the relationship of the injury or disease to employment activities;
- F. information regarding any preexisting or other conditions affecting the employee's disability;
- G. information about future treatment including, but not limited to, hospital admission, surgery, or referral to another doctor;
  - H. information regarding any surgery that has been performed;
- I. information regarding the employee's ability to work, any work restrictions, and dates of disability;
- J. information regarding the employee's permanent partial disability rating, in accordance with subpart 4;
- K. information regarding whether the employee is unable to return to former employment for medical reasons attributed to the injury;
- L. information regarding maximum medical improvement in accordance with subpart 3; and
- M. signature of health care provider, license or registration number, and identification information.
- Subp. 3. **Maximum medical improvement.** For injuries occurring on or after January 1, 1984, or upon request for earlier injuries, the health care provider must report to the self-insured employer or insurer, maximum medical improvement, when ascertainable, on the health care provider report form or in a narrative report. "Maximum medical improvement" is a medical and legal concept defined by Minnesota Statutes, section 176.011, subdivision 25.
- A. For purposes of subitems (1) and (2), "the employee's condition" includes the signs, symptoms, physical and clinical findings, and functional status that characterize the complaint, illness, or injury. "Functional status" means the ability of an individual to engage in activities of daily life and vocational activities. Except as otherwise provided in item B:
- (1) In determining maximum medical improvement, the following factors shall be considered by the health care provider as an indication that maximum medical improvement has been reached:
- (a) there has been no significant lasting improvement in the employee's condition, and significant recovery or lasting improvement is unlikely, even if there is ongoing treatment;
- (b) all diagnostic evaluations and treatment options that may reasonably be expected to improve or stabilize the employee's condition have been exhausted, or declined by the employee;
- (c) any further treatment is primarily for the purpose of maintaining the employee's current condition or is considered palliative in nature; and
- (d) any further treatment is primarily for the purpose of temporarily or intermittently relieving symptoms.
- (2) The following factors should be considered by the health care provider as an indication that maximum medical improvement has not been reached:

- (a) the employee's condition is significantly improving or likely to significantly improve, with or without additional treatment;
- (b) there are diagnostic evaluations that could be performed that have a reasonable probability of changing or adding to the treatment plan leading to significant improvement; or
- (c) there are treatment options that have not been applied that may reasonably be expected to significantly improve the employee's condition.
- B. This item applies to musculoskeletal injuries that fall within any category under parts 5223.0070, 5223.0080, 5223.0110 to 5223.0150, and 5223.0170 for dates of injury before July 1, 1993, and that fall within any category under parts 5223.0370 to 5223.0390 and 5223.0440 to 5223.0550 for dates of injury on or after July 1, 1993. When more than one year has elapsed since the date of a musculoskeletal injury that falls within any of the above categories, the only factors in determining maximum medical improvement shall be whether a decrease is anticipated in the employee's estimated permanent partial disability rating or a significant improvement is anticipated in the employee's work ability as documented on the report of work ability described in subpart 6. If medical reports show no decrease in the employee's estimated permanent partial disability or no significant improvement in the employee's work ability in any three-month period later than one year after the injury, the employee is presumed to have reached maximum medical improvement. This presumption can only be rebutted by a showing that a decrease in the employee's permanent partial disability rating or significant improvement in the work ability has occurred or is likely to occur beyond this three-month period. The medical reports relied upon as establishing maximum medical improvement under this item must be served on the employee in accordance with item C.

This item applies only to injuries of the musculoskeletal system, except where the injury is a spinal cord injury resulting in permanent paralysis, a head injury with loss of consciousness, or where surgery has been performed within the previous six months. In these cases, the factors listed in item A shall be used to determine maximum medical improvement.

- C. If the employer or insurer does not serve a notice of intention to discontinue benefits or a petition to discontinue benefits under Minnesota Statutes, section 176.238, at the same time a narrative maximum medical improvement report is served, then the report must be served with a cover letter containing the information in subitems (1) to (6). Serving the cover letter with the maximum medical improvement report does not replace the notice of intention to discontinue benefits or petition to discontinue benefits required by Minnesota Statutes, section 176.238. The cover letter must include:
- (1) information identifying the employee by name, social security number, and date of injury;
  - (2) information identifying the employer and insurer;
  - (3) the date the report was mailed to the employee;
- (4) a statement that the attached report indicates that in the opinion of the health care provider, the employee reached maximum medical improvement by the specified date or an explanation that the attached reports indicate the employee has reached maximum medical improvement under the circumstances specified in item B;
- (5) the definition of maximum medical improvement as defined by Minnesota Statutes, section 176.011, subdivision 25; and
- (6) the statement: "There may be an impact on your temporary total disability benefits. If we propose to stop your benefits, a notice of discontinuance of benefits will be sent to you first. If you have any questions concerning your benefits or maximum medical improvement, you may call the claims person at ...................... or the workers' compensation division at ................. (specify telephone numbers)."

Subp. 4. **Permanent partial disability.** The health care provider must render an opinion of permanent partial disability when ascertainable, but no later than the date of maximum medical improvement. The rating must be reported on the health care provider report form or in a narrative report. In making a rating of permanent partial disability, the health care provider must specify any applicable category of the permanent partial disability schedule in effect for the employee's date of injury. If a zero rating is appropriate, this rating must also be reported.

The health care provider may refer the employee to another health care provider for an opinion of the employee's permanent partial disability rating if the primary health care provider feels unable to make the determination in complicated cases involving impairments to more than one body part or multiple citations under the permanent partial disability schedule. In such cases, the treating provider must be available for consultation with the evaluating provider, and must make all relevant medical records available, without charge to the payer. The evaluating provider is entitled to reimbursement from the payer for a consultation as limited by the medical fee schedule.

- Subp. 5. Required reporting to division. For those injuries that are required to be reported to the division under Minnesota Statutes, section 176.231, subdivision 1, the self-insured employer or insurer or third-party administrator shall file with the division the health care provider report form prescribed in subpart 2 or a narrative report that indicates that the employee has reached maximum medical improvement, or that indicates a preliminary or final permanent partial disability rating. The commissioner shall, by written request under Minnesota Statutes, section 176.231, subdivisions 3 and 7, require the filing of the health care provider report at additional times as necessary to monitor compliance with Minnesota Statutes, chapter 176, in accordance with Minnesota Statutes, sections 176.231, subdivision 6, and 176.251. All reports filed under this subpart must include the appropriate ICD-9-CM diagnostic codes for the injury or disease.
- Subp. 6. **Report of work ability.** Each primary health care provider as defined in part 5221.0430, subpart 1, must complete and submit to the employee a report of work ability. A health care provider providing service under the direction or prescription of another provider is not required to complete a report of work ability.
- A. For all work injuries, the primary health care provider must complete a report of work ability within ten days of a request by an insurer or at the intervals stated in subitems (1) to (3), unless there are no restrictions or the restrictions are permanent and have been so indicated in a report of work ability:
  - (1) every visit if visits are less frequent than once every two weeks;
- (2) every two weeks if visits are more frequent than once every two weeks, unless work restrictions change sooner; or
- (3) upon expiration of the ending or review date of the restriction specified in a previous report of work ability. Open-ended durations of disability or restriction may not be given.
- B. The report of work ability must be either on the form prescribed by the commissioner or in a report that contains the same information as the report of work ability. The report of work ability prescribed by the commissioner shall include:
- (1) information identifying the employee and employer, and insurer, if known;
  - (2) the date of the most recent examination;
- (3) information stating whether the employee is able to work without restrictions, able to work with restrictions, or unable to work;
- (4) work restrictions stated in functional terms, if the employee is able to work with restrictions;
- (5) the date any restriction of work activity is to begin and the anticipated ending or review date;

#### 5221.0410 FEES FOR MEDICAL SERVICES

- (6) the date of the next scheduled visit;
- (7) the signature of the health care provider, license or registration number, and identification information; and
- (8) a notice to the employee that a copy of the report must be promptly provided to the employer or workers' compensation insurer and assigned qualified rehabilitation consultant.
- C. The report of work ability must be based on the health care provider's most recent evaluation of the employee's signs, symptoms, physical and clinical findings, and functional status.
- D. The report of work ability must be provided to the employee and a copy of the report must be placed in the employee's medical record. Promptly upon receipt, the employee shall submit the report of work ability to the employer or the insurer and the assigned qualified rehabilitation consultant. The commissioner shall, by written request under Minnesota Statutes, sections 176.102, subdivision 7, and 176.231, subdivisions 3 and 7, require the filing of a report of work ability when necessary to monitor compliance with Minnesota Statutes, chapter 176, in accordance with Minnesota Statutes, sections 176.231, subdivision 6, and 176.251.

#### Subp. 7. Payment and coding for required and supplementary reporting.

- A. No charge may be assessed for completion of a health care provider report or report of work ability required by subparts 2 and 6, or for a narrative or other report prepared in lieu of a health care provider report or report of work ability. If a provider itemizes this service on the billing form, the provider must use code 99080 (special reports) when reporting this service.
- B. A payer or other party may request supplementary reports from the health care provider for information not required in the health care provider report or the report of work ability. A provider may charge a reasonable amount for requested supplementary reports using code 99199 (unlisted special service or report). Payment for supplementary reports is not subject to the 85 percent payment limit as specified in part 5221.0500, subpart 2, item F.
- Subp. 8. Proper filing of documents with division. A health care provider report or narrative report required by the division under this part may be filed by facsimile or electronic transmission, if available at the division. Filing is completed at the time that the facsimile or electronic transmission is received by the commissioner. A report received after 4:30 p.m. shall be deemed received on the next open state business day. The filed facsimile or transmitted information has the same force and effect as the original. Where the quality of the document is at issue, the commissioner shall require the original document to be filed.

A narrative report filed with the division must, at the top of the first page, identify the employee by name, social security number, and date of injury. The name of the self-insured employer, insurer, and administrator if appropriate, must also be identified. The filer must identify the reason the report is submitted, and must highlight the corresponding pertinent sections of the report.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.0420 HEALTH CARE PROVIDER PARTICIPATION WITH RETURN TO WORK PLANNING.

Subpart 1. Cooperation with return to work planning. In addition to completing the required report of work ability under part 5221.0410, subpart 6, a health care provider must participate cooperatively in the planning of an injured employee's return to work by communicating with the employee, employer, insurer, rehabilitation providers, and the commissioner in accordance with this part. A health care provider must release the employee to return to work, with restrictions if necessary, at the earliest appropriate time.

If no qualified rehabilitation consultant has requested an opinion under subpart 2, item B, subitem (1), the health care provider must respond within ten calendar days of receipt of a request by the employee, employer, or insurer regarding whether the physical requirements of a proposed job are within the employee's medical restrictions or whether the health care provider requires further information. The health care provider may respond in writing, in person, or by telephone. The health care provider may require that the proposed job be described in writing. The provider may also agree to review a videotape of the job.

- Subp. 2. Communication with assigned qualified rehabilitation consultant. When an employee is receiving vocational rehabilitation services under Minnesota Statutes, section 176.102, the health care provider must communicate with the assigned qualified rehabilitation consultant as follows:
- A. A valid patient authorization is required for communication with the assigned qualified rehabilitation consultant. Under part 5220.1802, it is the assigned qualified rehabilitation consultant's responsibility to obtain the patient authorization and send it to the health care provider. Within ten calendar days of receipt of a request for information, the health care provider must respond to the assigned qualified rehabilitation consultant in person, by telephone, or in writing when any of the circumstances specified in item B occur. When an opinion about a proposed job is requested, the health care provider may require that the proposed job be described in writing. The provider may also agree to review a videotape of the job.
- B. The health care provider must respond to a request for communication from the assigned qualified rehabilitation consultant upon initial assignment of a qualified rehabilitation consultant. Thereafter, the health care provider must respond to a request no more than once in any 30-calendar day period, except that the provider must also respond to a request when any of the following occur:
- (1) when an opinion is requested regarding whether the physical requirements of a proposed job are within the employee's restrictions;
- (2) when there has been an unanticipated or substantial change in the employee's condition;
  - (3) when a job search is initiated; or
  - (4) when there has been a change in the employee's work status.
- Subp. 3. Reimbursement for services. A health care provider may not require prepayment for communication required by this part. The provider must bill the employer and insurer for the services rendered. Return to work services for communication directly with the employee alone must be included in the appropriate level of evaluation and management service. For a return to work service provided to anyone other than the employee, a provider may charge a reasonable amount under this part using code 99199 (unlisted special service or report). Payment for return to work services coded as 99199 under this subpart is not subject to the 85 percent payment limit as specified in part 5221.0500, subpart 2, item F.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.0430 CHANGE OF HEALTH CARE PROVIDER.

Subpart 1. **Primary health care provider.** The individual health care provider directing and coordinating medical care to the employee following the injury is the primary health care provider. If the employee receives medical care after the injury from a provider on two occasions, the provider is considered the primary health care provider if that individual directs and coordinates the course of medical care provided to the employee. The employee may have only one primary health care provider at a time. The selection of a provider by an employee covered by a certified managed care plan is governed by chapter 5218.

#### 5221.0430 FEES FOR MEDICAL SERVICES

- Subp. 2. Change of health care provider. Following selection of a primary provider, the employee may change primary providers once within the first 60 days after initiation of medical treatment for the injury without the need for approval from the insurer, the department, or a workers' compensation judge. After the first 60 days following initiation of medical treatment for the injury, any further changes of primary provider must be approved by the insurer, the department, or a workers' compensation judge. However, at any time throughout the claim, transfer of medical care coordination due to conditions beyond the employee's control, such as retirement, death, cessation from practice of the primary provider, or a referral from the primary provider to another provider, does not require prior approval. If the employee is covered by a certified managed care plan, a change of providers is governed by chapter 5218, Minnesota Statutes, section 176.1351, subdivision 2, clause (11), and procedures under the plan.
- Subp. 3. Unauthorized change; prohibited payments. If the employee or health care provider fails to obtain approval of a change of provider before commencing treatment where required by this part, the insurer is not liable for the treatment rendered prior to approval unless the insurer has agreed to pay for the treatment. Treatment rendered before a change of provider is approved under this subpart is not inappropriate if the treatment was provided in an emergency situation and prior approval could not reasonably have been obtained.
- Subp. 4. Change of primary provider not approved. After the first 60 days following initiation of medical treatment for the injury, or after the employee has exercised the employee's right to change doctors once, the department, a certified managed care organization, or a compensation judge shall not approve a party's request to change primary providers, where:
- A. a significant reason underlying the request is an attempt to block reasonable treatment or to avoid acting on the provider's opinion concerning the employee's ability to return to work;
- B. the change is to develop litigation strategy rather than to pursue appropriate diagnosis and treatment;
  - C. the provider lacks the expertise to treat the employee for the injury;
- D. the travel distance to obtain treatment is an unnecessary expense and the same care is available at a more reasonable location;
  - E. at the time of the employee's request, no further treatment is needed; or
- F. for another reason, the request is not in the best interest of the employee and the employer.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.0500 EXCESSIVE CHARGES; LIMITATION OF PAYER LIABILITY.

- Subpart 1. Excessive health care provider charges. A billing charge for services, articles, or supplies provided to an employee with a compensable injury is excessive if any of the conditions in items A to I apply to the charge. A payer is not liable for a charge which meets any of these conditions.
- A. the charge wholly or partially duplicates another charge for the same service, article, or supply, such that the charge has been paid or will be paid in response to another billing; or
- B. the charge exceeds the provider's current usual and customary charge, as specified in subpart 2, item B, for the same or similar service, article, or supply in cases unrelated to workers' compensation injuries; or
- C. the charge is described by a billing code that does not accurately reflect the actual service provided; or
- D. the service does not comply with the treatment standards and requirements adopted under Minnesota Statutes, section 176.83, subdivision 5, concerning the

reasonableness and necessity, quality, coordination, level, duration, frequency, and cost of services; or

- E. the service was performed by a provider prohibited from receiving reimbursement under Minnesota Statutes, chapter 176, pursuant to Minnesota Statutes, sections 176.83, 176.103, 176.1351, and 256B.0644; or
- F. the service, article, or supply is not usual, customary, and reasonably required for the cure or relief of the effects of a compensable injury or is provided at a level, duration, or frequency that is excessive, based on accepted medical standards for quality health care and accepted rehabilitation standards under Minnesota Statutes, section 176.136, subdivision 2, clause (2); or
- G. the service, article, or supply was delivered in violation of the federal Medicare anti-kickback statutes and regulations as specified in part 5221.0700, subpart 1a; or
- H. where approval for a change of doctor is required by part 5221.0430 for the provider submitting the charge, and approval has not been obtained from the payer, commissioner, or compensation judge; or
- I. the service is outside the scope of practice of the particular provider or is not generally recognized within the particular profession of the provider as of therapeutic value for the specific injury or condition, under Minnesota Statutes, section 176.136, subdivision 2, clause (3).
- Subp. 2. Limitation of payer liability. A payer is not liable for health care charges which are excessive under subpart 1. If the charges are not excessive under subpart 1, a payer's liability for payment of charges is limited as provided in items A to F.
- A. If the medical fee schedule applies to the service according to part 5221.4000, subpart 3, the payer's liability shall be limited to the maximum amount allowed for any service, article, or supply in the medical fee schedule in effect on the date of the service, or the provider's usual and customary fee, whichever is lower.
- B. Except as provided in items C to F, if the maximum fee for service, article, or supply is not limited by parts 5221.4000 to 5221.4070, the payer's liability for payment shall be limited to 85 percent of the provider's usual and customary charge, or 85 percent of the prevailing charge for similar treatment, articles, or supplies furnished to an injured person when paid for by the injured person, whichever is lower.
- (1) A usual and customary charge under Minnesota Statutes, section 176.136, subdivision 1b, paragraphs (a) and (b), means the amount actually billed by the health care provider to all payers for the same service, whether under workers' compensation or not, and regardless of the amount actually reimbursed under a contract or government payment system.
- (2) A prevailing charge under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (b), is the 75th percentile of the usual and customary charges as defined in subitem (1) in the previous calendar year for each service, article, or supply if the database for the service meets all of the following criteria:
- (a) the database includes only Minnesota providers, with at least three different, identifiable providers of the same provider type, distinguished by whether the service is an inpatient hospital service, or an outpatient physician, pathology, laboratory, chiropractic, physical therapy or occupational therapy service, or provider of other similar service, article, or supply;
  - (b) there are at least 20 billings for the service, article, or supply; and
- (c) the standard deviation is less than or equal to 50 percent of the mean of the billings for each service in the data base or the value of the 75th percentile is not greater than or equal to three times the value of the 25th percentile of the billings.
- C. Under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (a), payment for services, articles, and supplies provided to an employee while an inpatient or outpatient at a hospital with 100 or fewer licensed beds shall be 100 percent of the usual and customary charge as defined in item B, unless the charge is determined by

#### 5221.0500 FEES FOR MEDICAL SERVICES

the commissioner or compensation judge to be unreasonably excessive. The payer's liability for services provided by a nursing home that participates in the medical assistance program shall be the rate established by the commissioner of human services.

- D. Under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (b), payment for services, articles, and supplies provided to an employee who is an inpatient at a hospital with more than 100 licensed beds shall be limited to 85 percent of the hospital's usual and customary charge as defined in item B, or 85 percent of the prevailing charge as defined in item B, whichever is lower. Outpatient charges for hospitals with more than 100 beds are limited by the maximum fees for any service set forth in parts 5221.4000 to 5221.4070. For hospitals with more than 100 beds, liability for outpatient charges that are not included in parts 5221.4000 to 5221.4070 is limited to 85 percent of the hospitals usual and customary, or prevailing charge, as described in item B. A hospital charge is considered an inpatient charge if the employee spent either the night before or the night after the service in the hospital, and there is an overnight room charge.
- E. Charges for cost of copies of medical records and postage are governed by parts 5219.0100 to 5219.0300 and are not subject to the 85 percent reimbursement limit specified in item B. Travel expenses incurred by an employee for compensable medical services shall be paid at the rate equal to the rate paid by the employer for ordinary business travel expenses, or the rate paid by the state of Minnesota under the commissioner's plan for employment-related travel, whichever is lower. Reimbursement for employee travel expenses is not subject to the 85 percent reimbursement limit specified in item B.
- F. Charges for supplementary reports that are not required reports under part 5221.0410, subpart 7, and charges for return to work services under part 5221.0420, subpart 3, are not subject to the 85 percent reimbursement limit specified in item B.
- Subp. 3. Collection of excessive charges. A provider may not collect or attempt to collect payment from an injured employee, or any other source, charges for a compensable injury which the payer has determined are excessive under subpart 1 or which exceed the maximum amount payable specified in subpart 2, unless payment is ordered by the commissioner, compensation judge, or workers' compensation court of appeals. Unless the provider or the employee has filed a claim for a determination of the amount payable with the commissioner, the health care provider must remove the charges from the billing statement. If a dispute exists as to whether an employee's injury is compensable under Minnesota Statutes, chapter 176, and the employee has general health insurance, payment of medical bills is governed by Minnesota Statutes, section 176.191, subdivision 3.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

**5221.0550** [Repealed, 18 SR 1472]

#### 5221.0600 PAYER RESPONSIBILITIES.

- Subpart 1. Compensability. This chapter does not require a payer to pay a charge for a service that is not for the treatment of a compensable injury or a charge that is the primary obligation of another payer.
- Subp. 2. **Determination of excessiveness.** Subject to a determination of the commissioner or compensation judge, the payer shall determine whether a charge or service is compensable by evaluating the charge and service according to the conditions of excessiveness and payer liability specified in part 5221.0500, subparts 1 and 2, and Minnesota Statutes, section 176.136, subdivision 2. If the payer determines that the provider has assigned an incorrect code for a service, the payer may determine the correct code for the service and evaluate liability for payment on the basis of the correct code.

- Subp. 3. **Determination of charges.** As soon as reasonably possible, and no later than 30 calendar days after receiving the bill, the payer shall:
  - (1) pay the charge or any portion of the charge that is not denied;
- (2) deny all or a portion of a charge on the basis that the injury is noncompensable; the charge is excessive or noncompensable under Minnesota Statutes, section 176.136, subdivision 2; or part 5221.0500, subparts 1 and 2; or the charges are not submitted on the appropriate billing form prescribed in part 5221.0700; or
- (3) request specific additional information to determine whether the charge or the condition is compensable. The payer shall make a determination as set forth in subitems (1) and (2) no later than 30 calendar days following receipt of the provider's response to the initial request for specific additional information.
- Subp. 4. **Notification.** Within 30 calendar days of receipt of the bill, the payer shall provide written notification to the employee and provider of denial of part or all of a charge, or of any request for additional information. Written notification shall include:
- A. the basis for denial of all or part of a charge that the payer has determined is not for a compensable injury under part 5221.0100, subpart 6;
- B. the basis for denial or reduction of each charge and the specific amounts being denied or reduced for each charge meeting the conditions of an excessive or noncompensable charge under part 5221.0500, subparts 1 and 2, or Minnesota Statutes, section 176.136, subdivision 2;
- C. denial of a charge for failure to submit it on the billing form prescribed in part 5221.0700, subpart 2; and
- D. a request for an appropriate record or the specific information requested to allow for proper determination of the bill under this part.

The payer shall specify the applicable rule, part, and subpart in this chapter supporting its denial or reduction of a charge. A general statement that a service or charge "exceeds the fee schedule or treatment parameters" is not adequate notification.

If payment is denied under item B, C, or D, the payer shall reconsider the charges in accordance with this rule as soon as reasonably possible, and no later than 30 calendar days after receipt of additional relevant information or documents. Notice of denial of part or all of a charge shall be given by the payer consistent with the guidelines in this subpart.

- Subp. 5. **Penalties.** Failure to comply with the requirements of this part may subject the payer to the penalties provided in Minnesota Statutes, sections 176.221, 176.225, and 176.194.
- Subp. 6. Collection of excessive payment. Any payment made to a provider which is determined to be wholly or partially excessive, according to the conditions prevailing at the time of payment, may be collected from the provider by the payer in the amount that the reimbursement was excessive. The payer must demand reimbursement of the excessive payment from the provider within one year of the payment.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

#### 5221.0650 DATA COLLECTION, RETENTION, AND REPORTING REQUIRE-MENTS.

- Subpart 1. **Scope.** This part applies to workers' compensation insurers, self-insurers, group self-insurers, adjusters, and third-party administrators who act on behalf of an insurer, self-insurer, the assigned risk plan, and the Minnesota Insurance Guaranty Association.
- Subp. 2. Purpose. The purpose of this part is to establish procedures and requirements for reporting medical and related data regarding treatment of work-

#### 5221.0650 FEES FOR MEDICAL SERVICES

related injuries. The data shall be provided in order for the department to monitor and evaluate medical services and supplies under Minnesota Statutes, chapter 176.

- Subp. 3. **Retention period.** Data described in subpart 4 shall be collected and stored by the parties listed in subpart 1, beginning July 1, 1994, for all medical services and supplies provided to an employee under Minnesota Statutes, chapter 176, for ten years from the date of injury, or four years from the date the claim is closed, whichever is later.
- Subp. 4. **Required data.** The data in items A and B shall be collected and stored by the parties listed in subpart 1.
- A. Required data for professional services and supplies includes all elements required on the uniform billing form under part 5221.0700, subpart 2a, and:
  - (1) an indication of open or closed claim status;
- (2) an indication of whether the employee was incapacitated from performing labor or service for more than three calendar days under Minnesota Statutes, section 176.231, subdivision 1;
- (3) the amount of payments made for individual medical services, articles, and supplies; and
- (4) the name of the managed care plan if services were provided under contract with or referral by a certified workers' compensation managed care plan.
- B. Required data for inpatient and outpatient hospital services and supplies includes all elements required on the uniform billing form under part 5221.0700, subpart 2b, and:
  - (1) an indication of open or closed claim status;
- (2) an indication of whether the employee was incapacitated from performing labor or service for more than three calendar days under Minnesota Statutes, section 176.231, subdivision 1; and
- (3) the name of the managed care plan if services were provided under a contract with or referral by a certified managed care plan for workers' compensation.
- Subp. 5. Reporting requirements. The data in subpart 4 shall be periodically sampled according to the sampling specifications prescribed by the research design for a study initiated by the commissioner under Minnesota Statutes, sections 175.17, 175.171, 176.103, and 176.1351. The samples shall be reported within 90 days of the request of the commissioner. The requested data shall be provided without charge to the department by a mutually agreeable standard of information exchange such as hard copy, computerized form, or electronic data interchange.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83

History: 18 SR 1472

#### 5221.0700 PROVIDER RESPONSIBILITIES.

- Subpart 1. **Usual charges.** No provider shall submit a charge for a service which exceeds the amount which the provider charges for the same type of service in cases unrelated to workers' compensation injuries.
- Subp. 1a. Conflicts of interest. All health care providers subject to this chapter are bound by the federal Medicare antikickback statute in section 1128B(b) of the Social Security Act, United States Code, title 42, section 1320a-7b(b), and regulations adopted under it, pursuant to Minnesota Statutes, section 62J.23. Any medical services or supplies provided in violation of these provisions are not compensable under Minnesota Statutes, chapter 176.
- Subp. 2. Submission of information. Providers except for hospitals must supply with the bill a copy of an appropriate record that adequately documents the service and substantiates the nature and necessity of the service or charge. Hospitals must submit an appropriate record upon request by the payer. All charges billed after January 1, 1994, for workers' compensation health care services, articles, and supplies, except for

United States government facilities rendering health care services for veterans must be submitted to the payer on the forms prescribed in subparts 2a, 2b, and 2c, and in accordance with items A to D.

- A. Charges for services, articles, and supplies must be submitted to the payer directly by the health care provider actually furnishing the service, article, or supply. This includes but is not limited to the following:
- (1) diagnostic imaging, laboratory, or pathology testing not actually performed by the health care provider, or employee of the health care provider, who ordered the test;
- (2) equipment, supplies, and medication not ordinarily kept in stock by the hospital or other health care provider facility, purchased from a supplier for a specific employee;
- (3) services performed by a health care provider at a small or large hospital, as defined in part 5221.0500, subpart 2, items C and D, if the provider has an independent practice, except that a hospital may charge for services furnished by a provider who receives at least a base payment from the hospital, which is paid regardless of the number of patients seen; and
- (4) outpatient medications dispensed by a licensed pharmacy pursuant to an order written by a health care provider, as described in this subpart, including both prescription and nonprescription medications.
- B. Charges must be submitted to the payer in the manner required by subparts 2a, 2b, and 2c within 60 days from the date the health care provider knew the condition being treated was claimed by the employee as compensable under workers' compensation. Failure to submit charges within the 60 days is not a basis to deny payment, but is a basis for disciplinary action against the provider under Minnesota Statutes, section 176.103.
- C. When a provider orders a medication for an employee, the provider must also supply the employee with a document accurately describing the medication as ordered and including the words "workers' compensation," or the letters "W.C." on its face. This requirement applies to both prescription and nonprescription medications and may be fulfilled by a handwritten note on the provider's personalized stationary or prescription pad.
- D. This part does not limit the collection of other information the provider may be required to report under any other state or federal jurisdiction.
- Subp. 2a. Federal health care financing administration claim form HCFA 1500 form. Except as provided in subparts 2b and 2c, charges for all services, articles, and supplies that are provided for a claimed workers' compensation injury must be submitted to the payer on the HCFA 1500 form. Charges for dental services may be submitted on the dental claim form required by Minnesota Statutes, section 62J.52, subdivision 3. The HCFA 1500 form must be filled out in accordance with Minnesota Statutes, section 62J.52, and directions set forth in the "Minnesota Standards for the Use of the HCFA 1500 Claim Form" manual adopted by the Department of Health under Minnesota Statutes, section 62J.61.
- Subp. 2b. Uniform billing claim form UB-92 (HCFA 1450). Hospitals licensed under Minnesota Statutes, section 144.50, must submit itemized charges on the uniform billing claim form, UB-92, (HCFA 1450). The UB-92 form must be filled out according to Minnesota Statutes, section 62J.52, and the manual for the standards of use of the UB-92 form published by the Minnesota Hospital and Health Care Partnership.

When the UB-92 form provides only summary information, an itemized listing of all services and supplies provided during the inpatient hospitalization must be attached to the UB-92 form. The itemized list must include:

A. where a code is assigned to a service, the approved procedure codes and modifiers appropriate for the service, in accordance with subpart 3. Charges for supplies need not be coded, but a description and charge for specific articles and supplies must be itemized;

#### 5221.0700 FEES FOR MEDICAL SERVICES

- B. the charge for each service;
- C. the number of units of each service provided; and
- D. the date each service was provided.
- Subp. 2c. **Submission of pharmacy charges.** Itemized charges for all hospital outpatient and independent pharmacy medications provided for a claimed workers' compensation injury must be submitted to the payer on a claim form which includes the following information:
- A. the workers' compensation file number (the employee's social security number), if provided by the employee;
  - B. the employee's name and address;
  - C. the insurer's name and address:
  - D. the date of the injury;
  - E. the name of the health care provider who ordered the medication;
- F. if the medication was provided under a contract with, or by referral from a managed care plan certified for workers' compensation by the commissioner of labor and industry under Minnesota Statutes, section 176.1351, the name of the managed care plan;
  - G. the name and quantity of each medication provided;
  - H. the prescription number for the medication;
  - I. the date the medication was provided;
  - J. the total charge for each medication provided; and
- K. the name, address, and telephone number of the pharmacy that provided the medication.

#### Subp. 3. Billing code.

A. The provider shall undertake professional judgment to assign the correct approved billing code, and any applicable modifiers, in the CPT, HCPCS, or UB-92 manual in effect on the date the service, article, or supply was rendered, using the appropriate provider group designation, and according to the instructions and guidelines in this chapter. No provider may use a billing code which is assigned a "D," "G," "H," or "I" status in part 5221.4030. Where several component services which have different CPT codes may be described in one more comprehensive CPT code, only the single CPT code most accurately describing the procedure performed or service rendered may be reported.

Dental procedures not included in CPT or HCPCS shall be coded using any standard dental coding system.

- B. The codes for services in parts 5221.4030 to 5221.4070 may be submitted with two-digit or two-letter suffixes called "modifiers" as defined in part 5221.0100, subpart 10a. Except as otherwise specifically provided in parts 5221.4000 to 5221.4070, the use of a modifier does not change the maximum fee to be calculated according to part 5221.4020.
  - C. Provider group designation.
- (1) General. The provision of services by all health care providers is limited and governed by each provider's scope of practice as stated in the applicable statute. A provider shall not perform a service which is outside that provider's scope of practice, nor shall a provider use a procedure code for a service which is outside that provider's scope of practice. Services delivered at the direction and under the supervision of a licensed health care provider listed in this item are considered incident to the services of the licensed provider and are coded as though provided directly by the licensed provider. Services delivered by support staff such as aides, assistants, or other unlicensed providers are incident to the services of a licensed provider only if the licensed provider directly responsible for the unlicensed provider is on the premises at the time the service is rendered. Hospital charges are governed by part 5221.0500,

- subpart 2, items C and D. Outpatient charges by hospitals with more than 100 licensed beds are subject to the maximum fees in parts 5221.4000 to 5221.4070.
- (2) Medical and surgical services. Procedure codes for medical and surgical services and supplies are listed in part 5221.4030. These include services delivered by the following types of providers or services provided incident to the services of the following types of providers: medical physicians, surgeons, osteopathic physicians, podiatrists, dentists, oral and maxillofacial surgeons, optometrists, opticians, speech pathologists, licensed psychologists, social workers, nurse practitioners, clinical nurse specialists, and physician's assistants.
- (3) Pathology and laboratory services. Procedure codes for services and supplies provided by a pathologist or by a technician under the supervision of a physician are listed in part 5221.4040.
- (4) Physical medicine and rehabilitation services. Procedure codes for services and supplies provided by a physician, an osteopathic physician, a physical therapist, an occupational therapist, a physical therapist assistant under the direction and supervision of a physical therapist, or a certified occupational therapy assistant under the direction and supervision of an occupational therapist, or provided incident to the services of a physician, an osteopathic physician, a physical therapist, or an occupational therapist are listed in part 5221.4050.
- (5) Chiropractic services. Procedure codes for services and supplies provided by a chiropractor or provided incident to a chiropractor's services are listed in part 5221.4060.
- (6) Pharmacy services. Procedure codes for medications provided pursuant to the order of a health care provider, are described in part 5221.4070.
- Subp. 4. Cooperation with payer. Pursuant to Minnesota Statutes, section 176.138, providers shall comply within seven working days with payers' proper written requests for copies of existing medical data concerning the services provided, the patient's condition, the plan of treatment, and other issues pertaining to the payer's determination of compensability or excessiveness.

Subp. 5. [Repealed, 18 SR 1472]

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

**5221.0800** [Repealed, 18 SR 1472]

**5221.0900** [Repealed, 13 SR 2609]

**5221.1000** Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 18 SR 1472]

Subp. 5. [Repealed, 18 SR 1472]

Subp. 6. [Repealed, 18 SR 1472]

Subp. 7. [Renumbered 5221.0700, subpart 3, item C, subitems (1) to (20)]

**5221.1100** [Repealed, 18 SR 1472]

**5221.1200** [Repealed, 18 SR 1472]

**5221.1210** [Repealed, 16 SR 622; 18 SR 1472]

**5221.1215** [Repealed, 18 SR 1472]

**5221.1220** [Repealed, 18 SR 1472]

#### FEES FOR MEDICAL SERVICES

```
5221.1300 [Repealed, 18 SR 1472]
5221.1400 [Repealed, 13 SR 2609]
5221.1410 [Repealed, 18 SR 1472]
5221.1450 [Repealed, 18 SR 1472]
5221.1500 [Repealed, 18 SR 1472]
5221.1600 MR 1987 [Repealed, 12 SR 662]
5221.1600 [Repealed, 18 SR 1472]
5221.1700 [Repealed, 13 SR 2609]
5221.1800 [Repealed, 18 SR 1472]
5221.1900 [Repealed, 18 SR 1472]
5221.1950 [Repealed, 18 SR 1472]
5221.2000 [Repealed, 18 SR 1472]
5221.2050 [Repealed, 18 SR 1472]
5221.2070 [Repealed, 18 SR 1472]
5221.2100 [Repealed, 18 SR 1472]
5221.2150 [Repealed, 18 SR 1472]
5221.2200 [Repealed, 18 SR 1472]
5221.2250 [Repealed, 18 SR 1472]
5221.2300 [Repealed, 18 SR 1472]
5221.2400 [Repealed, 18 SR 1472]
5221.2500 Subpart 1. [Repealed, 18 SR 1472]
    Subp. 2. [Repealed, 18 SR 1472]
    Subp. 3. [Repealed, 10 SR 765]
    Subp. 4. [Repealed, 10 SR 765]
    Subp. 5. [Repealed, 10 SR 765]
    Subp. 6. [Repealed, 10 SR 765]
    Subp. 7. [Repealed, 10 SR 765]
    Subp. 8. [Repealed, 10 SR 765]
    Subp. 9. [Repealed, 10 SR 765]
    Subp. 10. [Repealed, 10 SR 765]
5221.2600 Subpart 1. [Repealed, 18 SR 1472]
    Subp. 2. [Repealed by amendment, 13 SR 2609]
    Subp. 3. [Repealed, 10 SR 765]
    Subp. 4. [Repealed, 10 SR 765]
    Subp. 5. [Repealed, 10 SR 765]
```

**5221.2650** [Repealed, 18 SR 1472] **5221.2700** [Repealed, 14 SR 722]

**5221.2750** [Repealed, 18 SR 1472]

**5221.2800** Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. MR 1985 [Repealed, 10 SR 765]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 18 SR 1472]

**5221.2900** [Repealed, 18 SR 1472]

**5221.3000** Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. [Repealed, 10 SR 765]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 10 SR 765]

Subp. 5. [Repealed, 10 SR 765]

**5221.3100** [Repealed, 14 SR 722]

**5221.3150** [Repealed, 18 SR 1472]

**5221.3155** [Repealed, 18 SR 1472]

**5221.3160** [Repealed, 18 SR 1472]

**5221.3200** [Repealed, 18 SR 1472]

**5221.3300** [Repealed, 18 SR 1472]

**5221.3310** [Repealed, 14 SR 722]

**5221.3400** [Repealed, 13 SR 2609]

**5221.3500** [Repealed, 18 SR 1472]

#### 5221.4000 APPLICATION SCHEDULE; INSTRUCTIONS.

- Subpart 1. Contents. This part provides general guidelines for application of the relative value medical fee schedule. The medical fee schedule contains codes and descriptions of services, relative value units and additional descriptive information for each service, and the conversion factor.
- Subp. 2. **Revisions.** The current medical fee schedule is effective until annual revisions are adopted, except that the commissioner may revise the medical fee schedule at any time to improve the schedule's accuracy, fairness, or equity, or to simplify the administration of the schedule.
- Subp. 3. Applicability. The medical fee schedule applies to a charge for a particular health care service if:
- A. the medical service is compensable under Minnesota Statutes, section 176.135;
- B. the service conforms to a billing code listed in the CPT, HCPCS, or UB-92 manual in effect on the date the service was rendered; and
- C. the billing code for the service is listed under the appropriate provider group designation for the health care provider that rendered the service.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.4010 EMPLOYER'S LIABILITY FOR SERVICES UNDER MEDICAL FEE SCHEDULE.

Unless the maximum fee is adjusted under part 5221.4035, 5221.4041, 5221.4051, or 5221.4061, the employer's liability for services included in parts 5221.4030 to 5221.4060 is limited to 100 percent of the fee schedule amount calculated according to the formula in part 5221.4020 or the provider's usual and customary fee for the service, whichever is lower. The employer's liability for pharmacy services is as provided in part 5221.4070.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.4020 DETERMINING FEE SCHEDULE PAYMENT LIMITS.

#### Subpart 1. Conversion factor.

A. Except as provided in parts 5221.4035, 5221.4041, 5221.4051, 5221.4061, and 5221.4070, the maximum fee in dollars for a health care service subject to the medical fee schedule is calculated according to the following formula:

maximum fee = relative value unit (RVU) x conversion factor (CF), rounded to the nearest cent, according to standard mathematical principles.

RVUs for all included services are listed in parts 5221.4030, 5221.4040, 5221.4050, and 5221.4060.

B. The conversion factor shall be updated annually, pursuant to Minnesota Statutes, section 176.136, subdivision 1a. The conversion factor for services included in parts 5221.4030 to 5221.4060 provided after October 1, 1993, is \$52.05. This initial conversion factor is annually adjusted as follows:

- (1) for dates of service from October 1, 1994, to September 30, 1995: \$52.91;
  - (2) for dates of service from October 1, 1995, to September 30, 1996:
- \$54.31;
  (3) for dates of service from October 1, 1996, to September 30, 1997:
- \$56.35;
  (4) for dates of service from October 1, 1997, to September 30, 1998:
- \$59.47; (5) for dates of service from October 1, 1998, to September 30, 1999:
- \$62.27;
- (6) for dates of service from October 1, 1999, to September 30, 2000: \$66.14;
- (7) for dates of service from October 1, 2000, to September 30, 2001: \$69.04; and
- (8) for dates of service from October 1, 2001, to September 30, 2002: \$73.13.

As a sample calculation, assume the RVU for a new patient office examination, nonfacility, by a physician, procedure code 99201, is 0.84 RVU. If the date of service was September 1, 2000, this RVU is multiplied by 66.14 (conversion factor effective October 1, 1999). The maximum fee under parts 5221.4030 to 5221.4070, excluding any applicable adjustment, would be equal to \$55.56 for the service.

Subp. 2. **Key to abbreviations and terms and payment instructions.** Columns 1 to 12 found in parts 5221.4030, subpart 2b, 5221.4040, subpart 2b, 5221.4050, subpart 2b, and 5221.4060, subpart 2b, list indicators necessary to determine the maximum fee for the service. Further payment adjustments may apply as specified in this subpart.

A. Column 1 identifies CPT/HCPCS code. This is the specific procedure code intended to identify the health care service described in column 4.

- B. Column 2 identifies when there is a technical/professional modifier. Column 2 contains a modifier if there is a technical component (TC) and a professional component (26) for the service. Parts 5221.4032 and 5221.4062 provide additional instructions for applying these modifiers. The technical/professional modifier for pathology/laboratory services is as described in part 5221.4041. Column 2 also contains a modifier "53" to identify a separate RVU for a procedure that has been terminated by the physician before completion.
- (1) 26 indicates professional component only codes. This indicator identifies codes that describe the physician work portion of selected services for which there is an associated code that describes the technical component of the service only.
- (2) TC indicates technical component only codes. This indicator identifies codes that describe the technical component, such as staff and equipment costs, of selected services for which there is an associated code that describes the professional component of the service only.
  - C. Column 3 identifies the status of the code.
- (1) "A" status indicates an active code. These services are separately paid under the medical fee schedule. The maximum fee for this service is calculated according to the formula in subpart 1 and as adjusted by other instructions in this subpart.
- (2) "B" status indicates a bundled code. Payment for covered services are always bundled into payment for other services. There is no separate payment for these services even if an RVU is listed. When these services are covered, payment for them is subsumed by the payment for the services to which they are incident. An example is a telephone call from a hospital nurse regarding care of a patient.
- (3) "C" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (4) "D" status indicates an invalid or deleted CPT or HCPCS code. Another CPT or HCPCS code must be used to describe the service. No payment is allowed for codes with a "D" status even if a positive RVU is listed.
- (5) "E" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- (6) "G" and "I" status indicates an invalid CPT or HCPCS code and "H" status indicates an invalid modifier code. Another code must be used to describe these services. No payment is allowed for codes with a "G," "H," or "I" status even if a positive RVU is listed.
- (7) "N" status indicates a code that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the liability for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
  - (8) "P" status indicates a bundled or excluded code.
- (a) If the item or service is covered as incident to a physician service and is provided on the same day as a physician service, payment for it is bundled into the payment for the physician service to which it is incident. An example is an elastic bandage furnished by a physician incident to physician service.
- (b) If the item or service is covered as other than incident to a physician service, such as colostomy supplies, it may be paid for separately. If the item

or service is not provided incident to the services of a licensed provider, the maximum fee for the service is governed by any listed positive RVU or, if there is a zero RVU listed, by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.

- (9) "R" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- (10) "T" status indicates injections. There are RVUs listed for these services, but they are only paid if there are no other services payable under the fee schedule billed on the same date by the same provider. If any other services payable under the fee schedule are billed on the same date by the same provider, these services are bundled into the physician services for which payment is made. Payment for the injected material is separate from the injection services and is governed by part 5221.0500, subpart 2, items B to F.
- (11) "X" status indicates a code that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- D. Column 4 is an abbreviated CPT/HCPCS description. This is a short narrative description of the procedure code. A detailed description of the service appears in the CPT or HCPCS manual incorporated by reference in the applicable medical fee schedule.
- E. Column 5 lists the total RVUs for the service when the service is provided by a health care provider in the provider's office.
- F. Column 6 lists the total RVUs for the professional service when the service is provided by a health care provider in a facility such as a hospital or ambulatory surgical center.
- G. Column 7 indicates the application of the global surgery package. It provides time frames and other circumstances that apply to each surgical procedure. Part 5221.4035 provides additional factors affecting payment.
- (1) 000 indicates endoscopic or minor procedure with related preoperative and postoperative relative values on the day of the procedure only included in the RVU amount.
- (2) 010 indicates a procedure with preoperative relative values on the day of the procedure and postoperative relative values during a ten-day postoperative period included in the RVU amount.
- (3) 090 indicates major surgery with a one-day preoperative period and a 90-day postoperative period included in the RVU amount.
- (4) MMM indicates maternity codes. The usual global period does not apply.
- (5) XXX indicates the global surgery package concept does not apply to the code.
- (6) YYY indicates the global surgery package concept may apply. If the provider and payor cannot agree to a specified global period, the global period shall be determined by the commissioner or compensation judge. For purposes of this subitem, the global period shall include normal, uncomplicated follow-up care for the procedure.
- (7) ZZZ indicates the code is related to a primary service and has the same global period as the primary service. However, it is considered an add-on code and is paid separately.

- H. Column 8 governs payment for multiple procedures. Symbols in column 8 indicate applicable payment adjustment rule for multiple procedures.
- (1) O indicates no payment adjustment rules for multiple procedures apply.
- (2) 2 indicates standard payment adjustment rules for multiple procedures apply as provided in part 5221.4035, subpart 5.
- (3) 3 indicates special rules for multiple endoscopic/arthroscopic procedures apply as provided in part 5221.4035, subpart 5, item E.
- (4) 4 indicates special rules for multiple procedures. See parts 5221.4051 and 5221.4061 for specific instructions.
  - (5) 9 indicates that the concept of multiple procedure does not apply.
- I. Column 9 governs payment for bilateral procedure. Symbols in column 9 indicate services subject to payment adjustment if they are bilateral procedures.
  - (1) 0 indicates that no payment adjustments apply to bilateral procedures.
  - (2) 1 indicates that bilateral payment adjustments apply.
  - (3) 2 indicates that no further bilateral payment adjustments apply.
  - (4) 3 indicates that no bilateral payment adjustments apply.
  - (5) 9 indicates that the concept of bilateral procedures does not apply.
- J. Column 10 governs payment for assistant-at-surgery. Symbols in column 10 indicate services when an assistant-at-surgery may be paid.
- (1) 0 indicates an assistant-at-surgery may not be paid unless supporting documentation is submitted to establish medical necessity, in which case payment is according to part 5221.4035, subpart 7.
  - (2) 1 indicates an assistant-at-surgery may not be paid.
- (3) 2 indicates that an assistant-at-surgery may be paid according to part 5221.4035, subpart 7.
  - (4) 9 indicates that the concept of assistant-at-surgery does not apply.
- K. Column 11 governs payment for cosurgeons. Symbols in column 11 indicate services for which two surgeons may be paid.
- (1) 0 indicates cosurgeons are not permitted for this procedure and no payment for a cosurgeon may be made.
- (2) 1 indicates cosurgeons may be paid, with supporting documentation establishing the medical necessity of two surgeons for the procedure. Where necessity is established, payment is according to part 5221.4035, subpart 8.
- (3) 2 indicates cosurgeons are paid according to part 5221.4035, subpart 8.
  - (4) 9 indicates that the concept of cosurgeons does not apply.
- L. Column 12 governs payment for team surgery. Symbols in column 12 indicate services for which team surgeons may be paid. Part 5221.4035, subpart 9, defines team surgery.
- (1) 0 indicates team surgeons are not permitted for this procedure and no payment may be made for team surgeons.
- (2) 1 indicates team surgeons may be paid, if supporting documentation establishes medical necessity of a team. The maximum fee for the service is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (3) 2 indicates team surgeons are permitted. The maximum fee for the service is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
  - (4) 9 indicates that the concept of team surgery does not apply.

- Subp. 3. Supplies, separate billing allowed. Except as otherwise provided in subpart 2, charges for the following supplies provided during an evaluation and management service in the office may be billed separately and paid according to the assigned RVU or, if no positive RVU is assigned, the charges are limited by part 5221.0500, subpart 2:
  - A. surgical trays for services specified in part 5221.4035, subpart 3, item I;
  - B. injectable drugs and antigens;
- C. splints, casts, and other devices used in the treatment of fractures and dislocations;
- D. all take-home supplies provided by the health care provider or hospital, regardless of type;
- E. orthotic device used for the purpose of supporting a weak or deformed body member or restricting or eliminating motion in a diseased or injured part of the body. Braces meet this definition. Elastic stockings and bandages applied in the office do not meet this definition; and
- F. prosthetic devices which replace all or part of an internal body organ, or replace all or part of the function of a permanently inoperative or malfunctioning internal body organ. A foley catheter for a permanently incontinent patient meets this definition. A catheter used to obtain a urine specimen does not meet this definition.
- Subp. 4. Codes 99455 and 99456. The CPT manual describes two codes for "Work Related or Medical Disability Evaluation Services" (codes 99455 and 99456). These codes are used to report evaluations performed to establish baseline information prior to life or disability insurance certificates being issued. They are not to be used for reporting services for treatment or evaluation of a compensable work injury under parts 5221.0410 and 5221.0420 or Minnesota Statutes, chapter 176.

**Statutory Authority:** MS s 14.38; 14.388; 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 21 SR 420; 22 SR 500; 23 SR 595; 24 SR 302; 25 SR 730; 25 SR 1142; 26 SR 490

#### 5221.4030 MEDICAL/SURGICAL PROCEDURE CODES.

Subpart 1. Key to abbreviations and terms. For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2. [Repealed, 20 SR 530]

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of medical/surgical procedure codes.

A. Procedure code numbers 10040 to 19499 relate to skin procedures.

1	2	3	4	5	6	7	8	9	10	11	12
(1) Skir	ı, inc	cisio	on and drainage:								
10040	•	Α	Acne surgery	1.40	1.24	010	2	0	1	0	0
10060		Α	Drainage of skin abscess	1.51	1.30	010	2	0	1	0	0
10061		Α	Drainage of skin abscess	2.83	2.52	010	2	0	1	0	0
10080		Α	Drainage of pilondial	1.57	1.33	010	2	0	1	0	0
10081		Α	Drainage of pilondial	3.38	2.85	010	2	0	1	0	0
10120		Α	Remove foreign body	1.58	1.36	010	2	0	1	0	0
10121		Α	Remove foreign body	3.47	2.99	010	2	0	1	0	0
10140		Α	Drainage of hematoma	1.88	1.65	010	2	0	1	0	0
10160		Α	Puncture drainage of cyst	1.48	1.30	010	2	0	1	0	0
10180		Α	Complex drainage, cyst	3.16	3.16	010	2	0	1	0	0

(2) Skin, exc	cisic	on, debridement:								
11000	Α	Debride infected skin	0.95	0.76	000	2	0	1	0	0
11001		Debride infected skin	0.53	0.41	ZZZ	0	Ŏ	1	Õ	0
11010		Debride skin, foreign	8.00	8.00	010	2	2	2	0	0
11011		Debride skin/muscle	9.48	9.48	000	2	2	2	0	0
11012		Debride skin/muscle	13.17	13.17	000	2	2	2	0	0
11040		Debride skin, partial	0.86	0.67	000	2	0	1	0	0
11041		Debride skin, full	1.32	1.05	000	2	0	1	0	0
11042		Debride skin/tissue	1.69	1.37	000	2	0	1	0	0
11043	Α	Debride tissue/muscle	4.10	4.10	010	2	0	1	0	0
11044	Α	Debride tissue/muscle	5.77	5.77	010	2	0	1	0	0
(3) Skin, par	ring	or cutting:								
11050	D	Trim skin lesion	0.76	0.59	000	2	0	1	0	0
11050	Ď	Trim 2 to 4 skin lesions	1.11	0.87	000	2	0	1	0	0
11052	D	Trim over 4 skin lesions	1.20	1.00	000	2		î	0	ŏ
11055	R	Trim skin lesion	0.50	0.38	000	2	ŏ	1	Õ	ŏ
11056	R	Trim 2 to 4 skin lesions	0.70	0.53	000	2	0	1	Õ	Õ
11057		Trim over 4 skin lesions	0.74	0.60	000	2	ő	1	0	ŏ
11007	•	Time over 1 simm resions	0.7 1	0.00	000	_	Ü	•	v	Ū
(4) Skin, bio	psy	:								
11100	Α	Biopsy of skin	1.25	1.00	000	2	0	1	0	0
11101		Biopsy, each additional	0.66	0.52	ZZZ	0	Õ	1	Õ	Ŏ
	-				.,					
(5) Skin, rer	nov	al of skin tags:								
11200	Α	Removal of skin tags	1.14	0.93	010	2	0	1	0	0
11201		Removal of additional	0.44	0.36	ZZZ	0	0	1	Ŏ	0
11201		2.0	<b>U</b>	0.00			J	-	Ť	
(6) Skin, sha	vin	g of epidermal or dermal lesion	ns:			: '				
11300	Α	Shave skin lesion	1.00	0.75	000	2	0	0	0	0
11301		Shave skin lesion	1.45	1.13	000	2	0	0	0	0
11302		Shave skin lesion	1.86	1.43	000	2	0	0	0	0
11303	Α	Shave skin lesion	2.53	1.88	000	2	0	0	2	0
11305	Α	Shave skin lesion	1.14	0.89	000	2	0	0	0	0
11306	Α	Shave skin lesion	1.62	1.28	000	2	0	0	0	0
11307	Α	Shave skin lesion	2.00	1.54	000	2	0	0	Õ	0
11308	Α	Shave skin lesion	2.73	2.05	000	2	0	0	0	0
11310	Α	Shave skin lesion	1.36	1.03	000	2	0	0	0	0
11311	Α	Shave skin lesion	1.82	1.41	000	2	0	0	0	0
11312	Α	Shave skin lesion	2.23	1.69	000	2	0	0	0	0
11313	Α	Shave skin lesion	2.99	2.27	000	.2	0	0	0	0

## 5221.4030 FEES FOR MEDICAL SERVICES

(7) Skin, e	xcisi	on, benign lesions:								
11400	Α	Removal of skin	1.37	1.11	010	2	0	1	0	0
11400	A	Removal of skin	1.88	1.56	010	2	0	1	0	0
11402	Ā	Removal of skin	2.37	1.94	010	2	0	1	0	ő
11403		Removal of skin	2.94	2.38	010	2	ő	1	ŏ	ő
11404	A	Removal of skin	3.42	2.76	010	2	ő	1	ő	ŏ
11406	A	Removal of skin	4.50	4.50	010	2	ő	1	0	ő
11420	A	Removal of skin	1.49	1.24	010	2	ŏ	1	0	ő
11421	Â	Removal of skin	2.11	1.77	010	2	ő	1	0	ŏ
11422		Removal of skin	2.56	2.11	010	2	ŏ	1	ő	ŏ
11423	A		3.32	2.69	010	2	ŏ	1	ŏ	ŏ
11424	A	Removal of skin	3.81	3.14	010	2	ŏ	1	ŏ	ŏ
11426	A	Removal of skin	5.36	5.36	010	$\tilde{2}$	ŏ	1	ŏ	ŏ
11440	A		1.74	1.41	010	2	ŏ	1	ŏ	ŏ
11441	Â		2.33	1.92	010	2	ŏ	î	ŏ	ŏ
11442	A	Removal of skin	2.84	2.30	010	2	ŏ	1	ŏ	ŏ
11443	A	Removal of skin	3.74	3.04	010	2	ŏ	1	0	ő
11444	A	Removal of skin	4.60	3.89	010	2	ŏ	1	Ö	ŏ
11446	A	Removal of skin	5.89	5.04	010	2	ő	1	ő	ő
11450	A		5.31	5.31	090	2	ŏ	1	0	0
11451		Removal, sweat	6.64	6.64	090	2	Ö	0	0	ő
11451		Removal, sweat	4.81	4.81	090	2	0	0	0	0
			5.71	5.71	090	2	0	0	0	0
11463	A	Removal, sweat	5.88	5.88		2		1	0	
11470		Removal, sweat			090	2	0	0	0	0
11471	Α	Removal, sweat	6.64	6.64	090	2	U	U	U	U
(8) Skin, e	xcisi	on, malignant lesions:								
11600	Α	Removal of skin	2.43	1.88	010	2	0	1	0	0
11601	Α	Removal of skin	3.16	2.49	010	2	0	1	0	0
11602	Α	Removal of skin	3.74	2.86	010	2	0	1	0	0
11603	Α	Removal of skin	4.42	3.34	010	2	0	1	0	0
11604	Α	Removal of skin	4.99	3.74	010	2	0	1	0	0
11606	Α	Removal of skin	6.39	6.39	010	2	0	1	0	0
11620	Α	Removal of skin	2.58	1.93	010	2	0	1	0	0
11621	Α	Removal of skin	3.57	2.72	010	2	0	1	0	0
11622		Removal of skin	4.35	3.29	010	2	0	1	0	0
11623	Α	Removal of skin	5.29	4.04	010	2	0	1	0	0
11624	A	Removal of skin	6.39	4.84	010	2	0	1	0	0
11626	Α	Removal of skin	7.48	7.48	010	2	0	1	0	0
11640	A	Removal of skin	3.07	2.27	010	2	0	1	0	0
11641		Removal of skin	4.33	3.32	010	2	0	1	0	0
11642	A	Removal of skin	5.27	4.03	010	2	0	1	0	0
11643	Α		6.24	4.79	010	2	0	1	0	0
11644	Α	Removal of skin	7.70	6.01	010	2	0	1	0	0
11646	Α	Removal of skin	9.91	9.91	010	2	0	1	0	0
(9) Nails:										
11719	R	Trim nails	0.34	0.16	000	2	0	1	0	0
11720	A	Debride nails, 1 to 5	0.62	0.46	000	Õ	ŏ	î	ŏ.	ŏ
11721		Debride nails, 6 or more	1.04	0.78	000	ŏ	ŏ	ī	ŏ	ŏ
11730		Removal of nail	1.48	1.27	000	2	ŏ	ī	ŏ	ŏ
11731	A	Removal of second nail	1.04	0.79	ZZZ	$\bar{0}$	ŏ	1	ŏ	ŏ
11732	A	Remove additional nail	0.77	0.65	$\overline{Z}\overline{Z}Z$	Ŏ	Ŏ	ĩ	Ŏ	Ŏ
11740	A	Drain blood from	0.73	0.55	000	2	0	1	Ō	Ō

533		FEES	FOR	MEDICAL	SERV	ЛСЕ	ES	522	1.40	30
11750 11752 11755 11760 11762 11765 11770 11771 11772	A A A	Removal of nail Remove nail bed Biopsy of nail unit Reconstruction Reconstruction Excision of skin of nail Removal of pilondial Removal of pilondial Removal of pilondial	3.82 5.35 2.21 2.38 5.24 1.15 5.19 10.08 11.55	3.98 2.21 3.1.93 4.00 5.0.90 5.19 8.10.08	010 010 000 010 010 010 010 090 090	2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 0 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(10) Nails, i	ntro	oduction:								
11900 11901 11920 11921 11922 11950 11951 11952 11954 11960 11970 11971 11975 11976 11977	A R R R R R R R A A	Injection, intralesional Added skin lesions Correct skin color Correct skin color Correct skin color Therapy, contour defects Insert tissue expander Replace tissue expander Remove tissue expander Insert contraceptive Remove contraceptive Removal/reinsertion	0.72 1.14 2.73 3.26 0.83 1.97 2.29 2.74 2.89 16.53 14.80 4.61 0.00 3.02 0.00	0.94 2.73 3.26 0.83 1.97 2.29 2.74 2.89 5.16.53 14.80 4.61 0.000 3.02	000 000 000 000 ZZZ 000 000 000 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 9 2 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 0 0 0 0 0 0 0 0 1 1 1 0 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(11) Repair	, sin	nple:								
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021	A A A A A	Repair superficial Closure of split wound Closure of split wound	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.33	2.49 3.19 4.09 5.16 5.58 2.35 2.85 4.34 4.54 5.86 7.69 10.26 3.63	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 0 2 1	0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
(12) Repair	, int	ermediate:								
12031 12032 12034 12035 12036 12037	A A A	Layer closure of wounds	2.69 3.31 4.15 5.10 6.12 7.49	2.80 4.15 5.10 6.12	010 010 010 010 010 010	2 2 2 2 2 2 2	0 0 0 0 0	1 1 1 1 1 0	0 0 0 0 0 1	0 0 0 0 0

#### 5221.4030 FEES FOR MEDICAL SERVICES

12041	Α	Layer closure of wounds	3.01	2.60	010	2	0	1	0	.0
12042	Α	Layer closure of wounds	3.68	3.12	010	2	0	1	0	0
12044	Α	Layer closure of wounds	4.51	4.51	010	2	0	1	0 :	0
12045	Α	Layer closure of wounds	5.49	5.49	010	2	0	1	0	0
12046	Α	Layer closure of wounds	6.79	6.79	010	2	0	0	0	0
12047	Α	Layer closure of wounds	8.41	8.41	010	2	0	2	1	0
12051	Α	Layer closure of wounds	3.27	2.79	010	2	0	1	0	0
12052	Α	Layer closure of wounds	4.01	3.30	010	2	0	1	0	0
12053	Α	Layer closure of wounds	4.63	4.63	010	2	0	1	0	0
12054	Α	Layer closure of wounds	5.79	5.79	010	2	0	1	0	0
12055	Α	Layer closure of wounds	7.36	7.36	010	2	0	1	0	0
12056	Α	Layer closure of wounds	9.62	9.62	010	2	0	0	0	0
12057	Α	Layer closure of wounds	11.06	11.06	010	2	0	2	1	0

## (13) Repair, complex:

13100	Α	Repair of wound	4.01	3.45	010	2	0	1	0	0
13101	Α	Repair of wound	5.68	4.68	010	2	0	1	0	0
13120	Α	Repair of wound	4.39	3.74	010	2	0	1	0	0
13121	Α	Repair of wound	6.67	5.39	010	2	0	1	0	0
13131	Α	Repair of wound	5.48	4.52	010	2	0	1	0	0
13132	Α	Repair of wound	10.06	7.85	010	2	0	1	0	0
13150	Α	Repair of wound	5.29	5.29	010	2	0	1	0	.0
13151	Α	Repair of wound	6.60	5.42	010	2	0	1	0	0
13152	Α	Repair of wound	11.08	8.60	010	2	0	1	0	0
13160	Α	Late closure of wound	13.05	13.05	090	2	. 0	1	0	0
13300	Α	Repair of wound	10.77	10.77	010	2	. 0	1	0	0

## (14) Repair, adjacent tissue transfer or rearrangement:

14000	Α	Rearrange skin tissue	8.85	7.20	090	2	0	1	0	0
14001	Α	Rearrange skin tissue	12.70	12.70	090	2	0	1	0	0
14020	Α	Rearrange skin tissue	10.99	10.99	090	2	0	1	0	0
14021	Α	Rearrange skin tissue	15.65	15.65	090	2	0	1	0.	0
14040	Α	Rearrange skin tissue	14.04	10.77	090	2	0	1	0	0
14041	Α	Rearrange skin tissue	18.61	14.80	090	2	0	1	0	0
14060		Rearrange skin tissue	15.78	15.78	090	2	0	1	0	0
14061	Α	Rearrange skin tissue	21.99	16.92	090	2	0	1	0	0
14300	Α	Rearrange skin tissue	22.62	22.62	090	2	0	1	0	0
14350	Α	Rearrange skin tissue	15.17	15.17	090	2	0	0	0	0

## (15) Repair, free skin grafts:

15000	Α	Skin graft procedure	4.14	4.14	ZZZ	0	0	1	0	0
15050	Α	Skin pinch graft	5.80	5.80	090	2	0	1	0	0
15100	Α	Skin split graft	13.09	13.09	090	2	0	1	0	0
15101	Α	Skin split graft	3.28	3.28	ZZZ	0	0	1	0	0
15120	Α	Skin split graft	15.29	15.29	090	2	0	1	0	0
15121	Α	Skin split graft	5.53	5.53	ZZZ	0	0	1	1	0
15200	Α	Skin full graft	11.66	11.66	090	2	0	1	0	0
15201	Α	Skin full graft	3.10	2.87	ZZZ	0	0	0	0	0
15220	Α	Skin full graft	12.29	12.29	090	2	0	1	0	0
15221	Α	Skin full graft	2.89	2.62	ZZZ	0	0	1	0	0

MINNESUTA RULES 2001												
535			FEES FOR M	1EDICA	L SERV	ЛСІ	ES	522	1.40	30		
15240	Α	Skin full graft	14.67	14.67	090	2	0	1	0	0		
15240		Skin full graft	4.31	3.99	ZZZ	$\tilde{0}$	0	1	0	0		
15260		Skin full graft	16.88	16.88	090	2	0	1	0	0		
15261		Skin full graft	5.11	4.72	ZZZ	0	0	1	0	0		
15350		Skin homograft	6.27	6.27	090	2	0	1	0	0		
15400	A		6.36	6.36	090	2	0	1	ő	0		
13400	Λ	Skiii licterograft	0.50	0.50	070	2	U	1	U	U		
(16) Repair	, fla	ps:										
15570	Α	Form skin pedicle	14.82	14.82	090	2	0	1	0	0		
15572	A	Form skin pedicle	14.64	14.64	090	$\bar{2}$	Õ	î	ŏ	Õ		
15574	A	Form skin pedicle	15.10	15.10	090	2	ŏ	î	ŏ	ŏ		
15576		Form skin pedicle	11.23	11.23	090	2	Ŏ	1	Ŏ	Ŏ		
15580		Attach skin pedicle	13.47	13.47	090	2	Ŏ	0	0	0		
15600		Skin graft procedure	4.64	4.25	090	2	Õ	Ŏ	0	Õ		
15610		Skin graft procedure	5.36	5.21	090	2	0	0	0	0		
15620	Α	Skin graft procedure	6.47	6.26	090	2	0	1	0	0		
15625	Α	Skin graft procedure	4.19	4.19	090	2	0	0	0	0		
15630		Skin graft procedure	6.94	6.94	090	2	0	1	0	0		
15650		Transfer skin pedicle	8.34	8.34	090	2	0	0	0	0		
15732		Muscle-skin graft	33.06	33.06	090	2	0	2	1	0		
15734	Α	Muscle-skin graft	36.30	36.30	090	2	0	2	1	0		
15736	Α	Muscle-skin graft	32.09	32.09	090	2	0	1	1	0		
15738	Α	Muscle-skin graft	30.53	30.53	090	2	0	2	1	0		
(17) Repair	, oti	her flaps and grafts:										
15740	Α	Island pedicle	20.23	20.23	090	2	0	1	0	0		
15750		Neurovascular pedicle	23.03	23.03	090	2	0	2	0	0		
15756		Free muscle flap	63.99	63.99	090	2	0	2	2	0		
15757		Free skin flap	63.99	63.99	090	2	0	2	2	0		
15758	Α	Free fascial flap	63.87	63.87	090	2	0	2	2	0		
15760	Α	Composite skin	15.59	15.59	090	2	0	1	0	0		
15770	Α	Derma-fat-fascia	14.56	14.56	090	2	0	2	1	0		
15775	R	Hair transplant	6.69	6.69	000	2	0	0	0	0		
15776	R	Hair transplant	9.36	9.36	000	2	0	0	0	0		
(18) Repair	, ot	her procedures:										
15780	Α	Abrasion treatment	8.17	7.43	090	2	0	0	0	0		
15781	Α	Abrasion treatment	8.26	6.44	090	2	0	1	0	0		
15782	Α	Abrasion treatment	5.14	4.57	090	2	0	0	0	0		
15783	Α	Abrasion treatment	5.79	4.89	090	2	0	0	0	0		
15786	Α	Abrasion treatment	2.47	2.18	010	2	0	1	0	0		
15787	Α	Abrasion, additional	0.54	0.43	ZZZ	0	0	1	0	0		
15788	R	Chemical peel	3.39	3.39	090	2	0	1	0	0		
15789	R	Chemical peel	5.96	5.96	090	2	0	1	0	0		
15792	R	Chemical peel	2.20	2.20	090	2	0	0	0	0		
15793	Α	Chemical peel	3.91	3.91	090	2	0	0	0	0		
15810	Α	Salabrasion	8.13	8.13	090	2	0	0	0	0		
15811	Α	Salabrasion	8.91	8.91	090	2	0	0	0	0		
15819	Α	Plastic surgery	16.73	16.73	090	2	0	0	0	0		
15820	Α	Revision of lower eveli	id 10.51	10.51	090	2	1	0	0	0		

090 2 1 0 0 0

10.51 10.51

A Revision of lower eyelid

15820

#### 5221.4030 FEES FOR MEDICAL SERVICES

15821	A	Ą	Revision of lower eyelid	11.64	11.64	090	2	1	0	0	0
15822	· A	4	Revision of upper eyelid	9.08	9.08	090	2	1	1	0	0
15823	A	Ą	Revision of upper eyelid	14.18	14.18	090	2	1	1	0	0
15824	I	R	Removal of forehead	0.00	0.00	XXX	2	0	0	0	0
15825	I	R	Removal of neck	0.00	0.00	XXX	2	0	0	0	0
15826	I	R	Removal of brow	0.00	0.00	XXX	2	0	0	0	0
15828	I	R	Removal of face	0.00	0.00	XXX	2	0	0	0	0
15829	I	R	Removal of skin	0.00	0.00	XXX	2	0	0	0	0
15831	A	Ą	Excise excessive skin	21.87	21.87	090	2	0	2	1	0
15832	P	Ą	Excise excessive skin	19.26	19.26	090	2	0	2	1	0
15833	A	A	Excise excessive skin	16.28	16.28	090	2	0	0	0	0
15834	A	Ą	Excise excessive skin	17.46	17.46	090	2	0	0	0	0
15835	I	Ą	Excise excessive skin	18.03	18.03	090	2	0	0	0	Ó
15836	A	4	Excise excessive skin	14.69	14.69	090	2	0	0	0	0
15837	. 1	4	Excise excessive skin	13.89	13.89	090	2	0	0	0	0
15838	A	A	Excise excessive skin	12.56	12.56	090	2	0	0	0	0
15839	A	4	Excise excessive skin	11.13	11.13	090	2	0	0	0	0
15840	A	Ą	Graft for face	27.39	27.39	090	2	0	1	0	0
15841	A	4	Graft for face	38.93	38.93	090	2	0	2	1	0
15842	A	4	Graft for face	63.95	63.95	090	2	0	2	1	0
15845	F	4	Skin and muscle	26.17	26.17	090	2	0	2	0	0
15850	I	В	Removal of sutures	0.00	0.00	XXX	9	9	9	9	9
15851	A	4	Removal of sutures	1.09	0.94	000	2	0	1	0	0
15852	A	4	Dressing change	1.24	1.03	000	2	0	1	0	0
15860	F	4	Test for blood	3.21	3.21	000	2	0	0	0	0
15876	I	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15877		R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15878		R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15879	I	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0

## (19) Repair, pressure ulcers:

15920	Α	Removal of tail	10.41	10.41	090	2	0	0	0	0
15922	Α	Removal of tail	15.42	15.42	090	2	0	2	1	0
15931	Α	Remove sacrum ulcer	11.52	11.52	090	2	0	1	0	0
15933	Α	Remove sacrum ulcer	17.32	17.32	090	2	0	0	0	0
15934	Α	Remove sacrum ulcer	19.55	19.55	090	2	0	1	0	0
15935	Α	Remove sacrum ulcer	25.34	25.34	090	2	0	2	1	0
15936	Α	Remove sacrum ulcer	22.29	22.29	090	2	0	1	1	0
15937	Α	Remove sacrum ulcer	27.38	27.38	090	2	0	2	1	0
15940	Α	Remove ischial ulcer	12.31	12.31	090	2	0	1	0	0
15941	Α	Remove ischial ulcer	17.95	17.95	090	2	0	0	0	0
15944	Α	Remove ischial ulcer	20.35	20.35	090	2	0	0	0	0
15945	Α	Remove ischial ulcer	23.43	23.43	090	2	0	0	0	0
15946	Α	Remove ischial ulcer	37.41	37.41	090	2	0	2	1	0
15950	Α	Remove thigh ulcer	10.07	10.07	090	2	0	1	0	0
15951	Α	Remove thigh ulcer	17.99	17.99	090	2	0	0	1	0
15952	Α	Remove thigh ulcer	17.98	17.98	090	2	0	2	1	0
15953	Α	Remove thigh ulcer	21.27	21.27	090	2	0	1	1	0
15956	Α	Remove thigh ulcer	32.45	32.45	090	2	0	2	1	0
15958	Α	Remove thigh ulcer	32.58	32.58	090	2	0	2	1	0
15999	С	Remove ulcer	0.00	0.00	YYY	2	0	0	1	1

(20) Repai	r, burns, i	local	treatment:
------------	-------------	-------	------------

16000	Α	Initial treatment	1.16	0.99	000	.2	0	1	0	0
16010	Α	Treatment of burn	1.12	0.96	000	2	0	1	0	0
16015	Α	Treatment of burn	4.31	4.31	000	2	0	1	0	0
16020	Α	Treatment of burn	1.07	0.91	000	2	0	1	0	0
16025	Α	Treatment of burn	2.14	1.92	000	2	0	1	0	0
16030	Α	Treatment of burn	2.43	2.43	000	2	0	1	0	0
16035	Α	Incision of burn	6.38	6.38	090	2	0	1	0	0
16040	Α	Burn wound excision	2.72	2.30	000	2	0	0	0	0
16041	Α	Burn wound excision	5.61	5.61	000	2	0	0	0	0
16042	Α	Burn wound excision	4.93	4.93	000	2	0	0	0	0

## (21) Destruction, benign or premalignant lesions:

17000	Α	Destroy lesions	0.97	0.76	010	2	0	1	0	0
17001	D	Destroy lesions	0.37	0.28	ZZZ	0	0	1	0	0
17002	D	Destroy lesions	0.27	0.23	ZZZ	0	0	1	0	0
17003	Α	Destroy 2 to 14 lesions	0.27	0.20	ZZZ	0	0	1	0	0
17004	Α	Destroy 15 or more	4.82	3.73	010	0	0	1	0	0
17010	D	Destroy lesions	1.45	1.22	010	2	0	1	0	0
17100	D	Destroy lesions	0.88	0.70	010	2	0	1	0	0
17101	D	Destroy lesions	0.23	0.17	ZZZ	0	0	1	0	0
17102	D	Destroy lesions	0.18	0.14	ZZZ	0	0	1	0	0
17104	D	Destroy lesions	1.93	1.89	010	2	0	1	0	0
17105	D	Destroy lesions	1.03	0.88	010	2	0	1	0	0
17106	Α	Destroy lesions	6.13	5.20	090	2	0	1	0	0
17107	Α	Destroy lesions	12.10	10.32	090	2	0	1	0	0
17108	Α	Destroy lesions	21.37	21.37	090	2	0	0	0	0
17110	Α	Destroy lesions	0.99	0.80	010	2	0	1	0	0
17111	Α	Destroy lesions	1.44	1.15	010	2	0	1	0	0
17200	D	Electrocautery	1.00	0.80	010	2	0	1	0	0
17201	D	Electrocautery	0.50	0.42	ZZZ	0	0	1	0	0
17250	Α	Chemical cauterization	0.80	0.64	000	2	0	1	0	0

## (22) Destruction, malignant lesions, any method:

17260	Α	Destroy lesions	1.97	1.43	010	2	0	1	0	0
17261	Α	Destroy lesions	2.47	1.80	010	2.	0	1	0	0
17262	Α	Destroy lesions	3.28	2.40	010	2	0	1	0	0
17263	Α	Destroy lesions	3.91	2.83	010	2	0	1	0	0
17264	Α	Destroy lesions	4.41	3.16	· 010	2	0	1	0	0
17266	Α	Destroy lesions	5.40	3.90	010	2	0	1	0	0
17270	Α	Destroy lesions	2.56	1.91	010	2	0	1	0	0
17271	Α	Destroy lesions	3.13	2.29	010	2	0	1	0	0
17272	Α	Destroy lesions	3.84	2.77	010	2	0	1	0	0
17273	Α	Destroy lesions	4.49	3.24	010	2	0	1	0	0
17274	Α	Destroy lesions	5.63	4.08	010	2	0	1	0	0
17276	Α	Destroy lesions	6.48	4.83	010	2	0	1	0	0
17280	Α	Destroy lesions	2.74	1.94	010	2	0	1	0	0
17281	Α	Destroy lesions	3.68	2.67	010	2	0	1	0	0
17282	Α	Destroy lesions	4.46	3.22	010	2	0	1	0	0
17283	Α	Destroy lesions	5.46	4.00	010	2	0	1	0	0
17284	Α	Destroy lesions	.6.49	4.79	010	2	0	1	0	0
17286	Α	Destroy lesions	8.53	6.45	010	2	0	1	0	0
		•								

5221.4030	FE	ES FOR MEDICAL SERVIC	CES						5	38
(23) Destru	ıctio	n, Mohs' micrographic surger	y:		•					
17304 17305 17306 17307 17310	A A A A	1st stage chemosurgery 2nd stage chemosurgery 3rd stage chemosurgery Follow-up skin, 1 to 5 Extensive skin, over 5	10.95 4.86 4.00 4.07 0.99	9.01 3.77 3.32 3.36 0.93	000 000 000 000 000	0 0 0 0	0 0 0 0	1 1 1 1	0 0 0 0	0 0 0 0
(24) Destru	ictio	n, other procedures:								
17340 17360 17380 17999	A A R C	Cryotherapy for acne Skin peel therapy Hair removal Skin tissue procedure	0.97 1.57 0.00 0.00	0.84 1.44 0.00 0.00	010 010 XXX YYY	2 2 2 2	0 0 0 0	1 1 0 0	0 0 0 1	0 0 0 1
(25) Breast	, inc	sision:								
19000 19001 19020 19030	A A A	Drainage of breast cyst Drain additional cyst Incision of breast Injection for breast	1.17 0.64 4.75 1.88	0.98 0.52 4.75 1.88	000 <b>ZZZ</b> 090 000	2 0 2 2	1 1 1 1	1 1 1 1	0 0 0 0	0 0 0 0
(26) Breast	, exc	cision:								
19100 19101 19110 19112 19120 19125 19126 19140 19160 19162 19180 19182 19200 19220 19240 19240 19271	A A A A A A A A A A A A A A A A A A A	Excision, breast lesion Excision, additional Removal of breast	1.84 5.40 6.56 5.79 8.18 8.63 4.23 9.31 9.91 22.42 14.05 13.58 25.12 25.95 24.74 19.47 32.16 33.15	1.53 5.40 6.56 5.79 8.18 8.63 4.23 9.31 9.91 22.42 14.05 13.58 25.12 25.95 24.74 19.47 32.16 33.15	000 010 090 090 090 090 2ZZZ 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0 0 0	1 1 1 0 1 1 1 1 0 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 1 1 1 0 0 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(27) Breast	, int	roduction:								
19290 19291		Place needle wire Place needle wire	1.62 0.84	1.62 0.84	000 <b>ZZZ</b>	2 0	1 0	1 0	2 2	$_{0}^{0}$
(28) Breast	, rep	pair and/or reconstruction:		•	٠.					

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

 $090 \ 2 \ 1 \ 2 \ 1 \ 0$ 

A Suspension of breast 22.40 22.40

19316

## **MINNESOTA RULES 2001**

539			FEES	FOR 1	MEDICAL	SERV	ЛСІ	ES	5.22	21.40	)30
19318		Α	Reduce large breast	29.66	29.66	090	2	1	2	1	0
19324		Α	Enlarge breast	8.86		090	2	1	0	0	0
19325		Α	Enlarge breast	13.96	13.96	090	2	1	0	0	0
19328		Α	Removal of breast	9.19	9.19	090	2	1	1	0	0
19330		Α	Removal of implant	11.05	11.05	090	2	1	1	0	0
19340		Α	Immediate breast implant	13.60	13.60	ZZZ	0	1	l	1	0
19342		Α	Delayed breast implant	21.73	21.73	090	2	1	0	1	0
19350		Α	Breast reconstruction	15.70		090	2	1	1	0	0
19355		A	Correct inverted nipple	12.19		090	2	1	0	0	0
19357		A	Breast reconstruction	29.53	29.53	090	2	1	2	1	0
19361		A	Breast reconstruction	39.07		090	2	1	2	1	0
19364		A	Breast reconstruction	44.45 36.91	44.45 36.91	090 090	2	1 1	2	1	0
19366 19367		A	Breast reconstruction Breast reconstruction	44.94	30.91 44.94	090	2	1	2	1	0
19368		A	Breast reconstruction	51.02		090	2	1	2	1	0
19369		A	Breast reconstruction	48.65		090	2	1	2	1	0
19370		A	Surgery of breast	13.92		090	2	1	1	0	ő
19371		A	Removal of breast	16.98		090	2	1	1	ŏ	Õ
19380		A	Breast reconstruction	17.00		090	$\bar{2}$	1	1	ŏ	0
19396		A	Design custom breast	3.66		000	$\bar{2}$	1	Ō	Õ	0
			<b>g</b>				_	_		•	•
(29) Br	east,	oth	er procedures:								
19499		C	Breast surgery	0.00	0.00	YYY	2	1	0	1	1
	_	_		***							
,	B.	Pro	ocedure code numbers 20000	to 2990	9 relate to	o musc	ulos	kel	etal	pro	ce-
dures.	B.	Pro	ocedure code numbers 20000	to 2990	9 relate to	o musc	ulos	kel	etal	pro	ce-
										-	
dures.	B. · 2	Pro	ocedure code numbers 20000 a	to 2990 5	9 relate to	o musc 7	ulos 8	kel 9		produced pro	
										-	
1	2	3	4							-	
	2	3	4							-	
1 (1) Ger	2	3	4 cision:	5	6	7	8	9	10	11	12
1 (1) Ger 20000	2	ino A	4 cision: Incision of abscess	2.79	2.38	7 010	8	9	10	11	12
1 (1) Ger	2	3	4 cision:	5	6	7	8	9	10	11	12
1 (1) Ger 20000	2	ino A	4 cision: Incision of abscess	2.79	2.38	7 010	8	9	10	11	12
1 (1) Ger 20000 20005	2 neral,	inc A A	dission: Incision of abscess Incision of deep abscess	2.79	2.38	7 010	8	9	10	11	12
1 (1) Ger 20000 20005	2 neral,	inc A A	4 cision: Incision of abscess	2.79	2.38	7 010	8	9	10	11	12
1 (1) Ger 20000 20005 (2) Ger	2 neral,	ino A A	dision: Incision of abscess Incision of deep abscess ound exploration, trauma:	2.79 5.03	2.38 5.03	7 010 010	2 2 2	9 0 0	10	11 0 0	12
1 (1) Ger 20000 20005 (2) Ger 20100	2 neral,	ind A A	d cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck	2.79 5.03	2.38 5.03	7 010 010	2 2 2	9 0 0	10	111 0 0 0	12 0 0
1 (1) Ger 20000 20005 (2) Ger	2 neral,	inc A A	dission: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest	2.79 5.03	2.38 5.03	7 010 010	2 2 2	9 0 0	10 1 1 1	11 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101	2 neral,	inc A A A A A	d cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck	2.79 5.03 14.59 4.64	2.38 5.03 14.59 4.64 5.68	7 010 010 010	2 2 2	9 0 0	10	111	12 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102	2 neral,	inc A A A A A	dission: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	7 010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 1 0 0	10 1 1 1 2 2 2 2	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103	2 neral,	ind A A A A A A	dission:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	7 010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 1 0 0	10 1 1 1 2 2 2 2	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102	2 neral,	ind A A A A A A	dission:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	7 010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 1 0 0	10 1 1 1 2 2 2 2	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger	2 neral,	ind A A A A A A	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	7 010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 0	10 1 1 1 2 2 2 2 0	111 0 0 0 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150	2 neral,	ind A A A A A A A	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	7 010 010 010 010 010 010	2 2 2 2 2 2 2	9 0 0 0 1	10 1 1 1 2 2 2 2 0	111 0 0 0 0 0 0	12 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200	2 neral,	inc A A A A A A A A	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	7 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205	2 neral,	inc A A A A A A A A A A A A	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	7 010 010 010 010 010 010 010 000 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205 20206	2 neral,	ind A A A A A A A A A A A A A A A A A	cision:  Incision of abscess Incision of deep abscess  and exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy Needle biopsy, muscle	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90	7 010 010 010 010 010 010 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 1 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205 20206 20220	2 neral,	ind AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision:  Incision of abscess Incision of deep abscess  Jund exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy Needle biopsy, muscle Bone biopsy, trocar	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90 2.47	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90 2.47	7 010 010 010 010 010 010 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205 20206	2 neral,	ind AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision:  Incision of abscess Incision of deep abscess  and exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy Needle biopsy, muscle	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90 2.47 3.84	7 010 010 010 010 010 010 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 1 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0 0

5221.4030	FE	ES FOR MEDICAL SERVI	CES						5	540
20245 20250	A A	Bone biopsy, excisional Open bone biopsy	7.29 9.88	7.29 9.88	010 010	· 2	0	1 1	0	0
20251		Open bone biopsy	11.20	11.20	010	2	0	2	ŏ	,
(4) Gener	al, in	troduction or removal:						•		
20500	Α	Injection of sinus tract	1.49	1.31	010	2	0	1	0	(
20501		Injection of sinus tract	0.99	0.99	000	2	0	1	0	(
20520		Removal of foreign body	2.41	2.07	010	2	0	1	0	(
20525		Removal of foreign body	5.51	5.51	010	2	0	1	0	(
20550	Α	Inject tendon/ligament	1.17	0.99	000	2	0	1	0	(
20600	Α	Drain or inject joint	1.08	0.85	000	2	1	1	0	(
20605	Α	Drain or inject joint	1.08	0.86	000	2	1	1	0	(
20610		Drain or inject joint	1.18	0.96	000	2	1	1	0	(
20615	Α	Treatment of bone cyst	2.58	2.34	010	2	0	1	0	(
20650	Α	Insert and removal	3.14	3.14	010	2	0	1	1	(
20660	Α	Apply, remove	3.90	3.90	000	0	0	1	0	(
20661	Α	Application of halo	8.49	8.49	090	2	0	1	0	(
20662	Α	Application of halo	12.40	12.40	090	2	0	0	0	(
20663		Application of halo	9.83	9.83	090	2	0	0	0	(
20664	Α	Halo brace application	11.37	11.37	090	2	0	1	0	(
20665		Removal of fixation	1.71	1.71	010	2	0	0	0	(
20670	Α	Removal of implant	2.36	2.00	010	2	0	1	0	(
20680	Α	Removal of implant	6.54	6.54	090	2	0	0	0	(
20690	Α	Apply bone fixation	7.05	7.05	ZZZ	0	0	1	0	(
20692	Α	Apply bone fixation	11.63	11.63	ZZZ	0	0	2	1	(
20693	Α	Adjust bone fixation	7.96	7.96	090	2	0	1	0	(
20694	Α	Remove bone fixation	6.51	6.51	090	2	0	1	0	(

20802	Α	Replantation, arm	77.19	77.19	090	2	1	2	1	0
20805	Α	Replantation, forearm	94.16	94.16	090	2	1	2	1	0
20808	Α	Replantation, hand	116.60	116.60	090	2	1	2	1	0
20816	Α	Replantation, digit	57.98	57.98	090	2	0	2	1	0
20822	Α	Replantation, digit	47.94	47.94	090	2	0	2	1	0
20824	Α	Replantation, thumb	57.98	57.98	090	2	1	2	1	0
20827	Α	Replantation, thumb	49.38	49.38	090	2	1	2	1	0
20838	Α	Replantation, foot	77.43	77.43	090	2	1	2	1	0

## (6) General, grafts:

20900	Α	Removal of bone	8.02	8.02	090	2	0	2	1	0
20902	Α	Removal of bone	12.08	12.08	090	2	0	2	1	0
20910	Α	Remove cartilage	5.66	5.66	090	2	0	0	0	0
20912	Α	Remove cartilage	10.58	10.58	090	2	0	0	0	0
20920	Α	Removal of fascia	8.89	8.89	090	2	0	1	1	0
20922	Α	Removal of fascia	10.63	10.63	090	2	0	2	1	0
20924	Α	Removal of tendon	11.62	11.62	090	2	0	2	1	0
20926	Α	Removal of tissue	7.74	7.74	090	2	0	1	0	0
20930	В	Spinal bone allograft	0.00	0.00	XXX	9	9	9	9	9
20931	Α	Spinal bone allograft	3.47	3.47	ZZZ	0	1	1	1	0
20936	В	Spinal bone autograft	0.00	0.00	XXX	9	9	9	9	9

Copyright @ 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

## **MINNESOTA RULES 2001**

541	FEES FOR MEDICAL SERVICES 5						522	1.40	30
	Spinal bone autograft Spinal bone autograft	5.34 5.78	5.34 5.78	ZZZ ZZZ	0	1 1	2 2	1	0
(7) General, o	ther procedures:								
20955 A 20956 A 20957 A 20962 A 20969 A 20970 A 20972 A 20973 A 20974 A	Iliac bone graft Metatarsal bone graft Other bone graft Bone/skin graft Bone/skin graft Bone/skin graft Bone/skin graft Electrical, bone healing Electrical, bone healing	2.29 73.45 64.53 66.83 64.53 82.26 80.61 80.87 86.16 4.16 5.43 0.00	2.29 73.45 64.53 66.83 64.53 82.26 80.61 80.87 86.16 2.51 5.43 0.00	000 090 090 090 090 090 090 090 090 2ZZZ	2 2 2 2 2 2 2 2 2 2 2 0 0	0 0 0 0 0 0 0 0 0 0	0 2 2 2 2 2 2 2 2 2 1 2 0	0 1 1 1 1 1 0 1 0 1	0 0 0 0 0 0 0 0 0 0
(8) Head, incis	ion:								
21010 A	Incision of jaw	19.61	19.61	090	2	1	0	0	0
(9) Head, excis	sion:								
21030 A 21031 A 21032 A 21034 A 21040 A 21041 A 21044 A 21045 A 21050 A	Excision of bone Excision of face bone Contour of face bone Removal of face tumor Remove exostosis Removal of face tumor Removal of face tumor Removal of jaw tumor Removal of jaw tumor Removal of jaw tumor Extensive jaw resection Removal of jaw Remove jaw joint	11.05 13.34 7.59 15.62 9.26 6.67 6.88 21.91 4.71 11.93 20.60 28.91 21.82 20.73 14.47	11.05 11.34 6.07 11.52 7.64 4.90 5.01 21.91 3.38 9.15 20.60 28.91 21.82 20.73 14.47	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	$egin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 &$	1 1 0 1 1 1 2 1 2 2 0 2 0	0 0 0 0 0 0 0 0 1 0 0 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(10) Head, into	roduction or removal:								
21076 A 21077 A 21079 A 21080 A 21081 A 21082 A 21083 A 21084 A 21085 A 21086 A	Prepare face/oral	27.19 68.37 48.50 54.49 49.66 42.28 41.90 48.87 18.23 54.10	20.06 50.44 35.01 39.33 35.85 31.19 30.24 35.28 13.45 39.05	010 090 090 090 090 090 090 090 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 0 0 0 0 0 0 0	0 0 1 1 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0

#### 5221.4030 FEES FOR MEDICAL SERVICES

022111000										12
21087	Α	Prepare face/oral	50.48	37.25	090	2	0	0	.0	0
21088	Ĉ	Prepare face/oral	0.00	0.00	090	0	0	0	0	ő
21089	Č	Prepare face/oral	0.00	0.00	090	0	0	1	0	0
21100	A	Maxillofacial fixation	4.92	4.92	090	2	0	0	0	0
21110	A	Interdental fixation	10.33	7.65	090	.2	0	1	0	0
21116	Α	Injection, jaw joint	1.47	1.47	000	2	0	1	0	0
(11) Head,	repa	air, revision, and/or reconstru	ction:							
21120	Α	Reconstruction	8.17	8.17	090	2	0	1	1	0
21121	Α	Reconstruction	12.76	12.76	090	2	0	2	, $0$	0
21122	Α	Reconstruction	14.16	14.16	090	2	0	2	0	0
21123	Α	Reconstruction	18.52	18.52	090	2	0	2	1	0
21125	Α	Augmentation	14.50	14.50	090	2	0	2	0	0
21127	Α	Augmentation	18.24	18.24	090	2	0	2	1	0
21137	Α	Reduction of forehead	16.24	16.24	090	2	0	2	0	0
21138	Α	Reduction of forehead	20.20	20.20	090	2	0	2	1	0
21139	Α	Reduction of forehead	24.23	24.23	090	2	0	2	1	0
21141	Α	Reconstruct midface	31.21	31.21	090	2	0	2	1	0
21142	Α	Reconstruct midface	32.37	32.37	090	2	0	2	1	0
21143	Α	Reconstruct midface	33.65	33.65	090	2	0	2	1	0
21145	Α	Reconstruct midface	32.88	32.88	090	2	0	2	0	0
21146	Α	Reconstruct midface	34.10	34.10	090	2	0	2	1	Ō
21147	A	Reconstruct midface	35.64	35.64	090	2	Ŏ	2	Õ	Ŏ
21150	Ā	Reconstruct midface	41.94	41.94	090	2	Ŏ	2	Ŏ	Ŏ
21151	A	Reconstruct midface	47.00	47.00	090	2	Ŏ	2	Ō	Ŏ
21154	A	Reconstruct midface	50.53	50.53	090	2	Ō	2	1	0
21155	A	Reconstruct midface	57.15	57.15	090	2	0	2	ō	0
21159	Α	Reconstruct midface	70.44	70.44	090	2	0	2	1	0
21160	A	Reconstruct midface	77.16	77.16	090	2	0	2	0	0
21172	A	Reconstruct orbital rim	46.15	46.15	090	2	0	2	1	0
21175	A	Reconstruct orbital rim	55.22	55.22	090	2	0	2	Õ	0
21179	Ā	Reconstruct forehead	36.93	36.93	090	2	0	2	Ō	0
21180	Α	Reconstruct forehead	41.90	41.90	090	2	Ŏ	2	1	Ŏ
21181	A	Contour cranial bones	16.31	16.31	090	2	Õ	ō	Ô	ŏ
21182	A	Reconstruct cranial bone	53.58	53.58	090	2	0	2	1	ŏ
21183	A	Reconstruct cranial bone	58.70	58.70	090	2	Ö	2	1	Ö
21184	A	Reconstruct cranial bone	63.63	63.63	090	2	Ŏ	2	ō	0
21188	A	Reconstruct midface	37.12	37.12	090	2	0	$\bar{2}$	ŏ	Ŏ
21193		Reconstruct lower jaw	28.25	28.25	090	2	2	2	1	ŏ
21194	A	Reconstruct lower jaw	32.71	32.71	090	2	2	2	0	Ŏ
21195	A	Reconstruct lower jaw	28.36	28.36	090	$\tilde{2}$	2	$\bar{2}$	ŏ	ŏ
21196	A	Reconstruct lower jaw	31.18	31.18	090	2	$\bar{2}$	2	ĭ	Ŏ
21198	A	Reconstruct lower jaw	28.13	28.13	090	2	õ	$\tilde{2}$	1	ŏ
21206	A	Reconstruct upper jaw	23.25	23.25	090	2	ŏ	2	1	ő
21208	A	Augmentation of face	20.74	20.74	090	2	ŏ	0	0	0
21209	A	Reduction of face	10.95	10.95	090	2	ŏ	2	ŏ	ŏ
21210	A	Face bone graft	20.87	15.43	090	2	0	1	0	0
21215		Lower jaw bone graft	22.01	16.28	090	2	0	1	1	0
21213	A	Rib cartilage graft	20.73	20.73	090	2	0	0	0	0
21235	A	Ear cartilage graft	13.84	13.84	090	2	0	1	0	0
21233	A	Reconstruction	28.84	28.84	090	2	1	2	1	0
21240	A	Reconstruction	26.76	26.76	090	2	1	2	1	0
21242	A	Reconstruction	33.71	20.76 33.71	090	2	i	2	1	0
21243	A	Reconstruction	33.71 24.44	33.71 24.44	090	2	0	2	1	0
21244	A	Reconstruction	24.44 22.57	24.44 22.57	090	2	n	2	U	0

22.57

22.57

090

21245

A Reconstruction

543			<b>FEES</b>	<b>FOR</b>	MEDICAL	L SERV	ИСЕ	52	21.40	)30
21246	Δ	Reconstruction		20.43	2 20.42	090	2	) 2	0	0
21240	A	Reconstruct lower jaw		45.8		090		$\stackrel{7}{)}$ $\stackrel{7}{2}$		.0
21248	A	Reconstruction Reconstruction		23.5		. 090		$\frac{1}{1}$		0
21249	A	Reconstruction		36.3		090		0		0
21255	A	Reconstruct lower jaw		33.8		090		) 2		0
21256	A	Reconstruction		32.80		. 090		$\stackrel{?}{{}{}}$		.0
21260	A	Revise eye socket		33.4		090		$\frac{1}{2}$		0
21261	A	Revise eye socket		46.6		090		$\stackrel{?}{{}{}}$	1	0
21263		Revise eye socket		57.5		090		$\stackrel{?}{0}$	1	0
21267		Revise eye socket		32.4		090		$\stackrel{?}{{}{}}$	1	0
21268	A	Revise eye socket		38.78		090		$\frac{1}{2}$		0
21270	A	Augmentation, chin		19.3		090		) 2	1	Õ
21275	A	Revise orbitofacial		19.5		090		$\stackrel{?}{0}$		ő
21280	A	Revision of eye		12.2		090		l 0		0
21282	A	Revision of eye		7.3		090		1 1		0
21295	A	Revision of jaw		2.3		090		0		0
21296	A	Revision of jaw		7.4		090		) 0	_	0
21290	Λ.	Revision of Jaw		7.40	3 7.40	030	2	, 0	U	U
(12) Head	d, oth	er procedures:								
` ,		•								
21299	C	Cranio/maxillofacial		0.0	0.00	YYY	2	0 (	1	1
(40) TT										
(13) Head	i, frac	ture and/or dislocation:								
21200		T		1.0	0 140	000	2		. 0	0
21300	A	Treatment of skull		1.60		000		0 0		0
21310	A	Treatment of nose		1.30		000		) 1		0
21315	A	Treatment of nose		3.2		010		) 1		0
21320	A	Treatment of nose		4.17		010		) 1		0
21325	A	Repair of nose		7.6		090		0 0		0
21330	A	Repair of nose		11.0		090		) 1		0
21335	A	Repair of nose		17.8		090 090		) (		0
21336 21337	A A	Repair nasal septal Repair nasal septal		9.43 5.38		090		) (		0 0
				11.0		090		) 0		
21338 21339	A	Repair nasoethmoid		14.5		090		) 2		0 0
	A	Repair nasoethmoid		18.9		090		) (		
21340 21343	A A	Repair of nose		21.2		090		) 2		0
21343	A	Repair of sinus		27.3		090		$\stackrel{)}{0}$		0
21345	A	Repair of sinus Repair of nose		15.4		090	_	0  0		0
21346	A	Repair of nose		19.2		090		) 1		ő
21347	A	Repair of nose		22.2		090		$\stackrel{1}{{}{}}$		0
21348	A	Repair of nose		27.3		090		$\stackrel{7}{0}$		ő
21355	A	Repair cheek bone		5.0		010		0	_	0
21356	A	Repair cheek bone		8.6		010		0 0		Õ
21360		Repair cheek bone		13.2		090		) 2		0
21365		Repair cheek bone		26.4		090		$\tilde{0}$ $\tilde{2}$		0
21366	A	Repair cheek bone		29.10		090		$\frac{1}{2}$	2	0
21385	A	Repair eye socket		18.2		090		$\stackrel{)}{0}$ 2	1	0
21386	A	Repair eye socket		17.7		090		) 2		0
21387	A	Repair eye socket		16.5		090		) 2		0
21390	A	Repair eye socket		20.7		090		$\stackrel{)}{{\sim}}$		0
21395	A	Repair eye socket		21.5		090		) 2		0
21400	A	Treat eye socket		2.9		090		0		0
21400	A	Repair eye socket		5.6		090		) 2		0
21401	A	Repair eye socket		11.8		090		$\begin{array}{ccc} 0 & 2 \\ 0 & 2 \end{array}$		0
21 100		Tropair ojo sockor		11.0	. 11.00	370	~			J

21407	Α	Repair eye socket	15.10	15.10	090	2	0	2	1	0
21408	Α	Repair eye socket	19.99	19.99	090	$\bar{2}$	ŏ	2	2	Õ
21421	A	Treat mouth roof	10.94	10.47	090	$\bar{2}$	Ŏ	0	0	. 0
21422	. A	Repair mouth roof	17.05	17.05	090	2	ŏ	2	1	0
21423	Α	Repair mouth roof	19.56	19.56	090	2	0	2	2	ő
21423	A	Treat craniofacial	12.61	12.61	090	2	0	2	0	0
			14.81		090	2		2		0
21432	A	Repair craniofacial		14.81			0		0	
21433	A	Repair craniofacial	41.52	41.52	090	2	0	2	1	0
21435	A	Repair craniofacial	29.50	29.50	090	2	0	2	0	0
21436	A	Repair craniofacial	40.75	40.75	090	2	0	2	2	0
21440	A	Repair dental ridge	5.57	5.47	090	2	0	0	0	0
21445	A	Repair dental ridge	11.09	10.91	090	2	0	2	0	0
21450	Α	Treat lower jaw	5.58	5.58	090	2	0	0	0	0
21451	Α	Treat lower jaw	10.46	10.01	090	2	0	0	0	0
21452	Α	Treat lower jaw	3.23	3.23	090	2	0	0	0	0
21453	Α	Treat lower jaw	11.75	11.22	090	2	0	0	0	0
21454	Α	Treat lower jaw	13.52	13.52	090	2	0	0	1	0
21461	Α	Repair lower jaw	16.66	16.66	090	2	0	2	1	0
21462	Α	Repair lower jaw	20.03	20.03	090	2	0	2	1	0
21465	Α	Repair lower jaw	19.51	19.51	090	2	0	2	1	0
21470	Α	Repair lower jaw	31.18	31.18	090	2	0	2	1	0
21480	Α	Reset dislocation	1.36	1.25	000	2	1	1	0	0
21485	A	Reset dislocation	5.85	4.79	090	2	1	ō	ŏ	Ō
21490	A	Repair dislocation	17.15	17.15	090	$\bar{2}$	ī	2	1	Õ
21493	A	Treat hyoid bone	2.69	2.58	090	2	Ô	1	1	Ö
21494	Α	Repair hyoid bone	13.31	13.31	090	2	ŏ	2	1	ő
21495	A	Repair hyoid bone	10.10	10.10	090	2	ő	2	0	ő
21497	A	Interdental wiring	7.55	7.55	090	2	0	Õ	Ö	ő
21177		intercentar witing	7.55	7.55	070	_	Ü	Ū	Ü	Ü
(14) Head,	othe	er procedures:								
,		1								
21499	С	Head surgery procedure	0.00	0.00	YYY	2	0	0	1	1
	_	2.2. F. 1.2. F				_	_	_		
(15) Neck :	and 1	thorax, incision:								
` /		•								
21501	Α	Drain neck/chest	5.36	5.36	090	2	0	1	0	0
21502	Α	Drain chest lesion	10.95	10.95	090	2	0	2	0	0
21510	Α	Drainage of bone	9.18	9.18	090	2	0	0	0	0
		S								
(16) Neck a	and t	thorax, excision								
21550	Α	Biopsy of neck	2.76	2.35	010	2	0	1	0	0
21555	Α	Remove lesion, neck	5.63	5.63	090	2	0	1	0	0
21556	Α	Remove lesion, neck	9.08	9.08	090	2	0	1	0	0
21557	A	Remove tumor, neck	17.05	17.05	090	$\bar{2}$	0	2	1	ŏ
21600		Partial removal	11.09	11.09	090	2	0	2	1	0
21610		Partial removal	18.68	18.68	. 090	2	0	2	0	0
21615		Removal of rib	19.83	19.83	090	2	1	2	1	0
		Removal of rib	19.83	18.77	090	2	1	2	0	0
21616						2		2		
21620		Partial removal	13.46	13.46	090		0		1	0
21627	A	Sternal debridement	11.54	11.54	090	2	0	2	0	0
21630		Extensive sternum	29.55 -		090	2	0	2	1	0
21632	Α	Extensive sternum	28.84	28.84	090	2	0	2	1	0

(17) Neck a	ınd 1	thorax, repair, revision, and/or	reconstr	uction:				,		
21700	Λ	Revision of neck	9.91	9.91	090	2	0	2	0	0
21705		Revision of neck	13.93	13.93	090	2	0	2	0	0
21703		Revision of neck	9.15	9.15	090	2	0	2	0	0
21725		Revision of neck	11.43	11.43	090	2	0	2	1	0
		Reconstruction	24.57	24.57	090	2	0	2	1	ő
21740 21750		Repair of sternum	17.65	17.65	090	2	0	2	1	0
21730	A	Repair of stertium	17.03	17.03	090	۰	U	ند	1	U
(18) Neck a	ınd 1	thorax, fracture and/or dislocat	ion:							
21800	Α	Treat rib fracture	1.65	1.65	090	2	0	1	0	0
21805	A	Treat rib fracture	3.89	3.89	090	2	Õ	Ō	Ŏ	Õ
21810	A	Treat rib fracture	13.64	13.64	090	2	Ŏ	2	Ŏ	Ŏ
21820	A	Treat sternum fracture	2.57	2.57	090	2	Ŏ	1	Ŏ	ŏ
21825		Repair sternum fracture	14.01	14.01	090	$\tilde{2}$	ŏ	2	1	0
21023	Λ	Repair sternam tracture	14.01	14.01	070	2	Ü	_	•	U
(19) Neck a	ınd 1	thorax, other procedures:				,				
21899	С	Neck/chest surgery	0.00	0.00	YYY	2	0	0	1	1
(20) Back a	nd 1	lank, excision:								
21920	Α	Biopsy soft tissue	2.69	2.31	010	2	0	1	0	0
21925	Α	Biopsy soft tissue	6.14	6.14	090	2	0	1	0	0
21930	Α	Remove lesion, back	7.44	7.44	090	2	0	1	0	0
21935		Remove tumor, back	23.39	23.39	090	2	0	1	1	0
(21) Spine,	exci	sion:								
22100	Α	Remove part of vertebra	16.81	16.81	090	2	0	2	1	0
22101		Remove part of thoracic	17.40	17.40	090	2	0	2	1	0
22102		Remove part of lumbar	13.62	13.62	090	2	0	2	1	0
22103	Α	Remove extra segment	4.48	4.48	ZZZ	0	0	2	1	0
22110	Α	Remove part of lesion	21.86	21.86	090	2	0	2	1	0
22112	Α	Remove part of thoracic	22.09	22.09	090	2	0	2	1	0
22114	Α	Remove part of lumbar	19.28	19.28	090	2	0	2	1	0
22116		Remove extra segment	4.44	4.44	ZZZ	0	0	2	1	0
(22) Spine,	oste	eotomy:								
22210	Α	Revision of neck	36.32	36.32	090	2	0	2	1	0
22212		Revision of thoracic	35.89	35.89	090	2	Õ	$\bar{0}$	Õ	Ŏ
22214		Revision of lumbar	33.73	33.73	090	2	0	2	1	Õ
22216	A	Revise extra segment	10.87	10.87	ZZZ	0	1	2	1	Õ
22220	Α	Revision of neck	36.92	36.92	090	2	0	2	1	0
22222		Revision of thoracic	33.55	33.55	090	2	0	0	0	0
22224	Α	Revision of lumbar	35.18	35.18	090	2	0	2	1	0
22226	Α	Revise extra segment	10.87	10.87	ZZZ	0	1	2	1	0

(23) Spine,	frac	cture and/or dislocation:								
22205	٨	Treat spins process	4.25	4.25	090	2	Λ	1	Λ	0
22305	A	1 1	4.25	4.25		2	0	1	0	0
22310	Α	1	5.18	5.18	0.90	2	0	1	0	0
22315		Treat spine fracture	13.82	13.82	090	2	0	1	0	0
22325	Α	Repair of spine	25.39	25.39	090	2	0	2	1	0
22326		Repair cervical	34.68	34.68	090	2	0	2	1	0
22327	Α	Repair thoracic	34.13	34.13	090	2	0	2	1	0
22328	Α	Repair each additional	8.83	8.83	ZZZ	0	0	2	1	0
(24) Spine,	maı	nipulation:								
22505	Α	Manipulation of spine	3.06	3.06	010	2	0	1	0	0
(25) Spine,	ante	erior or anterolateral approach	techniq	ue:						
22548	Α	Neck spine fusion	47.51	47.51	090	2	0	2	2	0
22554		Neck spine fusion	37.98	37.98	090	$\frac{2}{2}$	0	2	2	Õ
22556		Thorax spine fusion	44.21	44.21	090	2	ŏ	2	2	ŏ
22558		Lumbar spine fusion	41.57	41.57	090	2	0	2 2	2	0
22585	A	Additional spine	10.75	10.75	ZZZ	õ	0	2	2	ŏ
(26) Spine,	pos	terior, posterolateral or lateral	transver	se proce	ss techr	iqu	e:			
22590	Α	Spine and skull	41.35	41.35	090	2	0	2	2	0
22595		Neck spine fusion	40.34	40.34	090	2	0	2	2	0
22600		Neck spine fusion	33.63	33.63	090	2	0	2	2	0
22610		Thorax spine fusion	33.08	33.08	090	2	0	2	2	0
22612		Lumbar spine fusion	40.80	40.80	090	2	Õ	2	2	0
22614	Α	Spine fusion	11.81	11.81	ZZZ	ō	ŏ	2	2	Õ
22630	A	Lumbar spine fusion	38.47	38.47	090	2	ŏ	2	2	Õ
22632	A	Spine fusion	10.02	10.02	ZZZ	ō	ŏ	2	$\bar{2}$	ŏ
22032	••	opine rusion	10.02	10.02		Ü	Ū	-	_	J
(27) Spine,	defo	ormity:								
22800	Δ	Fusion of spine	37.94	37.94	090	2	0	2	1	0
				57.93						
22802		Fusion of spine	57.93		090	2	0	2	1	0
22804	A	Fusion of spine	62.82	62.82	090	2	0	2	1	0
22808	Α	Fusion of spine	43.37	43.37	090	2	0	2	1	0
22810	Α	Fusion of spine	47.00	47.00	090	2	0	2	1	0
22812	Α	Fusion of spine	57.07	57.07	090	2	0	2	1	0
22818	Α	Kyphectomy, 1-2 segments	58.86	58.86	090	2	0	2	2	2 2
22819	Α	Kyphectomy, 3 or more	63.04	63.04	090	2	0	2	2	2
(28) Spine,	expl	oration								
22830		Exploration of fusion	22.59	22.59	090	2	0	2	1	0
22030	<i>1</i> ¬1	Exploration of fusion	22.37	44.57	070	_	J	۷	1	J

(29) Spine,	spin	al instrumentation:								
22840	Α	Insert spine fixation	17.70	17.70	ZZZ	0	0	2	1	0
22841	В	Insert spine fixation	0.00	0.00	XXX	9	9	9	9	9
22842	Α	Insert spine fixation	18.66	18.66	ZZZ	0	0	2	2	0
22843	Α	Insert spine fixation	21.25	21.25	ZZZ	0	0	2	2	0
22844	Α	Insert spine fixation	25.96	25.96	ZZZ	0	0	2	2	0
22845	Α	Insert spine fixation	16.88	16.88	ZZZ	0	0	2	2	0
22846	Α	Insert spine fixation	19.62	19.62	ZZZ	0	0	2	2	0
22847		Insert spine fixation	21.79	21.79	ZZZ	0	0	2	2	0
22848		Insert pelvic fixation	11.49	11.49	ZZZ	0	0	2	2	0
22849		Reinsert spine fixation	29.25	29.25	090	2	0	2	1	0
22850		Remove spine fixation	18.33	18.33	_090	2	0	2	1	0
22851		Apply spine prosthesis	12.85	12.85	ZZZ	0	0	2	2	0
22852		Remove spine fixation	18.51	18.51	090	2	0	2	1	0
22855	Α	Remove spine fixation	21.63	21.63	090	2	0	2	1	0
(30) Spine,	othe	er procedures:								
22000	_	Coincide	0.00	0.00	1/1/1/	2	0	_	1	1
22899	C	Spine surgery procedure	0.00	0.00	YYY	2	0	2	1	1
(31) Abdom	ien,	excision:								
22900	A	Remove abdominal tumor	8.52	8.52	090	2	0	2	1	0
(32) Abdom	ien,	other procedures:								
22999	С	Abdomen surgery procedure	0.00	0.00	YYY	2	0	0	1	1
(33) Should	er, i	incision:								
23000	A	Remove deposits	7.35	7.35	090	2	0	2	1	0
23020		Release shoulder	15.73	15.73	090	2	1	2	Ô	ŏ
23030		Drain shoulder	5.39	5.39	010	2	Ō	1	Ŏ	Õ
23031		Drain shoulder	3.00	2.76	010	2	1	1	Õ	0
23035		Drain shoulder	14.40	14.40	090	2	1	2	0	0
23040		Exploratory, shoulder	18.12	18.12	090	2	1	2	1	0
23044		Exploratory, shoulder	13.79	13.79	090	2	1	1	1	0
(34) Should	er,	excision:								
23065	Α	Biopsy of shoulder	2.75	2.75	010	2	1	1	0	0
23066	A	Biopsy of shoulder	4.97	4.97	090	$\tilde{2}$	1	1	ŏ	ő
23075	A	Removal of shoulder	3.95	3.95	010	$\bar{2}$	1	ı 1	ŏ	Ŏ
23076	A	Removal of shoulder	10.70	10.70	090	2	1	1	0	Ō
23077	Α	Remove tumor	22.50	22.50	090	2	1	2	1	0
23100	Α	Biopsy of shoulder	12.56	12.56	090	2	1	2	1	0
23101	Α	Shoulder joint	11.66	11.66	090	2	1	1	1	0
23105			1717		ΛΛΛ	_				
22106	A	Remove shoulder	17.17	17.17	090	2	1	2	1	0
23106 23107		Incision of collar bone Explore, treat shoulder	17.17 10.44 17.86	17.17 10.44 17.86	090 090 090	2 2 2	1 1 1	1 2	1 1 1	0

23120	Α	Partial removal	11.32	11.32	090	2	0	2	1	0
23125	A	Removal collar bone	17.43	17.43	090	2	1	2	1	0
23130	A	Partial removal	14.29	14.29	090	2	1	1	1	0
23140	A	Removal of bone	10.68	10.68	090	2	1	1	0	0
23145	A	Removal of bone	16.84	16.84	090	2	1	2	1	0
23145	A	Removal of bone	12.72	12.72	090	2	1	0	0	0
23150	A	Removal of humerus	14.67	14.67	090	2	1	2	1	0
23155	A	Removal of humerus	18.65	18.65	090	2	1	2	1	0
	A	Removal of humerus				2		2		0
23156			15.95	15.95	090	2	1		0	
23170	A	Remove collar bone	11.30	11.30	090		1	1	0	0
23172	A	Remove shoulder	11.65	11.65	090	2	1	2	0	0
23174	A	Remove humerus	17.56	17.56	090	2	1	2	1	0
23180	A	Remove collar bone	12.27	12.27	090	2	1	1	1	0
23182	Α	Remove shoulder	14.37	14.37	090	2	1	2	0	0
23184	Α	Remove humerus	17.86	17.86	090	2	1	2	1	0
23190	Α	Partial removal	12.98	12.98	090	2	1	2	1	0
23195	Α	Removal of humeral head	18.31	18.31	090	2	1	2	1	0
23200	Α	Removal of collar bone	20.52	20.52	090	2	1	2	1	0
23210	Α	Removal of shoulder	20.82	20.82	090	2	1	2	1	0
23220	Α	Partial removal	25.98	25.98	090	2	1	2	1	0
23221	Α	Partial removal	34.27	34.27	090	2	1	2	0	0
23222	Α	Partial removal	37.49	37.49	090	2	1	2	1	0
(35) Should	er,	introduction or removal:								
23330	Α	Remove shoulder	2.25	1.98	010	2	1	0	0	0
23331	Α	Remove shoulder	9.09	9.09	090	2	1	0	0	0
23332	Α	Remove shoulder	20.80	20.80	090	2	1	2	1	0
23350	A	Injection for shoulder	1.44	1.44	000	2	1	1	0	0
(24) 61 11			. •							
(36) Should	er,	repair, revision, and/or reconst	ruction:							
22205		<b>3</b> 6 1	07.06	27.06	000	•	^	_		^
23395		Muscle transfer	27.06	27.06	090	2	0	2	1	0
23397	Α	Muscle transfer	29.43	29.43	090	2	0	2	1	0
23400	A	Fixation of shoulder	22.72	22.72	090	2	1	2	1	0
23405	A	Incision of tendon	15.38	15.38	090	2	0	2	1	0
23406	A	Incision of tendons	19.76	19.76	090	2	0	2	0	0
23410	A	Repair of tendon	22.83	22.83	090	2	0	2	1	0
23412	A	Repair of tendon	26.19	26.19	090	2	1	2	1	0
23415		Release of shoulder	14.51	14.51	090	2	1	1	1	0
23420	A	Repair of shoulder	27.50	27.50	090	2	1	2	1	0
23430	A	Repair biceps tendon	16.81	16.81	090	2	1	2	1	0
23440	A	Removal/transplant	17.08	17.08	090	2	1	2	1	0
23450	A	Repair shoulder	25.61	25.61	090	2	1	2	1	0
23455	Α	Repair shoulder	29.45	29.45	090	2	1	2	1	0
23460	A	Repair shoulder	28.78	28.78	090	2	1	2	1	0
23462	A	Repair shoulder	29.87	29.87	090	2	1	2	1	0
23465	A	Repair shoulder	29.31	29.31	090	2	1	2	1	0
23466	A	Repair shoulder	29.49	29.49	090	2	1	2	1	0
23470	A	Reconstruct shoulder	33.22	33.22	090	2	1	2	1	0
23472		Reconstruct shoulder	36.03	36.03	090	2	1	2	1	0
23480	A	Revision of collar bone	17.08	17.08	090	2	1	1	1	0
23485	A	Revision of collar bone	24.19	24.19	090	2	1	2	1	0
23490	A	Reinforce clavicle	20.85	20.85	090	2	1	2	0	0
23491	Α	Reinforce shoulder	26.33	26.33	090	2	1	2	1	0

(37) Should	ler,	fracture and/or dislocation:								
23500	Α	Treat clavicle	3.60	3.60	090	2	1	1	0	0
23505	A	Treat clavicle	6.04	6.04	090	.2	1	1	ő	ő
23515	A	Repair clavicle	14.04	14.04	090	$\overline{2}$	1	2	1	ő
23520	A	Treat clavicle	3.40	3.40	090	2	1	õ	0	0
23525	A	Treat clavicle	5.33	5.33	090	2	1	0	ő	0
23530	A	Repair clavicle	13.49	13.49	090	2	1	2	0	0
23532	A	Repair clavicle	14.91	14.91	090	2	1	2	0	0
23540	A	Treat clavicle	3.63	3.63	090	2	1	1	ő	0
23545	A	Treat clavicle	5.02	5.02	090	2	1	Ô	0	ŏ
23550	A	Repair clavicle	15.07	15.07	090	2	ì	2	1	ő
23552	A	Repair clavicle	15.36	15.36	090	2	1	2	ì	ŏ
23570	A	Treat shoulder bone	3.80	3.80	090	2	1	1	Ō	ŏ
23575	A	Treat shoulder bone	6.58	6.58	090	2	1	Ô	ŏ	ő
23585	A	Repair scapula	16.28	16.28	090	2	î	2	1	Ö
23600	A	Treat humerus fixation	5.70	5.70	090	2	1	1	0	Ö
23605	A	Treat humerus fixation	9.44	9.44	090	2	î	1	ŏ	· 0
23615	A	Repair humerus	19.41	19.41	090	$\tilde{2}$	1	2	1	ő
23616	A	Repair humerus	42.82	42.82	090	$\tilde{2}$	1	2	2	. 0
23620	A	Treat humerus	5.21	3.71	090	2	1	1	õ	0
23625	A	Treat humerus	7.59	7.59	090	2	1	1	ŏ	ŏ
23630	A	Repair humerus	15.26	15.26	090	$\frac{1}{2}$	1	2	1	ŏ
23650	A	Treat shoulder	5.24	5.24	090	2	1	1	Ô	ŏ
23655	Α	Treat shoulder	7.22	7.22	090	$\tilde{2}$	1	1	ŏ	ŏ
23660	A	Repair shoulder	15.53	15.53	090	2	1	$\hat{2}$	1	ő
23665	A	Treat dislocation	7.58	7.58	090	2	1	1	Ô	Ö
23670	A	Repair dislocation	16.59	16.59	090	2	1	2	1	0
23675	A	Treat dislocation	9.62	9.62	090	2	1	1	0	ő
23680	A	Repair dislocation	21.00	21.00	090	2	î	2	1	ő
25000		Ropan distocation	21.00	21,.00	070	_	•	_	•	Ů
(38) Should	ler,	manipulation:								
23700	Α	Fixation of shoulder	4.49	4.49	010	2	0	1	0	0
(39) Should	ler	arthrodesis:								
(37) 5110410	,	artin odesis.								
23800	Δ	Fusion of shoulder	29.35	29.35	090	2	1	2	1	0
23802	A	Fusion of shoulder	29.90	29.90	090	2	Ô	2	1	0
25002		a distribution of shoulder	27.70	27.70	070		Ü	_	•	Ü
(40) Should	ler,	amputation:								
22000			24.27	24.05	000	_	•	•	_	_
23900		Amputation of arm	31.37	31.37	090	2	0	2	0	0
23920		Amputation of shoulder	28.04	28.04	090	2	0	2	1	0
23921	А	Amputation	9.52	9.52	090	2	0	1	0	0
(41) Should	ler,	other procedures:								
23929	C	Shoulder surgery	0.00	0.00	YYY	2	0	2	1	• 1

(42) Hur	nerus a	and elbow, incision:								
23930	Α	Drainage of arm	4.36	4.36	010	2	1	1	0	0
23931	Α	Drainage of arm	2.41	2.05	010	2	1	1	0	0
23935	Α	Drain arm/elbow	10.49	10.49	090	2	1	0	0	0
24000	Α	Exploratory elbow	12.26	12.26	090	2	1	0	1	0
24006	Α	Release elbow joint	15.99	15.99	090	2	1	2	2	0
/.a\										
(43) Hun	nerus a	and elbow, excision:		•						
24065	Α	Biopsy arm or elbow	2.71	2.32	010	2	1	1	0	0
24066	Α	Biopsy arm or elbow	7.57	7.57	090	2	1	1	0	0
24075	Α	Remove arm or elbow	5.66	5.66	090	2	1	1	0	0
24076	Α	Remove arm or elbow	9.64	9.64	090	2	1	1	0	0
24077		Remove tumor	21.16	21.16	090	2	1	2	1	0
24100	Α	Biopsy elbow joint	8.94	8.94	090	2	1	2	1	0
24101	Α	Explore/treat elbow	12.85	12.85	090	2	1	2	0	0
24102		Remove elbow joint	16.82	16.82	090	2	1	2	1	0
24105	A	Removal of elbow	7.27	7.27	090	2	1	1	0	0
24110		Remove humerus	14.81	14.81	090	2	1	1	1	0
24115	A	Remove/graft bone	16.89	16.89	090	2	1	2	1	0
24116	A	Remove/graft bone	20.92	20.92	090	2	1	2	0	0
24120		Remove elbow lesion	12.39	12.39	090	2 2	1	0	0	0
24125	A	Remove/graft bone	13.09	13.09	090	2	1	2 2	1.	0
24126 24130	A A	Remove/graft bone Removal of radial head	15.36 12.76	15.36 12.76	090 090	2	1	. 1	'0 ` 1	0
24130		Removal of arm	17.91	17.91	090	2	1	2	0	0
24134	A	Remove radius bone	16.24	16.24	090	2	1	1	0	0
24138		Remove elbow bone	14.06	14.06	090	2	1	2	0	0
24140		Partial removal	17.60	17.60	090	2	1	2	0	ő
24145		Partial removal	13.61	13.61	090	. 2	1	1	1	ŏ
24147		Partial removal	13.83	13.83	090	2	1	1	î	ŏ
24149		Radical resection	26.24	26.24	090	2	1	2	1	Ŏ
24150	Α	Extensive humerus	26.88	26.88	090	2	1	2	1	0
24151	Α	Extensive humerus	28.67	28.67	090	2	1	2	1	0
24152	Α	Extensive radius	16.34	16.34	090	2	1	2	1	0
24153	Α	Extensive radius	21.50	21.50	090	2	1	0	0	0
24155	Α	Removal of elbow	21.98	21.98	090	2	1	2	1	0
(44) Hum	aerus a	and elbow, introduction or re	moval							
` '			movai.							
24160		Remove elbow joint	12.22	12.22	090	2	1	1	1	0
24164		Remove radial head	11.49	11.49	090	2	1	1	1	0
24200		Removal of arm	2.17	1.90	010	2		0	0	0
24201		Removal of arm	7.37	7.37	090	2		1	0	0
24220	Α	Injection for elbow	1.71	1.71	000	2	1	0	0	0
(45) Hun	nerus a	and elbow, repair, revision, as	nd/or reco	nstructio	n:					
2/301	٨	Muscle/tendon transfer	17.57	17 57	OOO	2	0	2	1	٥
24301 24305			9.90	17.57 9.90	090 090	2 2	0	2 0	$\frac{1}{0}$	$0 \\ 0$
24303 24310		Arm tendon lengthening Revision of arm	9.90 8.54	9.90 8.54	090	2	0	0	0	
24310			19.18	6.34 19.18	090	2	0	2	1	$0 \\ 0$
4 <del>4</del> 340	A	Repair of arm tenoplasty	17.10	17.10	UYU	۷	U	Z	1	U

24330	Α	Revision of arm	17.95	17.95	090	2	1	2	0	0
24331	Α	Revision of arm	19.83	19.83	090	2	1	2	0	0
24340	Α	Repair of biceps	14.55	14.55	090	2	1	2	1	0
24341	Α	Repair tendon/muscle	14.55	14.55	090	2	1	2	1	0
24342	Α	Repair of rupture	20.64	20.64	090	2	1	2	1	0
24350	Α	Repair of tennis elbow	9.23	9.23	090	2	1	0	0	0
24351	Α	Repair of tennis elbow	10.18	10.18	090	2	1	0	0	0
24352	Α	Repair of tennis elbow	11.85	11.85	090	2	1	2	1	0
24354	Α	Repair of tennis elbow	11.82	11.82	090	2	1	1	0	0
24356	Α	Revision of tennis elbow	13.75	13.75	090	2	1	0	0	0
24360	Α	Reconstruct elbow	25.67	25.67	090	2	1	2	1	0
24361	Α	Reconstruct elbow	26.57	26.57	090	2	1	2	1	0
24362	Α	Reconstruct elbow	26.74	20.40	090	2	1	2	0	0
24363	$\mathbf{A}$	Replace elbow joint	38.71	38.71	090	2	1	2	0	0
24365	Α	Reconstruct radial head	15.54	15.54	090	2	1	2	1	0
24366	Α	Reconstruct radial head	18.98	18.98	090	2	1	2	1	0
24400	Α	Revision of humerus	18.94	18.94	090	2	1	2	1	0
24410	Α	Revision of humerus	28.15	28.15	090	2	1	2	1	0
24420	Α	Revision of humerus	25.19	25.19	090	2	1	2	1	0
24430	Α	Repair of humerus	26.53	26.53	090	2	1	2	1	0
24435	Α	Repair of humerus	27.52	27.52	090	2	1	2	1	0
24470	Α	Revision of elbow	16.30	16.30	090	2	1	2	0	0
24495	Α	Decompression of forearm	13.53	13.53	090	2	1	0	0	0
24498	Α	Reinforce humerus	21.73	21.73	090	2	1	2	1	0

### (46) Humerus and elbow, fracture and/or dislocation:

24500	Α	Treat humerus fracture	5.57	5.57	090	2	1	1	0	0
24505	Α	Treat humerus fracture	9.43	9.43	090	2	1	1	0	0
24515	Α	Repair humerus	20.75	20.75	090	2	1	2	1	0
24516	Α	Repair humerus	20.75	20.75	090	2	1	2	2	0
24530	Α	Treat humerus fracture	6.05	6.05	090	2	1	1	0	0
24535	Α	Treat humerus fracture	11.35	11.35	090	2	1	1	0	0
24538	Α	Treat humerus fracture	16.96	16.96	090	2	1	1	0	0
24545	Α	Repair humerus	20.00	20.00	090	2	1	2	1	0
24546	Α	Repair humerus	24.75	24.75	090	2	1	2	2	0
24560	Α	Treat humerus fracture	4.79	4.79	090	2	1	1	0	0
24565	Α	Treat humerus fracture	8.68	8.68	090	2	1	1	0	0
24566	Α	Treat humerus fracture	13.45	13.45	090	2	1	1	0	0
24575	Α	Repair humerus	17.89	17.89	090	2	1	2	1	0
24576	Α	Treat humerus fracture	4.86	4.86	090	2	1	1	0	0
24577	Α	Treat humerus fracture	9.46	9.46	090	2	1	1	0	0
24579	Α	Repair humerus	19.36	19.36	090	2	1	2	1	0
24582	Α	Treat humerus fracture	14.74	14.74	090	2	1	1	0	0
24586	Α	Repair elbow fracture	29.33	29.33	090	2	1	2	1	0
24587	Α	Repair elbow fracture	28.21	28.21	090	2	1	2	1	0
24600	Α	Treat elbow dislocation	5.87	5.87	090	2	1	1	0	0
24605 -	Α	Treat elbow dislocation	7.34	7.34	090	2	1	1	0	0
24615	Α	Repair elbow dislocation	18.34	18.34	090	2	1	2	1	0
24620	Α	Treat elbow fracture	10.30	10.30	090	2	1	0	0	0
24635	Α	Repair elbow fracture	23.64	23.64	090	2	1	2	1	0
24640	Α	Treat elbow dislocation	2.11	2.11	010	2	1	0	0	0
24650	Α	Treat radius fracture	4.32	3.23	090	2	1	1	0	0
24655	Α	Treat radius fracture	7.15	7.15	090	2	1	1	0	0
24665	Α	Repair radius fracture	14.91	14.91	090	2	1	2	1	0
24666	Α	Repair radius fracture	19.42	19.42	090	2	1	2	1	0

5221.4030	FE:	ES FOR MEDICAL SERVIC	ES						5	552
24670 24675	Α	Treat ulnar fracture Treat ulnar fracture	4.34 7.97	4.34 7.97	090 090	2 2	1 1	1	0	0
24685	A	Repair ulnar fracture	16.84	16.84	090	2	1	2	1	0
(47) Hume	rus	and elbow, arthrodesis:								
24800 24802		Fusion of elbow Fusion/graft of elbow	21.25 25.29	21.25 25.29	090 090	2 2	1	2 2	1	0
(48) Hume	rus :	and elbow, amputation:								
24900	Α	Amputation of ulna	16.90	16.90	090	2	1	2	1	0
24920	Α	Amputation of ulna	15.87	15.87	090	2	1	2	1	0
24925	Α		12.89	12.89	090	2	1	2	0	0
24930	Α		17.83	17.83	090	2	1	2	0	0
24931		Upper arm and implant	23.35	23.35	090		1	2	0	0
24935		Revision of amputation	28.59	28.59	090	2	1	0	0	0
24940	C	Revision of extremity	0.00	0.00	090	2	1	2	0	0
(49) Hume	rus a	and elbow, other procedures:								
24999	С	Upper arm/elbow surgery	0.00	0.00	YYY	2	1	0	1	1
(50) Forea	rm a	nd wrist, incision:								
25000	Α	Incision of tendon	7.00	7.00	090	2	1	1	0	0
25020	Α	Decompression	10.00	10.00	090	2	1	1	0	0
25023	Α	Decompression	17.54	17.54	090	2	1	0	0	0
25028	A		6.95	6.95	090	2	1	1	0	0
25031		Drainage of forearm	4.45	4.45	090	2	1	0	0	0
25035		Treat forearm	13.32	13.32	090	2	1	0	0	0
25040	Α	Explore/treat wrist	12.51	12.51	090	2	1	0	0	0
(51) Forea	rm a	nd wrist, excision:								
25065	Α	Biopsy of forearm	2.58	2.22	010	2	1	1	0	0
25066	Α	Biopsy of forearm	5.36	5.36	090	2	1	1	0	0
25075	Α	Removal of forearm	5.71	5.71	090	2	1	1	0	0
25076	Α	Removal of forearm	8.48	8.48	090	2	1	1	0	0
25077	A	Remove tumor, forearm	17.97	17.97	090	2	1	1	0	0
25085	A	Incision of wrist	9.85	9.85	090	2	1	2	0	0
25100	A	Biopsy of wrist	8.12 9.78	8.12 9.78	090	2	1 1	$\frac{0}{0}$	0	0
25101 25105	A A	Explore/treat wrist Remove wrist joint	9.78 12.19	9.78 12.19	090 090	2	1	0	$\begin{array}{c} 0 \\ 1 \end{array}$	$0 \\ 0$
25103	A	Remove wrist joint	11.43	11.43	090	2	1	2	1	0
25110		Remove wrist joint	6.52	6.52	090	2	1	1	0	0
25111	A	Remove wrist tendon	6.49	6.49	090	2	1	1	ŏ	Ŏ
25112	Α	Reremove wrist tendon	8.07	8.07	090	2	1	1	0	0
25115		Remove wrist/forearm	15.58	15.58	090	2	1	1	0	0
25116	A	Remove wrist/forearm	14.77	14.77	090	2	1	0	1	0
25118	Α	Excise wrist tendon	9.18	9.18	090	2	1	1	0	0

Copyright @ 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

25119	Α	Partial removal of ulna	12.62	12.62	090	2	1	2	1	0
25120	Α	Removal of forearm	12.47	12.47	090	2	1	0	1	0
25125	Α	Remove/graft forearm	13.97	13.97	090	2	1	0	0	0
25126	Α	Remove/graft forearm	14.04	14.04	090	2	1	2	0	0
25130	Α	Removal of wrist	9.21	9.21	090	2	1	0	0	0
25135	Α	Remove and graft	12.06	12.06	090	2	1	2	1	0
25136	Α	Remove and graft	10.47	10.47	090	2	1	2	1	0
25145	Α	Remove forearm	11.94	11.94	090	2	1	2	0	0
25150	Ά	Partial removal	13.50	13.50	090	2	1	1	1	0
25151	Α	Partial removal .	12.83	12.83	090	2	1	2	1	0
25170	Α	Extensive forearm	20.36	20.36	090	2	1	2	1	0
25210	Α	Removal of wrist	10.56	10.56	090	2	0	0	1	0
25215	Α	Removal of wrist	16.33	16.33	090	2	0	2	1	0
25230	Α	Partial removal	10.60	10.60	090	2	1	1	1	0
25240	Α	Partial removal	10.29	10.29	090	2	1	0	1	0
(52) Forea	arm a	nd wrist, introduction or r	emoval:							
` /		-								

25246	A Injection for wrist	1.83	1.83	000	2	1	1	0	0
25248	A Removal of forearm	6.98	6.98	090	2	1	1	0	0
25250	A Removal of wrist	11.93	11.93	090	2	1	2	0	0
25251	A Removal of wrist	17.42	17.42	090	2	0	2	0	0

### (53) Forearm and wrist, repair, revision, and/or reconstruction:

25260	Α	Repair forearm	11.96	11.96	090	2	0	1	0	0
25263	Α	Repair forearm	13.24	13.24	090	2	0	2	0	0
25265	Α	Repair forearm	17.41	17.41	090	2	0	2	0	0
25270	Α	Repair forearm	9.00	9.00	090	2	0	0	0	0
25272	Α	Repair forearm	10.01	10.01	090	2	0	0	0	0
25274	Α	Repair forearm	14.96	14.96	090	2	0	0	1	0
25280	Α	Revise wrist/forearm	11.01	11.01	090	2	0	0	1	0
25290	Α	Incise wrist/forearm	7.41	7.41	090	2	0	1	0	0
25295	Α	Release wrist/forearm	9.18	9.18	090	2	0	1	0	0
25300	Α	Fusion of tendon	15.75	15.75	090	2	1.	2	0	0
25301	Α	Fusion of tendon	14.82	14.82	090	2	1	2	0	0
25310	Α	Transplant forearm	14.93	14.93	090	2	0	2	1	0
25312	Α	Transplant forearm	16.78	16.78	090	2	0	2	1	0
25315	Α	Revise palsy hand	17.78	17.78	090	2	1	2	0	0
25316	Α	Revise palsy hand	22.39	22.39	090	2	1	2	0	0
25320	Α	Repair/revise wrist	18.88	18.88	090	2	1	2	0	0
25332	Α	Revise wrist joint	20.89	20.89	090	2	1	2	0	0
25335	Α	Realignment of wrist	23.57	23.57	090	2	1	2	0	0
25337	Α	Reconstruct ulna	18.34	18.34	090	2	1	1	0	0
25350	Α	Revision of radius	16.02	16.02	090	2	1	2	0	0
25355	Α	Revision of radius	18.86	18.86	090	2	1	2	0	0
25360	Α	Revision of ulna	14.39	14.39	090	2	1	2	1	0
25365	Α	Revise radius and ulna	22.08	22.08	090	2	1	2	0	0
25370	Α	Revise radius or ulna	24.55	24.55	090	2	1	2	0	0
25375	Α	Revise radius and ulna	25.24	25.24	090	2	1	2	1	0
25390	Α	Shorten radius or ulna	18.79	18.79	090	2	1	2	1	0
25391	Α	Lengthen radius or ulna	24.32	24.32	090	2	1	2	1	0
25392	Α	Shorten radius and ulna	25.81	25.81	090	2	1	2	0	0
25393	Α	Lengthen radius and ulna	29.41	29.41	090	2	1	2	0	0
25400	Α	Repair radius or ulna	21.29	21.29	090	2	1	2	1	0

25405 25415 25420 25425	A A A	Repair/graft radius Repair radius and ulna Repair/graft radius Repair/graft radius	26.17 24.21 30.28 24.63	26.17 24.21 30.28 24.63	090 090 090 090	2 2 2 2	1 1 1	2 2 2 2	1 1 1	0 0 0
25426 25440	A A	Repair/graft radius Repair/graft wrist	26.86 19.05	26.86 19.05	090 090	2 2	1 1	2 2	1 1	0
25441 25442	A A	Reconstruct wrist Reconstruct wrist	23.73 17.34	23.73 17.34	090 090	2 2	1 1	2 2	1 1	0 0
25443 25444 25445	A	Reconstruct wrist Reconstruct wrist Reconstruct wrist	19.33 20.83 19.75	19.33 20.83 19.75	090 090 090	2 2 2	1 1 1	2 2 1	1 0	0
25445 25446 25447	A A A	Wrist replacement Repair wrist joint	34.54 19.60	19.73 34.54 19.60	090 090 090	2 2 2	1 1 1	2 2	1 1 1	0 0 0
25449 25450	A A	Remove wrist joint Revision of wrist	21.37 14.86	21.37 14.86	090 090	2 2	1 1	2 1	1 0	0
25455 25490 25491	A A A	Revision of wrist Reinforce radius Reinforce ulna	17.81 17.84 18.65	17.81 17.84 18.65	090 090 090	2 2 2	1 1 1	1 2 2	0 0 0	0 0 0
25492	Α	Reinforce radius	23.03	23.03	090	2	1	2	0	0

### (54) Forearm and wrist, fracture and/or dislocation:

25500	Α	Treat fracture	4.63	3.51	090	2	1	1	0	0
25505	Α	Treat fracture	8.46	8.46	090	2	1	1	0	0
25515	$\mathbf{A}$	Repair fracture	16.38	16.38	090	2	1	2	1	0
25520	Α	Repair fracture	11.75	11.75	090	2	1	1	2	0
25525	Α	Repair fracture	22.89	22.89	090	2	1	2	2	0
25526	Α	Repair fracture	24.30	24.30	090	2	1	2	2	0
25530	Α	Treat fracture	4.45	3.20	090	2	1	1	0	0
25535	Α	Treat fracture	8.41	8.41	090	2	1	1	0	0
25545	Α	Repair fracture	16.06	16.06	090	2	1	2	1	0
25560	Α	Treat fracture	4.56	4.56	090	2	1	1	0	0
25565	Α	Treat fracture	10.00	10.00	090	2	1	1	0	0
25574	Α	Treat fracture	14.76	14.76	090	2	1	2	2	0
25575	Α	Repair fracture	20.78	20.78	090	2	1	2	1	0
25600	Α	Treat fracture	5.36	3.99	090	2	1	1	0	0
25605	Α	Treat fracture	9.43	9.43	090	2	1	1	0	0
25611	Α	Repair fracture	13.39	13.39	090	2	1	1	0	0
25620	Α	Repair fracture	15.28	15.28	090	2	1	2	0	0
25622	Α	Treat wrist bone	4.75	3.65	090	2	1	1	0	0
25624	Α	Treat wrist bone	7.97	6.20	090	2	1	0	0	0
25628	Α	Repair wrist bone	15.18	15.18	090	2	1	2	0	0
25630	Α	Treat wrist bone	4.90	3.84	090	2	1	1	0	0
25635	Α	Treat wrist bone	7.51	5.88	090	2	1	0	0	0
25645	Α	Repair wrist bone	13.56	13.56	090	2	1	2	0	0
25650	Α	Repair wrist bone	5.54	4.25	090	2	1	1	0	0
25660	Α	Treat wrist dislocation	6.22	6.22	090	2	1	0	0	0
25670	Α	Repair wrist dislocation	14.65	14.65	090	2	1	2	1	0
25675	Α	Treat wrist dislocation	6.63	6.63	090	2	1	0	0	0
25676	Α	Repair wrist dislocation	14.98	14.98	090	2	1	2	0	0
25680	Α	Treat wrist fracture	7.99	7.99	090	2	1	0	0	0
25685	Α	Repair wrist fracture	18.16	18.16	090	2	1	2	0	0
25690	Α	Treat wrist dislocation	10.12	10.12	090	2	1	0	0	0
25695	Α	Repair wrist dislocation	15.02	15.02	090	2	1	2	1	0

(55) Forear	m a	nd wrist, arthrodesis:								
25800 25805		Fusion of wrist Fusion/graft of wrist	20.23 23.38	20.23 23.38	090 090	2 2	1 1	2 2	1	0
25810		Fusion/graft of wrist	21.97	21.97	090	2	1	2	i	0
25820		Fusion of hand	15.50	15.50	090	2	1	2	1	0
25825		Fusion of hand bone	19.37	19.37	090	2	î	2	î	ŏ
25830		Fusion of radioulnar	18.24	18.24	090	$\bar{2}$	î	$\bar{2}$	1	ŏ
(56) Forean	m a	nd wrist, amputation:								
25900	A	Amputation of forearm	15.74	15.74	090	2	1	0	0	0
25905	Α	Amputation of forearm	15.78	15.78	090	2	1	2	0	0
25907	Α	Amputation follow-up	13.18	13.18	090	2	1	2	0	0
25909	Α	Amputation follow-up	14.08	14.08	090	2	1	2	0	0
25915	Α	Amputation	32.22	32.22	090	2	1	2	0	0
25920	Α	Amputation of hand	15.30	15.30	090	2	1	0	0	0
25922	A	Amputation of hand	12.66	12.66	090	2	1	2	0	0
25924		Amputation follow-up	15.60	15.60	090	2	1	2	0	0
25927	A	Amputation of hand	14.74	14.74	090	2	1	0	0	0
25929		Amputation follow-up	12.00	12.00	090	2	1	2	0	0
25931	Α	Amputation follow-up	11.97	11.97	090	2	1	1	0	0
(57) Forear	m a	nd wrist, other procedures:								
25999	C	Forearm or wrist surgery	0.00	0.00	YYY	2	1	0	1	1
(58) Hand a	nd	fingers, incision:								
26010	Δ	Drainage of finger	1.89	1.66	010	2	0	1	0	0
26011		Drainage of finger	3.61	3.61	010	2	0	1	0	0
26020		Drainage of hand tendon	8.18	8.18	090	2	0	1	0	0
26025		Drainage of palmar	9.15	9.15	090	2	0	0	ŏ	0
26030	A	Drainage of palmar	11.46	11.46	090	2	ŏ	ő	ŏ	Ö
26034	A	Treat hand bone	10.13	10.13	090	$\bar{2}$	ŏ	1	ŏ	ŏ
26035	Α	Decompress finger	14.10	14.10	090	2	0	0	0	0
26037	Α	Decompress finger	13.31	13.31	090	2	0	0	0	0
26040	Α	Release palm contracture	6.06	6.06	090	2	1	1	0	0
26045	Α	Release palm contracture	10.16	10.16	090	2	1	1	0	0
26055		Incise finger tendon	5.92	5.92	090	2	0	1	0	0
26060		Incision of finger	3.74	3.74	090	2	0	0	0	0
26070		Explore/treat hand	6.25	4.91	090	2	1	1	0	0
26075		Explore/treat finger	7.43	7.43	090	2	1	1	0	0
26080	Α	Explore/treat finger	7.16	7.16	090	2	0	1	0	0
(59) Hand a	nd	fingers, excision:								
26100	Δ	Biopsy hand joint	6.47	6.47	090	2	1	0	0	0
26105		Biopsy finger joint	7.77	7.77	090	2	1	0	0	ő
26110	A	Biopsy finger joint .	6.31	6.31	090	2	0	1	0	0
26115	A	Removal of hand	5.63	5.63	090	2	ŏ	î	ŏ	0
26116	Α	Removal of hand	8.95	8.95	090	2	0	1	Õ	0

0/117										
26117	Α	Remove tumor, hand	13.16	13.16	090	2	0	1	0	0
26121	Α	Release palm contracture	15.74	15.74	090	2	1	1	0	ŏ
26123		Release palm contracture	18.07	18.07	090	2	1	1	0	0
									_	
26125	A	Release palm contracture	6.96	6.96	ZZZ	0	0	1	0	0
26130		Remove wrist joint	10.23	10.23	090	2	1	1	0	0
26135	Α	Revise finger joint	11.47	11.47	090	2	0	0	0	0
26140	Α	Revise finger joint	10.26	10.26	090	2	0	1	0	0
26145	Α	Tendon excision	10.73	10.73	090	2	0	1	0	0
26160	Α		5.32	5.32	090	2	Õ	1	Ō	Ō
26170		Removal of palm	7.31	7.31	090	$\frac{2}{2}$	Ö	Ô	ő	ŏ
26180	A	Removal of finger	8.97	8.97	090	2	0	0	0	0
26185	A	Remove finger bone	9.09	9.09	090	2	1	2	1	0
26200	Α	Remove hand bone	9.73	9.73	090	2	0	0	0	0
26205	Α	Remove/graft bone	13.74	13.74	090	2	0	1	0	0
26210	Α	Removal of finger	8.80	8.80	090	2	0	1	0	0
26215	Α	Remove/graft finger	12.32	12.32	090	2	0	1	0	0
26230	Α	Partial removal	10.24	10.24	090	2	0	0	0	0
26235	Α	Partial removal	10.04	10.04	090	2	0	0	Õ.	Õ
26236	A	Partial removal	8.92	8.92	090	2	0	1	ŏ	Ö
26250	Ā					2	-			
		Extensive hand	13.24	13.24	090		0	0	0	0
26255		Extensive hand	20.77	20.77	090	2	0	2	1	0
26260	Α	Extensive finger	12.45	12.45	090	2	0	2	0	0
26261	Α	Extensive finger	16.41	16.41	090	2	0	2	0	.0
26262	Α	Partial removal	10.15	10.15	090	2	0	2	0	0
26320	A	Removal of implant	7.35	7.35	090	2	0	1	0	0
(61) Hand	and	fingers, repair, revision, and/o	r reconst	ruction:						
0/050		D . C	44.50	11.50		_	^	_		
26350	Α	Repair finger/hand							_	^
26352	Α		11.53	11.53	090	2	0	1	0	0
26356		Repair/graft hand	13.95	13.95	090	2	0	2	1	0
26357	Α	Repair finger/hand	13.95 14.97	13.95 14.97	090 090	2	0	2	1 0	$0 \\ 0$
20337	A A	Repair finger/hand Repair finger/hand	13.95	13.95 14.97 14.80	090	2 2 2	0	2 1 2	1	0
26358		Repair finger/hand	13.95 14.97	13.95 14.97	090 090	2 2 2 2	0	2	1 0	$0 \\ 0$
	Α	Repair finger/hand Repair finger/hand	13.95 14.97 14.80	13.95 14.97 14.80	090 090 090	2 2 2 2 2	0 0 0	2 1 2 2 0	1 0 0	0 0 0
26358	A A	Repair finger/hand Repair finger/hand Repair/graft hand	13.95 14.97 14.80 16.15	13.95 14.97 14.80 16.15	090 090 090 090	2 2 2 2 2 2 2	0 0 0 0	2 1 2 2 0 2	1 0 0 0	0 0 0 0
26358 26370	A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand	13.95 14.97 14.80 16.15 13.56	13.95 14.97 14.80 16.15 13.56	090 090 090 090 090	2 2 2 2 2	0 0 0 0	2 1 2 2 0	1 0 0 0 0	0 0 0 0
26358 26370 26372	A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair/graft hand Repair finger/hand	13.95 14.97 14.80 16.15 13.56 14.76 14.64	13.95 14.97 14.80 16.15 13.56 14.76	090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0	2 1 2 2 0 2 2	1 0 0 0 0 0	0 0 0 0 0
26358 26370 26372 26373 26390	A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0	2 1 2 2 0 2 2 2 2	1 0 0 0 0 0	0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392	A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2	1 0 0 0 0 0 0 1 1	0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410	A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1	1 0 0 0 0 0 0 1 1	0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412	A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0	1 0 0 0 0 0 0 1 1 0 0	0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415	A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0	1 0 0 0 0 0 0 1 1 0 0	0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416	A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1	1 0 0 0 0 0 0 1 1 0 0 0	0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418	A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 1	1 0 0 0 0 0 0 1 1 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420	A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 2 1 2 2 1 2 1	1 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair/graft finger Repair finger/hand	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 1 2 1	1 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 2 1 0 0	1 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 2 1 0 0 1 1 2 1 0 1 1 0 1 1 0 1	1 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432 26433	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair finger tendon Repair finger tendon Repair finger tendon	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8.31	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 2 1 0 1 1 0 1 1 1 1	1 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432 26433 26434	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair/graft finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8.31 10.77	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 1 2 1 0 1 1 2 1 0 1 1 2 1 2	1 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432 26433 26434 26437	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Realignment of finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77 9.57	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8.31 10.77 9.57	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 1 2 1 0 1 1 1 1	1 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432 26433 26434 26437 26440	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair/graft finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77 9.57 8.33	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8.31 10.77 9.57 8.33	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 2 2 2 2 2 2 2 1 0 0 1 1 1 2 1 1 1 1	1 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432 26433 26434 26437	A A A A A A A A A A A A A A A A A A A	Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Realignment of finger	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77 9.57	13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8.31 10.77 9.57	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 1 2 1 0 1 1 1 1	1 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

### FEES FOR MEDICAL SERVICES 5221.4030

26445	Α	Release hand/finger	7.35	7.35	090	2	0	1	0	0
26449	Α	Release forearm	12.26	12.26	090	2	0	0	0	0
26450	Α	Incision of palm	5.73	5.73	090	2	0	0	0	0
26455	Α	Incision of finger	5.31	5.31	090	2	0	0	0	0
26460		Incise hand/finger	4.97	4.97	090	2	0	1	0	0
26471		Fusion of finger	9.58	9.58	090	2	0	0	0	0
26474		Fusion of finger	9.70	9.70	090	2	0	2	0	0
26476	Α	Tendon lengthening	7.64	7.64	090	2	0	1	0	0
26477	A	Tendon shortening	8.93	8.93	090	2	0	1	1	0
26478		Lengthen hand tendon	9.82	9.82	090	2	0	0	Ō	0
26479	Α	Shorten hand tendon	10.79	10.79	090	2	Ŏ	2	Ŏ	Ō
26480		Transplant hand tendon	12.99	12.99	090	2	Ŏ	$\bar{0}$	Ŏ	Ŏ
26483	A	Transplant/graft	16.51	16.51	090	2	Ō	2	1	0
26485	Α	Transplant palm tendon	13.86	13.86	090	2	0	2	1	Ō
26489	A	Transplant/graft	12.24	12.24	090	2	Ŏ	ō	Ō	Ŏ
26490	A	Revise thumb tendon	15.87	15.87	090	$\bar{2}$	Õ	Ŏ	ŏ	0
26492	A	Tendon transfer	17.85	17.85	090	2	ŏ	2	1	ŏ
26494		Hand tendon/muscle	15.40	15.40	090	$\bar{2}$	ŏ	$\bar{2}$	î	ő
26496		Revise thumb tendon	17.98	17.98	090	2	ŏ	0	ō	ŏ
26497		Finger tendon transfer	17.20	17.20	090	2	ŏ	2	Ö	Õ
26498	Ā	Finger tendon transfer	25.21	25.21	090	$\tilde{2}$	ŏ	2	1	ŏ
26499	A	Revision of finger	16.33	16.33	090	2	ŏ	2	1	ŏ
26500		Reconstruct hand tendon	9.11	9.11	090	2	ŏ	Õ	Ô	ŏ
26502		Reconstruct hand tendon	12.10	12.10	090	2	ŏ	2	ő	ŏ
26504		Reconstruct hand tendon	13.88	13.88	090	$\frac{1}{2}$	ŏ	$\tilde{2}$	ŏ	Õ
26508		Release thumb contracture	9.86	9.86	090	2	ŏ	õ	ŏ	ŏ
26510	A	Thumb tendon transfer	9.31	9.31	090	2	ŏ	Õ	Õ	ŏ
26516		Fusion of knuckle	10.88	10.88	090	2	ő	ő	ő	ő
26517		Fusion of knuckle	15.52	15.52	090	2	ő	2	0	ŏ
26518		Fusion of knuckle	15.15	15.15	090	$\tilde{2}$	ŏ	$\tilde{2}$	1	ŏ
26520		Release knuckle	9.53	9.53	090	2	Õ	1	Ô	ŏ
26525		Release finger	8.70	8.70	090	2	ŏ	î	1	ŏ
26530	A	Revise knuckle	11.53	11.53	090	$\tilde{2}$	ŏ	2	Ô	ŏ
26531	A	Revise knuckle	14.22	14.22	090	2	ŏ	2	1	ŏ
26535	A	Revise finger joint	9.75	9.75	090	$\tilde{2}$	ŏ	$\overline{1}$	Ô	ŏ
26536	A	Revise/implant	13.21	13.21	090	2	ŏ	Ô	ő	ő
26540		Repair hand joint	12.87	12.87	090	2	0	0	1	0
26541		Repair hand joint	17.27	17.27	090	2	0	2	1	0
26542	A	Repair hand joint	12.17	12.17	090	2	0	0	Ô	ő
26545	A	Reconstruct finger	11.89	11.89	090	2	0	0	0	ő
26546	A	Repair nonunion	16.66	16.66	090	2	1	2	Ö	0
26548		Reconstruct finger	13.43	13.43	090	2	0	Õ	0	0
26550	A	Construct thumb	40.20	40.20	090	2	0	2	0	0
26551	A	Great toe-hand	86.91	86.91	090	2	0	2	0	0
26553	A	Single toe-hand	86.32	86.32	090	2	0	2	1	Ö
26554	Â	Double toe-hand	102.76	102.76	090	2	0	2	1	0
26555	A	Positional change	31.37	31.37	090	2	0	2	0	0
26556	A	Toe joint transfer	87.97	87.97	090	2	0	2	1	0
26560		Repair of web finger	9.74	9.74	090	2		2	0	0
26561	A A		19.36	19.36	090	2	$0 \\ 0$	2	1	0
26562		Repair of web finger	19.53			2		2	0	
		Repair of web finger		19.53	090		0		-	0
26565	A	Correct metacarpal	12.21	12.21	090	2	0	2	0	0
26567	A	Correct finger	10.70	10.70	090	2	0	0	0	0
26568	A	Lengthen metacarpal	16.99	16.99	090	2	0	2	0	0
26580	A	Repair hand defect	34.34	34.34	090	2	0	2	0	0
26585	Α	Repair finger defect	26.43	26.43	090	2	0	2	0	0
26587	C	Reconstruct extension	0.00	0.00	090	2	0	2	0	0
26590	Α	Repair finger defect	33.87	33.87	090	2	0	2	0	0

26591	Α	Repair muscles	5.38	5.38	090	2	0	0	0	. 0
26593	A	Release muscles	9.19	9.19	090	2	Ŏ	1	ŏ	ŏ
26596	A	Excision constriction	16.83	16.83	090	2	ŏ	2	0	ő
26597	A	Release of scar	17.42	17.42	090	2	0	0	0	0
20397		Release of scar	17.42	17.42	090	2	U	U	U	U
(62) Hand	d and	fingers, fracture and/or disloc	cation:							
26600	Α	Treat metacarpal	3.39	2.64	090	2	0	1	0	0
26605	Α	Treat metacarpal	5.00	3.89	090	2	0	1	0	0
26607	Α	Treat metacarpal	8.61	8.61	090	2	0	0	0	0
26608	Α	Treat metacarpal	8.61	8.61	090	2	0	0	0	0
26615	A	Repair metacarpal	9.98	9.98	090	2	0	1	0	0
26641	A	Treat thumb dislocation	4.73	4.73	090	2	0	Ô	.0	Ŏ
26645	Ā	Treat thumb fracture	6.31	6.31	090	2	Ŏ	Õ	ŏ	Õ
26650	A	Repair thumb fracture	9.42	9.42	090	2	Õ	1	0	ŏ
26665	A	Repair thumb fracture	13.67	13.67	090	2	Õ	1	1	ő
26670	A	Treat hand dislocation	4.33	4.33	090	2	ő	Ô	0	0.
26675	A	Treat hand dislocation	8.74	8.74	090	2	0	0	ő	0
26676	A	Pin hand dislocation	10.08	10.08	090	2	0	1	0	0
26685	A	Repair hand dislocation	12.40	12.40	090	2	0	1	1	0
26686	A	Repair hand dislocation	13.88	13.88	090	2	0	2	0	0
26700	A	Treat knuckle dislocation	4.26		090	2	0	1	0	0
26705	A	Treat knuckle dislocation	5.67	4.26 5.67		2	0	0		0
26705		Pin knuckle dislocation	9.58	9.58	090	2	0	1	0	
	A				090				0	0
26715	A	Repair knuckle	9.56	9.56	090	2	0	0	0	0
26720	A	Treat finger fracture	2.65	2.12	090	2	0	1	0	0
26725	A	Treat finger fracture	4.64	3.89	090	2	0	1	0	0
26727	A	Treat finger fracture	7.32	7.32	090	2	0	1	0	0
26735	A	Repair finger fracture	9.37	9.37	090		0	1	0	0
26740	A	Treat finger fracture	2.97	2.41	090	2	0	1	0	0
26742	A	Treat finger fracture	5.58	5.58	090	2	0	1	0	0
26746	A	Repair finger fracture	10.30	10.30	090	2	0	1	0	0
26750	A	Treat finger fracture	2.40	2.40	090	2	0	1	0	0
26755	A	Treat finger fracture	3.94	3.94	090	2	0	1	0	0
26756	A	Pin finger fracture	6.00	6.00	090	2	0	0	0	0
26765	A	Repair finger fracture	6.60	6.60	090	2	0	1	0	0
26770	A	Treat finger dislocation	3.52	3.52	090	2	0	1	0	0
26775	A	Treat finger dislocation	4.55	4.55	090	2	0	1	0	0
26776	A	Pin finger dislocation	6.56	• 6.56	090	2	0	1	0	0
26785	Α	Repair finger dislocation	6.96	6.96	090	2	0	1	0	0
(63) Hand	d and	fingers, arthrodesis:				•				
26820	Α	Thumb fusion with graft	14.50	14.50	090	2	0	2	1	0
26841		Fusion of thumb	12.98	12.98	090	2	ŏ	Õ	1	ŏ
26842	A	Thumb fusion with graft	16.52	16.52	090	$\overline{2}$	ŏ	2	î	Õ
26843	Α	Fusion of hand	13.67	13.67	090	2	0	2	1	0
26844		Fusion/graft	15.68	15.68	090	2	0	2	1	0
26850	Α	Fusion of knuckle	11.22	11.22	090	2	0	0	0	0
26852		Fusion of knuckle	13.76	13.76	090	2	0	2	1	0
26860	Α	Fusion of finger	8.79	8.79	090	2	0	1	0	0
26861	Α	Fusion of finger	3.66	3.66	ZZZ	0	0	1	0	0
26862	Α	Fusion/graft	12.14	12.14	090	2	0	2	1	0
26863	Α	Fusion/graft	7.11	7.11	ZZZ	0	0	2	0	. 0

(64) Hand a	and	fingers, amputation:								
26910	Α	Amputation of metacarpal	12.40	12.40	090	2	0	1	0	0
26951	A	Amputation of finger	7.21	7.21	090	2	ŏ	1	Ö	Õ
26952	A		9.97	9.97	090	2	Ō	1	Ō	0
		r								
(65) Hand a	and	fingers, other procedures:								
26989	С	Hand/finger surgery	0.00	0.00	YYY	2	0	1	0	1
(66) Pelvis	and	hip joint, incision:								
26990	Α	Drainage of pelvis	10.07	10.07	090	2	0	1	0	0
26991	Α	Drainage of pelvis	7.97	7.97	090	2	0	0	0	0
26992	Α	Drainage of bone	18.56	18.56	090	2	0	0	0	0
27000	Α	Incision of hip	7.02	7.02	090	2	1	1	1	0
27001	Α	Incision of hip	8.77	8.77	090	2	1	2	1	0
27003	Α	Incision of hip	13.80	13.80	090	2	1	2	1	0
27005	Α	Incision of hip	12.32	12.32	090	2	1	2	1	0
27006	Α	Incision of hip	13.69	13.69	090	2	1	2	1	0
27025	Α	Incision of hip	16.61	16.61	090	2	1	0	1	0
27030	Α	Drainage of hip	23.87	23.87	090	2	1	2	1	0
27033	A	Exploration of hip	24.30	24.30	090	2	1	2	1	0
27035		Denervation of hip	27.83	27.83	090	2	1	2	1	0
27036	Α	Excision of hip	23.77	23.77	090	2	1	2	1	0
(67) Pelvis a	and	hip joint, excision:								
27040	Α	Biopsy of soft tissue	3.36	3.36	010	2	1	1	0	0
27041	Α	Biopsy of soft tissue	11.80	11.80	090	2	1	1	0	0
27047	Α	Remove hip/pelvis	8.77	8.77	090	2	1	1	0	0
27048	Α	Remove hip/pelvis	10.31	10.31	090	2	1	2	1	0
27049	Α	Remove tumor, hip	23.23	23.23	090	2	1	2	1	0
27050	Α	Biopsy of sacroiliac	9.07	9.07	090	2	1	0	1	0
27052	Α	Biopsy of hip joint	13.15	13.15	090	2	1	2	1	0
27054	Α	Removal of hip	18.07	18.07	090	2	1	2	1	0
27060	Α	Removal of ischia	9.10	9.10	090	2	1	2	0	0
27062	Α	Remove femur lesion	9.35	9.35	090	2	1	1	1	0
27065	Α	Removal of hip	11.25	11.25	090	2	1	2	1	0
27066	Α	Removal of hip	17.73	17.73	090	2	1	2	1	0
27067	Α	Remove/graft hip	24.85	24.85	090	2	1	2	0	0
27070	Α	Partial removal	17.56	17.56	090	2	î	2	1	0
27071		Partial removal	19.41	19.41	090	2	1	$\overline{2}$	1	Õ
27075		Extensive hip	30.00	30.00	090	2	Ô	$\bar{2}$	1	0
27076		Extensive hip	37.33	37.33	090	2	ő	2	1	ŏ
27077		Extensive hip	41.12	41.12	090	2	ŏ	2	1	ŏ
27078		Extensive hip	22.01	22.01	090	2	ŏ	2	1	ŏ
27079		Extensive hip	21.74	21.74	090	2	0	2	1	Ŏ
27080	A	Removal of tailbone	10.90	10.90	' 090	2	0	2	ī	Ŏ

(68) Pelvis and hip joint, introduction or removal:

27086	Α	Removal of hip	2.30	2.02	010	2	1	0	0	0
27087	A		11.58	11.58	090	2	1	2	1	0
27090		Removal of hip	19.71	19.71	090	2	1	2	1	0
27090	A	Removal of hip	40.98	40.98	090	2	1	2	1	0
27091						2	1	1	0	
	A	Injection for hip	2.03	2.03	000			_		0
27095	Α	Injection for hip	2.33	2.33	000	2	1	1	0	. 0
(69) Pelv	is and	hip joint, repair, revision, an	d/or recon	struction	:					
27097	Α	Revision of hip	16.13	16.13	090	2	1	2	0	0
27098	A	Transfer tendon	16.16	16.16	090	$\bar{2}$	1	$\bar{2}$	0	ŏ
27100	A	Transfer	18.26	18.26	090	$\tilde{2}$	1	2	1	ŏ
27105	A	Transfer	17.12	17.12	090	2	1	2	Ô	ő
27110	A	Transfer of iliopsoas	23.31	23.31	090	2	1	2	1	0
27110	A	Transfer of iliopsoas	23.17	23.17	090	2	1	2	1	0
27120		Reconstruction				2		2		
	A		35.46	35.46	090		1		1	0
27122			31.14	31.14	090	2	1	2	1	0
27125	Α	Partial hip replacement	30.61	30.61	090	2	1	2	1	0
27130	Α	Total hip replacement	42.17	42.17	090	2	1	2	1	0
27132	Α	Total hip replacement	48.72	48.72	090	2	1	2	1	0
27134	Α	Revise hip joint	59.48	59.48	090	2	1	2	1	0
27137	Α	Revise hip joint	44.37	44.37	090	2	1	2	1	0
27138	Α	Revise hip joint	46.06	46.06	090	2	1	2	1	0
27140	Α	Transplant	22.73	22.73	090	2	1	2	1	0
27146	Α	Incision of hip	27.08	27.08	090	2	1	2	1	0
27147	Α	Revision of hip	36.60	36.60	090	2	1	2	1	0
27151	Α	Incision of hip	39.14	39.14	090	2	1	2	1	0
27156	Α	Revision of hip	41.75	41.75	090	2	1	2	1	0
27158	Α	Revision of pelvis	33.30	33.30	090	2	2	2	0	0
27161	Α	Incision of neck	30.27	30.27	090	2	1	2	1	0
27165	Α	Incision/fixation	33.90	33.90	090	2	0	2	1	0
27170	Α	Repair/graft femur	31.90	31.90	090	2	1	2	1	0
27175	Α	Treat slipped epiphysis	8.92	8.92	090	2	1	0	0	0
27176	Α	Treat slipped epiphysis	21.91	21.91	090	2	1	2	1	Ŏ
27177	A	Repair slipped epiphysis	26.79	26.79	090	2	1	2	1	ŏ
27178	A	Repair slipped epiphysis	21.84	21.84	090	2	1	2	1	0
27179		Revise head/neck	23.56	23.56	090	2	1	2	o	ő
27181	A	Repair slipped epiphysis	27.21	27.21	090	2	1	2	ŏ	0
27185	A	Revision of femur	11.49	11.49	090	2	1	1	1	0
27187		Reinforce hip bone	28.20	28.20	090	2	1	2	1	0
2/10/	A	Remotee mp some	20.20	20.20	050	۷	1	۷	1	U
(70) Pelv	is and	hip joint, fracture and/or dis	location:							
27193	Α	Treat pelvic ring	7.59	7.59	090	2	1	1	2	0
27194	A	Treat pelvic ring	12.80	12.80	090	$\bar{2}$	Ô	Ō	$\bar{2}$	ŏ
27200		Treat tailbone	3.20	3.20	090	2	Ŏ	1	Ō	Õ
27202		Repair tailbone	12.82	12.82	090	2	Õ	2	0	Ō
27215		Pelvic fracture	21.09	21.09	090	2	Ŏ	2	2	Õ
27216		Treat pelvic ring	18.31	18.31	090	2	0	2 2 2 2	2	0
27217		Treat pelvic ring	28.15	28.15	090	2	0	2	2	0
27218		Treat pelvic ring	33.63	33.63	090	2	0	2	2	0
27220		Treat hip socket	10.08	10.08	090	2	1	1	0	0
27222		Treat hip socket	18.25	18.25	090	2	1	1	0	0
27226		Treat hip wall	30.17	30.17	090	2	1	2	2	0
27227	Α	Treat hip fracture	42.08	42.08	090	2	1	2	2	0

561			FEES	FOR	MEDICAL	SERV	/ICI	ES	522	1.40	30
27228 27230 27232 27235 27236 27238 27240 27244 27245 27246 27248 27250 27252 27253 27254 27256 27257 27258 27259	A A A A A A A A A A A A A A A A A A A	Treat hip fracture Treat fracture Treat fracture Repair of thigh Repair of thigh Treatment of thigh Treatment of thigh Repair of thigh Repair of thigh Repair of thigh Treatment of thigh Treatment of thigh Treatment of thigh Treat hip dislocation Treat hip dislocation Repair of hip Repair of hip Treatment of hip Treatment of hip Repair of hip Repair of hip		45.69 8.41 19.17 25.40 31.99 10.15 21.56 31.66 35.63 8.34 21.76 9.64 14.00 25.59 30.84 5.73 9.60 28.51 37.73	1 8.41 7 19.17 0 25.40 9 31.99 5 10.15 6 21.56 6 31.66 8 35.63 4 8.34 6 21.76 4 9.64 0 14.00 9 25.59 4 30.84 3 5.73 0 9.60 1 28.51 3 37.73	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1 2 1 1 2 2 1 1 2 2 0 0 2 2	2 0 0 1 1 0 0 1 2 0 0 1 1 0 0 1 0 0 1 0 0 1 0 0 0 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27265 27266	A A	Treatment of hip Treatment of hip		8.22 11.49		090 090	2	1 1	1	0	0
(71) Pelvis a		hip joint, manipulation:  Manipulation of hip		4.04	4 4.04	010	2	0	1	. 0	0
(72) Pelvis a	and	hip joint, arthrodesis:									
27280 27282 27284 27286	A A	Fusion of sacroiliac Fusion of pubis Fusion of hip joint Fusion of hip joint		22.85 19.93 30.54 31.17	3 19.93 4 30.54	090 090 090 090	2 2 2 2	1 0 1 1	2 2 2 2	1 1 1 1	0 0 0 0
(73) Pelvis a	and	hip joint, amputation:									
27290 27295		Amputation of limb Amputation of limb		48.26 34.53	6 48.26 3 34.53	090 090	2 2	0	2 2	1	0
(74) Pelvis a	and	hip joint, other procedu	res:								
27299	С	Pelvis/hip joint surgery		0.00	0.00	YYY	2	1	2	1	1
(75) Femur	anc	I knee joint, incision:									
27301 27303 27305 27306 27307 27310 27315	A A A A	Drain thigh/knee Drainage of bone Incise thigh tendon Incision of thigh Incision of thigh Exploration of knee Partial removal		8.49 13.71 9.42 6.29 8.44 18.52 12.05	1 13.71 2 9.42 9 6.29 4 8.44 2 18.52	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	1 1 1 1 1 1	1 2 2 2 0 2 2	0 1 1 0 1 1 0	0 0 0 0 0 0

27320	A	Partial removal	11.13	11.13	090	2	1	2	1	0
(76) Femu	r and	d knee joint, excision:								
27323	Α	Biopsy thigh tissue	3.02	2.58	010	2	1	1	0	0
27324	Α	Biopsy thigh tissue	7.24	7.24	090	2	1	1	0	0
27327	Α	Removal of thigh	6.49	6.49	090	2	1	1	0	0
27328	A	Removal of thigh	9.39	9.39	090	2	1	1	0	0
27329	A	Remove tumor	25.31	25.31	090	2	1	2	1	0
27330	A	Biopsy knee joint	10.45	10.45	090	2	1	1	1	Ŏ
27331	A	Explore/treat knee	12.41	12.41	090	$\bar{2}$	1	2	1	Õ
27332	A	Removal of knee	17.25	17.25	090	2	1	2	ī	Õ
27333	A	Removal of knee	15.77	15.77	090	2	1	$\bar{2}$	1	Õ
27334		Remove knee joint	18.12	18.12	090	2	1	$\overline{2}$	1	Õ
27335		Remove knee joint	20.83	20.83	090	$\tilde{2}$	1	$\bar{2}$	1	ŏ
27340	A	Removal of knee	7.86	7.86	090	2	1	1	Ô	Ö
27345	A	Removal of knee	11.34	11.34	090	2	1	2	1	ŏ
27350	A	Removal of knee	16.95	16.95	090	2	1	2	1	0
27355	A	Remove femur lesion	14.94	14.94	090	2	1	2	1	ő
27356	A	Remove femur lesion	17.27	17.27	090	2	1	2	1	ő
27357	A	Remove femur lesion	18.85	18.85	090	2	1	2	1	ő
27358	Ä	Remove femur lesion	9.10	9.10	ZZZ	0	1	2	0	0
27360		Partial removal	18.57	18.57	090	2	1	2	1	0
27365	A	Extensive leg surgery	29.58	29.58	090	2	1	2	1	0
(77) Femus 27370 27372		I knee joint, introduction or re Injection for knee Removal of foreign body	1.48 8.20	1.48 8.20	000 090	2 2	1 1	1 0	0	0
(78) Femu	r anc	ł knee joint, repair, revision, a	nd/or rec	onstruct	ion:					
27380	Α	Repair of kneecap	14.82	14.82	090	2	1	2	1	0
27381	A	Repair/graft kneecap	21.28	21.28	090	2	ī	$\bar{2}$	1	ŏ
27385	Α	Repair of thigh	16.08	16.08	090	2	1	2	1	0
27386	Α	Repair/graft thigh	21.92	21.92	090	2	1	2	1	0
27390	Α	Incision of thigh	9.44	9.44	090	2	0	2	0	0
27391	Α	Incision of thigh	12.27	12.27	090	2	0	0	1	0
27392		Incision of thigh	16.47	16.47	090	2	2	2	1	0
27393	A	Lengthening of hamstring	11.79	11.79	090	2	0	2	1	0
27394	A	Lengthening of hamstring	13.77	13.77	090	2	0	2	0	0
27395	A	Lengthening of hamstring	21.68	21.68	090	2	2	2	1	0
27396	A	Transplant of tendon	14.57	14.57	090	2	0	2	1	0
27397	A	Transplants of tendons	19.62	19.62	090	2	0	2	0	0
27400 27403	A	Revise thigh muscle	16.49	16.49	090	2	1	2	1 1	0
27405	A	Repair of knee	16.85 17.97	16.85	090 090	2	1 1	2	1	0
27403	A A	Repair of knee	18.68	17.97 18.68	090	2	1	2	1	0
27407	A	Repair of knee Repair of knee	26.79	26.79	090	2	1	2	1	0
27409	A	Repair degeneration	22.40	22.40	090	2	1	2	1	0
27420	A	Revision of patella	20.33	20.33	090	2	1	2	1	0
27422	A	Revision of patella	20.28	20.28	090	2	1	2	1	0
27424										
	Α	Nevision/removal	20.37	20.37	090		1	2	1	0
27425	A	Revision/removal Lateral retinacular	20.37 10.88	20.37 10.88	090 090	2	1	2 1	1 1	0

27427	Α	Reconstruction	19.69	19.69	090	2	1	2	1	0
27428	Α	Reconstruction	27.41	27.41	090	2	1	2	1.	. 0
27429	Α	Reconstruction	25.98	25.98	090	2	1	2	1	0
27430	Α	Revision of thigh	18.65	18.65	090	2	1	2	. 1	0
27435	Α	Incision of knee	16.03	16.03	. 090	2	1	2	1	0
27437	Α	Revise kneecap	17.53	17.53	090	2	1	1	1	0
27438	Α	Revise kneecap	23.30	23.30	090	2	1	2	1	0
27440	Α	Revision of knee	21.71	21.71	090	2	1	2	1	0
27441	Α	Revision of knee	19.48	19.48	090	2	1	2	1	0
27442	Α	Revision of knee	25.11	25.11	090	2	1	2	1	0
27443	Α	Revision of knee	23.37	23.37	090	2	1	2	1	0
27445	Α	Revision of knee	37.16	37.16	090	2	1	2	1	0
27446	Α	Revision of knee	33.34	33.34	090	2	1	2	1	0
27447	Α	Total knee replacement	45.05	45.05	090	2	1	2	1	0
27448	Α	Incision of thigh	22.95	22.95	090	2	1	2	1	0
27450	Α	Incision of thigh	28.33	28.33	090	2	1	2	1	0
27454	Α	Realignment	32.66	32.66	090	2	1	2	1	0
27455	Α	Realignment	24.31	24.31	090	2	1	2	1	0
27457	Α	Realignment	26.24	26.24	090	2	1	2	1	0
27465	Α	Shortening femur	25.52	25.52	090	2	1	2	1	0
27466	Α	Lengthening femur	29.05	29.05	090	2	1	2	1	0
27468	Α	Shorten/lengthen	35.00	35.00	090	2	1	2	1	0
27470	Α	Repair of thigh	32.12	32.12	090	2	1	2	1	0
27472	Α	Repair/graft	36.66	36.66	090	2	1	2	1	0
27475	Α	Surgery	16.02	16.02	090	2	1	1	1	0
27477	Α	Surgery	20.83	20.83	090	2	1	1	1	0
27479	Α	Surgery	23.90	23.90	090	2	1	2	0	0
27485	Α	Surgery	16.38	16.38	090	2	1	1	0	0
27486	Α	Revise knee joint	40.32	40.32	090	2	1	2	1	0
27487	Α	Revise knee joint	53.05	53.05	090	2	1	2	1	0
27488	Α	Removal of knee	31.32	31.32	090	2	1	2	1	0
27495	Α	Reinforce thigh	32.20	32.20	090	2	1	2	1	0
27496	Α	Decompression	10.33	10.33	090	2	1	1	2	0
27497	Α	Decompression	12.37	12.37	090	2	1	0	2	0
27498	Α	Decompression	13.93	13.93	090	2	1	2	2	0
27499	Α	Decompression	15.86	15.86	090	2	1	2	2	0
		1								

### (79) Femur and knee joint, fracture and/or dislocation:

27500	Α	Treatment of thigh	11.05	11.05	090	2	1	1	0	0
27501	Α	Treatment of thigh	11.05	11.05	090	2	1	0	0	0
27502	Α	Treatment of thigh	17.68	17.68	090	2	1	1	0	0
27503	Α	Treatment of thigh	17.68	17.68	090	2	1	0	0	0
27506	Α	Repair of thigh	32.73	32.73	090	2	1	2	1	0
27507	Α	Treatment of thigh	28.98	28.98	090	2	1	2	2	0
27508	Α	Treatment of thigh	9.73	9.73	090	2	1	1	0	0
27509	Α	Treatment of thigh	11.43	11.43	090	2	1	0	0	0
27510	Α	Treatment of thigh	15.48	15.48	090	2	1	1	0	0
27511	Α	Treatment of thigh	28.28	28.28	090	2	1	2	2	0
27513	Α	Treatment of thigh	33.15	33.15	090	2	1	2	2	0
27514	Α	Repair of thigh	32.32	32.32	090	2	1	2	1	0
27516	Α	Repair of thigh	9.92	9.92	090	2	1	1	0	0
27517	Α	Repair of thigh	16.23	16.23	090	2	1	0	0	0
27519	Α	Repair of thigh	27.01	27.01	090	2	1	2	1	0
27520	Α	Treat kneecap fracture	5.78	4.31	090	2	1	1	0	0
27524	Α	Repair of kneecap	19.98	19.98	090	2	1	2	1	0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						5	564
27530 27532 27535 27536 27538 27540 27550 27552 27556 27557 27558 27560 27562 27566	A A A A A	Treatment of kneecap Treatment of kneecap Repair of kneecap Treat knee fracture Repair of knee Treat knee dislocation Treat knee dislocation Repair of knee Repair of knee	7.00 12.62 22.77 26.54 7.96 23.43 7.91 10.78 26.21 30.67 31.53 4.94 10.68 22.24	7.00 12.62 22.77 26.54 7.96 23.43 7.91 10.78 26.21 30.67 31.53 4.94 10.68 22.24	090 090 090 090 090 090 090 090 090 090		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 0 2 0 0 2 2 2 2 1 0 2	0 0 2 1 0 1 0 0 1 1 2 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0
(80) Femu	r and	t knee joint, manipulation:								
27570		Fixation of knee	3.40	3.40	010	2	0	1	0	0
(81) Femus 27580		d knee joint, arthrodesis:  Fusion of knee	34.16	34.16	090	2	1	2	1	0
(82) Femu	rano	d knee joint, amputation:								
27590 27591 27592 27594 27596 27598	A A A	Amputate leg at thigh Amputate leg at thigh Amputate leg at thigh Amputation follow-up Amputation follow-up Amputate lower leg	20.71 24.04 17.82 10.18 17.52 20.24	20.71 24.04 17.82 10.18 17.52 20.24	090 090 090 090 090 090	2 2 2 2 2 2 2	1 1 1 1 1	2 2 2 1 1 2	1 1 1 0 1	0 0 0 0 0
(83) Femur	anc	I knee joint, other procedures:								
27599	С	Leg surgery	0.00	0.00	YYY	2	1	2	1	1
(84) Leg ar	nd ai	nkle joint, incision:								
27600 27601 27602 27603 27604 27605 27606 27607 27610 2,7612	A A A	Decompression of leg Decompression of leg Decompression of leg Drain lower leg Drain lower leg Incision of tendon Incision of tendon Treat lower leg Explore/treat ankle Exploration of ankle	8.76 8.75 11.01 7.01 5.12 3.82 6.00 13.58 15.37 15.07	8.76 8.75 11.01 7.01 4.63 3.82 6.00 13.58 15.37 15.07	090 090 090 090 090 010 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1	1 1 2 1 0 0 1 1 1 2	1 0 1 0 0 0 1 0 0	0 0 0 0 0 0 0 0

(85) Leg and ankle joint, excision:	
-------------------------------------	--

Α	Biopsy lower leg	2.67	2.35	010	2	1	1	0	0
Α	Biopsy lower leg	7.53	7.53	. 090	2	1	1	0	0
Α	Remove tumor, leg	20.13	20.13	090	2	1	0	$\cdot 1$	0
Α	Remove lower leg	6.83	6.83	090	2	1	1	0	0
Α	Remove lower leg	11.98	11.98	090	2	1	1	0	0
Α	Explore, treat	11.78	11.78	090	2	1	2	1	0
Α	Remove ankle joint	16.65	16.65	090	2	1	2	1	0
Α	Remove ankle joint	18.24	18.24	090	2	1	2	0	0
Α	Removal of tendon	7.61	7.61	090	2	1	1	0	0
Α	Remove lower leg	15.53	15.53	090	2	1	1	1	0
Α	Remove/graft leg	17.90	17.90	090	2	1	2	1	0
Α	Remove/graft leg	19.27	19.27	090	2	1	2	1	0
Α	Partial removal	20.66	20.66	090	2	1	1	1	0
Α	Partial removal	15.93	15.93	090	2	1	1	1	0
Α	Extensive lower leg	25.20	25.20	090	2	1	2	1	0
Α	Extensive lower leg	22.82	22.82	090	2	1	2	1	0
Α	Extensive ankle	21.47	21.47	090	2	1	2	0	0
	A A A A A A A A A A A A A A A A A A A	A Biopsy lower leg A Remove tumor, leg A Remove lower leg A Remove lower leg A Explore, treat A Remove ankle joint A Remove ankle joint A Removel of tendon A Remove lower leg A Remove/graft leg A Remove/graft leg A Partial removal A Partial removal A Extensive lower leg A Extensive lower leg	A Biopsy lower leg 7.53 A Remove tumor, leg 20.13 A Remove lower leg 6.83 A Remove lower leg 11.98 A Explore, treat 11.78 A Remove ankle joint 16.65 A Remove ankle joint 18.24 A Removel lower leg 15.53 A Remove lower leg 15.53 A Remove/graft leg 17.90 A Remove/graft leg 19.27 A Partial removal 20.66 A Partial removal 15.93 A Extensive lower leg 25.20 A Extensive lower leg 22.82	A Biopsy lower leg 7.53 7.53 A Remove tumor, leg 20.13 20.13 A Remove lower leg 6.83 6.83 A Remove lower leg 11.98 11.98 A Explore, treat 11.78 11.78 A Remove ankle joint 16.65 16.65 A Remove ankle joint 18.24 18.24 A Removal of tendon 7.61 7.61 A Remove lower leg 15.53 15.53 A Remove/graft leg 17.90 17.90 A Remove/graft leg 19.27 19.27 A Partial removal 20.66 20.66 A Partial removal 15.93 15.93 A Extensive lower leg 25.20 25.20 A Extensive lower leg 22.82 22.82	A Biopsy lower leg 7.53 7.53 090 A Remove tumor, leg 20.13 20.13 090 A Remove lower leg 6.83 6.83 090 A Remove lower leg 11.98 11.98 090 A Explore, treat 11.78 11.78 090 A Remove ankle joint 16.65 16.65 090 A Remove ankle joint 18.24 18.24 090 A Removal of tendon 7.61 7.61 090 A Remove lower leg 15.53 15.53 090 A Remove/graft leg 17.90 17.90 090 A Remove/graft leg 19.27 19.27 090 A Partial removal 20.66 20.66 090 A Partial removal 15.93 15.93 090 A Extensive lower leg 25.20 25.20 090 A Extensive lower leg 22.82 22.82 090	A Biopsy lower leg 7.53 7.53 090 2 A Remove tumor, leg 20.13 20.13 090 2 A Remove lower leg 6.83 6.83 090 2 A Remove lower leg 11.98 11.98 090 2 A Explore, treat 11.78 11.78 090 2 A Remove ankle joint 16.65 16.65 090 2 A Remove ankle joint 18.24 18.24 090 2 A Removel lower leg 15.53 15.53 090 2 A Remove lower leg 15.53 15.53 090 2 A Remove/graft leg 17.90 17.90 090 2 A Remove/graft leg 19.27 19.27 090 2 A Partial removal 20.66 20.66 090 2 A Partial removal 15.93 15.93 090 2 A Extensive lower leg 25.20 25.20 090 2 A Extensive lower leg 22.82 22.82 090 2	A Biopsy lower leg 7.53 7.53 090 2 1 A Remove tumor, leg 20.13 20.13 090 2 1 A Remove lower leg 6.83 6.83 090 2 1 A Remove lower leg 11.98 11.98 090 2 1 A Explore, treat 11.78 11.78 090 2 1 A Remove ankle joint 16.65 16.65 090 2 1 A Remove ankle joint 18.24 18.24 090 2 1 A Remove lower leg 15.53 15.53 090 2 1 A Remove lower leg 15.53 15.53 090 2 1 A Remove/graft leg 17.90 17.90 090 2 1 A Remove/graft leg 19.27 19.27 090 2 1 A Partial removal 20.66 20.66 090 2 1 A Partial removal 15.93 15.93 090 2 1 A Extensive lower leg 25.20 25.20 090 2 1 A Extensive lower leg 22.82 22.82 090 2 1	A Biopsy lower leg 7.53 7.53 090 2 1 1 A Remove tumor, leg 6.83 6.83 090 2 1 1 1 A Remove lower leg 6.83 6.83 090 2 1 1 1 A Remove lower leg 11.98 11.98 090 2 1 1 1 A Explore, treat 11.78 11.78 090 2 1 2 A Remove ankle joint 16.65 16.65 090 2 1 2 A Remove ankle joint 18.24 18.24 090 2 1 2 A Remove lower leg 15.53 15.53 090 2 1 1 A Remove lower leg 15.53 15.53 090 2 1 1 A Remove/graft leg 17.90 17.90 090 2 1 2 A Remove/graft leg 19.27 19.27 090 2 1 2 A Partial removal 20.66 20.66 090 2 1 1 A Partial removal 15.93 15.93 090 2 1 1 A Extensive lower leg 25.20 25.20 090 2 1 2 A Extensive lower leg 22.82 22.82 090 2 1 2	A Biopsy lower leg 7.53 7.53 090 2 1 1 0 1 A Remove tumor, leg 6.83 6.83 090 2 1 1 0 1 A Remove lower leg 11.98 11.98 090 2 1 1 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0

### (86) Leg and ankle joint, introduction or removal:

27648 A Injection for ankle	1.40	1.40	000	2	1	0	0	0
-----------------------------	------	------	-----	---	---	---	---	---

### (87) Leg and ankle joint, repair, revision, and/or reconstruction:

						_	_	_		_
27650	Α	Repair Achilles	18.25	18.25	090	2	1	2	1	0
27652	Α	Repair/graft Achilles	20.29	20.29	090	2	1	1	1	0
27654	Α	Repair Achilles	20.56	20.56	090	2	1	2	1	0
27656	Α	Repair leg	7.52	7.52	090	2	1	2	0	0
27658	Α	Repair of leg tendon	8.73	8.73	090	2	0	2	1	0
27659	Α	Repair of leg tendon	12.33	12.33	090	2	0	2	1	0
27664	Α	Repair of leg tendon	7.75	7.75	090	2	0	0	0	0
27665	Α	Repair of leg tendon	10.10	10.10	090	2	0	2	1	0
27675	Α	Repair lower leg	13.22	13.22	090	2	1	2	1	0
27676	Α	Repair lower leg	15.58	15.58	090	2	1	2	0	0
27680	Α	Release of lower leg	9.53	9.53	090	2	0	1	1	0
27681	Α	Release of lower leg	12.43	12.43	090	2	0	1	1	0
27685	Α	Revision of lower leg	9.83	9.83	090	2	0	2	1	0
27686	Α	Revise lower leg	13.61	13.61	090	2	0	1	1	0
27687	Α	Revision of calf	11.35	11.35	090	2	1	2	1	0
27690	Α	Revise lower leg	14.90	14.90	090	2	1	2	1	0
27691	Α	Revise lower leg	17.34	17.34	090	2	1	2	1	0
27692	Α	Revise additional	3.82	3.82	ZZZ	0	1	2	1	0
27695	Α	Repair of ankle	13.55	13.55	090	2	. 1	1	1	0
27696	Α	Repair of ankle	14.97	14.97	090	` 2	1	1	1	0
27698	Α	Repair of ankle	19.47	19.47	090	2	1	2	1	0
27700	Α	Revision of ankle	19.14	19.14	090	2	1	2	1	0
27702	Α	Reconstruct ankle	29.14	29.14	090	2	1	2	1	0
27703	Α	Reconstruction	29.00	29.00	090	2	1	2	0	0
27704	Α	Removal of ankle	13.10	13.10	090	2	1	2	1	0
27705	Α	Incision of tibia	20.77	20.77	090	2	1	2	1	0
27707	Α	Incision of fibula	8.99	8.99	090	2	1	1	1	0
27709	Α	Incision of tibia	20.79	20.79	090	2	1	2	1	0
27712	Α	Realignment of rod	24.45	24.45	090	2	1	2	1	0
27715	Α	Revision of lower leg	26.28	26.28	090	2	1	2	1	0
27720	Α	Repair of tibia	24.47	24.47	090	2	1	2	1	0

566

27722	Α	Repair/graft	21.78	21.78	090	2	1	2	1	0
27724	Α	Repair/graft	30.16	30.16	090	2	1	2	1	0
27725	Α	Repair of lower leg	25.07	25.07	090	2	1	2	1	0
27727	A	Repair of lower leg	22.79	22.79	090	2	1	2	1	0
27730	A	Repair of tibia	10.66	10.66	090	2	1	1	1	0
27732	A	Repair of fibula	9.94	9.94	090	2	1	1	0	0
27734	A		15.66	15.66	090	2	1	1	0	0
		Repair lower leg	17.27	17.27		2	1	2		
27740	A	Repair of leg			090				0	0
27742	A	Repair of leg	19.16	19.16	090	2	1	2	1	0
27745	Α	Reinforce tibia	18.57	18.57	090	2	1	2	1	0
(88) Leg an	เสียเ	nkle joint, fracture and/or di	islocation:							
(00) Leg an	iu ai	ikie joint, maeture and/or di	isiocation.							
27750	Α	Treatment of tibia	6.50	6.50	090	2	1	1	0	0
27752	Α	Treatment of tibia	10.66	10.66	090	2	1	1	0	0
27756	Α	Repair of tibia	14.30	14.30	090	2	1	2	1	0
27758	Α	Repair of tibia	24.22	24.22	090	2	1	2	1	0
27759	Α	Repair of tibia	26.99	26.99	090	2	1	2	2	0
27760	Α	Treatment of ankle	5.43	4.18	090	2	1	1	0	0
27762	Α	Treatment of ankle	8.29	8.29	090	2	1	1	0	0
27766	A	Repair of ankle	15.89	15.89	090	2	1	1	1	0
27780	Α	Treatment of fibula	4.45	3.50	090	2	1	1	Ō	0
27781	A	Treatment of fibula	7.44	7.44	090	2	î	î	0	0
27784	A	Repair of fibula	12.33	12.33	090	2	1	1	1	Õ
27786	Α	Treatment of ankle	5.22	4.00	090	2	1	1	0	0
27788	Ā	Treatment of ankle	7.47	5.89	090	2	1	1	0	0
27792	A	Repair of ankle	14.73	14.73	090	. 2	1	1	1	ő
27808	A	Treatment of ankle	5.48	5.48	090	2	1	1	Ô	0
27810	A	Treatment of ankle	9.98	9.98	090	2	1	1	ŏ	0
27814	A	Repair of ankle	20.24	20.24	090	2	1	2	1	0
27816	A	Treatment of ankle	6.28	6.00	090	2	1	1	0	ő
27818	Α	Treatment of ankle	11.42	11.42	090	2	1	1	0	ő
27822	A	Repair of ankle	19.16	19.16	090	2	1	2	1	0
27823	A	Repair of ankle	24.20	24.20	090	2	1	2	1	0
27824	A	Treat lower leg	6.28	6.00	090	2	1	1	0	0
27825	A	Treat lower leg	12.49	12.49	090	2	1	Ô	0	0
27826	A	Treat lower leg	17.86	17.86	090	2	1	2	2	0
27827		Treat lower leg	25.11	25.11	090	2	1	2	2	0
27828		Treat lower leg	28.22	28.22	090	2	1	2	2	0
27829		Treat lower leg	11.57	11.57	090	2	1	2	2	0
27830		•	6.83	6.83	090	2	1	0	0	
27831	A A	Treat lower leg	8.31	8.31	090	2	1	0	0	0 0
		Treat lower leg	11.89		090	2	1	2	1	
27832		Repair lower leg		11.89						0
27840		Treat ankle dislocation Treat ankle dislocation	6.08 7.97	6.08	090	2 2	1	1	0	0
27842				7.97	090 090	2	1	1	0	0
27846		Repair ankle dislocation	17.94	17.94			1	2	1	0
27848	А	Repair ankle dislocation	18.97	18.97	090	2	1	2	1	0
(89) Leg an	d ar	ıkle joint, manipulation:								
			2.50	2.50	040	^	•	•	•	^
27860	A	Fixation of ankle	3.59	3.59	010	. 2	0	0	0	0

567	FEES	FOR	<b>MEDICAL</b>	SERVICES	5221.4030

(90) Leg and ankle joint, arthrodesis:												
27870		Fusion of ankle	26.74	26.74	090	2 2	1	2 2	1	0		
27871	Α	Fusion of tibiofibula	16.52	16.52	090	2	1	2	1	0		
(91) Leg an	d ar	nkle joint, amputation:										
27880	Α	Amputation of leg	19.72	19.72	090	2	1	2	1	0		
27881		Amputation of leg	22.69	22.69	090	2	1	2	1	0		
27882	Α	Amputation of leg	16.01	16.01	090	2	1	0	1	0		
27884	Α	Amputation follow-up	11.04	11.04	090	2	1	1	.0	0		
27886	Α	Amputation follow-up	16.13	16.13	090	2	1	1	1	0		
27888	Α	Amputation of fibula	18.86	18.86	090	2	1	2	1	0		
27889		Amputation of fibula	18.06	18.06	090	2	1	2	1	0		
(92) Leg an	d aı	nkle joint, other procedures:										
27892	Α	Decompression of leg	10.34	10.34	090	2	1	0	2	0		
27893		Decompression of leg	10.31	10.31	090	2	1	0	0	0		
27894	Α	Decompression of leg	13.86	13.86	090	2	1	2	2	0		
27899	C	Leg/ankle surgery	0.00	0.00	YYY	2	1	0	1	1.		
(93) Foot a	nd t	oes, incision:										
28001	Α	Drainage of bursa	3.01	2.76	010	2	0	1	0	0		
28002	Α	Treatment of foot	6.55	6.55	010	2	0	1	0	0		
28003	Α	Treatment of foot	11.34	9.65	090	2	0	1	0	0		
28005	Α	Treat foot bone	12.16	12.16	090	2	0	1	0	0		
28008	Α	Incision of foot	6.79	6.79	090	2	0	1	0	0		
28010	Α	Incision of toe	6.26	4.51	090	2	0	1	0	0		
28011	Α	Incision of toe	5.57	4.72	090	2	0	1	0	0		
28020	Α	Exploration	9.11	9.11	090	2	0	1	1	0		
28022		Exploration	7.06	5.73	090	2	0	1	0	0		
28024	Α	Exploration	6.42	5.26	090	2	0	1	0	0		
28030	Α	Removal of foot	9.61	9.61	090	2	0	0	0	0		
28035	Α	Decompression	11.09	10.53	090	2	0	1	1	0		
(94) Foot as	nd t	oes, excision:										
28043	Α	Excision of foot	5.00	5.00	090	2	1	1	0	0		
28045	Α	Excision of foot	8.39	8.39	090	2	1	0	0	0		
28046	Α	Resection of tumor	14.85	14.85	090	2	1	1	1	0		
28050	Α	Biopsy of foot	7.86	7.86	090	2	1	1	1	0		
28052	Α	Biopsy of foot	7.50	5.66	090	2	1	1	1	0		
28054	Α	Biopsy of toe joint	5.45	5.45	090	2	1	0	0	0		
28060	A	Partial removal	9.12	9.12	090	2	1	ĭ	ŏ	Õ		
28062	A	Removal of foot	13.21	13.21	090	2	Ō	î.	ĭ	ŏ		
28070		Removal of foot	9.22	9.22	090	2	Ŏ	1	Ō	Ŏ		
28072	A	Removal of foot	7.49	7.49	090	2	ŏ	1	Õ	ŏ		
28080	A	Removal of foot	7.43	7.43	090	2	ŏ	Ô	ŏ	ŏ		
28086	-	Excise foot tendon	7.61	7.61	090	2	· 1	2	1	ŏ		
28088	A	Excise foot tendon	7.22	7.22	090	2	1	0	Ô	ő		
28090	A	Removal of foot	7.08	7.08	090	2	1	1	0	0		
28092	A	Removal of toe	5.40	5.40	090	2	0	1	0	0		
20072		2.0	5.10	5.10	370	_	J	-	•	U		

28100	Α	Removal of ankle	9.87	9.87	090	2	1	2	1	0
28102	A	Remove/graft foot	14.09	14.09	090	2	1	2	0	ő
28103	A	Remove/graft foot	11.70	11.70	090	2	î	$\tilde{2}$	ŏ	ŏ
28104	A	Removal of foot	9.10	9.10	090	2	Ô	2	1	ő
28106		Remove/graft foot	13.14	13.14	090	2	ő	2	1	ŏ
28107	A	Remove/graft foot	10.01	10.01	090	2	ŏ	2	0	ő
28108	A	Removal of toe	8.04	6.01	090	2	^	. 1	ő	ő
28110	A	Partial removal of toe	7.28	7.28	090	2	1	1	1	ŏ
28111	A	Partial removal of toe	9.78	9.78	090	2	1	1	1	0
28112	A	Partial removal of toe	8.15	8.15	090	2	1	1	1	0
28113	A	Partial removal of toe	8.90	8.90	090	2	1	0	0	0
28114	A	Removal of metatarsal	18.53	18.53	090	2	1	2	1	-0
28116	A	Revision of foot	12.64	12.64	090	2	1	1	0	0
28118	A	Removal of heel	11.29	11.29	090	2	1	2	1	0
28119	A	Removal of heel	10.46	10.46	090	2	1	1	1	0
28120	A	Partial removal of bone	10.40	10.40	090	2	1	1	1	0
28122	A	Partial removal	11.24	11.24	090	2	1	2	1	0
28124	A	Partial removal	8.54	6.56	090	2	1	1	0	0
28124	A	Partial removal	7.24	5.32	090	2	0	1	0	0
28130	A	Removal of ankle	14.64	14.64	090	2	1	2	1	0
28140	A	Removal of metatarsal	11.38	11.38	090	2	0	1	1	0
28150	A	Removal of toe	7.10		090	2	0	1	0	0
	A	Partial removal	7.10	7.10		2	0	1	0	0
28153 28160		Partial removal	7.58 7.58	5.45 5.59	090	2	0	1	0	0
	A	Extensive foot		5.59 16.92	090	2	0	2	0	
28171	A		16.92		090	2		1	-	0
28173 28175	A A	Extensive foot Extensive foot	13.94 11.01	13.94 11.01	090 090	2	0	1	1 1	0
20173	71	Extensive root	11.01	11.01	070	۷	U	1	1	U
(95) Foot	and t	oes, introduction or removal:	:							
28190	Α	Removal of foot	2.31	2.06	010	2	1	1	0	0
28192	Α	Removal of foot	6.23	6.23	090	2	1	1	0	0
28193	Α	Removal of foot	7.67	7.67	090	2	1	1	0	0
(96) Foot	and t	oes, repair, revision, and/or r	econstruct	ion:						
` ,		-								
28200	Α	Repair of foot	9.34	9.34	090	2	0	1	1	0
28202	A	Repair/graft	12.26	12.26	090	2	0	2	1	0
28208	Α	Repair of foot	6.84	6.84	090	2	0	1	1	0
28210	A	Repair/graft	11.50	11.50	090	2	0	2	0	0
28220	A	Release of foot	8.09	6.22	090	2	0	1	0	0
28222	A	Release of foot	11.63	8.54	090	2	0	1	0	0
28225	Α	Release of foot	5.75	5.75	090	2	0	1	1	0
28226	A	Release of foot	7.60 6.32	7.60	090	2	0	1	0	0
28230	A	Incision of foot	6.32 4.71	5.14	090	2	0	1	0	0
28232 28234	A	Incision of toe Incision of foot	4.71	3.93 3.88	090 090	2	0	1 1	0	0
28234	A A	Revision of foot	14.47	3.00 14.47	090	2	$0 \\ 1$	2	1	0
28240		Release of big toe	6.14	6.14	090	2	1	1	0	0
28250	A	Revision of foot	9.96	9.96	090	2	1	2	1	0
28260	A	Release of midfoot	9.90 11.77	9.90 11.77	090	2	1	2	1	0
28261	A	Revision of foot	16.68	16.68	090	2	1	0	0	0
28262	A	Revision of foot	26.67	26.67	090	2	1	2	1	0
28264	A	Release of midfoot	19.28	19.28	090	2	1	2	0	ŏ
28270	A	Release of foot	6.99	5.72	090	2	1	1	0	0

										_
28272	Α	Release of toe	5.52	4.53	090	2	1	1	0	0
28280	Α	Fusion of toes	7.02	7.02	090	2	1	0	0	0
28285	Α	Repair of hammertoe	8.60	8.60	090	2	0	1	1	0
28286	Α	Repair of hammertoe	7.81	7.81	090	2	0	1	0	0
28288	Α	Partial removal	8.16	8.16	090	2	0	1	0	0
28290	Α	Correction of bunion	10.66	10.66	090	2	1	1	0	0
28292	Α	Correction of bunion	13.61	13.61	090	2	1	2	1	0
28293	Α	Correction of bunion	18.07	18.07	090	2	1	2	1	0
28294	Α	Correction of bunion	17.09	17.09	090	2	1	2	1	0
28296	Α	Correction of bunion	17.38	17.38	090	2	1	2	1	0
28297	Α	Correction of bunion	17.63	17.63	090	2	1	2	1	0
28298	Α	Correction of bunion	16.08	16.08	090	2	1	2	1	0
28299	Α	Correction of bunion	18.09	18.09	090	2	1	2	1	0
28300	Α	Incision of heel	15.39	15.39	090	2	1	2	1	0
28302	Α	Incision of ankle	17.87	17.87	090	2	1	2	1	0
28304	Α	Incision of midfoot	14.92	14.92	090	2	0	2	1	0
28305	Α	Incise/graft midfoot	19.61	19.61	090	2	0	2	1	0
28306	Α	Incision of metatarsal	9.99	9.99	090	2	0	2	1	0
28307	Α	Incision of metatarsal	11.84	11.84	090	2	0	0	0	0
28308	Α	Incision of metatarsal	10.59	10.59	090	2	0	2	1	0
28309	Α	Incision of metatarsal	18.79	18.79	090	2	0	0	0	0
28310	Α	Revision of big toe	9.19	9.19	090	2	0	1	1	0
28312	Α	Revision of toe	8.78	8.78	090	2	0	1	1	0
28313	Α	Repair deformity	7.20	5.96	090	2	0	1	0	0
28315	Α	Removal of toe	8.73	8.73	090	2	1	1	1	0
28320	Α	Repair of foot	17.30	17.30	090	2	0	2	1	0
28322	Α	Repair of metatarsal	12.37	12.37	090	2	0	2	1	0
28340	Α	Resect enlarged toe	12.96	12.96	090	2	0	1	0	0
28341	Α	Resect enlarged toe	15.56	15.56	090	2	0	1	0	0
28344	Α	Repair extra toe	7.77	7.77	090	2	0	1	1	0
28345	Α	Repair webbed toes	10.94	10.94	090	2	0	0	0	0
28360	Α	Reconstruct cleft foot	24.69	24.69	090	2	0	2	0	0

### (97) Foot and toes, fracture and/or dislocation:

28400	Α	Treatment of heel	4.66	3.42	090	2	1	1	0	0
28405	Α	Treatment of heel	8.24	8.24	090	2	1	0	0	0
28406	Α	Treatment of heel	12.12	12.12	090	2	1	0	0	0
28415	Α	Repair of heel	23.98	23.98	090	2	1	2	1	0
28420	Α	Repair/graft heel	26.52	26.52	090	2	1	2	1	0
28430	Α	Treatment of ankle	4.46	3.27	090	2	1	1	0	0
28435	Α	Treatment of ankle	6.61	6.61	090	2	1	0	0	0
28436	Α	Treatment of ankle	8.70	8.70	090	2	1	1	0	0
28445	Α	Repair of ankle	17.74	17.74	090	2	1	2	1	0
28450	Α	Treat midfoot fracture	3.67	2.77	090	2	0	1	0	0
28455	Α	Treat midfoot fracture	5.45	4.22	090	2	0	0	0	0
28456	Α	Repair midfoot	4.84	4.84	090	2	0	1	0	0
28465	Α	Repair midfoot	12.16	12.16	090	2	0	1	0	0
28470	Α	Treat metatarsal	3.67	2.80	090	2	0	1	0	0
28475	Α	Treat metatarsal	5.12	3.99	090	2	0	1	0	0
28476	Α	Repair metatarsal	6.57	6.57	090	2	0	0	0	0
28485	Α	Repair metatarsal	10.04	10.04	090	2	0	1	1	0
28490	Α	Treat big toe fracture	1.91	1.48	090	2	0	1	0	0
28495	Α	Treat big toe fracture	2.59	2.05	090	2	0	1	0	0
28496	Α	Repair big toe	4.29	4.29	090	2	0	1	0	0
28505	Α	Repair big toe	6.58	6.58	090	2	0	1	0	0

570

5221 4030	FFFS	FOR	MEDICAL	SERVICES

28510	Α	Treatment of toe	1.90	1.47	090	2	0	1	0	0
28515	Α	Treatment of toe	2.47	1.93	090	2	0	1	0	0
28525	Α	Repair of toe fracture	5.16	5.16	090	2	0	0	0	0
28530	A	Treat sesamoid fracture	1.98	1.50	090	2	0	0	0	0
28531	A	Treat sesamoid fracture	4.15	4.15	090	2	ŏ	1	2	0
28540	A	Treat foot dislocation	2.46	2.17	090	2	0	0	0	ő
28545	A	Treat foot dislocation	3.57	3.57	090	2	0	0	0	0
28546	A	Treat foot dislocation	5.80	5.80	090	2	0	0	0	0
						2				
28555	A	Repair foot dislocation	11.51	11.51	090		0	2	1	0
28570	A	Treat foot dislocation	3.14	2.37	090	2	0	0	0	0
28575	Α	Treat foot dislocation	5.91	5.91	090	2	0	0	0	0
28576	Α	Treat foot dislocation	6.69	6.69	090	2	0	0	0	0
28585	Α	Repair foot dislocation	12.35	12.35	090	2	0	2	1	0
28600	Α	Treat foot dislocation	2.42	2.09	090	2	0	0	0	0
28605	Α	Treat foot dislocation	4.83	4.83	090	2	0	0	0	0
28606	Α	Treat foot dislocation	8.12	8.12	090	2	0	1	0	0
28615	Α	Repair foot dislocation	12.27	12.27	090	2	0	2	1	0
28630	Α	Treat toe dislocation	2.60	2.10	010	2	0	0	0	0
28635	Α	Treat toe dislocation	3.23	2.53	010	2	0	0	0	0
28636	Α	Treat toe dislocation	5.22	5.22	010	2	0	1	2	0
28645	Α	Repair toe dislocation	7.17	7.17	090	2	0	1	1	0
28660	Α	Treat toe dislocation	1.76	1.76	010	2	Õ	1	0	0
28665	Α	Treat toe dislocation	2.75	2.28	010	2	Õ	0	0	0
28666	A	Treat toe dislocation	4.99	4.99	010	2	0	1	2	0
28675	A	Repair toe dislocation	5.77	5.77	090	2	0	1	Õ	0
20075	1.	repair too distocation	3.77	3.77	070	2	Ü	•	Ü	Ů
(98) Foot	and t	oes, arthrodesis:								
28705	Α	Fusion of foot	29.70	29.70	090	2	0	2	1	0
28715	Α	Fusion of foot	24.84	24.84	090	2	0	2	1	0
28725	Α	Fusion of foot	20.45	20.45	090	2	0	2	1	0
28730	Α	Fusion of foot	19.20	19.20	090	2	0	2	1	0
28735	Α	Fusion of foot	20.03	20.03	090	2	0	2	1	0
28737	Α	Revision of foot	17.94	17.94	090	2	0	2	1	0
28740	Α	Fusion of foot	12.64	12.64	090	2	0	2	1	0
28750	Α	Fusion of big toe	12.22	12.22	090	2	1	0	0	0
28755	Α	Fusion of big toe	8.12	8.12	090	2	1	1	1	0
28760	Α	Fusion of big toe	12.61	12.61	090	2	1	2	1	0
		C								
(99) Foot a	and t	oes, amputation:								
28800	Α	Amputation of midtarsal	14.53	14.53	090	2	1	2	1	0
28805	Α	Amputation	14.39	14.39	090	2	1	0	0	0
28810	Α	Amputation of toe	9.83	9.83	090	2	0	0	0	0
28820		Amputation of toe	6.75	6.75	090	2	0	1	0	0
28825		Partial amputation	5.80	5.80	090	2	0	1	0	0
-						-	-			
(100) Foot	and	toes, other procedures:								
28899	C	Foot/toes surgery	0.00	0.00	YYY	2	0	0	1	1
20077		1 contoos surgery	0.00	5.00	* 1 1	_	U	U	1	1

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

THEFT	EOD	MUTATOR	CEDVICES	2331 4030

4	(101)	Caste	and	strapping,	body	and	unner	extremity	
	LUL	<i>Casis</i>	anu	strapping,	oouy	anu	upper	extremity	٠

571

29000	Α	Application of casts	3.95	3.95	000	2	0	0	0	0
29010	Α	Application of casts	4.31	4.25	000	2	0	0	0	0
29015	Α	Application of casts	4.62	3.50	000	2	0	0	0	0
29020	Α	Application of casts	3.80	2.92	000	2	0	0	0	0
29025	Α	Application of casts	2.98	2.62	000	2	0	0	0	0
29035	Α	Application of casts	3.67	2.73	000	2	0	0	0	0
29040	Α	Application of casts	4.13	4.13	000	2	0	0	0	0
29044	Α	Application of casts	4.13	4.13	000	2	0	0	0	0
29046	Α	Application of casts	4.54	4.54	000	2	0	0	0	0
29049	Α	Application of casts	1.25	1.04	000	2	0	0	0	0
29055	Α	Application of casts	2.87	2.87	000	2	0	0	0	0
29058	Α	Application of casts	1.87	1.87	000	2	0	0	0	0
29065	Α	Application of casts	1.63	1.25	. 000	2	1	1	0	0
29075	Α	Application of casts	1.34	1.05	000	2	1	1	0	0
29085	Α	Apply hand/wrist	1.32	1.08	000	2	1	1	0	0
29105	Α	Apply long arm	1.32	1.08	000	2	1	1	0	0
29125	Α	Apply forearm splint	0.92	0.74	000	2	1	1	0	0
29126	Α	Apply forearm splint	1.12	, 0.93	000	2	1	1	0	0
29130	Α	Application of splint	0.63	0.55	000	2	1	1	0	0
29131	· A	Application of splint	0.91	0.72	000	2	1	1	0	0
29200	Α	Strapping	0.87	0.74	000	2	0	1	0	0
29220	Α	Strapping of low back	0.98	0.79	000	2	0	1	0	0
29240	Α	Strapping of shoulder	0.92	0.92	000	2	0	1	0	0
29260	Α	Strapping of elbow	0.74	0.63	. 000	2	1	1	0	0
29280	Α	Strapping of hand	0.68	0.58	000	2	1	1	0	0

### (102) Casts and strapping, lower extremity:

29305	Α	Application of cast	3.83	3.83	000	2	0	0	0	0
29325	Α	Application of cast	4.13	4.13	000	2	0	0	0	0
29345	Α	Application of cast	2.34	1.85	000	2	1	1	0	0
29355	Α	Application of cast	2.55	2.01	000	2	1	1	0	0
29358	Α	Apply long leg cast	3.00	2.24	000	2	1	1	0	0
29365	Α	Application of cast	1.98	1.56	000	2	1	1	0	0
29405	Α	Apply short leg cast	1.61	1.23	000	2	1	1	0	0
29425	Α	Apply short leg cast	1.93	1.46	000	2	1	1	0	0
29435	Α	Apply short leg cast	2.31	1.74	000	2	1	1	0	0
29440	Α	Addition of walker	0.76	0.65	000	2	1	1	0	0
29445	Α	Apply rigid leg cast	3.41	3.41	000	2	1	1	0	0
29450	Α	Application of cast	1.32	1.14	000	2	1	1	0	0
29505	Α	Application of cast	1.22	1.22	000	2	1	1	0	0
29515	Α	Application of splint	1.15	0.92	000	2	1	1	0	0
29520	Α	Strapping of hip	0.85	0.68	000	2	0	0	0	0
29530	Α	Strapping of knee	0.88	0.88	000	2	0	1	0	0
29540	Α	Strapping of ankle	0.77	0.62	000	2	0	1	0	0
29550	Α	Strapping of toe	0.71	0.58	000	· 2	0	1	0	0
29580	Α	Application of unna boot	1.30	0.92	000	2	1	1	0	0
29590	Α	Application of splint	0.98	0.84	000	2	0	1	0	0

### (103) Casts and strapping, removal or repair:

29700	Α	Removal/revision	0.85	0.70	000	2	0	1	0	0
29705	Α	Removal/revision	1.06	0.89	000	2	1	1	0	0
29710	Α	Removal/revision	1.69	1.47	000	2	1	0	0	0
29715	Α	Removal/revision	1.75	1.33	000	2	0	0	0	0

Copyright @ 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						5	572
29720	Α	Repair of body cast	0.86	0.75	000	. 2	0	1	0	0
29730	A	Windowing of cast	0.95	0.83	000	2	0	1	0	0
29740	A	Wedging of cast	1.42	1.23	000	· 2	0	1	0	0
29750	A	Wedging of clubfoot cast	1.67	1.42		$\cdot \overset{2}{2}$		0	0	0
29730	A	wedging of clubioot cast	1.07	1.42	000	· Z ,	. 1	U	U	
(104) Casts	anc	d strapping, other procedures:								
29799	C	Casts/strapping procedure	0.00	0.00	YYY	2	0	0	1	1
(105) Endo	scop	py/Arthroscopy:								
29800	·A	Jaw arthroscopy	9.96	9.96	090	. 2	1	0	0	0
29804	Α	Jaw arthroscopy	16.84	16.84	090	2	1	2	1	0
29815	Α	Shoulder arthroscopy	10.44	10.44	090	2	1	1	1	0
29819	Α	Shoulder arthroscopy	15.97	15.97	090	3	1	1	1	0
29820		Shoulder arthroscopy	14.89	14.89	090	3	1	2	1	0
29821		Shoulder arthroscopy	16.38	16.38	090	3	1	2	1	0
29822		1 3	15.60	15.60	090	3	1	2	0	0
29823	Α	Shoulder arthroscopy	17.38	17.38	090	- 3	1	2	1	0
29825		Shoulder arthroscopy	16.14	16.14	090	3	1	2	1	0
29826		Shoulder arthroscopy	18.99	18.99	090	3	1	2	1	0
29830		Elbow arthroscopy	10.83	10.83	090	2	1	1	0	0
29834		Elbow arthroscopy	11.87	11.87	090	3	1	2	1	0
29835		Elbow arthroscopy	12.25	12.25	090	3	1	2	1	0
29836		Elbow arthroscopy	14.28	14.28	090	3	1	2	1	0
29837	A	Elbow arthroscopy	13.00	13.00	090	3	1 1	2 0	1	0
29838 29840	A A	Elbow arthroscopy	14.44 8.51	14.44 8.51	090 090	2	1	0	0	0
29840 29843	A	Wrist arthroscopy Wrist arthroscopy	11.37	11.37	090	3	1	2	1	0
29843 29844	A	Wrist arthroscopy	11.71	11.71	090	3	1	2	0	0
29845	A	Wrist arthroscopy	14.22	14.22	090	3	1	2	1	0
29846	A	Wrist arthroscopy	14.52	14.52	090	3	1	$\tilde{0}$	0	0
29847	A	Wrist arthroscopy	13.51	13.51	090	3	1	2	0	0
29848	A	Wrist arthroscopy	9.00	9.00	090	2	1	1	ŏ	0
29850	A	Knee arthroscopy	17.10	12.75	090	2	1	0	2	0
29851	A	Knee arthroscopy	23.43	23.43	090	2	1	2	2	ő
29855	Α		21.96	21.96	090	2	1	2	2	0
29856	A	Tibial arthroscopy	25.17	25.17	090	2	1	2	2	Ŏ
29860	Α	Hip arthroscopy	12.40	12.40	090	2	1	2	1	0
29861	Α	Hip arthroscopy	18.32	18.32	090	3	1	2	1	0
29862	Α	Hip arthroscopy	19.99	19.99	090	3	1	2	1	0
29863	Α	Hip arthroscopy	18.36	18.36	090	3	1	2	1	0
29870	Α	Knee arthroscopy	8.84	8.84	090	2	1	1	1	0
29871	Α	Knee arthroscopy	13.02	13.02	090	3	1	1	0	0
29874	Α	Knee arthroscopy	14.73	14.73	090	3	1	0	0	0
29875	Α	Knee arthroscopy	13.32	13.32	090	3	1	0	0	0
29876	Α	Knee arthroscopy	16.68	16.68	090	3	1	1	0	0
29877		Knee arthroscopy	15.48	15.48	090	3	1	0	0	0
29879	Α	Knee arthroscopy	17.05	17.05	090	3	1	0	0	0
29880	Α	Knee arthroscopy	17.97	17.97	090	3	1	0	1	0
29881	Α	Knee arthroscopy	16.30	16.30	090	3	1	0	0	0
29882	A	Knee arthroscopy	18.10	18.10	090	3	1	1	0	0
29883	Α	Knee arthroscopy	20.19	20.19	090	3	1	0	0	0
29884	Α	Knee arthroscopy	15.30	15.30	090	3	1	2	1	0
29885	Α	Knee arthroscopy	16.95	16.95	090	3	1	2	1	0

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

573			FEES	ES FOR MEDICAL SERVICES			5221.4030			
29886 29887 29888 29889 29891 29892 29893 29894 29895 29897 29898 29909	A A A A A A A	Knee arthroscopy Knee arthroscopy Knee arthroscopy Knee arthroscopy Ankle arthroscopy Ankle arthroscopy Scope, plantar Ankle arthroscopy Ankle arthroscopy Ankle arthroscopy Ankle arthroscopy Ankle arthroscopy		14.03 18.75 29.14 24.57 17.16 17.70 10.02 15.02 14.61 15.12 17.44 0.00	14.03 18.75 29.14 24.57 17.16 17.70 10.02 15.02 14.61 15.12 17.44 0.00	090 090 090 090 090 090 090 090 090 090	3 1 3 1 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 0 0 1 1 1 0 1	0 0 0 0 0 0 0 0 0 0
lar lum		ocedure code numbers 3 and diaphragm procedure		o 49999	relate to	respira	itory, c	ardi	ovas	cu-
1	2 3	4	103.	5	6	. 7	8 9	10	11	12
(1) Nos	e, incis	ion:								_
30000 30020	A A	Drainage of nose Drainage of nose		1.89 1.91	1.61 1.62	010 010	2 0 2 0		0 0	0 0
(2) Nos	e, excis	ion:								
30100 30110 30115 30117 30118 30120 30124 30125 30130 30140 30150 30160	A A A A A A A A A	Remove nose polyp Remove intranasal lesi Remove intranasal lesi Revision of nose Remove nose cyst Remove nose cyst Removal of turbinate	on	1.56 2.80 6.83 5.78 17.04 10.94 4.20 12.26 4.78 6.24 16.54 19.83	1.23 2.18 6.83 5.78 17.04 10.94 3.55 12.26 4.78 6.24 16.54 19.83	000 010 090 090 090 090 090 090 090 090	2 0 2 1 2 1 2 0 2 0 2 0 2 0 2 1 2 1 2 0	1 1 2 1 1 ·2 1 1 1	0 0 0 0 1 0 0 0 0 0 1 1	0 0 0 0 0 0 0 0 0
(3) Nos	e, intro	duction:								
30200 30210 30220	Α	Injection, therapeutic Nasal sinus therapy Insert nasal septal		1.09 1.25 2.94	0.91 1.12 2.22	000 010 010	2 0 2 0 2 0	1	0 0 0	0 0 0
(4) Nos	se, remo	oval of foreign body:								
30300 30310 30320	Α	Remove foreign body Remove foreign body Remove foreign body		1.42 3.44 8.48		010 010 090	2 0 2 0 2 0	0	0 0 0	0 0 0

(5) Nose, repair:										
30400	R	Reconstruction	19.30	19.30	090	2	0	0	0	0
30410	R	Reconstruction	26.69	26.69	090	2	ő	2	ő	ő
30420		Reconstruction	32.52	32.52	090	2	ŏ	1	ŏ	ŏ
30430		Revision of nose	12.79	12.79	090	2	ŏ	2	ŏ	ŏ
30435	R	Revision of nose	21.06	21.06	090	2	Õ	2	0	0
30450	R	Revision of nose	28.29	28.29	090	2	0	2	0	0
30460	Α	Revision of nose	17.84	17.84	090	2	0	2	2	0
30462	Α	Revision of nose	35.37	35.37	090	2	0	2	2	0
30520	Α	Repair of nasal septum	11.76	11.76	090	2	0	1	0	0
30540	Α	Repair nasal defect	13.83	13.83	090	2	0	2	0 -	0
30545	Α	Repair nasal defect	21.31	21.31	090	2	0	2	0	0
30560	Α	Release nasal adhesions	1.71	1.44	010	2	0	1	0	0
30580	Α	Repair upper jaw	12.42	9.40	090	2	0	1	0	0
30600	Α	Repair mouth/nose	9.31	9.31	090	2	0	0	0	. 0
30620	Α	Intranasal dermatoplasty	12.37	12.37	090	2	0	1	0	0
30630	Α	Repair nasal septal	12.88	12.88	090	2	0	0	0	0
(6) Nose, d	lestr	uction:								
					0.4.0	_	_			_
30801		Cauterization, ablation	1.47	1.24	010	2	2	1	0	0
30802	Α	Cauterization, intramural	2.81	2.81	010	2	2	1	0	0
(7) Nose, o	ther	procedures:								
30901	Α	Control hemorrhage	1.67	1.40	000	2	1	1	0	0
30903	Α	Control hemorrhage	2.26	2.26	000	2	1	1	0	0
30905		Control hemorrhage	3.61	3.61	000	2	2	1	0	0
30906	A	Repeat control	3.33	3.33	000	2	2	1	0	0
30915	Α	Ligation arteries	11.60	11.60	090	2	0	1	0	0
30920		Ligation upper artery	18.87	18.87	090	2	0	1	0	0
30930		Therapy fracture	1.87	1.87	010	2	0	1	0	0
30999	C	Nasal surgery	0.00	0.00	YYY	2	0	0	1	1
(8) Accesso	ory s	inuses, incision:								
31000	Α	Irrigation, maxillary	1.49	1.28	010	2	1	1	0	0
31002		Irrigation, sphenoid	2.21	1.98	010	2	1	0	0	0
31020	Α	Exploration, maxillary	5.40	5.40	090	2	1	1	0	0
31030	Α	Exploration, maxillary	12.14	12.14	090	2	1	1	0	0
31032	Α	Explore sinus, radical	13.49	13.49	090	2	1	1	0	0
31040	Α	Explore behind upper jaw	16.73	16.73	090	2	0	1	1	0
31050	Α	Exploration, sphenoid	10.76	10.76	090	2	1	1	0	0
31051	Α	Sphenoid sinus	14.48	14.48	090	2	1	1	0	0
31070	Α	Exploration	8.69	8.69	090	2	1	1	0	0
31075	A	Exploration	18.66	18.66	090	2	1	2	1	0
31080	A	Removal of frontal	19.88	19.88	090	2	1	2	0	0
31081	A	Removal of frontal	22.26	22.26	090	2	1	2	1	0
31084	A	Removal of frontal	27.44	27.44	090	2	1	2	1	0
31085	A	Removal of frontal	28.95	28.95	090	2	1	2	1	0
31086	A	Removal of frontal	22.81	22.81	090	2 2	1 1	2	0	$0 \\ 0$
31087	Α	Removal of frontal	22.66	22.66	090	2	1	2	1	U

575			FEES	FOR	MEDICAL	SERV	<b>ICE</b>	S	522	1.40	30
31090	A	Exploration		19.94	19.94	090	2	1	1	0	0
(9) Accesso	ry s	inuses, excision:									
31200	Α	Remove ethmoidectom	y	9.24		090	2	1	1	0	0
31201	Α	Remove ethmoidectom		14.78		090	2	1	1	0	0
31205		Remove ethmoidectom	y	17.50		090	2	1	2	1	0
31225	A	Removal of upper jaw		37.54		090	2	1	2	1	0
31230	Α	Removal of upper jaw		42.29	9 42.29	090	2	1	2	1	0
(10) Access	ory	sinuses, endoscopy:									
31231	Α	Nasal endoscopy		2.40	2.40	000	2	2	1	0	0
31233	Α	Nasal/sinus endoscopy		4.85	5 3.50	000	2	1	1	0	0
31235	Α	, 13		4.85		000	2	1	1	0	0
31237	Α	Nasal/sinus endoscopy		6.08		000	2	1	1	0	0
31238	Α	Nasal/sinus endoscopy		6.68		000	2 ·	1	0	0	0
31239	A	Nasal/sinus endoscopy		17.79		010	2	1	0	0	0
31240		Nasal/sinus endoscopy		5.35		000	2 2	1 1	0 1	0	0
31254 31255	A A	Revise ethmoidectomy Remove ethmoidectom	· ·	9.55 14.35		000 000	2	1	1	0	0
31255	A	Exploration, maxillary	y	6.71		000	2	1	1	0	0
31267	A	Endoscopy, maxillary		10.46		000	2	1	1	0	0
31276	A	Sinus, surgical		14.93		000	$\bar{2}$	1	1	ŏ	ŏ
31287	A			8.08		000	2	1	0	0	0
31288	Α	Nasal/sinus endoscopy		9.46	5 9.46	000	2	1	0	0	0
31290		Nasal/sinus endoscopy		32.55		010	2	1	0	0	0
31291		Nasal/sinus endoscopy		34.27		010	2	1	0	0	0
31292		Nasal/sinus endoscopy		27.12		010	2	.1	0	0	0
31293	A			29.73		010	2	1	0	0,	0
31294	A	Nasal/sinus endoscopy		34.46	5 34.46	010	2	1	0	0	0
(11) Access	ory	sinuses, other procedure	s:								
31299	С	Sinus surgery		0.00	0.00	YYY	2	0	0	1	1
(12) Larynx	, ex	cision:									
31300	Α	Removal of larynx		24.86	6 24.86	090	2	0	2	1	0
31320	A	Diagnostic		8.78		090	2	0	ō	0	0
31360	Α			34.86	6 34.86	090	2	0	2	1	0
31365		Removal of larynx		49.32		090	2	0	2	1	0
31367		Partial removal, larynx		37.52		090	2	0	2	1	0
31368	A	, ,		52.13		090	2	0	2	1	0
31370		Partial removal, larynx		37.04		090	2	0	2	1	0
31375		Partial removal, larynx Partial removal, larynx		33.54		090	2 2	0	2	1 1	0
31380 31382		Partial removal, larynx Partial removal, larynx		36.07 35.17		090 090	2	0	2	1	0
31390		Removal of larynx		53.38		090	2	0	2	1	0
31395		Reconstruct larynx		63.04		090	2	0	2	1	0
31400	Α	Revision of larynx		17.4		090	$\tilde{2}$	0	2	0	ŏ
31420	Α	Epiglottidectomy		17.5	5 17.55	090	2	0	2	1	0
		-									

					•					
(13) Larynx, introduction:										
21500	٨	Intubation amazonas	2 20	2 20	000	Ω	0	1	Λ	0
31500		Intubation, emergency	3.29	3.29	000	0	0	1	0	0
31502	A	Change of windpipe	1.19	1.19	000	2	0	1	0	0
(14) Larynx, endoscopy:										
31505	Α	Diagnostic, larynx	1.00	0.79	000	2	0	1	0	0
31510		Laryngoscopy, biopsy	2.31	2.31	000	3	0	0	0	0
31511	Α	Remove foreign body	2.94	2.94	000	3	0	1	0	0
31512	Α	Removal of larynx	3.72	3.72	000	3	0	0	0	0
31513	Α	Injection, vocal cord	4.35	4.35	000	3	0	0	0	0
31515	Α	Laryngoscopy, aspiration	2.80	2.80	000	2	0	1	0	0
31520	Α	Diagnostic, larynx	4.01	4.01	000	2	0	0	0	0
31525	Α	Diagnostic, larynx	4.64	3.58	000	2	0	1	0	0
31526	Α	Diagnostic, larynx	5.28	5.28	000	2	0	1	0	0
31527	Α	Laryngoscopy	6.02	6.02	000	3	0	0	0	0
31528	Α	Laryngoscopy	4.84	4.84	000	3	0	0	0	0
31529	Α	Laryngoscopy	4.95	4.95	000	3	0	0	0	0
31530	Α	Operative larynx	6.80	6.80	000	3	0	1	0	0
31531	Α	Operative larynx	7.41	7.41	000	3	0	0	Ó	0
31535	Α	Operative larynx	6.48	6.48	000	3	0	1	0	0
31536		Operative larynx	7.34	7.34	000	3	0	1	0	0
31540	Α	Operative larynx	8.47	8.47	000	3	0	1	0	0
31541	Α	Operative larynx	8.93	8.93	000	3	0	1	0	0
31560	Α	Operative larynx	10.06	10.06	000	3	0	0	0	0
31561	Α	Operative larynx	12.10	12.10	000	3	0	0	0	0
31570	Α	Laryngoscopy, injection	7.96	5.90	000	3	0	1	0	0
31571	Α	Laryngoscopy, injection	8.61	8.61	000	3	0	1	0	0
31575	Α	Diagnostic, larynx	2.60	1.85	000	2	0	1	0	0
31576	Α	Diagnostic, larynx	4.07	4.07	000	3	0	1	0	0
31577	Α	Remove foreign body	5.07	5.07	000	3	0	0	0	0
31578	Α	Removal of larynx	5.86	5.86	000	3	0	0	0	0
31579	Α	Diagnostic, larynx	4.45	3.32	000	3	0	1	0	0
(15) Larynx	, re	pair:								
31580	Δ	Revision of larynx	25.29	25.29	090	2	0	2	1	0
31582		Revision of larynx	37.96	37.96	090	2	0	1	1	0
31584		Repair of larynx	30.86	30.86	090	2	0	2	1	0
		Repair of larynx	8.07	8.07	090	2	0	0	0	0
31585					090	2	0	0	0	0
31586		Repair of larynx	14.01	14.01						
31587		Revision of larynx	18.29	18.29	090	2	0	2	1	0
31588		Revision of larynx	22.88	22.88	090	2	0		0	0
31590	А	Reinnervation of larynx	12.23	12.23	090	2	0	2	1	0
(16) Larynx	de	estruction:								
(10) Laryin	, uc	on action.								
31595	Α	Larynx nerve section	14.59	14.59	090	2	0	2	1	0

### FEES FOR MEDICAL SERVICES 5221.4030

(17) Larynx, other procedures:										
31599	С	Larynx surgery	0.00	0.00	YYY	2	0	0	1	1
(18) Trachea and bronchi, incision:										
31600 31601 31603 31605 31610 31611 31612 31613 31614	A A A A	Incision of windpipe Surgery/speech Puncture/clear Repair windpipe Repair windpipe	7.49 9.14 8.22 7.33 14.90 11.92 2.02 6.46 13.38	7.49 9.14 8.22 7.33 14.90 11.92 1.86 6.46 13.38	000 000 000 000 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 2 1 1 2 0 1	0 1 0 0 0 1 0 0	0 0 0 0 0 0 0
(19) Trachea and bronchi, endoscopy:										
31615 31622 31625 31628 31629 31630 31631 31635 31640 31641 31645 31646 31656	A A A A A A	Visualization Diagnostic, bronchi Bronchoscopy, biopsy Bronchoscopy, biopsy Bronchoscopy, biopsy Bronchoscopy, dilation Bronchoscopy, removal Remove foreign body Bronchoscopy, excision Bronchoscopy, tumor Bronchoscopy Bronchoscopy Bronchoscopy, injection	3.90 5.70 6.84 7.72 6.83 7.34 8.04 7.55 9.70 10.38 6.40 5.51 4.45	3.90 5.70 6.84 7.72 6.83 7.34 8.04 7.55 9.70 10.38 6.40 5.51 4.45	000 000 000 000 000 000 000 000 000 00	2 2 3 3 3 3 3 3 3 3 3 2 2	0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
(20) Trachea and bronchi, introduction:										
31700 31708 31710 31715 31717 31720 31725 31730	A A A A A	Insertion of airway Instill airway Insertion of airway Injection for brush Bronchial brush biopsy Clearance of airway Clearance of airway Introduction, windpipe	2.64 2.07 2.12 1.49 2.66 1.73 3.22 5.10	2.64 2.07 2.12 1.49 2.66 1.73 3.22 5.10	000 000 000 000 000 000 000	2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 0 0 0 0	0 0 0 0 1 1 1	0 0 0 0 0 0 0 2	0 0 0 0 0 0 0
(21) Trachea and bronchi, repair:										
31750 31755 31760 31766 31770 31775 31780	A A A A A	Repair of windpipe Repair of windpipe Repair of windpipe Reconstruction Repair/graft Reconstruct bronchi Reconstruct windpipe	21.00 28.10 32.24 46.02 36.14 38.24 33.97	21.00 28.10 32.24 46.02 36.14 38.24 33.97	090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0	2 2 2 2 2 2 2 2	1 1 1 1 1 0 1	0 0 0 0 0 0

5221.4030	5221.4030 FEES FOR MEDICAL SERVICES								578		
31781 31785 31786 31800 31805 31820 31825 31830	A A A A	Reconstruct windpipe Remove windpipe Remove windpipe Repair of windpipe Repair of windpipe Closure of windpipe Repair of windpipe Repair of windpipe Revise windpipe	38.73 24.90 35.85 11.90 22.18 7.79 11.33 7.85	38.73 24.90 35.85 11.90 22.18 7.79 11.33 7.85	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	2 2 2 0 2 0 0 0	1 1 0 1 0 0 0	0 0 0 0 0 0 0	
(22) Trachea and bronchi, other procedures:											
31899	С	Airways surgery procedure	0.00	0.00	YYY	2	0	0	1	1	
(23) Lungs and pleura, incision:											
32000 32002 32005 32020 32035 32036 32095 32100 32110 32120 32124 32140 32141 32150 32151 32160 32200 32201 32215 32220 32225	A A A A A A A A A A A A A A A A A A A	Removal of lung Remove/treat lung Removal of lung Remove lung foreign body Open chest heart Open drainage of abscess Percutaneous drainage	2.31 3.40 3.12 6.39 15.09 16.40 16.36 22.76 24.59 20.55 23.33 27.07 23.94 22.49 18.10 21.05 6.75 18.35 34.42 25.37	2.31 3.40 3.12 6.39 15.09 16.40 16.36 22.76 24.59 20.55 23.33 25.93 27.07 23.94 22.49 18.10 21.05 6.75 18.35 34.42 25.37	000 000 000 000 090 090 090 090 090 090	0 0 2 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
(24) Lungs	and	pleura, excision:		•							
32310 32320 32400 32402 32405 32420 32440 32442 32445 32486 32484 32486 32488	A A A A A A A	Biopsy, lung Puncture/clear lung Removal of lung Sleeve pneumonectomy Removal of lung Partial removal of lung Bilobectomy Segmentectomy	24.60 38.00 3.09 14.92 3.90 3.50 38.97 43.08 44.68 34.98 36.24 37.13 39.47 42.38	24.60 38.00 3.09 14.92 3.90 3.50 38.97 43.08 44.68 34.98 36.24 37.13 39.47 42.38	090 090 090 090 000 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0	2 2 1 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 1 0 0 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0	

579	FEES	FEES FOR MEDICAL SERV		<b>ICES</b>	522	1.40	30	
32491 R 32500 A 32501 A 32520 A 32522 A 32522 A 32525 A 32540 A	Lung volume reduction Partial removal Repair bronchus Remove lung, resection Remove lung, resection Remove lung, resection Removal of lung	35.88 27.40 8.81 41.81 45.43 49.30 25.69	35.88 27.40 8.81 41.81 45.43 49.30 25.69	090 090 <b>ZZZ</b> 090 090 090 090	2 1 2 0 0 1 2 0 2 0 2 0 2 0	2 2 2 2	1 1 1 1 1 1	0 0 0 0 0 0
(25) Lungs and	pleura, endoscopy:							
32601 A 32602 A 32603 A 32604 A 32605 A 32606 A 32650 A 32651 A 32652 A 32653 A 32654 A 32655 A 32655 A 32656 A 32657 A 32658 A 32659 A 32660 A 32661 A 32662 A 32663 A 32664 A	Thoracoscopy, diagnostic Thoracoscopy, surgical	8.62 9.50 10.76 12.06 9.96 11.72 17.83 24.41 33.87 22.78 23.52 26.25 25.93 26.81 24.30 24.28 36.30 21.77 30.49 35.11 24.21	8.62 9.50 10.76 12.06 9.96 11.72 17.83 24.41 33.87 22.78 23.52 26.25 25.93 26.81 24.30' 24.28 36.30 21.77 30.49 35.11 24.21	000 000 000 000 000 000 090 090 090 090	2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0	0 0 0 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
32665 A	Thoracoscopy, surgical	29.41	29.41	090	2 0	2	1	Ŏ
32800 A 32810 A 32815 A	pleura, repair:  Repair lung hernia  Close chest  Close bronchial  Reconstruct injury	21.30 18.78 37.16 39.65	21.30 18.78 37.16 39.65	090 090 090 090	2 0 2 0 2 0 2 0 2 0		1 0 1 1	0 0 0 0
(27) Lungs and	pleura, lung transplantation:							
32851 A 32852 A 32853 A	Donor pneumonectomy Lung transplant Lung transplant Lung transplant Lung transplant	0.00 62.50 67.70 77.70 82.90	0.00 62.50 67.70 77.70 82.90	XXX 090 090 090 090	9 9 2 0 2 0 2 2 2 2	2 2	9 1 1 1	9 2 2 2 2
(28) Lungs and	pleura, surgical collapse thera	py; thora	acoplasty:					
32900 A 32905 A	Removal of ribs Revise and repair	27.48 32.58	27.48 32.58	090 090	2 0 2 0		1 1	0 0

5221.4030 FEES FOR MEDICAL SERVICES									5	80
32906 32940 32960		Revise and repair Revision of lung Therapeutic pneumothorax	40.81 29.59 2.64	40.81 29.59 2.64	090 090 000	2 2 2	0 0 0	2 2 1	1 1 0	0 0 0
			2.04	2.04	000		U	1	U	U
(29) Lungs	and	pleura, other procedures:								
32999	С	Chest surgery	0.00	0.00	YYY	2	0	2	1	1
(30) Heart	and	pericardium:								
33010	Α	Drainage of heart	3.60	3.60	000	2	0	1	0	0
33011	Α	Repeat drainage	3.17	2.64	000	2	0	0	0	0
33015		Incision of heart	10.63	10.63	090	2	0	1	0	0
33020	Α	Incision of heart	25.65	25.65	090	2	0	2	1	0
33025		Incision of heart	25.26	25.26	090	2	0	2	1	0
33030		Partial removal	39.03	39.03	090	2	0	2	1	0
33031		Partial removal	33.96	33.96	090	2	0	2	1	0
33050	Α	Removal of heart	22.78	22.78	090	2	0	2	1	0
(31) Heart	and	pericardium, cardiac tumor:								
33120	Α	Removal of heart	51.25	51.25	090	2	0	2	1	0
33130	Α	Removal of heart	33.68	33.68	090	2	0	2	1	0
(32) Heart	and	pericardium, pacemaker or de	efibrillato	or:						
33200	Α	Insertion of pacemaker	24.23	24.23	090	2	0	1	0	0
33201		Insertion of pacemaker	20.97	20.97	090	2	ŏ	1	Õ	Õ
33206		Insertion of pacemaker	13.88	13.88	090	2	Ŏ	1	2	Õ
33207		Insertion of pacemaker	16.57	16.57	090	2	0	1	2	0
33208		Insertion of pacemaker	16.87	16.87	090	2	0	1	2	0
33210	Α	Insertion of pacemaker	6.33	6.33	000	2	0	1	0	0
33211	Α	Insertion of electrodes	6.42	6.42	000	2	0	1	0	0
33212		Insertion of pulse	10.69	10.69	090	2	0	1	0	0
33213	Α	Insertion of pulse	11.46	11.46	090	2	0	1	0	0
33214	A	Upgrade of pacemaker	12.84	12.84	090	. 2	0	0	2	0
33216		Revision of implant	10.05	10.05	090	2	0	1	0	0
33217		Insert/revise	10.37	10.37	090	2	0	1	0	0
33218	Α	Repair pacemaker	9.71	9.71	090	2	0	1	0	0
33220		Repair pacemaker	9.79	9.79	090	2	0	1	0	0
33222		Revision of pacemaker	10.33	10.33	090 090	2	$0 \\ 0$	$\begin{array}{c} 1 \\ 0 \end{array}$	0 0	0 0
33223 33233		Revision of pacemaker Removal of pacemaker	11.93 5.56	11.93 5.56	090	2	0	1	0	0
33233		Removal of pacemaker	9.97	9.97	090	2	0	1	0	0
33235		Removal of pacemaker	11.75	11.75	090	2	0	1	0	0
33236	A	Remove electrodes	15.62	15.62	090	2	ŏ	Ô	2	ŏ
33237	A	Remove electrodes	22.34	22.34	090	2	ŏ	ŏ	$\overline{2}$	ŏ
33238		Remove electrodes	24.86	24.86	090	2	Õ	Õ	$\bar{2}$	ŏ
33240		Insert/replace	12.58	12.58	090	2	Ō	1	ō	Ō
33241	Α	Remove pulse generator	5.26	5.26	090	2	0	0	1	0
33242	Α	Repair pulse generator	13.01	13.01	090	2	0	0	1	0
33243	Α	· · · · · · · · · · · · · · · · · ·	30.12	30.12	090	2	0	2	1	0

581			FEES	FOR	MEDICAL	SERV	лсеѕ	;	522	1.40	30
33244	A	Remove pulse generate	or	17.7	1 17.71	090	2 (	)	1	1	0
33245		Implant defibrillator	01	29.48		090		)	2	1	ő
33246		Implant defibrillator		40.64		090		)	$\frac{2}{2}$	1	ŏ
33247		Insert/replace		21.42		090		)	1.	1	ŏ
33249		Insert/replace		27.93		090		Ó	1	1	ŏ
33250	A			31.48		090		)	$\overline{2}$	1	ŏ
33251		Ablate heart		40.2		090		)	2	1	0
33253		Reconstruct atria		51.6		090		)	2	1	0
33261		Ablate heart		37.58		090		)	2	1	0
(33) Heart	and	pericardium, wounds of	f heart	and gr	eat vessels:						
33300	Α	Repair of heart		31.5	7 31.57	090	2 (	)	2	1	0
33305	Α	Repair of heart		37.90		090		)	2	1	0
33310 .	Α	Exploratory, heart		28.70		090		)	2	1	0
33315	Α			35.7	1 35.71	090	2 (	)	2	1	0
33320	Α	Repair major vessels		30.28	8 30.28	090		)	2	1	0
33321	Α	Repair major vessels		41.3	4 41.34	090		)	2	1	0
33322	Α	Repair major vessels		41.72	2 41.72	090	2 (	)	2	1	0
33330	Α			32.70	6 32.76	090		)	2	1	0
33332	Α			37.63	3 37.63	090		)	2	1	0
33335	Α	Insert major vessels		43.12	2 43.12	090	2 (	)	2	1	0
(34) Heart	and	pericardium, cardiac va	lves:								
33400	Α	Repair of aortic valve		49.88	8 49.88	090		)	2	1	0
33401	Α	Valvuloplasty		48.58		090		)	2	1	0
33403	Α	Valvuloplasty		49.4		090		)	2	1	0
33404	A	Prepare heart-aortic		59.18		090		)	2	1	0
33405	A	Replace aortic valve		60.1		090		)	2	1	0
33406	A	Replace aortic valve		67.73		090		)	2	1	0
33411	A			68.09		090		)	2	0	0
33412 33413	A	Replace aortic valve		72.60 73.42		090 090		)	2	1 1	$0 \\ 0$
33414	A	Replace aortic valve Repair, aortic		63.9		090		)	2	1	0
33415	A	Revision, subvalvular		56.4		090		)	2	1	0
33416	A	Revise ventriclar		57.49		090		)	2	1	0
33417	A	Repair of aortic		59.62		090		Ó	2	1	Õ
33420	A	Revision of mitral valve	e	41.10		090		)	2	î	ŏ
33422	Α	Revision of mitral valve		54.60		090		)	2	1	0
33425	Α	Repair of mitral valve		56.19		090		)	2	1	0
33426	Α	Repair of mitral valve		62.2	4 62.24	090	2 (	)	2	1	0
33427	Α	Repair of mitral valve		67.6		090		)	2	1	0
33430	Α	Replace mitral valve		65.29		090		)	2	1	0
33460	Α	Revision of tricuspid		49.1		090		)	2	1	0
33463	Α	Valvuloplasty		53.70		090		)	2	1	0
33464	A	Valvuloplasty		57.13		090		)	2	1	0
33465	Α	Replace tricuspid valve	•	60.0		090		)	2	1	0
33468	A	Revision of tricuspid		62.82		090		)	2	1	0
33470	Α	Revision of pulmonary		39.39		090		)	2	0	0
33471		Valvotomy, pulmonary		45.4		090		)	2	1	0
33472	A	Revision of pulmonary		45.4		090		)	2	0	0
33474	A	Revision of pulmonary		46.93		090		)	2	1	0
33475 33476	A A	Replacement, pulmona Revision of heart	агу	59.35 53.35		090 090		)	2 2	1 1	$0 \\ 0$

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						5	82
33478	A	Revision of heart	55.67	55.67	090	2	0	2	1	ó
(35) Hear	t and	pericardium, other valvular pr	ocedure	s:						
33496	Α	Repair, prosthetic	56.64	56.64	090	2	0	2	1	0
(36) Hear	t and	pericardium, coronary artery a	nomalie	es:						
33500	Α	Repair heart vein	53.21	53.21	090	2	0	2	-1	0
33501		Repair heart vein	31.18	31.18	090	2	ŏ	$\bar{2}$	2	Ö
33502		Repair coronary artery	34.14	34.14	090	2	ŏ	2	1	0
33503		Repair coronary artery	45.78	45.78	090	2	0	õ	1	ŏ
33504		Repair coronary artery	51.46	51.46	090	2	ŏ	2	1	Ö
33505		Repair artery	56.21	56.21	090	2	ő	2	1	. 0
33506		Repair artery	55.95	55.95	090	2	0	2	1	0
(37) Hear	t and	pericardium, venous grafting of	only for	bypass:						
33510	Α	CABG, vein, single	52.36	52.36	090	2	0	2	0	0
33511		CABG, vein, two	57.14	57.14	090	2	0	2	0	0
33512		CABG, vein, three	61.89	61.89	090	2	Ŏ	2	0	0
33513		CABG, vein, four	66.67	66.67	090	2	0	2	0	Ŏ
33514		CABG, vein, five	72.95	72.95	090	2	Õ	2	ŏ	Õ
33516		CABG, vein, six	77.96	77.96	090	2	ŏ	2	0	Ö
(38) Heart	t and	pericardium, combined arteria	ıl-venous	s grafting	g for byp					
33517	Α	CABG, artery-vein	5.34	5.34	090	0	0	2	0	0
33518	Α	CABG, artery-vein	10.12	10.12	ZZZ	0	0	2	0	0
33519	Α	CABG, artery-vein	14.87	14.87	ZZZ	0	0	2	0	0
33521	Α	CABG, artery-vein	19.64	19.64	ZZZ	0	0	2	0	0
33522		CABG, artery-vein	24.40	24.40	ZZZ	0	0	2	0	0
33523	Α	CABG, artery-vein	29.17	29.17	ZZZ	0	0	2	0	0
33530	Α	Coronary artery	12.75	12.75	ZZZ	0	0	2	0	0
(39) Heart	t and	pericardium, arterial grafting f	for bypa	ss:						
33533	Α	CABG, arterial, single	53.85	53.85	090	2	0	2	0	0
33534		CABG, arterial, two	60.11	60.11	090	2	0	2	0	0
33535		CABG, arterial, three	66.37	66.37	090	2		2	0	0
33536		CABG, arterial, four	72.61	72.61	090	2	Ŏ	2	Ŏ	Ŏ
33542		Removal of heart	58.92	58.92	090	2	0	2	1	0
33545		Repair of heart	70.58	70.58	090	2	Ö	$\bar{2}$	î	ŏ
(40) Heart	t and	pericardium, coronary endarte	rectomy	<i>"</i> :						
33572	Α	Open coronary	7.51	7.51	ZZZ	0	0	2	0	0
				•						

(41) Heart	and	pericardium, single ventricle a	nd other	anomalie	es:					
33600	Δ	Closure of valve	61.51	61.51	090	2	0	2	1	0
33602		Closure of valve	58.29	58.29	090	2	0	2	1	0
		-								
33606		Anastomosis/artery	64.67	64.67	090	2	0	2	1	0
33608	Α	Repair anomaly	65.37	65.37	090	2	0	2	1	0
33610		Repair by enlargement	64.42	64.42	090	2	0	2	1	0
33611		Repair double ventricle	67.75	67.75	090	2	0	2	1	0
33612		Repair double ventricle	69.65	69.65	090	2	0	2	1	0
33615	Α	Repair (simple)	67.28	67.28	090	2	0	2	1	0
33617		Repair by modification	71.16	71.16	090	2	0	2	1	0
33619	A	Repair single ventricle	78.46	78.46	090	2	0	2	1	0
(42) Heart	and	pericardium, septal defect:								
22641		Danie base seed	44.02	44.02	000	2	Ω	2		0
33641	A	Repair heart septal	44.83	44.83	090	2	0	2	1	0
33645		Revision of heart	51.59	51.59	090	2	0	2	1	0
33647	Α	Repair heart septal	60.07	60.07	090	2	0	2	1	0
33660	Α	Repair of heart	53.31	53.31	090	2	0	2 2	1	0
33665	Α	Repair of heart	59.16	59.16	090	2	0	2	1	0
33670	Α	Repair of heart	68.59	68.59	090	2	0	2	1	0
33681	Α	Repair heart septal	57.98	57.98	090	2	0	2	1	0
33684	Α	Repair heart septal	61.89	61.89	090	2	0	2	1	0
33688	Α	Repair heart septal	63.79	63.79	090	2	0	2	1	0
33690		Reinforce pulmonary	40.89	40.89	090	2	0	2	1	0
33692	A		64.70	64.70	090	2	Õ	2	1	0
33694	A	Repair of heart	66.62	66.62	090	2	ŏ	$\frac{2}{2}$	1	ő
33697	A	_ ^	70.53	70.53	090	2	0	2	1	0
33097	А	Repair of heart	10.55	70.55	030	۷	U	۷	1	U
(43) Heart	and	pericardium, sinus of Valsalva	:							
33702	Α	Repair of heart	55.23	55.23	090	2	0	2	1	0
33710	A	Repair of heart	62.00	62.00	090	2	0	2	Ô	ŏ
33720	A	Repair of heart	55.28	55.28	090	2	0	2	1	0
			58.17			2	0	2	1	
33722	A	Repair of heart	38.17	58.17	090	2	U	2	Ţ	0
(44) Heart	and	pericardium, total anomalous	pulmona	ary venous	drain	age:				
33730	Δ	Repair of heart-venous	66.51	66.51	090	2	0	2	1	0
33732		Repair of heart-venous	58.48	58.48	090	2	0	2	1	0
33132	A	Repair of heart-vehous	30.40	30.40	090	2	U	۷	1	U
(45) Heart	and	pericardium, shunting procedu	ıres:							
33735	Α	Revision of heart	46.92	46.92	090	2	0	2	0	0
33736	A	Revision of heart	48.85	48.85	090	2	0	2	1	ő
33737	A	Revision of heart	45.56	45.56	090	2	0	2	1	0
33750	A	Major vessel shunt	43.15	43.15	090	2	0	2	1	0
33755	Α	3	43.49	43.49	090	2	0	2	1	0
33762	Α	Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33764	Α	Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33766	Α	Major vessel shunt	44.37	44.37	090	2	0	2	1	0
33767	Α	Atrial septectomy	49.74	49.74	090	2	0	2	1	0
		. ,								

(46) Heart	and	pericardium, transposition of g	great ves	ssels:						
33770	Δ	Repair great vein	69.70	69.70	090	2	0	2	1	0
33771	A	Repair great vein	72.39	72.39	090	2	ő	2	1	0
33774	A		61.32	61.32	090	2	ő	2	1	0
33774		Repair great vein		62.43	090	2	0	2	0	0
	A	Repair great vein	62.43			2				
33776	A	Repair great vein	68.10	68.10	090		0	2	1	0
33777	A	Repair great vein	63.57	63.57	090	2	0	2	0	0
33778	Α	Repair great vein	74.64	74.64	090	2	0	2	1	0
33779	Α	Repair great vein	75.41	75.41	090	2	0	2	1	0
33780	Α	Repair great vein	76.84	76.84	090	2	0	2	1	0
33781	Α	Repair great vein	75.89	75.89	090	2	0	2	0	0
(47) Heart	and	pericardium, truncus arteriosu	ıs:							
33786	Δ	Repair arterial	72.75	72.75	090	2	0	2	1	0
33788		Revision of pulmonary	55.32	55.32	090	~	. ŏ	2	1	0
33700	Α	Revision of pullionary	33.32	55.52	070	۷	. 0	2		U
(48) Heart	and	pericardium, aortic anomalies:	:							
33800	Α	Aortic suspension	29.79	29.79	090	2	0	2	2	0
33802			37.17	37.17	090	2	ŏ	2	1	ŏ
33803	A	_ •	40.98	40.98	090	$\frac{2}{2}$	ŏ	$\tilde{2}$	1	ő
33813	A	Repair septal division	42.46	42.46	090	2	ŏ	2	1	ő
33814	A	Repair septal division	53.72	53.72	090	2	ő	2	1	ő
33820		Revise major vein	34.46	34.46	090	2	ŏ	$\tilde{2}$	0	ő
33822		Revise major vein	36.49	36.49	090	2	ŏ	2	1	ő
33824	A	Revise major vein	40.82	40.82	090	2	ŏ	2	1	0
33840		Remove aorta coarctation	43.73	43.73	090	2	ő	2	1	0
33845		Remove aorta coarctation	46.66	46.66	090	2	ŏ	2	1	ő
33851	_	Remove aorta coarctation	44.99	44.99	090	2	ŏ	2	1	ő
33852	A		49.80	49.80	090	2	ŏ	2	Ô	0
33853		Repair septal division	66.61	66.61	090	2	0	2	1	0
33033 .	Λ	Repair septar division	00.01	00.01	070	L	U	2	1	U
(49) Heart	and	pericardium, thoracic aortic ar	neurysm							
33860	Α	Ascending aorta graft	67.76	67.76	090	2	0	2	1	0
33861	A	Ascending aorta graft	68.27	68.27	090	2	Õ	2	1	Ŏ
33863		Ascending aorta graft	70.04	70.04	090	2	ŏ	2	1	Ŏ
33870	Α		83.82	83.82	090	2	ŏ	2	1	0
33875	A	Thoracic aorta graft	63.28	63.28	090	2	ŏ	2	1	ŏ
33877	Ā	Thoracoabdominal	85.90	85.90	090	$\bar{2}$	ŏ	2	ı 1	ŏ
		Thoracououninar	05.70	05.70	070	_	Ü	_	•	Ü
(50) Heart	and	pericardium, pulmonary artery	<b>/</b> :							
33910	A	Remove lung artery	38.00	38.00	090	2	0	2	1	0
33915	A	Remove lung artery	31.92	31.92	090	2	ŏ	2	1	0
33916		Surgery of pulmonary	42.31	42.31	090	$\frac{2}{2}$	ŏ	2	1	ŏ
33917		Repair pulmonary	51.75	51.75	090	2	ŏ	2	1	ŏ
33918	A	Repair pulmonary	54.99	54.99	090	$\bar{2}$	ŏ	2	î	ŏ
33919		Repair pulmonary	68.48	68.48	090	2	ŏ	2	î	ŏ
33920	A	Repair pulmonary	67.07	67.07	090	2	ŏ	2	1	ŏ
		1 F		· ·		•	-	_	-	-

585			FEES FOR	MEDICA	AL SERV	VICES	5 5	522	1.40	30
33922 33924		Transect pulmonary Remove pulmonary	47.9 9.2		090 <b>ZZZ</b>		0 0	2 2	1 1	0 0
(51) Hear	t and	pericardium, heart/lun	g transplantat	ion:						
33930	х	Removal of donor	0.0	0.00	XXX	9	9	9	9.	9
33935	R	Transplantation	127.5		090		0	2	1	2
33940	X	Removal of donor	0.0		XXX			9	9	9
33945	R	Transplantation	89.0	4 89.04	090	2	0	2	1	2
(52) Hear	t and	pericardium, cardiac as	ssist:							
33960	Α	External circulation	24.8	7 24.87	XXX	0	0	2	1	0
33961	Α	External circulation	17.2	1 17.21	XXX	0	0	2	1	0
33970	Α	Aortic circulation	13.8	6 13.86	000	2	0	2	1	0
33971	Α	Aortic circulation	14.2	8 14.28	090		0	1	0	0
33973	Α	Insert balloon	16.7	0 16.70	000		0	2	1	0
33974		Remove intra-aortic	18.9	5 18.95	090			1	0	0
33975		Implant ventricular	34.8		090		0	2	0	0
33976	Α	Implant ventricular	47.1	7 47.17	090		2	2	0	0
33977	Α	Remove ventricular	30.8		090			2	0	0
33978	Α	Remove ventricular	34.9	6 34.96	090	2	2	2	0	0
(53) Hear	t and	pericardium, other pro	cedures:		,					
33999	С	Cardiac surgery	0.0	0.00	YYY	2	0	2	1	1
(54) Arte	ries aı	nd veins, embolectomy/	thrombectomy	y:						
34001	Α	Removal of artery	22.0	0 22.00	. 090	2	1	2	1	0
34051		Removal of artery	23.1		090		1	2	1.	0
34101		Removal of artery	18.0		090			2	1	0
34111		Removal of arm	15.5		090			2	i	0
34151	Α	Removal of artery	28.13		090		1	2	1	0
34201	Α	Removal of artery	17.8	7 17.87	090	2	1	2	1	0
34203		Removal of leg	20.3		090		1	2	1	0
34401		Removal of vein	20.2	4 20.24	090			2	1	0
34421	Α	Removal of vein	17.0	4 17.04	090	2	1	2	1	0
34451	Α	Removal of vein	24.6		090		1	2	1	0
34471	Α	Removal of vein	12.9	4 . 12.94	090	2	1	1	1	0
34490	·A	Removal of vein	14.7	7 14.77	090	2	1	1	0	Ö
(55) Arte	ries ai	nd veins, venous recons	truction:							
34501	Α	Repair valve, femoral	17.5	0 17.50	090	2	1	2	1	0
34502		Reconstruct, vena cav			090			2	0	0
34510		Transposition	21.1		090			2	1	0
34520	A	Cross-over vein graft	22.0		090			2	1	0
34530		Leg vein fusion	28.7		090		1	2	1	0

-	(56)	Arteries	and vaine	renair	of and	graft :	for	aneurysm:
١,	$\mathcal{J}\mathbf{U}$	WI ICIIC2	and veins.	, icpair	or and	gran.	IOI	ancutysiii.

35001	Α	Repair defect occlusive	34.94	34.94	090	2	1	2	1	0
35002	Α	Repair artery ruptured	32.60	32.60	090	2	1	2	1	0
35005	Α	Repair defect occlusive	27.59	27.59	090	2	1	2	1	0
35011	Α	Repair defect occlusive	24.48	24.48	090	2	1	2	1	0
35013	Α	Repair artery ruptured	31.67	31.67	090	2	1	2.	1	0
35021	Α	Repair defect occlusive	37.04	37.04	090	2	1	2	1	0
35022	Α	Repair artery ruptured	36.86	36.86	090	2	1	2	1	0
35045	Α	Repair defect occlusive	23.53	23.53	090	2	1	2	1	0
35081	Α	Repair defect occlusive	48.45	48.45	090	2	0	2	1	0
35082	Α	Repair artery ruptured	57.66	57.66	090	2	0	2	1	0
35091	Α	Repair defect occlusive	56.38	56.38	090	2	1	2	1	0
35092	Α	Repair artery ruptured	63.10	63.10	090	2	1	2	1	0
35102	Α	Repair defect occlusive	51.70	51.70	090	2	1	2	1	0
35103	Α	Repair artery ruptured	58.62	58.62	090	2	1	2	1	0
35111	Α	Repair defect occlusive	33.96	33.96	090	2	1	2	1	0
35112	Α	Repair artery ruptured	28.29	28.29	090	2	1	2	1.	0
35121	Α	Repair defect occlusive	44.08	44.08	090	2	1	2	0	0
35122	Α	Repair artery ruptured	49.86	49.86	090	2	1	2	1	0
35131	Α	Repair defect occlusive	. 33.92	33.92	090	2	1	2	1	0
35132	Α	Repair artery ruptured	39.94	39.94	090	2	1	2	1	0
35141	Α	Repair defect occlusive	28.91	28.91	090	2	1	2	1	0
35142	Α	Repair artery ruptured	31.74	31.74	090	2	1	2	1	0
35151	Α	Repair defect occlusive	31.89	31.89	090	2	1	2	1	0
35152	Α	Repair artery ruptured	25.19	25.19	090	2	1	2	1	0
35161	Α	Repair defect occlusive	34.11	34.11	090	2	1	2	1	0
35162	Α	Repair artery ruptured	37.97	37.97	090	2	1	2	1	0

### (57) Arteries and veins, repair arteriovenous fistula:

35180	A Repair blood vein	20.30	20.30	090	2	0	2	1	0
35182	A Repair blood vein	27.28	27.28	090	2	0	2	1	0
35184	A Repair blood vein	21.60	21.60	090	2	0	2	1	0
35188	A Repair blood vein	21.67	21.67	090	2	0	2	1	0
35189	A Repair blood vein	28.89	28.89	090	2	0	2	1	0
35190	A Repair blood vein	22.74	22.74	090	2	0	2	1	0

### (58) Arteries and veins, repair vessel, other than for fistula:

35201	Α	Repair blood vein	19.87	19.87	090	2.	1	2	1	0
35206	Α	Repair blood vein	19.32	19.32	090	2	1	2	1	0
35207	Α	Repair blood vein	20.71	20.71	090	2	1	1	1	0
35211	Α	Repair blood vein	34.43	34.43	090	2	1	2	1	0
35216	Α	Repair blood vein	28.48	28.48	090	2	1	2	1	0
35221	Α	Repair blood vein	26.83	26.83	090	2	1	2	1	0
35226	Α	Repair blood vein	18.93	18.93	090	2	1	2	1	0
35231	Α	^	25.25	25.25	090	2	1	2	1	0
35236	Α	Repair blood vein	22.18	22.18	090	2	1	2	1	0
35241	Α	Repair blood vein	35.45	35.45	090	2	1	2	1	0
35246	Α	Repair blood vein	35.57	35.57	090	2	1	2	1	0
35251	Α	Repair blood vein	26.18	26.18	090	2	1	2	1	0
35256	A	Repair blood vein	23.63	23.63	090	2	1	2	1	0
35261	A	Repair blood vein	24.38	24.38	090	2	1	2	1	0
35266	Α	Repair blood vein	21.62	21.62	090	2	1	2	1	0

587			FEES	FOR	MEDICAL	SERV	/ICES	522	21.46	)30
35271	Α	Repair blood vein		33.60	33.60	090	2 1	2	1	0
35276	Α	Repair blood vein		28.75		090	2 1		1	0
35281	Α	Repair blood vein		33.51	33.51	090	2 1	. 2	1	0
35286	Α	Repair blood vein		23.37	23.37	090	2 1	. 2	1	0
		•								
(59) Arterie	es ai	nd veins, thromboendar	terecto	my:						
35301	Α	Rechanneling		32.49	32.49	090	2 1	2	1	0
35311	Α	Rechanneling		45.50	45.50	090	2 1	2	1	0
35321	Α	Rechanneling		24.87	7 24.87	090	2 1		1	0
35331	Α	Rechanneling		35.70	35.70	090	2 1		1	0
35341		Rechanneling		41.52		090	2 1		1	0
35351	Α	Rechanneling		34.33		090	2 1	2	1	0
35355	Α	Rechanneling		31.15		090	2 1		1	0
35361	Α	Rechanneling		42.27		090	2 1		1	0
35363	Α	Rechanneling		46.81		090	2 1		1	0
35371	Α	Rechanneling		24.03		090	2 1		1	0
35372	Α	Rechanneling		24.39		090	2 1		1	0
35381	Α	Rechanneling		29.05	5 29.05	090	2 1		1	0
35390	Α	Reoperation, cartoid		4.72	2 4.72	ZZZ	0 1	2	1	0
(60) Arterie	es ai	nd veins, angioscopy:								
35400	Α	Angioscopy		5.07	5.07	ZZZ	0 (	0	1	0
(61) Artaria	ac 01	nd veins, transluminal a	ngianla	ctar						
(01) Afterio	is a	itu veins, transiummai ai	iigiopia	Sty.						
35450	Α	Repair arterial		20.61	20.61	000	2 1	2	1	0
35452	Α	Repair arterial		10.81		000	2 1		1	0
35454	Α	Repair arterial		12.74		000	2 1		1	0
35456	Α	Repair arterial		15.42		000	2 1		1	0
35458-	Α	Repair arterial		19.41	19.41	000	2 1		1	0
35459	Α	Repair arterial		17.93	3 17.93	000	2 1	2	1	0
35460	Α	Repair venous		8.94	8.94	000	2 1	. 1	1	0
35470	Α	Repair arterial		17.93	3 17.93	000	2 1	. 1	0	0
35471	Α	Repair arterial		20.61		000	2 1	. 1	0	0
35472	Α	Repair arterial		10.23		000	2 1		1	0
35473	Α	Repair arterial		12.74	12.74	000	2 1	. 1	0	0
35474	Α	Repair arterial		15.44		000	2 1		0	0
35475	R	Repair arterial		19.41		000	2 1		0	0
35476	A	Repair venous		8.94	8.94	000	2 1	1	0	0
(62) Arterie	es ai	nd veins, transluminal at	herecto	omy:						
` '				•						
35480		Atherectomy, open		22.59		000	2 (		2	0
35481		Atherectomy, open		11.45		000	2 (		2	0
35482		Atherectomy, open		13.95		000	2 (		2	0
35483		Atherectomy, open		16.89		000	2 (		2	0
35484		Atherectomy, open		20.27		000	2 (		2 2 2	0
35485		Atherectomy, open		13.57		000	2 (			0
35490		Atherectomy, peripher		22.59		000	2 (		2	0
35491	Α	Atherectomy, peripher	al	11.45	5 11.45	000	2 (	2	2	0

35492 35493 35494 35495	A A	Atherectomy, peripheral Atherectomy, peripheral Atherectomy, peripheral Atherectomy, peripheral	13.95 16.89 20.27 13.57	13.95 16.89 20.27 13.57	000 000 000 000	2 2 2 2	0 0 0 0	2 1 1 0	2 2 2 2	0 0 0 0
(63) Arterie	s ar	nd veins, bypass graft:								
35501 35506 35507 35508 35509 35511 35515 35516 35518 35521 35526 35531 35533 35536 35541 35546 35548 35549 35551 35556 35558 35560 35553 35563 35563 35563 35563 35582 35583 35585 35586 35587 35582 35583 35585 35586 35587 35606 35612 35616 35612 35616 35612 35616 35621 35623 35626 35631 35626 35631 35626 35631 35626 35636 35641 35642 35645 35645 35645 35645 35645	A A A A A A A A A A A A A A A A A A A	Artery bypass graft Vein bypass graft Vein bypass graft Artery bypass graft	38.04 38.38 37.16 36.32 36.82 26.38 28.91 33.55 32.24 33.45 32.01 44.96 41.39 43.92 44.32 46.20 40.48 44.21 44.94 39.87 29.44 43.09 22.72 31.76 46.61 37.70 50.26 42.33 50.49 39.82 35.91 35.87 32.31 32.36 30.74 23.91 43.51	38.04 38.38 37.16 36.32 36.82 26.38 28.91 33.55 32.24 33.45 32.01 44.96 41.39 43.92 44.32 46.20 40.48 44.21 44.94 39.87 29.44 43.09 22.72 31.76 46.61 37.70 50.26 42.33 50.49 39.82 35.91 35.87 32.31 32.36 30.74 23.91 43.51 41.56 34.78 44.41 27.76 49.01	090 090 090 090 090 090 090 090 090 090	222222222222222222222222222222222222222	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	222222222222222222222222222222222222222		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
35650 35651 35654 35656 35661	A A A	Artery bypass graft	30.26 48.59 39.10 36.84 27.79	30.26 48.59 39.10 36.84 27.79	090 090 090 090 090	2 2 2 2 2	1 1 1 1	2 2 2 2	1 1 1 1	0 0 0 0
35663		Artery bypass graft	30.02	30.02	-090	2	1	2	1	0

589		FEES FOR	MEDICAL	SERV	ICES	522	1.40	30
35666 A 35671 A	Artery bypass graft Artery bypass graft Artery bypass graft Artery bypass graft	32.3 39.0 30.7 17.8	0 39.00 5 30.75	090 090 090 <b>ZZZ</b>	2 1 2 1 2 1 0 1	2 2 2 2	1 1 1	0 0 0 0
(64) Arteries ar	nd veins, arterial transp	osition:						
35693 A 35694 A	Arterial transposition Arterial transposition Arterial transposition Arterial transposition	37.4 24.0 27.6 27.6	8 24.08 0 27.60	090 090 090 090	2 1 2 1 2 1 2 1	2 2 2 2	1 1 1 1	0 0 0 0
(65) Arteries ar	nd veins, exploration:							
35701 A 35721 A 35741 A 35761 A 35800 A 35820 A 35840 A 35860 A 35870 A 35875 A 35876 A 35901 A 35903 A 35905 A	Exploration, popliteal Exploration Explore neck Explore chest Explore abdominal	4.5 11.3 10.7 11.0 11.1 12.0 20.1 16.6 11.2 31.7 17.9 21.2 15.1 16.2 24.2 25.2	5 11.35 8 10.78 4 11.04 2 11.12 1 12.01 3 20.13 5 16.65 8 11.28 7 31.77 3 17.93 5 21.25 8 15.18 6 16.26 5 24.25	ZZZ 090 090 090 090 090 090 090 090 090	0 1 2 1 2 1 2 1 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(66) Arteries ar	nd veins, intravenous:							
36005 A 36010 A 36011 A 36012 A 36013 A 36014 A	Place needle Injection, venography Place catheter	0.4 1.3 4.4 4.8 5.9 4.5 5.0	4 1.34 2 4.42 1 4.81 5 5.95 0 4.50 9 5.09	XXX 000 XXX XXX XXX XXX XXX XXX	2 1 2 0 2 1 2 1 2 1 2 0 2 1 2 1	1 0 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0
(67) Arteries ar	nd veins, intra-arterial,	intra-aortic:						
36120 A 36140 A 36145 A 36160 A 36200 A 36215 A	Establish access Establish access Establish access Artery to vein Establish access Place catheter Place catheter Place catheter	5.4 4.1 3.3 4.2 4.7 5.5 7.0 8.1	2 4.12 2 3.32 3 4.23 2 4.72 3 5.53 6 7.06	XXX XXX XXX XXX XXX XXX XXX XXX	2 1 2 0 2 0 2 0 2 0 2 1 2 1 2 1	1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0

36217	Α	Place catheter	9.68	9.68	XXX	2	1	1	0	0
36218	A	Place catheter	1.54	1.54	XXX	0	0	1	0	0
36245	Α	Place catheter	7.43	7.43	XXX	2	1	1	0	0
36246	Α	Place catheter	8.12	8.12	XXX	2	1	1	0	0
36247	Α	Place catheter	9.68	9.68	XXX	2	1	1	0	0
36248	A	Place catheter	1.54	1.54	XXX	0	0	1	0	0
36260	Α	Insert infusion pump	16.10	16.10	090	2	0	1	0	0
36261	Α	Revise infusion pump	7.33	7.33	090	2	0	2	0	0
36262	Α	Remove infusion pump	5.73	5.73	090	2	0	1	0	0
36299	C	Vessel injection	0.00	0.00	YYY	2	0	0	1	1
(68) Arte	ries ai	nd veins, venous:								
36400	Α	Drawing blood	0.26	0.21	XXX	2	0	1	0	0
36405	Α	Drawing blood	0.61	0.40	XXX	2	0	1	0	0
36406	Α	Drawing blood	0.32	0.25	XXX	2	0	1	0	0
36410	Α	Drawing blood	0.39	0.27	XXX	2	0	1	0	0
36415	I	Drawing blood	0.00	0.00	XXX	9	9	9	9	9
36420	Α	Establish access	1.44	1.44	XXX	2	0	0	0	0
36425	Α	Establish access	0.77	0.77	XXX	2	0	1	0	0
36430	Α	Blood transfusion	0.97	0.50	XXX	0	0	1	0	0
36440	Α	Blood transfusion	1.88	1.88	XXX	2	0	0	0	0
36450	Α	Exchange transfusion	3.94	3.03	XXX	2	0	0	0	0
36455	Α	Exchange transfusion	4.52	4.52	XXX	2	0	1	0	0
36460	Α	Transfusion	11.13	11.13	XXX	2	0	2	0	0
36468	R	Injection(s)	0.00	0.00	XXX	2	0	0	0	0
36469	R	Injection(s)	0.00	0.00	XXX	2	0	0	0	0
36470	Α	Injection therapy	1.27	1.14	010	2	0	1	$\cdot 0$	0
36471	Α	Injection therapy	1.83	1.64	010	2	0	1	0	0
36481	Α	Insertion of catheter	11.80	11.80	000	2	0	1	0	0
36488	Α	Insertion of catheter	2.24	2.24	000	0	0	1	0	0
36489	Α	Insertion of catheter	2.28	2.28	000	0	0	1	0	0
36490	Α	Insertion of catheter	2.96	2.96	000	0	0	1	0	0
36491	Α	Insertion of catheter	2.99	2.99	000	0	0	1	0	0
36493	Α	Repositioning catheter	1.80	1.80	000	2	0	1	0	0
36500	Α	Insertion of catheter	3.28	3.28	000	2	0	1	0	0
36510	Α	Insertion of catheter	1.33	1.16	000	2	0	0	0	0
36520	Α	Plasma/cell exchange	3.49	3.49	000	2	0	1	0	0
36522	A	Photopheresis	4.12	3.50	000	2	0	1	0	0
36530	R	Insert infusion pump	10.85	10.85	010	2	0	0	0	0
36531		Revise infusion pump	8.79	8.79	010	2	0	0	0	0
36532	R	Remove infusion pump	4.91	4.91	010	2	0	0	0	0
36533	A	Insert access port	9.44	9.44	010	2	0	0	0	0
36534	A	Revise access port	5.63	5.63	010	2	0	0	0	$0 \\ 0$
36535	. A	Remove access port	4.02	4.02	010	2	U	U	U	U
(69) Arte	ries ai	nd veins, arterial:								
36600	Δ	Withdrawal of blood	0.57	0.57	XXX	2	0	1	0	0
36620	A	Insertion of catheter	1.76	1.76	000	$\tilde{0}$	0	1	0	0
36625	A	Insertion of catheter	2.85	2.85	000	0	0	1	0	0
36640	A	Insertion of catheter	4.36	4.36	000	2	0	1	0	0
		Insertion of catheter	4.36 1.77	4.30 1.77		0	0	0	0	0
36660	Α	moertion of catheter	1.//	1.//	000	U	U	U	U	U

591	<b>FEES</b>	<b>FOR</b>	<b>MEDICAL</b>	SERVICES	5221.4030

(70) Arterie	es ar	nd veins, intraosseous:								
36680	A	Insert needle, infusion	2.34	2.34	000	2	0	0	0	0
(71) Arterie	s ar	nd veins, intervascular cannuliz	ation or	shunt:						
36800 36810 36815 36821 36822 36825 36830 36832 36834 36835 36860 36861	A A A A A A A A	Insertion of cannula Insertion of cannula Insertion of cannula Artery-vein Insertion of cannula Artery-vein graft Artery-vein graft Revise artery-vein Repair A-V aneurysm Artery to vein Cannula declotting Cannula declotting	4.50 8.23 5.55 15.91 10.75 20.60 21.82 14.03 17.46 10.23 4.54 5.52	4.50 8.23 5.55 15.91 10.75 20.60 21.82 14.03 17.46 10.23 4.20 5.52	000 000 000 090 090 090 090 090 090 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 1 2 1 2 2 2 2 1 1	0 0 0 1 0 1 1 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0
		nd veins, portal decompression			000	-	Ü	1	Ū	J
37140 37145 37160 37180 37181	A A	Revision Revision Revision Revision Splice spleen/kidney	39.00 39.84 38.83 37.57 42.01	39.00 39.84 38.83 37.57 42.01	090 090 090 090 090	2 2 2 2 2	0 0 0 0	1 2 2 2 2	1 0 1 1	0 0 0 0 0
(73) Arterie	s ar	nd veins, transcatheter procedu	ires:							
37195 37200 37201 37202 37203 37204 37205 37206 37207 37208 37209	A A A A A A A	Thrombolytic therapy Transcatheter biopsy Transcatheter therapy Transcatheter therapy Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial	7.72 5.75 10.20 9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	7.72 5.75 10.20 9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	XXX 000 000 000 000 000 000 ZZZ 000 ZZZ 000	0 2 2 2 2 2 2 2 0 2 0 2	0 0 0 0 0 0 0 0 0	0 1 1 1 1 0 0 2 2 1	0 0 0 0 0 0 2 2 2 2	0 0 0 0 0 0 0 0 0 0
(74) Arterie	es ar	nd veins, intravascular ultrasou	nd servi	es:	•					
37250 37251		Intravascular ultrasound Intravascular ultrasound	3.08 2.35	3.08 2.35	ZZZ ZZZ		0 0	0 0	1	0
(75) Arterie	es ar	nd veins, ligation and other pro	ocedures	:						
37565 37600 37605	Α	Ligation of neck Ligation of neck Ligation of neck	8.10 9.40 11.56	8.10 9.40 11.56	090 090 090	2 2 2	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	0 2 2	1 1 1	0 0 0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						5	592
27606		Tinding of soul	11.00	11.00	000	2	0	2	0	0
37606		Ligation of neck	11.82	11.82	090	2	0	2	0	-0
37607		Ligation of fistula	8.94	8.94	090	2	0	1	1	0
37609	Α	Temporal artery	4.44	4.44	010	2	0	1	0	0
37615	A	Ligation of neck	11.24	11.24	090	2	0	2	1	0
37616		Ligation of chest	19.49	19.49	090	2	0	2	1	0
37617		Ligation of abdomen	23.06	23.06	090	2	0	2	1	0
37618		Ligation of extremity	9.79	9.79	090	2	0	2	1 1	0
37620 37650		Revision of major vein Revision of major vein	18.91	18.91	090	2	0 1	1 1	1	0
37650 37660		Revision of major vein	8.83 15.78	8.83 15.78	090 090	2	0	2	1	0
37700	A		7.30	7.30	090	2	1	1	0	0
37720	A	Removal of leg vein	10.65	10.65	090	2	1	1	1	0
37730		Removal of leg vein	14.14	14.14	090	2	1	1	1	0
37735		Removal of leg vein	18.54	18.54	090	2	1	2	1	0
37760		Revision of leg vein	17.57	17.57	090	2	0	2	1	Ö
37780		Revision of leg vein	5.50	5.50	090	2	1	1	1	ŏ
37785	A	Revise secondary veins	4.57	4.57	090	2	1	1	Ô	ő
37788		Revascularization	35.42	35.42	090	2	0	2	1	ŏ
37790	Α		13.38	13.38	090	2	Õ	õ	ō	0
37799	C		0.00	0.00	YYY	2	0	0	1	1
		,								
(76) Spleen	ı, ex	cision:								
38100	Α	Removal of spleen	21.07	21.07	090	2	0	2	1	0
38101	Α	Removal of spleen	20.06	20.06	090	2	0	2	1	0
38102	Α	Removal of spleen	7.10	7.10	ZZZ	0	, 0	2	1	0
(77) Spleen	, re	pair:								
38115	Α	Repair ruptured spleen	21.08	21.08	090	2	0	2	1	0
(78) Spleen	ı. int	troduction:								
(, -, -p	,									
38200	Α	Splenoportography	4.13	4.13	000	2	0	0	0	0
(79) Bone 1	marı	row or stem cell transplantation	service	s:						
38230	R	Bone marrow collection	6.92	6.92	010	2	0	0	0	0
38231		Stem cell collection	2.73	2.73	000	2	0	0	0	0
38240		Bone marrow/stem	4.12	4.12	XXX	2	0	0	0	0
38241	R	Bone marrow/stem	4.08	4.08	XXX	2	0	0	0	0
(80) Lymph	no	des and lymphatic channels, inc	ision:							
38300	Α	Drain lymph abscess	2.00	1.72	010	2	0	1	0	0
38305	A	Drain lymph abscess	6.28	6.28	090	2	ŏ	1	ŏ	ŏ
38308	Α	Incision of lymph	8.00	8.00	090	. 2	0	2	1	0
38380	Α	Thoracic duct	11.48	11.48	090	2	0	2	1	0
38381	Α	Thoracic duct	19.82	19.82	090	2	0	2	1	0
38382	Α	Thoracic duct	14.45	14.45	090	2	0	2	1	0
•										

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

593			FOR 1	MEDICAL	SERV	ICES	5221.40		30
(81) Lymph	nodes and lymph	natic channels, ex	cision:						
38500 38505 38510 38520 38525 38530 38542 38550 38555	A Biopsy/remo A Needle biops A Biopsy/remo A Biopsy/remo A Biopsy/remo A Biopsy/remo A Explore deep A Removal of a Removal of	sy val val val o node neck/arm	4.32 2.21 6.46 7.84 7.02 8.99 9.81 9.58 20.74	1.67 6.46 7.84 7.02 8.99 9.81 9.58	010 000 090 090 090 090 090 090	2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 0	1 1 1 1 2 2 0	0 0 0 0 0 1 1 0	0 0 0 0 0 0 0
(82) Lymph	nodes and lymph	natic channels, lin	nited ly	mphadeneo	ctomy	for sta	ging:		
38562 38564	A Removal, pe A Removal, ab		16.83 17.80		090 090	2 2 2		.1	0
(83) Lymph	nodes and lymph	natic channels, rad	dical ly	mphadenec	tomy:				
38700 38720 38724 38740 38745 38746 38747 38760 38765 38770 38780	A Removal of A Removal of A Removal of A Remove arm A Remove thou A Remove abd A Remove group A Remove pelva Remove abd	lymph lymph upit upits racic lymph ominal lymph in lymph in lymph vis lymph	16.95 27.94 28.17 11.26 16.99 6.49 7.24 15.08 28.15 27.02 32.30	27.94 28.17 11.26 16.99 6.49 7.24 15.08 28.15 27.02	090 090 090 090 090 ZZZ ZZZ 090 090 090	2 1 2 1 2 0 2 0 0 0 0 0 2 1 2 1 2 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0
(84) Lymph	nodes and lymph	natic channels, in	troduct	ion:					
38790 38794	A Injection for A Access thora		2.86 6.99		000 090	2 1 2		0	0
(85) Lymph	nodes and lymph	natic channels, of	her pro	cedures:					
38999	C Blood/lymph	system	0.00	0.00	YYY	2 (	2	1	1
(86) Medias	tinum, incision:								
39000 39010	A Exploration A Exploration		11.98 22.92		090 090	2 (		1	0
(87) Media	tinum, excision:								
39200 39220	A Removal of A Removal of		24.73 31.81		090 090	2 (		1 1	0 0

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						5	94
(88) Media	stin	um, endoscopy:								
39400	A	Visualization	10.56	10.56	010	2	0	1	0	0
(89) Media	stin	um, other procedures:								
39499	С	Chest surgery	0.00	0.00	YYY	2	0	2	1	1
(90) Diaph	ragr	n, repair:								
39501 39502 39503 39520 39530 39531 39540 39541 39545	A A A A A	Repair of diaphragm Repair of diaphragm	23.43 27.70 57.58 28.08 29.06 25.56 25.05 26.13 20.49	23.43 27.70 57.58 28.08 29.06 25.56 25.05 26.13 20.49	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0
(91) Diaph	ragr	n, other procedures:								
39599	С	Diaphragm surgery	0.00	0.00	YYY	2	0	2	1	1
(92) Lips, e	xcis	ion:								
40490 40500 40510 40520 40525 40527 40530	A A A	Biopsy of lip Partial excision Partial excision Partial excision Reconstruct lip Reconstruct lip Partial removal of lip	1.86 8.95 9.72 8.96 15.67 18.90 10.24	1.50 8.95 9.72 8.96 15.67 18.90 10.24	000 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 1 0 1	0 0 0 0 0 0	0 0 0 0 0 0
(93) Lips, r	epai	ir:								
40650 40652 40654 40700 40701 40702 40720 40761	A A A A A A	Repair lip Repair lip Repair lip Repair cleft lip	7.53 8.83 11.01 20.49 33.95 21.50 22.55 24.79	7.53 8.83 11.01 20.49 33.95 21.50 22.55 24.79	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 2 2 1 0	0 0 1 0 2 2 0 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(94) Lips, o	the	procedures:								
40799	C	Lip surgery	0.00	0.00	YYY	2	0	2	1	1

595	<b>FEES</b>	<b>FOR</b>	<b>MEDICAL</b>	SERVICES	5221.4030

(95) Vestib	ule	of mouth, incision:								
40800	Α	Drainage of mouth	1.82	1.46	010	2	0	1	0	0
40801	Α	Drainage of mouth	4.03	3.21	010	2	Ŏ	1	Ŏ	Ŏ
40804			1.72	1.44	010	2	Ō	Ō	Õ	0
40805		Removal of foreign body	5.02	5.02	010	2	Ŏ	ŏ	Ŏ	0
40806	Α	Incision of lip	0.65	0.65	000	$\bar{2}$	0	ŏ	ő	ŏ
40000	71	incision of hp	0.05	0.05	000	-	Ü	Ü	Ü	v
(96) Vestib	ule	of mouth, excision, destruction:			•					
40808	Δ	Biopsy of mouth	1.65	1.28	010	2	0	1	0	0
40810	A		2.39	1.82	010	2	0	1	ŏ	ŏ
40812			3.62	2.90	010	2	0	1	0	0
40812	A	Excise/repair mouth	6.40	4.84	090	2	0	1	0	0
40814		Excision of mouth	6.62	5.07	090	2	0	1	0	ő
			4.47	4.47	090	2	0	0	0	0
40818		Excise mucosa		2.86	090	2	0	0	0	0
40819	A	Excise lip or cheek	3.45			2	-	-	-	
40820	Α	Treatment of mouth	1.71	1.45	010	2	0	1	0	0
(97) Vestib	ule	of mouth, repair:								
40830	٨	Repair mouth laceration	2.28	2.28	010	2	0	0	0	0
40830		_ • • • • • • •	4.22	4.22	010	2	0	0	0	0
	_				090	2	-	2		
40840	R	Reconstruction	14.39	14.39			0		0	0
40842	R	Reconstruction	14.39	14.39	090	2	0	0	0	0
40843	R	Reconstruction	20.05	20.05	090	. 2	2	2	0	0
40844	R	Reconstruction	26.52	26.52	090	2	0	2	0	0
40845	R	Reconstruction	37.68	37.68	090	2	0	0	0	0
(98) Vestib	ule	of mouth, other procedures:								
40899	С	Mouth surgery	0.00	0.00	YYY	2	0	0	1	1
(99) Tongu	e an	nd floor of mouth, incision:					•			
41000	Α	Drainage of mouth	1.96	1.59	010	2	0	1	0	0
41005	A	Drainage of mouth	1.78	1.78	010	2	Ŏ	Ō	Ŏ	Ŏ
41006	Α	Drainage of mouth	3.98	3.98	090	2	0	0	0	0
41007		Drainage of mouth	5.78	5.78	090	2	0	0	0	0
41008		Drainage of mouth	4.14	3.63	090	2	0	Ō	0	0
41009		Drainage of mouth	6.64	6.64	090	2	Ŏ	Ŏ	Ŏ	0
41010		Incision of tongue	1.34	1.34	010	2	0	Õ	ŏ	ŏ
41015	A	Drainage of mouth	4.49	4.49	090	$\bar{2}$	ŏ	Õ	Ŏ	ŏ
41015			7.47	7.47	090	2	0	0	0	0
41017		Drainage of mouth	5.12	5.12	090	2	0	0	0	0
					090	2	0	0	0	0
41018	Α	Drainage of mouth	8.64	8.64	090	۷	U	U	U	U
(100) Tong	ue a	and floor of mouth, excision:								
41100	Δ	Biopsy of tongue	2.30	1.91	010	2	0	1	0	0
41105	A	Biopsy of tongue	2.35	1.85	010	2	0	1	0	0
11103	4.1	Diopoy or tongue	2.55	1.00	510	_	J	1	J	J

41108	Α	Biopsy of floor of mouth	1.82	1.41	010	2	0	1	0	0
41110	A	1:	2.71	2.08	010	2	ŏ	1	ő	ő
41112		Excision of tongue	4.91	3.76	090	2	Ŏ	1	0	ŏ
41113		Excision of tongue	6.39	4.75	090	2	Õ	1	Õ	ŏ
41114		Excision of tongue	14.26	14.26	090	$\tilde{2}$	0	Ô	0	Õ
41115		Excision of tongue	3.39	3.39	010	2	ŏ	0	0	ő
41116		Excision of mouth	4.77	4.77	090	2	Õ	1	Õ	ŏ
41120		Partial removal, tongue	16.39	16.39	090	2	ŏ	2	1	ő
41130	A	Partial removal, tongue	19.50	19.50	090	2	0	2	1	0
41135	A	Tongue and neck	40.09	40.09	090	2	0	2	1	0
41140	A		42.75	42.75	090	2	0	2	1	0
=						2	0	2	1	0
41145	A	Removal of tongue, neck	50.93	50.93	090	2	0	2	1	0
41150	A	Tongue, mouth, and jaw	40.59	40.59	090			2		
41153	A	Tongue, mouth, and neck	47.40	47.40	090	2	0		1	0
41155	Α	Tongue, jaw, and neck	56.16	56.16	090	2	0	2	1	0
(101) Tong	ue a	and floor of mouth, repair:								
41050		Parative and the sta	2.02	2.02	010	_	^	^	^	^
41250		Repair tongue laceration	2.83	2.83	010	2	0	0	0	0
41251	Α		4.18	4.18	010	2	0	0	0	0
41252	Α	Repair tongue laceration	5.11	5.11	010	2	0	0	0	0
(102) Tong	ue a	nd floor of mouth, other proce	dures:							
41500	Α	Fixation of tongue	6.69	6.69	090	2	0	0	0	0
41510	Α	Tongue to lip suture	5.80	5.80	090	2	0	0	0	0
41520	Α	Reconstruction	5.41	5.41	090	2	0	0	0	0
41599	C	Tongue and mouth surgery	0.00	0.00	YYY	2	0	0	1	1
(103) Dento	oalv	eolar structures, incision:								
41800	Α	Drainage of gum	1.77	1.43	010	2	0	1	0	0
41805	A	Removal of foreign body	1.98	1.98	010	2	0	Ô	Ö	ŏ
41806	A	Removal of foreign body	4.11	3.32	010	2	0	0	ŏ	0
(104) Denta	oalv	eolar structures, excision, destr	uction:							
41820		Excision of gum	0.00	0.00	XXX	2	0	0		0
41821	R	Excision of gum	0.00	0.00	XXX	.2	0	0	0	0
41822		Excision of gum	5.16	5.16	010	2	0	0	0	0
41823	R	Excision of gum	6.69	6.69	090	2	0	0	0	0
41825	Α	Excision of gum	2.71	1.99	010	2	0	1	0	0
41826		Excision of gum	4.20	3.20	010	2	0	1	.0	0
41827		Excision of gum	6.95	5.13	090	2	0	1	0	0
41828	R	Excision of gum	6.92	6.92	010	2	0	0	0	0
41830	R	Removal of gum	6.80	6.80	010	2	0	0	0	0
41850	R	Treatment of gum	0.00	0.00	XXX	2	0	0	0	0
(105) Dento	oalv	eolar structures, other procedu:	res:							
41870		Gum graft	0.00	0.00	XXX	2	0	0	0	0
410/0	Z	Juiii giait	0.00	0.00	$\Lambda\Lambda\Lambda$	۷	U	U	U	U

597		FEES	FOR 1	FOR MEDICAL SERVICES			5221.4030			
41872 41874	R R	Repair tooth sockets	5.25 6.27	6.27	090 090	2 2	0	0	0	0
41899	С	Dental surgery	0.00	0.00	YYY	2	0	0	1	1
(106) Palate	e an	d uvula, incision:								
42000	Α	Drainage of mouth	1.75	1.45	010	2	0	0	0	0
(107) Palate	e an	d uvula, excision, destruction:								
42100	Α	Biopsy roof of mouth	2.00		010	2	0	1	0	0
42104	A		3.15		010	2	0	1	0	0
42106	A		4.17		010	2	0	1	0	0
42107		Excision of lesion	9.02		090	2	0	1	0	0
42120	A A	Remove palate/lesion Excision of uvula	12.72 2.86		090 090	2	0	2 1	1 0	0
42140	A	Repair of palate	2.60 16.67		090	2	0	1	0	0
42145 42160	A	Treatment of mouth	3.20		010	2	0	0	0	0
42100	Λ.	readment of modeli	3.20	2.40	010	۷	U	U	U	U
` '		d uvula, repair:						_		
42180		Repair palate	4.58		010	2	0	0	0	0
42182	A		7.04	-	010	2	0	0	0	0
42200	A	Reconstruct cleft palate	18.31		090	2 2	0	2	0	0
42205 42210	A	Reconstruct cleft palate Reconstruct cleft palate	19.33 25.77		090 090	2	0	2	0	0 0
42215	A	Reconstruct cleft palate	15.90		090	2	0	2	0	0
42220	A	Reconstruct cleft palate	12.04		090	2	0	2	0	ő
42225	A		15.92		090	2	ŏ	2	Õ	Ŏ
42226	Α	Lengthening of palate	17.18		090	2	0	2	0	0
42227	Α	Lengthening of palate	16.01	16.01	090	2	0	2	0	0
42235	Α	Repair palate	12.78	12.78	090	2	0	2	0	0
42260	Α	Repair nose to lip	12.98		090	2	0	2	0	0
42280	A	Preparation, palate	3.41		010	2	0	0	0	0
42281	Α	Insertion, palate	3.25	3.25	010	2	0	0	0	0
(109) Palate	e an	d uvula, other procedures:								
42299	С	Palate/uvula surgery	0.00	0.00	YYY	2	0	2	1	1
(110) Saliva	ry g	glands and ducts, incision:								
42300	Α	Drain salivary gland	2.75	2.28	010	2	0	1	0	0
42305	Α	Drain salivary gland	7.77	7.77	090	2	0	0	0	0
42310		Drain salivary gland	2.48		010	2	0	0	0	0
42320	A	Drain salivary gland	4.02		010	2	0	0	0	0
42325	A	Create salivary gland	4.65		090 090	2	0	2	0	0
42326 42330		Create salivary gland Remove salivary gland	7.63 3.14		010	2	0	1	0	0
42335		Remove salivary gland	5.54		090	2	0	1	0	0
42340		Remove salivary gland	8.53		090	2	0	Ô	ő	Ŏ.
		, ,								

(111) Saliva	ary g	glands and ducts, excision:								
42400	Α	Biopsy of salivary gland	1.53	1.14	000	2	0	1	0	0
42405		Biopsy of salivary gland	4.58	3.84	010	2	ŏ	1	ő	ŏ
42408		Excision of salivary cyst	7.46	7.46	090	2	Ŏ	Ô	Õ	0
42409		Drainage of salivary cyst	5.43	5.43	090	2	Ŏ	2	ŏ	ŏ
42410	Α	Excise parotid	14.72	14.72	090	2	0	2	1	Õ
42415	Α	Excise parotid	28.51	28.51	090	2	0	2	1	Ō
42420	Α	Excise parotid	33.13	33.13	090	2	0	2	1	0
42425	Α	Excise parotid	23.33	23.33	090	2	0	2	1	0
42426	Α	Excise parotid	43.66	43.66	090	2	0	2	1	0
42440	Α	Excise submaxillary	14.28	14.28	090	2	0	2	1	0
42450	A	Excise sublingual	7.69	7.69	090	2	0	0	0	0
(112) Saliva	ary g	glands and ducts, repair:								
42500	٨	Repair salivary duct	8.63	8.63	090	2	0	Λ	0	Λ
42505	A A	Repair salivary duct	12.65	12.65	090	2	0	$0 \\ 1$	0	0
42507	A	Parotid duct diversion	10.41	10.41	090	2	2	2	0	0
42508	A	Parotid duct diversion	16.13	16.13	090	2	2	2	0	0
42509	A	Parotid duct diversion	18.22	18.22	090	2	2	0	0	0
42510	A		15.25	15.25	090	2	2	2	1	0
,		1 410112 4400 411 413001	10.20	20.20	0,0	_	_	_	•	Ū
(113) Saliva	ary g	lands and ducts, other procedu	res:							ì
42550	Α	Injection, sialography	1.58	1.58	000	2	0	1	0	0
42600	A	Closure of salivary	8.39	8.39	090	2	0	0	0	0
42650	Α	Dilation of salivary duct	1.10	0.91	000	2	0	1	0	0
42660	Α	Dilation of salivary duct	1.54	1.30	000	2	0	0	0	0
42665	A	Ligation of salivary duct	4.41	4.41	090	2	0	0	0	0
42699	C	Salivary surgery	0.00	0.00	YYY	2	0	2	1	1
(114) Phary	/nx,	adenoids, and tonsils, incision:		•						
42700	Α	Drainage of tonsils	2.35	1.94	010	2	0	1	0	0
42720	Α	Drainage of throat	6.87	6.87	010	2	Ŏ	Ō	Ŏ	Õ
42725	Α	Drainage of throat	14.32	14.32	090	2	0	2	1	0
(115) Phary	'nx,	adenoids, and tonsils, excision,	destruct	tion:						
42800	Α	Biopsy of throat	2.02	1.66	010	2	0	1	0	0
42802	A	Biopsy of throat	2.45	2.45	010	$\bar{2}$	Ŏ	1	Ŏ	ŏ
42804	A	Biopsy upper nose/throat	2.25	2.25	010	2	0	1	Ô	0
42806	Α	Biopsy upper nose/throat	2.87	2.87	010	2	0	1	0	0
42808		Excise pharynx	4.68	4.68	010	2	0	1	0	0
42809		Remove pharynx	2.48	2.48	010	2	0	1	0	0
42810	A	Excision of neck	6.32	6.32	090	2	0	2	0	0
42815		Excision of neck	14.86	14.86	090	2	0	2	1	0
42820 42821	A	Remove tonsils	6.77	6.77	090	2	0	0	0	0
	А	Remove tonsils	7.94	7.94	090	2	0	0	0	0

599	1	FEES FOR	MEDICAL	SERV	ICES	522	1.40	30
42825	A Removal of tonsils	5.84	4 5.84	090	2 0	0	0	0
	A Removal of tonsils	6.90		090	$\overline{2}$ $0$	1	0	Õ
	A Removal of adenoids	4.28		090	$\tilde{2}$ $\tilde{0}$	ō	ŏ	ŏ
	A Removal of adenoids	4.88		090	2 0	ŏ	ŏ	Õ
	A Removal of adenoids	3.94		090	2 0	Õ	0	0
	A Removal of adenoids	5.75		090	$\overline{2}$ $\overline{0}$	Ŏ	0	0
	A Extensive surgery	14.82		090	2 0	Ō	Ŏ	0
	A Extensive surgery	24.1		090	2 0	2	1	0
	A Extensive surgery	41.20		090	2 0	2	1	0
	A Excision of tonsil tags	3.96	5 3.96	090	2 0	0	0	0
42870	A Excision of lingual	7.29	9 7.29	090	2 0	0	0	0
42890	A Partial removal	21.00	0 21.00	090	2 0	2	1	0
42892	A Revision of pharynx	25.62		090	2 0	2	1	0
42894	A Revision of pharynx	37.29	9 37.29	090	2 0	2	1	0
(116) Pharyn	κ, adenoids, and tonsils, rep	pair:						
42900	A Repair throat wound	9.15	5 9.15	010	2 0	0	0	0
	A Reconstruction	16.5		090	$\tilde{2}$ $\tilde{0}$	2	1	ŏ
	A Repair throat	14.7		090	$\tilde{2}$ $\tilde{0}$	2	ō	ŏ
	r							
(117) Pharyn	x, adenoids, and tonsils, oth	ner procedur	res:					
42955	A Surgical opening	10.15		090	2 0	2	0	0
42960	A Control throat hemorrh			010	2 0	0	0	0
	A Control throat	6.8		090	2 0	2	0	0
	A Control throat	12.63		090	2 0	2	0	0
	A Control nose/throat	5.98		090	2 0	1	0	0
	A Control nose/throat	8.63		090	2 0	2	0	0
	A Control nose/throat	11.3		090	2 0	2	0	0
42999	C Throat surgery	0.00	0.00	YYY	2 0	0	1	1
(118) Esopha	gus, incision:							
43020	A Incision of esophagus	14.09	9 14.09	090	2 0	2	1	0
	A Throat muscle surgery	15.82		090	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
	A Incision of esophagus	31.59		090	2 0	2	1	ŏ
(119) Esopha	gus, excision:							
43100	A Excision of esophagus	` 14.85		090	2 0	2	1	0
	A Excision of esophagus	24.9		090	2 0	2	1	0
	A Removal of esophagus	50.3		090	2 0	2	1	0
	A Removal of esophagus	58.08		090	2 0	2	1	0
	A Removal of esophagus	51.58		090	2 0	2	2	0
	A Removal of esophagus	59.00		090	2 0	2	2	0
	A Partial removal	55.38		090	2 0	2	1	0
	A Partial removal	54.29		090	2 0	2	2	0
	A Partial removal	57.18		090	$\begin{array}{ccc} 2 & 0 \\ 2 & 0 \end{array}$	2	2	0
	A Partial removal	49.4		090	$\begin{array}{ccc} 2 & 0 \\ 2 & 0 \end{array}$	2	2	0
	A Partial removal A Partial removal	49.3° 57.18		090 090	2 0 2 0	2	1 1	0
73143	a Latual Ichioval	37.10	0 37.10	030	۷ 0	4	1	U

5221.4030	FE	ES FOR MEDICAL SERVIC	ES						6	500
43124	Α	Removal of esophagus	48.97	48.97	090	2	0	2	1	0
43130	Α		21.70	21.70	090	2	0	2	1	0
43135	Α	Removal of esophagus	27.13	27.13	090	2	0	2	1	0
(120) Esop	hagı	us, endoscopy:								
43200	A	Esophagus endoscopy	3.56	3.28	000	2	0	1	0	0
43202	Α	Esophagus endoscopy	4.21	3.90	000	3	0	1	0	0
43204	A	Esophagus endoscopy	7.63	7.63	000	3	0	1	0	0
43205	A	1 0 15	6.15	6.15	000	3	0	0	0	0
43215 43216	A	Esophagus endoscopy	5.38	5.38	000	3	0	1	0	0
43216	A A	Esophagus endoscopy Esophagus endoscopy	4.93 5.92	4.93 5.92	000 000	3	0	$0 \\ 1$	0 0	$0 \\ 0$
43217	A	1,	5.70	5.70	000	3	0	1	0	0
43220	A	Esophagus endoscopy	4.29	4.29	000	3	0	1	0	0
43226	A	Esophagus endoscopy	4.75	4.75	000	3	0	1	0	0
43227	A	Esophagus endoscopy	7.28	7.28	000	3	0	1	0	ő
43228	Α	Esophagus endoscopy	7.64	7.64	000	3	0	1	Ŏ	.0
43234	Α	Upper GI endoscopy	4.47	4.12	000	2	0	1	0	0
43235	Α	Upper GI endoscopy	5.30	4.87	000	2	0	1	0	0
43239	Α	Upper GI endoscopy	5.95	5.48	000	3	0	1	0	0
43241	Α	Upper GI endoscopy	5.31	5.31	000	3	0	1	0	0
43243	Α	Upper GI endoscopy	9.22	9.22	000	3	0	1	0	0
43244	A	Upper GI endoscopy	7.74	7.74	000	3	0	0	0	0
43245	A	Operative upper endoscopy	6.90	6.90	000	3	0	1	0	0
43246		Place gastrostomy tube	8.81	8.81	000	3	0	0	2	0
43247 43248	A	Operative upper endoscopy	6.89 6.40	6.89	000 000	3	$0 \\ 0$	1 1	0	0
43249	A	Upper GI endoscopy Esophagus endoscopy	5.88	6.40 5.88	000	3	0	1	$0 \\ 0$	0
43250	A	Upper GI endoscopy	6.54	6.54	000	3	0	1	0	0
43251	A	Operative upper endoscopy	7.53	7.53	000	3	ő	1	Ö	0
43255	Α	Operative upper endoscopy	8.88	8.88	000	3	Õ	î	0	ŏ
43258	Α	Operative upper endoscopy	9.18	9.18	000	3	0	1	0	0
43259	Α	Endoscopic ultrasound	8.52	8.52	000	3	0	0	0	0
43260	Α	Endoscopy, bile	11.40	11.40	000	2	0	1	0	0
43261		Endoscopy, bile	11.68	11.68	000	3	0	1	0	0
43262	Α	Endoscopy, bile	14.88	14.88	000	3	0	1	0	0
43263	A	Endoscopy, bile	11.46	11.46	000	3	0	1	0	0
43264		Endoscopy, bile	17.03	17.03	000	3	0	1	0	0
43265 43267	A A	Endoscopy, bile Endoscopy, bile	14.94	14.94	000 000	3	0	1 1	0 0	0
43268		Endoscopy, bile	14.13 14.87	14.13 14.87	000	3	0	1	0	0
43269		Endoscopy, bile	12.18	12.18	000	3	0	1	0	0
43271	Α	Endoscopy, bile	14.35	14.35	000	3	ŏ	1	0	0
43272	A	Endoscopy, bile	12.35	12.35	000	3	0	ō	ŏ	ő
(121) Esop	haor	ıs renair								
•		•	40.5	100:	000	_	6	•		_
43300		Repair of esophagus	18.94	18.94	090	2	0	2	1	0
43305		Repair of esophagus	29.79	29.79 41.24	090	2	0	2	1	0
43310 43312	A	Repair of esophagus Repair of esophagus	41.24 40.32	41.24 40.32	090 090	2	0	2	1 1	$0 \\ 0$
43312	A	Fuse esophagus	27.00	27.00	090	2	0	2 2 2	1	0
43324		Revise esophagus	27.92	27.92	090	2	ő	2	1	Ö
43325	A	Revise esophagus	27.16	27.16	090	2	Ö	2	1	Ŏ

#### FEES FOR MEDICAL SERVICES 5221.4030

43326 43330 43331 43340 43341 43350 43351 43352 43360 43361 43400 43401 43405 43410 43415 43420 43425	A A A A A A A A A A A A A A A A A A A	Revise esophagus Repair of esophagus Repair of esophagus Fuse esophagus Fuse esophagus Surgical opening Surgical opening Surgical opening Gastrointestinal Gastrointestinal Ligate esophagus Esophagus surgery Ligate/staple esophagus Repair esophagus Repair esophagus Repair esophagus Repair esophagus	22.67 26.76 30.03 27.76 25.68 19.79 22.74 20.54 49.07 56.68 26.87 26.50 29.94 19.30 29.18 16.61 25.93	22.67 26.76 30.03 27.76 25.68 19.79 22.74 20.54 49.07 56.68 26.87 26.50 29.94 19.30 29.18 16.61 25.93	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(122) Esoph	agu	ıs, manipulation:								
43450 43453 43456 43458 43460	A A	Dilate esophagus Dilate esophagus Dilate esophagus Dilate esophagus Pressure treatment	1.94 2.89 4.85 4.40 5.15	1.94 2.89 4.85 4.40 5.15	000 000 000 000 000	2 2 2 2 2	0 0 0 0 0	1 1 1 1	0 0 0 0 0	0 0 0 0
(123) Esopha	agu	is, other procedures:								
43496 43499	C C	Free jejunum transfer Esophagus surgery	0.00	0.00	090 YYY	2 2	0	2 2	1	0 1
(124) Stoma	ch,	incision:			,					
43500 43501 43502 43510 43520	A A A A	Surgical opening Surgical repair Surgical repair Surgical opening Incise pyloric muscle	14.24 23.20 25.34 17.60 11.73	14.24 23.20 25.34 17.60 11.73	090 090 090 090 090	2 2 2 2 2	0 0 0 0	2 2 2 2 2	1 1 1 1	0 0 0 0
(125) Stoma	ch,	excision:								
43600 43605 43610 43611 43620 43621 43622 43631 43632 43633 43634	A	Biopsy of stomach Biopsy of stomach Excision of stomach Excision of stomach Removal of stomach	2.24 14.73 18.96 21.21 37.08 37.55 38.77 31.31 31.31 31.71 42.49	2.24 14.73 18.96 21.21 37.08 37.55 38.77 31.31 31.31 31.71 42.49	000 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0

<b>5221</b>	DESTOR MEDICAL SERVIC	20						•	,02
43635 A	A Partial removal	3.06	3.06	ZZZ	Λ	0	2	1	0
	A Partial removal	33.58	33.58	090	0 2	0	2	1	0
	A Removal of stomach	34.02	34.02	090	2	0	2	1	0
43640 A		24.64	24.64	090	2	0	2	1	0
	Vagotomy, pyloroplasty	24.83	24.83	090	2	0	2	1	0
45041 7	v agotomy, pylotopiasty	24.03	24.03	090	2	U	L	1	U
(126) Stomacl	i, introduction:								
43750 A	A Place gastrostomy tube	8.59	8.59	010	2	. 0	1	0	0
43760 A	Change gastrostomy tube	1.71	1.71	000	2	0	1	0	0
43761 A	A Reposition gastric tube	2.99	2.99	000	2	0	1	0	0
(127) Stomacl	n, other procedures:				·	•			
(127) Stolliaci	i, other procedures.								
	Reconstruction	16.92	16.92	090	2	0	2	1	0
43810 A		18.38	18.38	090	2	0	2	1	0
43820 A		19.63	19.63	090	2	0	2	1	0
43825 A	· · · · · · · · · · · · · ·	25.30	25.30	090	2	0	2	1	0
43830 A	9	13.24	13.24	090	2	0	2	1	0
	Place gastrostomy tube	12.19	12.19	090	2	0	2	1	0
43832 A		19.25	19.25	090	2	0	2	1	0
43840 A	4	19.28	19.28	090	2	0	2	1	0
43842 A	1 2	28.22	28.22	090	2	0	2	2	0
43843 A	1 2	28.35	28.35	090	2	0	2	2	0
43846 A		33.50	33.50	090	2	0	2	1	0
43847 A		35.58	35.58	090	2	0	2	1	0
43848 A		37.37	37.37	090	2	0	2	1	0
43850 A		30.36	30.36	090	2	0	2	1	0
43855 A		30.25	30.25	090	2	0	2	1	0
43860 A		30.53	30.53	090	2	0	2	1	0
43865 A		33.75	33.75	090	2	0	2	1	0
43870 A	1 1 2	12.92	12.92	090	2	0	2	1	0
43880 A	1	26.76	26.76	090	2	0	2	1	0
43999 (	Stomach surgery	0.00	0.00	YYY	2	0	0	1	1
(128) Intestin	es, incision:								
44005	T	24.52			_	_	_		•
	Freeing of bowel	21.53	21.53	090	2	0	2	1	0
44010 A		17.15	17.15	090	2	0	2	1	0
44015 A		5.41	5.41	ZZZ	0	0	2	1	0
44020 A	1	19.28	19.28	090	2	0	2	1	0
44021 A		18.48	18.48	090	2	0	2	1	0
44025 A	0	19.42	19.42	090	2	0	2	1	0
44050 A		18.76	18.76	090	2	0	2	1	0
44055 A	Correct malrotation	20.21	20.21	090	2	0	2	1	0
(129) Intestine	es, excision:								
	D: 61 1	0.00	2.22	000	^			•	_
44100 A	1 2	3.23	3.23	000	2	0	1	0	0
44110 A		17.42	17.42	090	2	0	2	1	0
44111 A		21.59	21.59	090	2	0	2	1	0
44120 A	Remove small intestine	23.41	23.41	090	2	0	2	1	0

44121	Α	Remove small intestine	6.58	6.58	ZZZ	0	0	2	1	0
44125	Α	Remove small intestine	25.22	25.22	090	2	0	2	1	0
44130	Α	Bowel to bowel fusion	20.62	20.62	090	2	0	2	1	0
44139	Α	Mobilization of flexure	3.30	3.30	ZZZ	0	0	2	1	0
44140	Α	Partial removal of colon	28.96	28.96	090	2	0	2	1	0
44141	A	Partial removal of colon	30.57	30.57	090	2	0	2	1	0
44143	A	Partial removal of colon	31.60	31.60	090	2	0	2	1	0
44144	A	Partial removal of colon	30.19	30.19	090	$\bar{2}$	Ŏ	. 2	1	Õ
44145	A	Partial removal of colon	35.37	35.37	090	2	ŏ	2	1	ŏ
44146	A	Partial removal of colon	38.13	38.13	090	2	ő	2	1	0
44147	A	Partial removal of colon	33.13	33.13	090	2	0	2	1	0
44150	A	Removal of colon	35.16	35.16	090	2	0	2	1	0
44151	A	Removal of colon	29.28	29.28	090	2	0	2	1	0
						2		2		
44152	A	Removal of colon	38.93	38.93	090		0		1	0
44153	A	Removal of colon	45.05	45.05	090	2	0	2	1	0
44155	Α	Removal of colon	40.20	40.20	090	2	0	2	1	0
44156	Α	Removal of colon	33.29	33.29	090	2.		2	1	0
44160	Α	Removal of colon	27.91	27.91	090 .	2	0	2	1	0
		•								
(130) Intest	ines	s, enterostomy, external fistuliz	zation of	intestine	s:					
44300	Α	Open bowel to skin	14.60	14.60	090	2	0	2	1	0
44310	Α	Ileostomy/jejunostomy	19.15	19.15	090	2	0	2	1	0
44312	Α	Revision of ileostomy	8.56	8.56	090	2	0	0	0	0
44314	A	Revision of ileostomy	17.14	17.14	090	2	0	2	ì	0
44316	A	Devise bowel pouch	24.14	24.14	090	2	0	$\bar{2}$	1	ŏ
44320	A	Colostomy	19.82	19.82	090	2	Õ	2	$\overline{1}$	ŏ
44322	Α	Colostomy with biopsies	20.67	20.67	090	2	ŏ	2	1	ŏ
44340	A	Revision of colostomy	6.95	6.95	090	2	ő	1	1	0
44345	A	Revision of colostomy	15.52	15.52	090	2	0	2	1	0
44346	A	Revision of colostomy	18.50	18.50	090	2	0	2	ì	0
74340	А	Revision of colostomy	10.50	10.50	090	2	U	2	1	U
(121) Intent	.:	. and account amount bound and	a4 a a a b -							
(131) Intest	ines	s, endoscopy, small bowel and	stomacn:							
14260		Small howel and account	5.93	5.93	000	2	Λ	1	Λ	0
44360 44361		Small bowel endoscopy	6.55	6.55	000	3	0	1 1	$0 \\ 0$	0 0
	A	Small bowel endoscopy				3				
44363	A	Small bowel endoscopy	6.66	6.66 8.71	000	3	0	0	$0 \\ 0$	0
44364	A	Small bowel endoscopy	8.71	5.71 7.74	000	3	0	0	0	0
44365	A	Small bowel endoscopy	7.74	40.04	000		_	-		_
44366	A	Small bowel endoscopy	10.04	10.04	000	3	0	1	0	0
44369	Α	Small bowel endoscopy	10.31	10.31	000	3	0	0	0	0
44372	Α	Small bowel endoscopy	10.17	10.17	000	3	0	1	0	0
44373	A	Small bowel endoscopy	8.04	8.04	000	3	0	1	0	0
44376	Α	Small bowel endoscopy	9.22	9.22	000	2	0	0	0	0
44377	A	Small bowel endoscopy	9.70	9.70	000	3	0	0	0	0
44378	Α	Small bowel endoscopy	12.28	12.28	000	3	0	0	0	0
44380	Α	Small bowel endoscopy	3.10	3.10	000	2	0	1	0	0
44382	Α	Small bowel endoscopy	3.74	3.74	000	2	0	1	0	0
44385	Α	Endoscopy of bowel	4.09	3.77	000	2	0	1	0	0
44386	Α	Endoscopy of bowel	3.49	3.49	000	2	0	0	0	0
44388	Α	Colonoscopy	6.32	5.83	000	2	0	1	0	0
44389	Α	Colonoscopy with biopsy	6.95	6.41	000	3	0	1	0	0
44390	Α	Colonoscopy, foreign body	6.17	6.17	000	3	0	0	0	0
44391	Α	Colonoscopy for bleeding	9.30	8.80	000	3	0	0	0	0
44392	Α	Colonoscopy, polypectomy	8.84	7.91	000	3	0	1	0	0

5221.4030	FE	ES FOR MEDICAL SERVIO	CES						6	604
44393 44394	A A	Colonoscopy, lesion Colonoscopy, snare	10.01 9.39	9.92 9.11	000 000	3	0	1 1	0 0	0
(132) Intes	tine	s, introduction:								
44500	A	Gastrointestinal tube	0.80	0.80	000	0	0	0	0	0
(133) Intes	tine	s, repair:								
44602	Α	Suture, small intestine	17.91	17.91	090	2	0	2	1	0
44603	Α		22.57	22.57	090	2	0	2	1	0
44604	Α		21.49	21.49	090	2	0	2	1	0
44605	Α	Repair of bowel	24.12	24.12	090	2	0	2	1	0
44615	Α	1 ,	20.26	20.26	090	2	0	2	1	0
44620	Α	1 1 5	16.33	16.33	090	2	0	2	1	0
44625	Α	1 1 0	22.55	22.55	090	2	0	2	1	0
44626	A	Repair bowel opening	32.81	32.81	090	2	0	2	1	0
44640 44650		Repair bowel-skin Repair bowel fistula	20.52 21.73	20.52 21.73	090 090	2 2	0	2	1 1	0
44660		Repair bowel-bladder	22.00	22.00	090	2	0	2	1	0
44661		Repair bowel-bladder	30.28	30.28	090	2	0	2	1	0
44680	A	Surgical revision	23.01	23.01	090	2	Ŏ	2	1	ŏ
(134) Intes	tines	s, other procedures:								
44700	Α	Suspend bowel	25.33	25.33	090	2	0	2	1	0
44799	C	Intestine surgery	0.00	0.00	YYY	2	Ö	2	1	1
(135) Meck	cel's	diverticulum and mesentery,	excision:							
44800	Α	Excision of bowel	15.85	15.85	090	2	0	2	1	0
44820	Α	Excision of mesentery	15.63	15.63	090	2	Ŏ	2	1	0
(136) Meck	cel's	diverticulum and mesentery,	suture:							
44850	A	Repair of mesentery	14.75	14.75	090	2	0	2	1	0
(137) Meck	cel's	diverticulum and mesentery,	other pro	cedures:		•				
44899	C	Bowel surgery	0.00	0.00	YYY	2	0	2	1	1
(138) Appe	ndix	s, incision:								
44000	A	Duain annuadia abassa	10.62	10.62	000	2	0	2	1	0
44900 44901		Drain appendix abscess Drain appendix abscess	12.63 5.71	12.63 5.71	090 000	2	0	2	0	0

### FEES FOR MEDICAL SERVICES 5221.4030

(139) Appe	(139) Appendix, excision: 44950 A Appendectomy 13.18 13.18 090 2 0 2 1 0												
44950	Δ	Annendectomy	13.18	13.18	090	2	0	2	1	0			
44955	A	Appendectomy	3.34	3.34	ZZZ	$\tilde{0}$	ŏ	2	1	ŏ			
44960	A		16.12	16.12	. 090	2	ŏ	$\bar{2}$	1	ŏ			
11700		·	10.12	10.12	020	_	Ū	_	•	Ŭ			
(140) Rectu	ım,	incision:											
45000		Drain pelvic abscess	5.77	5.77	090	2	0	1	0	0			
45005	A	Drain rectum abscess	3.17	3.17	010	2	0	1	0	0			
45020	Α	Drain rectum abscess	7.09	7.09	090	2	0	1	0	0			
(141) Rectu	ım,	excision:											
45100	Α	Biopsy of rectum	5.35	5.35	090	2	0	1	0	Ó			
45108	Α	Removal of anorectal	7.18	7.18	090	2	0	2	1	0			
45110	Α	Removal of rectum	39.26	39.26	090	2	0	2	1	0			
45111	A	Partial removal	27.70	27.70	090	2	0	2	1	0			
45112	A		40.93	40.93	090	2	0	2 2 2 2	1	0			
45113	A		40.96	40.96	090 090	2	0	2	1 1	0			
45114 45116	A A	Partial removal Partial removal	37.73 30.66	37.73 30.66	090	2	0	2	1	0			
45119	A	Removal of rectum	41.16	41.16	090	2	0	2	1	0			
45120	A	Removal of rectum	40.12	40.12	090	2	Ö	2	1	0			
45121	A	Removal of rectum	36.08	36.08	090	2	ŏ	2	1	ŏ			
45123	A	Partial removal	25.63	25.63	090	$\bar{2}$	Õ	2	1	Ŏ			
45130	A	Excision of rectum	22.29	22.29	090	2	0	2	1	0			
45135	Α	Excision of rectum	32.22	32.22	090	2	0	2	1	0			
45150	Α	Excision of rectum	8.76	8.76	090	2	0	0	0	0			
45160	A	Excision of rectum	19.89	19.89	090	2	0	2	1	0			
45170	Α	Excision of rectum	13.86	13.86	090	2	0	2	1	0			
(142),Rectu	ım,	destruction:											
45190	Α	Destruction of rectum	13.02	13.02	090	2	0	2	1	0			
(143) Rectu	ım,	endoscopy:					•	•					
45200		Dunatasiamaidasaanu	1 21	0.04	000	2	٥	1	Λ	٥			
45300 45303	A A	Proctosigmoidoscopy Proctosigmoidoscopy	1.21 1.41	$0.94 \\ 1.10$	000 000	2	0	1 1	0	$0 \\ 0$			
45305	A	Proctosigmoidoscopy	1.81	1.40	000	3	0	1	0	0			
45307	A	Proctosigmoidoscopy	2.88	2.88	000	3	0	Ô	Ö	ő			
45308	A	Proctosigmoidoscopy	2.57	2.03	000	3	Ŏ	1	Ŏ	ŏ			
45309	A	Proctosigmoidoscopy	3.03	2.48	000	3	Ō	1	Ŏ	0			
45315	Α	Proctosigmoidoscopy	3.55	. 3.55	000	3	0	1	0	0			
45317	Α	Proctosigmoidoscopy	3.80	3.80	000	3	0	1	0	0			
45320		Proctosigmoidoscopy	4.61	4.61	000	3	0	1	0	0			
45321		Proctosigmoidoscopy	3.49	3.49	000	3	0	1	0	0			
45330	A	Sigmoidoscopy, flexible	2.13	1.45	000	2	0	1	0	0			
45331	A	Sigmoidoscopy and biopsy	2.78	2.57	000	3	0	1	0	0			
45332 45333	A A	Sigmoidoscopy Sigmoidoscopy/polypectomy	3.57 4.09	3.57 4.01	000 000	3	0	1 1	0	$0 \\ 0$			
45333 45334	A	Sigmoidoscopy, bleeding	5.46	5.46	000	3	0	1	0	0			
45337	A	Sigmoidoscopy	4.86	4.86	000	3	ŏ	1	0	ŏ			
•		J 17											

15220		٨	Siam aidasaamu	161	161	000	2	Λ	1	Λ	٠.
45338		A	Sigmoidoscopy	4.64	4.64	000	3		1	0	. 0
45339		A	Sigmoidoscopy	6.15	6.15	000	3	0	1	0	0
45355		A	Surgical colonoscopy	4.38	4.38	000	2	0	1	0	0
45378	50	Α	Diagnostic colonoscopy	7.56	7.51	000	2	0	1	0	. 0
45378	53	A	Diagnostic colonoscopy	2.13	1.96	000	2	0	1	0	0
45379		Α	Colonoscopy	9.68	9.55	000	3	0	1	0	0
45380		Α		8.49	8.12	000	3	0	1	0	0
45382		Α	Colonoscopy for bleeding	11.10	11.10	000	3	0	1	0	0
45383		Α	Colonoscopy, lesion	11.32	11.32	000	3	0	1	0	0
45384		Α	Colonoscopy	9.58	9.58	000	3	0	1	0	0
45385		Α	Colonoscopy, lesion	11.56	10.78	000	3	0	1	0	0
(144) R	Lectu	m,	repair:								
45500			D	12.02	10.00		_	_	•	•	•
45500			Repair of rectum	13.03	13.03	090	2	0	0	0	0
45505		·A	Repair of rectum	12.22	12.22	090	2	0	1	0	0
45520		Α	Treatment of rectum	1.14	0.85	000	2	0	1	0	0
45540		Α	Correct rectal prolapse	22.44	22.44	090	2	0	2	1	0
45541		Α	Correct rectal prolapse	20.61	20.61	090	2	0	2	1	0
45550		Α	Repair rectum, remove	28.99	28.99	090	2	0	2	1	0
45560		Α	Repair of rectocele	12.79	12.79	090	2	0	2	1	0
45562		Α	Explore/repair injury	19.77	19.77	090	2	0	2	1	0
45563		Α	Explore/repair injury	30.62	30.62	090	2	0	2	1	0
45800		Α	Repair rectumbladder	23.09	23.09	090	2	0	2	1	0
45805		Α	Repair fistula	28.20	28.20	090	2	0	2	1	0
45820		Α	Repair rectourethral	22.67	22.67	090	2	0	2	1	0
45825		Α	Repair fistula	25.76	25.76	090	2	0	2	1	0
(145) R	ectu	m,	manipulation:								
( - )		,	. F								
45900		Α	Reduce rectal prolapse	2.28	2.28	010	2	0	0	0	0
45905		Α	Dilate anal sphincter	2.21	2.21	010	2	0	1	0	0
45910		Α	Dilate rectal stricture	2.69	2.69	010	2	0	1	0	0
45915		A	Remove rectal obstruction	2.80	2.80	010	2	0	1	Ō	Ō
					4.00		_		_	•	_
(146) R	ectu	m í	other procedures:								
(1/0)1	oota	,	omer procedures.								
45999		C	Rectum surgery	0.00	0.00	YYY	2	0	0	1	1
(147) A	nus.	inc	ision:								
(2.7) 21											
46030		Α	Removal of rectum	1.54	1.54	010	2	0	0	0	0
46040			Incision of rectum	6.32	6.32	090	2	0	1	0	0
46045			Incision of rectum	5.92	5.92	090	2	0	1	0	0
46050			Incision of anal abscess	1.72	1.43	010	2	0	1	0	.0
46060			Incision of rectum	10.95	10.95	090	2	0	1	0	0
46070			Incision of anal septum	3.97	3.97	090	2	0	Õ	0	Ŏ
46080			Incise anal sphincter	4.56	4.56	010	2	Ŏ	1	Õ	ŏ
46083			Incise hemorrhoid	1.92	1.62	010	2	Ŏ	1	Ŏ	Ŏ
		_	· ·				-		-	-	-

(148) Anus	, exc	cision:								
46200 46210 46211 46220 46221 46230 46250 46255 46257 46258 46260 46261 46262 46270 46275 46280 46285 46288 46320	A A A A A A A A A A A A A A A A A A A	Removal of anal fissure Removal of anal crypt Removal of anal crypts Removal of anal tab Ligation of hemorrhoid Removal of anal tabs Hemorrhoidectomy Hemorrhoidectomy Remove hemorrhoid Remove hemorrhoid Hemorrhoidectomy Remove hemorrhoid Remove hemorrhoid Removal of anal fistula Removal of hemorrhoid	6.65 3.24 5.90 2.09 2.01 3.20 7.14 9.89 11.35 12.40 13.29 14.61 15.18 5.39 9.61 11.99 6.15 10.38 2.20	6.65 3.24 5.90 2.09 1.69 2.80 7.14 9.89 11.35 12.40 13.29 14.61 15.18 5.39 9.61 11.99 6.15 10.38 1.86	090 090 090 010 010 010 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(149) Anus	, int	roduction:								
46500	A	Injection, hemorrhoids	1.80	1.65	010	2	0	1	0	0
(150) Anus	, en	doscopy:								
46600 46604 46606 46608 46610 46611 46612 46614 46615	A A A A A A A	Diagnostic anoscopy Anoscopy and dilation Anoscopy and biopsy Anoscopy, remove foreign Anoscopy, remove tumor Anoscopy Anoscopy, remove tumor Anoscopy, bleeding Anoscopy	0.74 1.59 1.12 2.47 2.10 2.55 3.58 3.46 4.07	0.61 1.41 0.94 2.47 2.10 2.14 3.58 2.71 3.32	000 000 000 000 000 000 000 000	2 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0	1 1 0 1 0 0 0 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
(151) Anus	, rep	pair:								
46700 46705 46715 46716 46730 46735 46740 46742 46744 46746 46748 46750 46751 46753 46754 46760	A A A A A A A A A A A A A A A A A A A	Repair of anal stricture Repair of anal stricture Repair of anovaginal Repair of anovaginal Construction of absent Construction of absent Construction of absent Repair imperforated anus Repair, cloacalanomaly Repair, cloacalanomaly Repair, cloacalanomaly Repair of anal sphincter Repair of anal sphincter Reconstruction Removal of suture Repair of anal sphincter	13.20 10.41 10.61 17.65 31.33 37.82 33.61 47.08 52.76 58.09 64.35 13.86 12.23 11.26 2.99 17.75	13.20 10.41 10.61 17.65 31.33 37.82 33.61 47.08 52.76 58.09 64.35 13.86 12.23 11.26 2.99 17.75	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

5221.4030 FEES FOR MEDICAL SERVICES										608
46761 46762	A A	- 1	17.32 15.35	17.32 15.35	090 090	2 2	0	2 2	1 1	0
(152) Anus	s, de	struction:								
46900 46910 46916 46917 46922 46924 46934 46935 46936 46937 46938	A A A A A A A	Cryotherapy, rectal tumor	2.14 2.35 2.37 3.73 3.05 5.23 4.95 3.89 6.25 4.96 6.93	1.96 2.04 2.05 2.80 3.05 5.23 4.37 3.11 5.14 4.96 6.93	010 010 010 010 010 010 090 010 090 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 1 1 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
46940 46942	A A	Treatment of anus Treatment of anus	2.65 2.34	2.40 2.12	010 010	2	$0 \\ 0$	1 0	0	0
(153) Anus		ture: Ligation of hemorrhoids	2.62	2.31	090	2	0	1	0	0
46946	A	Ligation of hemorrhoids	3.73	3.27	090	2	0	1	0	0
(154) Anus	, otl	ner procedures:								
46999	С	Anus surgery	0.00	0.00	YYY	2	0	0	1	1
(155) Liver	, inc	cision:								
47000 47001 47010 47011 47015	A A	Needle biopsy of liver Needle biopsy of liver Open drainage of abscess Percutaneous drainage Inject/aspirate	3.15 3.15 16.48 6.25 15.95	3.15 3.15 16.48 6.25 15.95	000 ZZZ 090 000 090	2 0 2 2 2	0 0 0 0	1 1 2 2 2	0 1 1 0 1	0 0 0 0
(156) Liver	, exc	cision:								
47100 47120 47122 47125 47130 47133 47134 47135 47136	A A A	Wedge biopsy of liver Partial removal Extensive removal Partial removal Partial removal Removal of donor Partial removal Transplantation Transplantation	10.35 33.65 51.09 47.50 51.77 0.00 57.95 31.31 98.93	10.35 33.65 51.09 47.50 51.77 0.00 57.95 31.31 98.93	090 090 090 090 090 XXX XXX 090 090	2 2 2 2 2 9 2 2 2	0 0 0 0 0 9 0 0	2 2 2 2 2 9 2 2 2	1 1 1 1 1 9 1 1	0 0 0 0 0 9 2 2

FEES FOR MEDICAL SERVICES 5221.4030

609

007			TLLS	rok n	ILDICA	COLK	, iCi	20	<i>,,,,</i>	1.40	50		
(157) Liver, repair:													
47300	Α	Surgery for liver		17.07	17.07	090	2	0	2	1	0		
47350	Α	Repair liver wound		19.43	19.43	090	2	0	2	1	0		
47360	Α	Repair liver wound		27.45	27.45	090	2	0	2	1	0		
47361	Α	Repair liver wound		43.48	43.48	090	2	0	2	1	0		
47362	Α	Repair liver wound		16.51	16.51	090	2	0	2	1	0		
(158) Liver,	oth	ner procedures:											
47399	C	Liver surgery		0.00	0.00	YYY	2	0	2	1	1		
(159) Bilian	y tra	act, incision:											
,				•= ••	0-	224	_	_	_		_		
47400		Incision of liver		27.93	27.93	090	2	0	2	1	0		
47420	Α	Incision of bile duct		25.43	25.43	090	2	0	2	1	0		
47425	Α	Incision of bile duct		27.80	27.80	090	2	0	2	1	0		
47460	Α	Incise bile duct		29.79	29.79	090	2	0	2	1	0		
47480	Α	Incision of gallbladder		16.48	16.48	090	2	0	2	1	0		
47490	A	Incision of gallbladder		10.22	10.22	090	2	0	1	0	0		
(160) Biliar	y tra	act, introduction:											
47500	Α	Injection for liver		3.32	3.32	000	2	0	1	0	0		
47505	Α	Injection for liver		1.71	1.58	000	2	0	0	0	0		
47510	Α	Insert catheter		10.02	10.02	090	2	0	1	0	0		
47511	Α	Insert bile duct		12.44	12.44	090	2	1	1	0	0		
47525	Α	Change bile duct		6.66	6.66	010	2	0	1	0	0		
47530	A	Revise/reinsert bile tub	e	6.87	6.87	090	2	0	1	0	0		
(161) Biliary	y tra	act, endoscopy:											
47550	Α	Biliary endoscopy		4.44	4.44	000	0	0	2	1	0		
47552	Α	Biliary endoscopy		6.91	6.91	000	2	0	1	1	0		
47553	Α	Biliary endoscopy		9.78	9.78	000	3	0	1	0	0		
47554	Α	Biliary endoscopy		12.39	12.39	000	3	0	1	1	Õ		
47555	A	Biliary endoscopy		9.57	9.57	000	3	Õ	1	ō	ŏ		
47556	A	Biliary endoscopy		10.48	10.48	000	3	Õ	1	0	Ö		
(162) Biliar	y tra	act, excision:											
47600	Α	Removal of gallbladder		18.51	18.51	090	2	0	2	1	0		
47605	Α	Removal of gallbladder	•	20.05	20.05	090	2 2 2 2 2	0	2	1	0		
47610	Α	Removal of gallbladder		24.52	24.52	090	2	0	2	1	0		
47612	Α	Removal of gallbladder		29.77	29.77	090	2	ŏ	$\bar{2}$	1	ŏ		
47620	A	Removal of gallbladder		27.91	27.91	090	$\frac{1}{2}$	ŏ	$\bar{2}$	ī	ŏ		
47630		Remove bile duct		12.11	12.11	090	2	ŏ	$\overline{1}$	1	ŏ		
47700	A	Explore bile ducts		21.80	21.80	090	$\tilde{2}$	ŏ	2	î	ŏ		
47701	A	Bile duct revision		34.22	34.22	090	2	ŏ	õ	0	ŏ		
47711		Excision of bile duct		30.59	30.59	090	2	ő	2	1	ő		
47712	A	Excision of bile duct		36.10	36.10	090	2	ő	2	$\hat{1}$	ő		
47715	A	Excision of bile duct		23.24	23.24	090	2	0	2	1	0		
47716	A			19.74	19.74	090	2 2	0	2	1	0		
11110		1 asion of one duct cyst		L / . / T	17.77	570	۷	U	_	4	J		

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(163) Biliary tract, repair:											
47720	Α	Fuse gallbladder	22.06	22.06	090	2	0	2	1	0	
47721	A	Fuse upper GI structures	26.99	26.99	090	2	Ŏ	2	1	0	
47740	Α	Fuse gallbladder	25.15	25.15	090	2	Õ	2	1	0	
47741	A	Fuse gallbladder	31.82	31.82	090	2	ŏ	2	1	0	
47760	A	_	32.35	32.35	090	2	ŏ	2	1	ő	
47765		Fuse liver ducts	34.75	34.75	090	2	ŏ	2	1	0	
47780	A	Fuse bile ducts	34.37	34.37	090	2	0	2	1	0	
47785	A	Fuse bile ducts	37.94	37.94	090	2	Ö	2	1	0	
47800	A	Reconstruction	31.90	31.90	090	2	0	2	1	0	
47801	A	Placement, bile duct	17.32	17.32	090	2	0	2	1	0	
47802	A	•	27.34	27.34	090	2	0	2	1	0	
47900	A	Suture bile duct		29.31		2	0	2	1	0	
47900	A	Suture one duct	29.31	29.31	090	2	U	2	1	U	
(164) Bilian	y tr	act, other procedures:									
47999	С	Bile tract surgery	0.00	0.00	YYY	2	0	2	1	1	
(165) Panci	reas	, incision:									
48000	Α	Drainage of abdomen	21.12	21.12	090	2	0	2	1	0	
48001	Α	Placement of drains	25.99	25.99	090	2	0	2	1	Ō	
48005	Α	Resect/debride pancreas	30.39	30.39	090	2	0	2	1	0	
48020	Α	Removal of calculus	20.32	20.32	090	2	0	2	1	0	
(166) Panci	reas	excision:									
48100	Α	Biopsy of pancreas	14.56	14.56	090	2	0	2	1	0	
48102	Α	Needle biopsy, pancreas	6.71	6.71	010	2	Õ	1	0	ŏ	
48120	A	Removal of pancreas	23.57	23.57	090	2	Õ	2	1	ő	
48140	A	Partial removal	33.26	33.26	090	2	Ö	2	1	ŏ	
48145	Α	Partial removal	36.67	36.67	090	2	Õ	2	1.	0	
48146	A	Pancreatectomy	38.69	38.69	090	2	0	2	1	0	
48148	A	Removal of pancreas	23.14	23.14	090	2	Õ	2	1	0	
48150		Partial removal	63.86	63.86	090	2	0	2	1	0	
48152	Α	Pancreatectomy	60.37	60.37	090	2	Ŏ	2	1	0	
48153		Pancreatectomy	63.77	63.77	090	2	Ŏ	2	1	Õ	
48154		Pancreatectomy	60.66	60.66	090	2	0	2	1	Õ	
48155	A	Removal of pancreas	42.32	42.32	090	2	Ö	2	1	0	
48160	N	Pancreas removal	0.00	0.00	XXX	9	9	9	9	9	
48180	A		33.95	33.95	090	2	ó	2	1	ó	
.0100	- 1	2 200 panerous and boner	55.75	55.75	070	-	J	~	•	J	
(167) Panci	eas,	introduction:									
48400	A	Injection, intraoperative	2.90	2.90	ZZZ	0	0	0	0	0	

(168) Pancreas	, repair:									
48510 A 48511 A 48520 A 48540 A 48545 A	Surgery of pancreas Drain pancreatic cyst Drain pancreatic cyst Fuse pancreatic cyst Fuse pancreatic cyst Pancreatorrhaphy Duodenal exclusion	21.72 19.84 6.75 25.07 29.90 23.34 33.37	21.72 19.84 6.75 25.07 29.90 23.34 33.37	090 090 000 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	2 2 2 2 2 2 2 2	1 1 0 1 1 1	0 0 0 0 0 0	
(169) Pancreas	transplantation:									
48550 N 48554 N 48556 A	Donor pancreatectomy Transplant allograft Removal, allograft	0.00 0.00 22.21	0.00 0.00 22.21	XXX XXX 090	9 .9 2	9 9 0	9 9 2	9 9 1	9 9 0	
(170) Pancreas	, other procedures:									
48999 C	Pancreas surgery	0.00	0.00	YYY	2	0	2	1	1	
(171) Abdomen, peritoneum, and omentum, incision:										
49002 A 49010 A 49020 A 49021 A 49040 A 49041 A 49060 A 49061 A 49062 A 49080 A	Exploration of abdomen Reopening of abdomen Explore behind abdomen Drain abdominal abscess Drain abdominal abscess Open drainage of abscess Percutaneous drainage Open drainage of abscess Percutaneous drainage Drain to peritoneal Puncture, peritoneal Removal of abdomen Removal of abdomen	17.93 16.03 18.58 20.40 7.16 16.04 6.75 16.49 6.25 18.54 2.11 1.91 11.82	17.93 16.03 18.58 20.40 7.16 16.04 6.75 16.49 6.25 18.54 2,11 1.91 11.82	090 090 090 090 000 090 000 090 000 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 1 1 1	1 1 1 0 0 1 0 1 0 1 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0	
(172) Abdomei	n, peritoneum, and omentum, e	xcision,	destruct	ion:						
49200 A 49201 A 49215 A 49220 A 49250 A	Biopsy, abdominal mass Removal of abdomen Removal of abdomen Excise sacral tumor Multiple surgery Excision of umbilicus Removal of omentum	3.44 18.34 26.54 29.39 26.78 12.48 15.73	3.44 18.34 26.54 29.39 26.78 12.48 15.73	000 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 2 2 2 2 1 2	0 1 1 1 1 1 1	0 0 0 0 0 0	
(173) Abdomei	n, peritoneum, and omentum, i	ntroduct	ion, revi	ision, an	d/oı	rei	nov	al:		
49420 A 49421 A 49422 A	Air injection Insert abdominal catheter Insert abdominal catheter Remove permanent Exchange drainage	2.88 3.65 9.47 10.12 2.46	2.88 3.65 9.47 10.12 2.46	000 000 090 010 000	2 2 2 2 2	0 0 0 0 0	1 1 1 1 0	0 0 0 0 0	0 0 0 0	

612

49424	Α	Assess cyst, contrast	1.28	1.28	000	2	0	0	0	0
49425	A	Insert abdomen-vein	19.49	19.49	090	2	0	2	1	0
49426	A	Revise abdomen-vein	14.54	14.54	090	2	0	1	0	0
49427			1.30	1.30		2	0	0	0	
49427 49428	A	Injection, abdomen-vein	3.30	3.30	000	2	0	-	_	0
	A	Ligation of shunt			010	2		1	0	0
49429	Α	Removal of shunt	10.35	10.35	010	2	0	1	0	. 0
(174) Abd	omei	n, peritoneum, and omentum,	repair:							
49495	Α	Repair inguinal hernia	10.68	10.68	090	2	1	2	1	0
49496	Α	Repair inguinal hernia	13.44	13.44	090	2	1	2	1	0
49500	A	Repair inguinal hernia	9.58	9.58	090	2	1	2	1	0
49501	Α	Repair inguinal hernia	12.35	12.35	090	2	1	2	1	0
49505	Α	Repair inguinal hernia	10.77	10.77	090	2	1	2	1	Ŏ
49507	A	Repair inguinal hernia	12.88	12.88	090	2	1	2	1	Ŏ
49520	A	Re-repair inguinal	13.12	13.12	090	2	1	$\tilde{2}$	1	ŏ
49521	A	Repair inguinal hernia	14.74	14.74	090	2	1	2	1	Ö
49525	A	Repair inguinal hernia	12.65	12.65	090	2	1	2	1	ő
49540	A	Repair lumbar hernia	13.69	13.69	090	2	1	2	1	ŏ
49550	A	Repair femoral hernia	11.68	11.68	090	2	1	2	1	0
49553	A	Repair femoral hernia	12.30	12.30	090	2	1	2	1	0
49555	A	Repair femoral hernia	13.56	13.56	090	2	1	2	1	0
49557	A	Repair femoral hernia	15.20	15.20	090	2	1	2	1	0
49560	A		15.20	15.20	090	2	1	2	1	0
49561	A	Repair abdominal hernia	17.16	17.16	090	2	. 1	2	1	0
49565		Repair incision				2	1	2		
	A	Re-repair hernia	15.91	15.91	090	2	1	2	1	0
49566 49568	A	Repair incision	18.10 7.24	18.10 7.24	090 <b>ZZZ</b>	0	1	2	1 1	0
49570		Hernia repair with mesh	9.14			2	1	2	1	
49570	A	Repair epigastric hernia		9.14	090	2	1	2	1	0
49572	A	Repair epigastric hernia	11.28 7.43	11.28 7.43	090 090	2	. 0	2	1	0
49582	A	Repair umbilical hernia	10.13		090	2	0	2	1	0
49585	A	Repair umbilical hernia	9.59	10.13		2	0	2	1	
	A	Repair umbilical hernia		9.59	090	2	0	2	1	0
49587	A	Repair umbilical hernia	10.63	10.63	090	2	1	2	1	0
49590 49600	A	Repair abdominal hernia	12.73 14.90	12.73	090	2	0	2	1	
49605	A	Repair umbilical hernia	29.83	14.90	090 090	2	0	2	1	0
49606	A	Repair umbilical hernia Repair umbilical hernia	25.44	29.83 25.44	090	2	0	2	1	0
	A		25.44 15.53		090		-		_	
49610 49611		Repair umbilical hernia Repair umbilical hernia		15.53		2	0	2	1 1	0
49011	A	Repair unionical nerma	17.11	17.11	090	2	U	2	1	0
(175) Abdo	omer	n, peritoneum, and omentum,	suture:							
49900	Α	Repair of abdominal wall	15.10	15.10	090	2	0	2	1	0
		-								
(176) Abdo	omen	n, peritoneum, and omentum,	other pro	cedures	:					
49905	Δ	Omental flap	9.69	9.69	ZZZ	0	0	2	2	0
49906		Free omental flap	0.00	0.00	090	2	0	2	1	0
49999		Abdomen surgery	0.00	0.00	YYY		0	2	1	1
7////		1 todomen surgery	0.00	0.00	111	2	J	۷	1	T

#### FEES FOR MEDICAL SERVICES 5221.4030

materni				code	numbers	50010	to	598	399	relat	te to	) {	genit	our	ina	туа	ınd
1	2	3		4			5	5	(	6	7	•	8	9	10	11	12
(1) Kidı	ney, ii	nci	sion:														
	•											_	_	_	_		_
50010 50020			Explora				19.8 20.3		19.5 20.		09 09		2 2	0	2 1	1 1	0
50020			Open di		drain rena	al	5.1		5.		00		2	ŏ	2	0	0
50040			Drainag			41	20.8		20.		09		$\tilde{2}$	ŏ	$\tilde{2}$	1	ŏ
50045		A	Explora				24.0		24.		09		2	0	2	1	Õ
50060			Remova				30.0		30.	02	09	0	2	0	2	1	0
50065			Incision				33.0		33.		09		2	0	2	0	0
50070			Incision				31.6		31.		09		2	0	2	1	0
50075			Remova				40.1		40.		09		2	0	2	1	0
50080			Remova				25.7		25.		09		2	0	1	0	0
50081			Remova				35.0		35.		09 09		2 2	0	2	1 1	0
50100 50120			Revise l Explora				25.3 25.6		25. 25.		09		2	0	2	1	0
50125		A	Explore		Irain		26.		26.		09		2	ŏ	2	1	Ö
50130		A	Remova				28.7		28.		09		$\bar{2}$	ŏ	$\bar{2}$	1	ŏ
50135			Explora				34.		34.		09		$\bar{2}$	0	2	1	0
			•														
(2) Kidı	ney, e	exci	ision:	•								•					.*
50200		Α	Biopsy o	of kidr	nev		5.0	03	5.	03	00	00	2	0	1	0	0
50205		Α	Biopsy o				16.3		16.		09	0	2	0	2	1	0
50220		Α	Remova				29.2		29.		09		2	0	2	1	0
50225			Remova				35.2		35.		09		2	0	2	1	0
50230			Remova				38.8		38.		09		2	0	2	2	0
50234			Remova				37.3		37.		09 09		2 2	0	2	1 1	0 0
50236 50240			Remova Partial i				40.6 36.3		40. 36.		09		2	0	2	1	0
50280			Remova				25		25.		09		2	ŏ	2	1	ő
50290		A	Remova				22.0		22.		09		$\bar{2}$	Ŏ	$\bar{2}$	î	ŏ
					-												
(3) Kidi	ney, r	en	al transp	lantati	on:												
50300		X	Remova	al of d	onor kidn	ey	0.0	00	0.	00	XX	X	9	9	9	9	9
50320		Α	Remova	al of d	onor kidn	ey	37.4		37.		09		2	1	2	1	0
50340			Remova				24.		24.		09		2	1	2	1	0
50360		Ą	Transpl	antatio	on		54.		54.		09		2	0	2	2	2
50365		A	Transpl				65.		65.		09		2	1	2 2 2 2	2	2
50370 50380			Remove Reimpla				24.2 29.3		24. 29.		09 09		2	0	2	1 1	0
30360	,	^	Kempi	amanc	)11		<i>2</i> 7	50	29.	50	U S	,0	۷	U	2		U
(4) Kidı	ney, i	ntr	oduction	ı:												•	
50390		Α	Drainag	e of k	idnev		3.4	49	3.	49	00	00	2	1	1	0	0
50392			Insert k					46		46	00		2	1	1	Ŏ	Ŏ
50393	•	Α	Insert u	retera	l catheter		6.8	83	6.	83	00	00	2	1	1	0	0
50394			Injectio					25		25		00	.2	1	1	0	0
50395			Create					45 41		45 41		00	2	1	1	0	0
50396		Α	Measur	e kian	су		۷.	41	۷.	41	00	JU	2	1	0	0	0

5221.4030	FE	ES FOR MEDICAL SERVI	CES						Ć	514
50398	A	Change kidney tube	1.86	1.86	000	2	1	1	0	0
(5) Kidney	, rep	pair:								
50400 50405 50500 50520 50525 50526 50540	A A A	Repair of kidney Close kidney-skin Repair renal-abscess Repair renal-abscess	31.65 39.39 30.71 26.46 33.50 30.22 31.90	31.65 39.39 30.71 26.46 33.50 30.22 31.90	090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 2	2 2 2 2 2 2 2 2	1 1 1 1 0 1	0 0 0 0 0 0
(6) Kidney	, en	doscopy:								
50551 50553 50555 50557 50559 50561 50570 50572 50574 50575 50576 50578 50580	A A A A A A A A A A A	Kidney endoscopy Kidney endoscopy Renal endoscopy Kidney endoscopy	7.32 7.14 10.72 10.83 7.53 12.11 10.14 16.81 17.20 22.82 18.80 14.62 14.42	7.32 7.14 10.72 10.83 7.53 12.11 10.14 16.81 17.20 22.82 18.80 14.62 14.42	000 000 000 000 000 000 000 000 000 00	2 2 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
(7) Kidney, 50590		er procedures: Fragmenting	18.45	. 18.45	090	2	1	1	0	0
(8) Ureter,	inci	sion:								
50600 50605 50610 50620 50630	A A A A	Exploration Insert ureteral Removal of ureteral Removal of ureteral Removal of ureteral	24.30 20.27 26.47 25.50 26.53	24.30 20.27 26.47 25.50 26.53	090 090 090 090 090	2 2 2 2 2	1 1 1 1	2 2 2 2 2	1 1 1 1	0 0 0 0 0
(9) Ureter,	exc	sion:								
50650 50660		Removal of ureteral Removal of ureteral	28.13 30.66	28.13 30.66	090 090	2 2	0	2 2	1	0
(10) Ureter	r, int	roduction:					٠			
50684 50686 50688	Α	Injection, ureterography Measure ureteral Change of ureteral	1.19 1.75 1.46	1.19 1.75 1.46	$000 \\ 000 \\ 010$	2 . 2 . 2	$\begin{matrix} 1 \\ 0 \\ 0 \end{matrix}$	1 0 1	0 0 0	0 0 0

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

		MINNESO	IAK	ULE	<i>S</i> 2001									
FEES FOR MEDICAL SERVICES 5221.4030  50690 A Ureteropyelography 1.38 1.38 000 2 0 1 0 0														
50690	Α	Ureteropyelography		1.38	1.38	000	2	0	1	0	0			
(11) Ureter	, гер	oair:												
50700 50715 50722 50725 50727 50728 50740 50750 50760 50770 50780 50782 50783 50785 50800 50810 50815 50820 50825 50820 50825 50830 50840 50845 50860 50900 50920 50930 50940	A A A A A A A A A A A A A A A A A A A	Revision of ureteral Release of ureteral Release of ureteral Release/revise Revise ureteral Revise ureteral Fusion of ureteral Fusion of ureteral Fusion of ureteral Fusion of ureteral Splicing of ureteral Reimplant ureteral Reimplant ureteral Reimplant ureteral Reimplant ureteral Implant ureteral Implant ureteral Fusion of ureteral Urine shunt Construct bowel Construct bowel Revise urine fluid Replace ureteral Appendico-vesicostom Transplant ureteral Repair of ureteral Closure of ureter Release of ureteral	y .	26.66 28.84 25.90 29.39 12.89 18.97 30.35 31.97 30.55 33.27 30.78 31.85 32.77 34.52 28.18 31.31 38.70 39.57 56.92 49.87 31.77 33.11 25.13 22.64 22.75 29.74 23.26	26.66 28.84 25.90 29.39 12.89 18.97 30.35 31.97 30.55 33.27 30.78 31.85 32.77 34.52 28.18 31.31 38.70 39.57 56.92 49.87 31.77 33.11 25.13 22.64 22.75 29.74 23.26	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	$\begin{smallmatrix} 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 &$	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 2 2 1 0 1 1 1 1 2 2 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
(12) Ureter	, en	doscopy:								•				
50951 50953 50955 50957 50959 50961 50970 50972 50974 50976 50978 50980	A A A A A A A A A	Endoscopy of ureteral Endoscopy of ureteral Ureter endoscopy Ureter endoscopy		7.01 7.36 8.73 8.72 7.42 8.17 11.76 7.83 15.45 14.74 8.81 9.41	7.01 7.36 8.73 8.72 7.42 8.17 11.76 7.83 15.45 14.74 8.81 9.41	000 000 000 000 000 000 000 000 000 00	2 3 3 3 3 2 2 3 3 2 2 2	1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0			
(13) Bladde	r, ir	ncision:												

51000 A Drainage of bladder 51005 A Drainage of bladder 51010 A Drainage of bladder 51020 A Incise and treat 51030 A Incise and treat	1.20 1.39 4.20 13.10 10.76	1.20 1.39 4.20 13.10 10.76	070	2 2 2 2 2	0 0 0 0 0	1 1 2	0 0 0 1 0	0
---	--	--	-----	-----------------------	-----------------------	-------------	-----------------------	---

51040 51045 51050 51060 51065 51080		A A A A A	Incise and drain Incise bladder Removal of bladder Removal of ureteral Removal of ureteral Drainage of bladder	9.08 11.21 13.55 18.10 15.26 10.73	9.08 11.21 13.55 18.10 15.26 10.73	090 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	2 2 2 2 0 2	1 0 1 1 0 1	0 0 0 0 0
(14) B	ladde	er, e	xcision:								
51500 51520 51525 51530 51535 51550 51555 51565 51570 51575 51580 51585 51590 51595 51596 51597		A A A A A A A A A A A A A A A A A A A	Removal of bladder Removal of bladder Removal of bladder Removal of bladder Repair of ureteral Partial removal Partial removal Revise bladder Removal of bladder Removal of bladder Removal of bladder Removal of bladder Remove bladder	16.50 17.15 23.57 20.74 19.46 25.21 31.84 35.85 38.03 50.98 48.61 57.58 54.75 68.21 71.48 66.78	16.50 17.15 23.57 20.74 19.46 25.21 31.84 35.85 38.03 50.98 48.61 57.58 54.75 68.21 71.48 66.78	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 1 0 0 0 0 2 0 2 0 2 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(15) Bl	ladde	r, ir	ntroduction:								
51600 51605 51610 51700 51705 51710 51715 51720		A A A A A A	Injection for bladder Preparation for chain Injection for bladder Irrigation of bladder Change of bladder tube Change of bladder tube Endoscopic injection Treatment of bladder	1.09 .89 1.23 1.02 1.32 1.94 6.10 2.24	1.09 .89 1.23 0.92 1.13 1.66 6.10 2.02	000 000 000 000 010 010 000 000	2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 0 1	0 0 0 0 0 0 0	0 0 0 0 0 0
(16) Bl	adde	r, u	rodynamics:								i
51725 51725 51725 51726 51726 51726 51736 51736 51736 51741 51741 51741 51772 51772	26 TC 26 TC 26 TC 26 TC	A A A	Simple cystometrogram Simple cystometrogram Simple cystometrogram Complex cystometrogram Complex cystometrogram Complex cystometrogram Urine flow measure Urine flow measure Urine flow measure Electro-uroflow Electro-uroflow Electro-uroflow Urethra pressure Urethra pressure	2.41 2.02 0.39 2.87 2.38 0.49 0.97 0.82 0.15 1.61 1.40 0.21 2.43 2.00	2.41 2.02 0.39 2.87 2.38 0.49 0.97 0.82 0.15 1.61 1.40 0.21 2.43 2.00	000 000 000 000 000 000 000 000 000 00	2 2 0 2 2 0 2 2 0 2 2 0 2 2 0 2 2 0 2 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 0 0 2 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 1 1 1 0 0 0 1 1 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0

### FEES FOR MEDICAL SERVICES 5221.4030

51772 51784 51784 51785 51785 51785 51792 51792 51792 51795 51795 51795 51797 51797	26 TC 26	A A A A A A A A A A A A A A A A A A A	Urethra pressure Anal/urinary muscle Urinary reflex Urinary reflex Urinary reflex Urine voiding pressure Urine voiding pressure Urine voiding pressure Urine voiding pressure Intra-abdominal Intra-abdominal Intra-abdominal	0.43 2.45 2.06 0.40 2.45 2.06 0.40 2.97 1.60 1.37 2.87 1.97 0.90 2.43 1.97 0.46	0.43 2.45 2.06 0.40 2.45 2.06 0.40 2.97 1.60 1.37 2.87 1.97 0.90 2.43 1.97 0.46	000 000 000 000 000 000 000 000 000 00	0 2 2 0 2 2 0 2 2 0 2 2 0 2 2 0 2 0 2 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(17) Bl	adde	r, re	epair:								
51800 51820 51840 51841 51845 51860 51865 51880 51900 51920 51925 51940 51960 51980	addo	A A A A A A A A A A A A A A A A A A A	Revision of bladder Revision of urine Attach bladder Attach bladder Repair bladder Repair of bladder Repair of bladder Repair of bladder Repair of bladder Repair bladder Close bladder Hysterectomy/bladder Correction of bladder Revision of bladder Construct bladder	28.24 24.11 19.32 23.28 19.77 18.77 24.94 12.03 23.81 18.38 25.16 43.87 42.81 17.93	28.24 24.11 19.32 23.28 19.77 18.77 24.94 12.03 23.81 18.38 25.16 43.87 42.81 17.93	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0
52000	adue	Α	ndoscopy, cystoscopy, urethroso Cystoscopy	зору, суs 3.19	2.54	осору. 000	2	0	1	0	0
52005 52007		A A	Cystoscopy and ureteral Cystoscopy	4.40 5.62	4.40 5.62	000 000	2	0 1	1 1	$0 \\ 0$	0 0
52010 (19) Bl	adde		Cystoscopy and duct ansurethral surgery:	4.69	3.77	000	3	0	1	0	0
52204 52214 52224 52234 52235 52240 52250 52260 52265 52270		A A A A	Cystoscopy	4.58 6.23 5.81 9.00 11.19 19.69 7.01 5.72 4.05 6.60	4.58 6.23 5.81 9.00 11.19 19.69 7.01 5.72 3.40 6.60	000 000 000 000 000 000 000 000 000	3 3 2 2 2 2 3 3 3	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0

52275	Α	Cystoscopy	7.76	7.76	000	3	0	1	0	0
52276	Α	Cystoscopy	9.21	9.21	000	3	0	1	0	0
52277	Α	Cystoscopy	10.52	10.52	000	3	0	0	0	0
52281	Α	3 10	4.90	3.78	000	3	0	1	0	0
52282	A		10.48	10.48	000	3	0	1	0	.0
52283	A	Cystoscopy	4.94	4.94	000	3	0	1	Õ	0
52285	A	Cystoscopy	6.28	4.86	000	3	Ŏ	1	ŏ	0
52290	A	Cystoscopy	6.56	6.56	000	3	2	1	0	ŏ
52300	A		8.37	8.37	000	3	2	0	0	ő
52300		Cystoscopy	8.55	8.55		3	2	0	0	0
	A	Cystoscopy			000	3				
52305	A	Cystoscopy	8.39	8.39	000		0	1	0	0
52310	A	Cystoscopy	5.60	5.60	000	3	0	1	0	0
52315	Α	Cystoscopy	8.88	8.88	000	3	0	1	· 0	0
52317	Α	Remove bladder	12.41	12.41	000	3	0	1	0	0
52318	Α	Remove bladder	16.38	16.38	000	3	0	1	0	0
(20) Bladde	er, u	reter and pelvis:								
52320	٨	Custoscopy	9.22	9.22	000	3	1	1	0	0
	A	Cystoscopy	12.52	12.52		3	1	1	0	
52325	A	Cystoscopy			000					0
52327	A	Cystoscopy, injection	8.47	8.47	000	3	0	1	0	0
52330	A	Cystoscopy	8.12	8.12	000	3	1	1	0	0
52332	Α	Cystoscopy	5.85	5.75	-000	3	1	1	0	0
52334		Create passage	7.79	7.79	000	3	1	1	0	0
52335	Α	Endoscopy, ureteroscopy	10.10	10.10	000	2	0	1	0	0
52336	Α	Cystoscopy	14.10	14.10	000	3	0	1	0	0
52337	Α	Cystoscopy	16.30	16.30	000	3	1	1	0	0
52338	Α	Cystoscopy	12.70	12.70	000	3	1	1	0	0
52339	Α	Cystoscopy	14.04	14.04	000	3	0	0	0	0
(21) Bladde	er, v	esical neck and prostate:								
		_				_	_		_	_
52340		Cystoscopy	14.04	14.04	090	2	0	1	0	0
52450	Α	Incision of prostate	12.03	12.03	090	2	0	1	0	0
52500	Α	Revision of bladder	15.27	15.27	090	2	0	1	0	0
52510	Α	Dilation prostate	13.65	13.65	090	2	0	1	0	0
52601	Α	Prostatectomy	23.34	23.34	090	2	0	1	0	0
52606	Α	Control postoperative	10.77	10.77	090	2	0	1	0	0
52612	Α	Prostatectomy	16.27	16.27	090	2	0	1	0	0
52614	Α	Prostatectomy	13.43	13.43	090	2	0	1	0	0
52620	Α	Remove residual	11.43	11.43	090	2	0	1	0	0
52630	Α	Remove prostate	14.93	14.93	090	2	0	1	0	0
52640	Α	Relieve bladder	12.56	12.56	090	2	0	1	0	. 0
52647	Α	Laser surgery	21.06	21.06	090	2	0	1	0	0
52648	Α	Laser surgery	22.28	22.28	090	2	0	1	0	0
52700	Α	Drainage of prostate	9.55	9.55	090	2	0	0	0.	0
				•						
(22) Urethi	a, ir	ncision:								
53000	Α	Incision of urethra	3.86	3.86	010	2	0	1	0	0
53010	A	Incision of urethra	6.91	6.91	090	2	0	1	0	0
53020	A	Incision of urethra	2.45	2.45	000	2	0	1	0	0
53025		Incision of urethra	1.84	1.84	000	2	0	0	0	ŏ
53040	A	Drainage of urethra	7.70	7.70	090	2	ŏ	0	ŏ	ŏ
22010	. 1		,.,0		370	~	J	Ü	•	J

619		FEES FOR	MEDICAL	SERVIO	CES	522	1.40	30
53060 A 53080 A 53085 A	Drainage of urethra Drainage of urine Drainage of urine	2.9 9.8 16.2	9.80	010 2 090 2 090 2	. 0	1 1 2	0 0 1	0 0 0
(23) Urethra, e	xcision:							•
53210 A 53215 A 53220 A 53230 A 53235 A	Biopsy of urethra Removal of urethra Removal of urethra Treatment of urethra Removal of urethra Removal of urethra Surgery of urethra Removal of urethra Treatment of urethra Treatment of urethra Removal of urethra Removal of urethra Removal of urethra	3.4 18.1 24.3 11.2 16.7 14.3 10.2 9.4 3.8 4.7 3.7 6.5	9 18.19 3 24.33 3 11.23 9 16.79 2 14.32 9 10.29 8 9.48 8 3.88 7 4.77 2 3.31	000 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 010 2 010 2 010 2	0 0 0 0 0 0	1 2 2 0 2 2 1 1 1 1 1	0 1 1 0 1 1 0 0 0 0 0	0 0 0 0 0 0 0 0 0
(24) Urethra, r	epair:						•	;
53405 A 53410 A 53415 A 53420 A 53425 A 53425 A 53440 A 53442 A 53442 A 53443 A 53445 A 53447 A 53449 A 53450 A 53460 A 53502 A 53505 A 53510 A	Revise urethra Revise urethra Reconstruction Reconstruction Reconstruct urethra Reconstruct urethra Reconstruction Correct bladder Remove perineal Reconstruction Correct urine flow Remove artificial Correct artificial Revision of urethra Revision of urethra Repair of urethra	19.2 23.8 23.6 29.7 23.8 23.9 22.1 24.6 13.5 28.3 21.3 17.3 8.3 8.9 12.0 12.2 16.2 21.2	4 23.84 6 23.66 2 29.72 7 23.87 7 22.17 6 24.66 2 13.52 4 28.34 3 28.83 0 21.30 8 17.38 17.38 7 8.37 6 8.96 4 12.04 1 12.21 1 12.21 1 16.28 9 21.29	090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2 090 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
53601 A 53605 A 53620 A 53621 A 53660 A 53661 A 53665 A	Dilate urethra Dilate urethra Dilate urethra Dilate urethra Dilate urethra Dilate urethra Dilation of urethra Dilation of urethra Dilation of urethra Insert urinary catheter	1.4 1.1 1.6 1.9 1.6 0.9 0.9 1.0	9 1.05 3 1.63 5 1.73 1 1.43 3 0.80 1 0.79 6 1.06	000 2 000 2 000 2 000 2 000 2 000 2 000 2 000 2	0 0 0	1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0

5221.4030	FEE	S FOR MEDICAL SERVIC	ES						6	520
53675	A	Insert urinary catheter	1.82	1.82	000	2	0	1	0	0
(26) Urethra	a, ot	her procedures:								
53850		Prostatic microwave	15.42	15.42	090	2	0	1	0	0
53852		Prostatic radiofrequency	16.12	16.12	090	2	0	1	0	0
53899	C	Urology surgery	0.00	0.00	YYY	2	0	0	1	1
(27) Penis, i	ncisi	ion:								
54000	Α	Slitting of penis	2.05	2.05	010	2	0	0	0	0
54001		Slitting of penis	2.85	2.85	010	2	0	1	0	0
54015	Α	Drain penis lesion	5.68	5.68	010	2	0	0	0	0
(28) Penis, c	lestr	ruction:								
54050	Α	Destruction, penis	1.51	1.33	010	2	0	1	0	0
54055		Destruction, penis	1.73	1.44	010	2	Ō	1	Ō	0
54056		Cryosurgery, penis	1.66	1.40	010	2	0	1	0	0
54057		Laser surgery, penis	2.71	2.56	010	2	0	1	0	0
54060		Excision of penis	2.95	2.95	010	2	0	1	0	0
54065	А	Destruction, penis	4.72	3.53	010	2	0	1	0	0
(29) Penis, e	xcis	ion:								
54100		Biopsy of penis	2.39	2.39	000	2	0	1	0	0
54105		Biopsy of penis	4.21	4.21	010	2	0	1	0	0
54110		Treatment of penis	15.36	15.36	090	2	$0 \\ 0$	2	$0 \\ 1$	0
54111 54112		Treat penis lesion Treat penis lesion	21.72 25.50	21.72 25.50	090 090	2	0	2	1	0
54115		Treatment of penis	9.86	9.86	090	2	0	2	0	0
		Partial removal of penis	15.64	15.64	090	$\bar{2}$	ŏ	2	1	Õ
54125		Removal of penis	24.09	24.09	090	2	0	2	1	0
54130		Removal of penis	33.17	33.17	090	2	2	2	1	0
54135		Removal of penis	42.04	42.04	090	2	2	2	0	0
54150 54152		Circumcision Circumcision	2.19 3.97	2.19 3.97	010 010	2	0 0	$0 \\ 1$	0 0	0
54160		Circumcision	3.97	3.97	010	2	0	1	0	0
54161		Circumcision	5.19	5.19	010	2	ŏ	1	ŏ	ő
(30) Penis, in	ntro	duction:							•	
54200	A	Treatment of penis	1.29	1.13	010	2	0	1	0	0
54205		Treatment of penis	12.41	12.41	090	2	ő	2	ŏ	0
54220	Α ΄	Treatment of penis	3.82	3.82	000	2	0	1	0	0
54230	Α	Prepare penis	2.58	1.94	000	2	0	1	0	0
54231 54235		Dynamic cavernosometry	3.32	3.32	000	2	0	1	0	0
54235 54240		Penile injection Penis study	1.52 2.21	1.31	000 000	2	$0 \\ 0$	$\begin{array}{c} 1 \\ 0 \end{array}$	0 0	$0 \\ 0$
		Penis study	1.71	1.71	000	,2	0	0	0	0
		Penis study	0.50	0.50	000	0	0	0	0	0

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

621		F	EES FOI	R M	EDICAL	SERV	ЛСЕ	ES	522	1.40	30
54250	А	Penis study	2	83	2.83	000	2	0	0	0	0
54250		Penis study		53	2.53	000	2	ŏ	Õ	ŏ	ő
54250		Penis study		31	0.31	000	0	ŏ	Õ	0	ŏ
3 (230	10 11	1 oms study	0.		0.01	000	Ü	Ü	Ü	Ü	Ü
(31) Pe	enis, rep	air:									
54300	Α	Revision of penis	16.		16.58	090	2	0	2	1	0
54304	A	Revision of penis	20.		20.20	090	2	0	2	0	0
54308	A	Reconstruction	16.		16.79	090	2	0	2	1	0
54312	Α	Reconstruction	21.		21.87	090	2	0	2	1	0
54316	A	Reconstruction	26.		26.84	090	2	0	2	1	0
54318	A	Reconstruction	18.		18.10	090	2	0	2	1	0
54322	A	Reconstruction	19.		19.57	090	2	0	2	0	0
54324	A	Reconstruction	26.		26.01	090	2 2	0	2	1	0
54326	A	Reconstruction	24. 25.		24.99 25.25	090	2	0	2	1 1	0
54328	A	Revise penis			28.22	090	2	0	2	1	_
54332	A	Revise penis Revise penis	28. 37.		37.12	090 090	2	0	2	1	0
54336 54340	A A	<u> </u>	37. 14.		14.28	090	2	0	2	1	0 0
54344	A	Secondary urethra Secondary urethra	31.		31.12	090	2	0	2	1	0
54348	A	Secondary urethra	27.		27.42	090	2	0	2	1	0
54352	A	Reconstruct urethra	38.		38.91	090	2	0	2	1	0
54360	A	Penis plastic surgery	18.		18.01	090	2	0	2	1	0
54380	A	Repair penis	21.		21.48	090	2	0	2	î	ŏ
54385	A	Repair penis	24.		24.57	090	$\overline{2}$	ŏ	2	1	ŏ
54390	A	Repair penis	33.		33.60	090	. 2	0	2	1	Õ
54400	Α	Insert semi-rigid	18.		18.41	090	2	0	1	1	0
54401	Α	Insert self-contained	21.	21	21.21	090	2	0	1	1	0
54402	Α	Remove penis prosthesis	14.	48	14.48	090	2	0	2	1	0
54405	Α	Insert multicomponent	27.	62	27.62	090	2	0	2	1	0
54407	Α	Remove multicomponent	23.	56	23.56	090	2	0	2	1	0
54409	Α	Revise penis prosthesis	20.		20.22	090	2	0	2	1	0
54420	Α	Revision of penis	18.		18.32	090	2	0	2	0	0
54430	Α	Revision of penis	16.		16.35	090	2	2	2	0	0
54435	Α	Revision of penis		78	9.78	090	2	0	1	0	0
54440	С	Repair of penis	0.	00	0.00	090	2	0	2	1	0
(32) Pe	enis, mai	nipulation:					•				
54450	Α	Preputial stretching	1.	71	1.71	000	2	0	1	0	0
(33) Te	estis, exc	ision:									
54500	Α	Biopsy of testis	1	64	1.64	000	2	1	0	0	0
54505	A	Biopsy of testis		06	5.06	010	2	1	ő	ŏ	ŏ
54510	A	Removal of testis		08	8.08	090	2	1	ő	Ö	ŏ
54520	Ā	Removal of testis	10.		10.16	090	2	1	1	0	0
54530	Α	Removal of testis	15.		15.28	090	2	1	2	1	0
54535	Α	Extensive testis	19.	85	19.85	090	2	1	2	0	0
54550	Α	Exploration	12.		12.47	090	2	1	2	0	0
54560	Α	Exploration	17.	53	17.53	090	2	1	2	1	0

(34) Testis,	rep	air:								
54600 54620 54640 54650 54660 54670 54680	A A	Reduce testis torsion Suspension of testis Suspension of testis Orchiopexy, abdominal Revision of testis Repair testis Relocation of testis	11.09 7.84 14.10 18.45 8.11 10.21 19.84	11.09 7.84 14.10 18.45 8.11 10.21 19.84	090 010 090 090 090 090 090	2 2 2 2 2 2 2 2	1 1 1 1 1 1	1 1 2 0 0 2	0 0 0 0 0 0	0 0 0 0 0 0
(35) Epidid	ymi	s, incision:								
54700	A	Drainage of scrotum	4.04	4.04	010	2	0	1	0	0
(36) Epidid	ymi	s, excision:								
54800 54820 54830 54840 54860 54861	A A A	Biopsy of epididymis Exploration of epididymis Removal of epididymis Removal of epididymis Removal of epididymis Removal of epididymis	4.12 7.36 8.49 9.66 11.01 15.53	4.12 7.36 8.49 9.66 11.01 15.53	000 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	0 0 0 1 1	0 0 0 0 0	0 0 0 0 0
(37) Epidid	ymi	s, repair:								
54900 54901		Fusion of sperm Fusion of sperm	21.11 28.82	21.11 28.82	090 090	2 2	0 2	0 0	0	0
(38) Tunica	. vag	rinalis, incision:								
55000	A	Drainage of hydrocele	1.71	1.51	000	2	0	1	0	0
(39) Tunica	vag	rinalis, excision:								
55040 55041		Removal of hydrocele Removal of hydrocele	9.88 14.69	9.88 14.69	090 090	2 2	0 2	1	0	0
(40) Tunica	vag	ginalis, repair:								
55060	Α	Repair of hydrocele	9.28	9.28	090	2	1	0	0	0
(41) Scrotu	m, i	ncision:								
55100 55110 55120	Α	Drainage of scrotum Exploration of scrotum Removal of scrotum	2.58 8.74 6.47	2.58 8.74 6.47	010 090 090	2 2 2	0 0 0	1 1 0	0 0 0	0 0 0

(42) C										
(42) Scrotu	m, e	excision:								
55150	Α	Removal of scrotum	12.13	12.13	090	2	0	2	1	0
(43) Scrotu	m, r	epair:								
55175 55180		Revision of scrotum Revision of scrotum	9.36 16.78	9.36 16.78	090 090	2 2	0	0	0	0
(44) Vas de	fere	ens, incision:								
55200	Α	Incision	5.86	5.86	090	2	2	0	0	0
(45) Vas de	fere	ens, excision:								
55250	Α	Removal	5.68	4.41	090	2	2	1	0	0
(46) Vas de	fere	ens, introduction:								
55300	A	Preparation	5.95	5.95	000	2	2	0	0	0
(47) Vas de	fere	ens, repair:								
55400	A	Repair of sperm	14.39	14.39	090	2	1	2	. 1	0
(48) Vas de	fere	ens, suture:								
55450	Α	Ligation of sperm	6.44	6.44	010	2	2	0	0	0
(49) Sperma	atic	cord, excision:								
55500 55520 55530 55535 55540	A A A	Removal of hydrocele Removal of sperm Revise spermatic Revise spermatic Revise hernia	9.52 8.77 10.49 10.45 11.85	9.52 8.77 10.49 10.45 11.85	090 090 090 090 090	2 2 2 2 2	0 0 0 0	0 2 1 2 2	0 1 1 1 1	0 0 0 0 0
(50) Semina	al ve	esicles, incision:								
55600 55605		Incise sperm duct Incise sperm duct	10.26 12.96	10.26 12.96	090 090	2 2	1	0	0	0
(51) Semina	al ve	esicles, excision:								
55650 55680		Remove sperm duct Remove sperm	18.11 9.20	18.11 9.20	090 090	2 2	1 0	2	1 0	0

(52) Prostate, is	ncision:								
55705 A 55720 A	Biopsy of prostate Biopsy of prostate Drainage of prostate Drainage of prostate	2.96 7.59 10.53 13.61	2.23 7.59 10.53 13.61	000 010 090 090	2 2 2 2	0 0 0 0	1 1 2 2	0 1 1 1	0 0 0 0
(53) Prostate, e	excision:								
55810 A 55812 A 55815 A 55821 A 55821 A 55831 A 55840 A 55842 A 55845 A 55859 A 55860 A 55862 A	Percutaneous/needle	29.28 38.75 43.12 53.33 26.81 29.04 37.52 41.68 51.51 17.38 20.39 28.65 45.77	29.28 38.75 43.12 53.33 26.81 29.04 37.52 41.68 51.51 17.38 20.39 28.65 45.77	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 2 0 0 0 0 2 0 0 0 0 2 0 0	2 2 2 2 2 2 2 2 2 2 0 1 2 2	1 1 1 1 1 1 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0 0
(54) Prostate, o	other procedures:								
55870 A 55899 C	Electroejaculation Genital surgery	4.21 0.00	4.21 0.00	000 YYY	2 2	0	1 2	1	0 1
(55) Intersex su	ırgery:								
55970 N 55980 N	Sex transformation Sex transformation	0.00 0.00	0.00 0.00	XXX XXX	9 9	9 9	9 9	9 9	9 9
(56) Laparosco	py/hysteroscopy:								
56301 A 56302 A 56303 A 56304 A 56305 A 56306 A 56307 A 56308 A 56309 A 56310 A	Laparoscopy, diagnostic Laparoscopy Laparoscopy Laparoscopy, excision Laparoscopy, lysis Laparoscopy, biopsy Laparoscopy, aspiration Laparoscopy, removal Laparoscopy, removal Laparoscopy, removal Laparoscopy, enterolysis Laparoscopy, lymph Laparoscopy, lymph Laparoscopy, lymph Laparoscopy, drainage Laparoscopy/appendectomy Laparoscopy, hernia	9.44 10.34 10.89 16.68 16.32 10.07 10.53 17.83 23.09 18.07 22.07 15.37 19.97 23.94 15.47 13.18 10.57	9.44 10.34 10.89 16.68 16.32 10.07 10.53 17.83 23.09 18.07 22.07 15.37 19.97 23.94 15.47 13.18 10.57	010 010 010 090 090 010 010 010 010 010	2 3 3 3 3 3 3 3 3 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 2 0 0 0 0	2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

56317	Α	Laparoscopy, hernia	13.13	13.13	090	2	1	2	1	0
56318		Laparoscopy, orchiectomy	17.38	17.38	090	2	1	2	î	0
56320		Laparoscopy, spermatic	10.46	10.46	090	2	1	2	1	Õ
56322	A	Laparoscopy, vagus	14.76	14.76	090	2	Ô	2	ī	ŏ
56323	A	Laparoscopy, vagus	17.69	17.69	090	2	ŏ	2	1	ŏ
56324	A	Cholecystoenterostomy	21.33	21.33	090	2	ŏ	2	1	0
56340	A	Cholecystoenterostomy	18.74	18.74	090	2	ŏ	2	1	0
56341			20.00	20.00	090	2	0	2	1	0
	A	Cholecystoenterostomy				2	0	2	1	0
56342	A	Cholecystoenterostomy	23.07	23.07	090	3	1	2	0	
56343	A	Salpingostomy	18.19	18.19	090			2		0
56344	A	Fimbrioplasty	17.28	17.28	090 XXX	3	1		0	0
56345	Ç	Laparoscopy, splenectomy	0.00	0.00		0	0	0	0	0
56346	A	Laparoscopy, gastrostomy	13.65	13.65	090	2	0	2	1	0
56347	C	Laparoscopy, jejunostomy	0.00	0.00	XXX	0	0	0	0	0
56348	Α	Laparoscopy, resection	34.34	34.34	090	2	0	2	1	0
56349	A	Laparoscopy, fundoplasty	28.53	28.53	090	2	0	2	1	0
56350	Α	Hysteroscopy, diagnostic	5.19	5.19	000	2	0	0	2	0
56351	Α	Hysteroscopy, biopsy	6.48	6.48	000	3	0	1	2	0
56352	Α	Hysteroscopy, lysis	9.71	9.71	000	3	0	1	2	0
56353	Α	Hysteroscopy, resection	10.46	10.46	000	3	0	2	2	0
56354	Α	Hysteroscopy, resection	14.56	14.56	000	3	0	0	2	0
56355	Α	Hysteroscopy, resection	6.89	6.89	000	3	0	1	2	0
56356	Α	Hysteroscopy, ablation	10.66	10.66	000	3	0	0	2	0
56362	Α	Cholangiography	7.22	7.22	000	2	0	0	0	0
56363	Α	Laparoscopy, biopsy	8.75	8.75	000	2	0	0	0	0
(57) Laparo	sco	py/hysteroscopy, other procedu	res:							
56399	С	Laparoscopy procedure	0.00	0.00	YYY	2	1	2	0	0
(58) Vulva	ner	ineum and introitus, incision:								
(50) vaiva,	PCI	meani and introitus, meision.								
56405	Α	Vulva incision, drainage	2.12	1.76	010	2	0	1	2	0
56420	A	Drainage of gland	2.11	1.72	010	2	ő	1	0	0
56440	A	Surgery for vulva	5.41	5.41	010	2	0	1	0	0
56441		Lysis of labial adhesions	3.55	3.55	010	2	ő	Ô	0	0
50441	7.1	Lysis of lablat adiresions	5.55	3.33	010	-	U	U	Ü	U
(59) Vulva,	per	ineum and introitus, destructio	n:							
						_	_			
56501 56515		Destruction of vulva Destruction of vulva	1.97 4.35	1.71 4.07	010 010	2	0	1 1	$0 \\ 0$	0
30313	А	Destruction of valva	7.55	4.07	010	۷	U	1	U	U
(60) Vulva.	per	ineum and introitus, excision:								
,	•	•								
56605	Α	Biopsy of vulva	1.74	1.41	000	2	0	1	2	0
56606	Α	Biopsy of vulva	0.88	0.71	000	0	Õ	1	2	0
56620	A	Partial removal	13.80	13.80	090	2	ŏ	2	$\bar{1}$	Ŏ
56625	A	Complete removal	17.73	17.73	090	2	Ŏ	2	1	Õ
56630						2	ŏ			
30030	Α	Extensive vulva	26.03	26.03	090		U	2	1	U
		Extensive vulva Extensive vulva	26.03 34.41	26.03 34.41	090	2	0	2	2	0
56631				34.41		2				0 0 0
	A A	Extensive vulva	34.41		090		0	2	2	0

5221.4030 FEES FOR MEDICAL SERVICES								$\epsilon$	526	
56634 56637 56640 56700 56720 56740	A A A	Extensive vulva Extensive vulva Extensive vulva Partial removal Incision Remove vagina gland	37.72 43.12 41.80 4.24 1.14 6.49	37.72 43.12 41.80 4.24 1.14 6.49	090 090 090 010 000 010	2 2 2 2 2 2 2	0 0 1 0 0	2 2 2 2 0 1	2 2 1 1 0 0	0 0 0 0 0
(61) Vulva,	per	rineum and introitus, repair:								
56800 56805 56810	Α	Repair of vagina Repair clitoris Repair of perineum	6.67 29.23 6.56	6.67 29.23 6.56	010 090 010	2 2 2	0 0 0	2 2 2	1 1 2	0 0 0
(62) Vagina	ı, in	cision:								
57000 57010 57020	Α	Exploration of colpotomy Drain pelvic abscess Drain pelvic abscess	4.85 8.32 2.07	4.85 8.32 2.07	010 090 000	2 2 2	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	0 0 0	0 0 0	0 0 0
(63) Vagina	ı, de	estruction:								
57061 57065		Destroy vaginal lesion Destroy vaginal lesion	2.02 5.55	1.62 5.55	010 010	2 2	0 0	1	0 0	0
(64) Vagina	ı, ex	ccision:								
57100 57105 57108 57110 57120 57130 57135	A A A A A	Biopsy of vagina Biopsy of vagina Partial removal Removal of vagina Closure of vagina Remove vagina lesion Remove vagina lesion	1.55 3.23 11.48 21.55 14.31 5.04 4.50	1.25 3.23 11.48 21.55 14.31 5.04 4.50	000 010 090 090 090 010 010	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 2 2 2 2 2 1	0 0 1 1 1 1 0	0 0 0 0 0 0
(65) Vagina	ı, in	troduction:								
57150 57160 57170 57180	A A A	Treat vagina infection Insert pessary device Fitting of diaphragm Treat vaginal bleeding	0.70 1.08 1.17 2.03	0.61 0.96 1.01 1.76	000 000 000 010	2 2 2 2	0 0 0 0	1 1 0 1	0 0 0 0	0 0 0 0
(66) Vagina	ı, re	pair:								
57200 57210 57220 57230 57240 57250 57260	Α	Repair of vagina Repair vagina/perineum Revision of urethra Repair of urethra Repair bladder Repair rectum Repair of vagina	6.53 8.21 8.64 9.18 12.85 11.82 16.90	6.53 8.21 8.64 9.18 12.85 11.82 16.90	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	2 2 2 2 2 2 2 2	1 1 1 1 1 1	0 0 0 0 0 0

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

627	27		FEES	FOR	FOR MEDICAL SERVICES		ES	5221.4030			
57265	Α	Extensive repair		20.50		090	2	0	2	1	0
57268	Α	Repair of bowel		13.74		090	2	0	2	1	0
57270	Α	Repair of bowel		18.39		090	2	0	2	1	0
57280	Α	Suspension of vagina		22.93		090	2	0	2	1	0
57282	Α	Repair of vagina		17.5		090	2	0	2	1	0
57284	Α	Repair paravaginal		20.29		090	2	0	2	2	0
57288	Α	Repair bladder		22.92	2 22.92	090	2	0	2	1	0
57289	Α	Repair bladder		19.05	5 19.05	090	2	0	2	1	0
57291	Α	Construction of vagina		13.04	4 13.04	090	2	0	2	0	0
57292	Α	Construction of vagina		18.97	7 18.97	090	2	0	2	1	0
57300	Α	Repair rectum-vagina		15.46	5 15.46	090	2	0	2	1	0
57305		Repair rectum-vagina		20.65	5 20.65	090	2	0	2	1	0
57307	Α	Fistula repair		21.07	7 21.07	090	2	0	2	1	0
57308	Α	Fistula repair		16.78	3 16.78	090	2	0	2	1	0
57310	Α	Repair urethrovaginal		10.59	9 10.59	090	2	0	2	1	0
57311	Α	Repair urethrovaginal		12.86	5 12.86	090	2	0	2	1	0
57320	Α	Repair bladder		16.53	3 16.53	090	2	0	2	1	0
57330	Α	Repair bladder		19.6		090	2	0	2	1	0
57335	Α	Repair vagina		24.13		090	2	0	2	1	0
(67) Vagina	ı, m	anipulation:									
57400	Α	Dilation of vagina		2.4	1 2.41	000	2	0	0	0	0
57410	A	Pelvic examination		1.90		000	2	ő	1	0	0
57415	A	Removal of foreign boo	dν	2.35		010	2	0	0	0	0
		•	-,						J		J
(68) Vagina	i, en	idoscopy:									
57452	Α	Examination		1.60	0 1.29	000	2	0	1	0	0
57454	Α	Vagina examination		2.47		000	3	0	1	0	0
57460	A	Cervix excision		4.7	7 3.80	000	3	0	1	2	0
(69) Cervix	ute	ri, excision:									
57500	Α	Biopsy of cervix		1.50	1.22	000	2	0	1	0	0
57505		Endocervical curettage		1.73		010	$\overline{2}$	Õ	1	Ŏ	ŏ
57510	Α	Cauterization of cervix		2.28		010	2	Õ	$\overline{1}$	Õ	Õ
57511	Α	Cryocautery of cervix		2.64		010	2	0	1	0	0
57513	A	Laser surgery		4.1		010	2	0	1	0	0
57520	A	Conization of cervix		7.40		090	2	Õ	ī	Ŏ	ŏ
57522	A	Conization of cervix		6.79		090	$\bar{2}$	0	1	Õ	0
57530		Removal of cervix		8.2		090	$\bar{2}$	0	2	1	Ö
57531	A	Removal of cervix		39.3		090	2	2	2	1	ŏ
57540	A	Remove residual cervix		18.44		090	2	$\bar{0}$	2	1	Õ
57545		Removal of cervix	•	16.82		090	$\overline{2}$	ő	$\frac{1}{2}$	1	ŏ
57550		Remove residual cervix	7	11.74		090	2	0	2	1	ő
57555 57555	A	Removal of cervix	•	18.84		090	2	0	2	1	0
57556	A	Removal of cervix		17.55		090	2	0	2	1	0
37330	А	Removal of cervix		17.5	7 17.55	070	2	U	۷	1	U
(70) Cervix	ute	ri, repair:									
57700	A	Revision of cervix		5.72	2 5.72	090	2	0	0	0	0

5221.4030 FEES FOR MEDICAL SERVICES 62										
57720	A	Revision of cervix	6.69	6.69	090	. 2	0	2	0	0
(71) Cervi	x ute	ri, manipulation:								
57800	Α	Dilation of cervix	1.22	0.99	000	2	0	1	0	0
57820	Α	Dilation and curettage	3.78	3.78	010	2	0	1	0	0
(72) Corpi	ıs ute	eri, excision:								
58100	А	Biopsy of uterus	1.36	1.04	000	2	0	1	0	0
58120		Dilation and curettage	5.89	5.89	010	$\bar{2}$	0	1	ŏ	ŏ
58140		Removal of uterus	22.24	22.24	090	2	Ŏ	2	1	Ŏ
58145		Removal of uterus	16.11	16.11	090	$\bar{2}$	Ŏ	$\bar{2}$	î	Õ
58150	A		24.23	24.23	090	2	Õ	2	1	ŏ
58152	A		26.71	26.71	090	2	Ō	2	1	Ŏ
58180		Partial hysterectomy	24.47	24.47	090	2	0	2	1	0
58200		Extensive hysterectomy	33.68	33.68	090	2	0	2	1	0
58210		Extensive hysterectomy	45.49	45.49	090	2	2	2	1	0
58240		Removal of pelvis	65.99	65.99	090	2	0	2	1	0
58260	Α	Vaginal hysterectomy	21.29	21.29	090	2	0	2	1	0
58262	Α		22.91	22.91	090	2	0	2	2 2	0
58263	Α	Vaginal hysterectomy	25.06	25.06	090	2	0	2	2	0
58267	Α	Hysterectomy	26.11	26.11	090	2	0	2	1	0
58270	Α	Hysterectomy	23.43	23.43	090	2	0	2	1	0
58275	Α	Hysterectomy	25.52	25.52	090	2	0	2	1	0
58280	Α	3	25.40	25.40	090	2	0	2	1	0
58285	Α	Extensive hysterectomy	29.55	29.55	090	2	0	2	1	0
(73) Corpu	ıs ute	eri, introduction:								
50200	N.T	Learne HID	0.00	0.00	VVV	0	Λ	0	0	0
58300		Insert IUD	0.00	0.00	XXX	9	9	9	9	9
58301 58321		Remove IUD	1.63	1.41	000 000	2	0	0	0	0
58322	A	Artificial insemination Artificial insemination	1.60 1.77	1.60 1.77	000	2	0	0	0	0
58323	A		0.39	0.39	000	2	0	ő	0	0
58340		Catheter	1.39	1.39	000	2	ŏ	1	ő	ő
58345		Reopen fallopian tube	7.83	7.83	010	$\bar{2}$	1	2	2	ŏ
58350		Reopen fallopian tube	1.67	1.67	010	2	0	1	0	0
(74) Corpı	ıs ute	eri, repair:								
58400	Α	Suspension of uterus	11.86	11.86	090	2	0 ·	2	1	0
58410	A	Suspension of uterus	17.36	17.36	090	2	ŏ	2	1	0
58520		Repair of rupture	15.46	15.46	090	2	Ŏ	2	1	Õ
58540		Revision of uterus	19.99	19.99	090	2	ŏ	2	Ō	ŏ
(75) Ovidu	ıct, ir	ncision:								
58600	٨	Ligate fallopian tube	8.32	8.32	090	2	2	2	1	0
58605		Ligate fallopian tube	7.13	7.13	090	2	2	$\frac{2}{2}$	Ô	0
58611		Ligate oviduct(s)	1.08	1.08	ZZZ	0	õ	2	0	0
		(-)	2.00			-	-	-	-	-

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

629	FEES	FOR M	SERV	5221.4030				
58615	A Occlude fallopian tube	6.54	6.54	010	2 0	2	0	0
(76) Oviduct,	excision:							
	A Remove fallopian tube A Remove ovary	12.73 18.46	12.73 18.46	090 090	2 2 2 2		1 1	0
(77) Oviduct,	repair:							
58750 A 58752 A 58760 A	A Revise fallopian tube(s) A Repair oviduct A Revise ovarian tube(s) A Remove tubal obstruction A Create new tubal opening	12.52 20.37 20.50 17.51 18.39	12.52 20.37 20.50 17.51 18.39	090 090 090 090 090	2 0 2 0 2 0 2 1 2 1	2 2 2 2 2	1 1 0 1 0	0 0 0 0 0
(78) Ovary, ir	cision:							
58805 58820 58822 58823	A Drainage of ovarian cyst A Drainage of ovarian cyst A Open drainage of cyst A Percutaneous drainage A Percutaneous drainage A Transposition, ovary	6.64 12.25 6.77 13.07 5.71 9.97	6.64 12.25 6.77 13.07 5.71 9.97	090 090 090 090 090 000	2 2 2 2 2 0 2 0 2 0 2 0 2 0	2	0 1 0 1 0	0 0 0 0 0
(79) Ovary, e	xcision:							
58920 4 58925 4 58940 4 58943 4 58950 4 58951 4 58952 4	A Biopsy of ovary A Partial removal of ovary A Removal of ovary A Removal of ovary A Removal of ovary A Resect malignancy	11.04 13.48 17.41 13.62 29.88 26.03 39.68 42.36 27.46	11.04 13.48 17.41 13.62 29.88 26.03 39.68 42.36 27.46	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 0 2 2 2 2 2 2 2 2 2 0	2 2 2 2	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0
(80) In vitro 1	ertilization:							
58974	A Retrieval of oocyte C Transfer of embryo A Transfer of embryo	5.96 0.00 6.46	5.96 0.00 6.46	000 000 000	2 0 2 0 2 0	2	0 1 1	0 0 0
(81) In vitro f	ertilization, other procedures:			•				
58999	C Genital surgery	0.00	0.00	YYY	2 0	2	1	1
(82) Maternit	y care and delivery, antepartum	services:	:					
59000	A Amniocentesis	2.22	2.22	000	2 0	1	0	0

50010		Pales de la la	£ 02	5.02	000	2	٥	Λ	Λ	Λ
59012		Fetal cord puncture	5.83	5.83	000	2	0	0	0	0
59015		Chorion biopsy	3.21	3.21	000	2	0	0	0	0
59020		Fetal contraction	1.95	1.95	000	2	0	0	0	0
		Fetal contraction	1.41	1.41	000	2	-	. 0	0	0
		Fetal contraction	0.54	0.54	000	0	0	0	0	0
59025		Fetal nonstress test	1.14	1.14	000	2	0	0	0	0
59025	26 A		0.90	0.90	000	2	0	0	0	0
59025	TC A	Fetal nonstress test	0.23	0.23	000	0	0	0	0	0
59030	Α	Fetal scalp blood sample	3.45	3.45	000	2	0	0	0	0
59050	Α	Fetal monitor, report	1.67	1.67	XXX	0	0	0	0	0
59051	Α	Fetal monitor, interpret	1.54	1.54	XXX	0	0	0	0	0
(83) Mat	ternity	care and delivery, excision:								
59100	Α	Remove uterus	15.74	15.74	090	2	0	2	1	0
59120	A	Treat ectopic pregnancy	18.85	18.85	090	2	0	2	1	0
					090	2	0	2	1	0
59121	A	Treat ectopic pregnancy	16.38	16.38		2				0
59130		Treat ectopic pregnancy	19.05	19.05	090		0	0	0	
59135	Α	1 1 5	22.75	22.75	090	2	0	0	0	0
59136	Α	1 1 0	18.77	18.77	090	2	0	2	0	0
59140	A		9.62	9.62	090	2	0	2	0	0
59150	Α	Treat ectopic pregnancy	11.21	11.21	090	2	0	2	0	0
59151	Α	Treat ectopic pregnancy	15.81	15.81	090	2	0	2	0	0
59160	Α	Postpartum curettage	5.58	5.58	010	2	0	0	0	0
(84) Mat	ernity	care and delivery, introduction	:							
59200	Α	Insert cervical dilator	1.30	1.04	000	2	0	1	0	0
(85) Mat	ernity	care and delivery, repair:								
								_	_	_
59300	Α	Episiotomy, vagina repair	3.20	2.72	000	2	0	0	0	0
59320	Α	Revision of cervix	4.20	4.20	000	2	0	0	0	0
59325	Α	Revision of cervix	6.65	6.65	000	2	0	0	0	0
59350	Α	Repair of uterus	8.37	8.37	000	2	0	2	0	0
(04) 14	٠,	118								
(86) Mat	ternity	care and delivery, vaginal deliv	ery, ante	ерагип	and pos	stpa	rtuii	ı ca	ie.	
59400	Α	Obstetrical care	37.33	37.33	MMM	2	0	1	0	0
59409		Obstetrical care	22.63		MMM	2	0	0	0	0
59410		Obstetrical care	24.69		MMM	2	0	1	0	0
59412		Antepartum manipulation	2.89		MMM	0	0	0	0	0
59414		Deliver placenta	2.72		MMM	2	0	Ō	0	0
59425		Antepartum care	7.51		MMM	Õ	ŏ	ŏ	ő	ŏ
59426		Antepartum care	12.92		MMM	Õ	ő	ŏ	ŏ	ŏ
59430		Care after delivery	2.34		MMM	2	0	1	0	ő
J 243U	, ,	Care after defivery	۷.۶۳	۷.10	141141141	۷	J	1	J	U
(87) Mat	ernity	care and delivery, Cesarean de	livery:							
• •	-	•								
59510		Cesarean delivery	42.29	42.29	MMM	2	0	1	0	0
59514		Cesarean delivery	26.52		MMM	2	0	2	1	0
		•								

631		FEES	FOR M	1EDICA	L SERV	VICE	S	522	1.40	)30
59515 59525		Cesarean delivery Remove uterus, Cesarean	28.69 11.92		MMM MMM	2 0	0	1 2	0 1	0
(88) M	aternity	care and delivery, after previo	us Cesar	ean deli	very:					
59610	Α	VBAC delivery	38.74	38.74	MMM	2	0	0	0	0
59612		VBAC delivery	24.04	24.04	MMM		0	0	0	0
59614		VBAC care after delivery	26.11	26.11	MMM	2	0	0	0	0
59618	Α	Attempted VBAC	43.70	43.70	MMM		0	2	0	0
59620	Α	Attempted VBAC	27.94		MMM		0	2	0	0
59622	Α	Attempted VBAC	30.11	30.11	MMM	2	0	2	0	0
(89) M	aternity	care and delivery, abortion:								
59812	Α	Treatment of miscarriage	6.86	6.83	090	2	0	1	0	0
59820		Care of miscarriage	7.69	7.69	090		0	1	0	0
59821		Treatment of miscarriage	7.03	7.03	090	2	0	0	0	0
59830		Treat uterus	10.21	10.21	090		0	0	0	0
59840	Α	Abortion	6.22	6.22	010	2	0	0	0	0
59841	Α	Abortion	8.80	8.80	010	2	0	0	0	0
59850	Α	Abortion	9.70	9.70	090	2	0	0	0	0
59851	Α	Abortion	10.00	10.00	090	2	0	0	0	0
59852	Α	Abortion	13.50	13.50	090	2	0	0	0	0
59855	Α	Abortion	10.08	10.08	090	2	0	0	0	0
59856	Α	Abortion	12.38	12.38	090	2	0	0	0	0
59857	Α	Abortion	15.24	15.24	090	2	0	0	0	0
(90) M	aternity	care and delivery, other proce	dures:							
59866	А	Abortion	6.76	6.76	000	2	0	2	1	0
59870		Evacuate mole	7.07	7.07	090		0	2	0	Ō
59871		Remove cerclage suture	3.88	3.88	000		0	Ō	0	0
59899	C		0.00	0.00	YYY	2	0	2	1	1
	E. Pr	ocedure code numbers 60000 t	o 69979	relate to	o neurol	ogica	l p	roce	edur	es.
1	2 3	4	5	6	7	8	9	10	11	12
(1) The		and inciden								
(1) I ny	roia gi	and, incision:								
60000	Α	Drain thyroid	2.23	1.94	010	2	0	0	0	0
(2) Thy	roid gla	and, excision:								
60001	Δ	Aspirate/inject thyroid	1.96	1.96	000	2	0	1	0	0
60100		Biopsy of thyroid	1.96	1.45	000		0	1	0	0
60200		Remove thyroid	15.06	15.06	090	2	0	2	1	0
60210		Partial excision	19.17	19.17	090	2	0	2	1	0
60212		Partial excision	24.24	24.24	090	2	ŏ	2	1	ő
		- <del>-</del>								-

			-040						·	_
60220	Δ	Partial removal	18.70	18.70	090	2	0	2	1	0
60225		Partial removal	24.07	24.07	090	2	0	2	1	0
60240		Removal of thyroid	25.88	25.88	090	2	0	2	1	0
60252		Removal of thyroid	31.11	31.11	090	2	0	2	1	0
60254	Α	Extensive thyroid	41.93	41.93	090	2	0	2	1	0
60260		Repeat thyroid removal	17.26	17.26	090	2	2	2	1	0
60270		Removal of thyroid	31.18	31.18	090	2	0	2	1	0
60271		Removal of thyroid	26.48	26.48	090	$\frac{2}{2}$	ŏ	$\overline{2}$	1	Õ
				12.59	090	2	0	2	1	0
60280		Remove thyroid	12.59					2		
60281	Α	Remove thyroid	13.14	13.14	090	2	0	2	1	0
(3) Parathy	roid	, thymus, adrenal glands, an	d carotid b	ody, exc	ision:					
60500	Α	Parathyroidectomy	26.98	26.98	090	2	0	2	1	0
60502	A	Re-explore parathyroid	30.76	30.76	090	2	0	2	1	0
60505	Α	Parathyroidectomy	33.61	33.61	090	2	0	2	1	0
60512	Α	Autotransplant	6.58	6.58	ZZZ	0	0	2	1	0
60520	Α	Removal of thymus	29.70	29.70	090	2	0	2	1	0
60521		Removal of thymus	31.57	31.57	090	2	0	2	1	0
60522		Removal of thymus	35.40	35.40	090	$\frac{1}{2}$	0	2	1	0
			28.25	28.25	090	2	1	2	1	0
60540		Explore adrenal gland								
60545		Explore adrenal gland	33.12	33.12	090	2	0	2	1	0
60600	Α	Remove carotid tumor	28.38	28.38	090	2	0	2	1	0
60605	Α	Remove carotid tumor	29.94	29.94	090	2	0	2	1	0
(4) Parathy	roid	, thymus, adrenal glands, an	d carotid b	ody, oth	er proce	dur	es:			
60699	C	Endocrine surgery	0.00	0.00	YYY	2	0	2	1	1
(5) Skull, n	nenir	nges, and brain, injection, di	rainage, or	aspiratio	on:					
61000	Α	Remove cranial	2.56	2.56	000	2	2	1	0	0
61001	Α	Remove cranial	2.30	1.87	000	2	2	1	0	0
61020	Α	Remove brain catheter	2.70	2.70	000	2	0	1	0	0
61026	A	Injection	3.45	3.45	000	2	Ŏ	1	0	0
61050	Α	Remove brain catheter	2.64	2.64	000	$\overline{2}$	Ö	ô	ŏ	ŏ
			3.83	3.83	000	0	0	1	0	0
61055		Injection				_	-	-	-	-
61070	Α	Brain canal shunt	1.30	1.06	000	2	0	1	0	0
(6) Skull, n	nenir	nges, and brain, twist drill, b	urr holes, o	or trephi	ne:					
61105	Α	Drill skull	10.81	10.81	090	2	0	0	0	0
61106	Α	Drill skull	9.74	9.74	ZZZ	0	0	1	0	0
61107		Drill skull	10.55	10.55	000	0	0	1	0	0
61108		Drill skull	21.30	21.30	090	2	Õ	1	ŏ	ŏ
					090	2	0	0	0	0
61120		Pierce skull	14.30	14.30						
61130		Pierce skull	11.09	11.09	ZZZ	0	0	1	1	0
61140		Pierce skull	29.49	29.49	090	2	0	2	0	0
61150	Α	Pierce skull	31.55	31.55	090	2	0	1	1	0
61151	Α	Pierce skull	13.54	13.54	090	2	0	1	0	0
61154		Pierce skull	31.34	31.34	090	2	1	2	1	0
61156		Pierce skull	32.14	32.14	090	2	0	2	1	0
		·	~			_	_	_		_

61210	Α	Pierce skull	11.98	11.98	000	0	0	1	0	0
61215	Α	Insert brain fluid	10.53	10.53	090	2	0	1	1	0
61250	Α	Pierce skull	18.01	18.01	090	2	1	2	1	0
61253	Α	Pierce skull	21.44	21.44	090	2	2	2	0	0

FEES FOR MEDICAL SERVICES 5221.4030

## (7) Skull, meninges, and brain, craniectomy or craniotomy:

633

61304	Α	Open skull	45.91	45.91	090	2	0	2	1	0
61305	Α	Open skull	55.06	55.06	090	2	0	2	1	0
61312	Α	Open skull	48.07	48.07	090	2	0	2	1	0
61313	Α	Open skull	48.27	48.27	090	2	0	2	1	0
61314	Α	Open skull	49.32	49.32	090	2	0	2	1	0
61315	Α	Open skull	51.17	51.17	090	2	0	2	1	0
61320	Α	Open skull	43.20	43.20	090	2	0	2	1	0
61321	Α	Open skull	46.98	46.98	090	2	0	2	1	0
61330	Α	Decompress eye socket	34.37	34.37	090	2	1	2	1	0
61332	Α	Explore/biopsy	46.30	46.30	090	2	0	2	1	0
61333	Α	Explore/remove lesion	46.93	46.93	090	2	0	2	1	0
61334	Α	Explore/remove object	31.74	31.74	090	2	0	2	1	0
61340	Α	Relieve cranial	32.64	32.64	090	2	1	2	1	0
61343	Α	Incise skull	58.96	58.96	090	2	0	2	1	0
61345	Α	Relieve cranial	45.12	45.12	090	2	0	2	1	0
61440	Α	Incise skull	45.87	45.87	090	2	0	2	1	0
61450	Α	Incise skull	45.18	45.18	090	2	0	2	1	0
61458	Α	Incise skull	53.81	53.81	090	2	0	2	1	0
61460	Α	Incise skull	52.16	52.16	090	2	0	2	2	0
61470	A	Incise skull	38.44	38.44	090	2	0	2	1	0
61480	Α	Incise skull	39.59	39.59	090	2	Ŏ	2	1	0
61490	A	Incise skull	35.81	35.81	090	2	1	2	1	Õ
61500	A	Removal of skull	37.28	37.28	090	2	0	2	1	0
61501	A	Remove infected	31.07	31.07	090	2	0	2	1	0
61510	A	Removal of brain	54.65	54.65	090	2	Ŏ	2	1	ŏ
61512	A	Removal of brain	62.80	62.80	090	2	ŏ	2	î	ŏ
61514	A	Removal of brain	50.20	50.20	090	2	ŏ	2	1	ŏ
61516	A	Removal of brain	50.44	50.44	090	2	ŏ	2	1	ő
61518	A	Removal of brain	65.89	65.89	090	2	ŏ	2	1	ŏ
61519	A	Removal of brain	70.91	70.91	090	2	ŏ	$\tilde{2}$	1	ŏ
61520	A	Removal of brain	85.73	85.73	090	2	ŏ	2	2	ŏ
61521	A	Removal of brain	75.45	75.45	090	2	ŏ	2	1	ő
61522	A	Removal of brain	48.11	48.11	090	2	ŏ	2	î	ŏ
61524	A	Removal of brain	54.65	54.65	090	2	ő	2	î	ŏ
61526	A	Removal of brain	82.85	82.85	090	2	ŏ	1	2	ŏ
61530	A	Removal of brain	75.31	75.31	090	2	ŏ	1	2	ŏ
61531	A	Implant brain electrodes	28.72	28.72	090	$\frac{2}{2}$	ŏ	$\frac{1}{2}$	2	ŏ
61533	A	Implant brain electrodes	36.17	36.17	090	2	ŏ	$\tilde{2}$	1	ŏ
61534	A	Removal of brain	26.31	26.31	090	2	ő	2	1	ŏ
61535	A	Remove brain electrodes	18.65	18.65	090	2	0	2	$\frac{1}{1}$	ő
61536	A	Removal of brain	55.66	55.66	090	2	Ö	2	ì	ő
61538	A	Removal of brain	55.17	55.17	090	2	ŏ	2	1	ŏ
61539	A	Removal of brain	53.55	53.55	090	2	ŏ	2	1	ŏ
61541	A	Incision of brain	47.40	47.40	090	2	0	2	1	0
	A	Removal of brain	49.54	49.54	090	2	0	2	1	0
61542 61543	A	Removal of brain	44.55	44.55	090	2	0	2	1	0
61544	A	Removal of brain  Remove and treat brain	51.41	51.41	090	2	0	2	0	
						2	-	2	1	0
61545	A	Excision of brain	67.20 57.14	67.20 57.14	090	2	0	2	1	0
61546	Α	Remove pituitary tumor	57.14	57.14	090	2	0	2	1	U

61548	Α	Remove pituitary tumor	44.64	44.64	090	2	0	2	2	0
61550	Α	Release of skull	25.32	25.32	090	2	0	2	1	0
61552	Α	Release of skull	32.60	32.60	090	2	0	2	1	0
61556	Α	Incise skull	36.89	36.89	090	2	0	2	0	0
61557	Α	Incise skull	37.09	37.09	090	2	0	2	0	0
61558	Α	Excision of skull	42.27	42.27	090	2	0	2	0	0
61559	Α	Excision of skull	54.47	54.47	090	2	0	2	1	0
61563	Α	Excision of skull	44.56	44.56	090	2	0	2	1	0
61564	Α	Excision of skull	56.19	56.19	090	2	0	2	1	0
61570	Α	Remove foreign body	39.95	39.95	090	2	0	2	1	0
61571	, A	Incise skull	43.42	43.42	090	2	0	2	1	0
61575	Α	Skull base/brain	65.84	65.84	090	2	0	2	1	0
61576	Α	Skull base/brain	77.02	77.02	090	2	0	2	1	0

## (8) Skull, meninges, and brain, approach procedures:

61580	Α	Craniofacial approach	50.11	50.11	090	2	1	2	1	2
61581	Α	Craniofacial approach	57.01	57.01	090	2	1	2	1	2
61582	Α	Craniofacial approach	51.98	51.98	090	2	0	2	1	2
61583	Α	Craniofacial approach	59.39	59.39	090	2	0	2	1	2
61584	Α	Orbitocranial approach	57.13	57.13	090	2	1	2	1	2
61585	Α	Orbitocranial approach	63.77	63.77	090	2	1	2	1	2
61586	Α	Resect	44.72	44.72	090	2	0	2	1	2
61590	Α	Infratemporal approach	69.17	69.17	090	2	1	2	1	2
61591	Α	Infratemporal approach	72.42	72.42	090	2	1	2	1	2
61592	Α	Orbitocranial approach	65.71	65.71	090	2	1	2	1	2
61595	Α	Transtemporal approach	48.79	48.79	090	2	1	2	1	2
61596	Α	Transcochlear approach	59.02	59.02	090	2	1	2	1	2
61597	Α	Transcondylar approach	62.66	62.66	090	2	1	2	1	2
61598	Α	Transpetrosal approach	55.16	55.16	090	2	0	2	1	2

## (9) Skull, meninges, and brain, definitive procedures:

						_	_	_		_
61600	Α	Resect/excise lesion	42.51	42.51	090	2	0	2	1	2
61601	Α	Resect/excise lesion	45.75	45.75	090	2	0	2	1	2
61605	Α	Resect/excise lesion	48.20	48.20	090	2	0	2	1	2
61606	Α	Resect/excise lesion	64.13	64.13	090	2	0	2	1	2
61607	Α	Resect/excise lesion	59.91	59.91	090	2	0	2	1	2
61608	Α	Resect/excise lesion	69.61	69.61	090	2	0	2	1	2
61609	Α	Transect, ligate artery	16.70	16.70	ZZZ	0	1	2	1	2
61610	Α	Transect, ligate artery	50.09	50.09	ZZZ	0	1	2	1	2
61611	Α	Transect, ligate artery	12.53	12.53	ZZZ	0	1	2	1	2
61612	Α	Transect, ligate artery	47.07	47.07	ZZZ	0	1	2	1	2
61613	Α	Remove aneurysm	67.88	67.88	090	2	1	2	1	2
61615	Α	Resect/excise lesion	52.81	52.81	090	2	0	2	1	. 2
61616	Α	Resect/excise lesion	71.57	71.57	090	2	0	2	1	2

(10) Skull, meninges, and brain, repair and/or reconstruction of surgical defects of skull base:

61618	A Repair dura	27.61	27.61	090	2	0	2	1	2
61619	A Repair dura	34.03	34.03	090	2	0	2	1	2

022		. 22	J I OR A	LEDICAL	J DEIK					
(11) Skull,	men	inges, and brain, endovascula	r therapy:	:						
61624	٨	Occlusion/embolism	34.04	34.04	000	2	0	1	0	0
61626		Occlusion/embolism	28.07	28.07	000	2	0	1	0	0
01020	<b>A</b>	Occiusion/embonsm	26.07	20.07	000	2	U	1	U	U
(12) Skull, vascular dis		ninges, and brain, surgery for e:	aneurysr	n, arterio	ovenous	ma	lfo	rmat	ion	or
61680	Δ	Intracranial vein	61.07	61.07	090	2	0	2	1	0
61682		Intracranial vein	93.51	93.51	090	2	0	2	1	0
61684	A	Intracranial vein	66.80	66.80	090	2	0	2	1	0
61686	A		95.62	95.62	090	2	0	2	1	0
						2		2	1	
61690		Intracranial vein	55.39	55.39	090		0	2	_	0
61692		Intracranial vein	76.75	76.75	090	2	0	2	1	0
61700		Inner skull vessel	79.60	79.60	090	2	0	2	1	0
61702		Inner skull vessel	82.67	82.67	090	2	0	2	1	0
61703		Clamp neck artery	28.89	28.89	090	2	0	2	1	0
61705	Α	Revise circulation	65.13	65.13	090	2	0	2	1	0
61708	Α	Revise circulation	57.67	57.67	090	2	0	2	0	0
61710	Α	Revise circulation	43.96	43.96	090	2	0	0	0	0
61711	Α	Fusion of skull	68.31	68.31	090	2	0	2	1	0
61712	Α	Skull or spine surgery	7.39	7.39	ZZZ	0	0	2	1	0
		1 0 1								
(13) Skull,	men	inges, and brain, stereotaxis:								
61720	Α	Incise skull/brain	35.28	35.28	090	2	0	1	0	0
61735		Incise skull/brain	31.90	31.90	090	2	ŏ	1	1	ŏ
61750	A		31.98	31.98	090	2	ő	î	1	ŏ
61751	Α	Brain biopsy	37.16	37.16	090	2	0	1	1	0
61760	A	Implant brain electrodes	35.65	35.65	090	2	0	1	2	0
		Incise skull				2		1		
61770	A		40.07	40.07	090		0		1	0
61790	A	Treat trigeminal	23.07	23.07	090	2	0	1	0	0
61791	A	Treat trigeminal	24.44	24.44	090	2	0	0	0	0
61793	Α		35.05	35.05	090	2	0	1	0	0
61795	Α	Brain surgery	8.81	8.81	000	0	0	1	0	0
(14) Skull.	men	inges, and brain, neurostimula	ators:							
61850	Α	Implant neuroelectrodes	23.73	23.73	090	2	0	2	0	0
61855	A	Implant neuroelectrodes	23.00	23.00	090	2	0	2	ő	ŏ
61860	A	Implant neuroelectrodes	27.69	27.69	090	2	0	2	0	0
61865	A	Implant neuroelectrodes	37.80	37.80	090	2	0	2	1	0
61870				18.06	090	2	0	2	1	0
	A	Implant neuroelectrodes	18.06					2		
61875	A	Implant neuroelectrodes	20.86	20.86	090	2	0	2	0	0
61880	A	Revise neuroelectrodes	10.70	10.70	090	2	0	2	1	0
61885	A	Implant neuroelectrodes	7.36	7.36	090	2	0	0	0	0
61888	A	Revise neuroelectrodes	7.02	7.02	010	2	0	1	0	0
(15) Skull,	men	inges, and brain, repair:								
62000		Danain of slow!!	17.40	17.43	000	2	0	_	c	0
62000	A	Repair of skull	17.43	17.43	090	2	0	2	0	0
62005	Α	Repair of skull	26.47	26.47	090	2	0	2	1	0

			-							
62010	Α	Treatment	38.40	38.40	090	2	0	2	1	0
62100	Α	Repair brain fluid	42.93	42.93	090	2	0	2	1	0
62115	Α	Reduction of skull	35.65	35.65	090	2	0	2	1	0
62116	Α	Reduction of skull	38.91	38.91	090	2	0	2	0	0
62117	Α	Reduction of skull	43.94	43.94	090	2	0	2	1	0
62120	Α	Repair of skull	38.61	38.61	090	2	0	2	1	0
62121	Α	Incise skull	38.38	38.38	090	2	0	2	0	0
62140	Α	Repair of skull	26.56	26.56	090	2	0	2	1	0
62141	Α	Repair of skull	31.19	31.19	090	2	0	2	1	0
62142	Α	Remove skull plate	22.72	22.72	090	2	0	2	0	0
62143	Α	Replace skull plate	21.61	21.61	090	2	0	2	1	0
62145	Α	Repair of skull	31.06	31.06	090	2	0	2	1	0
62146	Α	Repair of skull	26.44	26.44	090	2	0	2	1	0
62147	Α	Repair of skull	31.70	31.70	090	2	0	2	1	0
(16) Skull,	men	inges, and brain, CSF shunt:								
62180	Α	Establish brain	34.33	34.33	. 090	2	0	2	0	0
62190	Α	Establish brain	23.58	23.58	090	2	0	1	1	0

62180	Α	Establish brain	34.33	34.33	. 090	2	0	2	0	0
62190	Α	Establish brain	23.58	23.58	090	2	0	1	1	0
62192	Α	Establish brain	25.65	25.65	090	2	0	2	1	0
62194	Α	Replace/irrigate catheter	6.54	6.54	010	2	0	0	0	0
62200	Α	Establish brain	34.71	34.71	090	2	0	2	1	0
62201	Α	Establish brain	22.92	22.92	090	2	0	1	0	0
62220	Α	Establish brain	27.33	27.33	090	2	0	2	1	0
62223	Α	Establish brain	27.03	27.03	090	2	0	2	1	0
62225	Α	Replace/irrigate catheter	9.87	9.87	090	2	0	1	0	0
62230	Α	Replace/revise catheter	20.07	20.07	090	2	0	2	1	0
62256	Α	Remove brain catheter	12.80	12.80	090	2	0	2	0	0
62258	Α	Replace brain catheter	28.88	28.88	090	2	0	2	1	0

## (17) Spine and spinal cord, injection, drainage, or aspiration:

62268	Α	Drain spinal cord	7.38	7.38	000	2	0	1	0	0
62269	Α	Needle biopsy, spinal	6.40	6.40	000	2	0	0	0	0
62270	Α	Spinal fluid tap	1.74	1.74	000	2	0	1	0	0
62272	Α	Drain spinal fluid	2.27	2.27	000	2	0	1	0	0
62273	Α	Treat lumbar spine	3.18	3.18	000	2	0	1	0	0
62274	Α	Inject spinal anesthetic	2.42	2.42	000	2	0	1	0	0
62275	Α	Inject spinal anesthetic	2.30	2.30	000	2	0	1	0	0
62276	Α	Inject spinal anesthetic	3.17	3.17	000	2	0	1	0	0
62277	Α	Inject spinal anesthetic	2.89	2.89	000	2	0	1	0	0
62278	Α	Inject spinal anesthetic	2.46	2.46	000	2	0	1	0	0
62279	Α	Inject spinal anesthetic	2.36	2.36	000	2	0	1	0	0
62280	Α	Treat spinal cord	3.15	3.15	010	2	0	1	0	0
62281	Α	Treat spinal cord	3.41	3.41	010	2	0	1	0	0
62282	Α	Treat spinal caudal	3.98	3.98	010	2	0	1	0	0
62284	Α	Inject for myelography	3.50	3.22	000	0	0	1	0	0
62287	Α	Percutaneous disk	15.52	15.52	090	2	0	1	0	0
62288	Α	Injection	2.79	2.79	000	2	0	1	0	0
62289	Α	Injection	2.68	2.68	000	2	0	1	0	0
62290	Α	Inject for spine	4.65	4.65	000	2	0	1	0	0
62291	Α	Inject for spine	4.58	4.58	000	2	0	1	0	0
62292	Α	Injection	16.67	16.67	090	2	0	0	0	0
62294	Α	Injection	16.76	16.76	090	2	0	1	0	0
62298	Α	Injection	3.07	3.07	000	2	.0	1	0	0

-	401		- 1			. 1 .	•	1
- 1	181	Nnine	ากต	cninal	COLG	catheter	ımn	iantation.
٠,	10	Opinic	and	opinai	coru,	cutiletei	шр	lantation:

62350	Α	Implant spinal catheter	10.17	10.17	090	2	0	2	1	0
62351		Implant spinal catheter	14.89	14.89	090	2	0	2	2	0
62355	Α	Remove spinal catheter	8.69	8.69	090	2	0	0	0	0

#### (19) Spine and spinal cord, reservoir/pump implantation:

62360		Α	Insert spine infusion	3.64	3.64	090	2	0	0	1	0
62361		Α	Implant spine infusion	7.94	7.94	090	2	0.	0	1	0
62362		Α	Implant spine infusion	10.34	10.34	090	2	0	0	1	0
62365		Α	Remove spine infusion	8.65	8.65	090	2	0	0	0	0
62367		C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0
62367	26	Α	Analyze spine infusion	0.81	0.81	XXX	0	0	0	0	0
62367	TC	C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0
62368		C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0
62368	26	Α	Analyze spine infusion	1.27	1.27	XXX	0	0	0	0	0
62368	TC	С	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0

(20) Spine and spinal cord, posterior extradural laminotomy or laminectomy for exploration/decompression of neural elements or excision of herniated intervertebral disks:

63001	Α	Removal of spinal cord	33.05	33.05	090	2	0	2	2	0
63003	Α	Removal of spinal cord	33.21	33.21	090	2	0	2	2	0
63005	Α	Removal of spinal cord	31.10	31.10	090	2	0	2	2	0
63011	Α	Removal of spinal cord	23.86	23.86	090	2	0	2	2	0
63012	Α	Removal of spinal cord	32.08	32.08	090	2	0	2	2	0
63015	Α	Removal of spinal cord	40.38	40.38	090	2	0	2	2	0
63016	Α	Removal of spinal cord	40.10	40.10	090	2	0	2	2	0
63017	Α	Removal of spinal cord	33.61	33.61	090	2	0	2	2	0
63020	Α	Neck spine disk	30.80	30.80	090	2	1	2	2	0
63030	Α	Low back disk space	25.19	25.19	090	2	1	2	2	0
63035	Α	Added spinal disk	6.63	6.63	ZZZ	0	1	2	2	0
63040		Neck spine disk	39.43	39.43	090	2	1	2	2	0
63042	Α	Low back disk space	36.84	36.84	090	2	1	2	2	0
63045	Α	Removal of spinal cord	34.93	34.93	090	2	2	2	2	0
63046	Α	Removal of spinal cord	33.66	33.66	090	2	2	2	2	0
63047	Α	Removal of spinal cord	31.26	31.26	090	2	2	2	2	0
63048	Α	Removal of spinal cord	6.99	6.99	ZZZ	0	2	2	2	0

(21) Spine and spinal cord, transpedicular or costovertebral approach for posterolateral extradural exploration/decompression:

63055	Α	Decompress spinal cord	45.19	45.19	090	2	0	2	1	0
63056	Α	Decompress spinal cord	41.65	41.65	090	2	0	2	1	0
63057	Α	Decompress spinal cord	8.95	8.95	ZZZ	0	0	2	1	0
63064	Α	Decompress spinal cord	47.62	47.62	090	2	0	2	1	0
63066	Α	Decompress spinal cord	5.60	5.60	ZZZ	0	0	2	1	0

(22) Spine and spinal cord,	anterior of	or anterolateral	approach	for extradural	explora-
tion/decompression:					

63075	٨	Mook ening disk	36.36	36.36	090	2	0	2	2	0
03073		Neck spine disk		20.30	090	2	υ	2	2	U
63076	Α	Neck spine disk	8.52	8.52	ZZZ	0	0	2	2	0
63077	Α	Spine disk surgery	39.00	39.00	090	2	0	2	2	0
63078	Α	Spine disk surgery	5.75	5.75	ZZZ	0	0	2	2	0
63081	Α	Removal of vertebra	49.23	49.23	090	2	0	2	1	2
63082	Α	Removal of vertebra	9.29	9.29	ZZZ	0	0	2	1	2
63085	Α	Removal of vertebra	53.48	53.48	090	2	0	2	2	2
63086	Α	Removal of vertebra	6.88	6.88	ZZZ	0	0	2	2	2
63087	Α	Removal of vertebra	62.25	62.25	090	2	0	2	2	2
63088	Α	Removal of vertebra	9.18	9.18	ZZZ	0	0	2	2	2
63090	Α	Removal of vertebra	56.50	56.50	090	2	0	2	2	2
63091	Α	Removal of vertebra	5.64	5.64	ZZZ	0	0	2	2	2

## (23) Spine and spinal cord, incision:

63170	Α	Incise spinal cord	38.05	38.05	090	2	0	2	1	0
63172	Α	Drainage of spine	37.15	37.15	090	2	0	2	1	0
63173	Α	Drainage of spine	35.90	35.90	090	2	0	2	1	0
63180	Α	Revise spinal cord	28.93	28.93	090	2	0	2	1	0
63182	Α	Revise spinal cord	35.71	35.71	090	2	0	2	1	0
63185	Α	Incise spinal cord	30.29	30.29	090	2	0	2	1	0
63190	Α	Incise spinal cord	36.54	36.54	090	2	0	2	1	0
63191	Α	Incise spinal cord	29.74	29.74	090	2	1	2	1	0
63194	Α	Incise spinal cord	31.28	31.28	090	2	0	2	1	0
63195	Α	Incise spinal cord	31.65	31.65	090	2	0	2	1	0
63196	Α	Incise spinal cord	36.31	36.31	090	2	0	2	1	0
63197	Α	Incise spinal cord	34.48	34.48	090	2	0	2	1	0
63198	Α	Incise spinal cord	40.56	40.56	090	2	0	2	1	0
63199	Α	Incise spinal cord	46.52	46.52	090	2	0	2	1	0
63200	Α	Release of spinal cord	30.49	30.49	090	2	0	2	0	0

## (24) Spine and spinal cord, excision by laminectomy of lesion other than herniated disk:

63250	Α	Revise spinal cord	66.92	66.92	090	2	0	2	1	0
63251	Α	Revise spinal cord	61.75	61.75	090	2	0	2	1	0
63252	Α	Revise spinal cord	67.72	67.72	090	2	0	2	1	0
63265	Α	Excise intraspinal	42.98	42.98	090	2	0	2	1	0
63266	Α	Excise intraspinal	46.38	46.38	090	2	0	2	1	0
63267	Α	Excise intraspinal	37.69	37.69	090	2	0	2	1	0
63268	Α	Excise intraspinal	30.30	30.30	090	2	0	2	1	0
63270	Α	Excise intraspinal	43.74	43.74	090	2	0	2	1	0
63271	Α	Excise intraspinal	52.77	52.77	090	2	0	2	1	0
63272	Α	Excise intraspinal	47.70	47.70	090	2	0	2	1	0
63273	Α	Excise intraspinal	40.73	40.73	090	2	0	2	0	0
63275	Α	Biopsy/excise neoplasm	49.47	49.47	090	2	0	2	1	0
63276	Α	Biopsy/excise neoplasm	48.28	48.28	090	2	0	2	1	0
63277	Α	Biopsy/excise neoplasm	43.38	43.38	090	2	0	2	1	0
63278	Α	Biopsy/excise neoplasm	42.90	42.90	090	2	0	2	1	0
63280	Α	Biopsy/excise neoplasm	55.61	55.61	090	2	0	2	1	0
63281	Α	Biopsy/excise neoplasm	54.93	54.93	090	2	0	2	1	0
63282	Α	Biopsy/excise neoplasm	49.69	49.69	090	2	0	2	1	0
63283	Α	Biopsy/excise neoplasm	42.72	42.72	090	2	0	2	1	0
		• •								

639		FE	EES	FOR	MEDICAI	SERV	/ICE	ES	522	1.40	30
63285	Α	Biopsy/excise neoplasm		58.81	58.81	090	2	0	2	1	0
63286	A	Biopsy/excise neoplasm		62.84		090	$\bar{2}$	Õ	2	1	ŏ
63287	A	Biopsy/excise neoplasm		60.66		090	2	0	2	1	Õ
63290	A	Biopsy/excise neoplasm		62.73		090	2	0	2	î	ŏ
03270		Вюроу, олово поорлавт		02.75	02.73	070	-	J	-	•	Ü
(25) Spine lesion:	anc	spinal cord, excision, an	iterio	or or	anterolate	ral app	roac	h,	intra	spii	nal
63300	Α	Removal of vertebra		39.97	7 39.97	090	2	0	2	1	0
63301	Α	Removal of vertebra		44.85	44.85	090	2	0	2	1	0
63302	Α	Removal of vertebra		47.54	47.54	090	2	0	2	·1	0
63303	Α	Removal of vertebra		47.43		090	2	0	2	1	0
63304		Removal of vertebra		49.49	49.49	090	2	0	2	0	0
63305		Removal of vertebra		52.87		090	2	0	2	1	Ō
63306	Ā	Removal of vertebra		52.70		090	2	Õ	2	1	ŏ
63307	A	Removal of vertebra		53.95		090	$\bar{2}$	ŏ	2	1	ŏ
63308		Removal of vertebra		9.08		ZZZ	õ	0	2	Ô	0
03308	А	Removal of vertebra		9.00	9.00	LLL	U	U	۷		U
(26) Spine a	ind	spinal cord, stereotaxis:									
63600	Α	Remove spinal cord		24.51	24.51	090	2	0	0	0	0
63610	A			15.56		000	2	0	Õ	Õ	Õ
63615	A			27.06		090	2	ŏ	1	1	ŏ
											-
•	and	spinal cord, neurostimulato	ors:								
63650	Α	Implant neuroelectrodes		14.45		090	2	0	1	0	0
63655	Α	Implant neuroelectrodes		22.28	3 22.28	090	2	0	2	1	0
63660	Α	Revise neuroelectrodes		13.00	13.00	090	2	0	2	1	0
63685	Α	Implant neuroelectrodes		14.34		090	2	0	2	1	0
63688	Α	Revise neuroelectrodes		11.32		090	2	0	1	0	0
63690	Α	Analyze neuroelectrodes		1.03	0.72	XXX	0	0	0	0	0
63691	Α	Analyze neuroelectrodes		1.05	0.85	XXX	2	0	1	0	0
(28) Spine a	ınd	spinal cord, repair:									
63700	A	Repair of spinal cord		27.19	27.19	090	2	0	2	1	0
63702	A	Repair of spinal cord		30.49		090	2	ŏ	2 2	1	ő
63704	A	Repair of spinal cord		34.46		090	2	ő	2	$\hat{1}$	0
63706		Repair of spinal cord		39.41		090	2	ŏ	2	1	0
63707		Repair spinal fluid		23.60		090		.0	2	1	0
63709	A	Repair spinal fluid		30.03		090	2	0	2	1	0
63710		Graft repair		23.06		090	2	0	2	1	0
03/10	Α	Graft repair		23.00	23.00	090	2	U	2	1	U
(29) Spine a	and	spinal cord, shunt, spinal C	CSF:								
63740	Δ	Install spinal shunt		24.04	1 24.04	090	2	0	2	1	0
63741	A	Install spinal shunt		17.58		090	2	0	2	1	0
63744	A	Revision of spine		16.15		090	2	0	2	1	0
63746	A	Removal of spine		11.76		090	2	ő	õ	Ō	0
33710	4 1	1.0mo.a. or spine		11./(	. 11.70	070	-	J	3	J	J

(30) Extracranial nerves, peripheral nerves, and autonomic nervous system, introduction/injection of anesthetic agent, diagnostic or therapeutic:

64400	A It	jection for nerve	1.50	1.27	000	2	0	1	0	0
64402	A In	njection for nerve	1.78	1.78	000	2	0	1	0	0
64405	A Ir	jection for nerve	1.86	1.55	000	2	0	1	0	0
64408	A It	jection for nerve	2.35	1.84	000	2	0	0	0	0
64410	A Ir	jection for nerve	2.07	2.07	000	2	0	0	0	0
64412	A Ir	njection for nerve	1.71	1.41	000	2	0	1	0	0
64413	A Ir	njection for nerve	2.03	1.67	000	2	0	1	0	0
64415	A Ir	njection for nerve	1.63	1.63	000	2	0	1	0	0
64417	A Ir	jection for nerve	2.00	2.00	000	2	0	1	0	0
64418	A Ir	njection for nerve	2.07	1.66	000	2	0	1	0	0
64420		jection for nerve	1.73	1.73	000	2	0	1	0	0
64421	A Ir	jection for nerve	2.42	2.42	000	2	0	1	0	0
64425	A Ir	jection for nerve	2.19	2.19	000	2	0	1	0	0
64430	A Ir	jection for nerve	2.07	2.07	000	2	0	1	0	0
64435	A Ir	jection for nerve	1.82	1.59	000	2	0	1	0	0
64440	A Ir	jection for nerve	2.03	1.65	000	2	0	1	0	0
64441	A Ir	jection for nerve	2.67	2.18	000	2	0	1	0	0
64442	A Ir	jection for nerve	2.52	2.52	000	2	0	1	0	0
64443	A Ir	jection for nerve	1.56	1.56	ZZZ	0	0	1	0	0
64445	A Ir	jection for nerve	1.85	1.61	000	2	0	1	0	0
64450	A Ir	jection for nerve	1.69	1.44	000	2	0	1	0	0
64505	A Ir	jection for nerve	1.87	1.57	000	2	0	1	0	0
64508	A Ir	jection for nerve	2.07	1.56	000	2	0	0	0	0
64510	A Ir	jection for nerve	1.89	1.89	000	2	0	1	0	0
64520	A Ir	jection for nerve	2.01	2.01	000	2	0	1	0	0
64530	A Ir	jection for nerve	2.72	2.72	000	2	0	1	0	0

(31) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurostimulators:

64550	A Apply neurostimulator	0.61	0.40	000	0	0	1	0	٥
					-	-	1	U	U
64553	A Implant neuroelectrodes	3.14	2.64	010	2	0	0	0	0
64555	A Implant neuroelectrodes	2.52	2.32	010	2	0	1	0	0
64560	A Implant neuroelectrodes	3.68	2.98	010	2	0	0	0	0
64565	A Implant neuroelectrodes	2.38	2.01	010	2	0	1	0	0
64573	A Implant neuroelectrodes	7.41	7.41	090	2	0	0	0	0
64575	A Implant neuroelectrodes	7.14	7.14	090	2	0	1	0	0
64577	A Implant neuroelectrodes	7.11	7.11	090	2	0	1	0	0
64580	A Implant neuroelectrodes	6.66	6.66	090	2	0	2	0	0
64585	A Revise neuroelectrodes	2.86	2.86	010	2	0	2	0	0
64590	A Implant neuroelectrodes	4.15	4.15	010	2	0	2	1	0
64595	A Revise neuroelectrodes	2.77	2.77	010	2	0	2	0	0

(32) Extracranial nerves, peripheral nerves, and autonomic nervous system, destruction by neurolytic agent:

64600	A Injection treatment	4.86	4.86	010	2	2	1	0	0
64605	A Injection treatment	6.78	6.78	010	2	0	0	0	0
64610	A Injection treatment	14.26	14.26	010	2	0	1	0	0
64612	A Destroy nerve	3.27	2.57	010	2	0	1	0	0
64613	A Destroy nerve	3.27	2.57	010	2	0	1	0	0
64620	A Injection treatment	3.65	3.65	010	2	0	1	0	0

FEES FOR MEDICAL SERVICES 5221.4030

64622	A Injection treatment	4.67	4.67	010	2	0	1	0	0
64623	A Injection treatment	1.81	1.81	ZZZ	0	0	1	0	0
64630	A Injection treatment	4.61	4.61	010	2	0	0	0	0
64640	A Injection treatment	3.44	3.44	010	2	0	1	0	0
64680	A Injection treatment	4.10	4.10	010	2	0	1	0	0

(33) Extracranial nerves, peripheral nerves, and autonomic nervous system, neuro-plasty:

64702	Δ	Revise finger/toe	8.30	8.30	090	2	0	1	0	0
64704		Revise hand/foot	9.42	9.42	090	$\tilde{2}$	0	2	1	0
		•				_	-	_	1	-
64708	Α	Revise arm/leg	12.75	12.75	090	2	0	2	1	0
64712	Α	Revise sciatic nerve	16.20	16.20	090	2	0	2	1	0
64713	Α	Revise arm	20.01	20.01	090	2	0	2	1	0
64714	Α	Revise low back	16.08	16.08	090	2	0	2	1	0
64716	Α	Revise cranial nerve	10.76	10.76	090	2	0	2	1	0
64718	Α	Revise ulnar nerve	12.43	12.43	090	2	0	0	0	0
64719	Α	Revise ulnar nerve	9.65	9.65	090	2	0	1	0	0
64721	Α	Carpal tunnel	8.91	8.91	090	2	1	1	0	0
64722	Α	Relieve pressure	9.87	9.87	090	2	0	2	1	0
64726	Α	Release foot/toe	4.53	4.53	090	2	0	1	0	0
64727	Α	Internal nerve	6.25	6.25	ZZZ	0	0	1	0	0

(34) Extracranial nerves, peripheral nerves, and autonomic nervous system, transection or avulsion:

64702	Α	Revise finger/toe	8.30	8.30	090	2	0	1	0	0
64732	Α	Incision of brow nerve	8.56	8.56	090	2	0	2	0	0
64734	Α	Incision of cheek	9.29	9.29	090	2	0	0	0	0
64736	Α	Incision of chin	8.72	8.72	090	2	0	2	0	0
64738	Α	Incision of jaw	10.44	10.44	090	2	0	2	0	0
64740	Α	Incision of tongue nerve	10.42	10.42	090	2	0	2	0	0
64742	Α	Incision of face	10.72	10.72	090	2	0	2	0	0
64744	Α	Incision of back of head	10.93	10.93	090	2	1	0	0	0
64746	Α	Incise diaphragm	9.45	9.45	090	2	0	2	1	0
64752	Α	Incision of vagus	10.67	10.67	090	2	0	2	1	0
64755	Α	Incision of stomach	23.64	23.64	090	2	0	2	1	0
64760	Α	Incision of vagus	13.57	13.57	090	2	0	2	1	0
64761	Α	Incision of pelvus nerve	10.60	10.60	090	2	1	2	0	0
64763	Α	Incise hip/thigh	11.43	11.43	090	2	1	2	1	0
64766	Α	Incise hip/thigh	14.98	14.98	090	2	1	2	0	0
64771	Α	Sever cranial nerve	13.28	13.28	090	2	0	2	0	0
64772	Α	Incision of spinal nerve	13.80	13.80	090	2	0	2	1	0

(35) Extracranial nerves, peripheral nerves, and autonomic nervous system, excision:

64774	Α	Remove skin nerve	7.59	7.59	090	2	0	1	0	0
64776	Α	Remove digit nerve	7.56	7.56	090	2	0	0	0	0
64778	Α	Additional digit nerve	5.70	5.70	ZZZ	0	0	1	0	0
64782	Α	Remove limb nerve	10.45	10.45	090	2	0	1	1	0
64783	Α	Additional limb nerve	6.79	6.79	ZZZ	0	0	1	0	0
64784	Α	Remove nerve lesion	14.89	14.89	090	2	0	0	0	0
64786	Α	Remove sciatic nerve	27.44	27.44	090	2	0	2	0	0

64787	Α	Implant nerve end	7.59	7.59	ZZZ	0	0	0	0	0
64788		Remove skin nerve	7.97	7.97	090	2	0	1	0	0
64790	Α	Removal of nerve	17.81	17.81	090	2	0	0	1	0
64792	Α	Removal of nerve	23.14	23.14	090	2	0	2	1	0
64795	Α	Biopsy of nerve	5.25	5.25	000	2	0	1	0	0
64802	Α	Remove sympathetic nerve	14.13	14.13	090	2	1	2	1	0
64804	Α	Remove sympathetic nerve	26.97	26.97	090	2	1	2	1	0
64809	Α	Remove sympathetic nerve	23.73	23.73	090	2	1	2	1	0
64818	Α	Remove sympathetic nerve	18.58	18.58	090	2	1	2	1	0
64820	Α	Remove sympathetic nerve	17.22	17.22	090	2	0	1	0	0

(36) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurorrhaphy:

64830	Α	Microrepair of nerve	4.97	4.97	ZZZ	0	0	1	0	0
64831	Α	Repair of digit	12.14	12.14	090	2	0	1	0	0
64832	Α	Repair additional digit	6.62	6.62	ZZZ	0	0	0	0	0
64834	Α	Repair of hand	12.94	12.94	090	2	0	0	0	0
64835	Α	Repair of hand	16.26	16.26	090	2	0	2	0	0
64836	Α	Repair of hand	17.08	17.08	090	2	0	2	0	0
64837	Α	Repair additional nerve	10.45	10.45	ZZZ	0	0	2	0	0
64840	Α	Repair of leg nerve	22.11	22.11	090	2	0	2	0	0
64856	Α	Repair/transposition	21.26	21.26	090	2	0	1	1	0
64857	Α	Repair arm/leg	23.21	23.21	090	2	0	2	1	0
64858	Α	Repair sciatic nerve	26.74	26.74	090	2	0	2	1	0
64859	Α	Repair additional nerve	7.57	7.57	ZZZ	0	0	2	1	0
64861	Α	Repair of arm nerve	31.19	31.19	090	2	0	2	1	0
64862	Α	Repair of low back	39.36	39.36	090	2	0	2	0	0
64864	Α	Repair of facial nerve	19.63	19.63	090	2	0	2	1.	0
64865	Α	Repair of facial nerve	26.58	26.58	090	2	0	2	1	0
64866	Α	Fusion of facial nerve	26.11	26.11	090	2	0	2	1	0
64868	Α	Fusion of facial nerve	24.37	24.37	090	2	0	2	1	0
64870	Α	Fusion of facial nerve	28.89	28.89	090	2	0	2	1	0
64872	Α	Subsequent repair	3.36	3.36	ZZZ	0	0	2	1	0
64874	Α	Repair and revise	5.04	5.04	ZZZ	0	0	2	1	0
64876	Α	Repair nerve	5.71	5.71	ZZZ	0	0	2	1	0

(37) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurorrhaphy with nerve graft:

64885	Δ	Nerve graft, head/neck	28.99	28.99	090	2	0	2	1	0
64886		Nerve graft, head/neck	34.43	34.43	090	2	ő	2	1	Õ
64890		Nerve graft, hand/foot	26.76	26.76	090	$\tilde{2}$	Õ	2	Ô	õ
64891		Nerve graft, hand/foot	25.67	25.67	090	2	ŏ	$\bar{2}$	ŏ	ŏ
64892		Nerve graft, arm/leg	24.90	24.90	090	2	0	2	1	0
64893		Nerve graft, arm/leg	28.87	28.87	090	2	0	2	0	0
64895		Nerve graft, hand/foot	31.59	31.59	090	2	0	2	1	0
64896		Nerve graft, hand/foot	36.58	36.58	090	2	0	2	1	0
64897	Α	Nerve graft, arm/leg	30.12	30.12	090	2	0	2	0	0
64898	Α	Nerve graft, arm/leg	32.91	32.91	090	2	0	2	1	0
64901	Α	Graft additional nerve	19.57	19.57	ZZZ	0	0	2	1	0
64902	Α	Graft additional nerve	22.80	22.80	ZZZ	0	0	2	0	0
64905	Α	Nerve pedicle transfer	22.19	22.19	090	2	0	2	1	0
64907	Α	Nerve pedicle transfer	31.08	31.08	090	2	0	2	1	0

### FEES FOR MEDICAL SERVICES 5221.4030

(38) Extrac procedures:		ial nerves, peripheral nerves,	and a	autonomic	c nervo	us	syste	em,	otł	ner
64999	С	Nervous system surgery	0.00	0.00	YYY	2	0	0	1	1
(39) Eyebal	l, re	moval of eye:		•						
65091	Α	Revise eye	12.98	12.98	090	2	1	0	1	0
65093	Α	Revise eye	13.83	13.83	090	2	1	1	1	0
65101	Α	Removal of eye	14.11	14.11	090	2	1	1	0	0
65103	Α	Remove eye/insert	15.19		090	2	1	1	1	0
65105	Α	Remove eye/attached	17.03	17.03	090	2	1	2	1	0
65110	Α	Removal of eye	28.12	28.12	090	2	1	2	1	0
65112	Α	Removal of eye	27.22	27.22	090	2	1	2	1	0
65114	Α	Removal of eye	29.45	29.45	090	2	1	2	1	0
(40) Eyebal	l, se	condary implant procedures:								
65125	Α	Revise ocular implant	5.29	5.29	090	2	1	1	1	0
65130	A	Insert ocular implant	14.37		090	2	1	1	1	0
65135		Insert ocular implant	12.08		090	2	1	1	0	Õ
65140		Attach ocular implant	13.47		090	2	1	1	0	0
65150		Revise ocular implant	12.65		090	2	1	0	0	0
65155		Reinsert ocular implant	17.56		090	2	1	1	0	0
65175		Remove ocular implant	12.60		090	2	1	ī	1	ŏ
00170	••	,	12.00	12.00	0,0	_	-	-	-	Ü
(41) Eyebal	l, re	emoval of foreign body:								
65205	Α	Remove foreign body	1.01	0.83	000	2	1	1	0	0
65210	Α	Remove foreign body	1.22		000	2	1	1	0	Õ
65220		Remove foreign body	1.17		000	2	1	1	Ō	0
65222		Remove foreign body	1.41	1.14	000	2	1	1	Ŏ	Ŏ
65235	A		12.46		090	$\bar{2}$	î	ô	Ŏ	ŏ
65260		Remove foreign body	18.53		090	2	1	2	Ŏ	Õ
65265		Remove foreign body	21.41	21.41	090	2	1	$\bar{2}$	1	ŏ
		items to recognition,				_	-	_	_	
(42) Eyebal	l, re	pair of laceration:								
65270	Α	Repair of eye	2.89	2.89	010	2	1	0	0	0
65272	Α	Repair of eye	5.11		090	2	1	1	0	0
65273	Α	Repair of eye	7.18		090	2	1	1	1	0
65275	A	Repair of eye	5.51		090	2	1	0	0	0
65280	A	Repair of eye	15.37		090	2	1	0	0	0
65285	Α	Repair of eye	23.91		090	2	1	2	0	0
65286	A	Repair of eye	9.77		090	2	1	1	ŏ	ő
65290	A	Repair of eye	10.86		090	2	î	1	i	ŏ
JUE/ 3	••		10.00	10.00	0,0	_	•	-	-	J
(43) Anterio	or s	egment, cornea:								
65400	Α	Removal of eye	11.93	11.93	090	2	1	1	0	0
65410	A	Biopsy of cornea	2.93		000	2	î	Ô	ŏ	0
50.13	• •	poj 01 001 <b>0</b>	,,	2.70	500	_	-	-	,	0

65420	Α	Removal of eye	8.05	8.05	090	2	1	1	0	0
65426	Α	Removal of eye	10.56	10.56	090	2	1	1	Ŏ	Ŏ
65430	A	Corneal smear	1.87	1.61	000	$\bar{2}$	î	1	Ŏ	Õ
65435	A	Curette/treat cornea	1.60	1.23	000	2	1	1	ŏ	ő
65436	A	Curette/treat cornea	5.33	4.59	090	2	1	1	0	0
65450	A	Treatment of cornea	6.23	6.23	090	2	1	1	0	0
							1	1	-	0
65600	Α	Revision of cornea	5.69	4.43	090	2			0	
65710	Α	Corneal transplant	23.85	23.85	090	2	1	2	1	0
65730	Α	Corneal transplant	28.27	28.27	090	2	1	2	1	0
65750	Α	Corneal transplant	29.90	29.90	090	2	1	2	1	0
65755	Α	Corneal transplant	29.84	29.84	090	2	1	2	1	0
65760	N	Revision of cornea	0.00	0.00	XXX	9	9	9	9	9
65765	N	Revision of cornea	0.00	0.00	XXX	9	9	9	9	9
65767	N	Corneal tissue	0.00	0.00	XXX	9	9	9	9	9
65770	Α	Revise cornea	29.67	29.67	090	2	1	2	0	0
65771	N	Radial keratotomy	0.00	0.00	XXX	9	9	9	9	9
65772	Α	Correct astigmatism	8.62	6.35	090	2	1	1	0	0
65775	A	Correct astigmatism	11.69	11.69	090	2	1	1	0	Ō
02770	• •	Correct dongdriom	11.07	11.05	0,0	_	_	-	·	·
(44) Ante	rior s	egment, anterior chamber:								
,		,								
65800	Α	Drainage of eye	3.45	3.45	000	2	1	1	0	0
65805	A	Drainage of eye	3.54	2.66	000	2	î	1	ŏ	Õ
65810	A	Drainage of eye	9.76	9.76	090	2	. 1	1	0	0
65815	A	Drainage of eye	9.05	9.05	090	2	1	1	0	0
65820	A	Relieve inner eye	16.88	16.88	090	2	1	0	0	0
65850			21.11	21.11	090	2	1	1	1	0
	A	Incision of eye			090	2	1	1	0	0
65855	A	Laser surgery	10.00 7.20	7.09 5.32	090	2	1	0	0	0
65860	A	Incise inner eye				2		1		
65865	A	Incise inner eye	11.26	11.26	090		1	_	1	0
65870	A	Incise inner eye	11.52	11.52	090	2	1	1	1	0
65875	A	Incise inner eye	12.19	12.19	090	2	1	1	1	0
65880	Α	Incise inner eye	13.26	13.26	090	2	1	1	0	0
65900	Α	Remove eye lesion	18.07	18.07	090	2	1	2	0	0
65920	Α	Remove implant	15.94	15.94	090	2	1	1	1	0
65930	Α	Remove blood clot	14.40	14.40	090	2	1	1	1	0
66020	Α	Injection treatment	3.21	3.21	010	2	1	1	0	0
66030	Α	Injection treatment	1.67	1.41	010	2	1	1	0	0
(45) 4										
(45) Ante	rior se	egment, anterior sclera:								
66120	A	Damain and Issies	12.24	10.04	000	2	4	0	0	0
66130		Remove eye lesion	12.24	12.24	090	2	1	0	0	0
66150	Α	Glaucoma surgery	16.68	16.68	090	2	1	1	1	0
66155	Α	Glaucoma surgery	16.61	16.61	090	2	1	1	0	0
66160	Α	Glaucoma surgery	19.94	19.94	090	2	1	2	1	0
66165	Α	Glaucoma surgery	16.10	16.10	090	2	1	2	0	0
66170	Α	Glaucoma surgery	23.12	23.12	090	2	1	2	1	0
66172	Α	Incision of eye	25.74	25.74	090	2	1	2	1	0
66180		Implant eye shunt	29.24	29.24	090	2	1	2	1	0
66185		Revise eye shunt	16.36	16.36	090	2	1	2	0	ŏ
66220	A	Repair eye lesion	12.99	12.99	090	2	1	2	1	0
66225		Repair/graft eye	22.25	22.25	090	2	1	2	1	0
	A						1	1		0
66250	Α	Follow-up surgery	11.99	11.99	090	2	1	1	0	U

(46) Anter	ior s	egment, iris, ciliary body:								
66500	Δ	Incision of iris	7.46	7.46	090	2	1	1	1	0
66505		Incision of iris	6.96	6.96	090	2	1	1	0	ŏ
66600	A		17.20	17.20	090	2	1	1	ő	ŏ
66605	A	Removal of iris	23.45	23.45	090	2	î	1	ŏ	ŏ
66625		Removal of iris	10.37	10.37	090	2	1	1	0	ŏ
66630	Â	Removal of iris	12.39	12.39	090	2	1	1	ő	ő
66635	Â	Removal of iris	12.59	12.59	090	2	1	1	0	ő
66680	A	Repair iris and ciliary	10.91	10.91	090	2	1	1	1	0
66682		Repair iris and ciliary	12.44	12.44	090	2	1	1	0	ő
66700	Â	Destruction, ciliary	9.61	9.61	090	2	1	0	Ö	ŏ
66710	A	Destruction, ciliary	9.65	9.65	090	2	1	1	ŏ	ŏ
66720		Destruction, ciliary	9.63	9.63	090	2	1	î	0	ŏ
66740		Destruction, ciliary	9.64	9.64	090	2	1	1	0	ő
66761	Â	Revision of iris	8.28	6.12	090	2	1	1	0	ő
66762		Revision of iris	9.33	6.90	090	2	1	1	0	ŏ
66770	Â	Remove inner eye lesion	10.46	7.70	090	2	1	1	0	0
00770	А	Remove inner eye teston	10.40	7.70	090	۷	1	1	U	U
(47) Anter	ior s	egment, lens:								
66820	٨	Incision, secondary	7.83	7.83	090	2	1	1	0	0
66821	A	After cataract	4.84	4.84	090	2	1	1	0	ő
66825		Reposition intraocular	14.76	14.76	090	2	1	0	0	ő
66830	Â	Removal of lens	15.07	15.07	090	2	1	1	0	ő
66840	Â	Removal of lens	15.88	15.88	090	2	1	1	0	ő
66850		Removal of lens	18.34	18.34	090	2	1	1	ŏ	ŏ
66852		Removal of lens	20.14	20.14	090	2	1	Ô	1	ŏ
66920		Extraction of lens	17.79	17.79	090	2	1	ő	1	ŏ
66930		Extraction of lens	19.69	19.69	090	2	1	ő	0	ő
66940	A	Extraction of lens	17.93	17.93	090	2	1	ŏ	1	ŏ
66983	A	Remove cataract	18.24	18.24	090	2	1	1	Ō	ŏ
66984		Remove cataract	20.78	20.78	090	2	1	1	0	ŏ
66985	A	Insert lens procedure	16.88	16.88	090	2	1	1	1	ŏ
66986	A	Exchange lens procedure	23.28	23.28	090	2	1	1	1	ő
00900	А	Exchange lens procedure	23.20	23.20	070	۷	1	1	1	U
(48) Anter	ior s	egment, other procedures:				•				
66999	C	Eye surgery	0.00	0.00	YYY	2	1	0	1	1
(49) Poster	rior s	segment, vitreous:								
(7005		Death and	11.05	11.05	000	2	1	1	1	^
67005		Partial removal	11.85	11.85	090	2	1	1	1	0
67010		Partial removal	14.11	14.11	090		1	2	1	0
67015		Release of eye	12.71	12.71	090	2	1	1	1	0
67025		Replace eye fluid	12.93	12.93	090	2	1	1 2	1	0
67027		Implant drug delivery	18.84	18.84	090		1	_	1	0
67028		Inject eye	5.50	5.06	000	2	1	1 2	$0 \\ 1$	0
67030		Incise inner eye	9.81 7.65	9.81	090	2	1 1	1	0	0
67031		Laser surgery	7.65	5.70	090	2	1	2		0
67036		Remove inner eye fluid	24.25 42.84	24.25 42.84	090 090	2	1	2	1 1	0
67038 67039		Strip retinal membrane	29.53	29.53	090	2	1	2	1	0
67040		Laser treatment Laser treatment	34.91	34.91	090	2	1	2	1	0
0/040	^	Laser treatment	J <del>1</del> .71	J <del>7</del> .71	090		Т	2	1	U

(50) Posteri	ior s	segment, retina or choroid:								
67101	Α	Repair detached retina	15.20	11.20	090	2	1	1	0	0
67105		Repair detached retina	16.00	11.58	090	2	1	1	0	0
67107		Repair detached retina	29.84	29.84	090	2	1	2	1	0
67108	Α		41.99	41.99	090	2	1	2	1	0
67110	Α	Repair detached retina	17.89	17.89	090	2	1	1	0	0
67112	Α	Re-repair detached	31.73	31.73	090	2	1	2	1	0
67115	Α	Release, encircling	10.08	10.08	090	2	1	1	0	0
67120	Α	Remove eye implant	11.99	11.99	090	2	1	1	1	0
67121	Α	Remove eye implant	19.06	19.06	090	2	1	2	1	0
67141	Α	Treatment of retina	10.51	7.75	090	2	1	1	0	0
67145	Α	Treatment of retina	11.42	8.28	090	2	1	1	0	0
67208	Α	Treatment of retina	13.49	9.93	090	2	1	1	0	0
67210	Α	Treatment of retina	18.10	13.74	090	2	1	1	0	0
67218	Α	Treatment of retina	25.52	25.52	090	2	1	1	0	0
67227	Α	Treatment of retina	13.25	13.25	090	2	1	1	0	0
67228	A	Treatment of retina	20.90	16.37	090	2	1	1	0	0
07220	А	Treatment of Tethia	20.70	10.57	020	۷	1	1	U	U
(51) Posteri	or s	segment, sclera:								
67250	Δ	Reinforce eye	14.83	14.83	090	2	1	1	1	0
67255		Reinforce/graft eye	18.02	18.02	090	2	1	2	1	0
07233		Nomioroo, grant eye	10.02	10.02	070	_	-	-	•	Ü
(52) Posteri	or s	segment, other procedures:								
67299	C	Eye surgery	0.00	0.00	YYY	2	1	0	1	1
(53) Ocular	adı	nexa, extraocular muscles:								
67211	٨	Poviso ovo muselos	12 27	12 27	000	2	1	1	0	Λ
67311 67312	A	Revise eye muscles Revise two eye muscles	13.37 17.12	13.37 17.12	090 090	2 2	1 1	1	1	0
67314	A A	Revise eye muscles	15.14	17.12	090	2	1	1	0	0
67314	A	Revise two eye muscles	19.06	19.06	090	2	1	0	0	0
67318	A	Revise eye muscles	13.31	13.31	090	2	1	1	1	0
67320	A	Revise eye muscle	17.45	17.45	090	2	1	1	0	0
67331		Eye surgery	16.30	16.30	090	2	1	1	1	0
67332	A	Re-revise eye muscle	18.03	18.03	090	2	1	2	1	0
67334	A	Revise eye muscle	13.49	13.49	090	2	1	1	1	0
67335	A	Eye suture	5.14	5.14	ZZZ	0	1	1	1	0
67340		Revise eye muscle	16.78	16.78	090	2	1	2	0	0
67343	A	Release eye tissue	12.48	12.48	090	2	1	2	1	0
67345	A	Destroy nerve	4.97	3.90	010	2	1	1	0	0
67350	A	Biopsy eye muscle	4.99	4.99	000	2	1	0	0	0
67399	Ĉ	Eye muscle surgery	0.00	0.00	YYY	2	1	2	1	1
01377	C	Lyc muscle surgery	0.00	0.00	111	۷	1	۷	L	1
(54) Ocular	adı	nexa, orbit:								
67400	A	Explore/biopsy eye	19.58	19.58	090	2	1	2	1	0

-		~
`	4	1

67405	Α	Explore/drain eye	15.99	15.99	090	2	1	2	0	0
67412	Α	Explore/treat eye	19.09	19.09	090	2	1	2	1	0
67413	Α	Explore/treat eye	17.21	17.21	090	2	1	2	0	0
67414	Α	Explore/decompress eye	18.45	18.45	090	2	1	2	1	0
67415	Α	Aspirate orbital contents	3.54	3.54	000	2	1	0	0	0
67420	Α	Explore/treat eye	35.03	35.03	090	2	1	2	1	0
67430	Α	Explore/treat eye	22.74	22.74	090	2	1	2	0	0
67440	Α	Explore/drain eye	26.33	26.33	090	2	1	2	1	0
67445	Α	Explore/decompress eye	24.16	24.16	090	2	1	2	1	0
67450	Α	Explore/biopsy eye	27.10	27.10	090	2	1	2	1	0
67500	Α	Inject/treat eye	1.46	1.46	000	2	1	1	0	0
67505	Α	Inject/treat eye	1.78	1.21	000	2	1	1	0	0
67515	Α	Inject/treat eye	1.11	0.84	000	2	1	1	0	0
67550	Α	Insert eye socket	18.93	18.93	090	2	1	1	1	0
67560	Α	Revise eye socket	17.91	17.91	090	2	1	0	0	0
67570	Α	Decompress optic nerve	19.85	19.85	090	2	1	2	1	0
67599	C	Orbit surgery procedure	0.00	0.00	YYY	2	1	2	1	1

## (55) Ocular adnexa, eyelids:

<b>477</b> 00	,	75 . 6 11.1	4.50	1 10	046	_	.4	4	^	^
67700		Drainage of eyelid	1.72	1.48	010	2	1	1	0	0
67710		Incision of eyelid	1.93	1.45	010	2	1	1	0	0
67715		Incision of eyelid	2.45	2.45	010	2	1	1	0	0
67800		Remove eyelid lesion	2.19	1.73	010	2	0	1	0	0
67801		Remove eyelid lesion	3.09	2.42	010	2	0	1	0	0
67805		Remove eyelid lesion	3.39	2.73	010	2	0	1	0	0
67808	Α	Remove eyelid lesion	5.58	5.58	090	2	0	1	0	0
67810	Α	Biopsy of eyelid	2.15	1.76	000	2	0	1	0	0
67820	Α	Revise eyelashes	1.19	1.00	000	2	0	1	0	0
67825	Α	Revise eyelashes	2.15	1.72	010	2	0	1	0	0
67830	Α	Revise eyelashes	3.68	3.44	010	2	0	1	0	0
67835	Α	Revise eyelashes	11.21	11.21	090	2	0	0	0	0
67840	Α	Remove eyelid lesion	3.07	2.48	010	2	0	1	0	0
67850	Α	Treat eyelid lesion	2.35	1.96	010	2	0	1	0	0
67875	Α	Closure of eyelid	2.96	2.74	000	2	0	1	0	0
67880	Α	Revision of eyelid	7.38	7.38	090	2	0	1	0	0
67882	Α	Revision of eyelid	10.20	10.20	090	2	0	1	0	0
67900	Α	Repair brow	9.34	9.34	090	2	0	1	0	0
67901	Α	Repair eyelid	14.09	14.09	090	2	1	1	0	0
67902	Α	Repair eyelid	14.25	14.25	090	2	1	2	1	0
67903	Α	Repair eyelid	12.96	12.96	090	2	1	1	1	0
67904	Α	Repair eyelid	12.73	12.73	090	2	1	1	1	0
67906	Α	Repair eyelid	11.64	11.64	090	2	1	1	0	0
67908	Α	Repair eyelid	10.40	10.40	090	2	1	1	0	0
67909	Α	Revise eyelid	10.90	10.90	090	2	1	1	0	0
67911	Α	Revise eyelid	10.82	10.82	090	2	1	1	0	0
67914	Α	Repair eyelid	7.47	7.47	090	2	1	1	0	0
67915	Α	Repair eyelid	4.13	3.53	090	2	1	1	0	0
67916	Α	Repair eyelid	10.67	10.67	090	2	1	1	0	0
67917	Α	Repair eyelid	12.12	12.12	090	2	1	1	0	0
67921	Α	Repair evelid	6.81	6.81	090	2	1	1	0	0
67922	A	Repair eyelid	3.97	3.39	090	2	1	1	0	0
67923	A	Repair eyelid	11.80	11.80	090	2	1	1	Õ	0
67924	A	Repair eyelid	11.65	11.65	090	$\bar{2}$	1	1	Õ	Ŏ
67930	A	Repair eyelid	4.55	3.93	010	$\tilde{2}$	0	ī	Õ	ŏ
67935	A	Repair eyelid	9.44	9.44	090	2	ő	1	0	0
0,,00		Tite of the	2.11	2	470	-	~	-	Ü	J

		_								
67938		Remove eyelid	1.73	1.48	010	2	0	1	0	0
67950	Α	Revision of eyelid	11.71	11.71	090	2	0	2	1	0
67961	Α	Revision of eyelid	11.49	11.49	090	2	0	0	0	0
67966	Α	Revision of eyelid	13.31	13.31	090	2	0	1	0	0
67971	Α	Reconstruction of eyelid	19.56	19.56	090	2	0	2	1	0
67973	A	Reconstruction of eyelid	25.26	25.26	090	2	0	2	1	0
67974	Α	Reconstruction of eyelid	25.73	25.73	090	2	0	2	1	0
67975	A	Reconstruction of eyelid	12.43	12.43	090	2	0	1	0	0
67999	С	Revision of eyelid	0.00	0.00	YYY	2	0	0	1	1
(56) Conju	nctiv	va, incision and drainage:								
68020	Α	Incise/drain eye	1.75	1.51	010	2	0	1	0	0
68040	A	Treatment of eye	1.22	1.00	000	2	ŏ	1	0	0
(5 <b>5</b> ) G	. •			:						
(57) Conju	nctiv	va, excision and/or drainage:								
68100	Α	Biopsy of eyelid	2.21	1.74	000	2	0	1	0	0
68110	A	Remove eyelid lesion	2.84	2.24	010	2	0	1	0	0
68115	Α	Remove eyelid lesion	4.07	4.07	010	2	0	1	0	0
68130	Α	Remove eyelid lesion	8.55	8.55	090	2	Õ	1	Ō	Ŏ
68135	Α		2.41	2.05	010	2	0	1	0	0
		,								
(58) Conju	nctiv	va, injection:								
68200	A	Treat eyelid	0.96	0.71	000	2	1	1	0	0
(=0) = 1				•						
(59) Conju	nctiv	va, conjunctivoplasty:								
68320	Α	Revise/graft eyelid	10.82	10.82	090	2	0	1	1	0
68325		Revise/graft eyelid	14.85	14.85	090	2	0	1	1	0
68326	Α	Revise/graft eyelid	14.36	14.36	090	2	0	1	0	0
68328	Α	Revise/graft eyelid	16.57	16.57	090 -	2	0	0	0	0
68330	Α	Revise eyelid	9.71	9.71	090	2	0	0	0	0
68335	Α	Revise/graft eyelid	14.54	14.54	090	2	0	1	1	0
68340	Α	Separate eyelid	6.91	6.91	090	2	0	0	0	0
(60) Conju	nctiv	ra, other procedures:								
68360		Revise eyelid	8.80	8.80	090	2	0	1	0	0
68362	Α	Revise eyelid	14.63	14.63	090	2	0	1	1	0
68399	С	Eyelid lining surgery	0.00	0.00	YYY	2	0	0	1	1
(61) Conjui	nctiv	a, lacrimal system:								
68400	Δ	Incise/drain tear duct	2.53	2.05	010	2	0	1	0	0
68420		Incise/drain tear duct	3.11	2.61	010	2	0	1	0	0
68440		Incise tear duct	1.61	1.24	010	2	0	1	0	ő
68500		Removal of tear duct	17.77	17.77	090	2	0	1	0	ŏ
68505		Partial removal	18.60	18.60	090	2	ő	1	ő	ŏ
					- · · <del>-</del>	-	-	_	_	

68510	Α	Biopsy of tear duct	7.90	7.90	000	2	0	0	0	0
68520		Removal of tear duct	15.08	15.08	090	2	ŏ	ŏ	ŏ	ŏ
68525	A	Biopsy of tear duct	7.70	7.70	000	2	0	1	1	ő
	A	Clearance of tear duct	6.17	4.79	010	2	0	1	0	0
68530							-		-	
68540	_	Remove tear gland	17.93	17.93	090	2	0	1	1	0
68550	Α	Remove tear gland	23.40	23.40	090	2	0	1	0	0
68700	Α	Repair tear duct	8.67	8.67	090	2	0	1	0	0
68705	Α	Revise tear duct	2.88	2.39	010	2	0	1	0	0
68720	Α	Create tear sac	18.05	18.05	090	2	0	2	1	0
68745	Α	Create tear duct	14.42	14.42	090	2	0	2	1	0
68750	Α	Create tear duct	17.53	17.53	090	2	0	2	1	0
68760	Α	Close tear duct	2.48	2.04	010	2	1	1	0	0
68761	Α	Close tear duct	2.15	1.70	010	2	1	0	0	0
68770	Ā	Close tear system	10.60	8.55	090	2	0	0	0	0
68801	Ā	Dilate tear duct	1.27	1.07	010	2	1	1	Õ	Õ
68810	Ā	Probe nasolacrimal duct	2.27	2.01	010	2	î	1	ŏ	ŏ
68811	A	Probe nasolacrimal duct	3.62	3.62	010	2	1	1	0	ő
68815	Â	Probe nasolacrimal duct	4.82	3.89	010	2	1	1	0	0
				1.39	010	2	0	1	0	0
68840	A	Explore/irrigate	1.62					-	_	
68850	A	Injection	1.24	1.24	000	2	0	1	0	0
68899	С	Tear duct system surgery	0.00	0.00	YYY	2	0	0	1	1
(62) Externa	al e	ar, incision:								
` /		•								
69000	Α	Drain external ear	1.67	1.50	010	2	0	1	0	0
69005	Α	Drain external ear	3.11	2.55	010	2	0	1	0	0
69020	A	Drain outer ear	1.80	1.58	010	2	0	1	0	0
69090	N	Pierce earlobes	0.00	0.00	XXX	9	9	9	9	9
0,000	•	Tiores currents	0.00	0.00	7664					
(63) Externa	ıl e	ar, excision:								
69100	<b>A</b>	Pioney of oytarnal car	1.41	1.09	000	2	0	1	0	0
	A	Biopsy of external ear		1.21	000	2	0	1	0	
69105	A	Biopsy of external ear	1.59					_	_	0
69110	A	Partial removal	5.87	5.87	090	2	0	1	0	0
69120	A	Removal of external ear	4.47	4.47	090	2	0	1	0	0
69140	A	Remove ear canal	15.45	15.45	090	2	0	0	0	0
69145	A	Remove ear canal	4.96	4.96	090	2	0	1	0	0
69150	Α	Extensive ear canal	22.99	22.99	090	2	0	2	1	0
69155	Α	Extensive ear/neck	35.15	35.15	090	2	0	2	1	0
(64) Externa	ıl e	ar, removal of foreign body:								
		,								
69200	Α	Clear outer ear	1.13	0.92	000	2	0	1	0	0
69205		Clear outer ear	2.18	2.18	010	2	0	1	0	0
69210		Remove impacted cerumen	0.79	0.68	000	2	2	1	0	0
69220	Ā	Clean out mastoid	1.26	1.02	000	2	1	1	ŏ	ŏ
69222		Clean out mastoid	2.03	1.67	010	2	î	î	ŏ	ŏ
0,222	2 1	Cican out musicia	2.03	1.07	010	_	1	•	Ü	U
(65) Externa	al e	ar, repair:								
(0200	Р	Daving antonnal con	11.05	11.05	3/3/3/	0	0	0	0	0
69300		Revise external ear	11.05	11.05	YYY	0	0	0	0	0
69310		Rebuild outer ear	19.90	19.90	090	2	0	1	0	0
69320	Α	Rebuild outer ear	30.46	30.46	090	2	0	2	0	0

5221.4030 FEES FOR MEDICAL SERVICES								6	550
(66) External	ear, other procedures:		٠.						
69399 C	Outer ear surgery	0.00	0.00	YYY	2	0	0	1	1
(67) Middle ea	ar, introduction:			·					
69400 A 69401 A 69405 A 69410 A	Inflate middle ear Catheterize middle ear	1.22 0.83 2.87 0.92	1.00 0.71 2.64 0.63	000 000 010 000	2 2 2 2	0 0 0 0	1 1 0 0	0 0 0 0	0 0 0 0
(68) Middle ea	ar, incision:								
69420 A 69421 A 69424 A 69433 A 69436 A 69440 A 69450 A	Incision of ear Remove ventilation Create eardrum Create eardrum Exploration of ear	1.92 2.74 1.38 2.75 3.96 15.43 11.61	1.58 2.74 1.09 2.10 3.96 15.43 11.61	010 010 000 010 010 090 090	2 2 2 2 2 2 2 2	1 1 1 1 0 0	1 1 1 1 1 1 0	0 0 0 0 0 0	0 0 0 0 0 0
(69) Middle ea	ar, excision:								
69501 A 69502 A 69505 A 69511 A 69530 A 69535 A 69540 A 69550 A 69552 A	Remove mastoid Extensive mastoid Extensive mastoid Remove part of bone Remove ear lesion Remove ear lesion Remove ear lesion	18.52 24.94 26.58 27.65 34.51 58.79 2.39 22.76 34.85 53.65	18.52 24.94 26.58 27.65 34.51 58.79 1.78 22.76 34.85 53.65	090 090 090 090 090 090 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 0 0 0 2 2 1 2 2 2	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 0
(70) Middle ea	ar, repair:								
69601 A 69602 A 69603 A 69604 A 69605 A 69610 A 69620 A 69631 A 69632 A 69633 A 69635 A 69636 A 69637 A	Mastoid surgery Mastoid surgery Mastoid surgery Mastoid surgery Repair eardrum Repair eardrum Repair eardrum Rebuild eardrum Repair eardrum Rebuild eardrum Repair eardrum	26.42 27.72 28.66 29.11 32.25 4.98 12.25 20.32 26.08 24.82 27.32 31.15 31.00	26.42 27.72 28.66 29.11 32.25 4.53 12.25 20.32 26.08 24.82 27.32 31.15 31.00	090 090 090 090 090 010 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0	0 0 0 2 2 1 1 1 1 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

# **MINNESOTA RULES 2001**

651		FEES FOR	MEDICAL	SERV	ICES	522	1.40	30
60641	A Revise middle ear	26.07	26.07	090	2 0	1	0	0
69641 69642	A Revise middle ear	20.07 34.40		090	$\begin{bmatrix} 2 & 0 \\ 2 & 0 \end{bmatrix}$	1	0	0
69643	A Revise middle ear	34.40		090	2 0	1	0	0
69644	A Revise middle ear	31.37 34.93		090	$\frac{2}{2} = 0$	1	0	0
69645	A Revise middle ear	33.66		090	2 0	1	0	0
69646	A Revise middle ear	36.77		090	2 0	0	-	0
69650	A Release middle ea			090	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1	0	0
69660	A Revise middle ear	24.45		090	2 0	1	0	0
69661	A Revise middle ear	32.07		090	2 0	0	0	0
69662	A Revise middle ear	31.49		090	2 0	1	0	0
69666	A Repair middle ear	20.19		090	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	0	0
69667	A Repair middle ear	20.15		090	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	0	0
69670	A Remove mastoid	20.88		090	2 0	2	ő	0
69676	A Remove middle ea			090	$\frac{1}{2}$	1	Õ	0
0,0,0	romovo middie od		17.00	0,50	- 1	•	Ŭ	Ü
(71) Midd	le ear, other procedures:							
69700	A Close mastoid fistu	ıla 15.53	15.53	090	2 0	1	0	0
69710	N Implant/replace he			XXX	9 9	9	9	9
69711	A Remove/repair hea			090	2 0	2	0	ó
69720	A Release facial nerv			090	2 0	$\tilde{0}$	1	ŏ
69725	A Release facial nerv			090	2 0	2	0	Ŏ
69740	A Repair facial nerve			090	2 0	2	0	0
69745	A Repair facial nerve			090	2 0	2	0	0
69799	C Middle ear surgery		0.00	YYY	2 0	0	1	1
(72) Inner	ear, incision and/or dest	ruction:		-				
69801	A Incise inner ear	17.88	17.88	090	2 0	0	0	0
69802	A Incise inner ear	23.42		090	2 0	2	0	Õ
69805	A Explore inner ear	26.34	26.34	090	2 0	2	0	0
69806	A Explore inner ear	25.74		090	2 0	1	0	0
69820	A Establish inner ear	18.49	18.49	090	2 0	2	0	0
69840	A Revise inner ear	17.80	17.80	090	2 0	2	0	0
(73) Inner	ear, excision:							
69905	A Remove inner ear	23.01	23.01	090	2 0	1	0	0
69910	A Remove inner ear	28.14		090	2 0	ō	0	Õ
69915	A Incise inner ear	37.49		090	2 0	2	1	0
(74) Inner	ear, introduction:							
69930	A Implant cochlea	34.96	34.96	090	2 0	0	0	0
(75) Inner	ear, other procedures:							
69949	C Inner ear surgery	0.00	0.00	YYY	2 0	0	1	1

(76) Te	empo	ral	bone, middle fossa approach:								
69950 69955 69960 69970		A A A	Incise inner ear Release facial nerve Release inner ear Remove inner ear	41.93 45.38 42.85 47.54	41.93 45.38 42.85 47.54	090 090 090 090	2 2 2 2	0 0 0 0	2 2 2 2	1 1 1 1	0 0 0 0
(77) To	empo	oral	bone, middle fossa approach, o	other pro	ocedures	s:					
69979		C	Temporal bone surgery	0.00	0.00	YYY	2	0	0	1	1
	F.	Pro	ocedure code numbers 70010 to	79999 1	elate to	radiolo	ду р	roc	edui	res.	
1	2	3	4	5	6	7	8	9	10	11	12
(1) Dia	agnos	stic	radiology, head and neck:								—
70010 70010 70010 70010 70010 70015 70015 70030 70030 70030 70100 70100 70110 70110 70110 70120 70120 70130 70130 70134 70134 70134 70134 70140 70140 70150 70150 70160 70160 70160	26 TC	A A A A A A A A A A A A A A A A A A A	X-ray exam of jaw X-ray exam of jaw	5.76 1.63 4.13 2.92 1.63 1.30 0.64 0.24 0.40 0.76 0.26 0.50 0.95 0.35 0.59 1.23 0.47 0.75 1.18 0.47 0.70 0.86 0.26 0.59 1.12 0.36 0.75 0.74 0.24 0.50	5.76 1.63 4.13 2.92 1.63 1.30 0.64 0.24 0.40 0.76 0.26 0.50 0.95 0.35 0.59 1.23 0.47 0.75 1.18 0.47 0.70 0.86 0.26 0.59 1.12 0.36 0.75 0.74 0.24 0.50	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX		0 0 0 0 0 0 3 3 3 3 0 0 0 0 0 0 0 0 0 0			
70170 70170 70170 70190 70190	26 TC 26	A A A A	X-ray exam of tear duct X-ray exam of tear duct X-ray exam of tear duct X-ray exam of eye X-ray exam of eye	1.32 0.42 0.90 0.88 0.29	1.32 0.42 0.90 0.88 0.29	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 3 3	0 0 0 0	0 0 0 0	0 0 0 0

70190	TC	Α	X-ray exam of eye	0.59	0.59	XXX	0	3	0	0	0
70200		Α	X-ray exam of eye	1.14	1.14	XXX	0	0	0	0	0
70200	26		X-ray exam of eye	0.39	0.39	XXX	Ŏ	Ŏ	Õ	Ö	ŏ
70200	TC	A	X-ray exam of eye	0.75	0.75	XXX	ŏ	ŏ	Õ	ŏ	ŏ
70210	10	A	X-ray exam of sinuses	0.83	0.83	XXX	ŏ	ŏ	ŏ	ŏ	ő
70210	26	A	X-ray exam of sinuses	0.24	0.24	XXX	ŏ	Ö	0	0	0
70210	TC	A		0.59	0.59	XXX	0	ő	0	ő	0
70220	10	A	X-ray exam of sinuses	1.11	1.11	XXX	0	0	0	0	0
	26		X-ray exam of sinuses	0.35	0.35						
70220	26 TC	A	X-ray exam of sinuses			XXX	0	0	0	0	0
70220	TC	A	X-ray exam of sinuses	0.75	0.75	XXX	0	0	0	0	0
70240	06	Α	X-ray exam, pituitary	0.67	0.67	XXX	0	0	0	0	0
70240	26 TC	A	X-ray exam, pituitary	0.26	0.26	XXX	0	0	0	0	0
70240	TC	A	X-ray exam, pituitary	0.40	0.40	XXX	0	0	0	0	0
70250	•	A	X-ray exam of skull	0.93	0.93	XXX	0	0	0	0	0
70250	26	Α	X-ray exam of skull	0.34	0.34	XXX	0	0	0	0	0
70250	TC	A	X-ray exam of skull	0.59	0.59	XXX	0	0	0	0	0
70260		A	X-ray exam of skull	1.33	1.33	XXX	0	0	0	0	0
70260	26	Α	X-ray exam of skull	0.47	0.47	XXX	0	0	0	0	0
70260	TC	Α	X-ray exam of skull	0.85	0.85	XXX	0	0	0	0	0
70300		Α	X-ray exam of teeth	0.40	0.40	XXX	0	0	0	0	0
70300	26	Α	X-ray exam of teeth	0.14	0.14	XXX	0	0	0	0	0
70300	TC	Α	X-ray exam of teeth	0.25	0.25	XXX	0	0	0	0	0
70310		Α	X-ray exam of teeth	0.62	0.62	XXX	0	0	0	0	0
70310	26	Α	X-ray exam of teeth	0.22	0.22	XXX	0	0	0	0	0
70310	TC	Α	X-ray exam of teeth	0.40	0.40	XXX	0	0	0	0	0
70320		Α	Full mouth x-ray	1.06	1.06	XXX	0	0	0	0	0
70320	26	Α	Full mouth x-ray	0.31	0.31	XXX	0	0	0	0	0
70320	TC	Α	Full mouth x-ray	0.75	0.75	XXX	0	0	0	0	0
70328		Α	X-ray exam of jaw	0.73	0.73	XXX	0	0	0	0	0
70328	26	Α	X-ray exam of jaw	0.26	0.26	XXX	0	0	0	0	0
70328	TC	Α	X-ray exam of jaw	0.47	0.47	XXX	0	0	0	0	0
70330		Α	X-ray exam of jaw	1.14	1.14	XXX	0	2	0	0	0
70330	26	Α	X-ray exam of jaw	0.34	0.34	XXX	0	2	0	0	0
70330	TC	Α	X-ray exam of jaw	0.80	0.80	XXX	0	2	0	0	0
70332		Α	X-ray exam of jaw	2.76	2.76	XXX	0	3	0	0	0
70332	26	Ā	X-ray exam of jaw	0.75	0.75	XXX	0	3	0	0	0
70332	TC	A	X-ray exam of jaw	2.00	2.00	XXX	0	3	Ŏ	Õ	Ö
70336		A	Magnetic image	12.48	12.48	XXX	Ŏ	3	0	Õ	ŏ
70336	26	A	Magnetic image	1.79	1.79	XXX	ŏ	3	ŏ	Ŏ	ŏ
70336	TC	A	Magnetic image	10.69	10.69	XXX	ŏ	3	0	ŏ	ŏ
70350		A	X-ray head for teeth	0.60	0.60	XXX	ŏ	0	ŏ	ŏ	ő
70350	26	A	X-ray head for teeth	0.24	0.24	XXX	ő	Ö	0	0	0
70350	TC	A	X-ray head for teeth	0.36	0.36	XXX	ŏ	Ö	0	ő	0
70355	10	A	Panoramic x-ray	0.82	0.82	XXX	Ö	0	0	0	0
70355	26		Panoramic x-ray	0.32	0.32	XXX	ő	0	0	0	0
70355			Panoramic x-ray	0.27	0.54	XXX	0	0	0	0	0
	IC						_				
70360	26	A	X-ray exam of neck	0.64	0.64 0.24	XXX	0	0	0	0	0
70360	26 TC	A	X-ray exam of neck	0.24		XXX	0	0	0	0	0
70360	IC		X-ray exam of neck	0.40	0.40	XXX	0	0	0	0	0
70370	26	A	Throat x-ray	1.69	1.69	XXX	0	0	0	0	0
70370	26	A	Throat x-ray	0.45	0.45	XXX	0	0	0	0	0
70370	TC	A	Throat x-ray	1.24	1.24	XXX	0	0	0	0	0
70371		A	Speech evaluation	3.17	3.17	XXX	0	0	0	0	0
70371	26	A	Speech evaluation	1.16	1.16	XXX	0	0	0	0	0
70371	TC		Speech evaluation	2.00	2.00	XXX	0	0	0	0	0
70373		Α	Contrast x-ray	2.31	2.31	XXX	0	0	0	0	0
70373	26	A		0.61	0.61	XXX	0	0	0	0	0
70373	TC	A	Contrast x-ray	1.70	1.70	XXX	0	0	0	0	0

70380		Α	X-ray exam of salivary	0.88	0.88	XXX	0	0	0	0	0
70380	26	Α	X-ray exam of salivary	0.24	0.24	XXX	0	0	0	0	0
70380	TC		X-ray exam of salivary	0.64	0.64	XXX	0	0	0	0	0
70390		A	X-ray exam of salivary	2.23	2.23	XXX	0	0	0	0	0
70390	26		X-ray exam of salivary	0.53	0.53	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70390	TC		X-ray exam of salivary	1.70	1.70	XXX	ŏ	ŏ	ŏ	ő	ŏ
70450	IC					XXX	ő	0	0	0	ŏ
	26	A	CAT scan of head	5.68	5.68						
70450	26	A	CAT scan of head	1.17	1.17	XXX	0	0	0	0	0.
70450	TC	Α	CAT scan of head	4.51	4.51	XXX	0	0	0	0	0
70460		Α	Contrast CAT scan	6.95	6.95	XXX	0	0	0	0	0
70460	26	Α	Contrast CAT scan	1.55	1.55	XXX	0	0	0	0	0
70460	TC	Α	Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70470		Α	Contrast CAT scan	8.49	8.49	XXX	0	0	0	0	0
70470	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
70470	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70480		Α	CAT scan of skull	6.27	6.27	XXX	0	0	0	0	0
70480	26	A	CAT scan of skull	1.76	1.76	XXX	Ō	Ŏ	Ō	Ŏ	Ŏ
70480	TC	A	CAT scan of skull	4.51	4.51	XXX	0	ŏ	ŏ	ŏ	ŏ
70481	10	A	Contrast CAT scan	7.29	7.29	XXX	ŏ	ŏ	0	0	ŏ
70481	26	A	Contrast CAT scan	1.89	1.89	XXX	0	0	ő	0	ő
		A					0	0			0
70481	TC		Contrast CAT scan	5.40	5.40	XXX			0	0	
70482	0.0	A	Contrast CAT scan	8.74	8.74	XXX	0	0	0	0	0
70482	26	A	Contrast CAT scan	1.99	1.99	XXX	0	0	0	0	0
70482	TC	A	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70486		Α	CAT scan of face	6.07	6.07	XXX	0	0	0	0	0
70486	26	Α	CAT scan of face	1.56	1.56	XXX	0	0	0	0	0
70486	TC	Α	CAT scan of face	4.51	4.51	XXX	0	0	0	0	0
70487		Α	Contrast CAT scan	7.18	7.18	XXX	0	0	0	0	0
70487	26	Α	Contrast CAT scan	1.78	1.78	XXX	0	0	0	0	0
70487	TC	Α	Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70488		Α	Contrast CAT scan	8.70	8.70	XXX	0	0	0	0	0
70488	26	A	Contrast CAT scan	1.95	1.95	XXX	0	0	0	0	0
70488	TČ	A	Contrast CAT scan	6.75	6.75	XXX	Ŏ	Ŏ	Ŏ	Õ	Ŏ
70490		A	CAT scan of neck	6.27	6.27	XXX	ŏ	ŏ	Ŏ	ŏ	ŏ
70490	26	A	CAT scan of neck	1.76	1.76	XXX	ŏ	Ö	ŏ	0	ŏ
70490	TC	A	CAT scan of neck	4.51	4.51	XXX	0	0	0	0	0
	10			7.29	7.29	XXX	0	-		0	0
70491	26	A	Contrast CAT scan			-		0	0		
70491	26	A	Contrast CAT scan	1.89	1.89	XXX	0	0	0	0	0
70491	TC	A	Contrast CAT scan	5.40	5.40	XXX	0	0	0	0.	0
70492		A	Contrast CAT scan	8.74	8.74	XXX	0	0	0	0	0
70492	26	A	Contrast CAT scan	1.99	1.99	XXX	0	0	0	0	0
70492	TC	Α	Contrast CAT scan	6.75	6.75 .	XXX	0	0	0	0	0
70540			Magnetic image	12.72	12.72	XXX	0	0	0	0	0
70540	26	Α	Magnetic image	2.04	2.04	XXX	0	0	0	0	0
70540	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
70541		R	Magnetic image	13.02	13.02	XXX	0	0	0	0	0
70541	26	R	Magnetic image	2.34	2.34	XXX	0	0	0	0	0
70541	TC	R	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
70551		A	Magnetic image	12.72	12.72	XXX	0	0	0	0	0
70551	26	A	Magnetic image	2.04	2.04	XXX	0	Ŏ	Ŏ	Ŏ	Ŏ
70551	TC	A	Magnetic image	10.69	10.69	XXX	ŏ	ŏ	ő	ŏ	ŏ
70551	10	A	Magnetic image	15.28	15.28	XXX	0	0	0	0	0
70552	26			2.45	2.45	XXX	0	0	0	0	0
70552	26 TC	A	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
	TC	A	Magnetic image				-				
70553	26		Magnetic image	27.00	27.00	XXX	0	0	0	0	0
70553	26	A	Magnetic image	3.26	3.26	XXX	0	0	0	0	0
70553	TC	A	Magnetic image	23.73	23.73	XXX	0	0	0	0	0

## (2) Diagnostic radiology, chest:

71010		Α	Chest x-ray	0.70	0.70	XXX	0	0	0	0	0
71010	26	A	Chest x-ray	0.25	0.25	XXX	0	0	Ō	0	0
71010	TC	A	Chest x-ray	0.45	0.45	XXX	Õ	Ŏ	Ō	Õ	0
71015		A	X-ray exam of chest	0.79	0.79	XXX	0	Ó	0	0	0
71015	26	A	X-ray exam of chest	0.29	0.29	XXX	0	0	0	Õ	0
71015	TC	A	X-ray exam of chest	0.50	0.50	XXX	0	ŏ	Ŏ	Õ	0
71020		A	Chest x-ray	0.89	0.89	XXX	Ö	ŏ	ŏ	Õ	ŏ
71020	26	A	Chest x-ray	0.30	0.30	XXX	Ö	ő	0	ő	0
71020	TC	A	Chest x-ray	0.59	0.59	XXX	ŏ	ŏ	ő	ŏ	0
71021		A	Chest x-ray	1.08	1.08	XXX	0	ŏ	Õ	Õ	Ŏ
71021	26	A	Chest x-ray	0.37	0.37	XXX	ŏ	ŏ	0	ŏ	ŏ
71021	TC	A	Chest x-ray	0.70	0.70	XXX	ŏ	ő	0	ŏ	Ö
71022	10	A	Chest x-ray	1.13	1.13	XXX	ŏ	ŏ	ŏ	ő	ŏ
71022	26		Chest x-ray	0.43	0.43	XXX	ŏ	ő	ő	ŏ	ŏ
71022	TC	A	Chest x-ray	0.70	0.70	XXX	0	ő	ŏ	ŏ	0
71023	10	A	Chest x-ray	1.28	1.28	XXX	0	0	0	0	0
71023	26	A	Chest x-ray	0.53	0.53	XXX	Ü	0	0	0	0
71023	TC	A	Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71023	10	A	Chest x-ray	1.18	1.18	XXX	0	0	0	0	0
71030	26	A	Chest x-ray	0.43	0.43	XXX	0	0	0	0	0
71030	TC		Chest x-ray	0.75	0.75	XXX	ő	0	0	0	0
71034	10		Chest x-ray	2.01	2.01	XXX	0	0	0	0	0
71034	26	A	Chest x-ray	0.64	0.64	XXX	0	0	0	0	0
71034	TC	Â	Chest x-ray	1.37	1.37	XXX	0	0	0	0	0
71034	ıc	A	Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71035	26	A	Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71035	TC	A	Chest x-ray	0.50	0.50	XXX	0	0	0	0	0
71035	ıc	A	X-ray guidance	2.26	2.26	XXX	0	0	0	0	0
71036	26	A	X-ray guidance	0.75	0.75	XXX	0	0	0	0	0
71036	TC	A	X-ray guidance	1.50	1.50	XXX	0	0	0	0	0
71038	10	A	X-ray guidance	2.36	2.36	XXX	0	0	0	0	0
71038	26		X-ray guidance	0.75	0.75	XXX	0	0	0	0	0
71038	TC	A	X-ray guidance	1.61	1.61	XXX	0	0	0	0	0
71038	10	A	Contrast x-ray	2.20	2.20	XXX	0	0	0	0	0
71040	26	A	Contrast x-ray	0.81	0.81	XXX	0	0	0	0	0
71040	TC		Contrast x-ray	1.39	1.39	XXX	0	0	0	0	0
71060	10	A	Contrast x-ray	3.13	3.13	XXX	0	2	0	0	0
71060	26	Â	Contrast x-ray	1.03	1.03	XXX	0	2	0	0	0
71060	TC	A	Contrast x-ray	2.11	2.11	XXX	0	2	0	0	0
71090	10	A	X-ray and pacemaker	2.36	2.36	XXX	0	0	0	0	0
71090	26	A	X-ray and pacemaker	0.75	0.75	XXX	0	0	0	0	0
71090	TC		X-ray and pacemaker	1.61	1.61	XXX	0	0	0	0	0
71100	10		X-ray exam of ribs	0.85	0.85	XXX	0	0	0	0	0
71100	26		X-ray exam of ribs	0.31	0.33	XXX	0	0	0	0	0
71100	TC	A	X-ray exam of ribs	0.54	0.54	XXX	0	0	0	0	0
71100	ıc		X-ray exam of ribs	1.02	1.02	XXX	0	0	0	0	0
71101	26			0.38	0.38	XXX	0	0	0	0	0
71101	TC		X-ray exam of ribs	0.56	0.56	XXX	0	0	0	0	0
711101	IC	A	X-ray exam of ribs	1.13	1.13	XXX	0		0	0	0
71110	26		X-ray exam of ribs	0.38	0.38	XXX	0	2 2	0	0	0
71110			X-ray exam of ribs	0.36	0.36	XXX	0	2	0	0	
71110	TC		X-ray exam of ribs	1.30	1.30		_	2	0		0
71111	26		X-ray exam of ribs	0.45	0.45	XXX XXX	0	2	0	0	0
71111	TC	A	X-ray exam of ribs X-ray exam of ribs	0.45	0.45	XXX	0	2	0	0	0
71111	10			0.89	0.89	XXX	0	0	0	0	$0 \\ 0$
/1140		А	X-ray exam of sternum	0.07	0.09	ллл	υ	U	U	U	U

71120	26	Α	X-ray exam of sternum	0.27	0.27	XXX	0	0	0	0	0
71120	TC		X-ray exam of sternum	0.62	0.62	XXX	ŏ	ŏ	Ŏ	Ŏ	Õ
71130			X-ray exam of sternum	0.97	0.97	XXX	Õ	Ŏ	ō	Ŏ	Ŏ
71130	26		X-ray exam of sternum	0.30	0.30	XXX	ŏ	ŏ	Õ	Ŏ	Õ
71130	TC		X-ray exam of sternum	0.67	0.67	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
71250			CAT scan of chest	7.23	7.23	XXX	Õ	Õ	ŏ	Õ	Õ
71250	26	A	CAT scan of chest	1.59	1.59	XXX	Ŏ	ŏ	ŏ	Ö	Ŏ
71250	TC	A	CAT scan of chest	5.64	5.64	XXX	Ŏ	Õ	Ŏ	Ŏ	Ŏ
71260		A	Contrast CAT scan	8.45	8.45	XXX	Õ	Ŏ	ŏ	Õ	ŏ
71260	26	A	Contrast CAT scan	1.70	1.70	XXX	ŏ	ŏ	Õ	Õ	ŏ
71260	TC		Contrast CAT scan	6.75	6.75	XXX	Õ	0	ŏ	Õ	ŏ
71270		A	Contrast CAT scan	10.32	10.32	XXX	ŏ	ŏ	0	Ŏ	ŏ
71270	26	A	Contrast CAT scan	1.89	1.89	XXX	0	0	ő	Õ	Ŏ
71270	TC	A	Contrast CAT scan	8.43	8.43	XXX	ŏ	ŏ	Õ	ŏ	ŏ
71550		A	Magnetic image	12.89	12.89	XXX	Õ	0	ŏ	ŏ	ŏ
71550	26	A	Magnetic image	2.21	2.21	XXX	Õ	Õ	0	0	Õ
71550	TC		Magnetic image	10.69	10.69	XXX	ŏ	Õ	ŏ	Ö	Õ
71555		R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
71555	26	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
71555	TČ	R	Magnetic image	0.00	0.00	XXX	ģ	ģ	9	9	9
	- 0			2.00	2.00					-	-

# (3) Diagnostic radiology, spine and pelvis:

72010		Α	X-ray exam of spine	1.60	1.60	XXX	0	0	0	0	0
72010	26	Α	X-ray exam of spine	0.62	0.62	XXX	0	0	0	0	0
72010	TC	Α	X-ray exam of spine	0.98	0.98	XXX	0	0	0	0	0
72020		Α	X-ray exam of spine	0.61	0.61	XXX	0	0	0	0	0
72020	26	Α	X-ray exam of spine	0.21	0.21	XXX	0	0	0	0	0
72020	TC	Α	X-ray exam of spine	0.40	0.40	XXX	0	0	0	0	0
72040		Α	X-ray exam of neck	0.87	0.87	XXX	0	0	0	0	0
72040	26	Α	X-ray exam of neck	0.30	0.30	XXX	0	0	0	0	0
72040	TC	Α	X-ray exam of neck	0.57	0.57	XXX	0	0	0	0	0
72050		Α	X-ray exam of neck	1.28	1.28	XXX	0	0	0	0	0
72050	26	Α	X-ray exam of neck	0.43	0.43	XXX	0	0	0	0	0
72050	TC	Α	X-ray exam of neck	0.85	0.85	XXX	0	0	0	0	0
72052		Α	X-ray exam of neck	1.58	1.58	XXX	0	0	0	0	0
72052	26	A	X-ray exam of neck	0.50	0.50	XXX	0	0	0	0	0
72052	TC	Α	X-ray exam of neck	1.08	1.08	XXX	0	0	0	0	0
72069		Α	X-ray exam, thoracolumbar	0.77	0.77	XXX	0	0	0	0	0
72069	26	Α	X-ray exam, thoracolumbar	0.30	0.30	XXX	0	0	0	0	0
72069	TC	A	X-ray exam, thoracolumbar	0.47	0.47	XXX	0	0	0	0	0
72070		Α	X-ray exam of thoracic	0.92	0.92	XXX	0	0	0	0	0
72070	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72070	TC	Α	X-ray exam of thoracic	0.62	0.62	XXX	0	0	0	0	0
72072		A	X-ray exam of thoracic	1.01	1.01	XXX	0	0	0	0	0
72072	26	A	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72072	TC	A	X-ray exam of thoracic	0.70	0.70	XXX	0	0	0	0	0
72074		A	X-ray exam of thoracic	1.18	1.18	XXX	0	0	0	0	0
72074	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72074	TC	Α	X-ray exam of thoracic	0.87	0.87	XXX	0 .	0	0	0	0
72080		Α	X-ray exam, thoracolumbar	0.94	0.94	XXX	0	0	0	0	0
72080	26	Α	X-ray exam, thoracolumbar	0.30	0.30	XXX	0	0	0	0	0
72080	TC	A	X-ray exam, thoracolumbar	0.64	0.64	XXX	0	0	0	0	0
72090		Α	X-ray exam, scoliosis	1.03	1.03	XXX	0	0	0	0	0
72090	26	Α	X-ray exam, scoliosis	0.39	0.39	XXX	0	0	0	0	0
72090	TC	Α	X-ray exam, scoliosis	0.64	0.64	XXX	0	0	0	0	0
			-								

72100		Α	X-ray exam of lumbar	0.94	0.94	XXX	0	0	0	0	0
72100	26		X-ray exam of lumbar	0.30	0.30	XXX	0	0	0	0	0
72100	TC	A	X-ray exam of lumbar	0.64	0.64	XXX	ŏ	ŏ	ŏ	ŏ	Ŏ
72110	10		X-ray exam of lumbar	1.30	1.30	XXX	0	ő	0	Ö	0
72110	26			0.43	0.43		_		_	0	
. – –		A	X-ray exam of lumbar			XXX	0	0	0		0
72110	TC	A	X-ray exam of lumbar	0.87	0.87	XXX	0	0	0	0	0
72114		Α	X-ray exam of lumbar	1.63	1.63	XXX	0	0	0	0	0
72114	26	Α	X-ray exam of lumbar	0.50	0.50	XXX	0	0	0	0	0
72114	TC	Α	X-ray exam of lumbar	1.13	1.13	XXX	0	0	0	0	0
72120		Α	X-ray exam of lumbar	1.16	1.16	XXX	0	0	0	0	0
72120	26	Α	X-ray exam of lumbar	0.30	0.30	XXX	0	0	0	0	0
72120	TC	Α	X-ray exam of lumbar	0.85	0.85	XXX	0	0	0	0	0
72125		Α	CAT scan of neck	7.23	7.23	XXX	0	0	0	0	0
72125	26	A	CAT scan of neck	1.59	1.59	XXX	Õ	Ō	Ō	Ŏ	Ō
72125	TC	A	CAT scan of neck	5.64	5.64	XXX	Õ	ŏ	Õ	ŏ	ŏ
72126		A	Contrast CAT scan	8.41	8.41	XXX	Ö	ő	ő	ŏ	ŏ
72126	26	A	Contrast CAT scan	1.66	1.66	XXX	0	0	ő	ő	0
72126	TC			6.75	6.75	XXX	0	0	0	0	0
	IC	A	Contrast CAT scan				_	_			
72127	0.0	A	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72127	26	A	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72127	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72128		Α	CAT scan of thoracic	7.23	7.23	XXX	0	0	0	0	0
72128	26	Α	CAT scan of thoracic	1.59	1.59	XXX	0	0	0	0	0
72128	TC	Α	CAT scan of thoracic	5.64	5.64	XXX	0	0	0	0	0
72129		Α	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72129	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72129	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72130		Α	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72130	26	A	Contrast CAT scan	1.74	1.74	XXX	Õ	ŏ	ŏ	ŏ	ŏ
72130	TC	Â	Contrast CAT scan	8.43	8.43	XXX	ŏ	0	ŏ	0	0
72131		Â	CAT scan of low back	7.23	7.23	XXX	ŏ	ŏ	ŏ	0	Ö
72131	26	Â	CAT scan of low back	1.59	1.59	XXX	0	0	0	0	0
72131	TC	A	CAT scan of low back	5.64	5.64	XXX	0	0	0	0	0
72132	0.0	A	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72132	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72132	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72133		A	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72133	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72133	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72141		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
72141	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
72141	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
72142			Magnetic image	15.47	15.47	XXX	0		Ō	0	0
72142	26		Magnetic image	2.65	2.65	XXX	ő	ŏ	ŏ	ŏ	0
72142	TC	A	Magnetic image	12.82	12.82	XXX	0	ŏ	ŏ	0	0
72146	10	A	Magnetic image	14.07	14.07	XXX	0	0	0	0	
	26										0
72146		A	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
72146	TC	A	Magnetic image	11.86	11.86	XXX	0	0	0	0	0
72147		Α	Magnetic image	15.47	15.47	XXX	0	0	0	0	0
72147	26	Α	Magnetic image	2.65	2.65	XXX	0	0	0	0	0
72147	TC	Α	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
72148		Α	Magnetic image	13.90	13.90	XXX	0	0	0	0	0
72148	26	Α	Magnetic image	2.04	2.04	XXX	0	0	0	0	0
72148	TC	Α	Magnetic image	11.86	11.86	XXX	0	0	0	0	0
72149		A	Magnetic image	15.28	15.28	XXX	Õ	Ō	0	Õ	Ō
72149	26	À	Magnetic image	2.45	2.45	XXX	ŏ	ŏ	ŏ	ő	ŏ
72149	TC	A	Magnetic image	12.82	12.82	XXX	Ö	ő	0	0	0
72156			Magnetic image	27.27	27.27	XXX	0	0	0	0	0
12130		Α	wagnene mage	41.41	41.41	ллл	U	U	U	U	U

72156	26	Α	Magnetic image	3.54	3.54	XXX	0	0	0	0	0
72156	TC	Α	Magnetic image	23.73	23.73	XXX	0	0	0	0	0
72157		Α	Magnetic image	27.27	27.27	XXX	0	0	0	0	0
72157	26	Α	Magnetic image	3.54	3.54	XXX	0	0	0	0	0
72157	TC	Α	Magnetic image	23.73	23.73	XXX	0	0	0	0	0
72158		Α	Magnetic image	27.00	27.00	XXX	0	0	0	0	0
72158	26	Α	Magnetic image	3.26	3.26	XXX	0	0	0	0	Ŏ
72158	TC	Α	Magnetic image	23.73	23.73	XXX	0	Ŏ	Ŏ	Ō	Ŏ
72159		N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72159	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72159	TC		Magnetic image	0.00	0.00	XXX	ģ	9	9	9	9
72170		A	X-ray exam of pelvis	0.73	0.73	XXX	Ó	Ó	Ó	ó	ó
72170	26		X-ray exam of pelvis	0.73	0.23	XXX	ő	ő	ŏ	ŏ	ŏ
72170	TC	A	X-ray exam of pelvis	0.50	0.50	XXX	0	0	ő	ŏ	0
72170	10	A	X-ray exam of pelvis	0.93	0.93	XXX	0	0	0	0	0
72190	26		X-ray exam of pelvis	0.29	0.29	XXX	0	0	0	0	0
72190	TC		X-ray exam of pelvis	0.29	0.64	XXX	0	0	0	0	0
72190	10			7.13	7.13	XXX	0	0	0	0	0
72192	26		CAT scan of pelvis	1.49	1.49	XXX	0	0	0	0	0
72192	TC		CAT scan of pelvis CAT scan of pelvis	5.64	5.64	XXX	0	0	0	0	0
72192	IC	A	Contrast CAT scan	8.11		XXX	0	0	0	0	0
72193	26		Contrast CAT scan	1.59	8.11 1.59	XXX	_		0		
	TC	A		6.52	6.52	XXX	0	$0 \\ 0$	0	0	0
72193	IC	A	Contrast CAT scan	9.75			0		0		0
72194	26	A	Contrast CAT scan Contrast CAT scan		9.75	XXX XXX	0	0	0	0	0
72194	TC			1.66	1.66			0	-	0	0
72194	IC	-	Contrast CAT scan	8.09 12.89	8.09 12.89	XXX XXX	0	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	0
72196 72196	26	A A	Magnetic image	2.21	2.21	XXX	$0 \\ 0$	0	0	0	0
72196	TC	A	Magnetic image	10.69	10.69	XXX	0	0	ŏ	0	0
72190	IC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72198	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72198	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72200	10		Magnetic image X-ray exam of sacroiliac	0.74	0.74	XXX	0	0	0	0	0
72200	26		X-ray exam of sacroiliac	0.74	0.74	XXX	0	0	0	0	ŏ
72200	TC	A	X-ray exam of sacrolliac	0.50	0.50	XXX	0	0	0	0	0
72202	10	A	X-ray exam of sacroiliac	0.86	0.86	XXX	0	0	0	0	0
72202	26	A	X-ray exam of sacroiliac	0.36	0.36	XXX	0	0	0	0	0
72202	TC		X-ray exam of sacrolliac	0.20	0.59	XXX	0	0	ŏ	0	0
72220	10	Ā	X-ray exam of tailbone	0.78	0.78	XXX	0	ő	0	0	Ö
72220	26	A	X-ray exam of tailbone	0.76	0.76	XXX	0	ő	0	ő	ő
72220	TC	A	X-ray exam of tailbone	0.54	0.54	XXX	0	0	0	0	0
72240			Contrast x-ray	5.78	5.78	XXX	0	0	0	0	0
72240	26		Contrast x-ray	1.26	1.26	XXX	ő	ő	ő	ŏ	Ö
72240	TC	A	Contrast x-ray	4.53	4.53	XXX	0	ŏ	0	0	ŏ
72255	10	A		5.39	5.39	XXX	0	ŏ	ő	0	ŏ
72255	26	A		1.26	1.26	XXX	0	ŏ	ő	0	ŏ
72255	TC		Contrast x-ray	4.13	4.13	XXX	0	ő	0	ŏ	0
72265	10	A	Contrast x-ray	5.04	5.04	XXX	ő	ŏ	ő	0	ő
72265	26		Contrast x-ray	1.15	1.15	XXX	Ö	ő	ŏ	0	ŏ
72265	TC	A	Contrast x-ray	3.89	3.89	XXX	ő	ő	ő	ŏ	ő
72270	10		Contrast x-ray	7.64	7.64	XXX	ő	ŏ	0	ŏ	ŏ
72270	26	A	Contrast x-ray	1.83	1.83	XXX	0	ő	ŏ	0	ő
72270	TC		Contrast x-ray	5.82	5.82	XXX	ő	ő	0	ő	0
72285		A	X-ray of neck	9.15	9.15	XXX	0	0	0	0	ő
72285	26	A	X-ray of neck	1.15	1.15	XXX	0	0	0	ő	0
72285	TC		X-ray of neck	7.99	7.99	XXX	0	0	ő	0	ő
72295			X-ray of lower back	8.64	8.64	XXX	0	0	0	0	0
		• •	in any or ioner onen	0.01	2.01		,	,	,	3	J

FEES FOR MEDICAL SERVICES 5221.4030

MILLITROO	IAKULLO	<b>∠</b> 001

659

72295 72295	26 TC		X-ray of lower back X-ray of lower back	1.15 7.49	1.15 7.49	XXX XXX	0	0 0	0	0	0
(4) Dia	ignos	tic	radiology, upper extremities:								
73000		Α	X-ray exam of clavicle	0.72	0.72	XXX	0	3	0	0	0
73000	26	A	X-ray exam of clavicle	0.22	0.22	XXX	ŏ	3	ŏ	ŏ	ŏ
73000	TC		X-ray exam of clavicle	0.50	0.50	XXX	0	3	0	0	0
73010			X-ray exam of scapula	0.74	0.74	XXX	0	3	0	0	0
73010	26		X-ray exam of scapula	0.24	0.24	XXX	0	3	0	0	0
73010	TC	Α	X-ray exam of scapula	0.50	0.50	XXX	0	3	0	0	0
73020		Α	X-ray exam of shoulder	0.66	0.66	XXX	0	3	0	0	0
73020	26	Α	X-ray exam of shoulder	0.21	0.21	XXX	0	3	0	0	0
73020	TC		X-ray exam of shoulder	0.45	0.45	XXX	0	3	0	0	0
73030	0.0	Α	X-ray exam of shoulder	0.79	0.79	XXX	0	3	0	0	0
73030	26 TC	A	X-ray exam of shoulder	0.25	0.25	XXX	0	3	0	0	0
73030	TC		X-ray exam of shoulder	0.54	0.54	XXX	0	3	0	0	0
73040 73040	26	A	Contrast x-ray	2.76	2.76	XXX	$0 \\ 0$	3	0	0	$\begin{array}{c} 0 \\ 0 \end{array}$
73040	TC	A	Contrast x-ray Contrast x-ray	0.75 2.00	0.75 2.00	XXX XXX	0	3	0	$0 \\ 0$	0
73050	ic	Â	X-ray exam of shoulder	0.91	0.91	XXX	0	2	0	0	0
73050	26		X-ray exam of shoulder	0.27	0.27	XXX	0	2	ő	0	Ö
73050	TC	A	X-ray exam of shoulder	0.64	0.64	XXX	ŏ	2	ŏ	ŏ	ŏ
73060	- 0		X-ray exam of humerus	0.78	0.78	XXX	Ŏ	3	ŏ	ŏ	ŏ
73060	26		X-ray exam of humerus	0.24	0.24	XXX	0	3	0	0	0
73060	TC	Α	X-ray exam of humerus	0.54	0.54	XXX	0	3	0	0	0
73070		Α	X-ray exam of elbow	0.71	0.71	XXX	0	3	0	0	0
73070	26	Α	X-ray exam of elbow	0.21	0.21	XXX	0	3	0	0	0
73070	TC	Α	X-ray exam of elbow	0.50	0.50	XXX	0	3	0	0	0
73080		A	X-ray exam of elbow	0.78	0.78	XXX	0	3	0	0	0
73080	26		X-ray exam of elbow	0.24	0.24	XXX	0	3	0	0	0
73080	TC		X-ray exam of elbow	0.54	0.54	XXX	0	3	0	0	0
73085	26	Α		2.76	2.76	XXX	0	3	0	0	0
73085	26 TC	A		0.75	0.75	XXX	0	3	0	0	0
73085	TC	A	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73090 73090	26	A A	X-ray exam of forearm	$0.72 \\ 0.22$	0.72 0.22	XXX XXX	$0 \\ 0$	3	$0 \\ 0$	0 0	0
73090	TC		X-ray exam of forearm X-ray exam of forearm	0.50	0.50	XXX	0	3	0	0	ő
73092	10		X-ray exam of infant	0.69	0.69	XXX	0	3	0	0	0
73092	26	A		0.22	0.03	XXX	0	3	0	ő	ő
73092	TC	A	X-ray exam of infant	0.47	0.47	XXX	ő	3	ŏ	ő	ŏ
73100			X-ray exam of wrist	0.69	0.69	XXX	ŏ	3	ŏ	ŏ	ŏ
73100	26		X-ray exam of wrist	0.22	0.22	XXX	0	3	0	0	0
73100	TC		X-ray exam of wrist	0.47	0.47	XXX	0	3	0	0	0
73110		Α	X-ray exam of wrist	0.75	0.75	XXX	0	3	0	0	0
73110	26	Α	X-ray exam of wrist	0.24	0.24	XXX	0	3	0	0	0
73110	TC		X-ray exam of wrist	0.51	0.51	XXX	0	3	0	0	0
73115			Contrast x-ray	2.26	2.26	XXX	0	3	0	0	0
73115	26		Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73115	TC		Contrast x-ray	1.50	1.50	XXX	0	3	0	0	0
73120	26		X-ray exam of hand	0.69	0.69	XXX	0	3	0	0	0
73120	26 TC		X-ray exam of hand	0.22	0.22	XXX	0	3	0	0	0
73120	ıC		X-ray exam of hand	0.47	0.47	XXX	0	3	0	0	0
73130 73130	26		X-ray exam of hand	0.75 0.24	0.75	XXX	0	3	0	0	0
73130	26 TC		X-ray exam of hand	$0.24 \\ 0.51$	0.24 0.51	XXX	0	3	0	$0 \\ 0$	0
73140	10		X-ray exam of hand X-ray exam of fingers	0.51	0.51	XXX XXX	0	3	$0 \\ 0$	0	0
,5170		2 L	11 Tay Ordin of Imgers	0.50	0.50	MM	J	5	U	U	U

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

73140	26	Α	X-ray exam of fingers	0.18	0.18	XXX	0	3	0	0	0
73140	TC	Α	X-ray exam of fingers	0.40 -	0.40	XXX	0	3	0	0	0
73200		Α	CAT scan of arm	6.23	6.23	XXX	0	3	0	0	0
73200	26	Α	CAT scan of arm	1.49	1.49	XXX	0	3	0	0	0
73200	TC	Α	CAT scan of arm	4.73	4.73	XXX	0	3	0	0	0
73201		Α	Contrast CAT scan	7.23	7.23	XXX	0	3	0	0	0
73201	26	Α	Contrast CAT scan	1.59	1.59	XXX	0	3	0	0	0
73201	TC	Α	Contrast CAT scan	5.64	5.64	XXX	0	3	0	0	0
73202		Α	Contrast CAT scan	8.75	8.75	XXX	0	3	0	0	0
73202	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	3	0	0	0
73202	TC	Α	Contrast CAT scan	7.09	7.09	XXX	0	3	0	0	0
73220		Α	Magnetic image	12.72	12.72	XXX	0	3	0	0	0
73220	26	Α	Magnetic image	2.04	2.04	XXX	0	3	0	0	0
73220	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73221		Α	Magnetic image	12.48	12.48	XXX	0	3	0	0	0
73221	26	Α	Magnetic image	1.79	1.79	XXX	0	3	0	0	0
73221	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73225		N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
73225	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
73225	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
			<del>-</del>								

#### (5) Diagnostic radiology, lower extremities:

73500		Α	X-ray exam of hip	0.69	0.69	XXX	0	0	0	0	0
73500	26	Α	X-ray exam of hip	0.24	0.24	XXX	0	0	0	0	0
73500	TC	Α	X-ray exam of hip	0.45	0.45	XXX	0	0	0	0	0
73510		Α	X-ray exam of hip	0.84	0.84	XXX	0	0	0	0	0
73510	26	Α	X-ray exam of hip	0.29	0.29	XXX	0	0	0	0	0
73510	TC	Α	X-ray exam of hip	0.54	0.54	XXX	0	0	0	0	0
73520		Α	X-ray exam of hip	1.00	1.00	XXX	0	2	0	0	0
73520	26	Α	X-ray exam of hip	0.36	0.36	XXX	0	2	0	0	0
73520	TC	Α	X-ray exam of hip	0.64	0.64	XXX	0	2	0	0	0
73525		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73525	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73525	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73530		Α	X-ray exam of hip	0.90	0.90	XXX	0	3	0	0	0
73530	26	Α	X-ray exam of hip	0.40	0.40	XXX	0	3	0	0	0
73530	TC	Α	X-ray exam of hip	0.50	0.50	XXX	0	3	0	0	0
73540		Α	X-ray exam of pelvis	0.83	0.83	XXX	0	0	0	0	0
73540	26	Α	X-ray exam of pelvis	0.28	0.28	XXX	0	0	0	0	0
73540	TC	Α	X-ray exam of pelvis	0.54	0.54	XXX	0	0	0	0	0
73550		Α	X-ray exam of thigh	0.78	0.78	XXX	0	3	0	0	0
73550	26	Α	X-ray exam of thigh	0.24	0.24	XXX	0	3	0	0	0
73550	TC	Α	X-ray exam of thigh	0.54	0.54	XXX	0	3	0	0	0
73560		Α	X-ray exam of knee	0.73	0.73	XXX	0	3	0	0	0
73560	26	Α	X-ray exam of knee	0.23	0.23	XXX	0	3	0	0	0
73560	TC	Α	X-ray exam of knee	0.50	0.50	XXX	0	3	0	0	0
73562		Α	X-ray exam of knee	0.80	0.80	XXX	0	3	0	0	0
73562	26	Α	X-ray exam of knee	0.26	0.26	XXX	0	3	0	0	0
73562	TC	Α	X-ray exam of knee	0.54	0.54	XXX	0	3	0	0	0
73564		Α	X-ray exam of knee	0.90	0.90	XXX	0	3	0	0	0
73564	26	Α	X-ray exam of knee	0.31	0.31	XXX	0	3	0	0	0
73564	TC	Α	X-ray exam of knee	0.59	0.59	XXX	0	3	0	0	0
73565		Α	X-ray exam of knee	0.70	0.70	XXX	0	2	0	0	0
73565	26	Α	X-ray exam of knee	0.23	0.23	XXX	0	2	0	0	0
73565	TC	Α	X-ray exam of knee	0.47	0.47	XXX	0	2	0	0	0

74010

74010

73580		Α	Contrast x-ray	3.26	3.26	XXX	0	3	0	0	0
73580	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73580	TC	Α	Contrast x-ray	2.51	2.51	XXX	0	3	0	0	0
73590		Α	X-ray exam of calf	0.73	0.73	XXX	0	3	0	0	0
73590	26	Α	X-ray exam of calf	0.23	0.23	XXX	0	3	0	0	0
73590	TC		X-ray exam of calf	0.50	0.50	XXX	0	3	0	0	0
73592		Α	X-ray exam of calf	0.69	0.69	XXX	0	3	0	0	0
73592	26	Α	X-ray exam of calf	0.22	0.22	XXX	0	3	0	0	0
73592	TC	Α	X-ray exam of calf	0.47	0.47	XXX	0	3	0	0	0
73600		Α	X-ray exam of ankle	0.69	0.69	XXX	0	3	0	0	0
73600	26	Α	X-ray exam of ankle	0.22	0.22	XXX	0	3	0	0	0
73600	TC	Α	X-ray exam of ankle	0.47	0.47	XXX	0	3	0	0	0
73610			X-ray exam of ankle	0.75	0.75	XXX	0	3	0	0	0
73610	26		X-ray exam of ankle	0.24	0.24	XXX	0	3	0	0	0
73610	TC	Α	X-ray exam of ankle	0.51	0.51	XXX	0	3	0	0	0
73615		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73615	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73615	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73620		A	X-ray exam of foot	0.69	0.69	XXX	0	3	0	0	0
73620	26	Α	X-ray exam of foot	0.22	0.22	XXX	0	3	0	0	0
73620	TC		X-ray exam of foot	0.47	0.47	XXX	0	3	0	0	0
73630			X-ray exam of foot	0.75	0.75	XXX	0	3	0	0	0
73630	26	Α	X-ray exam of foot	0.24	0.24	XXX	0	3	0	0	0
73630	TC	Α	X-ray exam of foot	0.51	0.51	XXX	0	3	0	0	0
73650		Α	X-ray exam of heel	0.67	0.67	XXX	0	3	0	0	0
73650	26	Α	X-ray exam of heel	0.22	0.22	XXX	0	3	0	0	0
73650	TC	Α	X-ray exam of heel	0.45	0.45	XXX	0	3	0	0	0
73660		Α	X-ray exam of toes	0.58	0.58	XXX	0	3	0	0	0
73660	26	Α	X-ray exam of toes	0.18	0.18	XXX	0	3	0	0	0
73660	TC	Α	X-ray exam of toes	0.40	0.40	XXX	0	3	0	0	0
73700		Α	CAT scan of leg	6.23	6.23	XXX	0	2	0	0	0
73700	26	Α	CAT scan of leg	1.49	1.49	XXX	0	2	0	0	0
73700	TC	Α	CAT scan of leg	4.73	4.73	XXX	0	2	0	0	0
73701		Α	Contrast CAT scan	7.23	7.23	XXX	0	2	0	0	0
73701	26	Α	Contrast CAT scan	1.59	1.59	XXX	0	2	0	0	0
73701	TC	Α	Contrast CAT scan	5.64	5.64	XXX	0	2	0	0	0
73702		Α	Contrast CAT scan	8.75	8.75	XXX	0	2	0	0	0
73702	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	2	0	0	0
73702	TC	Α	Contrast CAT scan	7.09	7.09	XXX	0	2	0	0	0
73720		Α	Magnetic image	12.72	12.72	XXX	0	2	0	0	0
73720	26	Α	Magnetic image	2.04	2.04	XXX	0	2	0	0	0
73720	TC	Α		10.69	10.69	XXX	0	2	0	0	0
73721		Α	Magnetic image	12.48	12.48	XXX	0	3	0	0	0
73721	26	Α	Magnetic image	1.79	1.79	XXX	0	3	0	0	0
73721	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73725		R	Magnetic image	13.03	13.03	XXX	0	2	0	0	0
73725	26	R	Magnetic image	2.34	2.34	XXX	0	2	0	0	0
73725	TC	R	Magnetic image	10.69	10.69	XXX	0	. 2	0	0	0
(6) Dia	agnos	tic	radiology, abdomen:								
74000	-		•	0.75	0.75	vvv	Δ	Λ	Λ	Δ	Ω
74000	26		X-ray exam of abdomen X-ray exam of abdomen	0.75	0.75	XXX XXX	0	0	$0 \\ 0$	0	0
74000			X-ray exam of abdomen	0.23	0.23	XXX	0	0	0	0	0
74010			X-ray exam of abdomen	0.87	0.87	XXX		0	0	Ö	0

A X-ray exam of abdomen

26 A X-ray exam of abdomen

0.87

0.33

0.87

0.33

0

0

0

0 0 0 0

0

XXX

XXX

74010	TC	Α	X-ray exam of abdomen	0.54	0.54	XXX	0	0	0	0	0
74020		Α	X-ray exam of abdomen	0.97	0.97	XXX	0	0	0	0	0
74020	26	Α	X-ray exam of abdomen	0.38	0.38	XXX	0	0	0	0	0
74020	TC	Α	X-ray exam of abdomen	0.59	0.59	XXX	0	0	0	0	0
74022		Α	X-ray exam series	1.15	1.15	XXX	0	0	0	0	0
74022	26	Α	X-ray exam series	0.45	0.45	XXX	0	0	0	0	0
74022	TC	Α	X-ray exam series	0.70	0.70	XXX	0	0	0	0	0
74150		Α	CAT scan of abdomen	7.03	7.03	XXX	0	0	0	0	0
74150	26	Α	CAT scan of abdomen	1.63	1.63	XXX	0	0	0	0	0
74150	TC	Α	CAT scan of abdomen	5.40	5.40	XXX	0	0	0	0	0
74160		Α	Contrast CAT scan	8.27	8.27	XXX	0	0	0	0	0
74160	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
74160	TC	Α	Contrast CAT scan	6.52	6.52	XXX	0	0	0	0	0
74170		Α	Contrast CAT scan	10.02	10.02	XXX	0	0	0	0	0
74170	26	Α	Contrast CAT scan	1.92	1.92	XXX	0	0	0	0	0
74170	TC	Α	Contrast CAT scan	8.09	8.09	XXX	0	0	0	0	0
74181		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
74181	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
74181	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
74185		R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74185	26	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74185	TC	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74190		Α	X-ray exam of peritoneum	1.81	1.81	XXX	0	0	0	0	0
74190	26	Α	X-ray exam of peritoneum	0.57	0.57	XXX	0	0	0	0	0
74190	TC	Α	X-ray exam of peritoneum	1.24	1.24	XXX	0	0	0	0	0

# (7) Diagnostic radiology, gastrointestinal tract:

74210		Α	Contrast x-ray	1.62	1.62	XXX	0	0	0	0	0
74210	26	Α	Contrast x-ray	0.49	0.49	XXX	0	0	0	0	0
74210	TC	Α	Contrast x-ray	1.13	1.13	XXX	0	0	0	0	0
74220		Α	Contrast x-ray	1.77	1.77	XXX	0	0	0	0	0
74220	26	Α	Contrast x-ray	0.64	0.64	XXX	0	0	0	0	0
74220	TC	Α	Contrast x-ray	1.13	1.13	XXX	0	0	0	0	0
74230		Α	Cinema x-ray of throat	1.99	1.99	XXX	0	0	0	0	0
74230	26	Α	Cinema x-ray of throat	0.74	0.74	XXX	0	0	0	0	0
74230	TC	Α	Cinema x-ray of throat	1.24	1.24	XXX	0	0	0	0	0
74235		Α	Remove obstruction	4.14	4.14	XXX	0	0	0	0	0
74235	26	Α	Remove obstruction	1.63	1.63	XXX	0	0	0	0	0
74235	TC	Α	Remove obstruction	2.51	2.51	XXX	0	0	0	0	0
74240		Α	X-ray exam of upper	2.36	2.36	XXX	0	0	0	0	0
74240	26	Α	X-ray exam of upper	0.96	0.96	XXX	0	0	0	0	0
74240	TC	Α	X-ray exam of upper	1.39	1.39	XXX	0	0	0	0	0.
74241		Α	X-ray exam of upper	2.38	2.38	XXX	0	0	0	0	0
74241	26	Α	X-ray exam of upper	0.96	0.96	XXX	0	0	0	0	0
74241	TC	Α	X-ray exam of upper	1.42	1.42	XXX	0	0	0	0	0
74245		Α	X-ray exam of upper	3.53	3.53	XXX	0	0	0	0	0
74245	26	Α	X-ray exam of upper	1.26	1.26	XXX	0	0	0	0	0
74245	TC	Α	X-ray exam of upper	2.28	2.28	XXX	0	0	0	0	0
74246		Α	Contrast x-ray	2.53	2.53	XXX	0	0	0	0	0
74246	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74246	TC	Α	Contrast x-ray	1.57	1.57	XXX	0	0	0	0	0
74247		Α	Contrast x-ray	2.57	2.57	XXX	0	0	0	0	0
74247	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74247	TC	Α	Contrast x-ray	1.61	1.61	XXX	0	0	0	0	0
74249		Α	Contrast x-ray	3.71	3.71	XXX	0	0	0	0	0

74249	26	Α	Contrast x-ray	1.26	1.26	XXX	0	0	0	0	0
74249	TC	Α	Contrast x-ray	2.45	2.45	XXX	0	0	0	0	0
74250		Α	X-ray exam of small bowel	1.89	1.89	XXX	0	0	0	0	0
74250	26	Α	X-ray exam of small bowel	0.65	0.65	XXX	0	0	0	0	0
74250	TC	Α	X-ray exam of small bowel	1.24	1.24	XXX	0	0	0	0	0
74251			X-ray exam of small bowel	2.09	2.09	XXX	0	0	0	0	0
74251	26	Α	X-ray exam of small bowel	0.85	0.85	XXX	0	0	0	0	0
74251	TC	Α	X-ray exam of small bowel	1.24	1.24	XXX	0	0	0	0	0
74260		Α	X-ray exam of small bowel	2.11	2.11	XXX	0	0	0	0	0
74260	26	Α	X-ray exam of small bowel	0.69	0.69	XXX	0	0	0	0	0
74260	TC	A	X-ray exam of small bowel	1.42	1.42	XXX	0	0	0	0	0
74270		Α	Contrast x-ray	2.59	2.59	XXX	0	0	0	0	0
74270	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74270	TC	Α	Contrast x-ray	1.63	1.63	XXX	0	0	0	0	0
74280		Α	Contrast x-ray	3.51	3.51	XXX	0	0	0	0	0
74280	26	Α	Contrast x-ray	1.37	1.37	XXX	0	0	0	0	0
74280	TC	Α	Contrast x-ray	2.13	2.13	XXX	0	0	0	0	0
74283		Α	Contrast x-ray	5.23	5.23	XXX	0	0	0	0	0
74283	26	Α	Contrast x-ray	2.78	2.78	XXX	0	0	0	0	0
74283	TC	Α	Contrast x-ray	2.45	2.45	XXX	0	0	0	0	0
74290		Α	Contrast x-ray	1.15	1.15	XXX	0	0	0	0	0
74290	26	Α,	Contrast x-ray	0.45	0.45	XXX	0	0	0	0	0
74290	TC	Α	Contrast x-ray	0.70	0.70	XXX	0	0	0	0	0
74291		Α	Contrast x-rays	0.68	0.68	XXX	0	0	0	0	0
74291	26	Α	Contrast x-rays	0.27	0.27	XXX	0	0	0	0	0
74291	TC	Α	Contrast x-rays	0.40	0.40	XXX.	0	0	0	0	0
74300		C	X-ray bile duct	0.00	0.00	XXX	0	0	0	0	0
74300	26	Α	X-ray bile duct	0.50	0.50	XXX	0	0	0	0	0
74300	TC	C	X-ray bile duct	0.00	0.00	XXX	0	0	0	0	0
74301		C	Additional x-ray	0.00	0.00	XXX	0	0	0	0	0
74301	26	Α	Additional x-ray	0.29	0.29	XXX	0	0	0	0	0
74301	TC	С	Additional x-ray	0.00	0.00	XXX	0	0	0	0	0
74305		Α	X-ray bile duct	1.33	1.33	XXX	0	0	0	0	0
74305	26	Α	X-ray bile duct	0.58	0.58	XXX	0	0	0	0	0
74305	TC	Α	X-ray bile duct	0.75	0.75	XXX	0	0	0	0	0
74320		Α	Contrast x-ray	3.76	3.76	XXX	0	0	0	0	0
74320	26	Α	Contrast x-ray	0.75	0.75	XXX	0	0	0	0	0
74320	TC	Α	Contrast x-ray	3.00	3.00	XXX	0	0	0	0	0
74327		Α	X-ray bile duct	2.66	2.66	XXX	0	0	0	0	0
74327	26	Α	X-ray bile duct	0.97	0.97	XXX	0	0	0	0	0
74327	TC	Α	X-ray bile duct	1.68	1.68	XXX	0	0	0	0	0
74328		Α	X-ray bile duct	3.97	3.97	XXX	0	0	0	0	0
74328	26	Α	X-ray bile duct	0.97	0.97	XXX	0	0	0	0	0
74328	TC	Α	X-ray bile duct	3.00	3.00	XXX	0	0	0	0	0
74329		Α	X-ray pancreas	3.97	3.97	XXX	0	0	0	0	0
74329	26	Α	X-ray pancreas	0.97	0.97	XXX	0	0	0	0	0
74329	TC	Α	X-ray pancreas	3.00	3.00	XXX	0	0	0	0	0
74330		Α	X-ray bile duct/pancreas	4.16	4.16	XXX	0	0	0	0	0
74330	26		X-ray bile duct/pancreas	1.15	1.15	XXX	0	0	0	0	0
74330	TC	Α	X-ray bile duct/pancreas	3.00	3.00	XXX	0	0	0	0	0
74340		Α	X-ray guide	3.26	3.26	XXX	0	0	0	0	0
74340	26	Α	X-ray guide	0.75	0.75	XXX	0	0	0	0	0
74340	TC	Α	X-ray guide	2.51	2.51	XXX	0	0	0	0	0
74350		A	X-ray guide	4.06	4.06	XXX	Ŏ	0	0	Ŏ	Ŏ
74350	26	A	X-ray guide	1.06	1.06	XXX	Ŏ	Õ	0	Ŏ	Ŏ
74350	TČ	A	X-ray guide	3.00	3.00	XXX	0	Ŏ	Ŏ	Ö	ŏ
74355		A	X-ray guide	3.56	3.56	XXX	ŏ	ŏ	0	Õ	ŏ
74355	26	A	X-ray guide	1.06	1.06	XXX	Õ	Ŏ	0	Õ	Õ
			,				-	-	_	_	-

74355	TC		X-ray guide	2.51	2.51	XXX	0	0	0	0	0
74360	26	A	X-ray guide, GI dilation	3.76	3.76	XXX	0	0	0	0	0
74360	26	A	X-ray guide, GI dilation	0.75	0.75	XXX	0	0	0	0	0
74360	TC		X-ray guide, GI dilation	3.00	3.00	XXX	0	0	0	0	0
74363	26	Α	X-ray bile duct	7.03	7.03	XXX	0	0	0	0	0
74363	26	A	X-ray bile duct	1.22	1.22	XXX	0	0	0	0	0
74363	TC	A	X-ray bile duct	5.82	5.82	XXX	0	0	0	0	0
(8) Dia	ignos	tic 1	radiology, urinary tract:								
74400		Α	J	2.28	2.28	XXX	0	0	0	0	0
74400	26	A	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74400	TC	Α	Contrast x-ray	1.61	1.61	XXX	0	0	0	0	0
74405		Α	Contrast x-ray	2.57	2.57	XXX	0	0	0	0	0
74405	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74405	TC	A	Contrast x-ray	1.90	1.90	XXX	0	0	0	0	0
74410		Α	Contrast x-ray	2.54	2.54	XXX	0	0	0	0	0
74410	26	A	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74410	TC	Α	Contrast x-ray	1.86	1.86	XXX	0	0	0	0	0
74415		Α	Contrast x-ray	2.70	2.70	XXX	0	0	0	0	0
74415	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74415	TC	A	Contrast x-ray	2.02	2.02	XXX	0	0	0	0	0
74420	26	A	Contrast x-ray	3.00	3.00	XXX	0	0	0	0	0
74420	26	A	Contrast x-ray	0.49	0.49	XXX	0	0	0	0	0
74420	TC	A	Contrast x-ray	2.51	2.51	XXX	0	0	0	0	0
74425	26	A	Contrast x-ray	1.73	1.73	XXX	0	0	0	0	0
74425	26 TG	A	Contrast x-ray	0.49	0.49	XXX	0	0	0	0	0
74425	TC	A	Contrast x-ray	1.24	1.24	XXX	0	0	0	0	0
74430	26	A	Contrast x-ray	1.45	1.45	XXX	0	0	0	0	0
74430	26 TC	A	Contrast x-ray	0.45	0.45	XXX	0	0	0	0	0
74430	TC	A	Contrast x-ray	1.00	1.00	XXX	0	0	0	0	0
74440	26	A	X-ray exam of male	1.61	1.61	XXX	0	0	0	0	0
74440	26 TC	A	X-ray exam of male	0.53	0.53	XXX	0	0	0	0	0
74440	TC	A	X-ray exam of male	1.08	1.08	XXX	0	0	0	0	0
74445	26	A	X-ray exam of penis	2.64	2.64	XXX	0	0	0	0	0
74445	26 TC	A	X-ray exam of penis	1.56	1.56	XXX	0	0	0	0	0
74445	TC	A	X-ray exam of penis	1.08	1.08	XXX	0	0	0	0	0
74450	26	A	X-ray exam urethro	1.85	1.85	XXX	0	0	0	0	0
74450 74450	26 TC	A	X-ray exam urethro	0.46 1.39	0.46 1.39	XXX XXX	0	0	$0 \\ 0$	0	0
74455	IC	A	X-ray exam urethro				0	0	0	$0 \\ 0$	0 0
	26	A	X-ray exam urethro	1.96	1.96	XXX			_		
74455 74455	26 TC	A	X-ray exam urethro	0.46 1.50	0.46 1.50	XXX XXX	0	0	0	0	$0 \\ 0$
74470	10	A	X-ray exam urethro X-ray exam of kidney	1.95	1.95	XXX	$0 \\ 0$	$0 \\ 0$	0	$0 \\ 0$	0
74470	26	A	X-ray exam of kidney	0.75	0.75	XXX	0	0	0	0	0
74470	TC	A	X-ray exam of kidney	1.19	1.19	XXX	0	0	0	0	0
74475	10	A		4.64	4.64	XXX	0	0	0	0	0
74475	26	A	X-ray control catheter	0.75	0.75	XXX	0	0	0	0	0
74475	TC	A	X-ray control catheter	3.89	3.89	XXX	0	0	0	0	0
74480	10	A	X-ray control catheter X-ray control catheter	4.64	4.64	XXX	0	0	0	0	0
74480	26	A		0.75	0.75	XXX	0	0	0	0	0
74480	TC	A	X-ray control catheter X-ray control catheter	3.89	3.89	XXX	0	0	0	0	0
74485	10		X-ray guide, GU dilation	3.76	3.76	XXX	0	0	0	0	0
74485	26	A		0.75	0.75	XXX	0	0	0	0	0
74485	TC		X-ray guide, GU dilation X-ray guide, GU dilation	3.00	3.00	XXX	0	0	0	0	0
, 7705	10	<i>1</i> 1	A ray gaide, GO dilation	5.00	5.00	22/2/	v	U	U	U	v

- (9	) Diagnostic	radiology.	gynecological	and o	bstetrical:
(-	, 2.05		67.1000.06.00.		000000000000000000000000000000000000000

	Α	X-ray measurement	1.48	1.48	XXX	0	0	0	0	0
26	Α	X-ray measurement	0.47	0.47	XXX	0	0	0	0	0
TC	Α	X-ray measurement	1.00	1.00	XXX	0	0	0	0	0
	Α	X-ray of uterus, oviducts	1.77	1.77	XXX	0	0	0	0	0
26	Α	X-ray of uterus, oviducts	0.53	0.53	XXX	0	0	0	0	0
TC	Α	X-ray of uterus, oviducts	1.24	1.24	XXX	0	0	0	0	0
	Α	X-ray of fallopian tube	3.82	3.82	XXX	0	0	0	0	0
26	A	X-ray of fallopian tube	0.82	0.82	XXX	0	0	0	0	0
TC	Α	X-ray of fallopian tube	3.00	3.00	XXX	0	0	0	0	0
	Α	X-ray exam of perineum	2.26	2.26	XXX	0	0	0	0	0
26	Α	X-ray exam of perineum	0.87	0.87	XXX	0	0	0	0	0
TC	Α	X-ray exam of perineum	1.39	1.39	XXX	0	0	0	0	0
	TC 26 TC 26 TC 26	26 A TC A A 26 A TC A A 26 A TC A A 26 A A 26 A	TC A X-ray measurement A X-ray of uterus, oviducts 26 A X-ray of uterus, oviducts TC A X-ray of uterus, oviducts A X-ray of fallopian tube 26 A X-ray of fallopian tube TC A X-ray of fallopian tube A X-ray exam of perineum	26 A X-ray measurement 0.47 TC A X-ray measurement 1.00 A X-ray of uterus, oviducts 1.77 26 A X-ray of uterus, oviducts 0.53 TC A X-ray of uterus, oviducts 1.24 A X-ray of fallopian tube 3.82 26 A X-ray of fallopian tube 0.82 TC A X-ray of fallopian tube 3.00 A X-ray exam of perineum 2.26 26 A X-ray exam of perineum 0.87	26       A       X-ray measurement       0.47       0.47         TC       A       X-ray measurement       1.00       1.00         A       X-ray of uterus, oviducts       1.77       1.77         26       A       X-ray of uterus, oviducts       0.53       0.53         TC       A       X-ray of uterus, oviducts       1.24       1.24         A       X-ray of fallopian tube       3.82       3.82         26       A       X-ray of fallopian tube       0.82       0.82         TC       A       X-ray of fallopian tube       3.00       3.00         A       X-ray exam of perineum       2.26       2.26         26       A       X-ray exam of perineum       0.87       0.87	26 A X-ray measurement 0.47 0.47 XXX TC A X-ray measurement 1.00 1.00 XXX A X-ray of uterus, oviducts 1.77 1.77 XXX 26 A X-ray of uterus, oviducts 0.53 0.53 XXX TC A X-ray of uterus, oviducts 1.24 1.24 XXX A X-ray of fallopian tube 3.82 3.82 XXX 26 A X-ray of fallopian tube 0.82 0.82 XXX TC A X-ray of fallopian tube 3.00 3.00 XXX A X-ray exam of perineum 2.26 2.26 XXX 26 A X-ray exam of perineum 0.87 0.87 XXX	26       A       X-ray measurement       0.47       0.47       XXX       0         TC       A       X-ray measurement       1.00       1.00       XXX       0         A       X-ray of uterus, oviducts       1.77       1.77       XXX       0         26       A       X-ray of uterus, oviducts       1.24       1.24       XXX       0         A       X-ray of fallopian tube       3.82       3.82       XXX       0         26       A       X-ray of fallopian tube       0.82       0.82       XXX       0         TC       A       X-ray exam of perineum       2.26       2.26       XXX       0         26       A       X-ray exam of perineum       0.87       0.87       XXX       0	26       A       X-ray measurement       0.47       0.47       XXX       0       0         TC       A       X-ray measurement       1.00       1.00       XXX       0       0         A       X-ray of uterus, oviducts       1.77       1.77       XXX       0       0         26       A       X-ray of uterus, oviducts       1.24       1.24       XXX       0       0         A       X-ray of fallopian tube       3.82       3.82       XXX       0       0         26       A       X-ray of fallopian tube       0.82       0.82       XXX       0       0         TC       A       X-ray of fallopian tube       3.00       3.00       XXX       0       0         A       X-ray exam of perineum       2.26       2.26       XXX       0       0         26       A       X-ray exam of perineum       0.87       0.87       XXX       0       0	26       A       X-ray measurement       0.47       0.47       XXX       0       0       0         TC       A       X-ray measurement       1.00       1.00       XXX       0       0       0         A       X-ray of uterus, oviducts       1.77       1.77       XXX       0       0       0         26       A       X-ray of uterus, oviducts       1.24       1.24       XXX       0       0       0         A       X-ray of fallopian tube       3.82       3.82       XXX       0       0       0         26       A       X-ray of fallopian tube       0.82       0.82       XXX       0       0       0         TC       A       X-ray of fallopian tube       3.00       3.00       XXX       0       0       0         A       X-ray exam of perineum       2.26       2.26       XXX       0       0       0         26       A       X-ray exam of perineum       0.87       0.87       XXX       0       0       0	26       A       X-ray measurement       0.47       0.47       XXX       0       0       0       0         TC       A       X-ray measurement       1.00       1.00       XXX       0

## (10) Diagnostic radiology, heart:

75552		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
75552	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
75552	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
75553		Α	Magnetic image	13.26	13.26	XXX	0	0	0	0	0
75553	26	Α	Magnetic image	2.57	2.57	XXX	0	0	0	0	0
75553	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
75554		Α	Cardiac MRI/function	13.10	13.10	XXX	0	0	0	0	0
75554	26	Α	Cardiac MRI/function	2.42	2.42	XXX	0	0	0	0	0
75554	TC	Α	Cardiac MRI/function	10.69	10.69	XXX	0	0	0	0	0
75555		Α	Cardiac MRI/limited	13.02	13.02	XXX	0	0	0	0	0
75555	26	Α	Cardiac MRI/limited	2.34	2.34	XXX	0	0	0	0	0
75555	TC	Α	Cardiac MRI/limited	10.69	10.69	XXX	0	0	0	0	0
75556		N	Cardiac MRI/flow mapping	0.00	0.00	XXX	9	9	9	9	9

## (11) Diagnostic radiology, aorta and arteries:

	Α	Contrast x-ray	12.69	12.69	XXX	0	0	0	0	0
26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
TC	Α		12.01	12.01	XXX	0	0	0	0	0
	Α		13.58	13.58	XXX	0	0	0	0	0
26	Α		1.56	1.56	XXX	0	0	0	0	0
TC	Α	Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
	Α	Contrast x-ray	13.58	13.58	XXX	0	0	0	0	0
26	Α	Contrast x-ray	1.56	1.56	XXX	0	0	0	0	0
TC	Α		12.01	12.01	XXX	0	0	0	0	0
	Α		14.75	14.75	XXX	0	0	0	0	0
26	Α	X-ray of aorta	2.23	2.23	XXX	0	0	0	0	0
TC	Α	X-ray of aorta	12.52	12.52	XXX	0	0	0	0	0
			14.06	14.06	XXX	0	0	0	0	0
26	Α		2.05	2.05	XXX	0	0	0	0	0
TC	Α		12.01	12.01	XXX	0	0	0	0	0
	Α		13.81	13.81	XXX	0	0	0	0	0
26	Α	X-ray exam, arm arteries	1.80	1.80	XXX	0	0	0	0	0
TC	Α	•	12.01	12.01	XXX	0	0	0	0	0
	Α		13.81	13.81	XXX	0	0	0	0	0
26	Α		1.80	1.80	XXX	0	0	0	0	0
TC	Α		12.01	12.01	XXX	0	0	0	0	0
			14.30	14.30	XXX	0	2	0	0	0
	TC 26 TC 26 TC 26 TC 26 TC 26 TC 26	26 A TC A	TC A Contrast x-ray A Contrast x-ray 26 A Contrast x-ray TC A Contrast x-ray A Contrast x-ray A Contrast x-ray TC A Contrast x-ray TC A Contrast x-ray A X-ray of aorta 26 A X-ray of aorta TC A X-ray of aorta A Artery x-ray 26 A Artery x-ray TC A Artery x-ray TC A Artery x-ray A X-ray exam, arm arteries TC A X-ray exam, arm arteries TC A X-ray exam, arm arteries A Artery x-ray A X-ray exam, arm arteries TC A X-ray exam, arm arteries A Artery x-ray A Artery x-ray	26       A Contrast x-ray       0.67         TC       A Contrast x-ray       12.01         A Contrast x-ray       13.58         26       A Contrast x-ray       1.56         TC       A Contrast x-ray       13.58         26       A Contrast x-ray       1.56         TC       A Contrast x-ray       12.01         A X-ray of aorta       14.75         26       A X-ray of aorta       2.23         TC       A X-ray of aorta       12.52         A Artery x-ray       14.06         26       A Artery x-ray       12.01         A X-ray exam, arm arteries       13.81         26       A X-ray exam, arm arteries       1.80         TC       A X-ray exam, arm arteries       1.80         TC       A X-ray exam, arm arteries       12.01         A Artery x-ray       13.81         26       A Artery x-ray       12.01	26       A       Contrast x-ray       0.67       0.67         TC       A       Contrast x-ray       12.01       12.01         A       Contrast x-ray       13.58       13.58         26       A       Contrast x-ray       12.01       12.01         A       Contrast x-ray       13.58       13.58         26       A       Contrast x-ray       1.56       1.56         TC       A       Contrast x-ray       12.01       12.01         A       X-ray of aorta       14.75       14.75         26       A       X-ray of aorta       2.23       2.23         TC       A       X-ray of aorta       12.52       12.52         A       A Artery x-ray       14.06       14.06         26       A       Artery x-ray       12.01       12.01         A       X-ray exam, arm arteries       13.81       13.81         26       A       X-ray exam, arm arteries       1.80       1.80         TC       A       X-ray exam, arm arteries       1.80       1.80         TC       A       Artery x-ray       13.81       13.81         26       A       Artery x-ray       13.81	26       A       Contrast x-ray       0.67       0.67       XXX         TC       A       Contrast x-ray       12.01       12.01       XXX         A       Contrast x-ray       13.58       13.58       XXX         26       A       Contrast x-ray       1.56       1.56       XXX         TC       A       Contrast x-ray       12.01       12.01       XXX         A       Contrast x-ray       1.56       1.56       XXX         TC       A       Contrast x-ray       12.01       12.01       XXX         A       X-ray of aorta       14.75       14.75       XXX         26       A       X-ray of aorta       12.52       12.52       XXX         TC       A       X-ray of aorta       12.52       12.52       XXX         A       A rtery x-ray       14.06       14.06       XXX         26       A       A rtery x-ray       12.01       12.01       XXX         TC       A       A rtery x-ray       12.01       12.01       XXX         A       X-ray exam, arm arteries       13.81       13.81       XXX         TC       A       X-ray exam, arm arteries <td< td=""><td>26       A Contrast x-ray       0.67       0.67       XXX       0         TC       A Contrast x-ray       12.01       12.01       XXX       0         A Contrast x-ray       13.58       13.58       XXX       0         26       A Contrast x-ray       1.56       1.56       XXX       0         TC       A Contrast x-ray       12.01       12.01       XXX       0         A Contrast x-ray       1.56       1.56       XXX       0         TC       A Contrast x-ray       12.01       12.01       XXX       0         A X-ray of aorta       14.75       14.75       XXX       0         26       A X-ray of aorta       12.52       12.52       XXX       0         TC       A Artery x-ray       14.06       14.06       XXX       0         26       A Artery x-ray       12.01       12.01       XXX       0         TC       A X</td><td>26       A       Contrast x-ray       0.67       0.67       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         26       A       Contrast x-ray       1.56       1.56       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         A       Contrast x-ray       13.58       13.58       XXX       0       0         26       A       Contrast x-ray       1.56       1.56       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       X-ray of aorta       12.21       12.75       XXX       0       0         TC       A       X-ray of aorta       12.52</td><td>26 A Contrast x-ray       0.67       0.67       XXX       0       0       0         TC A Contrast x-ray       12.01       12.01       XXX       0       0       0         A Contrast x-ray       13.58       13.58       XXX       0       0       0         26 A Contrast x-ray       1.56       1.56       XXX       0       0       0         TC A Contrast x-ray       13.58       13.58       XXX       0       0       0         26 A Contrast x-ray       1.56       1.56       XXX       0       0       0         26 A Contrast x-ray       1.56       1.56       XXX       0       0       0         TC A Contrast x-ray       12.01       12.01       XXX       0       0       0         A X-ray of aorta       14.75       14.75       XXX       0       0       0         26 A X-ray of aorta       12.52       12.52       XXX       0       0       0         TC A X-ray of aorta       12.52       12.52       XXX       0       0       0         26 A Artery x-ray       14.06       14.06       XXX       0       0       0         TC A X-ray exam, arm arteries</td><td>26 A Contrast x-ray       0.67 0.67 XXX 0 0 0 0         TC A Contrast x-ray       12.01 12.01 XXX 0 0 0 0         A Contrast x-ray       13.58 13.58 XXX 0 0 0 0         26 A Contrast x-ray       1.56 1.56 XXX 0 0 0 0         TC A Contrast x-ray       12.01 12.01 XXX 0 0 0 0         A Contrast x-ray       13.58 13.58 XXX 0 0 0 0 0         A Contrast x-ray       13.58 13.58 XXX 0 0 0 0 0         26 A Contrast x-ray       13.56 1.56 XXX 0 0 0 0 0         TC A Contrast x-ray       12.01 12.01 XXX 0 0 0 0         A X-ray of aorta       14.75 14.75 XXX 0 0 0 0 0         26 A X-ray of aorta       12.52 12.52 XXX 0 0 0 0 0         TC A X-ray of aorta       12.52 12.52 XXX 0 0 0 0 0         A Artery x-ray       14.06 14.06 XXX 0 0 0 0 0         26 A Artery x-ray       12.01 12.01 XXX 0 0 0 0 0         TC A Artery x-ray       12.01 12.01 XXX 0 0 0 0 0         A X-ray exam, arm arteries       13.81 13.81 XXX 0 0 0 0 0         TC A X-ray exam, arm arteries       180 1.80 XXX 0 0 0 0 0         A Artery x-ray       13.81 13.81 XXX 0 0 0 0 0         A Artery x-ray       13.81 13.81 XXX 0 0 0 0 0         A Artery x-ray       13.81 13.81 XXX 0 0 0 0 0</td></td<>	26       A Contrast x-ray       0.67       0.67       XXX       0         TC       A Contrast x-ray       12.01       12.01       XXX       0         A Contrast x-ray       13.58       13.58       XXX       0         26       A Contrast x-ray       1.56       1.56       XXX       0         TC       A Contrast x-ray       12.01       12.01       XXX       0         A Contrast x-ray       1.56       1.56       XXX       0         TC       A Contrast x-ray       12.01       12.01       XXX       0         A X-ray of aorta       14.75       14.75       XXX       0         26       A X-ray of aorta       12.52       12.52       XXX       0         TC       A Artery x-ray       14.06       14.06       XXX       0         26       A Artery x-ray       12.01       12.01       XXX       0         TC       A X	26       A       Contrast x-ray       0.67       0.67       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         26       A       Contrast x-ray       1.56       1.56       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         A       Contrast x-ray       13.58       13.58       XXX       0       0         26       A       Contrast x-ray       1.56       1.56       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       Contrast x-ray       12.01       12.01       XXX       0       0         TC       A       X-ray of aorta       12.21       12.75       XXX       0       0         TC       A       X-ray of aorta       12.52	26 A Contrast x-ray       0.67       0.67       XXX       0       0       0         TC A Contrast x-ray       12.01       12.01       XXX       0       0       0         A Contrast x-ray       13.58       13.58       XXX       0       0       0         26 A Contrast x-ray       1.56       1.56       XXX       0       0       0         TC A Contrast x-ray       13.58       13.58       XXX       0       0       0         26 A Contrast x-ray       1.56       1.56       XXX       0       0       0         26 A Contrast x-ray       1.56       1.56       XXX       0       0       0         TC A Contrast x-ray       12.01       12.01       XXX       0       0       0         A X-ray of aorta       14.75       14.75       XXX       0       0       0         26 A X-ray of aorta       12.52       12.52       XXX       0       0       0         TC A X-ray of aorta       12.52       12.52       XXX       0       0       0         26 A Artery x-ray       14.06       14.06       XXX       0       0       0         TC A X-ray exam, arm arteries	26 A Contrast x-ray       0.67 0.67 XXX 0 0 0 0         TC A Contrast x-ray       12.01 12.01 XXX 0 0 0 0         A Contrast x-ray       13.58 13.58 XXX 0 0 0 0         26 A Contrast x-ray       1.56 1.56 XXX 0 0 0 0         TC A Contrast x-ray       12.01 12.01 XXX 0 0 0 0         A Contrast x-ray       13.58 13.58 XXX 0 0 0 0 0         A Contrast x-ray       13.58 13.58 XXX 0 0 0 0 0         26 A Contrast x-ray       13.56 1.56 XXX 0 0 0 0 0         TC A Contrast x-ray       12.01 12.01 XXX 0 0 0 0         A X-ray of aorta       14.75 14.75 XXX 0 0 0 0 0         26 A X-ray of aorta       12.52 12.52 XXX 0 0 0 0 0         TC A X-ray of aorta       12.52 12.52 XXX 0 0 0 0 0         A Artery x-ray       14.06 14.06 XXX 0 0 0 0 0         26 A Artery x-ray       12.01 12.01 XXX 0 0 0 0 0         TC A Artery x-ray       12.01 12.01 XXX 0 0 0 0 0         A X-ray exam, arm arteries       13.81 13.81 XXX 0 0 0 0 0         TC A X-ray exam, arm arteries       180 1.80 XXX 0 0 0 0 0         A Artery x-ray       13.81 13.81 XXX 0 0 0 0 0         A Artery x-ray       13.81 13.81 XXX 0 0 0 0 0         A Artery x-ray       13.81 13.81 XXX 0 0 0 0 0

75662	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75662	TC	Α		12.01	12.01	XXX	0	2	0	0	0
	IC		Artery x-ray								
75665		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75665	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75665	TC			12.01	12.01	XXX	0	0	Ō	0	0
	10		Artery x-ray								
75671		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75671	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75671	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
	10						_				
75676		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75676	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75676	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
	10										
75680		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75680	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75680	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
	•										
75685		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75685	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75685	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75705		A		15.02	15.02	XXX	0	ŏ	ŏ	ŏ	
	0.0		Artery x-ray								0
75705	26	Α	Artery x-ray	3.01	3.01	XXX	0	0	0	0	0
75705	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75710		A	Artery x-ray	13.58	13.58	XXX	0	0	0	Õ	Ŏ
	0.0										
75710	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75710	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75716		Α	Artery x-ray	13.81	13.81	XXX	0	2	0	0	0
	26										
75716	26	Α	Artery x-ray	1.80	1.80	XXX	0	2	0	0	0
75716	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	<b>0</b>
75722		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75722	26	A		1.56	1.56	XXX	ŏ	ŏ	ŏ	ŏ	ő
			Artery x-ray								
75722	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75724		Α	Artery x-ray	14.06	14.06	XXX	0	2	0	0	0
75724	26	Α	Artery x-ray	2.05	2.05	XXX	0	2	0	0	0
	TC				12.01		_	2			
75724	1 C	A	Artery x-ray	12.01		XXX	0		0	0	0
75726		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75726	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75726	TC	Α		12.01	12.01	XXX	0	0	0	0	0
	10										
75731		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75731	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75731	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75733				13.81	13.81	XXX	ő	2	0	ŏ	
	21	A	Artery x-ray								0
75733	26	Α	Artery x-ray	1.80	1.80	XXX	0	2	0	0	0
75733	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75736		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
	26										
75736	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75736	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75741			Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75741	26	A		1.80	1.80	XXX	Ŏ	Õ	ŏ	ŏ	Ŏ
			Artery x-ray				_				
75741	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75743		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75743	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	<b>0</b>	0
75743	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75746		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75746	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75746	TC			12.01	12.01	XXX	ŏ	ŏ	ŏ	ŏ	ő
	IC		Artery x-ray								
75756		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75756	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75756	TC		Artery x-ray	12.01	12.01	XXX	Ŏ	ŏ	ŏ	ŏ	ŏ
	10		<del>-</del>								
75774	_		Artery x-ray	12.51	12.51	XXX	0	0	0	0	0
<i>75774</i>	26	Α	Artery x-ray	0.49	0.49	XXX	0	0	0	0	0
			<del>*</del> =								

-	-	7
n	n	- /

75774	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75790		Α	Visualize A-V shunt	3.83	3.83	XXX	0	0	0	0	0
75790	26	Α	Visualize A-V shunt	2.54	2.54	XXX	0	0	0	0	0
75790	TC	Α	Visualize A-V shunt	1.30	1.30	XXX	0	0	0	0	0

## (12) Diagnostic radiology, veins and lymphatics:

75801		Α	Lymph vessel x-ray	6.29	6.29	XXX	0	0	0	0	0
75801	26	Α	Lymph vessel x-ray	1.12	1.12	XXX	0	0	0	0	0
75801	TC	Α	Lymph vessel x-ray	5.17	5.17	XXX	0	0	0	0	0
75803		Α	Lymph vessel x-ray	6.77	6.77	XXX	0	2	0	0	0
75803	26	A	Lymph vessel x-ray	1.60	1.60	XXX	0	2	0	0	0
75803	TC	A	Lymph vessel x-ray	5.17	5.17	XXX	0	2	0	0	0
75805	- 0	A	Lymph vessel x-ray	6.94	6.94	XXX	Ō	$\bar{0}$	0	0	0
75805	26	A	Lymph vessel x-ray	1.12	1.12	XXX	Ŏ	Õ	Ō	Õ	Õ
75805	TČ	A	Lymph vessel x-ray	5.82	5.82	XXX	0	Ō	0	Ŏ	Ŏ
75807		A	Lymph vessel x-ray	7.42	7.42	XXX	ŏ	2	Ŏ	ŏ	0
75807	26	Ā	Lymph vessel x-ray	1.60	1.60	XXX	Ŏ	$\bar{2}$	Ŏ	ŏ	Ŏ
75807	TČ	A	Lymph vessel x-ray	5.82	5.82	XXX	Ŏ	2	Ŏ	ŏ	ŏ
75809	10	A	Nonvascular shunt	1.38	1.38	XXX	ŏ	ō	ŏ	ŏ	ŏ
75809	26	A	Nonvascular shunt	0.63	0.63	XXX	0	0	0	Õ	0
75809	TC	A	Nonvascular shunt	0.75	0.75	XXX	Ŏ	Ŏ	Ŏ	ŏ	Ŏ
75810		A	Vein x-ray	13.58	13.58	XXX	Ŏ	ŏ	ŏ	ŏ	ŏ
75810	26	A	Vein x-ray	1.56	1.56	XXX	Ŏ	Ŏ	Õ	Ŏ	Ŏ
75810	TC	A	Vein x-ray	12.01	12.01	XXX	Ŏ	ŏ	Õ	ŏ	ŏ
75820	10	A	Vein x-ray, arm	1.87	1.87	XXX	ŏ	ŏ	ŏ	ŏ	Õ
75820	26	A	Vein x-ray, arm	0.97	0.97	XXX	ŏ	0	0	ŏ	ŏ
75820	TC	A	Vein x-ray, arm	0.90	0.90	XXX	0	ŏ	ŏ	ő	ŏ
75822	10	A	Vein x-ray, arm	2.87	2.87	XXX	0	2	Ö	0	0
75822	26	A	Vein x-ray, arm	1.45	1.45	XXX	0	2	0	0	ő
75822	TC	A	Vein x-ray, arm	1.43	1.43	XXX	0	2	0	0	0
75825	10	A		13.58	13.58	XXX	0	0	0	0	0
75825	26	A	Vein x-ray, trunk	1.56	1.56	XXX	0	0	0	ő	0
75825	TC	A	Vein x-ray, trunk	12.01	12.01	XXX	0	0	0	0	0
75827	10	A	Vein x-ray, trunk	13.58	13.58	XXX	0	0	0	0	0
75827	26	-	Vein x-ray, chest	1.56	1.56	XXX	0	0	0	0	
	26 TC	A	Vein x-ray, chest	12.01	12.01	XXX	0	0	0	0	0
75827 75831	IC	A	Vein x-ray, chest	13.58	13.58	XXX	0	0	0	0	0
	26	A	Vein x-ray, kidney								0
75831	26 TC	A	Vein x-ray, kidney	1.56	1.56	XXX	.0	0	0	0	
75831	TC	A	Vein x-ray, kidney	12.01	12.01	XXX	0	0	0	0	0
75833	20	A	Vein x-ray, kidney	14.06	14.06	XXX	0	2	0	0	0
75833	26 TC	A	Vein x-ray, kidney	2.05	2.05	XXX	0	2	0	0	0
75833	TC	A	Vein x-ray, kidney	12.01	12.01	XXX	0		0	0	0
75840	20	A	Vein x-ray, adrenal	13.58	13.58	XXX	0	0	0	0	0
75840	26	A	Vein x-ray, adrenal	1.56	1.56	XXX	0	0	0	0	0
75840	TC	A	Vein x-ray, adrenal	12.01	12.01	XXX	0	0	0	0	0
75842	26	A	Vein x-ray, adrenal	14.06	14.06	XXX	0	2	0	0	0
75842	26	A	Vein x-ray, adrenal	2.05	2.05	XXX	0	2	0	0	0
75842	TC	A	Vein x-ray, adrenal	12.01	12.01	XXX	0	2	0	0	0
75860		A	Vein x-ray, neck	13.58	13.58	XXX	0	0	0	0	0
75860	26	Α	Vein x-ray, neck	1.56	1.56	XXX	0	0	0	0	0
75860	TC	Α	Vein x-ray, neck	12.01	12.01	XXX	0	0	0	0	0
75870		Α	Vein x-ray, skull	13.58	13.58	XXX	0	0	0	0	0
75870	26	Α	Vein x-ray, skull	1.56	1.56	XXX	0	0	0	0	0
75870	TC	A	Vein x-ray, skull	12.01	12.01	XXX	0	0	0	0	0
75872		A	Vein x-ray, skull	13.58	13.58	XXX	.0	0	0	0	0

75872 75872 75880 75880 75880 75885 75885 75885 75887 75887	26 TC 26 TC 26 TC 26 TC	A A A A A A A A	Vein x-ray, eye Vein x-ray, eye Vein x-ray, liver	1.56 12.01 1.87 0.97 0.90 14.00 1.98 12.01 14.00 1.98 12.01	1.56 12.01 1.87 0.97 0.90 14.00 1.98 12.01 14.00 1.98 12.01	XXX XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
75887		Α	Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75887 75889	TC	Α		12.01 13.58	12.01 13.58	XXX XXX	0	0	0	0	0
75889	26	Α	Vein x-ray, liver	1.56	1.56	XXX	0	0	0	0	Ŏ
75889 75891	TC		Vein x-ray, liver Vein x-ray, liver	12.01 13.58	12.01 13.58	XXX XXX	0	0	$0 \\ 0$	0	0
75891	26	Α	Vein x-ray, liver	1.56	1.56	XXX	0	0	0	0	0
75891	TC		Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	.0
75893	26		Venous sampling	12.77	12.77 0.75	XXX	$0 \\ 0$	$0 \\ 0$	0	0	0
75893 75893	26 TC		Venous sampling Venous sampling	0.75 12.01	12.01	XXX	0	0	0	Ó	0

# (13) Diagnostic radiology, transcatheter procedures:

75894		Α	X-ray, transcatheter	24.81	24.81	XXX	0	0	0	0	0
75894	26	Α	X-ray, transcatheter	1.80	1.80	XXX	0	0	0	0	0
75894	TC	Α	X-ray, transcatheter	23.01	23.01	XXX	0	0	0	0	0
75896		Α	X-ray, transcatheter	21.81	21.81	XXX	0	0	0	0	0
75896	26	Α	X-ray, transcatheter	1.80	1.80	XXX	0	0	0	0	0
75896	TC	Α	X-ray, transcatheter	20.01	20.01	XXX	0	0	0	0	0
75898		Α	Follow-up angiogram	3.28	3.28	XXX	0	0	0	0	0
75898	26	Α	Follow-up angiogram	2.27	2.27	XXX	0	0	0	0	0
75898	TC	Α	Follow-up angiogram	1.00	1.00	XXX	0	0	0	0	0
75900		Α	Arterial catheter	20.69	20.69	XXX	0	0	0	0	0
75900	26	Α	Arterial catheter	0.68	0.68	XXX	0	0	0	0	0
75900	TC	Α	Arterial catheter	20.00	20.00	XXX	0	0	0	0	0
75940		Α	X-ray placement	12.77	12.77	XXX	0	0	0	0	0
75940	26	Α	X-ray placement	0.75	0.75	XXX	0	0	0	0	0
75940	TC	Α	X-ray placement	12.01	12.01	XXX	0	0	0	0	0
75945		Α	Intravascular ultrasound	4.95	4.95	XXX	0	0	0	0	0
75945	26	Α	Intravascular ultrasound	0.59	0.59	XXX	0	0	0	0	0
75945	TC	Α	Intravascular ultrasound	4.36	4.36	XXX	0	0	0	0	0
75946		Α	Intravascular ultrasound	2.78	2.78	XXX	0	0	0	0	0
75946	26	Α	Intravascular ultrasound	0.59	0.59	XXX	0	0	0	0	0
75946	TC	Α	Intravascular ultrasound	2.18	2.18	XXX	0	0	0	0	0
75960		Α	Transcatheter, stent	15.34	15.34	XXX	0	0	0	0	0
75960	26	Α	Transcatheter, stent	1.13	1.13	XXX	0	0	0	0	0
75960	TC	Α	Transcatheter, stent	14.20	14.20	XXX	0	0	0	0	0
75961		Α	Retrieval	15.86	15.86	XXX	0	0	0	0	0
75961	26	Α	Retrieval	5.85	5.85	XXX	0	0	0	0	0
75961	TC	Α	Retrieval	10.01	10.01	XXX	0	0	0	0	0
75962		Α	Repair arterial	15.76	15.76	XXX	0	0	0	0	0
75962	26	Α	Repair arterial	. 0.75	0.75	XXX	0	0	0	0	0
75962	TC	Α	Repair arterial	15.01	15.01	XXX	0	0	0	0	0
75964		Α	Repair artery balloon	8.50	8.50	XXX	0	0	0	0	0
75964	26	Α	Repair artery balloon	0.49	0.49	XXX	0	0	0	0	0
75964	TC	Α	Repair artery balloon	8.00	8.00	XXX	0	0	0	0	0

75966		Α	Repair arterial	16.81	16.81	XXX	0	0	0	0	0
75966	26	A	Repair arterial	1.80	1.80	XXX	0	Ō	Õ	Õ	Ō
75966	TC	A	Repair arterial	15.01	15.01	XXX	0	0	0	0	Ō
75968		Α	Repair artery balloon	8.50	8.50	XXX	0	0	0	0	0
75968	26	Α	Repair artery balloon	0.49	0.49	XXX	0	0	0	0	0
75968	TC		Repair artery balloon	8.00	8.00	XXX	0	0	0	0	0
75970		Α	Vascular biopsy	12.16	12.16	XXX	.0	0	0	0	0
75970	26	Α	Vascular biopsy	1.15	1.15	XXX	0	0	0	0	0
75970	TC	Α	Vascular biopsy	11.01	11.01	XXX	0	0	0	0	0
75978		Α	Repair venous balloon	15.98	15.98	XXX	0	0	0	0	0
75978	26	Α	Repair venous balloon	0.98	0.98	XXX	0	0	0	0	0
75978	TC	A	Repair venous balloon	15.01	15.01	XXX	0	0	0	0	0
75980		A	Contrast x-ray	7.15	7.15	XXX	0	0	0	0	0
75980	26	Α	Contrast x-ray	1.98	1.98	XXX	0	0	0	0	0
75980	TC		Contrast x-ray	5.17	5.17	XXX	0	0	0	0	0
75982	2.	A	Contrast x-ray	7.80	7.80	XXX	0	0	0	0	0
75982	26		Contrast x-ray	1.98	1.98	XXX	0	0	0	0	0
75982	TC	A	Contrast x-ray	5.82	5.82	XXX	0	0	0	0	0
75984	20	A	X-ray control catheter	2.86	2.86	XXX	0	0	$0 \\ 0$	0	0
75984	26 TC	A	X-ray control catheter	1.00	1.00	XXX	$0 \\ 0$	0	0	0	0
75984	TC		X-ray control catheter	1.86 4.63	1.86 4.63	XXX XXX	0	0 0	0	0	0
75989 75989	26	A	Abscess drainage	1.63	1.63	XXX	0	0	0	0	0
75989	26 TC		Abscess drainage Abscess drainage	3.00	3.00	XXX	0	0	0	0	0
13707	IC	A	Abscess dramage	3.00	3.00	ЛЛЛ	U	U	U	U	U
(14) D	iagno	stic	radiology, transluminal athere	ectomy:							
75992		Α	Atherectomy, x-ray	15.76	15.76	XXX	0	0	0	0	0
75992	26	Α	Atherectomy, x-ray	0.75	0.75	XXX	0	0	0	0	0
75992	TC	Α	Atherectomy, x-ray	15.01	15.01	XXX	0	0	0	0	0
75993		Α	Atherectomy, x-ray	8.50	8.50	XXX	0	0	0	0	0
75993	26	Α	Atherectomy, x-ray	0.49	0.49	XXX	0	0	0	0	0
75993	TC		Atherectomy, x-ray	8.00	8.00	XXX	0	0	0	0	0
75994			Atherectomy, x-ray	16.81	16.81	XXX	0	0	0	0	0
75994	26		Atherectomy, x-ray	1.80	1.80	XXX	0	0	0	0	0
75994	TC	A	Atherectomy, x-ray	15.01	15.01	XXX	0	0	0	0	0
75995	26	A	Atherectomy, x-ray	16.81	16.81	XXX	0	0	0	0	0
75995	26 TC	A	Atherectomy, x-ray	1.80	1.80 15.01	XXX	0	$0 \\ 0$	0	$0 \\ 0$	0
75995	TC	A	Atherectomy, x-ray	15.01		XXX XXX	0	0	0	0	0
75996 75006	26	A	Atherectomy, x-ray	8.50 0.49	8.50 0.49	XXX	0	0	0	0	0
75996 75996			Atherectomy, x-ray	8.00	8.00	XXX	0	0	0	0	0
13990	ıc	А	Atherectomy, x-ray	6.00	8.00	ЛЛЛ	U	U	U	U	U
(15) D	iagno	stic	radiology, other procedures:								
76000			Eluanosana array	1 47	1 47	vvv	Λ	Λ	Λ	0	0
76000	26		Fluoroscope exam	1.47	1.47	XXX	0	0	0	0	0
76000	26 TC	A	Fluoroscope exam	0.23	0.23 1.24	XXX	0	0	0	0	0
76000 76001	TC	A A	Fluoroscope exam	1.24 3.44	3.44	XXX XXX	0	$0 \\ 0$	$0 \\ 0$	0	$0 \\ 0$
76001	26		Fluoroscope exam Fluoroscope exam	0.94	0.94	XXX	0	0	0	0	0
76001	TC		Fluoroscope exam	2.51	2.51	XXX	0	0	0	0	0
76001	10		Needle localization	2.00	2.00	XXX	0	0	0	0	0
76003			1 TOOLIO TOOLIILATIOII	<b>∠.</b> ∪∪		4 - 4 - 4	U	0	•		U
/(11.11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	26						0	0	0		
	26 TC	Α	Needle localization	0.75	0.75	XXX	0	0	$\begin{array}{c} 0 \\ 0 \end{array}$	0	0
76003 76010		Α					_			0	

76010	26	Α	X-ray, nose to rectum	0.25	0.25	XXX	0	0	0	0	0
76010	TC		X-ray, nose to rectum	0.50	0.50	XXX	0	ŏ	ŏ	ŏ	0
76020			X-ray, bone age	0.76	0.76	XXX	0	Õ	0	Ŏ	Ŏ
76020	26		X-ray, bone age	0.26	0.26	XXX	ŏ	Õ	0	Ŏ	Ŏ
76020	TC	A	X-ray, bone age	0.50	0.50	XXX	0	0	ŏ	ŏ	ŏ
76040		A	X-ray, bone length	1.13	1.13	XXX	ő	ŏ	ŏ	0	0
76040	26		X-ray, bone length	0.38	0.38	XXX	ő	ő	ŏ	ő	ŏ
76040	TC		X-ray, bone length	0.75	0.75	XXX	ő	ő	ŏ	0	ő
76061			X-ray, bone survey	1.57	1.57	XXX	ő	ŏ	0	0	ŏ
76061	26		X-ray, bone survey	0.62	0.62	XXX	0	Ö	ő	0	ő
76061	TC	A	X-ray, bone survey	0.95	0.02	XXX	0	0	0	0	0
76062	10	A	X-ray, bone survey	2.13	2.13	XXX	ő	0	0	0	0
76062	26	A	X-ray, bone survey	0.75	0.75	XXX	0	0	0	0	0
76062	TC		X-ray, bone survey	1.37	1.37	XXX	0	0	0	0	0
76065	10	A	X-ray, bone, infant	1.09	1.09	XXX	0	0	0	0	0
76065	26	A	X-ray, bone, infant	0.39	0.39	XXX	0	0	0	0	0
76065	TC	A		0.70	0.70	XXX	0	0	0	0	0
76066	10	A	X-ray, bone, infant Joint survey	1.49	1.49	XXX	0	0	0	0	0
76066	26	A	Joint survey	0.43		XXX	_		0		
	TC	A			0.43		0	0		0	0
76066 76070	IC	I	Joint survey	1.06 3.17	1.06 3.17	XXX XXX	0	0	$0 \\ 0$	0	0
	26		CT scan, bone density				0	0		0	0
76070	TC	I	CT scan, bone density	0.35	0.35	XXX	0	0	0	0	0
76070	IC	I	CT scan, bone density	2.81	2.81	XXX	0	0	0	0	0
76075	26	A	Dual energy x-ray	3.35	3.35	XXX	0	0	0	0	0
76075	26 TC	A	Dual energy x-ray	0.40	0.40	XXX	0	0	0	0	0
76075	TC	A	Dual energy x-ray	2.95	2.95	XXX	0	0	0	0	0
76076	26	A	Dual energy x-ray	1.03	1.03	XXX	0	0	0	0	0
76076	26 TC		Dual energy x-ray	0.31	0.31	XXX	0	0	0	0	0
76076	TC	A	Dual energy x-ray	0.72	0.72	XXX	0	0	0	0	0
76078	26	A	Photodensitometry	1.01	1.01	XXX	0	0	0	0	0
76078	26 TC		Photodensitometry	0.29	0.29	XXX	0	0	0	0	0
76078	TC		Photodensitometry	0.72	0.72	XXX	0	0	0	0	0
76080	26		X-ray exam of fistula	1.76	1.76	XXX	0	0	0	0	0
76080	26 TC	A	X-ray exam of fistula	0.75	0.75	XXX	0	0	0	0	0
76080	TC	A	X-ray exam of fistula	1.00	1.00	XXX	0	0	0	0	0
76086	26		X-ray of mammary	3.01	3.01	XXX	0	0	0	0	0
76086	26 TC		X-ray of mammary	0.50	0.50	XXX	0	0	0	0	0
76086	TC	A	X-ray of mammary	2.51	2.51	XXX	0	0	0	0	0
76088	26		X-ray of mammary	4.11	4.11	XXX	0	0	0	0	0
76088	26 TC		X-ray of mammary	0.62	0.62	XXX	0	0	0	0	0
76088	TC	A	X-ray of mammary	3.49	3.49	XXX	0	0	0	0	0
76090	26	A	Mammogram, one	1.66	1.66	XXX	0	0	0	0	0
76090	26 TC	A	Mammogram, one	0.65	0.65	XXX	0	0	0	0	0
76090	TC		Mammogram, one	1.00	1.00	XXX	0	0	0	0	0
76091	20	A	Mammogram, both	2.06	2.06	XXX	0	2	0	0	0
76091	26 TC	A	Mammogram, both	0.82	0.82	XXX	0	2	0	0	0
76091	TC	A	Mammogram, both	1.24	1.24	XXX	0	2	0	0	0
76092		X	Mammogram, screening	0.00	0.00	XXX	9	9	9	9	9
76093	0.0	A	Magnetic image	19.04	19.04	XXX	0	0	0	0	0
76093	26	A	Magnetic image	2.24	2.24	XXX	0	0	0	0	0
76093	TC	A	Magnetic image	16.81	16.81	XXX	0	0	0	0.	0
76094	21	A	Magnetic image	25.03	25.03	XXX	0	2	0	0	0
76094	26	A	Magnetic image	2.24	2.24	XXX	0	2	0	0	0
76094	TC	A	Magnetic image	22.80	22.80	XXX	0	2	0	0	0
76095		A	Stereotactic breast	9.02	9.02	XXX	0	0	0	0	0
76095	26	A	Stereotactic breast	2.19	2.19	XXX	0	0	0	0	0
76095	TC	A	Stereotactic breast	6.83	6.83	XXX	0	0	0	0	0
76096		Α	X-ray of needle	2.02	2.02	XXX	0	0	0	0	0

76096	26	Α	X-ray of needle	0.78	0.78	XXX	0	0	0	0	0
76096	TC	Α	X-ray of needle	1.24	1.24	XXX	0	0	0	0	0
76098		Α	X-ray exam, breast	0.62	0.62	XXX	0	0	0	0	0
76098	26	Α	X-ray exam, breast	0.22	0.22	XXX	0	0	0	0	0
76098	TC	Α	X-ray exam, breast	0.40	0.40	XXX	0	0	0	0	0
76100		Α	X-ray exam, body section	2.00	2.00	XXX	0	0	0	0	0
76100	26	Α	X-ray exam, body section	0.81	0.81	XXX	0	0	0	0	0
76100	TC		X-ray exam, body section	1.19	1.19	XXX	0	0	0	0	0
76101		Α	Complex body section	2.16	2.16	XXX	0	0	0	0	0
76101	26	Α	Complex body section	0.81	0.81	XXX	0	0	0	0	0
76101	TC	Α	Complex body section	1.35	1.35	XXX	0	0	0	0	0
76102		Α	Complex body section	2.46	2.46	XXX	0	2	0	0	0
76102	26	Α	Complex body section	0.81	0.81	XXX	0	2	0	0	0
76102	TC	Α	Complex body section	1.65	1.65	XXX	0	2	0	0	0
76120		Α	Cinematic x-ray	1.53	1.53	XXX	0	0	0	0	0
76120	26	Α	Cinematic x-ray	0.53	0.53	XXX	0	0	0	0	0
76120	TC	Α	Cinematic x-ray	1.00	1.00	XXX	0	0	0	0	0
76125		A	Cinematic x-ray	1.12	1.12	XXX	0	0	0	0	0
76125	26	Α	Cinematic x-ray	0.37	0.37	XXX	0	0	0	0	0
76125	TC	A	Cinematic x-ray	0.75	0.75	XXX	0	0	0	0	0
76140		Ι	X-ray consultation	0.00	0.00	XXX	9	9	9	9	9
76150		Α	X-ray exam, dry	0.40	0.40	XXX	0	0	0	0	0
76350		C	Special x-ray	0.00	0.00	XXX	0	0	0	0	0
76355		À	CAT scan for localization	9.53	9.53	XXX	0	0	0	0	0
76355	26	Α	CAT scan for localization	1.65	1.65	XXX	0	0	0	0	0
76355	TC	Α	CAT scan for localization	7.87	7.87	XXX	0	0	0	0	0
76360		Α	CAT scan for needle	9.45	9.45	XXX	0	0	0	0	0
76360	26	Α	CAT scan for needle	1.58	1.58	XXX	0	0	0	0	0
76360	TC	Α	CAT scan for needle	7.87	7.87	XXX	0	0	0	0	0
76365		Α	CAT scan for cyst	9.45	9.45	XXX	0	0	0	0	0
76365	26	Α	CAT scan for cyst	1.58	1.58	XXX	0	0	0	0	0
76365	TC	Α	CAT scan for cyst	7.87	7.87	XXX	0	0	0	0	0
76370		Α	CAT scan for therapy	3.99	3.99	XXX	0	0	0	0	0
76370	26	Α	CAT scan for therapy	1.17	1.17	XXX	0	0	0	0	0
76370	TC	Α		2.81	2.81	XXX	0	0	0	0	0
76375		Α	3-dimensional/holograph	3.59	3.59	XXX	0	0	0	0	0
76375	26	Α		0.22	0.22	XXX	0	0	0	0	0
76375	TC	Α	3-dimensional/holograph	3.37	3.37	XXX	0	0	0	0	0
76380		Α		4.70	4.70	XXX	0	0	0	0	0
76380	26	Α	CAT scan follow-up	1.35	1.35	XXX	0	0	0	0	0
76380	TC	Α	CAT scan follow-up	3.34	3.34	XXX	0	0	0	0	0
			•								

## (16) Diagnostic radiology, other procedures:

76390		A	Magnetic spectroscopy	12.65	12.65	XXX	0	0	0	0	0
76390	26		Magnetic spectroscopy	1.96	1.96	XXX	ŏ	ő	Ö	Ö	ŏ
76390	TC		Magnetic spectroscopy	10.69	10.69	XXX	0	0	0	0	0
76400			Magnetic image	12.89	12.89	XXX	0	0	0	0	0
76400	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
76400	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
76499		C	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0
76499	26	C	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0
76499	TC	С	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0

(	(17)	Diagnostic	ultrasound.	head	and	neck:

76506		Α	Echo exam of head	2.23	2.23	XXX	0	0	0	0	0
76506	26	Α	Echo exam of head	0.87	0.87	XXX	0	0	0	0	0
76506	TC	Α	Echo exam of head	1.35	1.35	XXX	0	0	0	0	0
76511		Α	Echo exam of eye	2.31	2.31	XXX	0	3	0	0	0
76511	26	Α	Echo exam of eye	1.12	1.12	XXX	0	3	0	0	0
76511	TC	Α	Echo exam of eye	1.19	1.19	XXX	0	3	0	0	0
76512		Α	Echo exam of eye	2.37	2.37	XXX	0	3	0	0	0
76512	26	Α	Echo exam of eye	0.92	0.92	XXX	0	3	0	0	0
76512	TC	Α	Echo exam of eye	1.46	1.46	XXX	0	3	0	0	0
76513		Α	Echo exam of eye	2.37	2.37	XXX	0	3	0	0	0
76513	26	Α	Echo exam of eye	0.92	0.92	XXX	0	3	0	0	0
76513	TC	Α	Echo exam of eye	1.46	1.46	XXX	0	3	0	0	0
76516		Α	Echo exam of eye	1.95	1.95	XXX	0	2	0	0	0
76516	26	Α	Echo exam of eye	0.75	0.75	XXX	0	2	0	0	0
76516	TC	Α	Echo exam of eye	1.19	1.19	XXX	0	2	0	0	0
76519		Α	Echo exam of eye	1.95	1.95	XXX	0	2	0	0	0
76519	26	Α	Echo exam of eye	0.75	0.75	XXX	0	3	0	0	0
76519	TC	Α	Echo exam of eye	1.19	1.19	XXX	0	2	0	0	0
76529		Α	Echo exam of eye	2.10	2.10	XXX	0	3	0	0	0
76529	26	Α	Echo exam of eye	0.79	0.79	XXX	0	3	0	0	0
76529	TC	Α	Echo exam of eye	1.31	1.31	XXX	0	3	0	0	0
76536		Α	Echo exam of head, neck	2.14	2.14	XXX	0	0	0	0	0
76536	26	Α	Echo exam of head, neck	0.78	0.78	XXX	0	0	0	0	0
76536	TC	Α	Echo exam of head, neck	1.35	1.35	XXX	0	0	0	0	0

#### (18) Diagnostic ultrasound, chest:

76604		Α	Echo exam of chest	2.01	2.01	XXX	0	0	0	0	0
76604	26	Α	Echo exam of chest	0.77	0.77	XXX	0	0	0	0	0
76604	TC	Α	Echo exam of chest	1.24	1.24	XXX	0	0	0	0	0
76645		Α	Echo exam of breasts	1.76	1.76	XXX	.0	2	0	0	0
76645	26	Α	Echo exam of breasts	0.75	0.75	XXX	0	2	0	0	0
76645	TC	Α	Echo exam of breasts	1.00	1.00	XXX	0	2	0	0	0

#### (19) Diagnostic ultrasound, abdomen and retroperitoneum:

76700		Α	Echo exam of abdomen	3.00	3.00	XXX	0	0	0	0	0
76700	26	Α	Echo exam of abdomen	1.12	1.12	XXX	0	0	0	0	0
76700	TC	Α	Echo exam of abdomen	1.88	1.88	XXX	0	0	0	0	0
76705		Α	Echo exam of abdomen	2.17	2.17	XXX	0	0	0	0	0
76705	26	Α	Echo exam of abdomen	0.82	0.82	XXX	0	0	0	0	0
76705	TC	Α	Echo exam of abdomen	1.35	1.35	XXX	0	0	0	0	0
76770		Α	Echo exam of abdomen	2.91	2.91	XXX	0	0	0	0	0
76770	26	Α	Echo exam of abdomen	1.03	1.03	XXX	0	0	0	0	0
76770	TC	Α	Echo exam of abdomen	1.88	1.88	XXX	0	0	0	0	0
76775		Α	Echo exam of abdomen	2.16	2.16	XXX	0	0	0	0	0
76775	26	Α	Echo exam of abdomen	0.81	0.81	XXX	0	0	0	0	0
76775	TC	Α	Echo exam of abdomen	1.35	1.35	XXX	0	0	0	0	0
76778		Α	Echo exam of kidney	2.91	2.91	XXX	0	0	0	0	0
76778	26	Α	Echo exam of kidney	1.03	1.03	XXX	0	0	0	0	0
76778	TC	Α	Echo exam of kidney	1.88	1.88	XXX	0	Ο	O	Ω	n

(20)	Diagnostic	ultrasound,	spinal	canal:
(20)	Diagnostic	uningound,	opina	cana.

76800		Α	Echo exam of spinal canal	2.91	2.91	XXX	0	0	0	0	0
76800	26	Α	Echo exam of spinal canal	1.55	1.55	XXX	0	0	0	0	0
76800	TC	Α	Echo exam of spinal canal	1.35	1.35	XXX	0	0	0	0	0

## (21) Diagnostic ultrasound, pelvis:

76805		Α	Echo of pregnant uterus	3.38	3.38	XXX	0	0	0	0	0
76805	26	Α	Echo of pregnant uterus	1.37	1.37	XXX	0	0	0	0	0
76805	TC	Α	Echo of pregnant uterus	2.00	2.00	XXX	0	0	0	0	0
76810		Α	Echo of pregnant uterus	6.71	6.71	XXX	0	0	0	0	0
76810	26	A	Echo of pregnant uterus	2.71	2.71	XXX	0	0	0	0	0
76810	TC	A	Echo of pregnant uterus	4.00	4.00	XXX	0	Ō	Ō	0	0
76815		Α	Echo of pregnant uterus	2.26	2.26	XXX	0	0	0	0	0
76815	26	A	Echo of pregnant uterus	0.90	0.90	XXX	0	0	0	0	0
76815	TC	Α	Echo of pregnant uterus	1.35	1.35	XXX	0	Ō	Ō	0	0
76816		A	Echo exam follow-up	1.85	1.85	XXX	0	0	Ō	0	0
76816	26	Α	Echo exam follow-up	0.79	0.79	XXX	0	Õ	0	Õ	Ŏ
76816	TC	A	Echo exam follow-up	1.06	1.06	XXX	Ō	0	0	0	0
76818		Α	Fetal biophysical profile	2.61	2.61	XXX	0	0	0	0	Õ
76818	26	Α	Fetal biophysical profile	1.06	1.06	XXX	0	0	0	0	0
76818	TC	Α	Fetal biophysical profile	1.54	1.54	XXX	0	0	0	0	0
76825		Α	Echo exam of fetus	3.76	3.76	XXX	0	0	0	0	0
76825	26	Α	Echo exam of fetus	1.88	1.88	XXX	0	0	0	0	0
76825	TC	Α	Echo exam of fetus	1.88	1.88	XXX	0	0	0	0	0
76826		Α	Echo exam of fetus	2.11	2.11	XXX	0	0	0	0	0
76826	26	Α	Echo exam of fetus	1.44	1.44	XXX	0	0	0	0	0
76826	TC	Α	Echo exam of fetus	0.67	0.67	XXX	0	0	0	0	0
76827		Α	Echo exam of fetus	2.83	2.83	XXX	0	0	0	0	0
76827	26	Α	Echo exam of fetus	1.17	1.17	XXX	0	0	0	0	0
76827	TC	Α	Echo exam of fetus	1.66	1.66	XXX	0	0	0	0	0
76828		Α	Echo exam of fetus	1.86	1.86	XXX	0	0	0	0	0
76828	26	Α	Echo exam of fetus	0.79	0.79	XXX	0	0	0	0	0
76828	TC	Α	Echo exam of fetus	1.07	1.07	XXX	0	0	0	0	0
76830		Α	Echo exam, transvaginal	2.42	2.42	XXX	0	0	0	0	0
76830	26	Α	Echo exam, transvaginal	0.96	0.96	XXX	0	0	0	0	0
76830	TC	Α	Echo exam, transvaginal	1.46	1.46	XXX	0	0	0	0	0
76831		Α	Echo exam of uterus	2.45	2.45	XXX	0	0	0	0	0
76831	26	Α	Echo exam of uterus	0.99	0.99	XXX	0	0	0	0	0
76831	TC	Α	Echo exam of uterus	1.46	1.46	XXX	0	0	0	0	0
76856		Α	Echo exam of pelvis	2.42	2.42	XXX	0	0	0	0	0
76856	26	Α	Echo exam of pelvis	0.96	0.96	XXX	0	0	0	0	0
76856	TC	Α	Echo exam of pelvis	1.46	1.46	XXX	0	0	0	0	0
76857		Α	Echo exam of pelvis	1.53	1.53	XXX	0	0	0	0	0
76857	26	Α	Echo exam of pelvis	0.53	0.53	XXX	0	0	0	0	0
76857	TC	Α	Echo exam of pelvis	1.00	1.00	XXX	0	0	0	0	0
			L								

## (22) Diagnostic ultrasound, genitalia:

76870		Α	Echo exam of scrotum	2.34	2.34	XXX	0	0	0	0	0
76870	26	Α	Echo exam of scrotum	0.88	0.88	XXX	0	0	0	0	0
76870	TC	Α	Echo exam of scrotum	1.46	1.46	XXX	0	0	0	0	0
76872		Α	Echo exam of transrectal	2.42	2.42	XXX	0	0	0	0	0
76872	26	Α	Echo exam of transrectal	0.96	0.96	XXX	0	0	0	0	0
76872	TC	Α	Echo exam of transrectal	1.46	1.46	XXX	0	0	0	0	0

## (23) Diagnostic ultrasound, extremities:

76880		Α	Echo exam of extremity	2.17	2.17	XXX	0	0	0	0	0
76880	26	Α	Echo exam of extremity	0.82	0.82	XXX	0	0	0	0	0
76880	TC	Α	Echo exam of extremity	1.35	1.35	XXX	0	0	0	0	0
76885		Α	Echo exam of infant	2.46	2.46	XXX	0	0	0	0	0
76885	26	Α	Echo exam of infant	1.01	1.01	XXX	0	0	0	0	0
76885	TC	Α	Echo exam of infant	1.46	1.46	XXX	0	0	0	0	0
76886		Α	Echo exam of infant	2.20	2.20	XXX	0	0	0	0	0
76886	26	Α	Echo exam of infant	0.85	0.85	XXX	0	0	0	0	0
76886	TC	Α	Echo exam of infant	1.35	1.35	XXX	0	0	0	0	0

## (24) Diagnostic ultrasound, ultrasonic guidance procedures:

76930		Α	Echo guide, pericardium	2.39	2.39	XXX	0	0	0	0	0
76930	26	Α	Echo guide, pericardium	0.94	0.94	XXX	0	0	0	0	0
76930	TC	Α	Echo guide, pericardium	1.46	1.46	XXX	0	0	0	0	0
76932		Α	Echo guide, biopsy	2.39	2.39	XXX	0	0	0	0	0
76932	26	Α	Echo guide, biopsy	0.94	0.94	XXX	0	0	0	0	0
76932	TC	Α	Echo guide, biopsy	1.46	1.46	XXX	0	0	0	0	0
76934		Α	Echo guide, puncture	2.39	2.39	XXX	0	0	0	0	0
76934	26	Α	Echo guide, puncture	0.94	0.94	XXX	0	0	0	0	0
76934	TC	Α	Echo guide, puncture	1.46	1.46	XXX	0	0	0	0	0
76936		Α	Echo guide, repair	9.06	9.06	XXX	0	0	0	0	0
76936	26	Α	Echo guide, repair	3.06	3.06	XXX	0	0	0	0	0
76936	TC	Α	Echo guide, repair	6.01	6.01	XXX	0	0	0	0	0
76938		Α	Echo exam, cyst	2.39	2.39	XXX	0	0	0	0	0
76938	26	Α	Echo exam, cyst	0.94	0.94	XXX	0	0	0	0	0
76938	TC	Α	Echo exam, cyst	1.46	1.46	XXX	0	0	0	0	0
76941		Α	Echo guide, fetal	3.32	3.32	XXX	0	0	0	0	0
76941	26	Α	Echo guide, fetal	1.86	1.86	XXX	0	0	0	0	0
76941	TC	Α	Echo guide, fetal	1.46	1.46	XXX	0	0	0	0	0
76942		Α	Echo guide, fetal	2.39	2.39	XXX	0	0	0	0	0
76942	26	Α	Echo guide, fetal	0.94	0.94	XXX	0	0	0	0	0
76942	TC	Α	Echo guide, fetal	1.46	1.46	XXX	0	0	0	0	0
76945		Α	Echo guide, villus	2.71	2.71	XXX	0	0	0	0	0
76945	26	Α	Echo guide, villus	1.25	1.25	XXX	0	0	0	0	0
76945	TC	Α	Echo guide, villus	1.46	1.46	XXX	0	0	0	0	0
76946		Α	Echo guide, amniocentesis	1.98	1.98	XXX	0	0	0	0	0
76946	26	Α	Echo guide, amniocentesis	0.53	0.53	XXX	0	0	0	0	0
76946	TC	Α	Echo guide, amniocentesis	1.46	1.46	XXX	0	0	0	0	0
76948		Α	Echo guide, ova	1.98	1.98	XXX	0	0	0	0	0
76948	26	Α	Echo guide, ova	0.53	0.53	XXX	0	0	0	0	0
76948	TC	Α	Echo guide, ova	1.46	1.46	XXX	0	0	0	0	0
76950		Α	Echo guide radiotherapy	2.05	2.05	XXX	0	0	0	0	0
76950	26	Α	Echo guide radiotherapy	0.81	0.81	XXX	0	0	0	0	0
76950	TC	Α	Echo guide radiotherapy	1.24	1.24	XXX	0	0	0	0	0
76960		Α	Echo guide radiotherapy	2.05	2.05	XXX	0	0	0	0	0
76960	26	Α	Echo guide radiotherapy	0.81	0.81	XXX	0	0	0	0	0
76960	TC	Α	Echo guide radiotherapy	1.24	1.24	XXX	0	0	0	0	0
76965		Α	Echo guide radiotherapy	8.05	8.05	XXX	0	0	0	0	0
76965	26	Α	Echo guide radiotherapy	2.74	2.74	XXX	0	0	0	0	0
76965	TC	Α	Echo guide radiotherapy	5.31	5.31	XXX	0	0	0	0	0
			,								

#### (25) Diagnostic ultrasound, other procedures:

76970		Α	Ultrasound follow-up	1.56	1.56	XXX	0	0	0	0	0
76970	26	Α	Ultrasound follow-up	0.55	0.55	XXX	0	0	0	0	0
76970	TC	Α	Ultrasound follow-up	1.00	1.00	XXX	0	0	0	0	0
76975		Α	GI endoscopic ultrasound	2.55	2.55	XXX	0	0	0	0	0
76975	26	Α	GI endoscopic ultrasound	1.09	1.09	XXX	0	0	0	0	0
76975	TC	Α	GI endoscopic ultrasound	1.46	1.46	XXX	0	0	0	0	0
76986		Α	Echo exam at surgery	4.15	4.15	XXX	0	0	0	0	0
76986			Echo exam at surgery	1.65	1.65	XXX	0	0	0	0	0
76986	TC	Α	Echo exam at surgery	2.51	2.51	XXX	0	0	0	0	0
76999		C	Echo exam procedure	0.00	0.00	XXX	0	0	0	0	0
76999	26	C	Echo exam procedure	0.00	0.00	XXX	0	0	0	0	0
76999	TC	C	Echo exam procedure	0.00	0.00	XXX	0	0	0	0	0

#### (26) Radiation oncology, clinical treatment planning:

77261		A	Radiation therapy	1.91	1.91	XXX	0	0	0	0	0
77262		Α	Radiation therapy	2.90	2.90	XXX	0	0	0	0	0
77263		Α	Radiation therapy	4.31	4.31	XXX	0	0	0	0	0
77280		Α	Set radiation therapy	4.29	4.29	XXX	0	0	0	0	0
77280	26	Α	Set radiation therapy	0.97	0.97	XXX	0	0	0	0	0
77280	TC	Α	Set radiation therapy	3.31	3.31	XXX	0	0	0	0	0
77285		Α	Set radiation therapy	6.75	6.75	XXX	0	. 0	0	0	0
77285	26	Α	Set radiation therapy	1.44	1.44	XXX	0	0	0	0	0
77285	TC	Α	Set radiation therapy	5.32	5.32	XXX	0	0	0	0	0
77290		Α	Set radiation therapy	8.36	8.36	XXX	0	0	0	0	0
77290	26	Α	Set radiation therapy	2.15	2.15	XXX	0	0	0	0	0
77290	TC	Α	Set radiation therapy	6.20	6.20	XXX	0	0	0	0	0
77295		Α	Set radiation therapy	32.92	32.92	XXX	0	0	0	0	0
77295	26	Α	Set radiation therapy	6.27	6.27	XXX	0	0	0	0	0
77295	TC	Α	Set radiation therapy	26.65	26.65	XXX	0	0	0	0	0
77299		C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77299	26	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77299	TC	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
			• •								

# (27) Radiation oncology, medical radiation physics, dosimetry, treatment devices, and special services:

77300		Α	Radiation therapy	2.14	2.14	XXX	0	0	0	0	0
77300	26	Α	Radiation therapy	0.86	0.86	XXX	0	0	0	0	0
77300	TC	Α	Radiation therapy	1.28	1.28	XXX	0	0	0	0	0
77305		Α	Radiation therapy	2.75	2.75	XXX	0	0	0	0	0
77305	26	Α	Radiation therapy	0.97	0.97	XXX	0	0	0	0	0
77305	TC	Α	Radiation therapy	1.78	1.78	XXX	0	0	0	0	0
77310		Α	Radiation therapy	3.66	3.66	XXX	0	0	0	0	0
77310	26	Α	Radiation therapy	1.44	1.44	XXX	0	0	0	0	0
77310	TC	Α	Radiation therapy	2.23	2.23	XXX	0	0	0	0	0
77315		Α	Radiation therapy	4.69	4.69	XXX	0	0	0	0	0
77315	26	Α	Radiation therapy	2.15	2.15	XXX	0	0	0	0	0
77315	TC	Α	Radiation therapy	2.54	2.54	XXX	0	0	0	0	0
77321		Α	Radiation therapy	5.16	5.16	XXX	0	0	0	0	0
77321	26	Α	Radiation therapy	1.31	1.31	XXX	0	0	0	0	0
77321	TC	Α	Radiation therapy	3.85	3.85	XXX	0	0	0	0	0
77326		Α	Radiation therapy	3.54	3.54	XXX	0	0	0	0	0
77326	26	Α	Radiation therapy	1.28	1.28	XXX	0	0	0	0	0
77326	TC	Α	Radiation therapy	2.26	2.26	XXX	0	0	0	0	0

77327		Α	Radiation therapy	5.22	5.22	XXX	0	0	0	0	0
77327	26	Α	Radiation therapy	1.91	1.91	XXX	0	0	0	0	0
77327	TC	Α	Radiation therapy	3.31	3.31	XXX	0	0	0	0	0
77328		Α	Radiation therapy	7.61	7.61	XXX	0	0	0	0	0
77328	26	Α	Radiation therapy	2.87	2.87	XXX	0	0	0	0	0
77328	TC	Α	Radiation therapy	4.73	4.73	XXX	0	0	0	0	0
77331		Α	Special radiation	1.68	1.68	XXX	0	0	0	0	0
77331	26	Α	Special radiation	1.20	1.20	XXX	0	0	0	0	0
77331	TC	Α		0.48	0.48	XXX	0	0	0	0	0
77332		Α	Radiation treatment	2.03	2.03	XXX	0	0	0	0	0
77332	26	Α	Radiation treatment	0.75	0.75	XXX	0	0	0	0	0
77332	TC	Α	Radiation treatment	1.28	1.28	XXX	0	0	0	0	0
77333		Α	Radiation treatment	2.98	2.98	XXX	0	0	0	0	0
77333	26	Α	Radiation treatment	1.16	1.16	XXX	0	0	0	0	0
77333	TC	Α	Radiation treatment	1.81	1.81	XXX	0	0	0	0	0
77334		Α	Radiation treatment	4.79	4.79	XXX	0	0	0	0	0
77334	26	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77334	TC	Α	Radiation treatment	3.10	3.10	XXX	0	0	0	0	0
77336		Α	Radiation physics	2.84	2.84	XXX	0	0	0	0	0
77370		Α	Radiation physics	3.33	3.33	XXX	0	0	0	0	0
77399		C	External radiation	0.00	0.00	XXX	0	0	0	0	0
77399	26	C	External radiation	0.00	0.00	XXX	0	0	0	0	0
77399	TC	C	External radiation	0.00	0.00	XXX	0	0	0	0	0

# (28) Radiation oncology, radiation treatment delivery:

77401	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77402	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77403	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77404	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77406	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77407	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77408	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77409	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77411	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77412	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77413	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77414	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	. 0
77416	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77417	Α	Radiology port films	0.56	0.56	XXX	0	0	0	0	0

## (29) Radiation oncology, clinical treatment management:

77419		Α	Weekly radiation	4.95	4.95	XXX	0	0	0	0	0
77420		Α	Weekly radiation	2.22	2.22	XXX	0	0	0	. 0	0
77425		Α	Weekly radiation	3.37	3.37	XXX	0	0	0	0	0
77430		Α	Weekly radiation	4.95	4.95	XXX	0	0	0	0	0
77431		Α	Radiation therapy	2.49	2.49	XXX	0	0	0	0	0
77432		Α	Stereotactic radiation	12.19	12.19	XXX	0	0	0	0	0
77470		Α	Special radiation	13.50	13.50	XXX	0	0	0	0	0
77470	26	Α	Special radiation	2.87	2.87	XXX	0	0	0	0	0
77470	TC	Α	Special radiation	10.62	10.62	XXX	0	0	0	0	0
77499		C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77499	26	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77499	TC	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0

	(00)	75 11	•	1 .1 .
- 1	30)	i Radiati∩n	OUCOLOGY	hyperthermia:
- 1	20,	, Madiation	Unicology,	if por thornina.

77600		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77600	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	0	0
77600	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	0	0	0	0	0
77605			Hyperthermia treatment	6.75	6.75	ZZZ	0	0	0	0	0
77605	26	R	Hyperthermia treatment	2.87	2.87	ZZZ	0	0	0	0	0
77605	TC	R	Hyperthermia treatment	3.88	3.88	ZZZ	0	0	0	0	0
77610		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77610	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	0	0
77610	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	0	0	0	0	0
77615		R	Hyperthermia treatment	6.75	6.75	ZZZ	0	0	0	0	0
77615	26	R	Hyperthermia treatment	2.87	2.87	ZZZ	0	0	0	0	0
77615	TC	R	Hyperthermia treatment	3.88	3.88	ZZZ	0	0	0	0	0

#### (31) Radiation oncology, clinical intracavitary hyperthermia:

77620		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77620	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	0	0
77620	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	0	0	0	0	0

#### (32) Radiation oncology, clinical brachytherapy:

77750		Α	Infuse radioelement	7.87	7.87	090	0	0	0	0	0
77750	26	Α	Infuse radioelement	6.60	6.60	090	0	0	0	0	0
77750	TC	Α	Infuse radioelement	1.27	1.27	090	0	0	0	0	0
77761		Α	Radioelement application	7.52	7.52	090	0	0	0	0	0
77761	26	Α	Radioelement application	5.12	5.12	090	0	0	0	0	0
77761	TC	Α	Radioelement application	2.40	2.40	090	0	0	0	0	0
77762		Α	Radioelement application	11.14	11.14	090	0	0	0	0	0
77762	26	Α	Radioelement application	7.69	7.69	090	0	0	0	0	0
77762	TC	Α	Radioelement application	3.44	3.44	090	0	0	0	0	0
77763		Α	Radioelement application	15.80	15.80	090	0	0	0	0	0
77763	26	Α	Radioelement application	11.51	11.51	090	0	0	0	0	0
77763	TC	Α	Radioelement application	4.28	4.28	090	0	0	0	0	0
77776		Α	Radioelement application	8.50	8.50	XXX	0	0	0	0	0
77776	26	Α	Radioelement application	6.42	6.42	XXX	0	0	0	2	0
77776	TC	Α	Radioelement application	2.08	2.08	XXX	0	0	0	0	0
77777		Α	Radioelement application	14.11	14.11	090	0	0	0	0	0
77777	26	Α	Radioelement application	10.06	10.06	090	0	0	0	2	0
77777	TC	Α	Radioelement application	4.05	4.05	090	0	0	0	0	0
77778		Α	Radioelement application	19.95	19.95	090	0	0	0	0	0
77778	26	Α	Radioelement application	15.06	15.06	090	0	0	0	2	0
77778	TC	Α	Radioelement application	4.89	4.89	090	0	0	0	0	0
77781		Α	High intensity	21.59	21.59	090	0	0	0	0	0
77781	26	Α	High intensity	2.23	2.23	090	0	0	0	0	0
77781	TC	Α	High intensity	9.36	9.36	090	0	0	0	0	0
77782		Α	High intensity	22.72	22.72	090	0	0	0	0	0
77782	26	Α	High intensity	3.36	. 3.36	090	0	0	0	0	0
77782	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0
77783		Α	High intensity	24.37	24.37	090	0	0	0	0	0
77783	26	Α	High intensity	5.01	5.01	090	0	0	0	0	0
77783	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0

77784 77784	26	Α	High intensity High intensity	26.91 7.55	26.91 7.55	090 090	$\begin{array}{c} 0 \\ 0 \end{array}$	0 0	0 0	$\begin{array}{c} 0 \\ 0 \end{array}$	$\begin{array}{c} 0 \\ 0 \end{array}$
77784	TC		High intensity	19.36	19.36	090	0	0	0	0	0
77789		Α	Radioelement application	1.93	1.93	090	0	0	0	0	0
77789	26	Α	Radioelement application	1.50	1.50	090	0	0	0	0	0
77789	TC	Α	Radioelement application	0.43	0.43	090	0	0	0	0	0
77790		Α	Radioelement handling	1.92	1.92	XXX	0	0	0	0	0
77790	26	Α	Radioelement handling	1.44	1.44	XXX	0	0	0	0	0
77790	TC	Α	Radioelement handling	0.48	0.48	XXX	0	0	0	0	0
77799		C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
77799	26	C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
77799	TC	C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0

# (33) Nuclear medicine, diagnostic:

78000		Α	Thyroid, single	1.19	1.19	XXX	0	0	0	0	0
78000	26	Α	Thyroid, single	0.26	0.26	XXX	0	0	0	0	0
78000	TC	Α	Thyroid, single	0.92	0.92	XXX	0	0	0	0	0
78001		Α	Thyroid, multiple	1.60	1.60	XXX	0	0	0	0	0
78001	26	Α	Thyroid, multiple	0.36	0.36	XXX	0	0	0	0	0
78001	TC	Α	Thyroid, multiple	1.24	1.24	XXX	0	0	0	0	0
78003		Α	Thyroid, suppression	1.38	1.38	XXX	0	0	0	0	0
78003	26	Α	Thyroid, suppression	0.46	0.46	XXX	0	0	0	0	0
78003	TC	Α	Thyroid, suppression	0.92	0.92	XXX	0	0	0	0	0
78006		Α	Thyroid imaging	2.95	2.95	XXX	0	0	0	0	0
78006	26	Α	Thyroid imaging	0.67	0.67	XXX	0	0	0	0	0
78006	TC	Α	Thyroid imaging	2.28	2.28	XXX	0	0	0	0	0
78007		Α	Thyroid imaging	3.15	3.15	XXX	0	0	0	0	0
78007	26	Α	Thyroid imaging	0.69	0.69	XXX	0	0	0	0	0
78007	TC	Α	Thyroid imaging	2.45	2.45	XXX	0	0	0	0	0
78010		Α	Thyroid imaging	2.27	2.27	XXX	0	0	0	0	0
78010	26	Α	Thyroid imaging	0.53	0.53	XXX	0	0	0	0	0
78010	TC	Α	Thyroid imaging	1.73	1.73	XXX	0	0	0	0	0
78011		Α	Thyroid imaging	2.92	2.92	XXX	0	0	0	0	0
78011	26	Α	Thyroid imaging	0.63	0.63	XXX	0	0	0	0	0
78011	TC	Α	Thyroid imaging	2.29	2.29	XXX	0	0	0	0	0
78015		Α	Thyroid metastases image	3.39	3.39	XXX	0	0	0	0	0
78015	26	Α	Thyroid metastases image	0.94	0.94	XXX	0	0	0	0	0
78015	TC	Α	Thyroid metastases image	2.45	2.45	XXX	0	0	0	0	0
78016		Α	Thyroid metastases image	4.47	4.47	XXX	0	0	0	0	0
78016	26	Α	Thyroid metastases image	1.14	1.14	XXX	0	0	0	0	0
78016	TC	Α	Thyroid metasteses image	3.32	3.32	XXX	0	0	0	0	0
78017		Α	Thyroid metasteses image	4.75	4.75	XXX	0	0	0	0	0
78017	26	Α	Thyroid metasteses image	1.20	1.20	XXX	0	0	0	0	0
78017	TC	Α	Thyroid metasteses image	3.55	3.55	XXX	0	0	0	0	0
78018		Α	Thyroid metasteses image	6.49	6.49	XXX	0	0	0	0	0
78018	26	Α	Thyroid, met imaging	1.31	1.31	XXX	0	0	0	0	0
78018	TC	Α	Thyroid, met imaging	5.18	5.18	XXX	0	0	0	0	0
78070		Α	Parathyroid nuclear	2.72	2.72	XXX	0	0	0	0	0
78070	26	Α	Parathyroid nuclear	0.99	0.99	XXX	0	0	0	0	0
78070	TC	Α	Parathyroid nuclear	1.73	1.73	XXX	0	0	0	0	0
78075		A	Adrenal nuclear	6.20	6.20	XXX	0	0	0	0	0
78075	26	Α	Adrenal nuclear	1.03	1.03	XXX	0	0	0	0	0
78075	TC	Α	Adrenal nuclear	5.18	5.18	XXX	0	0	0	0	0
78099		C	Endocrine, nuclear	0.00	0.00	XXX	0	0	0	0	0

#### FEES FOR MEDICAL SERVICES 5221.4030

78099 78099	26 TC	C C	Endocrine, nuclear Endocrine, nuclear	0.00 0.00	0.00 0.00	XXX XXX	0	0	0	0	0
(34) N	uclea	r m	edicine, hematopoietic, reticuloe	ndothel	ial and	lympha	tic s	yste	m:		
78102		Α	Bone marrow imaging	2.71	2.71	XXX	0	0	0	0	0
78102	26	A	Bone marrow imaging	0.76	0.76	XXX	ŏ	ŏ	ŏ	ŏ	ő
78102	TC		Bone marrow imaging	1.95	1.95	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78103			Bone marrow imaging	4.06	4.06	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78103	26		Bone marrow imaging	1.04	1.04	XXX	ŏ	Ö	ŏ	ŏ	ŏ
78103	TC		Bone marrow imaging	3.02	3.02	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
78104			Bone marrow imaging	5.00	5.00	XXX	0	0	0	0	0
78104	26		Bone marrow imaging	1.11	1.11	XXX	0	0	0	0	0
78104	TC		Bone marrow imaging	3.89	3.89	XXX	0	0	0	0	0
78110		Α	Plasma volume	1.17	1.17	XXX	0	0	0	0	0
78110	26	Α	Plasma volume	0.26	0.26	XXX	0	0	0	0	0
78110	TC	Α	Plasma volume	0.90	0.90	XXX	0	0	0	0	0
78111		Α	Plasma volume	2.76	2.76	XXX	0	0	0	0	0
78111	26	Α	Plasma volume	0.31	0.31	XXX	0	0	0	0	0
78111	TC		Plasma volume	2.45	2.45	XXX	0	0	0	0	0
78120		Α	Red cell mass, single	1.98	1.98	XXX	0	0	0	0	0
78120	26	Α	Red cell mass, single	0.33	0.33	XXX	0	0	0	0	0
78120	TC		Red cell mass, single	1.65	1.65	XXX	0	0	0	0	0
78121			Red cell mass, multiple	3.22	3.22	XXX	0	0	0	0	0
78121	26		Red cell mass, multiple	0.45	0.45	XXX	0	0	0	0	0
78121	TC	Α	Red cell mass, multiple	2.77	2.77	XXX	0	0	0	0	0
78122		Α	Whole blood volume	5.01	5.01	XXX	0	0	0	0	0
78122	26		Whole blood volume	0.62	0.62	XXX	0	0	0	0	0
78122	TC		Whole blood volume	4.40	4.40	XXX	0	0	0	0	0
78130			Red cell survival	3.57	3.57	XXX	0	0	0	0	0
78130	26		Red cell survival	0.85	0.85	XXX	0	0	0	0	0
78130	TC	A		2.72	2.72	XXX	0	0	0	0	0
78135	٠.	A	Red cell survival	5.53	5.53	XXX	0	0	0	0	0
78135	26		Red cell survival	0.88	0.88	XXX	0	0	0	0	0
78135	TC		Red cell survival	4.65	4.65	XXX	0	0	0	0	0
78140	26		Red cell sequestration	4.60	4.60	XXX	0	0	0	0	0
78140	26 TC		Red cell sequestration	0.85	0.85	XXX	0	0	0	0	0
78140	TC		Red cell sequestration	3.75	3.75	XXX	0	0	0	0	0
78160	26	A	Plasma iron turnover	3.95	3.95	XXX	0	0	0	0	0
78160 78160	26 TC	A A	Plasma iron turnover	0.46 3.49	0.46 3.49	XXX XXX	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	0 0	$0 \\ 0$
78160 78162	IC		Plasma iron turnover Iron absorption	3.67	3.67	XXX	0	0	0	0	0
78162	26		Iron absorption	0.62	0.62	XXX	0	0	0	0	0
78162	TC	A	Iron absorption	3.05	3.05	XXX	0	0	0	ő	0
78170	10	A	Red cell iron use	5.63	5.63	XXX	Ö	0	0	ő	ő
78170	26	A	Red cell iron use	0.56	0.56	XXX	ő	ŏ	ŏ	ŏ	ő
78170	TC	A	Red cell iron use	5.06	5.06	XXX	ŏ	ŏ	ŏ	ŏ	ő
78172	• •	Ċ	Total body iron	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78172	26	Ă	Total body iron	0.74	0.74	XXX	ŏ	ŏ	Ŏ	Ŏ	Ŏ
78172	TC	C	Total body iron	0.00	0.00	XXX	0	0	Ō	0	Õ
78185		Ă	Spleen imaging	2.81	2.81	XXX	ŏ	0	Ŏ	Ŏ	Ŏ
78185	26	A	Spleen imaging	0.55	0.55	XXX	ŏ	Õ	ŏ	Õ	Ŏ
78185	TČ	A	Spleen imaging	2.26	2.26	XXX	ŏ	Ŏ	ŏ	Ŏ	0
78190	_	Α	Platelet survival	6.95	6.95	XXX	ŏ	Õ	Ŏ	Õ	0
78190	26	A	Platelet survival	1.49	1.49	XXX	0	0	0	0	Ō
78190	TC	Α	Platelet survival	5.46	5.46	XXX	0	0	0	0	0
78191		Α	Platelet survival	7.84	7.84	XXX	0	0	0	0	0

3441.4	3221.4030 FEES FOR MEDICAL SERVICES										
78191 78191 78195 78195 78195 78199 78199	26 TC 26 TC 26 TC	A A A A C C C	Platelet survival Platelet survival Lymph system imaging Lymph system imaging Lymph system imaging Blood/lymph, nuclear Blood/lymph, nuclear Blood/lymph, nuclear	0.85 6.99 5.31 1.43 3.89 0.00 0.00	0.85 6.99 5.31 1.43 3.89 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(35) N	uclea	r m	edicine, gastrointestinal system:								
78201 78201 78201	26 TC	A A A	Liver imaging Liver imaging Liver imaging	2.86 0.60 2.26	2.86 0.60 2.26	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0

78201	26	Α	Liver imaging	0.60	0.60	XXX	0	0	0	0	0
78201	TC	Α	Liver imaging	2.26	2.26	XXX	0	0	0	0	0
78202		Α	Liver imaging	3.46	3.46	XXX	0	0	0	0	0
78202	26	A	Liver imaging	0.71	0.71	XXX	0	0	0	0	0
78202	TC	A	Liver imaging	2.75	2.75	XXX	0	0	0	0	0
78205				6.63	6.63	XXX	0	0	0	0	0
78205	26	A	Liver imaging	0.99	0.99	XXX	0	ŏ	ŏ	Ŏ	Ŏ
78205	TC	Α	Liver imaging	5.64	5.64	XXX	0.	ŏ	Õ	Ō	Ō
78215		A	Liver and spleen imaging	3.47	3.47	XXX	Õ	0	0	Ō	0
78215	26		Liver and spleen imaging	0.67	0.67	XXX	0	Ŏ	Ŏ	Ŏ	0
78215	TČ		Liver and spleen imaging	2.80	2.80	XXX	Ō	ŏ	ŏ	Ŏ	Ŏ
78216			Liver and spleen imaging	4.11	4.11	XXX	Õ	Ŏ	Ŏ	Ŏ	Ŏ
78216	26		Liver and spleen imaging	0.79	0.79	XXX	Õ	ŏ	0	Õ	Ŏ
78216	TČ	A	Liver and spleen imaging	3.32	3.32	XXX	ŏ	0	ŏ	ŏ	ŏ
78220		A	Liver function study	4.22	4.22	XXX	Õ	ŏ	ŏ	ŏ	ŏ
78220	26		Liver function study	0.67	0.67	XXX	0	0	Ŏ	Ŏ	0
78220	TC		Liver function study	3.55	3.55	XXX	Ō	Ŏ	Ŏ	Ŏ	0
78223			Hepatobiliary imaging	4.66	4.66	XXX	Ŏ	ŏ	ŏ	Õ	ŏ
78223	26	A	Hepatobiliary imaging	1.16	1.16	XXX	ŏ	ŏ	ŏ	0	ŏ
78223	TC	Α	Hepatobiliary imaging	3.49	3.49	XXX	Ŏ	ŏ	ŏ	ŏ	ŏ
78230		A	Salivary gland imaging	2.70	2.70	XXX	Ŏ	ŏ	ŏ	Ŏ	ŏ
78230	26	A	Salivary gland imaging	0.63	0.63	XXX	ŏ	ŏ	ŏ	ŏ	ő
78230	TC	A	Salivary gland imaging	2.08	2.08	XXX	0	ŏ	ŏ	ő	ŏ
78231	10	A	Serial salivary imaging	3.75	3.75	XXX	ŏ	ŏ	0	0	ŏ
78231	26	A	Serial salivary imaging	0.73	0.73	XXX	0	ŏ	ŏ	0	ŏ
78231	TC	A	Serial salivary imaging	3.02	3.02	XXX	0	ŏ	0	ŏ	ŏ
78232		Α	Salivary gland study	4.03	4.03	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78232	26	A	Salivary gland study	0.66	0.66	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78232	TC	A	Salivary gland study	3.37	3.37	XXX	ŏ	ŏ	ŏ	ŏ	ő
78258		A	Esophageal motion	3.78	3.78	XXX	Õ	ŏ	ŏ	Õ	ŏ
78258	26	A	Esophageal motion	1.03	1.03	XXX	ŏ	ŏ	Õ	Õ	ŏ
78258	TC	A	Esophageal motion	2.75	2.75	XXX	ŏ	ŏ	ŏ	0	ŏ
78261		A	Gastric mucosa imaging	4.88	4.88	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78261	26	A	Gastric mucosa imaging	0.96	0.96	XXX	ŏ	ŏ	ő	ŏ	Ö
78261	TC	A	Gastric mucosa imaging	3.91	3.91	XXX	0	ŏ	ŏ	ŏ	ŏ
78262		Ā	Gastroesophageal study	5.00	5.00	XXX	Ŏ	ŏ	ŏ	ŏ	ŏ
78262	26	A	Gastroesophageal study	0.94	0.94	XXX	0	ŏ	ŏ	ŏ	ŏ
78262	TC	A	Gastroesophageal study	4.06	4.06	XXX	ŏ	ŏ	ŏ	Ö	ŏ
78264		A	Gastric emptying study	5.02	5.02	XXX	Ŏ	ŏ	Ŏ	0	Ŏ
78264	26	A	Gastric emptying study	1.08	1.08	XXX	0	ő	ő	ő	ŏ
78264	TC	A	Gastric emptying study	3.93	3.93	XXX	Õ	0	ő	ŏ	ŏ
78270	10	A	Vitamin B-12 absorption	1.76	1.76	XXX	ő	0	0	0	0
78270	26	A	Vitamin B-12 absorption	0.28	0.28	XXX	ő	ő	0	0	ő
78270	TC	A	Vitamin B-12 absorption	1.48	1.48	XXX	0	0	0	0	ő
10210	10	17	Trainin D-12 absorption	1.70	1.70	2 1/2 1/1	J	J	J	J	U

#### FEES FOR MEDICAL SERVICES 5221.4030

78271		Α	Vitamin B-12 absorption	1.86	1.86	XXX	0	0	0	0	0
78271	26		Vitamin B-12 absorption	0.28	0.28	XXX	0	0	0	0	0
78271	TC	Α	Vitamin B-12 absorption	1.57	1.57	XXX	0	0	0	0	0
78272		Α	Vitamin B-12 absorption	2.60	2.60	XXX	0	0	0	0	0
78272	26	Α	Vitamin B-12 absorption	0.38	0.38	XXX	0	0	0	0	0
78272	TC	Α	Vitamin B-12 absorption	2.22	2.22	XXX	0	0	0	0	0
78278		Α	Acute GI blood loss	6.02	6.02	XXX	0	0	0	0	0
78278	26	Α	Acute GI blood loss	1.37	1.37	XXX	0	0	0	0	0
78278	TC	Α	Acute GI blood loss	4.65	4.65	XXX	0	0	0	0	0
78282		C	GI protein loss	0.00	0.00	XXX	0	0	0	0	0
78282	26	Α	GI protein loss	0.53	0.53	XXX	0	0	0	0	0
78282	TC	C	GI protein loss	0.00	0.00	XXX	0	0	0	0	0
78290		Α	Meckel's divert exam	3.84	3.84	XXX	0	0	0	0	0
78290	26	Α	Meckel's divert exam	0.94	0.94	XXX	0	0	0	0	0
78290	TC	Α	Meckel's divert exam	2.90	2.90	XXX	0	0	0	0	0
78291		Α		4.13	4.13	XXX	0	0	0	0	0
78291	26	Α	Shunt patency test	1.21	1.21	XXX	0	0	0	0	0
78291	TC	Α	Shunt patency test	2.92	2.92	XXX	0	0	0	0	0
78299		C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
78299	26	C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
78299	TC	C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0

#### (36) Nuclear medicine, musculoskeletal system:

78300		Α	υ υ,	3.24	3.24	XXX	0	0	0	0	0
78300	26	Α	Bone imaging, limited	0.87	0.87	XXX	0	0	0	0	0
78300	TC	Α	Bone imaging, limited	2.38	2.38	XXX	0	0	0	0	0
78305		Α	Bone imaging, multiple	4.65	4.65	XXX	0	0	0	0	0
78305	26	Α	Bone imaging, multiple	1.15	1.15	XXX	0	0	0	0	0
78305	TC	Α	Bone imaging, multiple	3.49	3.49	XXX	0	0	0	0	0
78306		Α	Bone imaging, whole body	5.27	5.27	XXX	2	0	0	0	0
78306	26	Α	Bone imaging, whole body	1.19	1.19	XXX	2	0	0	0	0
78306	TC	Α	Bone imaging, whole body	4.07	4.07	XXX	2	0	0	0	0
78315		Α	Bone imaging, three	5.95	5.95	XXX	0	0	0	0	0
78315	26	Α	Bone imaging, three	1.40	1.40	XXX	0	0	0	0	0
78315	TC	Α		4.56	4.56	XXX	0	0	0	0	0
78320		Α	Bone imaging	7.06	7.06	XXX	2	0	0	0	0
78320	26	Α	Bone imaging	1.43	1.43	XXX	2	0	0	0	0
78320	TC	Α	Bone imaging	5.64	5.64	XXX	2	0	0	0	0
78350		Α	Bone mineral, study	1.03	1.03	XXX	0	0	0	0	0
78350	26	Α	Bone mineral, study	0.31	0.31	XXX	0	0	0	0	0
78350	TC	Α	Bone mineral, study	0.72	0.72	XXX	0	0	0	0	0
78351		N	Bone mineral, dual	0.00	0.00	XXX	9	9	9	9	9
78399		C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
78399	26	C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
78399	TC	C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
			•								

# (37) Nuclear medicine, cardiovascular system:

78414		C	Nonimaging heart	0.00	0.00	XXX	0	0	0	0	0
78414			Nonimaging heart	0.62	0.62	XXX	0	0	0	0	0
			Nonimaging heart	0.00	0.00	XXX	0	0	0	0	0
			Cardiac shunt imaging	3.24	3.24	XXX	0	0	0	0	0
			Cardiac shunt imaging	1.08	1.08	XXX	0	0	0	0	0
78428	TC	Α	Cardiac shunt imaging	2.15	2.15	XXX	0	0	0	0	0

78445		Α	Vascular flow imaging	2.47	2.47	XXX	0	0	0	0	0
78445	26	Α	Vascular flow imaging	0.70	0.70	XXX	0	0	0	0	0
78445	TC	Α	Vascular flow imaging	1.77	1.77	XXX	0	0	0	0	0
78455		A	Venous thrombosis study	4.81	4.81	XXX	Ŏ	ŏ	ŏ	Ö	ŏ
78455	26	A	Venous thrombosis study	1.01	1.01	XXX	ŏ	ŏ	ŏ	Õ	ŏ
78455	TC			3.80	3.80	XXX	ő	ő	0	0	ő
	ıc		Venous thrombosis study			XXX	0	0	0	0	0
78457	26		Venous thrombosis imaging	3.60	3.60						
78457	26 TC	A	Venous thrombosis imaging	1.06	1.06	XXX	0	0	0	0	0
78457	TC	A	Venous thrombosis imaging	2.54	2.54	XXX	0	0	0	0	0
78458		A	Venous thrombosis imaging	5.07	5.07	XXX	0	2	0	0	0
78458	26		Venous thrombosis imaging	1.24	1.24	XXX	0	2	0	0	0
78458	TC	Α	Venous thrombosis imaging	3.83	3.83	XXX	0	2	0	0	0
78459		I	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78459	26	I	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78459	TC	Ι	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78460		Α	Heart muscle blood	3.45	3.45	XXX	0	0	0	0	0
78460	26	Α	Heart muscle blood	1.19	1.19	XXX	0	0	0	0	0
78460	TC	Α	Heart muscle blood	2.26	2.26	XXX	0	0	0	0	0
78461		Α	Heart muscle blood	6.19	6.19	XXX	0	0	0	0	0
78461	26	A	Heart muscle blood	1.68	1.68	XXX	0	Õ	0	0	0
78461	TC		Heart muscle blood	4.51	4.51	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78464	10		Heart image	8.24	8.24	XXX	ŏ	ŏ	ő	ŏ	ŏ
78464	26			1.49	1.49	XXX	ő	ő	ő	ŏ	ŏ
	TC		Heart image	6.75	6.75	XXX	0	ő	0	ő	0
78464	IC		Heart image	3.25	3.25	XXX	0	0	0	0	
78465	20		Heart image				_				0
78465	26 TC	A	Heart image	2.01	2.01	XXX	0	0	0	0	0
78465	TC	A	Heart image	1.24	1.24	XXX	0	0	0	0	0
78466	0.0		Heart infarct image	3.47	3.47	XXX	0	0	0	0	0
78466	26		Heart infarct image	0.96	0.96	XXX	0	0	0	0	0
78466	TC		Heart infarct image	2.51	2.51	XXX	0	0	0	0	0
78468			Heart infarct image	4.59	4.59	XXX	0	0	0	0	0
78468	26		Heart infarct image	1.10	1.10	XXX	0	0	0	0	0
78468	TC	Α	Heart infarct image	3.49	3.49	XXX	0	0	0	0	0
78469		Α	Heart infarct image	6.25	6.25	XXX	0	0	0	0	0
78469	26	Α	Heart infarct image	1.26	1.26	XXX	0	0	0	0	0
78469	TC	Α	Heart infarct image	4.99	4.99	XXX	0	0	0	0	0
78472		Α	Gated heart	6.61	6.61	XXX	0	0	0	0	0
78472	26	Α	Gated heart	1.35	1.35	XXX	0	0	0	0	0
78472	TC	Α	Gated heart	5.26	5.26	XXX	0	0	0	0	0
78473			Gated heart, multiple	9.89	9.89	XXX	0	0	0	0	0
78473	26		Gated heart, multiple	2.02	2.02	XXX	0	Ō	Ō	Õ	0
78473	TC	A	Gated heart, multiple	7.87	7.87	XXX	0	Ō	Ō	Ō	0
78478		Α	Heart wall motion	2.34	2.34	XXX	Õ	ŏ	ŏ	ŏ	ŏ
78478	26		Heart wall motion	0.86	0.86	XXX	ŏ	ŏ	Ŏ	ŏ	ŏ
78478	TC	A	Heart wall motion	1.48	1.48	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78480	10	A	Heart function	2.34	2.34	XXX	ő	0	0	ő	ő
78480	26	Â	Heart function	0.86	0.86	XXX	0	ő	0	0	0
	TC			1.48	1.48	XXX	0	0	0	0	0
78480	IC		Heart function		6.34		0				
78481	26	A	Heart first pass	6.34		XXX		0	0	0	0
78481	26 TC	A	Heart first pass	1.35	1.35	XXX	0	0	0	0	0
78481	TC	A	Heart first pass	4.99	4.99	XXX	0	0	0	0	0
78483	•		Heart first pass	9.52	9.52	XXX	0	0	0	0	0
78483	26	Α	Heart first pass	2.02	2.02	XXX	0	0	0	0	0
78483	TC	Ą	Heart first pass	7.50	7.50	XXX	0	0	0	0	0
78491		I	Heart image	0.00	0.00	XXX	9	9	9	9	9
78491	26	I	Heart image	0.00	0.00	XXX	9	9	9	9	9
78491	TC	I	Heart image	0.00	0.00	XXX	9	9	9	9	9
78492		I	Heart image	0.00	0.00	XXX	9	9	9	9	9

4	О	2
υ	О	J

78492	26	I	Heart image	0.00	0.00	XXX	9	9	9	9	9		
78492	TC	I	Heart image	0.00	0.00	XXX	9	9	9	9	9		
78499			Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0		
78499	26	C	Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0		
78499	TC	С	Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0		
(38) N	(38) Nuclear medicine, respiratory system:												
70500			I	4.20	4.20	vvv	٠.	0	0	0	0		
78580 78580	26	A	Lung perfusion imaging Lung perfusion imaging	4.30 1.03	4.30 1.03	XXX XXX	0	$0 \\ 0$	0 0	$0 \\ 0$	$0 \\ 0$		
78580	TC	A	Lung perfusion imaging	3.27	3.27	XXX	0	0	0	0	0		
78584	ıc	A	Lung V/Q imaging	4.42	4.42	XXX	0	0	0	0	0		
78584	26		Lung V/Q imaging  Lung V/Q imaging	1.37	1.37	XXX	0	0	ő	0	0		
78584	TC		Lung V/Q imaging  Lung V/Q imaging	3.05	3.05	XXX	0	0	0	0	0		
78585	ıc		Lung V/Q imaging  Lung V/Q imaging	6.87	6.87	XXX	0	0	0	0	0		
78585	26		Lung V/Q imaging  Lung V/Q imaging	1.49	1.49	XXX	0	0	0	0	0		
78585	TC	A	Lung V/Q imaging  Lung V/Q imaging	5.37	5.37	XXX	0	0	0	0	0		
78586	ic	A	0 0	3.03	3.03	XXX	0	0	0	0	0		
78586	26	A		0.55	0.55	XXX	ő	0	0	0	0		
78586	TC		Aerosol lung imaging  Aerosol lung imaging	2.47	2.47	XXX	0	0	0	0	0		
78587	10	A	Aerosol lung imaging  Aerosol lung imaging	3.35	3.35	XXX	0	0	0	0	0		
78587	26	A	Acrosol lung imaging  Aerosol lung imaging	0.67	0.67	XXX	0	0	0	0	0		
78587	TC	A	Aerosol lung imaging	2.67	2.67	XXX	Ö	0	ő	0	0		
78591	10	A	Vent imaging, 1 breath	3.27	3.27	XXX	0	0	0	0	0		
78591	26	A	Vent imaging, 1 breath	0.55	0.55	XXX	0	0	0	0	0		
78591	TC		Vent imaging, 1 breath	2.72	2.72	XXX	0	ő	0	ő	0		
78593	10	A	Vent imaging, 1 pulse	3.97	3.97	XXX	0	0	Ö	0	0		
78593	26	A	Vent imaging, 1 pulse	0.67	0.67	XXX	0	ő	ő	0	0		
78593	TC		Vent imaging, 1 pulse	3.29	3.29	XXX	0	Õ	0	ŏ	ŏ		
78594	10	A	Vent imaging, multiple	5.50	5.50	XXX	ő	ő	ő	ŏ	ő		
78594	26	A	Vent imaging, multiple	0.74	0.74	XXX	Õ	ŏ	ŏ	ŏ	ő		
78594	TC	A	Vent imaging, multiple	4.75	4.75	XXX	0	ő	ő	ő	ŏ		
78596	10	A	Lung differential	8.49	8.49	XXX	Õ	0	0	0	ŏ		
78596	26	A	Lung differential	1.74	1.74	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Õ		
78596	TC		Lung differential	6.75	6.75	XXX	ŏ	ŏ	ŏ	Õ	ŏ		
78599		C	Respiratory, nuclear	0.00	0.00	XXX	Õ	Õ	0	0	0		
78599	26	č	Respiratory, nuclear	0.00	0.00	XXX	ŏ	ŏ	Õ	ŏ	ŏ		
78599	TC	č	Respiratory, nuclear	0.00	0.00	XXX	ŏ	Õ	0	ŏ	ŏ		
		_					-	-	-	-	_		
(39) N	uclea	r m	edicine, nervous system:										
78600		٨	Brain imaging	3.36	3.36	XXX	0	0	0	0	0		
78600	26	A A	Brain imaging Brain imaging	0.61	0.61	XXX	0	0	0	0	0		
78600			Brain imaging	2.75	2.75	XXX	0	0	Ö	0	0		
78601	10	A	Brain Itd imaging	3.96	3.96	XXX	ŏ	ŏ	Ö	ŏ	ŏ		
78601	26	A	Brain Itd imaging	0.72	0.72	XXX	Õ	Õ	. 0	ŏ	ŏ		
78601			Brain Itd imaging	3.24	3.24	XXX	ŏ	ŏ	Ö	Ö	ŏ		
78605			Brain imaging	3.98	3.98	XXX	Ō	Ō	Ō	Ō	0		
78605	26		Brain imaging	0.74	0.74	XXX	Ŏ	Õ	Ŏ	Ŏ	Ŏ		
78605	TC		Brain imaging	3.24	3.24	XXX	0	0	0	0	0		
78606			Brain imaging	4.57	4.57	XXX	0	0	0	0	0		
78606	26	Α	Brain imaging	0.88	0.88	XXX	0	0	0	0	0		
78606	TC	Α	Brain imaging	3.69	3.69	XXX	0	0	0	0	0		
78607		Α	Brain imaging	7.93	7.93	XXX	0	0	0	0	0		
78607	26	Α	Brain imaging	1.68	1.68	XXX	0	0	0	0	0		

7	8607	TC	Α	Brain imaging	6.25	6.25	XXX	0	0	0	0	0
7	8608		N	Brain imaging	0.00	0.00	XXX	9	9	9	9	9
7	8609		N	Brain imaging	0.00	0.00	XXX	9	9	9	9	9
7	8610		Α	Brain flow imaging	1.92	1.92	XXX	0	0	0	0	0
7	8610	26	Α	Brain flow imaging	0.42	0.42	XXX	0	0	0	0	0
7	8610	TC	Α	Brain flow imaging	1.50	1.50	XXX	0	0	0	0	0
7	8615		Α	Cerebral blood flow	4.25	4.25	XXX	0	0	0	0	0
7	8615	26	Α	Cerebral blood flow	0.58	0.58	XXX	0	0	0	0	0
7	8615	TC	Α	Cerebral blood flow	3.67	3.67	XXX	0	0	0	0	0
7	8630		Α	Cerebrospinal fluid flow	5.75	5.75	XXX	0	0	0	0	0
7	8630	26	Α	Cerebrospinal fluid flow	0.94	0.94	XXX	0	0	0	0	0
7	8630	TC	Α	Cerebrospinal fluid flow	4.81	4.81	XXX	0	0	0	0	0
7	8635		Α	CSF ventriculography	3.27	3.27	XXX	0	0	0	0	0
7	8635	26	Α	CSF ventriculography	0.85	0.85	XXX	0	0	0	0	0
7	8635	TC	Α	CSF ventriculography	2.43	2.43	XXX	0	0	0	0	0
7	8645		Α	CSF shunt evaluation	4.07	4.07	XXX	0	0	0	0	0
7	8645	26	Α	CSF shunt evaluation	0.79	0.79	XXX	0	0	0	0	0
7	8645	TC	Α	CSF shunt evaluation	3.27	3.27	XXX	0	0	0	0	0
7	8647		Α	Cerebrospinal	6.88	6.88	XXX	0	0	0	0	0
7	8647	26	Α	Cerebrospinal	1.25	1.25	XXX	0	0	0	0	0
7	8647	TC	A	Cerebrospinal	5.64	5.64	XXX	0	0	0	0	0
7	8650		Α	CSF leakage imaging	5.27	5.27	XXX	0	0	0	0	0
7	8650	26	Α	CSF leakage imaging	0.85	0.85	XXX	0	0	0	0	0
7	8650	TC	Α	CSF leakage imaging	4.42	4.42	XXX	0	0	0	0	0
7	8660		Α	Nuclear exam	2.77	2.77	XXX	0	0	0	0	0
7	8660	26	Α	Nuclear exam	0.74	0.74	XXX	0	0	0	0	0
	8660	TC	Α	Nuclear exam	2.02	2.02	XXX	0	0	0	0	0
7	8699		C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
	8699	26	C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
7	8699	TC	C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0

# (40) Nuclear medicine, genitourinary system:

78700		Α	Kidney imaging	3.52	3.52	XXX	0	0	0	0	0
78700	26	Α	Kidney imaging	0.62	0.62	XXX	0	0	0	0	0
78700	TC	Α	Kidney imaging	2.90	2.90	XXX	0	0	0	0	0
78701		Α	Kidney imaging	4.06	4.06	XXX	0	0	0	0	0
78701	26	Α	Kidney imaging	0.67	0.67	XXX	0	0	0	0	0
78701	TC	Α	Kidney imaging	3.39	3.39	XXX	0	0	0	0	0
78704		Α	Imaging renogram	4.80	4.80	XXX	0	0	0	0	0
78704	26	Α	Imaging renogram	1.03	1.03	XXX	0	0	0	0	0
78704	TC	Α	Imaging renogram	3.77	3.77	XXX	0	0	0	0	0
78707		Α	Kidney flow and function	5.57	5.57	XXX	0	0	0	0	0
78707	26	Α	Kidney flow and function	1.31	1.31	XXX	0	0	0	0	0
78707	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78708		Α	Kidney flow and function	5.80	5.80	XXX	0	0	0	0	0
78708	26	Α	Kidney flow and function	1.54	1.54	XXX	0	0	0	0	0
78708	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78709		Α	Kidney flow and function	5.98	5.98	XXX	0	0	0	0	0
78709	26	Α	Kidney flow and function	1.72	1.72	XXX	0	0	0	0	0
78709	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78710		Α	Kidney imaging	6.55	6.55	XXX	0	0	0	0	0
78710	26	Α	Kidney imaging	0.92	0.92	XXX	0	0	0	0	0
78710	TC	Α	Kidney imaging	5.64	5.64	XXX	0	0	0	0	0
78715		Α	Renal vascular	1.92	1.92	XXX	0	0	0	0	0
78715	26	Α	Renal vascular	0.42	0.42	XXX	0	0	0	0	0

78715	TC	Α	Renal vascular	1.50	1.50	XXX	0	0	0	0	0
78725		Α	Kidney function study	2.23	2.23	XXX	0	0	0	0	0
78725	26	Α	Kidney function study	0.53	0.53	XXX ·	0	0	0	0	0
78725	TC		Kidney function study	1.70	1.70	XXX	0	0	0	0	0
78726			Kidney function	4.02	4.02	XXX	0	0	0	0	0
78726	26		Kidney function	1.20	1.20	XXX	Ŏ	0	Ŏ	Ŏ	0
78726	TC		Kidney function	2.82	2.82	XXX	ŏ	ŏ	Ŏ	Ŏ	0
78727			Kidney transplant	5.18	5.18	XXX	Ŏ	0	ŏ	ŏ	Ŏ
78727	26	-	Kidney transplant	1.37	1.37	XXX	ŏ	ŏ	Ö	ŏ	ŏ
78727	TC		Kidney transplant	3.80	3.80	XXX	ŏ	ő	ŏ	0	ő
78730	10		Urinary bladder study	1.88	1.88	XXX	0	ő	0	0	0
78730	26		Urinary bladder study	0.49	0.49	XXX	0	Ö	Ö	0	0
78730	TC		Urinary bladder study	1.39	1.39	XXX	0	0	ŏ	ő	ő
78740	10		Ureteral reflux study	2.81	2.81	XXX	0	ő	ő	ő	0
78740	26		Ureteral reflux study	0.79	0.79	XXX	0	ő	ő	0	0
78740	TC		Ureteral reflux study	2.02	2.02	XXX	0	0	0	0	0
78760	ıc		Testicular imaging	3.47	3.47	XXX	0	0	0	0	0
78760	26	A	Testicular imaging	0.91	0.91	XXX	0	Ö	0	0	0
78760	TC		Testicular imaging	2.56	2.56	XXX	0	0	0	0	0
78761	IC	A		4.04	4.04	XXX	0	0	0	0	0
78761	26		Testicular imaging				0	0	0	0	
	26 TC		Testicular imaging	0.99	0.99	XXX					0
78761	TC		Testicular imaging	3.05	3.05	XXX	0	0	$0 \\ 0$	0	0
78799	26	C	Genitourinary, nuclear	0.00	0.00	XXX XXX	0	0		0	0
78799	26 TC		Genitourinary, nuclear	0.00	0.00		0	0	0	0	$0 \\ 0$
78799	TC	C	Genitourinary, nuclear	0.00	0.00	XXX	U	U	U	U	U
(41) N	uclea	r m	edicine, other procedures:								
78800		Α	Tumor imaging	4.15	4.15	XXX	0	0	0	0	0
78800	26	Α	Tumor imaging	0.91	0.91	XXX	0	0	0	0	0
78800	TC	Α	Tumor imaging	3.24	3.24	XXX	0	0	0	0	0
78801		Α	Tumor imaging	5.13	5.13	XXX	0	0	0	0	0
78801	26	Α	Tumor imaging	1.09	1.09	XXX	0	0	0	0	0
78801	TC	Α	Tumor imaging	4.04	4.04	XXX	0	0	0	0	0
78802		Α	Tumor imaging	6.47	6.47	XXX	2	0	0	0	0
78802	26	Α	Tumor imaging	1.19	1.19	XXX	2	0	0	0	0
78802	TC	Α	Tumor imaging	5.28	5.28	XXX	2	0	0	0	0
78803		Α	Tumor imaging	7.74	7.74	XXX	2	0	0	0	0
78803	26	Α	Tumor imaging	1.49	1.49	XXX	2	0	0	0	0
78803	TC	Α	Tumor imaging	6.25	6.25	XXX	2	0	0	0	0
78805		Α	Abscess imaging	4.25	4.25	XXX	0	0	0	0	0
78805	26	Α	Abscess imaging	1.01	1.01	XXX	0	0	0	0	0
78805	TC	Α	Abscess imaging	3.24	3.24	XXX	0	0	0	0	0
78806		Α	Abscess imaging	7.32	7.32	XXX	2	0	0	0	0
78806	26	Α	Abscess imaging	1.18	1.18	XXX	2	0	0	0	0
78806	TC	Α	Abscess imaging	6.14	6.14	XXX	2	0	0	0	0
78807		Α	Nuclear localization	7.74	7.74	XXX	2	0	0	0	0
78807	26	Α	Nuclear localization	1.49	1.49	XXX	2	0	0	0	0
78807	TC	Α	Nuclear localization	6.25	6.25	XXX	2	0	0	0	0
78810		N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78810	26	N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78810	TC	N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78890		В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
70000	~ ~	-		0.00	0.00	373737	^	^	^	^	^

78890 26 B Nuclear medicine

78890 TC B Nuclear medicine

B Nuclear medicine data

78891

0.00

0.00

0.00

0.00

0.00

0.00

XXX 9 9 XXX 9 9

686

5221.40	J <b>3</b> 0	FEI	ES FOR MEDICAL SERVICE	CS						(	686
78891 78891 78990 78999 78999 78999	26 TC 26 TC	B B I C C	Nuclear medicine data Nuclear medicine data Provide diagnostic Nuclear diagnostic Nuclear diagnostic Nuclear diagnostic	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX	9 9 9 0 0	9 9 0 0 0	9 9 9 0 0	9 9 9 0 0	9 9 9 0 0
(42) N	uclea	r m	edicine, therapeutic:								
79000 79000 79000 79000 79001 79001 79001 79020 79020 79030 79030 79035 79035 79035 79100 79100 79200 79200 79300 79300 79300 79400 79400 79400 79400 79420 79420 79420 79420 79420 79420 79490 79499 79999	26 TC	A A A A A A A A A A A A A A A A A C A C	Initial hyperthyroidism Initial hyperthyroidism Initial hyperthyroidism Repeat hyperthyroidism Repeat hyperthyroidism Repeat hyperthyroidism Repeat hyperthyroidism Thyroid ablation Thyroid ablation Thyroid ablation Thyroid ablation Thyroid ablation Thyroid ablation Thyroid metastases Thyroid metastases Thyroid metastases Thyroid metastases Thyroid metastases Hematopoetic nuclear Hematopoetic nuclear Hematopoetic nuclear Intracavitary nuclear Intracavitary nuclear Intracavitary nuclear Interstitial nuclear Interstitial nuclear Interstitial nuclear Interstitial nuclear Interstitial nuclear Intravascular nuclear	4.99 2.48 2.51 2.68 1.44 1.24 5.00 2.49 2.51 5.40 2.89 2.51 5.98 3.47 2.51 4.32 1.81 2.51 5.25 2.74 2.51 0.00 2.20 0.00 5.20 2.69 2.51 0.00 5.20 2.74 2.51 0.00 0.00 5.25 2.74 2.51 0.00 0.00	4.99 2.48 2.51 2.68 1.44 1.24 5.00 2.49 2.51 5.40 2.89 2.51 5.98 3.47 2.51 4.32 1.81 2.51 5.25 2.74 2.51 0.00 2.00 5.20 2.07 0.00 5.20 2.69 2.51 0.00 5.27 0.00 5.25 2.74 2.51 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX					
79999			Nuclear medicine Nuclear medicine	0.00 0.00	0.00	XXX	ŏ	ő	0	ŏ	0
			r codes 80000 through 89999, so ocedure code numbers 90700 to				l se	rvic	es.		
1	2	3	4	5	6	7	8	9	10	11	12
(1) Imr	nuni	zati	on injections:						•		
90281 90283		I I	Human ig, intramuscular Human ig, intravenous	0.00 0.00	0.00 0.00	XXX XXX	9 9	9 9	9 9	9 9	9 9

687	<b>FEES</b>	<b>FOR</b>	<b>MEDICAL</b>	SERVICES	5221.4030

90287	I	Botulinum antitoxin	0.00	0.00	XXX	9	9	9	9	9
90288	I	Botulism ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90291	I	Cmv ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90384	I	Rh ig, full-dose	0.00	0.00	XXX	9	9	9	9	9
90386	I	Rh ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90399	I	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
90700	Е	DTaP immunization	0.00	0.00	XXX	9	9	9	9	9
90701	Ē	DTP immunization	0.00	0.00	XXX	9	9	9	9	9
90702	Е	DT immunization	0.00	0.00	XXX	9	9	9	9	9
90703	Ē	Tetanus immunization	0.00	0.00	XXX	9	9	9	9	9
90704	E	Mumps immunization	0.00	0.00	XXX	9	9	9	9	9
90705	Ē	Measles immunization	0.00	0.00	XXX	9	9	9	9	9
90706	Ē	Rubella immunization	0.00	0.00	XXX	9	9	9	9	9
90707	Ē	MMR virus immunization	0.00	0.00	XXX	9	9	9	9	9
90708	Ē	Measles and rubella	0.00	0.00	XXX	9	9	9	9	9
90709	Ē	Rubella and mumps	0.00	0.00	XXX	9	9	9	9	9
90710	Ē	Combined vaccine	0.00	0.00	XXX	9	9	9	9	9
90711	Ē	Combined vaccine	0.00	0.00	XXX	9	9	9	9	9
90712	Ē	Oral poliovirus vaccine	0.00	0.00	XXX	9	9	9	9	9
90713	Ē	Poliomyelitis vaccine	0.00	0.00	XXX	9	9	9	9	9
90714	Ē	Typhoid immunization	0.00	0.00	XXX	9	9	9	9	9
90716	Ē	Chicken pox vaccine	0.00	0.00	XXX	9	9	9	9	9
90717	Ē	Yellow fever immunization	0.00	0.00	XXX	9	9	9	9	9
90718	Ē	Td immunization	0.00	0.00	XXX	9	9	ģ	9	9
90719	Ē	Diphtheria immunization	0.00	0.00	XXX	9	9	9	9	ģ
90720	Ē	DTP/HIB vaccine	0.00	0.00	XXX	9	9	9	9	9
90721	Ę.	DTaP/HIB vaccine	0.00	0.00	XXX	9	9	9	9	ģ
90724	X	Influenza immunization	0.00	0.00	XXX	9	9	9	9	9
90725	E	Cholera immunization	0.00	0.00	XXX	9	9	9	9	9
90726	Ē	Rabies immunization	0.00	0.00	XXX	9	9	9	9	9
90727	E	Plague immunization	0.00	0.00	XXX	9	9	9	9	9
90728	E	BCG immunization	0.00	0.00	XXX	9	9	9	9	9
90730	E	Hepatitis A vaccine	0.00	0.00	XXX	9	9	9	9	9
90732	X	Pneumococcal immunization	0.00	0.00	XXX	9	9	9	9	9
90733	E	Meningococcal vaccine	0.00	0.00	XXX	9	9	9	9	9
90735	E	Encephalitis vaccine	0.00	0.00	XXX	9	9	9	9	9
90737	E	Influenza B immunization	0.00	0.00	XXX	9	9	9	9	9
90741	Ē	Passive immunization	0.00	0.00	XXX	9	9	9	9	9
90742	Ē	Special passive	0.00	0.00	XXX	9	9	9	9	9
90744		Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90745		Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90746		Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90747		Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90748		Hepatitis B/HIB vaccine	0.00	0.00	XXX	9	9	9	9	9
90749	Ĉ	Immunization procedure	0.00	0.00	XXX	ó	ó	0	0	ó
70177		minimization procedure	0.00	0.00	ZVVI	J	J	J	J	J

## (2) Therapeutic or diagnostic infusions:

90780	A IV infusion for therapy	1.07	1.07	XXX	0	0	0	0	0
90781	A IV infusion, additional	0.53	0.53	XXX	0	0	0	0	0

	·~ \	- CT-1		4.5		
- 1	- 4	l haranautic	Or	diagnostic	ın	iections.
- 1	. J	Therapeutic	· OI	ulagilostic	111	icchons.

90782	T Inject	tion (SC)	0.10	0.10	XXX	0	0	0	0	0
90783	T Inject	tion (IA)	0.39	0.39	XXX	0	0	0	0	0
90784	T Inject	tion (IV)	0.46	0.46	XXX	0	0	0	0	0
90788	T Inject	tion of antibiotic	0.11	0.11	XXX	0	0	0	0	0
90799	C Thera	apeutic/diagnostic	0.00	0.00	XXX	0	0	0	0	0

### (4) Psychiatry, diagnostic or evaluative interview procedures:

90801	Α	Diagnostic interview	3.24	3.24	XXX	0	0	0	0	0
90802	Α	Interactive interview	3.13	3.13	XXX	0	0	0	0	0

### (5) Psychiatry, therapeutic procedures, office or other outpatient facility:

90804	Α	Psychotherapy, office	1.37	1.37	XXX	0	0	0	0	0
90805	Α	Psychotherapy, office	1.70	1.70	XXX	0	0	0	0	0
90806		Psychotherapy, office	2.14	2.14	XXX	0	0	0	0	0
90807	Α	Psychotherapy, office	2.38	2.38	XXX	0	0	0	0	0
90808	Α	Psychotherapy, office	3.60	3.60	XXX	0	0	0	0	0
90809	Α	Psychotherapy, office	3.96	3.96	XXX	0	0	0	0	0
90810	Α	Interactive, office	1.70	1.70	XXX	0	0	0	0	0
90811	Α	Interactive, office	2.05	2.05	XXX	0	0	0	0	0
90812	Α	Interactive, office	2.31	2.31	XXX	0	0	0	0	0
90813	Α	Interactive, office	2.57	2.57	XXX	0	0	0	0	0
90814	Α	Interactive, office	3.32	3.32	XXX	0	0	0	0	0
90815	Α	Interactive, office	3.70	3.70	XXX	0	0	0	0	0

(6) Psychiatry, therapeutic procedures, inpatient hospital, partial hospital, or residential care facility:

90816	Α	Psychotherapy, hospital	1.49	1.49	XXX	0	0	0	0	0
90817	Α	Psychotherapy, hospital	1.86	1.86	XXX	0	0	0	0	0
90818	Α	Psychotherapy, hospital	2.33	2.33	XXX	0	0	0	0	0
90819	Α	Psychotherapy, hospital	2.60	2.60	XXX	0	0	0	0	0
90820	D	Diagnostic interview	3.13	3.13	XXX	0	0	0	0	0
90821	Α	Psychotherapy, hospital	3.90	3.90	XXX	0	0	0	0	0
90822	Α	Psychotherapy, hospital	4.30	4.30	XXX	0	0	0	0	0
90823	Α	Interactive, hospital	1.83	1.83	XXX	0	0	0	0	0
90824	Α	Interactive, hospital	2.23	2.23	XXX	0	0	0	0	0
90825	D	Evaluation of therapy	1.20	1.20	XXX	9	9	9	9	9
90826	Α	Interactive, hospital	2.51	2.51	XXX	0	0	0	0	0
90827	Α	Interactive, hospital	2.81	2.81	XXX	0	0	0	0	0
90828	Α	Interactive, hospital	3.63	3.63	XXX	0	0	0	0	0
90829	Α	Interactive, hospital	4.07	4.07	XXX	0	0	0	0	0
90835	D	Special interview	3.10	3.10	XXX	0	0	0	0	0
90841	D	Psychotherapy	0.00	0.00	XXX	9	9	9	9	9
90842	D	Psychotherapy	3.94	3.94	XXX	0	0	0	0	0
90843	D	Psychotherapy	1.70	1.70	XXX	0	0	0	0	0
90844	D	Psychotherapy	2.38	2.38	XXX	0	0	0	0	0

(7) Psychiatry, therapeutic procedures, other psychotherapy:

90845 A Psychoanalysis 2.05 2.05 XXX 0 0 0 0 0

689	FEES	FOR MEDICAL SERVICES			/ICES	5221.4030			
90847 1 90849 1 90853 2 90855 1	R Family psychotherapy R Family psychotherapy R Multiple family A Group psychotherapy D Individual psychotherapy A Interactive group	2.30 2.61 0.80 0.80 2.57 0.73	2.30 2.61 0.80 0.80 2.57 0.73	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	
(8) Psychiatry	y, therapeutic procedures, other s	services o	r proce	dures:					
90865 90870 90871 90875 90876 90880 90882 90882 90885 90887 90889	A Medication management A Narcosynthesis A Electroconvulsive therapy A Electroconvulsive therapy N Psychophysiology therapy N Psychophysiology therapy Hypnotherapy Environmental management Psychiatric evaluation Consultation Prepare report Psychiatric service	1.25 3.10 2.28 3.34 1.09 1.72 2.64 0.00 0.00 0.00 0.00	1.25 3.10 2.28 3.34 1.09 1.72 2.64 0.00 0.00 0.00 0.00	XXX XXX 000 000 XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 9 9 0 9 9	0 0 0 9 9 0 9 9 9	0 0 0 9 9 0 9 9 9	
(9) Biofeedba	ack:								
	A Biofeedback training A Biofeedback, perineal	1.35 2.05	1.35 2.05	000 000	0 0		0	0	
(10) Dialysis,	end stage renal disease services:							,	
90919 90920 90921 90922 90923 90924	A ESRD related services	2.34 9.95 8.79 6.25 0.41 0.33 0.29 0.21	2.34 9.95 8.79 6.25 0.41 0.33 0.29 0.21	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
(11) Dialysis,	hemodialysis:								
	A Hemodialysis, one A Hemodialysis, repeated	2.46 4.26	2.46 4.26	000 000	0 0		0	0	
(12) Dialysis,	miscellaneous procedures:								
90947 90989 90993 90997	A Dialysis, one evaluation A Dialysis, repeated X Dialysis training X Dialysis training A Hemoperfusion C Dialysis procedure	2.43 4.06 0.00 0.00 3.71 0.00	2.43 4.06 0.00 0.00 3.71 0.00	000 000 XXX XXX 000 XXX	0 0 0 0 9 9 9 9 0 0 0 0	0 9 9 0	0 0 9 9 0	0 0 9 9 0	

(	(13)	) Gastroenterol	logy:
---	------	-----------------	-------

91000		Α	Esophageal intubation	1.33	1.33	000	0	0	0	0	0
91000	26	Α	Esophageal intubation	1.26	1.26	000	0	0	0	0	0
91000	TC	Α	Esophageal intubation	0.07	0.07	000	0	0	0	0	0
91010		Α	Esophagus motility study	3.32	3.32	000	0	0	0	0	0
91010	26	Α	Esophagus motility study	2.53	2.53	000	0	0	0	0	0
91010	TC	Α	Esophagus motility study	0.79	0.79	000	0	0	0	0	0
91011		Α	Esophagus motility study	4.00	4.00	000	0	0	0	0	0
91011	26	Α	Esophagus motility study	3.02	3.02	000	0	0	Õ	Õ	0
91011	TC	Α	Esophagus motility study	0.99	0.99	000	0	0	0	0	0
91012		Α	Esophagus motility study	4.07	4.07	000	0	0	Ō	0	0
91012	26	Α	Esophagus motility study	2.96	2.96	000	0	0	0	0	0
91012	TC	A	Esophagus motility study	1.11	1.11	000	0	Ö	0	Ö	0
91020		A	Gastric motility studies	3.64	3.64	000	0	0	0	0	0
91020	26	A	Gastric motility studies	2.90	2.90	000	ŏ	0	0	0	0
91020	TC	A	Gastric motility studies	0.74	0.74	000	0	Ö	0	ő	0
91030	10	A	Acid perfusion test	1.39	1.39	000	0	0	0	0	0
91030	26	A	Acid perfusion test	1.18	1.18	000	0	0	0	0	0
91030	TC	A	Acid perfusion test	0.21	0.21	000	0	0	0	0	0
91030	10	A	Esophagus, acid reflux	3.08	3.08	000	0	0	0	0	0
91032	26	A	Esophagus, acid reflux	2.36	2.36	000	0	0	0	0	0
91032	TC	A		0.72	0.72	000	0	0	0	0	0
91032	iC		Esophagus, acid reflux	3.94		000	0	0	0	0	0
	26	A	Prolonged recording		3.94		_			0	
91033	26 TC	A	Prolonged recording	2.64	2.64	000	0	0	0		0
91033	IC	A	Prolonged recording	1.30	1.30	000	0	0	0	0	0
91052	26	A	Gastric analysis test	1.55	1.55	000	0	0	0	0	0
91052	26 TC	A	Gastric analysis test	1.22	1.22	000	0	0	0	0	0
91052	TC	A	Gastric analysis test	0.33	0.33	000	0	0	0	0	0
91055	26	A	Gastric intubation	1.66	1.66	000	0	0	0	0	0
91055	26 TC	A	Gastric intubation	1.37	1.37	000	0	0	0	0	0
91055	TC	A	Gastric intubation	0.29	0.29	000	0	0	0	0	0
91060	26	A	Gastric saline load test	1.13	1.13	000	0	0	0	0	0
91060	26	A	Gastric saline load test	0.91	0.91	000	0	0	0	0	0
91060	TC	A	Gastric saline load test	0.21	0.21	000	0	0	0	0	0
91065	06	A	Breath hydrogen test	0.75	0.75	000	0	0	0	0	0
91065	26 TC	A	Breath hydrogen test	0.41	0.41	000	0	0	0	0	0
91065	TC	A	Breath hydrogen test	0.34	0.34	000	0	0	0	0	0
91100		A	Pass intestine	1.55	1.55	000	0	0	0	0	0
91105		A	Gastric intubation	0.75	0.75	000	0	0	0	0	0
91122	2.	A	Anal pressure	3.40	3.40	000	0	0	0	0	0
91122	26	A	Anal pressure	2.70	2.70	000	0	0	0	0	0
91122	TC	A	Anal pressure	0.70	0.70	000	0	0	0	0	0
91299	2.	C	Gastroenterology	0.00	0.00	XXX	0	0	0	0	0
91299	26	C	Gastroenterology	0.00	0.00	XXX	0	0	0	0	0
91299	TC	C	Gastroenterology	0.00	0.00	XXX	0	0	0	0	0

## (14) Ophthalmology, general services:

92002	Α	Eye exam, new patient	1.28	1.05	XXX	0	2	0	0	0
92004	Α	Eye exam, new patient	2.08	1.80	XXX	0	2	0	0	0
92012	Α	Established patient	1.04	0.83	XXX	0	2	0	0	0
92014	Α	Established patient	1.53	1.27	XXX	0	2	0	0	0

## (15) Ophthalmology, special services:

92015		N	Refraction	0.00	0.00	XXX	9	9	9	9	9
92018		Α	Eye exam and evaluation	1.84	1.84	XXX	0	0	0	0	0
92019		Α	Eye exam and treatment	1.66	1.43	XXX	0	0	0	0	0
92020		Α	Special eye evaluation	0.62	0.48	XXX	0	2	0	0	0
92060		Α	Special eye evaluation	1.01	1.01	XXX	0	2	0	0	0
92060	26	Α	Special eye evaluation	0.83	0.83	XXX	0	2	0	0	0
92060	TC	Α	Special eye evaluation	0.18	0.18	XXX	0	2	0	0	0
92065		Α	Orthoptic/pleoptic train	0.69	0.69	XXX	0	2	0	0	0
92065	26	Α	Orthoptic/pleoptic train	0.53	0.53	XXX	0	2	0	0	0
92065	TC	Α	Orthoptic/pleoptic train	0.15	0.15	XXX	0	2	0	0	0
92070		Α	Fitting of contact lens	1.83	1.25	XXX	0	3	0	0	0
92081		Α	Visual field examination	0.64	0.64	XXX	0	2	0	0	0
92081	26	Α	Visual field examination	0.50	0.50	XXX	0	2	0	0	0
92081	TC	Α	Visual field examination	0.14	0.14	XXX	0	2	0	0	0
92082		A	Visual field examination	0.88	0.88	XXX	0	2	0	0	0
92082	26	Α	Visual field examination	0.69	0.69	XXX	0	2	0	0	0
92082	TC	Α	Visual field examination	0.19	0.19	XXX	0	2	0	0	0
92083		Α	Visual field examination	1.28	1.28	XXX	0	2	0	0	0
92083	26	Α	Visual field examination	1.00	1.00	XXX	0	2	0	0	0
92083	TC	Α	Visual field examination	0.28	0.28	XXX	0	2	0	0	0
92100		Α	Serial tonometry	1.08	0.96	XXX	0	2	0	0	0
92120		Α	Tonography	1.05	0.90	XXX	0	2	0	0	0
92130		Α	Water provocation	1.22	0.98	XXX	0	2	0	0	0
92140		Α	Glaucoma provocation	0.75	0.60	XXX	0	2	0	0	0

## (16) Ophthalmology, ophthalmoscopy:

92225		Α	Special eye examination	0.79	0.57	XXX	0	3	0	0	0
92226			Special eye examination	0.70	0.50	XXX	Ö	3	Ŏ	0	ŏ
92230			Eye exam with report	1.23	0.90	XXX	0	3	0	0	0
92235		Α	Eye exam with report	2.31	2.31	XXX	0	3	0	0	0
92235	26	Α	Eye exam with report	1.32	1.32	XXX	0	3	0	0	0
92235	TC	Α	Eye exam with report	0.99	0.99	XXX	0	3	0	0	0
92240		Α	ICG angiography	2.57	2.57	XXX	0	3	0	0	0
92240	26	Α	ICG angiography	1.59	1.59	XXX	0	3	0	0	0
92240	TC	Α	ICG angiography	0.99	0.99	XXX	0	3	0	0	0
92250		Α	Eye exam with report	0.82	0.82	XXX	0	2	0	0	0
92250	26	Α	Eye exam with report	0.65	0.65	XXX	0	2	0	0	0
92250	TC	Α	Eye exam with report	0.17	0.17	XXX	0	2	0	0	0
92260		Α	Ophthalmoscopy	0.72	0.46	XXX	0	2	0	0	0

## (17) Ophthalmology, other specialized services:

	Α	Eye muscle evaluation	1.03	1.03	XXX	0	2	0	0	0
26	Α	Eye muscle evaluation	0.80	0.80	XXX	0	2	0	0	0
TC	Α	Eye muscle evaluation	0.22	0.22	XXX	0	2	0	0	0
	Α	Electro-oculography	1.41	1.41	XXX	0	2	0	0	0
26	Α	Electro-oculography	1.11	1.11	XXX	0	2	0	0	0
			0.30	0.30	XXX	0	2	0	0	0
			1.81	1.81	XXX	0	2	0	0	0
26	Α	Electroretinography	1.43	1.43	XXX	0	2	0	0	0
TC			0.39	0.39	XXX	0	2	0	0	0
	Α	Color vision examination	0.44	0.44	XXX	0	2	0	0	0
	TC 26 TC 26	26 A TC A 26 A TC A 26 A TC A	26 A Electroretinography	26 A Eye muscle evaluation  TC A Eye muscle evaluation  A Electro-oculography  26 A Electro-oculography  TC A Electro-oculography  A Electro-oculography  A Electroretinography  26 A Electroretinography  TC A Electroretinography  TC A Electroretinography  TC A Electroretinography  0.39	26 A Eye muscle evaluation TC A Eye muscle evaluation A Electro-oculography 26 A Electro-oculography TC A Electro-oculography A Electro-oculography A Electro-oculography A Electroretinography 26 A Electroretinography TC A Electroretinography	26 A Eye muscle evaluation TC A Eye muscle evaluation A Electro-oculography 26 A Electro-oculography TC A Electro-oculography TC A Electro-oculography A Electro-oculography A Electroretinography 26 A Electroretinography 27 A Electroretinography 28 A Electroretinography 39 A Electroretinography TC A Electroretinography	26       A       Eye muscle evaluation       0.80       0.80       XXX       0         TC       A       Eye muscle evaluation       0.22       0.22       XXX       0         A       Electro-oculography       1.41       1.41       XXX       0         26       A       Electro-oculography       0.30       0.30       XXX       0         TC       A       Electroretinography       1.81       1.81       XXX       0         26       A       Electroretinography       1.43       1.43       XXX       0         TC       A       Electroretinography       0.39       0.39       XXX       0	26       A       Eye muscle evaluation       0.80       0.80       XXX       0       2         TC       A       Eye muscle evaluation       0.22       0.22       XXX       0       2         A       Electro-oculography       1.41       1.41       XXX       0       2         26       A       Electro-oculography       0.30       0.30       XXX       0       2         A       Electroretinography       1.81       1.81       XXX       0       2         26       A       Electroretinography       1.43       1.43       XXX       0       2         TC       A       Electroretinography       0.39       0.39       XXX       0       2	26       A       Eye muscle evaluation       0.80       0.80       XXX       0       2       0         TC       A       Eye muscle evaluation       0.22       0.22       XXX       0       2       0         A       Electro-oculography       1.41       1.41       XXX       0       2       0         26       A       Electro-oculography       0.30       0.30       XXX       0       2       0         A       Electroretinography       1.81       1.81       XXX       0       2       0         26       A       Electroretinography       1.43       1.43       XXX       0       2       0         TC       A       Electroretinography       0.39       0.39       XXX       0       2       0	26       A       Eye muscle evaluation       0.80       0.80       XXX       0       2       0       0         TC       A       Eye muscle evaluation       0.22       0.22       XXX       0       2       0       0         A       Electro-oculography       1.41       1.41       XXX       0       2       0       0         TC       A       Electro-oculography       0.30       0.30       XXX       0       2       0       0         A       Electroretinography       1.81       1.81       XXX       0       2       0       0         TC       A       Electroretinography       1.43       1.43       XXX       0       2       0       0         TC       A       Electroretinography       0.39       0.39       XXX       0       2       0       0

3221.4030 FE	ES FOR MEDICAL SERVICE	2.5						U	172
92283 TC A 92284 A 92284 TC A 92285 A 92285 A 92285 TC A 92286 A 92286 A	Color vision examination Color vision examination Dark adaptation exam Dark adaptation exam Dark adaptation exam Eye photography Eye photography Eye photography Internal eye photography	0.32 0.12 0.66 0.49 0.17 0.47 0.36 0.11 1.82 1.43 0.39 2.25	0.32 0.12 0.66 0.49 0.17 0.36 0.11 1.82 1.43 0.39 1.51	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
(18) Ophthalm	ology, contact lens services:								
92311 A 92312 A 92313 A 92314 N 92315 A 92316 A	1	0.00 1.87 2.28 1.70 0.00 1.06 1.56 0.80 0.37 1.54	0.00 1.43 1.72 1.28 0.00 0.74 1.10 0.61 0.37 1.54	XXX XXX XXX XXX XXX XXX XXX XXX XXX	9 0 0 0 9 0 0 0 0	9 0 2 0 9 0 2 0 0 0	9 0 0 0 9 0 0 0 0	9 0 0 9 0 0 0 0	9 0 0 9 0 0 0 0
(19) Ophthalm	ology, ocular prosthetics, artific	ial eye:							
	Fitting, artificial eye Fitting, artificial eye	2.12 2.37	1.58 1.42	XXX XXX	0 0	0	0 0	0 0	0
(20) Ophthalm	ology, spectacle services:								
92353 B	Fitting spectacles Fitting spectacles Fitting spectacles Special spectacles Special spectacles Special spectacles Special spectacles Special spectacles Eye prosthesis Repair and adjustment Repair and adjustment	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX	9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9
(21) Ophthalm	ology, supply of materials:								
92390 N 92391 N 92392 I 92393 I 92395 I 92396 I	Supply of spectacles Supply of contact lenses Supply of low vision aids Supply of artificial eye Supply of spectacles Supply of contact lenses	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX	9 9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9 9	9 9 9 9

(22	) Ophth	almology,	other	procedures:
-----	---------	-----------	-------	-------------

92499		С	Eye service or procedure	0.00	0.00	XXX	0	0	0	0	0
92499	26	C	Eye service or procedure	0.00	0.00	XXX	0	0	0	0	0
92499	TC	C	Eye service or procedure	0.00	0.00	XXX	0	0	0	0	0

### (23) Special otorhinolaryngologic services:

92502	Α	Ear and throat exam	2.52	2.52	000	0	0	0	0	0
92504	Α	Ear microscopy	0.43	0.30	XXX	0	0	0	0	0
92506	Α	Speech and hearing	1.31	1.06	XXX	0	0	0	0	0
92507	Α	Speech and hearing	0.81	0.65	XXX	0	0	0	0	0
92508	Α	Speech and hearing	0.42	0.33	XXX	0	0	0	0	0
92510	Α	Rehab for ear	2.76	2.10	XXX	0	0	0	0	0
92511	Α	Nasopharyngoscopy	1.63	1.22	000	0	0	0	0	0
92512	Α	Nasal function studies	0.98	0.75	XXX	0	0	0	0	0
92516	Α	Facial nerve function	0.79	0.60	XXX	0	0	0	0	0
92520	Α	Laryngeal function	1.23	0.97	XXX	0	0	0	0	0
92525	Α	Oral function evaluation	2.41	1.92	XXX	0	0	0	0	0
92526	Α	Oral function treatment	0.98	0.75	XXX	0	0	0	0	0

(24) Special otorhinolaryngologic services, vestibular function tests, with observation and evaluation by physician, without electrical recording:

92531	B Spontaneous nystagmus	0.00	0.00	XXX	9	9	9	9	9
92532	B Positional nystagmus	0.00	0.00	XXX	9	9	9	9	9
92533	B Caloric vestibular test	0.00	0.00	XXX	9	9	9	9	9
92534	B. Ontokinetic nystagmus	0.00	0.00	XXX	9	9	9	9	9

(25) Special otorhinolaryngologic services, vestibular function tests, with recording, and medical diagnostic evaluation:

92541		Α	Spontaneous nystagmus	1.05	1.05	XXX	0	0	0	0	0
92541	26	Α	Spontaneous nystagmus	0.83	0.83	XXX	0	0	0	0	0
92541	TC	Α	Spontaneous nystagmus	0.22	0.22	XXX	0	0	0	0	0
92542		Α	Positional nystagmus test	0.93	0.93	XXX	0	0	0	0	0
92542	26	Α	Positional nystagmus test	0.67	0.67	XXX	0	0	0	0	0
92542	TC	Α	Positional nystagmus test	0.26	0.26	XXX	0	0	0	0	0
92543		Α	Caloric vestibular test	0.30	0.30	XXX	0	9	0	0	0
92543	26	Α	Caloric vestibular test	0.20	0.20	XXX	0	9	0	0	0
92543	TC	Α	Caloric vestibular test	0.10	0.10	XXX	0	9	0	0	0
92544		Α	Optokinetic nystagmus	0.72	0.72	XXX	0	0	0	0	0
92544	26	Α	Optokinetic nystagmus	0.51	0.51	XXX	0	0	0	0	0
92544	TC	Α	Optokinetic nystagmus	0.20	0.20	XXX	0	0	0	0	0
92545		Α	Oscillating tracking test	0.62	0.62	XXX	0	0	0	0	0
92545	26	Α	Oscillating tracking test	0.41	0.41	XXX	0	0	0	0	0
92545	TC	Α	Oscillating tracking test	0.20	0.20	XXX	0	0	0	0	0
92546		Α	Sinusoidal rotation	0.80	0.80	XXX	0	0	0	0	0
92546	26	Α	Sinusoidal rotation	0.57	0.57	XXX	0	0	0	0	0
92546	TC	Α	Sinusoidal rotation	0.23	0.23	XXX	0	0	0	0	0
92547		Α	Supplemental electrodes	0.55	0.55	XXX	0	0	0	0	0

92548		Α	Posturography	2.35	2.35	XXX	0	0	0	0	0
92548	26	Α	Posturography	0.92	0.92	XXX	0	0	0	0	0
92548	TC	Α	Posturography	1.43	1.43	XXX	0	0	0	0	0

(26) Special otorhinolaryngologic services, audiologic function tests with medical diagnostic evaluation:

92551		N	Pure tone hearing	0.00	0.00	XXX	9	9	9	9	9
92552		Α	Pure tone audiometry	0.43	0.43	XXX	0	2	0	0	0
92553		Α	Audiometry, air and bone	0.65	0.65	XXX	0	2	0	0	0
92555		Α	Speech threshold	0.37	0.37	XXX	0	2	0	0	0
92556		Α	Speech audiometry	0.55	0.55	XXX	0	2	0	0	0
92557		Α	Comprehensive hearing	1.16	1.16	XXX	0	2	0	0	0
92559		N	Group audiometry	0.00	0.00	XXX	9	9	9	9	9
92560		N	Bekesy audiometry	0.00	0.00	XXX	9	9	9	9	9
92561		A	Bekesy audiometry	0.70	0.70	XXX	0	2	0	0	0
92562		Α	Loudness balance test	0.40	0.40	XXX	0	2	Õ	0	0
92563		A	Tone decay test	0.37	0.37	XXX	0	2	Õ	0	0
92564		Α	SISI hearing test	0.46	0.46	XXX	0	2	0	0	ŏ
92565			Stenger test, pure tone	0.39	0.40	XXX	0	2	0	0	ő
92567		Α	Tympanometry	0.52	0.52	XXX	0	2	0	0	0
92568			Acoustic reflex testing	0.32	0.37	XXX	0	2	0	0	0
92569			Acoustic reflex decay	0.37	0.40	XXX	0	2	0	0	0
92571			Filtered speech test	0.40	0.40	XXX	0	2	0	0	0
92571		A	Staggered spondaic test	0.38	0.20	XXX	0	2	0	0	0
92572			Lombard test	0.08	0.08	XXX	0	2	0	0	0
92575				0.34	0.34	XXX	0	2	0	0	0
			Sensorineural acuity test					2			
92576			Synthetic sentence test	0.43	0.23	XXX	0		0	0	0
92577			Stenger test, speech	0.70	0.37	XXX	0	2	0	0	0
92579			Visual audiometry	0.71	0.71	XXX	0	2	0	0	0
92582			Conditioning play	0.71	0.37	XXX	0	2	0	0	0
92583			Select picture audiometry	0.87	0.87	XXX	0	2	0	0	0
92584			Electrocochleography	2.42	2.42	XXX	0	2	0	0	0
92585		A	Auditory evoked	3.76	3.76	XXX	0	2	0	0	0
92585	26	A	Auditory evoked	1.97	1.97	XXX	0	2	0	0	0
92585	TC		Auditory evoked	1.79	1.79	XXX	0	2	0	0	0
92587	2.		Evoked auditory emissions	1.49	1.49	XXX	0	2	0	0	0
92587	26		Evoked auditory emissions	0.23	0.23	XXX	0	2	0	0	0
92587	TC		Evoked auditory emissions	1.26	1.26	XXX	0	2	0	0	0
92588			Evoked auditory emissions	2.06	2.06	XXX	0	2	0	0	0
92588	26		Evoked auditory emissions	0.63	0.63	XXX	0	2	0	0	0
92588	TC		Evoked auditory emissions	1.43	1.43	XXX	0	2	0	0	0
92589		A	Auditory function test	0.53	0.53	XXX	0	2	0	0	0
92590		N	Hearing aid examination	0.00	0.00	XXX	9	9	9	9	9
92591		N	Hearing aid examination	0.00	0.00	XXX	9	9	9	9	9
92592		N	Hearing aid check	0.00	0.00	XXX	9	9	9	9	9
92593		N	Hearing aid check	0.00	0.00	XXX	9	9	9	9	9
92594		N	Electroacoustic test	0.00	0.00	XXX	9	9	9	9	9
92595		N	Electroacoustic test	0.00	0.00	XXX	9	9	9	9	9
92596		Α	Ear protector	0.57	0.57	XXX	0	2	0	0	0
92597		Α	Oral speech device	2.26	2.26	XXX	0	0	0	0	0
92598		A	Modify oral speech	1.57	1.57	XXX	0	0	0	0	0

(27) Speci	ai otorninolaryngologic services, otno	er proced	aures:					
92599	C ENT service or procedure	0.00	0.00	XXX	0	0	0	

92599 26 C ENT service or procedure 0.00 0.00 XXX 0 0 0 0 92599 TC C ENT service or procedure 0.00 0.00 XXX 0 0 0 0

### (28) Cardiovascular, therapeutic services:

92950		Α	Heart/lung resuscitation	5.74	5.74	000	0	0	0	0	0
92953		Α	Temporary pacing	0.53	0.53	000	0	0	0	0	0
92960		Α	Heart electrocodes	3.95	3.95	000	0	0	0	0	0
92970		Α	Cardioassist, internal	6.77	6.77	000	0	0	0	0	0
92971		Α	Cardioassist, external	2.72	2.72	000	0	0	0	0	0
92975		Α	Dissolve clot	12.33	12.33	000	2	0	0	0	0
92977		Α	Dissolve clot	7.72	7.72	XXX	0	0	0	0	0
92978		Α	Ultrasound, heart	7.06	7.06	ZZZ	0	0	0	0	0
92978	26	Α	Ultrasound, heart	2.70	2.70	ZZZ	0	0	0	0	0
92978	TC	Α	Ultrasound, heart	4.36	4.36	ZZZ	0	0	0	0	0
92979		Α	Ultrasound, heart	4.34	4.34	ZZZ	0	0	0	0	0
92979	26	Α	Ultrasound, heart	2.16	2.16	ZZZ	0	0	0	0	0
92979	TC	Α	Ultrasound, heart	2.18	2.18	ZZZ	0	0	0	0	0
92980		Α	Insert intracoronary	29.91	29.91	000	2	0	0	0	0
92981		Α	Insert intracoronary	8.46	8.46	ZZZ	0	0	0	0	0
92982		Α	Coronary artery	22.31	22.31	000	2	0	0	0	0
92984		Α	Coronary artery	6.10	6.10	ZZZ	0	0	0	0	0
92986		Α	Revision of aortic valve	31.92	31.92	090	2	0	0	0	0
92987		Α	Revision of mitral valve	32.89	32.89	090	2.	0	0	0	0
92990		Α	Revision of pulmonary	25.40	25.40	090	2	0	0	0	0
92992		C	Revision of heart	0.00	0.00	090	2	0	2	0	0
92993		C	Revision of heart	0.00	0.00	090	2	0	2	0	0
92995		Α	Coronary atherectomy	24.50	24.50	000	2	0	0	0	0
92996		Α	Coronary atherectomy	6.67	6.67	ZZZ	0	0	0	0	0
92997		Α	Pulmonary artery balloon	24.32	24.32	000	2	0	0	0	0
92998		Α	Pulmonary artery balloon	9.36	9.36	ZZZ	0	0	0	0	0

### (29) Cardiovascular, cardiography:

93000		A	Electrocardiogram	0.75	0.75	XXX	0	0	0	0	0
93005		Α	Electrocardiogram	0.43	0.43	XXX	0	0	0	0	0
93010		Α	Electrocardiogram	0.31	0.31	XXX	0	0	0	0	0
93012		Α	Transmission of rhythm	2.29	2.29	XXX	0	0	0	0	0
93014		Α	Report on transmission	0.89	0.89	XXX	0	0	0	0	0
93015		Α	Stress test	3.02	3.02	XXX	0	0	0	0	0
93016		Α	Stress test	0.80	0.80	XXX	0	0	0	0	0
93017		Α	Stress test	1.61	1.61	XXX	0	0	0	0	0
93018		Α	Stress test	0.61	0.61	XXX	0	0	0	0	0
93024		Α	Cardiac drug	3.47	3.47	XXX	0	0	0	0	0
93024	26	Α	Cardiac drug	2.39	2.39	XXX	0	0	0	0	0
93024	TC	Α	Cardiac drug	1.08	1.08	XXX	0	0	0	0	0
93040		Α	Rhythm ECG with leads	0.41	0.41	XXX	0	0	0	0	0
93041		Α	Rhythm ECG, tracing only	0.14	0.14	XXX	0	0	0	0	0
93042		Α	Rhythm ECG, report only	0.27	0.27	XXX	0	0	0	0	0
93224		Α	ECG monitor/report	4.34	4.34	XXX	0	0	0	0	0
93225		Α	ECG monitor/recording	1.19	1.19	XXX	0	0	0	0	0
93226		Α	ECG monitor/report	2.10	2.10	XXX	0	0	0	0	0
93227		Α	ECG monitor/review	1.06	1.06	XXX	0	0	0	0	0
93230		Α	ECG monitor/report	4.61	4.61	XXX	0	0	0	0	0

93231		Α	ECG monitor/recording	1.46	1.46	XXX	0	0	0	0	0
							Ť	_	_	_	•
93232		Α	ECG monitor/report	2.08	2.08	XXX	0	0	0	0	0
93233		Α	ECG monitor/review	1.07	1.07	XXX	0	0	0	0	0
93235		Α	ECG monitor/report	3.43	3.43	XXX	0	0	0	0	0
93236		Α	ECG monitor/report	2.51	2.51	XXX	0	0	0	0	0
93237		Α	ECG monitor/review	0.92	0.92	XXX	0	0	0	0	0
93268		Α	ECG record/review	4.37	4.37	XXX	0	0	0	0	0
93270		Α	ECG recording	1.19	1.19	XXX	0	0	0	0	0
93271		Α	ECG monitoring	2.29	2.29	XXX	0	0	0	0	0
93272		Α	ECG review	0.89	0.89	XXX	0	0	0	0	0
93278		Α	ECG, signal-averaged	1.66	1.66	XXX	0	0	0	0	0
93278	26	Α	ECG, signal-averaged	0.53	0.53	XXX	0	0	0	0	0
93278	TC	Α	ECG, signal-averaged	1.13	1.13	XXX	0	0	0	0	0
			-								

## (30) Cardiovascular, echocardiography:

93303		Α	Echo, transthoracic	5.90	5.90	XXX	0	0	0	0	0
93303	26	Α	Echo, transthoracic	2.20	2.20	XXX	0	0	0	0	0
93303	TC	Α	Echo, transthoracic	3.70	3.70	XXX	0	0	0	0	0
93304		Α	Echo, transthoracic	3.23	3.23	XXX	0	0	0	0	0
93304	26	Α	Echo, transthoracic	1.37	1.37	XXX	0	0	0	0	0
93304	TC	Α	Echo, transthoracic	1.86	1.86	XXX	0	0	0	0	0
93307		Α	Echo exam of heart	5.55	5.55	XXX	0	0	0	0	0
93307	26	Α	Echo exam of heart	1.85	1.85	XXX	0	0	0	0	0
93307	TC	Α	Echo exam of heart	3.70	3.70	XXX	0	0	0	0	0
93308		Α	Echo exam of heart	2.93	2.93	XXX	0	0	0	0	0
93308	26	Α	Echo exam of heart	1.07	1.07	XXX	0	0	0	0	0
93308	TC	Α	Echo exam of heart	1.86	1.86	XXX	0	0	0	0	0
93312		Α	Echo, transesophageal	7.03	7.03	XXX	0	0	0	0	0
93312	26	Α	Echo, transesophageal	3.37	3.37	XXX	0	0	0	0	0
93312	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93313		Α	Echo, transesophageal	1.54	1.54	XXX	0	0	0	0	0
93314		A	Echo, transesophageal	5.47	5.47	XXX	0	0	0	0	0
93314	26	Α	Echo, transesophageal	1.82	1.82	XXX	0	0	0	0	0
93314	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93315		Α	Echo, transesophageal	7.55	7.55	XXX	0	0	0	0	0
93315	26	Α	Echo, transesophageal	3.89	3.89	XXX	0	0	0	0	0
93315	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93316		Α	Echo, transesophageal	1.54	1.54	XXX	0	0	0	0	0
93317		Α	Echo, transesophageal	6.00	6.00	XXX	0	0	0	0	0
93317	26	Α	Echo, transesophageal	2.34	2.34	XXX	0	0	0	0	0
93317	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93320		Α	Doppler echo exam	2.42	2.42	ZZZ	0	0	0	0	0
93320	26	Α	Doppler echo exam	0.78	0.78	ZZZ	0	0	0	0	0
93320	TC	Α	Doppler echo exam	1.65	1.65	ZZZ	0	0	0	0	0
93321		Α	Doppler echo exam	1.38	1.38	ZZZ	0	0	0	0	0
93321	26	Α	Doppler echo exam	0.31	0.31	ZZZ	0	0	0	0	0
93321	TC	Α	Doppler echo exam	1.07	1.07	ZZZ	0	0	0	0	0
93325		Α	Doppler color flow	2.91	2.91	ZZZ	0	0	0	0	0
93325	26	Α	Doppler color flow	0.11	0.11	ZZZ	0	0	0	0	0
93325	TC	Α	Doppler color flow	2.80	2.80	ZZZ	0	0	0	0	0
93350		Α	Echo, transthoracic	3.29	3.29	XXX	0	0	0	0	0
93350	26	A	Echo, transthoracic	1.59	1.59	XXX	0	0	0	0	0
93350	TC	Α	Echo, transthoracic	1.70	1.70	XXX	0	0	0	0	0

### (31) Cardiovascular, cardiac catheterization:

93501		Α	Right heart catheter	22.36	22.36	000	2	0	0	0	0
93501	26	Α	Right heart catheter	6.14	6.14	000	2	Ö	ŏ	Ö	ő
93501	TC	A	Right heart catheter	16.22	16.22	000	0	0	ő	Õ	0
93503	10	A	Insert/place catheter	5.13	5.13	000	0	ő	ő	0	0
93505		A	Biopsy of heart	8.98	8.98	000	2	0	0	0	0
93505	26	A	Biopsy of heart	7.06	7.06	000	2	0	0	0	0
93505	TC	A	Biopsy of heart	1.92	1.92	000	0	0	0	0	0
	I C			18.55			2	0	0	0	
93508 93508	26	A	Catheter placement	6.53	18.55	000	2	0	0	0	$0 \\ 0$
93508	TC	A	Catheter placement	12.01	6.53 12.01	000	$\overset{2}{0}$	0	0	0	0
93510	ic	A A	Catheter placement Left heart catheter	42.49	42.49	000	2	0	0	0	0
93510	26	A	Left heart catheter	7.01	7.01	000	2	0	0	0	0
93510	TC		Left heart catheter			000	0	0	0	0	0
	10	A	Left heart catheter	35.47 41.74	35.47		2	0	0	0	
93511	26	A	Left heart catheter	7.21	41.74 7.21	000 000	2	0	0	0	0
93511											0
93511	TC	A	Left heart catheter	34.53	34.53	000	0	0	0	0	0
93514	26	A	Left heart catheter	45.54	45.54	000	2	0	0	0	0
93514	26 TC	A	Left heart catheter	11.00	11.00	000	2	0	0	0	0
93514	TC	A	Left heart catheter	34.53	34.53	000	0	0	0	0	0
93524	26	A	Left heart catheter	56.11	56.11	000	2	0	0	0	0
93524	26	A	Left heart catheter	10.99	10.99	000	2	0	0	0	0
93524	TC	A	Left heart catheter	45.12	45.12	000	0	0	0	0	0
93526	26	A	Right and left catheter	57.28	57.28	000	2	0	0	0	0
93526	26 TC	A	Right and left catheter	10.92	10.92	000	2	0	0	0	0
93526	TC	A	Right and left catheter	46.36	46.36	000	0	0	0	0	0
93527	26	A	Right and left catheter	58.90	58.90	000	2	0	0	0	0
93527	26 TC	A	Right and left catheter	13.78	13.78	000	2	0	0	0	0
93527	TC	A	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93528	26	A	Right and left catheter	57.75	57.75	000	2	0	0	0	0
93528	26 TC	A	Right and left catheter	12.63	12.63	000	2	0	0	0	0
93528	TC	A	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93529	26	A	Right and left catheter	52.43	52.43	000	2	0	0	0	0
93529	26 TC	A	Right and left catheter	7.31	7.31	000	2	0	0	0	0
93529	TC	A	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93530	26	A	Right heart catheter	23.74	23.74	000	2	0	0	0	0
93530	26 TC	A	Right heart catheter	7.51	7.51	000	2	0	0	0	0
93530	TC	A	Right heart catheter	16.22	16.22	000	0	0	0	0	0
93531	26	A	Right and left catheter	59.42	59.42	000	2	0	0	0	0
93531	26 TC	A	Right and left catheter	13.06	13.06	000	2	0	0	0	0
93531	TC	A	Right and left catheter	46.36	46.36	000	0	0	0	0	0
93532	26	A	Right and left catheter	61.37	61.37	000	2	0	0	0	0
93532	26 TC	A	Right and left catheter	16.25	16.25	000		0	0	0	0
93532	TC		Right and left catheter	45.12	45.12	000	0	0	0	0	0
93533	26	A	Right and left catheter	54.16	54.16	000	2	0	0	0	0
93533	26 TC	A	Right and left catheter	9.03	9.03	000	2	0	0	0	0
93533 93536	TC	A A	Right and left catheter Insert circulation	45.12 9.95	45.12 9.95	000 000	0 2	$0 \\ 0$	$0 \\ 0$	0 0	$0 \\ 0$
93539				1.32	0.90	000	0		0	0	
93540		A	Injection, cardiac	1.32				0			0
93540		A A	Injection, cardiac	0.66	0.95 0.66	000 000	0	$0 \\ 0$	0 0	0 0	0
			Injection for lung								0
93542		A	Injection for heart	0.66	0.66	000	0	0	0	0	0
93543		A	Injection for heart	0.87	0.63	000	0	0	0	0	0
93544		A	Injection for aorta	0.84	0.56	000	0	0	0	0	0
93545 93555		A	Injection for coronary	0.92	0.92	. 000	0	0	0	0	0
73333		Α	Imaging, cardiac	7.00	7.00	XXX	0	0	0	0	0

93555	26	Α	Imaging, cardiac	1.02	1.02	XXX	0	0	0	0	0
93555	TC	Α	Imaging, cardiac	5.99	5.99	XXX	0	0	0	0	0
93556			Imaging, cardiac	10.66	10.66	XXX	0	0	0	0	0
93556	26	Α	Imaging, cardiac	1.23	1.23	XXX	0	0	0	0	0
93556	TC		Imaging, cardiac	9.43	9.43	XXX	0	0	0	0	0
93561			Cardiac output	1.56	1.56	000	0	0	0	0	0
93561	26	Α	Cardiac output	1.03	1.03	000	0	0	0	0	0
93561	TC	Α	Cardiac output	0.52	0.52	000	0	0	0	0	0
93562		Α	Cardiac output	0.66	0.66	000	0	0	0	0	0
93562	26	Α	Cardiac output	0.35	0.35	000	0	0	0	0	0
93562	TC	Α	Cardiac output	0.31	0.31	000	0	0	0	0	0

## (32) Cardiovascular, intracardiac eletrophysiological procedures:

93600		Α	Bundle of His recording	6.18	6.18	000	0	0	0	0	0
93600	26	Α	Bundle of His recording	4.31	4.31	000	0	0	0	0	0
93600	TC	Α	Bundle of His recording	1.87	1.87	000	0	0	0	0	0
93602		Α	Intra-atrial recording	4.78	4.78	000	0	0	0	0	0
93602	26	Α	Intra-atrial recording	3.71	3.71	000	0	0	0	0	0
93602	TC	Α	Intra-atrial recording	1.07	1.07	000	0	0	0	0	0
93603		Α	Right ventricular	5.74	5.74	000	0	0	0	0	0
93603	26	Α	Right ventricular	4.13	4.13	000	0	0	0	0	0
93603	TC	Α	Right ventricular	1.61	1.61	000	0	0	0	0	0
93607		Α	Left ventricular	6.62	6.62	000	0	0	0	0	0
93607	26	Α	Left ventricular	5.19	5.19	000	0	0	0	0	0
93607	TC	Α	Left ventricular	1.43	1.43	000	0	0	0	0	0
93609		Α	Mapping of tachycardia	15.61	15.61	000	0	0	0	0	0
93609	26	Α	Mapping of tachycardia	13.01	13.01	000	0	0	0	0	0
93609	TC	Α	Mapping of tachycardia	2.61	2.61	000	0	0	0	0	0
93610		Α	Intra-atrial pacing	6.37	6.37	000	0	0	0	0	0
93610	26	Α	Intra-atrial pacing	5.07	5.07	000	0	0	0	0	0
93610	TC	Α	Intra-atrial pacing	1.30	1.30	000	0	0	0	0	0
93612		Α	Intraventricular pacing	6.65	6.65	000	0	0	0	0	0
93612	26	Α	Intraventricular pacing	5.10	5.10	000	0	0	0	0	0
93612	TC	Α	Intraventricular pacing	1.55	1.55	000	0	0	0	0	0
93615		Α	Esophageal recording	1.55	1.55	000	0	0	0	0	0
93615	26	Α	Esophageal recording	1.25	1.25	000	0	0	0	0	0
93615	TC	Α	Esophageal recording	0.30	0.30	000	0	0	0	0	0
93616		Α	Esophageal recording	3.01	3.01	000	0	0	0	0	0
93616	26	Α	Esophageal recording	2.71	2.71	000	0	0	0	0	0
93616	TC	Α	Esophageal recording	0.30	0.30	000	0	0	0	0	0
93618		Α	Heart rhythm pacing	12.45	12.45	000	0	0	0	0	0
93618	26	Α	Heart rhythm pacing	8.64	8.64	000	0	0	0	0	0
93618	TC	Α	Heart rhythm pacing	3.81	3.81	000	0	0	0	0	0
93619		Α	Electrophysiologic	22.28	22.28	000	0	0	0	0	0
93619	26	Α	Electrophysiologic	14.90	14.90	000	0	0	0	0	0
93619	TC	Α	Electrophysiologic	7.39	7.39	000	0	0	0	0	0
93620		Α	Electrophysiologic	31.94	31.94	000	0	0	0	0	0
93620	26	Α	Electrophysiologic	23.36	23.36	000	0	0	0	0	0
93620	TC	Α	Electrophysiologic	8.58	8.58	000	0	0	0	0	0
93621		C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93621	26	Α	Electrophysiologic	25.56	25.56	000	0	0	0	0	0
93621	TC	C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93622		C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93622	26	Α	Electrophysiologic	25.69	25.69	000	0	0	0	0	0
93622	TC	C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
			•								

1	Λ	Λ
D	У	4

93623		С	Stimulation and pacing	0.00	0.00	000	0	0	0	0	0
93623	26	Α	Stimulation and pacing	5.38	5.38	000	0	0	0	0	0
93623	TC	C	Stimulation and pacing	0.00	0.00	000	0	0	0	0	0
93624		Α	Electrophysiologic	9.27	9.27	000	0	0	0	0	0
93624	26	Α	Electrophysiologic	7.37	7.37	000	0	0	0	0	0
93624	TC	Α	Electrophysiologic	1.90	1.90	000	0	0	0	0	0
93631		Α	Heart pacing and mapping	18.88	18.88	000	0	0	0	0	0
93631	26	Α	Heart pacing and mapping	12.83	12.83	000	0	0	0	0	0
93631	TC	Α	Heart pacing and mapping	6.05	6.05	000	0	0	0	0	0
93640		Α	Evaluate heart device	14.14	14.14	000	0	0	0	0	0
93640	26	Α	Evaluate heart device	7.27	7.27	000	0	0	0	0	0
93640	TC	Α	Evaluate heart device	6.87	6.87	000	0	0	0	0	0
93641		Α	Electrophysiologic	18.89	18.89	000	0	0	0	0	0
93641	26	A	Electrophysiologic	12.02	12.02	000	0	0	0	0	0
93641	TC	Α	Electrophysiologic	6.87	6.87	000	0	0	0	0	0
93642		Α	Electrophysiologic	16.84	16.84	000	0	0	0	0	0
93642	26	A	Electrophysiologic	9.97	9.97	000	0	0	0	0	0
93642	TC	Α	Electrophysiologic	6.87	6.87	000	0	0	0	0	0
93650		Α	Ablate heart	21.45	21.45	000	0	0	0	0	0
93651		$\mathbf{A}$	Ablate heart	32.71	32.71	000	0	0	0	0	0
93652		Α	Ablate heart	34.01	34.01	000	0	0	0	0	0
93660		C	Tilt table evaluation	0.00	0.00	000	0	0	0	0	0
93660	26	Α	Tilt table evaluation	3.20	3.20	000	0	0	0	0	0
93660	TC	С	Tilt table evaluation	0.00	0.00	000	0	0	0	0	0

### (33) Cardiovascular, other vascular studies:

93720		Α	Body plethysmography	1.07	1.04	XXX	0	0	0	0	0
93721		Α	Plethysmography	0.69	0.36	XXX	0	0	0	0	0
93722		Α	Plethysmography	0.38	0.35	XXX	0	0	0	0	0
93724		Α	Analyze pacemaker	11.15	11.15	000	0	0	0	0	0
93724	26	Α	Analyze pacemaker	7.34	7.34	000	0	0	0	0	0
93724	TC	Α	Analyze pacemaker	3.81	3.81	000	0	0	0	0	0
93731		Α	Analyze pacemaker	1.21	1.21	XXX	0	0	0	0	0
93731	26	Α	Analyze pacemaker	0.73	0.73	XXX	0	0	0	0	0
93731	TC	Α	Analyze pacemaker	0.48	0.48	XXX	0	0	0	0	0
93732		Α	Analyze pacemaker	1.76	1.76	XXX	0	0	0	0	0
93732	26	Α	Analyze pacemaker	1.26	1.26	XXX	0	0	0	0	0
93732	TC	Α	Analyze pacemaker	0.50	0.50	XXX	0	0	0	0	0
93733		Α	Telephone analysis	1.05	1.05	XXX	0	0	0	0	0
93733	26	Α	Telephone analysis	0.35	0.35	XXX	0	0	0	0	0
93733	,TC	Α	Telephone analysis	0.70	0.70	XXX	0	0	0	0	0
93734		Α	Analyze pacemaker	1.00	1.00	XXX	0	0	0	0	0
93734	26	Α	Analyze pacemaker	0.66	0.66	XXX	0	0	0	0	0
93734	TC	Α	Analyze pacemaker	0.34	0.34	XXX	0	0	0	0	0
93735		Α	Analyze pacemaker	1.54	1.54	XXX	0	0	0	0	0
93735	26	Α	Analyze pacemaker	1.11	1.11	XXX	0	0	0	0	0
93735	TC	Α	Analyze pacemaker	0.43	0.43	XXX	0	0	0	0	0
93736		Α	Telephone analysis	0.93	0.93	XXX	0	0	0	0	0
93736	26	Α	Telephone analysis	0.32	0.32	XXX	0	0	0	0	0
93736	TC	Α	Telephone analysis	0.61	0.61	XXX	0	0	0	0	0
93737		Α	Analyze cardio/defib	1.16	1.16	XXX	0	0	0	0	0
93737	26	Α	Analyze cardio/defib	0.68	0.68	XXX	0	0	0	0	0
93737	TC	Α	Analyze cardio/defib	0.48	0.48	XXX	0	0	0	0	0
93738		Α	Analyze cardio/defib	1.72	1.72	XXX	0	0	0	0	0
93738	26	Α	Analyze cardio/defib	1.23	1.23	XXX	0	0	0	0	0

02729	TC	Λ	Analyza cardio/dofih	0.50	0.50	vvv	0	Λ	Λ	Λ	Λ
93738	TC		Analyze cardio/defib	0.50	0.50	XXX	0	0	0	0	0
93740	26	A	Temperature gradient	0.60	0.60	XXX	0	0	0	0	0
93740	26	Α	Temperature gradient	0.45	0.45	XXX	0	0	0	0	0
93740	TC	Α	Temperature gradient	0.15	0.15	XXX	0	0	0	0	0
93760		N	Cephalic thermogram	0.00	0.00	XXX	9	9	9	9	9
93762		N	Peripheral thermogram	0.00	0.00	XXX	9	9	9	9	9
93770		Α	Measure venous pressure	0.35	0.35	XXX	0	0	0	0	0
93770	26	Α	Measure venous pressure	0.32	0.32	XXX	0	0	0	0	0
93770	TC	Α	Measure venous pressure	0.03	0.03	XXX	0	0	0	0	0
93784		N	Ambulatory BP monitoring	0.00	0.00	XXX	9	9	ğ	9	9
93786		N	Ambulatory BP recording	0.00	0.00	XXX	9	9	9	9	9
93788		N	Ambulatory BP analysis	0.00	0.00	XXX	9	9	9	9	9
93790							9	9	9	9	9
93790		N	Ambulatory BP review	0.00	0.00	XXX	9	9	9	9	9
(34) C	ardio	vaso	cular, other procedures:								
93797		Δ	Cardiac rehabilitation	0.37	0.27	000	0	0	0	0	0
			With monitoring								
93798				0.73	0.50	000	0	0	0	0	0
93799	20	C	Cardiovascular procedure	0.00	0.00	XXX	0.	0	0	0	0
93799	26	C	Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0
93799	TC	C	Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0
(35) N	oninv	asiv	ve vascular diagnostic studies, co	erebrova	scular a	rterial s	tudi	ies:			
93875		Α	Extracranial studies	1.55	1.55	XXX	Λ	2	٥	0	Λ
93875	26	A			0.46	XXX	0	2	$0 \\ 0$		0
			Extracranial studies	0.46			0			0	0
93875	TC	Α	Extracranial studies	1.08	1.08	XXX	0	2	0	0	0
93880	26	A	Extracranial studies	4.59	4.59	XXX	0	2	0	0	0
93880	26	Α	Extracranial studies	0.94	0.94	XXX	0	2	0	0	0
93880	TC	Α	Extracranial studies	3.65	3.65	XXX	0	2	0	0	0
93882		Α	Extracranial studies	3.05	3.05	XXX	0	0	0	0	0
93882	26	Α	Extracranial studies	0.63	0.63	XXX	0	0	0	0	0
93882	TC	Α	Extracranial studies	2.42	2.42	XXX	0	0	0	0	0
93886		Α	Intracranial studies	5.42	5.42	XXX	0	0	0	0	0
93886	26	Α	Intracranial studies	1.29	1.29	XXX	0	0	0	0	0
93886	TC	A	Intracranial studies	4.13	4.13	XXX	ŏ	ŏ	Õ	ŏ	ŏ
93888	10	A	Intracranial studies	3.61	3.61	XXX	0	ő	Ö	ő	ŏ
93888	26	A	Intracranial studies	0.85	0.85	XXX	0	0	0	0	0
93888									0	0	0
93000	IC.	А	Intracranial studies	2.76	2.76	XXX	0	0	U	U	U
									6		
(36) N	oninv	asiv	ve vascular diagnostic studies, ex	tremity	arterial	studies					
93922		Α	Extremity study	1.66	1.66	XXX	0	2	0	0	0
93922	26		Extremity study	0.52	0.52	XXX	0	2	0	0	0
93922			Extremity study	1.14	1.14	XXX	0	2	0	0	0
93923	10		Extremity study	3.09	3.09	XXX	0	2	0	0	0
	26										
93923	26 TC		Extremity study	0.94	0.94	XXX	0	2	0	0	0
93923	TC		Extremity study	2.15	2.15	XXX	0	2	0	0	0
93924			Extremity study	3.38	3.38	XXX	0	2	0	0	0
93924	26		Extremity study	1.04	1.04	XXX	0	2	0	0	0
93924	TC	Α	Extremity study	2.34	2.34	XXX	0	2	0	0	0
93925			Lower extremity study	4.59	4.59	XXX	0	2	0	0	0
93925	26		Lower extremity study	0.93	0.93	XXX	0	2	0	0	0
							-	_	-	-	-

701			FEES	FOR	MEDICAL	SERV	TCE:	S	522	1.40	30
93925 93926 93926 93926 93930 93930 93931 93931 93931	TC 26 TC 26 TC 26 TC	A A A A A A	Lower extremity study Lower extremity study Lower extremity study Lower extremity study Upper extremity study	3.66 3.07 0.62 2.44 4.77 0.82 3.89 3.14 0.55 2.59	7 3.07 2 0.62 5 2.45 1 4.71 2 0.82 9 3.89 4 3.14 5 0.55	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0	2 0 0 0 2 2 2 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
(37) No	oninv	asiv	ve vascular diagnostic studies,	extrem	ity venous s	tudies:					
93965 93965 93965 93970 93970 93970 93971 93971 93971	26 TC 26 TC 26 TC	A A A A A	Extremity study	1.80 0.77 1.08 5.08 1.03 4.09 3.39 0.69 2.70	3 0.73 8 1.08 8 5.08 3 1.03 5 4.05 9 3.39 9 0.69	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	2 2 2 2 2 2 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(38) No	oninv	asiv	ve vascular diagnostic studies,	viscera	l and penile	vascul	ar st	ud	ies:		
93975 93975 93976 93976 93976 93978 93978 93979 93979 93979 93980 93980 93980 93981 93981	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Vascular study Penile vascular study	6.66 2.00 4.66 4.44 1.33 3.00 4.77 0.99 3.76 3.11 0.66 2.55 5.33 1.99 3.44 3.99 0.80 3.10	7 2.07 0 4.60 6 4.46 9 1.39 8 3.08 7 4.77 9 0.99 8 3.78 8 3.18 7 0.67 1 2.51 9 5.39 7 1.97 3 3.43 7 3.97 0.80	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(39) No	oninv	asiv	ve vascular diagnostic studies,	extrem	ity arterial-	venous	stud	ies	<b>:</b> :		
93990 93990 93990	26 TC	Α	Doppler flow test Doppler flow test Doppler flow test	2.8° 0.4° 2.4°	2 0.42	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
(40) Pu	ılmoı	nary	<i>r</i> :								
94010		Α	Breathing capacity	0.8	4 0.84	XXX	0	0	0	0	0

94010	26	Α	Breathing capacity	0.44	0.44	XXX	0	0	0	0	0
94010	TC	Α	Breathing capacity	0.40	0.40	XXX	0	0	0	0	0
94060	_	À	Bronchospasm evaluation	1.52	1.52	XXX	0	0	0	0	0
94060	26		Bronchospasm evaluation	0.63	0.63	XXX	ŏ	0	ŏ	0	Ŏ
94060	TC	A	Bronchospasm evaluation	0.89	0.89	XXX	ŏ	ő	Õ	ő	ŏ
94070	10	A	Bronchospasm evaluation	2.33	2.33	XXX	0	0	0	ő	0
94070	26			0.93			-		_	0	0
		A	Bronchospasm evaluation		0.93	XXX	0	0	0		
94070	TC	A	Bronchospasm evaluation	1.40	1.40	XXX	0	0	0	0	0
94150	0.0	В	Vital capacity	0.00	0.00	XXX	9	9	9	9	9
94150	26	В	Vital capacity	0.00	0.00	XXX	9	9	9	9	9
94150	TC	В	Vital capacity	0.00	0.00	XXX	9	9	9	9	9
94200		A	Lung function	0.46	0.46	XXX	0	0	0	0	0
94200	26	Α	Lung function	0.22	0.22	XXX	0	0	0	0	0
94200	TC	Α	Lung function	0.24	0.24	XXX	0	0	0	0	0
94240		Α	Residual lung capacity	1.12	1.12	XXX	0	0	0	0	0
94240	26	Α	Residual lung capacity	0.47	0.47	XXX	0	0	0	0	0
94240	TC	Α	Residual lung capacity	0.66	0.66	XXX	0	0	0	0	0
94250		Α	Expired gas collection	0.35	0.35	XXX	0	0	0	0	0
94250	26	A	Expired gas collection	0.22	0.22	XXX	Ō	Ŏ	Ŏ	Ö	Ŏ
94250	TC		Expired gas collection	0.13	0.13	XXX	ŏ	Õ	Ö	Ŏ	ŏ
94260	10	A	Thoracic gas volume	0.79	0.79	XXX	0	0	0	ŏ	0
94260	26	A	Thoracic gas volume	0.75	0.75	XXX	ő	0	ő	ő	ő
94260	TC	Â		0.52	0.52	XXX	0	0	0	0	0
	IC		Thoracic gas volume								
94350	26	A	Lung nitrogen	0.97	0.97	XXX	0	0	0	0	0
94350	26 TC		Lung nitrogen	0.44	0.44	XXX	0	0	0	0	0
94350	TC		Lung nitrogen	0.52	0.52	XXX	0	0	0	0	0
94360	0.0	A	Measure airflow	1.35	1.35	XXX	0	0	0	0	0
94360	26	A	Measure airflow	0.43	0.43	XXX	0	0	0	0	0
94360	TC		Measure airflow	0.92	0.92	XXX	0	0	0	0	0
94370			Breath airway closing	0.64	0.64	XXX	0	0	0	0	0
94370	26		Breath airway closing	0.38	0.38	XXX	0	0	0	0	0
94370	TC	Α	Breath airway closing	0.26	0.26	XXX	0	0	0	0	0
94375		Α	Respiratory flow	0.95	0.95	XXX	0	0	0	0	0
94375	26	Α	Respiratory flow	0.49	0.49	XXX	0	0	0	0	0
94375	TC	Α	Respiratory flow	0.46	0.46	XXX	0	0	0	0	0
94400		Α	CO <sub>2</sub> breathing response	1.21	1.21	XXX	0	0	0	0	0
94400	26	Α	CO <sub>2</sub> breathing response	0.89	0.89	XXX	0	0	0	0	0
94400	TC	Α	CO <sub>2</sub> breathing response	0.32	0.32	XXX	0	0	0	0	0
94450		A	Hypoxia response	0.98	0.98	XXX	Ō	Õ	0	0	0
94450	26	A	Hypoxia response	0.61	0.61	XXX	Ō	Ō	Ŏ	Ŏ	Ō
94450	TC	A	Hypoxia response	0.37	0.37	XXX	Ŏ	ŏ	ŏ	Õ	ŏ
94620	,		Pulmonary stress testing	2.86	2.86	XXX	ŏ	0	ŏ	ŏ	ŏ
94620	26		Pulmonary stress testing	1.50	1.50		ŏ	ő	0	ŏ	ŏ
94620			Pulmonary stress testing	1.36	1.36	XXX	0	0	0	0	0
94640	10		Airway inhalation	0.39	0.39	XXX	0	0	0	0	0
		-				XXX	0	0	0	0	
94642		Ċ	Aerosol inhalation	0.00	0.00			-	-		0
94650			Pressure breathing	0.37	0.37	XXX	0	0	0	0	0
94651			Pressure breathing	0.36	0.36	XXX	0	0	0	0	0
94652			Pressure breathing	0.44	0.44	XXX	0	0	0	0	0
94656		A	Initial ventilation	2.27	2.27	XXX	0	0	0	0	0
94657		A	Subsequent ventilation	1.38	1.38	XXX	0	0	0	0	0
94660		Α	Positive airway pressure	1.41	1.41	XXX	0	0	0	0	0
94662		Α	Negative pressure	0.99	0.99	XXX	0	0	0	0	0
94664		Α	Aerosol or vapor	0.51	0.51	XXX	0	0	0	0	0
94665		Α	Aerosol or vapor	0.47	0.47	XXX	0	0	0	0	0
94667		Α	Chest wall manipulation	0.56	0.56	XXX	0	0	0	0	0
94668		Α	Chest wall manipulation	0.34	0.34	XXX	0	0	0	0	0
94680		A	Exhaled air analysis	1.04	1.04	XXX	0	0	0	0	0
			•								

703

MINNESO	IA KULES 2001	_

FEES FOR MEDICAL SERVICES 5221.4030

94680	26	Α	Exhaled air analysis	0.53	0.53	XXX	0	0	0	0	0
94680	TC	Α	Exhaled air analysis	0.51	0.51	XXX	0	0	0	0	0
94681		Α	Exhaled air analysis	1.76	1.76	XXX	0	0	0	0	0
94681	26	Α	Exhaled air analysis	0.42	0.42	XXX	0	0	0	0	0
94681	TC	Α	Exhaled air analysis	1.35	1.35	XXX	0	0	0	0	0
94690		Α	Exhaled air analysis	0.63	0.63	XXX	0	0	0	0	0
94690	26	Α	Exhaled air analysis	0.11	0.11	XXX	0	0	0	0	0
94690	TC	Α	Exhaled air analysis	0.51	0.51	XXX	0	0	0	0	0
94720		Α	Carbon monoxide diffusion	1.28	1.28	XXX	0	0	0	0	0
94720	26	Α	Carbon monoxide diffusion	0.47	0.47	XXX	0	0	0	0	0
94720	TC	Α	Carbon monoxide diffusion	0.81	0.81	XXX	0	0	0	0	0
94725		Α	Membrane diffusion	2.09	2.09	XXX	0	0	0	0	0
94725	26	Α	Membrane diffusion	0.42	0.42	XXX	0	0	0	0	0
94725	TC	Α	Membrane diffusion	1.68	1.68	XXX	0	0	0	0	0
94750		Α	Pulmonary compliance	1.01	1.01	XXX	0	0	0	0	0
94750	26	Α	Pulmonary compliance	0.46	0.46	XXX	0	0	0	0	0
94750	TC	Α	Pulmonary compliance	0.55	0.55	XXX	0	0	0	0	0
94760		Α	Measure blood oxygen	0.25	0.25	XXX	0	0	0	0	0
94761		Α	Measure blood oxygen	0.65	0.65	XXX	0	0	0	0	0
94762		Α	Measure blood oxygen	1.10	1.10	XXX	0	0	0	0	0
94770		Α	Exhaled carbon dioxide	0.58	0.58	XXX	0	0	0	0	0
94770	26	Α	Exhaled carbon dioxide	0.26	0.26	XXX	0	0	0	0	0
94770	TC	Α	Exhaled carbon dioxide	0.32	0.32	XXX	0	0	0	0	0
94772		C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94772	26	C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94772	TC	C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94799		С	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
94799	26	C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
94799	TC	C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0

## (41) Allergy and clinical immunology, allergy testing:

95004	Α	Allergy skin testing	0.09	0.09	XXX	0	0	0	0	0
95010	Α	Sensitivity skin test	0.25	0.19	XXX	0	0	0	0	0
95015	Α	Sensitivity skin test	0.25	0.19	XXX	0	0	0	0	0
95024	Α	Allergy skin test	0.14	0.14	XXX	0	0	0	0	0
95027	Α	Skin end point	0.14	0.14	XXX	0	0	0	0	0
95028	Α	Allergy skin test	0.22	0.22	XXX	0	0	0	0	0
95044	Α	Allergy patch test	0.19	0.19	XXX	0	0	0	0	0
95052	Α	Photo patch test	0.24	0.24	XXX	0	0	0	0	0
95056	Α	Photosensitivity	0.17	0.09	XXX	0	0	0	0	0
95060	Α	Eye allergy test	0.33	0.33	XXX	0	0	0	0	0
95065	Α	Nose allergy test	0.19	0.10	XXX	0	0	0	0	0
95070	Α	Bronchial allergy test	2.11	2.11	XXX	0	0	0	0	0
95071	Α	Bronchial allergy test	2.70	2.70	XXX	0	0	0	0	0
95075	Α	Ingestion challenge test	2.78	1.82	XXX	0	0	0	0	0
95078	Α	Provocative testing	0.24	0.24	XXX	0	0	0	0	0

## (42) Allergy and clinical immunology, allergen immunotherapy:

95115	Α	Immunotherapy	0.37	0.37	000	0	0	0	0	0
95117	Α	Immunotherapy	0.47	0.47	000	0	0	0	0	0
95120	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95125	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95130	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9

			•								
95131		Ι	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95132		Ι	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95133		I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95134		I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95144		Α	Antigen therapy	0.19	0.12	000	0	0	0	0	0
95145		Α	Antigen therapy	0.40	0.24	000	0	0	0	0	0
95146		Α	Antigen therapy	0.66	0.37	000	0	0	0	0	0
95147		Α	Antigen therapy	0.95	0.51	000	0	0	0	0	0
95148		Α	Antigen therapy	0.95	0.51	000	0	0	0	0	0
95149		Α	Antigen therapy	1.17	0.62	000	0	0	0	0	0
95165		Α	Antigen therapy	0.16	0.11	000	0	0	0	0	0
95170		A	Antigen therapy	0.41	0.24	000	0	0	0	0	0
95180		Α	Rapid desensitization	1.97	1.90	000	0	0	0	0	0
95199		C	Allergy immunology	0.00	0.00	000	0	0	0	0	0
							•				
(43) No	eurol	ogy	and neuromuscular procedu	ires, sleep te	sting:						
` /		0,	•	, 1	J						
95805		Α	Multiple sleep latency	7.28	7.28	XXX	0	0	0	0	0
95805	26	A	Multiple sleep latency	2.29	2.29	XXX	0	0	Ō	Ō	Ŏ
95805	TC	Α	Multiple sleep latency	4.99	4.99	XXX	0	0	0	0	0
95806		A	Sleep study, unattended	8.75	8.15	XXX	0	0	0	Ō	0
95806	26	A	Sleep study, unattended	3.98	3.38	XXX	0	0	0	Õ	Õ
95806	TC	A	Sleep study, unattended	4.77	4.77	XXX	0	0	Õ	Ō	0
95807		Α	Sleep study, attended	9.73	9.73	XXX	0	0	0	0	0

95805	TC	Α	Multiple sleep latency	4.99	4.99	XXX	0	0	0	0	0
95806		Α	Sleep study, unattended	8.75	8.15	XXX	0	0	0	0	0
95806	26	Α	Sleep study, unattended	3.98	3.38	XXX	0	0	0	0	0
95806	TC	Α	Sleep study, unattended	4.77	4.77	XXX	0	0	0	0	0
95807		Α	Sleep study, attended	9.73	9.73	XXX	0	0	0	0	0
95807	26	Α	Sleep study, attended	3.38	3.38	XXX	0	0	0	0	0
95807	TC	Α	Sleep study, attended	6.35	6.35	XXX	0	0	0	0	0
95808		Α	Polysomnography	11.23	11.23	XXX	0	0	0	0	0
95808	26	Α	Polysomnography	4.88	4.88	XXX	0	0	0	0	0
95808	TC	Α	Polysomnography	6.35	6.35	XXX	0	0	0	0	0
95810		Α	Polysomnography	12.03	12.03	XXX	0	0	0	0	0
95810	26	Α	Polysomnography	5.68	5.68	XXX	0	0	0	0	0
95810	TC	Α	Polysomnography	6.35	6.35	XXX	0	0	0	0	0
95811		Α	Polysomnography	12.71	12.71	XXX	0	0	0	0	0
95811	26	A	Polysomnography	6.04	6.04	XXX	0	0	0	0	0
95811	TC	Α	Polysomnography	6.67	6.67	XXX	0	0	0	0	0
95812		Α	Electroencephalogram	2.85	2.85	XXX	0	0	0	0	0
95812	26	Α	Electroencephalogram	1.49	1.49	XXX	0	0	0	0	0
95812	TC	Α	Electroencephalogram	1.36	1.36	XXX	0	0	0	0	0
95813		Α	Electroencephalogram	3.44	3.44	XXX	0	0	0	0	0
95813	26	A	Electroencephalogram	2.08	2.08	XXX	0	0	0	0	0
95813	TC	Α	Electroencephalogram	1.36	1.36	XXX	0	0	0	0	0
95816		Α	Electroencephalogram	2.54	2.54	XXX	0	0	0	0	0
95816	26	Α	Electroencephalogram	1.27	1.27	XXX	0	0	0	0	0
95816	TC	A	Electroencephalogram	1.27	1.27	XXX	0	0	0	0	0
95819		A	Electroencephalogram	2.80	2.80	XXX	0	0	0	0	0
95819	26	A	Electroencephalogram	1.49	1.49	XXX	0	0	0	0	0
95819	TC	Α	Electroencephalogram	1.31	1.31	XXX	0	0	0	0	0
95822		Α	Sleep EEG	3.28	3.28	XXX	0	0	0	0	0
95822	26	Α	Sleep EEG	1.54	1.54	XXX	0	0	0	0	0
95822	TC	Α	Sleep EEG	1.74	1.74	XXX	0	0	0	0	0
95824		Α	Cerebral death EEG	1.66	1.66	XXX	0	0	0	0	0
95824	26	A	Cerebral death EEG	1.25	1.25	XXX	0	0	0	0	0
95824	TC	Α	Cerebral death EEG	0.40	0.40	XXX	0	0	0	0	0
95827		Α	Night sleep EEG	4.07	4.07	XXX	0	0	0	0	0
95827	26	Α	Night sleep EEG	1.87	1.87	XXX	0	0	0	0	0
95827	TC	A	Night sleep EEG	2.20	2.20	XXX	0	0	0	0	0

95829		Α	Electrocorticogram	6.24	6.24	XXX	0	0	0	0	0
95829	26		Electrocorticogram	6.09	6.09	XXX	0	0	0	0	0
95829	TC	Α	Electrocorticogram	0.15	0.15	XXX	0	0	0	0	0
95830		Α	Insert electrodes	2.34	2.34	XXX	0	0	0	0	0
95831		Α	Limb muscle test	0.55	0.41	XXX	0	0	0	0	0
95832		Α	Hand muscle test	0.52	0.40	XXX	0	0	0	0	0
95833		Α	Body muscle test	0.82	0.64	XXX	0	0	0	0	0
95834		Α	Body muscle test	1.17	0.87	XXX	0	0	0	0	0
95851		Α	Range of motion	0.39	0.27	XXX	0	0	0	0	. 0
95852		Α	Range of motion	0.26	0.18	XXX	0	0	0	0	0
95857		Α	Tensilon test	0.99	0.74	XXX	0	0	0	0	0
95858		Α	Tensilon test, recording	2.45	2.45	XXX	0	0	0	0	0
95858	26	Α	Tensilon test, recording	2.06	2.06	XXX	0	0	0	0	0
95858	TC	Α	Tensilon test, recording	0.39	0.39	XXX	0	0	0	0	0
95860		Α	Muscle test, one	1.97	1.97	XXX	0	0	0	0	0
95860	26	Α	Muscle test, one	1.61	1.61	XXX	0	0	0	0	0
95860	TC	Α	Muscle test, one	0.36	0.36	XXX	0	0	0	0	0
95861		Α	Muscle test, two	3.39	3.39	XXX	0	0	0	0	0
95861	26	A	Muscle test, two	2.68	2.68	XXX	0	0	0	0	0
95861	TC	A	Muscle test, two	0.71	0.71	XXX	0	0	0	0	0
95863		Α	Muscle test, three	4.02	4.02	XXX	0	0	0	0	0
95863	26	Α	Muscle test, three	3.12	3.12	XXX	0	0	0	0	0
95863	TC	Α	Muscle test, three	0.90	0.90	XXX	0	0	0	0	0
95864	2.6	A	Muscle test, four	5.29	5.29	XXX	0	0	0	0	0
95864	26	A	Muscle test, four	3.57	3.57	XXX	0	0	0	0	0
95864	TC	A	Muscle test, four	1.71	1.71	XXX	0	0	0	0	0
95867	26	A	Muscle test, head	1.86	1.86	XXX	0	0	0	0	0
95867	26 TC	A	Muscle test, head	1.31	1.31	XXX	0	0	0	0	0
95867	TC	A	Muscle test, head	0.55	0.55	XXX	0	0	0	0	0
95868	26	A	Muscle test, head	3.01	3.01	XXX	0	2	0	0	0
95868	26 TC	A	Muscle test, head	2.34	2.34	XXX	0	2	0	0	0
95868	TC	A	Muscle test, head	0.67	0.67	XXX	0	2	0	0	0
95869	26	A	Muscle test, thoracic	0.88	0.88	XXX XXX	0	-	0	0	. 0
95869	26 TC	A	Muscle test, thoracic	0.67 0.20	$0.67 \\ 0.20$	XXX	0	0	0	0	0
95869 95870	IC	A	Muscle test, thoracic	0.20	0.20	XXX	0	0	0	0	$0 \\ 0$
95870	26	A	Nonparaspinal muscle test	0.67	0.67	XXX	0	0	0	0	0
95870	TC	A A	Nonparaspinal muscle test	0.07	0.07	XXX	0	0	0	0	0
95872	ıc	A	Nonparaspinal muscle test Nonparaspinal muscle test	2.63	2.63	XXX	0	0	0	0	0
95872	26	A	Nonparaspinal muscle test	2.05	2.05	XXX	ő	0	0	0	0
95872	TC	A	Nonparaspinal muscle test	0.58	0.58	XXX	0	0	0	0	0
95875	10	A	Limb exercise	1.85	1.85	XXX	0	0	0	0	0
95875	26	A	Limb exercise	1.45	1.45	XXX	0	0	ő	0	0
95875	TC		Limb exercise	0.40	0.40	XXX	Õ	0	ő	0	0
95900	10	A	Motor nerve conduction	1.01	1.01	XXX	Ö	ŏ	ő	ŏ	Ö
95900	26	A	Motor nerve conduction	0.74	0.74	XXX	ŏ	0	0	ő	ő
95900	TC	A	Motor nerve conduction	0.27	0.27	XXX	0	ő	0	0	ő
95903	10	A	Motor nerve conduction	1.14	1.14	XXX	0	0	0	ő	ő
95903	26	A	Motor nerve conduction	0.90	0.90	XXX	ŏ	ő	ŏ	ő	ő
95903	TČ	A	Motor nerve conduction	0.24	0.24	XXX	ŏ	ŏ	Õ	ŏ	ŏ
95904		A	Sensory nerve conduction	0.87	0.87	XXX	Õ	Õ	ŏ	ŏ	ŏ
95904	26	A	Sensory nerve conduction	0.65	0.65	XXX	ŏ	0	ŏ	ő	Õ
95904	TC	A	Sensory nerve conduction	0.21	0.21	XXX	Õ	ŏ	ŏ	ő	0
95920	- 0	A	Intraoperative testing	4.60	4.60	XXX	ŏ	ő	ŏ	ő	0
95920	26	A	Intraoperative testing	3.36	3.36	XXX	ŏ	Ö	0	ŏ	ŏ
95920	TC		Intraoperative testing	1.24	1.24	XXX	Ö	ŏ	ŏ	ő	ŏ
95921		A	Autonomic nervous system	1.50	1.50	XXX	Õ	ŏ	ŏ	ŏ	ŏ
95921	26	A	Autonomic nervous system	1.14	1.14	XXX	ŏ	ő	ŏ	ő	ő
				_,			-	-	~	-	~

### 5221.4030 FEES FOR MEDICAL SERVICES

95921	TC	Α	Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95922		Α	Autonomic nervous system	1.58	1.58	XXX	0	0	0	0	0
95922	26	Α	Autonomic nervous system	1.22	1.22	XXX	0	0	0	0	0
95922	TC	Α		0.36	0.36	XXX	0	0	0	0	0
95923		Α	Autonomic nervous system	1.50	1.50	XXX	0	0	0	0	0
95923	26	Α	Autonomic nervous system	1.14	1.14	XXX	0	0	0	0	0
95923	TC	Α	Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95925		Α	Somatosensory study	2.02	2.02	XXX	0	2	0	0	0
95925	26	Α	Somatosensory study	1.14	1.14	XXX	0	2	0	0	0
95925	TC	Α	Somatosensory study	0.88	0.88	XXX	0	2	0	0	0
95926		Α	Somatosensory study	2.02	2.02	XXX	0	2	0	0	0
95926	26	Α	Somatosensory study	1.14	1.14	XXX	0	2	0	0	0
95926	TC	Α	Somatosensory study	0.88	0.88	XXX	0	2	0	0	0
95927		Α	Somatosensory study	2.02	2.02	XXX	0	0	0	0	0
95927	26	Α	Somatosensory study	1.14	1.14	XXX	0	0	0	0	0
95927	TC	Α	Somatosensory study	0.88	0.88	XXX	0	0	0	0	0
95930		Α	Visual evoked potential	1.15	1.15	XXX	0	2	0	0	0
95930	26	Α	Visual evoked potential	0.90	0.90	XXX	0	2	0	0	0
95930	TC	Α	Visual evoked potential	0.25	0.25	XXX	0	2	0	0	0
95933		Α	Blink reflex test	1.80	1.80	XXX	0	0	0	0	0
95933	26	Α	Blink reflex test	1.04	1.04	XXX	0	0	0	0	0
95933	TC	Α	Blink reflex test	0.76	0.76	XXX	0	0	0	0	0
95934		Α	H-reflex study	1.01	1.01	XXX	0	1	0	0	0
95934	26	Α	H-reflex study	0.81	0.81	XXX	0	1	0	0	0
95934	TC	Α	H-reflex study	0.20	0.20	XXX	0	1	0	0	0
95936		Α	H-reflex study	1.05	1.05	XXX	0	1	0	0	0
95936	26	Α	H-reflex study	0.84	0.84	XXX	0	1	0	0	0
95936	TC	Α	H-reflex study	0.20	0.20	XXX	0	1	0	0	0
95937		Α	Neuromuscular junction	1.37	1.37	XXX	0	0	0	0	0
95937	26	Α	Neuromuscular junction	1.05	1.05	XXX	0	0	0	0	0
95937	TC	Α	Neuromuscular junction	0.33	0.33	XXX	0	0	0	0	0
95950		Α	Ambulatory EEG	8.70	8.70	XXX	0	0	0	0	0
95950	26	Α	Ambulatory EEG	2.59	2.59	XXX	0	0	0	0	0
95950	TC	A	Ambulatory EEG	6.11	6.11	XXX	0	0	0	0	0
95951	•	A	EEG monitoring	14.33	14.33	XXX	0	0	0	0	0
95951	26	A	EEG monitoring	6.96	6.96	XXX	0	0	0	0	0
95951	TC	A	EEG monitoring	7.37	7.37	XXX	0	0	0	0	0
95953	26	A	EEG monitoring	10.13	10.13	XXX	0	0	0	0	0
95953	26 TC	A	EEG monitoring	4.02	4.02	XXX	0	0	0	0	0
95953	TC	A	EEG monitoring	6.11	6.11	XXX	0	0	0	0	0
95954	26	A	EEG monitoring	4.62	4.62	XXX	0	0	0	0	0
95954	26 TC	A	EEG monitoring	4.15	4.15	XXX	0	0	0	0	0
95954	TC	A	EEG monitoring	0.47	0.47	XXX	0	0	0	0	0
95955	26	A	EEG during surgery	3.88	3.88	XXX	0	0	0	0	0
95955	26 TC	A	EEG during surgery	1.97	1.97	XXX	0	0	0	0	0
95955	TC	A	EEG during surgery	1.91	1.91	XXX	0	0	0	0	0
95956	26	A	EEG monitoring	10.42	10.42	XXX	0	0	0	0	0
95956	26 TC	A	EEG monitoring	4.31	4.31	XXX	0	0	0	0	0
95956	TC	A	EEG monitoring	6.11	6.11	XXX	0	0	0	0	0
95957	26	A	EEG digital analysis	4.07	4.07	XXX	0	0	0	0	0 .
95957	.26 TC	A	EEG digital analysis	2.43	2.43	XXX XXX	0	0	0	0	$0 \\ 0$
95957	TC	A	EEG digital analysis	1.64 8.87	1.64 8.87	XXX	$0 \\ 0$	$0 \\ 0$	$\begin{array}{c} 0 \\ 0 \end{array}$	$0 \\ 0$	0
95958	26	A	EEG monitoring	8.87 7.19		XXX	0	0	0	0	
95958 95958	26 TC	A A	EEG monitoring EEG monitoring	1.68	7.19 1.68	XXX	0	0	0	0	0
95958	10	A	Electrode stimulation	5.39	5.39	XXX	0	0	0	0	0
95961	26	A	Electrode stimulation	3.39 4.14	3.39 4.14	XXX	0	0	0	0	0
95961	TC	A	Electrode stimulation	1.24	1.24	XXX	0	0	0	0	0
75701	1	17	Licenous sumulation	1.47	1.4	/ <b>1/ 1/ 1</b>	U	U	U	J	v

706

FEES FOR MEDICAL SERVICES 5221.4030

707

707			I LLS	OK W	DDICA	L BLK	101	10	<i>,,,,</i>	1.70	50
95962 95962 95962 95999	26 TC	A A C	Electrode stimulation Electrode stimulation Electrode stimulation Neurological procedure	5.60 4.36 1.24 0.00	5.60 4.36 1.24 0.00	XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
(44) Ce	entra	l ne	rvous system assessments/tests:								
96100			Psychological testing	1.73	1.73	XXX	0	0	0	0	0
96105			Assessment of aphasia	1.73	1.73	XXX	0	0	0	0	0
96110			Developmental testing	0.00	0.00	XXX	0.	0	0	0	0
96111		A	Developmental testing	1.73	1.73	XXX	0	0	0	0	0
96115 96117		A A	Neurobehavioral status Neuropsychological test	1.73 1.73	1.73 1.73	XXX XXX	0	0 0	0	0	0
(45) CI	hemo	the	rapy administration:								
96400		Α	Chemotherapy	0.13	0.13	XXX	0	0	0	0	0
96405		Α	Intralesional chemo	0.86	0.67	000	2	0	1	0	0
96406		Α	Intralesional chemo	1.29	1.02	000	2	0	1	0	0
96408		A	Chemotherapy, push	0.92	0.92	XXX	0	0	0	0	0
96410		A	Chemotherapy, infusion	1.47	1.47	XXX	0	0	0	0	0
96412		A	Chemotherapy, infusion	1.11	1.11 1.28	XXX	0	0	0	0	0
96414		A	Chemotherapy, infusion	1.28 1.20	1.28	XXX XXX	$\begin{array}{c} 0 \\ 0 \end{array}$	$0 \\ 0$	$0 \\ 0$	0	$0 \\ 0$
96420 96422		A	Chemotherapy, push	1.18	1.18	XXX	0	0	0	0	0
96423		A	Chemotherapy, infusion	0.46	0.46	XXX	0	0	0	0	0
96425		A	Chemotherapy, infusion Chemotherapy, infusion	1.36	1.36	XXX	0	0	0	0	0
96440		A	Chemotherapy	2.97	2.97	000	0	0	0	0	0
96445		A	Chemotherapy	2.99	2.52	000	0	0	0	ŏ	0
96450		A	Chemotherapy	2.59	2.17	000	0	ő	0	0	0
96520		A	Pump refilling	0.85	0.85	XXX	ő	Ŏ	ŏ	ŏ	ŏ
96530		A	Pump refilling	1.01	1.01	XXX	Ō	Õ	Õ	0	0
96542		Α	Chemotherapy injection	2.41	1.89	XXX	0	0	0	0	0
96545		В	Provide chemotherapy	0.00	0.00	XXX	9	9	9	9	9
96549		С	Chemotherapy procedure	0.00	0.00	XXX	0	0	0	0	0
(46) Sp	pecial	de	rmatological procedures:								
96900		Α	Ultraviolet light	0.38	0.38	XXX	0	. 0	0	0	0
96902		В	Trichogram	0.00	0.00	XXX	9	9	9	9	9
96910		Ā	Photochemotherapy	0.55	0.55	XXX	Ó	Ó	Ó	Ó	Ó
96912		Α	Photochemotherapy	0.64	0.64	XXX	0	0	0	0	0
96913		Α	Photochemotherapy	1.30	1.30	XXX	0	0	0	0	0
96999		С	Dermatological procedure	0.00	0.00	XXX	0	0	0	0	0
(47) O	steop	ath	ic manipulative treatment:								
98925		Α	Osteopathic manipulation	0.66	0.66	000	0	0	0	0	0
98926		Α	Osteopathic manipulation	0.99	0.99	000	0	0	0	0	0
98927		Α	Osteopathic manipulation	1.17	1.17	000	0	0	0	0	0
98928		Α	Osteopathic manipulation	1.36	1.36	000	0	0	0	0	0
98929		Α	Osteopathic manipulation	1.47	1.47	000	0	0	0	0	0

Copyright @ 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(48) Sp	ecia	l se	rvices and reports, miscellaneous	us service	es:						
99000		В	Specimen handling	0.00	0.00	XXX	9	9	9	9	9
99001		В	Specimen handling	0.00	0.00	XXX	9	9	9	9	9
99002		В	Device handling	0.00	0.00	XXX	9	9	9	9	9
99024		В	Postoperative follow-up	0.00	0.00	XXX	9	9	9	9	9
99025		В	Initial surgical	0.00	0.00	XXX	9	9	9	9	9
99050		В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99052		В	Medical services	0.00	0.00	XXX	.9	9	9	9	9
99054		В	Medical services	0.00	0.00	· XXX	9	9	9	9	9
99056			Non-office medical	0.00	0.00	XXX	9	9	9	9	9
99058		В	Office emergency	0.00	0.00	XXX	9	9	9	9	9
99070		В	Special supplies	0.00	0.00	XXX	9	9	9	9	9
99071		В	Patient education	0.00	0.00	XXX	9	9	9	9	9
99075		Ν	Medical testimony	0.00	0.00	XXX	9	9	9	9	9
99078			Group health education	0.00	0.00	XXX	9	9	9	9	9
99080		В	Special reports	0.00	0.00	XXX	9	9	9	9	9
99082		C	Unusual travel	0.00	0.00	XXX	0	0	0	0	0
99090		В	Computer data analysis .	0.00	0.00	XXX	9	9	9	9	9
(49) Q	ualif	ying	circumstances for anesthesia:								
00100		D	Consist amosthusia	0.00	0.00	VVV	0	٥	0	0	0
99100		В	Special anesthesia	0.00	0.00	XXX	9	9	9	9	9
99116		В	Anesthesia	0.00	0.00	XXX	9	9	9	9	9
99135		В	Special anesthesia	0.00	0.00	XXX	9	9	9	9	9
99140		В	Emergency anesthesia	0.00	0.00	XXX	9	9	9	9	9
(50) Se	datio	on v	vith or without analgesia:								
99141		В	Sedation	0.00	0.00	XXX	9	9	9	9	9
99142		В	Sedation, oral	0.00	0.00	XXX	9	9	9	9	9
(F1) O	سه ما،										
(51) O	nei	SEIV	ices.								
99175		Α	Induction of vomiting	1.34	1.34	XXX	0	0	0	0	0
99183			Hyperbaric oxygen therapy	3.80	3.80	XXX	0	0	0	0	0
99185			Regional hypothermia	0.61	0.61	XXX	0	0	0	0	0
99186		Α	Total body hypothermia	1.93	1.93	XXX	0	0	0	0	0
99190		X	Special pump	0.00	0.00	XXX	9	9	9	9	9
99191		X	Special pump	0.00	0.00	XXX	9	9	9	9	9
99192		X	Special pump	0.00	0.00	XXX	9	9	9	9	
99195			Phlebotomy	0.42	0.42	XXX		0	0	0	0,
99199			Special service	0.00	0.00	XXX	0	0	0	0	0
		D	1 1 1 0000	00440	1 .						
ment se			cedure code numbers 99201 to	) 99449 i	relate to	evalua	tion	an	d m	iana	ge-
1	2	3	4	5	6	7	8	9	10	11	12
(1) Off		<u> </u>	har autnoticet comie							-	
(1) Off	ice o	ıot	her outpatient services, new pa	ment:							
99201		Α	Office/outpatient visit	0.84	0.61	XXX	0	0	0	0	0

709		FEE	s for	MEDICAL	SERV	ЛСЕ	S	522	1.40	30
99202 99203 99204 99205	A A		1.33 1.85 2.77 3.40	2 1.50 1 2.24	XXX XXX XXX XXX	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
(2) Office o	r ot	her outpatient services, estal	olished p	oatient:						
99211 99212 99213 99214 99215	A A A	Office/outpatient visit Office/outpatient visit Office/outpatient visit Office/outpatient visit Office/outpatient visit	0.3 0.7 1.0 1.5 2.4	3 0.55 4 0.81 7 1.26	XXX XXX XXX XXX XXX	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0
(3) Hospital	l ob	servation services:								
99217 99218 99219 99220	A	Observation care Observation care Observation care Observation care	1.6 <sup>1</sup> 1.8. 3.0 3.8	5 1.85 1 3.01	XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
(4) Hospital	l in	patient services, initial hospit	al care,	new or esta	blished	l pat	ien	t:		
99221 99222 99223	A A A	Initial hospital care Initial hospital care Initial hospital care	1.8- 3.00 3.8:	0 3.00	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
(5) Hospital	l in <sub>j</sub>	patient services, subsequent l	nospital	care:						
99231 99232 99233	A A A	Subsequent hospital care Subsequent hospital care Subsequent hospital care	0.9 1.4 1.9	2 1.42	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
(6) Observa	tio	n or inpatient services:				•				
99234 99235 99236 99238 99239	A A A	Observation, hospital Observation, hospital Observation, hospital Hospital discharge day Hospital discharge day	3.0 4.1 5.0 1.6 2.1	7 4.17 3 5.03 8 1.68	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0
(7) Consulta	atio	ns, office or other inpatient	consulta	tions, new o	or estab	lishe	ed	patie	ent:	
99241 99242 99243		Initial office consult Initial office consult Initial office consult	1.2 1.9 2.5	6 1.59	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						7	'10	
99244 99245	A A	Initial office consult Initial office consult	3.59 4.83	3.00 4.02	XXX XXX	0	0	0	0	0	
(8) Consult	atio	ns, initial inpatient consultation	is, new o	or establ	ished pa	atier	nt:				
99251 99252 99253 99254 99255	A A	Initial inpatient consult Initial inpatient consult Initial inpatient consult Initial inpatient consult Initial inpatient consult	1.29 1.98 2.63 3.62 4.91	1.29 1.98 2.63 3.62 4.91	XXX XXX XXX XXX XXX	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	
(9) Consultations, follow-up inpatient consultations, established patient:											
99261 99262 99263	Α	Follow-up inpatient Follow-up inpatient Follow-up inpatient	0.72 1.24 1.82	0.72 1.24 1.82	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
(10) Confirm	mat	ory consultations:									
99271 99272 99273 99274 99275 .	A A	Confirmatory consultation Confirmatory consultation Confirmatory consultation Confirmatory consultation Confirmatory consultation	1.01 1.50 2.13 2.81 3.87	0.73 1.16 1.63 2.22 3.87	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	
(11) Emerg	enc	y department services:									
99281 99282 99283 99284 99285 99288	Α	Emergency room visit Direct advanced support	0.58 0.88 1.62 2.48 3.91 0.00	0.58 0.88 1.62 2.48 3.91 0.00	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 9	0 0 0 0 0 9	0 0 0 0 0 9	0 0 0 0 0 9	0 0 0 0 0 9	
(12) Critica	l ca	re services:									
99291 99292	A A	Critical care, first hour Critical care, additional	5.07 2.45	5.07 2.45	XXX XXX	0	0	0	0	0	
(13) Neonat	tal i	ntensive care:									
99295 99296 99297	A	Neonatal critical care Neonatal critical care Neonatal critical care	20.29 10.06 5.03	20.29 10.06 5.03	XXX XXX XXX	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	0 0 0	0 0 0	0 0 0	0 0 0	
(14) Compr	ehe	nsive nursing facility assessmen	ts, new	or estab	lished p	atie	nt:				
99301 99302 99303	Α	Nursing facility care Nursing facility care Nursing facility care	1.54 1.97 2.78	1.54 1.97 2.78	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	

FEES	<b>FOR</b>	MEDICAL	SERVICES	5221.4030

(15) Subsequen	t nursing facility care,	new or established patient:
----------------	--------------------------	-----------------------------

711

99311	A Nursing facility care	0.89	0.89	XXX	0	0	0	0	0
99312	A Nursing facility care	1.32	1.32	XXX	0	0	0	0	0
99313	A Nursing facility care	1.76	1.76	XXX	0	0	0	0	0
99315	A Discharge	1.54	1.54	XXX	0	0	0	0	0
99316	A Discharge	1.88	1.88	XXX	0	0	0	0	0

### (16) Domiciliary, rest home, or custodial care, new or established patient:

99321	Α	Rest home visit	1.02	1.02	XXX	0	0	0	0	0
99322	Α	Rest home visit	1.44	1.44	XXX	0	0	0	0	0
99323	Α	Rest home visit	1.90	1.90	XXX	0	0	0	0	0
99331	Α	Rest home visit	0.83	0.83	XXX	0	0	0	0	0
99332	Α	Rest home visit	1.09	1.09	XXX	0	0	0	0	0
99333	Α	Rest home visit	1.34	1.34	XXX	0	0	0	0	0

### (17) Home services, new or established patient:

99341	Α	Home visit	1.46	1.46	XXX	0	0	0	0	0
99342	Α	Home visit	1.99	1.99	XXX	0	0	0	0	0
99343	Α	Home visit	2.84	2.84	XXX	0	0	0	0	0
99344	Α	Home visit	3.62	3.62	XXX	0	0	0	0	0
99345	Α	Home visit	4.31	4.31	XXX	0	0	0	0	0
99347	Α	Home visit	1.15	1.15	XXX	0	0	0	0	0
99348	Α	Home visit	1.68	1.68	XXX	0	0	0	0	0
99349	Α	Home visit	2.45	2.45	XXX	0	0	0	0	0
99350	Α	Home visit	3.52	3.52	XXX	0	0	0	0	0
99351	D	Home visit	1.21	1.21	XXX	0	0	0	0	0
99352	D	Home visit	1.55	1.55	XXX	0	0	0	0	0
99353	D	Home visit	1.96	1.96	XXX	0	0	0	0	0

### (18) Prolonged services with direct patient contact, office or other outpatient:

99354	A Prolonged service	2.38	2.01	XXX	0	0	0	0	0
99355	A Prolonged service	2.38	2.01	XXX	0	0	0	0	0

## (19) Prolonged services with direct patient contact, inpatient:

99356	A Prolonged service	2.42	2.42	XXX	0	0	0	0	0
99357	A Prolonged service	2.42	2.42	XXX	0	0	0	0	0

### (20) Prolonged services without direct patient contact:

99358	В	Prolonged service	0.00	0.00	XXX	9	9	9	9	9
99359	В	Prolonged service	0.00	0.00	XXX	9	9	9	9	9

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

712

5221.4030 FEES FOR MEDICAL SERVICES

(21) Prolon	ged	services, physician standby:								
99360	X	Physician standby	0.00	0.00	XXX	9	9	9	9	9
(22) Case n	nana	agement services:								
99361	В	Physician/taam conformes	0.00	0.00	XXX	9	9	9	9	9
99362	В	Physician/team conference Physician/team conference	0.00	0.00	XXX	9	9	9	9	9
99371	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9
99372	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9
99373	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9
(23) Care n	lan	oversight services:								
(23) Care p	iaii	oversight services.								
99374	В	Home health care	0.00	0.00	XXX	9	9	9	9	9
99375	Α	Home health care	2.09	2.09	XXX	0	0	0	0	0
99376	D	Care plan oversight	0.00	0.00	XXX	9	9	9	9	9
99377	В	Hospice care supervision	0.00	0.00	XXX	9	9	9	9	9
99378	Α	Hospice care supervision	2.09	2.09	XXX	0	0	0	0	0
99379	В	Nursing facility care	0.00	0.00	XXX	9	9	9	9	9
99380	В	Nursing facility care	0.00	0.00	XXX	9	9	9	9	9
(24) Preven	tive	medicine services:								
99381	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99382	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99383	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99384	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99385		Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99386	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99387	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99391	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99392	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99393	N	Preventive visit	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9 9	9 9	9 9	9 9	9 9
99394 99395	N N	Preventive visit Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99396	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99397	-	Preventive visit	0.00	0.00	XXX	9	ģ	9	9	9
99401	N	Preventive counseling	0.00	0.00	XXX	ý	ģ	9	ģ	9
99402	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99403	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99404	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99411	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99412	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99420	N	Health risk assessment	0.00	0.00	XXX	9	9	9	9	9
99429	N	Unlisted preventive	0.00	0.00	XXX	9	9	9	9	9
(25) Newbo	rn c	are:								
99431	Λ	Normal newborn care	2.28	2.28	XXX	0	0	n	0	Ω
99431	A	Normal newborn care	2.28	2.28	XXX	0	0	0	0	0
99432		Normal newborn care	1.20	1.20	XXX	0	0	0	0	0
	• •	- Collins III III III III III III III III III I				•	•	•	-	3

713		F	FEES FOR	MEDICA	L SERV	ЛСЕ	S	522	21.40	)30
99435 99436 99440	Α	Newborn discharge day Attendance, birth Newborn resuscitation	2.92 2.92 5.70	2.91	XXX XXX XXX		0 0 0	0 0 0	0 0 0	0 0 0
(26) Speci	al ev	aluation and management	t services:							
99450 99455 99456	N R R	Life/disability Disability examination Disability examination	0.00 0.00 0.00	0.00	XXX XXX XXX		9 0 0	9 0 0	9 0 0	9 0 0
(27) Other	r eva	luation and management s	services:							
99499	С	Unlisted E/M service	0.00	0.00	XXX	0	0	0	0	0
J and suppli		ocedure code numbers A0	0021 to R00	076 relate	to misc	ellan	eo	us s	ervi	ces
1 2	3	4	5	6	7	8	9	10	11	12
(1) Miscel	laneo	ous A codes:								
A0030 A0040 A0050 A0080 A0090 A0100 A0110 A0120 A0130 A0140 A0160 A0170 A0180 A0200 A0210 A0225 A0300 A0302 A0304 A0308 A0310 A0320 A0322 A0324	X X X I I I I I I I I I I I I I I I I I	Air ambulance service Helicopter ambulance Water ambulance service Noninterested escort Interested escort Interested escort Nonemergency transpor Nonemergency ALS nonemergency ALS emergency ALS emergency BLS emergency ALS emergency BLS emergency	t 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	99999999999999999999999	99999999999999999999999	9999999999999999999999	99999999999999999999999	9999999999999999999999
A0324 A0326 A0328 A0330 A0340	X X X X X	ALS nonemergency ALS nonemergency ALS emergency, special BLS nonemergency	0.00 0.00 0.00 0.00	0.00 0.00 0.00	XXX XXX XXX XXX XXX	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9

### 5221.4030 FEES FOR MEDICAL SERVICES

A0342	X	BLS emergency	0.00	0.00	XXX	9	9	9	9	9
A0344	X	ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0346	X	ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0348		ALS emergency	0.00	0.00	XXX	9	9	9	9	9
A0350	X	ALS emergency, special	0.00	0.00	XXX	9	9	9	9	9
A0360		BLS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0362	X	BLS emergency	0.00	0.00	XXX	9	9	9	9	9
A0364		ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0366		ALS nonemergency, special	0.00	0.00	XXX	9	9	9	9	9
A0368		ALS emergency	0.00	0.00	XXX	9	9	9	9	9
A0370		ALS emergency, special	0.00	0.00	XXX	ģ	9	9	9	9
A0380	X	BLS mileage	0.00	0.00	XXX	9	ģ	9	9	9
A0382	X	BLS routine supplies	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
A0384	X	BLS defibrillator	0.00	0.00	XXX	ģ	9	9	9	9
A0390		ALS mileage	0.00	0.00	XXX	9	ģ	9	9	9
A0392		ALS defibrillator	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
A0394		ALS IV drug therapy	0.00	0.00	XXX	ģ	9	9	ý	9
A0396	X	ALS esophageal intubation	0.00	0.00	XXX	9	9	9	9	9
A0398		ALS coophagear intubation ALS routine supplies	0.00	0.00	XXX	9	9	9	9	9
A0420	X	Ambulance waiting	0.00	0.00	XXX	9	9	9	9	9
A0420 A0422	X	Ambulance, life support	0.00	0.00	XXX	9	9	9	9	9
A0424			0.00	0.00	XXX	9	9	9	9	9
A0424 A0888		Extra attendant	0.00	0.00	XXX	9	9	9	9	9
		Noncovered mileage					9	9	9	9
A0999		Unlisted ambulance	0.00	0.00	XXX XXX	9	9	9		9
A4206	I I	1 cc sterile syringe	0.00	0.00		9 9	9	9	9 9	
A4207		2 cc sterile syringe	$0.00 \\ 0.00$	0.00	XXX XXX			9		9
A4208	I	3 cc sterile syringe		0.00		9	9 9	9	9	9
A4209	I	5 + cc sterile syringe	0.00	0.00	XXX	. 9	9	9	9	
A4210	N	Nonneedle injection	0.00	0.00	XXX	9	9	9	9 9	9 9
A4211	P	Supplies, self-injection	0.00	0.00	XXX	-	9	9	9	9
A4212	P	Noncoring needle	0.00	0.00	XXX	9	9	9		
A4213	I	20 + cc sterile syringe	0.00	0.00	XXX	9	9	9	9 9	9
A4214	P	30 cc saline or water	0.00	0.00	XXX	9	9	9	9	9 9
A4215	I	Sterile needles	0.00	0.00	XXX	9	9	9	9	9
A4220	P	Infusion pump refill	0.00	0.00	XXX	9				
A4221	X	Maintenance drug infusion	0.00	0.00	XXX	9	9	9	9	9
A4222	X	Drug infusion pump	0.00	0.00	XXX	9	9	9	9	9
A4230	N	Infusion for insulin pump	0.00	0.00	XXX	9	9	9	9	9
A4231	N	Infusion for insulin pump	0.00	0.00	XXX	9	9	9	9	9
A4232	Ņ	Syringe with needle	0.00	0.00	XXX	9	9	9	9	9
A4244	I	Alcohol or peroxide	0.00	0.00	XXX	9	9	9	9	9
A4245	I	Alcohol wipes	0.00	0.00	XXX	9	9	9	9	9
A4246	I	Betadine or pHisoHex	0.00	0.00	XXX	9	9	9	9	9
A4247	I	Betadine or iodine	0.00	0.00	XXX	9	9	9	9	9
A4250	N	Urine test, Reagent	0.00	0.00	XXX	9	9	9	9	9
A4253	P	Blood glucose or Reagent	0.00	0.00	XXX	9	9	9	9	9
A4254	X	Battery, glucose monitor	0.00	0.00	XXX	9	9	9	9	9
A4255	X	Platforms, glucose	0.00	0.00	XXX	9	9	9	9	9
A4256	P	Calibrator solution	0.00	0.00	XXX	9	9	9	9	9
A4258	P	Lancet device, each	0.00	0.00	XXX	9	9	9	9	9
A4259	P	Lancets, per box of 100	0.00	0.00	XXX	9	9	9	9	9
A4260	N	Levonorgestrel (Norplant)	0.00	0.00	XXX	9	9	9	9	9
A4262	В	Temporary tear duct	0.00	0.00	XXX	9	9	9	9	9
A4263	A	Permanent tear duct	0.92	0.92	XXX	9	9	9	9	9
A4265	P	Paraffin, per pound	0.00	0.00	XXX	9	9	9	9	9
A4270	В	Disposable endoscope	0.00	0.00	XXX	9	9	9	9	9
A4300	A	Catheter implant vascular	0.92	0.92	XXX	9	9	9	9	9
A4301	P	Implantable access total	0.00	0.00	XXX	9	9	9	9	9

714

	_							0		
6.	6	6	6	6	XXX	00.0	00.0	Below knee stocking	N	005₽∀
6	6	6	6	6	XXX	00.0	00.0	Thigh length stocking	N	5677A
6	6	6	6	6	XXX	00.0	00.0	Above knee stocking	N	06₺₺₩
6	6	6	6	6	XXX	00.0	00.0	Tracheostoma filter	X	I.8⊅⊅∀
_		-		6	XXX	00.0	00.0	Vabra aspirator	ď	
6	6	6	6	-						0844A
6	6	6	6	6	XXX	00.0	00.0	Gravlee jet washer	ď	0∠44¥
6	6	6	6	6	XXX	00.0	00.0	Nonelastic exterior	ď	\$9₽₽ <b>∀</b>
6	6	6	6	6	XXX	00.0	00.0	Abdominal dressing	X	7944V
6	6	6	6	6	XXX	00.0	00.0	Elastic compression	d	09₺₺₩
6	6	6	6	6	XXX	00.0	00.0	Adhesive remover	ď	SSttV
6	6	6	6	6	XXX	00.0	00.0	Tape, all types	ď	<i>†</i> \$ <i>†</i> †∀
								Ostomy miscellaneous		
6	6	6	6	6	XXX	00.0	00.0		ď	1244ZI
6	6	6	6	6	XXX	00.0	00.0	Ostomy ring, each	ď	₽0₽₽₽
6	6	6	6	6	XXX	00.0	00.0	Lubricant, per ounce	ď	70440V
6	6	6	6	6	XXX	00.0	00.0	Ostomy irrigation set	ď	0044A
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, cone	ď	66€₽∀
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, each	ď	86£4A
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, each	ď	74397
					XXX	00.0		Ostomy filter, each	X	
6	6	6	6	6			00.0			89£4A
6	6	6	6	6	XXX	00.0	00.0	Ostomy belt, each	ď	743€7
6	6	6	6	6	XXX	00.0	00.0	Ostomy adhesive remover	X	\$9£⊅¥
6	6	6	6	6	XXX	00.0	00.0	Ostomy, catheter adhesive	ď	<b>⋫</b> 9€⋫₩
6	6	6	6	6	XXX	00.0	00.0	Liquid skin barrier	ď	€9€₽₩
6	6	6	6	6	XXX	00.0	00.0	Solid skin barrier	ď	79£4¥
6	6	6	6	6	XXX	00.0	00.0	Ostomy faceplate, each	ď	¥4361
6	6	6	6	6	XXX	00.0	00.0	Urinary suspensory	ď	¥4326
_	6	6	6	6	XXX	00.0	00.0	Urinary leg bag	ď	8254A
6			-					Bedside drainage bag		
6	6	6	6	6	XXX	00.0	00.0		ď	7254A
6	6	6	6	6	XXX	00.0	00.0	External urethral clamp	ď	98E4A
6	6	6	6	6	XXX	00.0	00.0	Bladder irrigation	ď	A4325
6	6	6	6	6	XXX	00.0	00.0	Catheter insertion	$\mathbf{d}$	<i>₽</i> \$£₽₩
6	6	6	6	6	XXX	00.0	00.0	Intermittent catheter	X	£25₽ <b>∀</b>
6	6	6	6	6	XXX	00.0	0.00	Coude urinary catheter	ď	¥4325
6	6	6	6	6	XXX	00.0	00.0	Straight urinary catheter	d	15E+Y
6	6	6	6	6	XXX	00.0	00.0	Male external catheter	ď	<i>Υ</i> 4347
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	9 <b>†€†∀</b>
		-	-		XXX	00.0	00.0	Indwelling catheter		
6	6	6	6	6				Indwelling catheter	ď	7434¢
6	6	6	6	6	XXX	00.0	00.0		ď	0454A
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	8££4A
6	6	6	6	6	XXX	00.0	00.0	Incontinence supply	ď	8554A
6	6	6	6	6	XXX	00.0	00.0	Stool collection pouch	d	₽4330
6	6	6	6	6	XXX	00.0	00.0	External catheter starter	ď	¥4356
6	6	6	6	6	XXX	00.0	00.0	Feminine urinary collect	ď	82£4A
6	6	6	6	6	XXX	00.0	00.0	Feminine urinary collect	ď	74327
6	6	6	6	6	XXX	00.0	00.0	Male external catheter	ď	A4326
	6					00.0	00.0	Saline irrigation		
6		6	6	6	XXX			Irrigation syringe, each	ď	£Z£⊅∀
6	6	6	6	6	XXX	00.0	00.0		ď	A4322
6	6	6	6	6	XXX	00.0	00.0	Catheter, therapeutic	X	A4321
6	6	6	6	6	XXX	00.0	00.0	Irrigation tray	d	A4320
6	6	6	6	6	XXX	00.0	00.0	3-way catheter with bag	d	91£Þ¥
6	6	6	6	6	XXX	00.0	00.0	2-way catheter with bag	ď	8154A
6	6	6	6	6	XXX	0.00	00.0	2-way catheter with bag	ď	4154A
6	6	6	6	6	XXX	00.0	00.0	3-way catheter, no bag	ď	8154A
6	6	6	6	6	XXX	00.0	00.0	Z-way catheter, no bag	ď	71544
					XXX	00.0	00.0	Catheter without bag	ď	
6	6	6	6	6				Insert tray without bag		1164A
6	6	6	6	6	XXX	00.0	00.0		ď	A4310
6	6	6	6	6	XXX	00.0	00.0	Drug delivery system	ď	90€⊅∀
6	6	6	6	6	XXX	00.0	00.0	Drug delivery system	ď	A4305

A4510	N	Full length stocking	0.00	0.00	XXX	9	9	9	9	9
A4550	Α	Surgical trays	0.92	0.92	XXX	9	9	9	9	9
A4554	N	Disposable underpads	0.00	0.00	XXX	9	9	9	9	9
A4556	P	Electrodes	0.00	0.00	XXX	9	9	9	9	9
A4557	P	Lead wires	0.00	0.00	XXX	9	9	9	9	9
A4558	P	Conductive paste or gel	0.00	0.00	XXX	9	9	9	9	9
A4560	X	Pessary	0.00	0.00	XXX	9	9	9	9	9
A4565	X	Slings	0.00	0.00	XXX	9	9	9	9	9
A4570	X	Splint	0.00	0.00	XXX	9	9	9	9	9
A4572	X	Rib belt	0.00	0.00	XXX	9	9	9	9	9
A4575	N	Hyperbaric oxygen chamber	0.00	0.00	XXX	9	9	9	9	9
A4580	X	Cast supplies	0.00	0.00	XXX	9	9	9	9	9
A4590	X	Special casting material	0.00	0.00	XXX	9	9	9	9	9
A4595	X	TENS supplies, 2 lead	0.00	0.00	XXX	9	9	9	9	9
A4611	X	Heavy duty battery	0.00	0.00	XXX	9	9	9	9	9
A4612	X	Battery cables	0.00	0.00	XXX	9	9	9	9	9
A4613	X	Battery charger	0.00	0.00	XXX	9	9	9	9	9
A4615	X	Cannula, nasal	0.00	0.00	XXX	9	9	9	9	9
A4616	X	Tubing (oxygen), per foot	0.00	0.00	XXX	9	9	9	9	9
A4617	X	Mouth piece	0.00	0.00	XXX	9	9	9	9	9
A4618	X	Breathing circuits	0.00	0.00	XXX	9	9	9	9	9
A4619	X	Face tent	0.00	0.00	XXX	9	9	9	9	9
A4620	X	Variable mask	0.00	0.00	XXX	9	9	9	9	9
A4621	X	Tracheotomy mask	0.00	0.00	XXX	9	9	9	9	9
A4622	X	Tracheostomy tube	0.00	0.00	XXX	9	9	9	9	9
A4623	X	Tracheostomy, inner	0.00	0.00	XXX	9	9	9	9	9
A4624	X	Tracheal suction	0.00	0.00	XXX	9	9	9	9	.9
A4625		Tracheostomy care kit	0.00	0.00	XXX	9	9	9	9	9
A4626	X	Tracheostomy cleaning	0.00	0.00	XXX	9	9	9	9	9
A4627	N	Spacer, bag or reservoir	0.00	0.00	XXX	9	9	9	9	9
A4628	X	Oropharyngeal suction	0.00	0.00	XXX	9	9	9	9	9
A4629	X	Tracheostomy care kit	0.00	0.00	XXX	ģ	9	9	9	9
A4630	X	Replacement battery, TENS	0.00	0.00	XXX	9	9	9	9	9
A4631	X	Wheelchair batteries	0.00	0.00	XXX	9	9	9	9	9
A4635	X	Underarm crutch pad	0.00	0.00	XXX	9	9	9	9	9
A4636	X	Handgrip, cane or crutch	0.00	0.00	XXX	9	9	9	9	9
A4637	X	Replace cane, crutch tip	0.00	0.00	XXX	9	9	9	9	9
A4640	X	Alternating pressure pad	0.00	0.00	XXX	9	9	9	9	9
A4641	Ē	Diagnostic imaging	0.00	0.00	XXX	9	9	9	9	9
A4642	Ē	Satumomab pendetide	0.00	0.00	XXX	9	9	9	9	9
A4643	Ē	High dose contrast	0.00	0.00	XXX	9	9	9	9	9
A4644	E	Osmolar contrast, 100-199	0.00	0.00	XXX	9	9	9	9	9
A4645	E	Osmolar contrast, 200-299	0.00	0.00	XXX	9	9	9	9	9
A4646	Ē	Osmolar contrast, 300-399	0.00	0.00	XXX	9	9	9	9	9
A4647	B	Paramagnetic contrast	0.00	0.00	XXX	9	9	9	9	9
A4649	P	Surgical supplies	0.00	0.00	XXX	9	9	9	9	9
A4650	X	Centrifuge	0.00	0.00	XXX	9	9	9	9	9
A4655	X	Needles and syringes	0.00	0.00	XXX	9	9	9	9	9
A4660	X	Blood pressure apparatus	0.00	0.00	XXX	9	9	9	9	9
A4663	X	Blood pressure cuff	0.00	0.00	XXX	9	9	9	9	9
A4670		Automatic blood pressure	0.00	0.00	XXX	9	9	9	9	9
A4680	X	Activated carbon filters	0.00	0.00	XXX	9	ģ	ģ	9	9
A4690	X	Dialyzers	0.00	0.00	XXX	9	9	9	9	9
A4700	X	Standard dialysis	0.00	0.00	XXX	9	9	9	9	9
A4705	X	Bicarbonate dialysis	0.00	0.00	XXX	ģ	ģ	9	ý	9
A4712	X	Sterile water	0.00	0.00	XXX	9	ģ	9	9	9
A4714	X	Treated water	0.00	0.00	XXX	9	9	9	9	9
A4730	X	Fistula cannulation	0.00	0.00	XXX	9	ģ	ģ	9	9
/	71	- Intala camillatation	3.00	0.00	4 24 24 2	_	-	-	-	

### FEES FOR MEDICAL SERVICES 5221.4030

A4735	X	Local/topical anesthetics	0.00	0.00	XXX	9	9	9	9	9
A4740	X	Shunt accessories	0.00	0.00	XXX	9	9	9	9	9
A4750	X	Arterial or venous tubing	0.00	0.00	XXX	9	9	9	9	9
A4755	X	Arterial, venous tubing	0.00	0.00	XXX	9	9	9	9	9
A4760	X	Standard testing solution	0.00	0.00	XXX	9	9	9	9	9
A4765	X	Dialysis concentrate	0.00	0.00	XXX	9	9	9	9	9
A4770	X	Blood testing supplies	0.00	0.00	XXX	9	9	9	9	9
A4771	X	Blood clotting	0.00	0.00	XXX	9	9	9	9	9
A4772	X	Dextrostick or glucose	0.00	0.00	XXX	9	9	9	9	9
A4773	X	Hemostix	0.00	0.00	XXX	9	9	9	9	9
A4774	X	Ammonia test paper	0.00	0.00	XXX	9	9	9	9	9
A4780	X	Sterilizing agent	0.00	0.00	XXX	9	9	9	9	9
A4790	X	Cleansing agents	0.00	0.00	XXX	9	9	9	9	9
A4800	X	Heparin and antidote	0.00	0.00	XXX	9	9	9	9	9
A4820		Hemodialysis supplies	0.00	0.00	XXX	9	9	9	9	9
A4850	X	Rubber tipped hemostats	0.00	0.00	XXX	9	9	9	9	9
A4860	X	Disposable catheter caps	0.00	0.00	XXX	9	9	9	9	9
A4870	X	Plumbing, electrical work	0.00	0.00	XXX	9	9	9	9	9
A4880	X	Water storage tanks	0.00	0.00	XXX	9	9	9	9	9
A4890	R	Contracts, repair	0.00	0.00	XXX	0	0	Ó	0	Ó
A4900	X	CAPD supply kit	0.00	0.00	XXX	9	9	9	9	9
A4901	X	CCPD supply kit	0.00	0.00	XXX	9	9	9	9	9
A4905	X	IPD supply kit	0.00	0.00	XXX	9	9	9	9	9
A4910	X	Nonmedical supplies	0.00	0.00	XXX	9	9	9	9	9
A4912		Gomco drain bottle	0.00	0.00	XXX	9	9	9	9	9
A4913	X	Miscellaneous supplies	0.00	0.00	XXX	9	9	9	9	9
A4914	X	Preparation kits	0.00	0.00	XXX	9	9	9	9	9
A4918	X	Venous pressure clamps	0.00	0.00	XXX	9	9	9	9	9
A4919	X	Dialyzer holder	0.00	0.00	XXX	9	9	9	9	9
A4920	X	Harvard pressure clamp	0.00	0.00	XXX	9	9	9	9	9
A4921	X	Measuring cylinder	0.00	0.00	XXX	9	9	9	9	9
A4927	X	Gloves	0.00	0.00	XXX	9	9	9	9	9
A5051	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5052	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5053	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5054	P	Closed ostomy pouch	0.00	0.00	XXX	9	ģ	ģ	ģ	9
A5055	P	Stoma cap	0.00	0.00	XXX	9	ģ	9	9	9
A5061	P	Drainable ostomy pouch	0.00	0.00	XXX	9	9	ģ	9	ģ
A5062	P	Drainable ostomy pouch	0.00	0.00	XXX	9	ģ	ģ	9	9
A5063	P	Drainable ostomy pouch	0.00	0.00	XXX	ģ	9	ģ	9	9
A5064	Ī	Drainable ostomy pouch	0.00	0.00	XXX	ģ	ģ	9	9	9
A5065	Î	Drainable ostomy pouch	0.00	0.00	XXX	ģ	ģ	9	ģ	9
A5071	P		0.00	0.00	XXX	9	9	9	9	9
A5072	P	Urinary pouch, no barrier	0.00	0.00	XXX	9	9	ģ	ģ	9
A5073	P	Urinary pouch, flange	0.00	0.00	XXX	9	ģ	9	9	9
A5074	Í	Urinary pouch, faceplate	0.00	0.00	XXX	9	9	9	9	9
A5075	Ī	Urinary pouch, faceplate	0.00	0.00	XXX	9	9	ģ	9	9
A5081	P	Continent stoma	0.00	0.00	XXX	9	9	ģ	9	9
A5082	P	Continent stoma	0.00	0.00	XXX	9	9	9	9	9
A5093	P	Ostomy accessory	0.00	0.00	XXX	9	9	9	9	9
A5102	P	Bedside drainage bottle	0.00	0.00	XXX	ģ	9	9	9	9
A5102 A5105	P		0.00	0.00	XXX	9	9	9	9	9
A5112	P	Urinary suspensory	0.00	0.00	XXX	9	9	9	9	9
A5112 A5113	r P	Urinary leg bag	0.00	0.00	XXX	9	9	9	9	9
A5113 A5114	P	Latex leg strap	0.00	0.00	XXX	9	9	9	9	9
	P	Foam or fabric leg strap				9	9	9	9	9
A5119 A5121	P	Skin barrier, wipes	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9	9	9	9	9
	r P	Skin barrier, solid				9	9	9	9	9
A5122	r	Skin barrier, solid	0.00	0.00	XXX	7	y	9	9	9

### 5221.4030 FEES FOR MEDICAL SERVICES

A5123	P	Skin barrier with flange	0.00	0.00	XXX	9	9	9	9	9
A5126	P	Adhesive, disc/foam pad	0.00	0.00	XXX	9	9	9	9	9
A5131	P	Appliance cleaner	0.00	0.00	XXX	9	9	9	9	9
<b>A</b> 5149	P	Incontinence, ostomy	0.00	0.00	XXX	9	9	9	9	9
A5500	X	Diabetic, shoe fitting	0.00	0.00	XXX	9	9	9	9	9
A5501		Diabetic, custom shoe	0.00	0.00	XXX	9	9	9	9	9
A5502		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5503		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5504		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5505		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5506		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5507	X	Diabetic, modification	0.00	0.00	XXX	9	9	9	9	9
A6020	P	Collagen dressing	0.00	0.00	XXX	9	9	9	9	9
A6025	Ī	Silicone gel sheet	0.00	0.00	XXX	9	9	9	9	9
A6154	P	Wound pouch, each	0.00	0.00	XXX	9	9	9	9	9
A6196	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6197	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6198	P	Alginate dressing	0.00		XXX	9	9	9	9	9
A6199	P	Alginate dressing	0.00	0.00	XXX	9	ģ	ģ	9	ģ
A6203	P	Composite dressing	0.00	0.00	XXX	9	ģ	9	ģ	9
A6204	P	Composite dressing	0.00	0.00	XXX	9	ģ	9	9	ģ
A6205	P	Composite dressing	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
A6206	P	Contact layer LT=16	0.00	0.00	XXX	ģ	ģ	9	ģ	9
A6207	P	Contact layer GT=16	0.00	0.00	XXX	ģ	ģ	ģ	9	9
A6208	P	Contact layer GT=48	0.00	0.00	XXX	9	ģ	9	9	9
A6209	P	Foam dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6210	P	Foam dressing GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6211	P	Foam dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6212	P	Foam dressing LT=16	0.00	0.00	XXX	9	9	ģ	9	ģ
A6213	P	Foam dressing GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6214	P	Foam dressing GT=48	0.00	0.00	XXX	9	9	9	9	ģ
A6215	P	Foam dressing	0.00	0.00	XXX	ģ	9	9	9	ģ
A6216	P	Nonsterile gauze	0.00	0.00	XXX	ģ	9	ģ	9	9
A6217	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	ģ	9
A6217	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6219	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	ý	9
A6220	P	Gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6221	P	Gauze GT=10 ET=48	0.00	0.00	XXX	9	9	9	9	9
A6222	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6223	P	Gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6224	P	Gauze GT=10 ET=48	0.00	0.00	XXX	9	9	9	. 9	9
A6228	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6229	P		0.00	0.00	XXX	9	9	9	9	9
A6230	P	Gauze GT=10 ET=48	0.00	0.00	XXX	9	9	9	9	9
A6234				0.00	XXX	9	9	9	9	9
	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6235	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6236 A6237	P	Hydrocolloid dressing Hydrocolloid dressing	$0.00 \\ 0.00$	0.00	XXX	9	9	9	9	9
	P				XXX	9	9	9	9	9
A6238	P	Hydrocolloid dressing	0.00	$0.00 \\ 0.00$	XXX	9	9	9	9	9
A6239	P	Hydrocolloid dressing	0.00			9	9	9	9	9
A6240	P	Hydrocolloid dressing	0.00	0.00	XXX	- 1		-	9	9
A6241	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9 9	9 9		9
A6242	P	Hydrogel dressing LT=16	0.00	0.00	XXX	9			9	
A6243	P	Hydrogel dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6244	P	Hydrogel dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6245	P	Hydrogel dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6246	P	Hydrogel dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6247	P	Hydrogel dressing GT=48	0.00	0.00	XXX	9	9	9	9	9

718

```
PET imaging
0
   0
       0
           0
               0
                           00.0
                                   00.0
                                                                             C0031 LC
                   XXX
                                                                          Э
                                   35.2
                                                           PET imaging
0
       0
           0
                           2.38
   0
               0
                   XXX
                                                                          A
                                                                              97
                                                                                  C0031
                                                           PET imaging
0
   0
       0
               0
                   XXX
                           00.0
                                   00.0
           0
                                                                          Э
                                                                                  COOST
                                                                          ŏ
                                                           PET imaging
0
   0
       0
           0
               0
                   XXX
                           00.0
                                   00.0
                                                                              G0030 LC
                                                           PET imaging
0
   0
       0
           0
               0
                   XXX
                           98.I
                                   98.I
                                                                          ¥
                                                                              97
                                                                                  C0030
                                                           PET imaging
           0
               0
0
   0
       0
                   XXX
                           00.0
                                   00.0
                                                                          Э
                                                                                  C0030
                                                         Semen analysis
               6
                   XXX
                           00.0
                                   00.0
                                                                          X
6
   6
       6
           6
                                                                                  C0051
                                                  recal leukocyte exam
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          X
6
                                                                                  C0076
                                                   Collagen skin test kit
                           26.0
                                   26.0
6
   6
       6
           6
               6
                   XXX
                                                                          ٧
                                                                                  G0052
                                                    Post symptom ECG
       0
               0
                           68.0
0
   0
           0
                   XXX
                                   68.0
                                                                          ٧
                                                                                  C0016
                                                    Fost symptom ECG
               0
                           28.8
                                   28.8
0
   0
       0
           0
                   XXX
                                                                          A
                                                                                  G0012
                                                 Administer hepatitis B
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          X
                                                                                  G0010
                                              Administer pneumococcal
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          X
                                                                                  C0000
                   XXX
                           00.0
                                   00.0
                                                 Administer flu vaccine
6
       6
           6
               6
                                                                          X
   6
                                                                                  C0008
                                                 ECG, physician review
               0
                   XXX
                           68.0
                                   68.0
0
   0
       0
           0
                                                                          ٧
                                                                                  G0007
0
       0
           0
               0
                   XXX
                           28.8
                                   28.8
                                                     ECG, transmission
                                                                                  Q0009
   0
                                                                          ¥
                                                ECG, 24 hour recording
       0
               0
                   XXX
                                   6I.1
0
   0
           0
                           91.1
                                                                          A
                                                                                  G0002
                                                     ECG, transmission
0
   0
       0
           0
               0
                   XXX
                           68.<sub>7</sub>
                                   68.<sub>7</sub>
                                                                          \forall
                                                                                  C000t
               7
                                                   Temporary urinalysis
0
   0
       ľ
           0
                   000
                           4I.I
                                   1.I.4
                                                                                  C0005
```

- (3) Miscellaneous G codes:
- (S) [Repealed, 25 SR 1142]

```
XXX
                           00.0
                                   00.0
                                                  Strontium-89 chloride
                                                                                  0096¥
6
   6
       6
           6
               6
                           00.0
                                               Thallous chloride TI 201
6
   6
       6
           6
               6
                   XXX
                                   00.0
                                                                          Ε
                                                                                  $0$6¥
                                                    Technetium to 99 m
6
       6
                           00.0
   6
               6
                   XXX
                                   00.0
                                                                          \mathbf{F}
                                                                                  £056A
6
                   XXX
                           00.0
                                   00.0
                                                    m ee of muitennoeT
   6
       6
           6
               6
                                                                          X
                                                                                  Z026A
                                                    Technetium to 99 m
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          \mathbf{E}
                                                                                  0056¥
6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                    Exercise equipment
   6
                                                                          N
                                                                                  00£6¥
                                                       Noncovered item
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          N
                                                                                  0729A
                                                  Personal comfort item
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          N
                                                                                  06I6A
                   XXX
                           00.0
                                   00.0
                                              Chiropractor, noncovered
6
   6
       6
           6
               6
                                                                          N
                                                                                  0719A
                                                 Podiatrist, noncovered
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          N
                                                                                  0916A
                                                 Nonprescription drugs
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          Ε
                                                                                  0$16A
                                                Sterile nonelastic gauze
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  9079¥
                                                    Sterile clastic gauze
                   XXX
                           00.0
                                   00.0
                                                                                  ₹0₽9∀
6
   6
       6
           6
               6
                                                                          ď
                                                   Sterile gauze GT=48
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  7079¥
                                          Sterile gauze GT=16 LT=48
                                   00.0
6
   6
       6
           6
               6
                   XXX
                           00.0
                                                                          ď
                                                                                  £049A
                                                   Sterile gauze LT=16
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  7079¥
                                                     Impregnated gauze
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  9979¥
                                                 Tape, 18 square inches
                   XXX
                           00.0
                                   00.0
                                                                                  $979∀
6
   6
       6
           6
               6
                                                                          d
                                                       Nonsterile gauze
                   XXX
                           00.0
                                   00.0
                                                                                  ₽97.9¥
6
   6
       6
           6
               6
                                                                          d
                                                Nonsterile elastic gauze
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          ď
                                                                                  £929A
                                                       Wound filler, dry
6
   6
       6
           6
               6
                           00.0
                                   00.0
                                                                          ď
                                                                                  Z9Z9A
                   XXX
                                                Wound filler, gel, paste
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                                  1929A
                                                                          d
                                                       Wound cleansers
                                                                                  0979¥
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          ď
                           00.0
                                   00.0
                                                       Transparent film
6
   6
       6
           6
               6
                   XXX
                                                                          d
                                                                                  6529¥
                                                       Transparent film
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  8229A
                                                       Transparent film
6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  LSZ9A
   6
       6
                                            Absorptive dressing GT=48
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  9829A
6
   6
       6
                                            Absorptive dressing GT=16
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  Y6255
                           00.0
                                   00.0
                                            Absorptive dressing LT=16
                                                                                  V6254
6
   6
       6
           6
               6
                   XXX
                                                                          d
                                            Absorptive dressing GT=48
6
   6
       6
               6
                   XXX
                           00.0
                                   00.0
                                                                          d
                                                                                  £829A
           6
                                            Absorptive dressing GT=16
                   XXX
                           00.0
                                   00.0
                                                                                  A6252
6
   6
       6
           6
               6
                                                                          d
                                            Absorptive dressing LT=16
6
   6
       6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          ď
                                                                                  ISZ9A
                                                   Skin seal protectants
                                                                                  A6250
6
   6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                          ď
       6
                                                  Hydrogel dressing gel
6
   6
           6
               6
                   XXX
                           00.0
                                   00.0
                                                                                  8429A
       6
```

G0032		С	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0032	26	Ā	PET following SPECT	1.86	1.86	XXX	0	0	0	Ō	0
G0032	TC	C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0033		Č	PET following SPECT	0.00	0.00	XXX	0	0	Ŏ	Ŏ	0
G0033	26	Ă	PET following SPECT	2.38	2.38	XXX	Ŏ	.0	ŏ	ŏ	ŏ
G0033	TC	C	PET following SPECT	0.00	0.00	XXX	ŏ	ŏ	0	ŏ	ŏ
G0033	10	č	PET following SPECT	0.00	0.00	XXX	ŏ	ŏ	ŏ	0	ő
G0034	26	Ă	PET following SPECT	1.86	1.86	XXX	ŏ	ŏ	0	Ö	0
G0034		C	PET following SPECT	0.00	0.00	XXX	ŏ	ŏ	ő	0	ŏ
G0035	10	Č	PET following SPECT	0.00	0.00	XXX	ő	ŏ	ő	0	0
G0035	26	Ă	PET following SPECT	2.38	2.38	XXX	0	ő	0	0	0
G0035	TC	Ĉ	PET following SPECT	0.00	0.00	XXX	0	ő	0	0	0
G0036	10	Č	PET following coronary	0.00	0.00	XXX	ő	ŏ	ő	ő	0
G0036	26	Ă	PET following coronary	1.86	1.86	XXX	ŏ	ő	0	0	ő
G0036	TC	Ĉ	PET following coronary	0.00	0.00	XXX	0	ő	0	0	0
G0030	10	Č	PET following coronary	0.00	0.00	XXX	0	ŏ	0	0	0
G0037	26	A	PET following coronary	2.38	2.38	XXX	0	ŏ	0	0	0
G0037	TC	Ĉ	PET following coronary	0.00	0.00	XXX	0	ŏ	0	0	0
G0037	I C	Č	PET following myocardial	0.00	0.00	XXX	0	ő	0	0	0
G0038	26	Ă	PET following myocardial	1.86	1.86	XXX	0	ő	0,	0	0
G0038	TC	Ĉ		0.00	0.00	XXX	0	ő	0	0	0
	1 C	Č	PET following myocardial			XXX	0	0			0
G0039 G0039	26	A	PET following myocardial	0.00 2.38	0.00 2.38	XXX	0	0	$0 \\ 0$	$0 \\ 0$	0
			PET following myocardial			XXX	0		0		
G0039	TC	C	PET following myocardial	0.00	0.00			0		0	0
G0040	26	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0040	26 TC	A	PET following stress	1.86	1.86	XXX	0	0	0	0	0
G0040	TC	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0041	26	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0041	26 TC	A	PET following stress	2.38	2.38	XXX	0	0	0	0	0
G0041	TC	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0042	26	C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0042	26 TC	A	PET follow ventriculogram	1.86	1.86	XXX XXX	0	0	0	0	0
G0042	TC	C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0043	26	C	PET follow ventriculogram	0.00	0.00		0	0	0	0	0
G0043	26 TC	A	PET follow ventriculogram	2.38	2.38	XXX	0	0	0	0	0
G0043	TC	C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0044	26	C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0044	26 TC	A	PET following rest	1.86	1.86	XXX	0	0	0	0	0
G0044	TC	C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0045	26	C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0045	26 TC	A	PET following rest	2.38	2.38	XXX	0	0	0	0	0
G0045	TC	C	PET following rest	0.00	0.00	XXX	$0 \\ 0$	0	0	0	0
G0046	26	Ç		0.00	0.00	XXX	-	0	0	0	0
G0046	26 TC		PET following stress	1.86	1.86	XXX XXX	0	0	0	0	0
G0046	TC	C	PET following stress	0.00	0.00		0	0	0	0	0
G0047	20	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0047	26 TC	A	PET following stress	2.38	2.38	XXX	0	0	0	0	0
G0047	TC	Ċ	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0050		A	Measure residual urine	0.81	0.81	XXX	0	0	0	0	0
G0051		D	Destroy benign, malignant	0.92	0.72	010	2	0	1	0	0
G0052		D	Destroy lesions	0.29	0.23	ZZZ	. 0	0	1	0	0
G0053		D	Destroy lesions	5.05	3.97	010	2	0	1	0	0
G0058		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0059		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0060		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0062	0.	D	Peripheral bone	1.03	1.03	XXX	0	0	0	0	0
G0062	26 TC	D	Peripheral bone	0.31	0.31	XXX	0	0	0	0	0
G0062	IC	D	Peripheral bone	0.72	0.72	XXX	0	0	0	0	0

G0063	D	Central bone density	3.35	3.35	XXX	0	0	0	0	0
G0063 26	Ď	Central bone density	0.40			ŏ				
				0.40	XXX	_	0	0	0	0
G0063 TC	D	Central bone density	2.95	2.95	XXX	0	0	0	0	0
G0064	D	Care plan oversight	2.09	2.09	XXX	0	0	0	0	0
G0065	D	Care plan oversight	2.09	2.09	XXX	0	0	0	0	0
G0066	D	Care plan oversight	0.00	0.00	XXX	9	9	9	9	9
G0071			1.37	1.37	XXX	Ó	ó	ó	ó	ó
	D	Psychotherapy								
G0072	D	Psychotherapy	1.70	1.70	XXX	0	0	0	0	0
G0073	D	Psychotherapy	2.14	2.14	XXX	0	0	0	0	0
G0074	D	Psychotherapy	2.38	2.38	XXX	0	0	0	0	0
G0075	D	Psychotherapy	3.60	3.60	XXX	0	0	0	0	0
G0076	D	Psychotherapy	3.96	3.96	XXX	0	0	0	0	0
G0077	D	Psychotherapy	1.70	1.70	XXX	0	0	0	Õ	0
G0078	Ď	Psychotherapy	2.05	2.05	XXX	ŏ	ő	0	ŏ	ŏ
						- 1				
G0079	D	Psychotherapy	2.31	2.31	XXX	0	0	0	0	0
G0080	D	Psychotherapy	2.57	2.57	XXX	0	0	0	0	0
G0081	D	Psychotherapy	3.32	3.32	XXX	0	0	0	0	0
G0082	D	Psychotherapy	3.70	3.70	XXX	0	0	0	0	0
G0083	D	Psychotherapy	1.49	1.49	XXX	0	0	0	0	0
G0084	D	Psychotherapy	1.86	1.86	XXX	0	0	0	0	Ŏ
G0085	Ď	Psychotherapy	2.33	2.33	XXX	ő	ŏ	ő	Ö	ő
G0086	_		2.60	2.60	XXX	_				
	D	Psychotherapy				0	0	0	0	0
G0087	D	Psychotherapy	3.90	3.90	XXX	0	0	0	0	0
G0088	D	Psychotherapy	4.30	4.30	XXX	0	0	0	0	0
G0089	D	Psychotherapy	1.83	1.83	XXX	0	0	0	0	0
G0090	D	Psychotherapy	2.23	2.23	XXX	0	0	0	0	0
G0091	D	Psychotherapy	2.51	2.51	XXX	0	0	0	0	0
G0092	Ď	Psychotherapy	2.81	2.81	XXX	Ŏ	ŏ	ŏ	Õ	0
G0093	Ď	Psychotherapy	3.63	3.63	XXX	0	0	ő	0	0
G0094	D	Psychotherapy	4.07	4.07	XXX	0	0	0	0	0
G0100	D	HIV-1, viral load	0.00	0.00	XXX	9	9	9	9	9
G0101	Α	CA screen, pelvis	0.69	0.69	XXX	0	0	0	0	0
G0104	Α	CA screen, flexible	2.13	1.45	000	2	0	1	0	0
G0105	Α	Colorectal screen	7.56	7.51	000	2	0	1	0	0
G0106	Α	Colon CA screen	3.51	3.51	XXX	0	0	0	0	0
G0106 26	A	Colon CA screen	1.37	1.37	XXX	Ŏ	Ŏ	ŏ	ŏ	0
G0106 TC	A	Colon CA screen	2.13	2.13	XXX	0	ő	0	ő	0
G0107	X	CA screen, fecal	0.00	0.00	XXX	9	9	9	9	9
G0110	R	Nett pulm-rehab	1.09	1.09	XXX	0	0	0	0	0
G0111	R	Nett pulm-rehab	0.45	0.45	XXX	0	0	0	0	0
G0112	R	Nett, nutrition	2.55	2.55	XXX	0	0	0	0	0
G0113	R	Nett, nutrition	1.96	1.96	XXX	0	0	0	0	0
G0114	R	Nett, psychosocial	1.49	1.49	XXX	0	0	0	0	0
G0115	R	Nett, psychological	1.49	1.49	XXX	ŏ	Ö	ŏ	ŏ	0
G0116	R	Nett, psychosocial	1.37	1.37	XXX	0	0	0	0	0
								_		
G0120	A	Colon CA screen	3.51	3.51	XXX	0	0	0	0	0
G0120 26	Α	Colon CA screen	1.37	1.37	XXX	0	0	0	0	0
G0120 TC	Α	Colon CA screen	2.13	2.13	XXX	0	0	0	0	0
G0121	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0122	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0122 26	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0122 TC	N	Colon CA screen	0.00	0.00	XXX	ģ	ģ	9	ģ	9
00122 10	14	Colon CA screen	0.00	0.00	$\Lambda\Lambda\Lambda$	7	7	7	7	7
//\ <b>&gt;</b> ***										
(4) Miscella	nec	ous J codes:								
J0120	Ε	Tetracycline injection	0.00	0.00	XXX	9	9	9	9	9
J0150	E	Adenosine injection	0.00	0.00	XXX	9	9	9	9	9

								<b>T T</b>		
6	6	6	6	6	XXX	00.0	00.0	Codeine phosphate	$\mathbf{E}$	2470l
6	6	6	6	6	XXX	00.0	0.00	Cilastatin sodium	Е	10743
	_	_	_		XXX	00.0	00.0	Cidofovir injection	$\tilde{\mathrm{E}}$	0470t
6	6	6	6	6						
6	6	6	6	6	XXX	00.0	00.0	Clonidine hydrochloride	$\mathbf{E}$	se70t
6	6	6	6	6	XXX	00.0	00.0	Chlorpheniramine maleate	Е	10730
6	6	6	6	6	XXX	00.0	00.0	Chorionic gonadotropin	$\mathbf{E}$	10725
6	6	6	6	6	XXX	00.0	00.0	Chloramphenicol	Ē	10720
								Ceftizoxime sodium		
6	6	6	6	6	XXX	00.0	00.0		$\mathbf{E}$	2170t
6	6	6	6	6	XXX	00.0	00.0	Ceftazidime injection	$\mathbf E$	10713
6	6	6	6	6	XXX	00.0	00.0	Cephapirin sodium	E	10710
6	6	6	6	6	XXX	00.0	00.0	Betamethasone sodium	Е	1070t
						00.0		Betamethasone acetate	Ē	10701
6	6	6	6	6	XXX		00.0			
6	6	6	6	6	XXX	00.0	00.0	Cefotaxime sodium	Е	8690ſ
6	6	6	6	6	XXX	00.0	00.0	Sterile cefuroxime sodium	${\sf E}$	7690t
6	6	6	6	6	XXX	00.0	00.0	Ceftriaxone sodium	$\mathbf E$	9690ſ
6	6	6	6	6	XXX	00.0	00.0	Cefonicid sodium	Ē	\$690f
			_					Cefoxifin sodium	E	
6	6	6	6	6	XXX	00.0	00.0	** * * *		\$690f
6	6	6	6	6	XXX	00.0	00.0	Cefazolin sodium	$\mathbf{E}$	06901
6	6	6	6	6	XXX	00.0	00.0	Mepivacaine injection	Е	0490f
6	6	6	6	6	XXX	00.0	00.0	Leucovorin calcium	${f E}$	10640
6	6	6	6	6	XXX	00.0	00.0	Calcitriol injection	$\stackrel{-}{ m E}$	10932
								Calcitonin salmon	E	
6	6	6	6	6	XXX	00.0	00.0			06900
6	6	6	6	6	XXX	00.0	00.0	Calcium glycerophosphate	$\mathbf E$	10620
6	6	6	6	6	XXX	00.0	00.0	Calcium gluconate	$\mathbf{E}$	10910
6	6	6	6	6	XXX	00.0	00.0	Edetate calcium disodium	$\mathbf{E}$	10900
6	6	6	6	6	XXX	00.0	00.0	Ethylnorepinephrine HCL	$\bar{\mathrm{E}}$	06501
								Botulinum toxin	E	
6	6	6	6	6	XXX	00.0	00.0	• • • •		30288
6	6	6	6	6	XXX	00.0	00.0	Penicillin G benzathine	$\mathbf{E}$	10580
6	6	6	6	6.	XXX	00.0	00.0	Penicillin G benzathine	E	0720 <b>t</b>
6	6	6	6	6	XXX	00.0	00.0	Penicillin G benzathine	${\sf E}$	10260
6	6	6	6	6	XXX	00.0	00.0	Penicillin G benzathine	Ε	10550
6	6	6	6	6	XXX	00.0	00.0	Penicillin G benzathine	E	05201
-										
6	6	6	6	6	XXX	00.0	00.0	Penicillin G benzathine	$\mathbf{E}$	10530
6	6	6	6	6	XXX	00.0	00.0	Bethanechol chloride	$\mathbf{E}$	10520
6	6	6	6	6	XXX	00.0	00.0	Benztropine injection	$\mathbf{E}$	20212
6	6	6	6	6	XXX	00.0	00.0	Benzquinamide injection	E	10210
6	6	6	6	6	XXX	00.0	00.0	Dicyclomine injection	$\widetilde{\mathbf{E}}$	10500
								Baclofen	Ē	2740l
6	6	6	6	6	XXX	00.0	00.0			
6	6	6	6	6	XXX	00.0	00.0	Dimercaprol injection	$\mathbf{E}$	0740l
6	6	6	6	6	XXX	00.0	00.0	Atropine sulfate	$\mathbf{E}$	10490
6	6	6	6	6	XXX	00.0	00.0	Trimethaphan injection	$\mathbf{E}$	10400
6	6	6	6	6	XXX	00.0	00.0	Chloroquine injection	$\mathbf{E}$	10390
_	6	_	-	6		00.0	00.0	Metaraminol injection	Ē	10380
6		6	6	-	XXX					
6	6	6	6	6	XXX	00.0	00.0	Hydralazine HČL	$\mathbf{E}$	09£0t
6	6	6	6	6	XXX	00.0	00.0	Anistreplase injection	$\mathbf{E}$	10320
6	6	6	6	6	XXX	00.0	0.00	Nandrolone phenpropionate	$\mathbf{E}$	10340
6	6	6	6	6	XXX	00.0	00.0	Succinylcholine chloride	E	10330
					XXX		00.0	Amobarbital	E	10300
6	6	6	6	6		00.0				
6	6	6	6	6	XXX	00.0	00.0	muibos nilliəiqmA	Е	10295
6	6	6	6	6	XXX	00.0	00.0	muibos nilliəiqmA	$\mathbf{E}$	10590
6	6	6	6	6	XXX	00.0	0.00	Aminophylline Aminophylline →	$\mathbf{E}$	10280
6	6	6	6	6	XXX	00.0	00.0	Alprostadil	Ē	10270
								Alpha 1, protein	E	
6	6	6	6	6	XXX	00.0	00.0			10526
6	6	6	6	6	XXX	00.0	00.0	Methyldopate HCL	$\mathbf{E}$	10210
6	6 .	6	6	6	XXX	00.0	00.0	Amitostine	Е	10201
6	6	6	6	6	XXX	00.0	00.0	Alglucerase injection	Е	10205
6	6	6	6	6	XXX	00.0	00.0	Biperiden injection	Ē	10190
								Adrenalin, epinephrine	E E	
6	6	6	6	6	XXX	00.0	00.0	anindaanina nilenanhA	1	07100

### FEES FOR MEDICAL SERVICES 5221.4030

J0760	Ė	Colchicine injection	0.00	0.00	XXX	9	9	9	9	9
J0770	Е	Colistimethate sodium	0.00	0.00	XXX	9	9	9	9	9
J0780	Ē	Prochlorperazine	0.00	0.00	XXX	9	9	9	9	9
J0800	Ĕ		0.00	0.00	XXX	9	ģ	ģ	9	9
		Corticotropin								
J0810	E	Cortisone injection	0.00	0.00	XXX	9	9	9	9	9
J0835	Ė	Cosyntropin injection	0.00	0.00	XXX	9	9	9	9	9
J0850	E	Cytomegalovirus	0.00	0.00	XXX	9	9	9	9	9
J0895	Ε	Deferoxamine mesylate	0.00	0.00	XXX	9	9	9	9	9
J0900	Ē	Testosterone enanthate	0.00	0.00	XXX	9	9	9	9	9
J0945	Ē		0.00			9	9	9	9	9
		Brompheniramine maleate		0.00	XXX					
J0970	E	Estradiol valerate	0.00	0.00	XXX	9	9	9	9	9
J1000	Е	Depo-estradiol cypionate	0.00	0.00	XXX	9	9	9	9	9
J1020	Е	Methylprednisolone	0.00	0.00	XXX	9	9	9	9	9
J1030	E	Methylprednisolone	0.00	0.00	XXX	9	9	9	9	9
J1040	Е	Methylprednisolone	0.00	0.00	XXX	9	9	9	9	9
J1050	Ē	Medroxyprogesterone	0.00	0.00	XXX	ģ	ģ	9	9	9
						-	9	9	9	9
J1055	N	Medroxyprogesterone	0.00	0.00	XXX	9				
J1060	Ε	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1070	E	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1080	Ε	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1090	Ε	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1095	E	Dexamethasone injection	0.00	0.00	XXX	9	9	9	9	9
J1100	Ē	Dexamethasone acetate	0.00	0.00	XXX	9	9	9	9	9
J1110	Ē	Dihydroergotamine	0.00	0.00	XXX	ģ	9	ģ	9	9
J1120	Ē	Acetazolamide sodium	0.00	0.00	XXX	9	9	9	9	9
J1160	E	Digoxin injection	0.00	0.00	XXX	9	9	9	9	9
J1165	E	Phenytoin sodium	0.00	0.00	XXX	9	9	9	9	9
J1170	Е	Hydromorphone injection	0.00	0.00	XXX	9	9	9	9	9
J1180	E	Dyphylline injection	0.00	0.00	XXX	9	9	9	9	9
J1190	Е	Dexrazoxane HCL	0.00	0.00	XXX	9	9	9	9	9
J1200	E	Diphenhydramine HCL	0.00	0.00	XXX	9	9	9	9	9
J1205	Ē	Chlorothiazide sodium	0.00	0.00	XXX	ģ	ģ	9	9	9
J1212	Ē	Dimethyl sulfoxide	0.00	0.00	XXX	9	9	ģ	9	9
							9	9	9	9
J1230	E	Methadone injection	0.00	0.00	XXX	9				
J1240	E	Dimenhydrinate	0.00	0.00	XXX	9	9	9	9	9
J1245	É	Dipyridamole	0.00	0.00	XXX	9	9	9	9	9
J1250	Е	Dobutamine injection	0.00	0.00	XXX	9	9	9	9	9
J1320	Ε	Amitriptyline injection	0.00	0.00	XXX	9	9	9	9	9
J1325	Е	Epoprostenol	0.00	0.00	XXX	9	9	9	9	9
J1330	Ē	Ergonovine maleate	0.00	0.00	XXX	9	9	ģ	9	9
J1362					XXX	9	9	9	9	9
	E	Erythromycin gluceptate	0.00	0.00			_			
J1364	E	Erythromycin lactobionate	0.00	0.00	XXX	9	9	9	9	9
J1380	E	Estradiol valerate	0.00	0.00	XXX	9	9	9	9	9
J1390	Е	Estradiol valerate	0.00	0.00	XXX	9	9	9	9	9
J1410	Е	Estrogen conjugated	0.00	0.00	XXX	9	9	9	9	9
J1435	Ε	Estrone injection	0.00	0.00	XXX	9	9	9	9	9
J1436	Ē	Etidronate disodium	0.00	0.00	XXX	9	9	9	9	9
J1440	Ē	Filgrastim	0.00	0.00	XXX	ģ	ģ	9	9	9
		_				9	9	9	9	9
J1441	E	Filgrastim	0.00	0.00	XXX					
J1455	E	Foscarnet sodium	0.00	0.00	XXX	9	9	9	9	9
J1460	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1470	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1480	Ε	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1490	Е	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1500	Ē	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1510	Ē	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
	E		0.00			9	9	9	9	9
J1520 J1530	E	Gamma globulin Gamma globulin		0.00	XXX	-		9	9	9
		תונוסטוע גווווווס ב	0.00	0.00	XXX	9	9	y	y	y

# 5221.4030 FEES FOR MEDICAL SERVICES

J1540	Е	Gamma globulin	0.00	0.00	XXX	9	9	9	9.	9
J1550	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1560	Ε	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1561	Ε	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1562	E	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1565	É	RSV-ivig	0.00	0.00	XXX	9	9	9	9	9
J1570	Е	Ganciclovir sodium	0.00	0.00	XXX	9	9	9	9	9
J1580	Ē	Garamycin, gentamicin	0.00	0.00	XXX	9	9	9	9	9
J1600	Ē	Gold sodium thiomalate	0.00	0.00	XXX	9	9	9	9	9
J1610	Ē	Glucagon hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1620	Ē	Gonadorelin hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1625	D	Granisetron hydrochloride	0.00	0.00	XXX	9	9	9	9.	9
J1626	Ĕ	Granisetron hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1630	Ē	Haloperidol injection	0.00	0.00	XXX	9	9	9	9	9
J1631	Ē	Haloperidol decanoate	0.00	0.00	XXX	9	9	9	9	9
J1642	Ē	Heparin sodium injection	0.00	0.00	XXX	9	ģ	9	9	9
J1644	Ē	Heparin sodium injection	0.00	0.00	XXX	ģ	ģ	9	9	9
J1645	Ē	Dalteparin sodium	0.00	0.00	XXX	9	9	9	ģ	ģ
J1650	Ē	Enoxaparin sodium	0.00	0.00	XXX	9	ģ	9	ģ	9
J1670	Ē	Tetanus immune globulin	0.00	0.00	XXX	ģ	ģ	9	ģ	9
J1690	Ē	Prednisolone tebutate	0.00	0.00	XXX	9	ģ	9	9	9
J1700	Ē	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1710	E	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1720	Ē	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1720 J1730	Ē	Diazoxide injection	0.00	0.00	XXX	9	9	9	9	9
J1730 J1739	E		0.00	0.00	XXX	9	9	9	9	9
J1739 J1741	E	Hydroxyprogesterone Hydroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1741 J1742	E	Ibutilide fumar	0.00	0.00	XXX	9	9	9	.9	9
J1742 J1760	E	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1770	Ë	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1770 J1780	E	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1785	E	Imiglucerase injection	0.00	0.00	XXX	9	9	9	9	9
J1790	Ē	Droperidol injection	0.00	0.00	XXX	9	9	9	9	9
J1800	Ē	Propranolol injection	0.00	0.00	XXX	9	9	9	9	9
J1810	E	Droperidol and fentanyl	0.00	0.00	XXX	9	9	9	9	9
J1820	E		0.00	0.00	XXX	9	9	9	9	9
		Insulin injection			XXX	9	9	9	9	9
J1825	E E	Interferon beta Interferon beta	0.00	0.00	XXX	9	9	9	9	9
J1830 J1840	E		$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX	9	9	9	9	9
J1850	E	Kanamycin sulfate Kanamycin sulfate	0.00	0.00	XXX	9	9	9	9	9
J1885	E			0.00	XXX	9	9	9	9	9
J1890	E	Ketorolac tromethamine	$0.00 \\ 0.00$	0.00	XXX	9	9	9	9	9
		Cephalothin sodium			XXX	9	9	9	9	9
J1910	E	Kutapressin injection	0.00	0.00		9	9	9	9	9
J1930	E	Propiomazine injection	0.00	0.00	XXX		9	9	9	9
J1940	E	Furosemide injection	0.00	0.00	XXX	9	9		9	
J1950	E	Leuprolide acetate	0.00	0.00	XXX	9	9	9	9	9
J1955	E	Levocarnitine injection	0.00	0.00	XXX	9			9	9
J1960	E	Levorphanol tartrate	0.00	0.00	XXX	9	9 9	9 9		9
J1970	E	Methotrimeprazine	0.00	0.00	XXX	9			9	9
J1980	E	Hyoscyamine sulfate	0.00	0.00	XXX	9	9	9	9	9
J1990	E	Chlordiazepoxide HCL	0.00	0.00	XXX	9	9	9	9	9
J2000	E	Lidocaine injection	0.00	0.00	XXX	9	9	9	9	9
J2010	E	Lincomycin injection	0.00	0.00	XXX	9	9	9	9	9
J2060	E	Lorazepam injection	0.00	0.00	XXX	9	9	9	9	9
J2150	E	Mannitol injection	0.00	0.00	XXX	9	9	9	9	9
J2175	Ė	Meperidine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2180	E	Meperidine, promethazine	0.00	0.00	XXX	9	9	9	9	9
J2210	E	Methylergonovine	0.00	0.00	XXX	9	9	9	9	9

### FEES FOR MEDICAL SERVICES 5221.4030

J2240	Е	Metocurine iodine	0.00	0.00	XXX	9	9	9	9	9
J2250	Е	Midazolam hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2260	Ē	Milrinone injection	0.00	0.00	XXX	9	9	9	9	9
J2270	Ē	Morphine sulfate	0.00	0.00	XXX	9	9	9	9	9
J2275	Ē	Morphine sulfate	0.00	0.00	XXX	9	ģ	9	9	9
J2300	Ē	Nalbuphine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2310	Ē	Naloxone hydrochloride	0.00	0.00	XXX	9	9	ģ	9	9
J2320	Ē	Nandrolone decanoate	0.00	0.00	XXX	9	9	9	9	9
J2320 J2321	E	Nandrolone decanoate				9	9	9	9	9
	E	Nandrolone decanoate	0.00	0.00	XXX XXX	9	9	9	9	9
J2322 J2330	E		$0.00 \\ 0.00$	0.00		9	9	9	9	9
		Thiothixene injection		0.00	XXX	9	9	9	9	9
J2350	E	Niacinamide, niacin	0.00	0.00	XXX	-		9		
J2360	E	Orphenadrine citrate	0.00	0.00	XXX	9	9		9	9
J2370	E	Phenylephrine HCL	0.00	0.00	XXX	9	9	9	9	9
J2400	E	Chloroprocaine HCL	0.00	0.00	XXX	9	9	9	9	9
J2405	E	Ondansetron HCL	0.00	0.00	XXX	9	9	9	9	9
J2410	E	Oxymorphone HCL	0.00	0.00	XXX	9	9	9	9	9
J2430	E	Pamidronate disodium	0.00	0.00	XXX	9	9	9	9	9
J2440	E	Papaverine HCL	0.00	0.00	XXX	9	9	9	9	9
J2460	E	Oxytetracycline HCL	0.00	0.00	XXX	9	9	9	9	9
J2480	E	Hydrochlorides	0.00	0.00	XXX	9	9	9	9	9
J2510	Е	Penicillin G procaine	0.00	0.00	XXX	9	9	9	9	9
J2512	E	Pentagastrin injection	0.00	0.00	XXX	9	9	9	9	9
J2515	Е	Pentobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2540	E	Penicillin G potassium	0.00	0.00	XXX	9	9	9	9	9
J2545	E	Pentamidine isethionate	0.00	0.00	XXX	9	9	9	9	9
J2550	Е	Promethazine HCL	0.00	0.00	XXX	9	9	9	9	9
J2560	Е	Phenobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2590	Ė	Oxytocin injection	0.00	0.00	XXX	9	9	9	9	9
J2597	Е	Desmopressin acetate	0.00	0.00	XXX	9	9	9	9	9
J2640	Е	Prednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2650	Ε	Prednisolone acetate	0.00	0.00	XXX	9	9	9	9	9
J2670	E	Tolazoline HCL	0.00	0.00	XXX	9	9	9	9	9
J2675	E	Progesterone injection	0.00	0.00	XXX	9	9	9	9	9
J2680	Е	Fluphenazine decanoate	0.00	0.00	XXX	9	9	9	9	9
J2690	Е	Procainamide HCL	0.00	0.00	XXX	9	9	9	9	9
J2700	E	Oxacillin sodium	0.00	0.00	XXX	9	9	9	9	9
J2710	Е	Neostigmine methylsulfate	0.00	0.00	XXX	9	9	9	9	9
J2720	Е	Protamine sulfate	0.00	0.00	XXX	9	9	9	9	9
J2725	Ε	Protirelin	0.00	0.00	XXX	9	9	9	9	9
J2730	E	Pralidoxime chloride	0.00	0.00	XXX	9	9	9	9	9
J2760	Е	Phentolamine mesylate	0.00	0.00	XXX	9	9	9	9	9
J2765	E	Metoclopramide HCL	0.00	0.00	XXX	9	9	9	9	9
J2790	E	Rho D immune globulin	0.00	0.00	XXX	9	9	9	9	9
J2800	E	Methocarbamol injection	0.00	0.00	XXX	9	9	9	9	9
J2810	E	Theophylline injection	0.00	0.00	XXX	9	9	9	9	9
J2820	Е	Sargramostim injection	0.00	0.00	XXX	9	9	9	9	9
J2860	Е	Secobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2910	E	Aurothioglucose	0.00	0.00	XXX	9	9	9	9	9
J2912	Е	Sodium chloride	0.00	0.00	XXX	9	9	9	9	9
J2920	E	Methylprednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2930	Ē	Methylprednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2950	Ē	Promazine HCL injection	0.00	0.00	XXX	9	9	ģ	9	ģ
J2970	Ē	Methicillin sodium	0.00	0.00	XXX	9	9	9	9	9
J2995	Ē	Streptokinase injection	0.00	0.00	XXX	9	9	9	9	9
J2996	Ē	Alteplase recombinant	0.00	0.00	XXX	9	9	9	9	9
J3000	Ë	Streptomycin injection	0.00	0.00	XXX	9	9	9	9	9
J3005	Ď	Strontium-89 chloride	0.00	0.00	XXX	9	9	9	9	9
32002	U	ottonidani-07 cilioride	0.00	0.00	$\Lambda \Lambda \Lambda$	,	)	)	,	J

### 5221.4030 FEES FOR MEDICAL SERVICES

J3010	Е	Fentanyl citrate	0.00	0.00	XXX	9	9	9	9	9
J3030	Е	Sumatriptan succinate	0.00	0.00	XXX	9	9	9	9	9
J3070	Е	Pentazocine HCL	0.00	0.00	$\cdot XXX$	9	9	9	9	9
J3080	E	Chlorprothixene	0.00	0.00	XXX	9	9	9	9	9
J3105	E	Terbutaline sulfate	0.00	-0.00	XXX	9	9	9	9	9
J3120	. E	Testosterone enanthate	0.00	0.00	XXX	9	9	9	9	9
J3130	E	Testosterone enanthate	0.00	0.00	XXX	9	9	9	9	9
J3140	Е	Testosterone suspension	0.00	0.00	XXX	9	9	9	9	9
J3150	Е	Testosterone propionate	0.00	0.00	XXX	9	9	9	9	9
J3230	Е	Chlorpromazine HCL	0.00	0.00	XXX	9	9	9	9	9
J3240	Е	Thyrotropin injection	0.00	0.00	XXX	9	9	9	9	9
J3250	Е	Trimethobenzamide HCL	0.00	0.00	XXX	9	9	9	9	9
J3260	E	Tobramycin sulfate	0.00	0.00	XXX	9	9	9	9	9
J3265	Е	Torasemide injection	0.00	0.00	XXX	9	9	9	9	9
J3270	Е	Imipramine HCL	0.00	0.00	XXX	9	9	9	9	9
J3280	Е	Thiethylperazine maleate	0.00	0.00	XXX	9	9	9	9	9
J3301	E	Triamcinolone acetonide	0.00	0.00	XXX	9	9	9	9	9
J3302	E	Triamcinolone diacetate	0.00	0.00	XXX	9	9	9	9	9
J3303	Ε	Triamcinolone	0.00	0.00	XXX	9	9	9	9	9
J3305	Ε	Trimetrexate injection	0.00	0.00	XXX	9	9	9	9	9
J3310	E	Perphenazine injection	0.00	0.00	XXX	9	9	9	9	9
J3320	Ε	Spectinomycin	0.00	0.00	XXX	9	9	9	9	9
J3350	Ε	Urea injection	0.00	0.00	XXX	9	9	9	9	9
J3360	Е	Diazepam injection	0.00	0.00	XXX	'9	9	9	9	9
J3364	Е	Urokinase	0.00	0.00	XXX	9	9	9	9	9
J3365	Ε	Urokinase	0.00	0.00	XXX	9	9	9	9	9
J3370	R	Vancomycin HCL	0.00	0.00	XXX	0	0	0	0	0
J3390	E	Methoxamine injection	0.00	0.00	XXX	9	9	9	9	9
J3400	Е	Triflupromazine HCL	0.00	0.00	XXX	9	9	9	9	9
J3410	E	Hydroxyzine HCL	0.00	0.00	XXX	9	9	9	9	9
J3420	Е	Vitamin B-12 injection	0.00	0.00	XXX	9	9	9	9	9
J3430	E	Phytoadione (Vitamin K)	0.00	0.00	XXX	9	9	9	9	9
J3450	E	Mephentermine sulfate	0.00	0.00	XXX	9	9	9	9	9
J3470	E	Hyaluronidase	0.00	0.00	XXX	9	9	9	9	9
J3475	E	Magnesium sulfate	0.00	0.00	XXX	9	9	9	9	9
J3480	E	Potassium chloride	0.00	0.00	XXX	9	9	9	9	9
J3490	Е	Unclassified drugs	0.00	0.00	XXX	9	9	9	9	9
J3520	N	Edetate disodium	0.00	0.00	XXX	9	9	9	9	9
J3530	Е	Nasal vaccine inhalation	0.00	0.00	XXX	9	9	9	9	9
J3535	N	Metered dose inhaler	0.00	0.00	XXX	9	9	9	9	9
J3570	N	Laetrile, amygdalin	0.00	0.00	XXX	9	9	9	9	9
J7030	Ē	Normal saline solution	0.00	0.00	XXX	9	9	9	9	9
J7040	_	Normal saline, sterile	0.00	0.00	XXX	9	9	9	9	9
J7042	E	5% dextrose/normal	0.00	0.00	XXX	9	9	9	9	9
J7050	E	Normal saline solution	0.00	0.00	XXX	9	9	9	9	9
J7051	E	Sterile saline or water	0.00	0.00	XXX	9	9	9	9	9
J7060	E	5% dextrose/water	0.00	0.00	XXX	9	9	9	9	9
J7070	E	D5W infusion	0.00	0.00	XXX	9	9	-	9 9	9
J7100	E	Dextran 40 infusion	0.00	0.00	XXX	9	9	9	9	9
J7110	E	Dextran 75 infusion	0.00	0.00	XXX	9 9	9 9	9 9	9	
J7120	E	Ringers lactate infusion	0.00	0.00	XXX	-	9	9	9	9
J7130	E	Hypertonic saline	0.00	0.00	XXX	9	9	9	9	9
J7190	X X	Factor VIII, human	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9	9	9	9	9
J7191 J7192	X	Factor VIII, porcine	0.00	0.00	XXX	9	9	9	9	9
J7192 J7194	X	Factor VIII, recombinant Factor IX, complex	0.00	0.00	XXX	9	9	9	9	9
J7194 J7196	X	Other hemophilia clotting	0.00	0.00	XXX	9	9	9	9	9
J7190 J7197	X	Antithrombin III, human	0.00	0.00	XXX	· 9	9	9	9	9
J/17/	Λ	<sup>7</sup> Middinom III, numan	0.00	0.00	/1//X	,	,	,	,	,

J7300	N	Intrauterine copper	0.00	0.00	XXX	9	9	9	9	9
J7310	E	Ganciclovir, long-acting	0.00	0.00	XXX	9	9	9	9	9
J7500	X	Azathioprine, oral tab	0.00	0.00	XXX	9	9	9	9	9
J7501	X	Azathioprine, parenteral	0.00	0.00	XXX	9	9	9	9	9
J7503	X	Cyclosporine, parenteral	0.00	0.00	XXX	9	9	9	9	9
J7504	X	Lymphocyte immune	0.00	0.00	XXX	9	9	9	9	9
J7505	X	Monoclonal antibodies	0.00	0.00	XXX	9	9	9	9	9
J7506	X	Prednisone, oral	0.00	0.00	XXX	9	9	9	9	9
J7507	Ε	Tacrolimus, oral	0.00	0.00	XXX	9	9	9	9	9
J7508	Ε	Tacrolimus, oral	0.00	0.00	XXX	9	9	9	9	9
J7509	X	Methylprednisolone oral	0.00	0.00	XXX	9	9	9	9	9
J7510	X	Prednisolone oral	0.00	0.00	XXX	9	9	9	9	9
J7599	X	Immunosuppressive drug	0.00	0.00	XXX	9	9	9	9	9
J7610	Ε	Acetylcysteine, 10%	0.00	0.00	XXX	9	9	9	9	9
J7615	E	Acetylcysteine, 20%	0.00	0.00	XXX	9	9	9	9	9
J7620	E	Albuterol sulfate, .083%	0.00	0.00	XXX	9	9	9	9	9
J7625	Ε	Albuterol sulfate, .5%	0.00	0.00	XXX	9	9	9	9	9
J7627	Ε	Bitolterol mesylate, .2%	0.00	0.00	XXX	9	9	9	9	9
J7630	E	Cromolyn sodium	0.00	0.00	XXX	9	9	9	9	9
J7640	E	Epinephrine, 2.25%	0.00	0.00	XXX	9	9	9	9	9
J7645	Ε	Ipratropium bromide, .02%	0.00	0.00	XXX	9	9	9	9	9
J7650	E	Isoetharine HCL, .1%	0.00	0.00	XXX	9	9	9	9	9
J7651	E	Isoetharine HCL, .125%	0.00	0.00	XXX	9	9	9	9	9
J7652	E	Isoetharine HCL, .167%	0.00	0.00	XXX	9	9	9	9	9
J7653	Ε	Isoetharine HCL, .2%	0.00	0.00	XXX	9	9	9	9	9
J7654	Ε	Isoetharine HCL, .25%	0.00	0.00	XXX	9	9	9	9	9
J7655	Ε	Isoetharine HCL, 1.0%	0.00	0.00	XXX	9	9	9	9	9
J7660	E	Isoproterenol HCL, .5%	0.00	0.00	XXX	9	9	9	9	9
J7665	E	Isoproterenol HCL, 1.0%	0.00	0.00	XXX	9	9	9	9	9
J7670	Ε	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7672	Е	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7675	Ε	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7699	Ε	Inhalation solution	0.00	0.00	XXX	9	9	9	9	9
J7799	Ε	Noninhalation drugs	0.00	0.00	XXX	9	9	9	9	9
J8499	N	Oral prescription drugs	0.00	0.00	XXX	9	9	9	9	9
J8530	Е	Cyclophosphamide, oral	0.00	0.00	XXX	9	9	9	9	9
J8560	E	Etoposide, oral	0.00	0.00	XXX	9	9	9	9	9
J8600	Ε	Melphalan, oral	0.00	0.00	XXX	9	9	9	9	9
J8610	Е	Methotrexate, oral	0.00	0.00	XXX	9	9	9	9	9
J8999	Ē	Oral prescription drugs	0.00	0.00	XXX	9	9	9	9	9
J9000	Ε	Doxorubic HCL	0.00	0.00	XXX	9	9	9	9	9
J9015	Ε	Aldesleukin	0.00	0.00	XXX	9	9	9	9	9
J9020	Ē	Asparaginase	0.00	0.00	XXX	9	9	9	9	9
J9031	Ē	BCG (intravesical)	0.00	0.00	XXX	9	9	9	9	9
J9040	Ē	Bleomycin sulfate	0.00	0.00	XXX	ģ	9	9	ģ	9
J9045	Ē	Carboplatin	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
J9050	Ē	Carmustine	0.00	0.00	XXX	9	ģ	9	9	9
J9060	Ē	Cisplatin	0.00	0.00	XXX	ģ	9	9	9	ģ
J9062	Ĕ	Cisplatin	0.00	0.00	XXX	9	9	9	9	ģ
J9065	$\tilde{E}$	Cladribine	0.00	0.00	XXX	9	ģ	9	ģ	9
J9070	Ē	Cyclophosphamide	0.00	0.00	XXX	ģ	ģ	ý	9	9
J9080	Ē	Cyclophosphamide	0.00	0.00	XXX	ģ	9	9	9	9
J9090	Ē	Cyclophosphamide	0.00	0.00	XXX	ģ	9	9	9	9
J9091	Ē	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9092	Ē	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9092 J9093	E	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9093 J9094	E	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9094 J9095	Ë	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J フUフJ	ت	Сусторнозрнанис	0.00	0.00	ΛΛΛ	y	7	y	7	y

# **MINNESOTA RULES 2001**

0 6 6 6 0	0 6 6 6 0	0 6 6 6 0	0 6 6 6 0	0 6 6 6 0	XXX XXX XXX XXX XXX	\$2.0 00.0 00.0 00.0 82.0	ρς.0 00.0 00.0 00.0 ν.γ.0	us M codes: Visit, drugs Cellular therapy Prolotherapy Intragastric hypothermia Foot care hygiene	N N N D	1010M 0010M 9200M 5200M 7900M
								.sep05 <b>) (</b> s.:	004	elleosiM (2)
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0 00.0	Vinblastine sulfate Vincristine sulfate Vincristine sulfate Vincristine tartrate Vinorelbine tartrate Orfimer sodium Chemotherapy drug		19999 19390 19380 19370 19370
6 6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6 6	XXX XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0 00.0	Mitomycin Mitomycin Mitoxantrone HCL Streptozocin Thiotepa Topotecan Vinblestine sulfate	вевевев	19360 19360 19370 19293 19291 19290
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6	6 6 6 6 6 6	XXX XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0	Methotrexate sodium Paclitaxel Pegaspargase Pentostatin Mitomycin	EEEEEE	18580 18580 18589 18589 18589 18580
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0	Interferon, gamma 1-B Leuprolide acetate Leuprolide acetate Mechlorethamine HCL Melphalan HCL Methotrexate sodium	EEEEE	19226 19245 19218 19217 19216 19216
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 • 00.0 • 00.0 00.0	Ifosfamide Mesna Idarubicin HCL Interferon, alfa-2B Interferon, alfa-N3 Interferon, alfa-N3	EEEEE	19215 19214 19213 19209 19208
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6	XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0	Fludsrabine phosphate Fluorouracil Floxuridine Gemcitabine HCL Goserelin acetate implant Trinotecan	E E E E E E E	19206 19207 19200 19190 19185
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6 6	6 6 6 6 6 6	XXX XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0	Dacarbazine Daunorubicin HCL Diethylstilbestrol Docetaxel Etoposide Etoposide	EEEEE	1816f 0216f 0816f 0916f 0916f
6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	6 6 6 6 6	XXX XXX XXX XXX XXX XXX	00.0 00.0 00.0 00.0 00.0 00.0	00.0 00.0 00.0 00.0 00.0 00.0	Cyclophosphamide Cyclophosphamide Cytarabine Cytarabine Dactinomycin Dacarbazine	EEEEE	19096 19130 19140 19160 19097

729	<b>FEES</b>	<b>FOR</b>	<b>MEDICAL</b>	SERVICES	5221.4030

M0300		N	IV chelation therapy	0.00	0.00	XXX	9	9	9	9	.9
M0301		N	Fabric wrapping	0.00	0.00	XXX	9	9	9	9	9
M0302		N	Assess cardiac output	0.00	0.00	XXX	9	9	9	9	. 9
			1								
(6) Mis	cella	neo	us P codes:								
P2028		X	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2028		X	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2028		X	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2029		X	Congo red blood	0.00	0.00	XXX	9	9	9	9	9
P2033		X	Blood thymol turbidity	0.00	0.00	XXX	9	9	9	9	9
P2038		X	Blood mucoprote	0.00	0.00	XXX	9	9	9	9	9
P7001		I	Culture bacteria	0.00	0.00	XXX	9	9	9	9	9
P9010		E	Whole blood transfusion	0.00	0.00	XXX	9	9	9	9	9
P9011		Ε	Blood, split unit	0.00	0.00	XXX	9	9	9	9	9
P9012		Ε	Cryoprecipitate	0.00	0.00	XXX	9	9	9	9	9
P9013		Ε	Fibrinogen unit	0.00	0.00	XXX	9	9	9	9	9
P9014		E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
P9015		Ē	RH immune globulin	0.00	0.00	XXX	9	9	9	9	9
P9016		Ē	Leukocyte poor blood	0.00	0.00	XXX	9	9	9	9	9
P9017		Ē	One donor, fresh frozen	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
P9018		Ē	Plasma protein fraction	0.00	0.00	XXX	9	ģ	ģ	9	9
P9019		Ē	Platelet concentrate	0.00	0.00	XXX	9	9	9	9	9
P9020		Ē	Platelet rich plasma	0.00	0.00	XXX	9	9	9	9	9
P9021		E	Red blood cells	0.00	0.00	XXX	9	ģ	9	9	9
P9022		Ē	Washed red blood cells	0.00	0.00	XXX	9	. 9	9	9	9
1 /022		L	Washed red blood cens	0.00	0.00	71/1/1	,	,	,	,	
(7) Mis	cella	neo	us Q codes:								
Q0034		X	Administer flu vaccine	0.00	0.00	XXX	9	9	9	9	9
Q0035		Α	Cardiokymography	0.65	0.65	XXX	0	0	0	0	0
Q0035	26	Α	Cardiokymography	0.28	0.28	XXX	0	0	0	0	0
Q0035	TC	Α	Cardiokymography	0.37	0.37	XXX	0	. 0	0	0	0
Q0068		Α	Plasmapheresis	2.83	2.83	000	0	0	0	0	0
Q0091		Α	Obtaining screening	0.62	0.62	XXX	0	0	0	0	0
Q0092		Α	Set up portable x-ray	0.30	0.30	XXX	0	0	0	0	0
Q0132		X	Dispensing fee	0.00	0.00	XXX	9	9	9	9	9
Q0136		X	Non ESRD epoetin alpha	0.00	0.00	XXX	9	9	9	9	9
Q0144		N	Azithromycin dihydrate	0.00	0.00	XXX	9	9	9	9	9
Q0156		X	Human albumin 5%	0.00	0.00	XXX	9	9	9	9	9
Q0157		X	Human albumin, 25%	0.00	0.00	XXX	9	9	9	9	9
Q0158		D	Combined hib & hep B	0.00	0.00	XXX	9	9	9	9	9
Q9920		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9921		Е	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9922		Е	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9923		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9924		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9925		E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9926		Ē	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9927		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9928		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9929		Е	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9930		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9931		Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9932		E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
QJJJL		_									
Q9933		Ē	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9 9

5221.40	30	FE	ES FOR MEDICAL SERVIC	CES						7	730
Q9935 Q9936 Q9937 Q9938 Q9939 Q9940		EEEEEE	Epoetin with HCT	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9
	cella	nec	ous R codes:								
R0070 R0075 R0076		C C C	Transport portable x-ray Transport portable x-ray Transport portable EKG	0.00 0.00 0.00	0.00 0.00 0.00	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
and sup			ocedure codes S0009 to S9999	relate to	additio	nal miso	cella	nec	us :	artic	les
1	2	3	4	5	.6	7	8	9	10	11	12
				0.00	0.00	373737					
S0009		I	Injection, butorphanol	0.00	0.00	XXX	9	9	9	9	9
S0010		I	Injection, somatrem	0.00	0.00	XXX		9	9	9	9
S0011		I	Injection, somtropin	0.00	0.00	XXX	9	9	9	9	9
S0012		I	Butorphanol tartrate	0.00	0.00	XXX	9	9	9	9	9
S0014		I	Tacrine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
S0016		I	Injection, amikacin	0.00	0.00	XXX	9	9	9	9	9
S0017		I	Injection, aminocaproic	0.00	0.00	XXX	9	9	9	9	9
S0020		I	Injection, bupivaicaine	0.00	0.00	XXX	9	9	9	9	9
S0021		I	Injection, ceftoperazone	0.00	0.00	XXX	9	9	9	9	9
S0023		I	Injection, cimetidine	0.00	0.00	XXX	9	9	9	9	9
S0024		I	Injection, ciprofloxacin	0.00	0.00	XXX	9	9	9	9	9
S0028		I	Injection, famotidine	0.00	0.00	XXX	9	9	9	9	9
S0029		I	Injection, fluconazole	0.00	0.00	XXX	9	9	9	. 9	9
S0030		Ī	Injection, metronidazole	0.00	0.00	XXX	9	9	9	9	9
S0032		Ī	Injection, nafcillin	0.00	0.00	XXX	9	9	9	9	9
S0034		Ī	Injection, ofloxacin	0.00	0.00	XXX	9	9	9	9	9
S0039		Ī	Injection, sulfamethoxa.	0.00	0.00	XXX	9	9	9	9	9
S0040		I	Injection, ticarcillin	0.00	0.00	XXX	9	9	9	9	9
S0071		Ī	Injection, acyclovir	0.00	0.00	XXX	9	9	9	9	9
S0072		Ī	Injection, amikacin	0.00	0.00	XXX	9	9	9	9	9
S0073		Ī	Injection, aztreonam	0.00	0.00	XXX	9	9	9	9	9
S0074		Ī	Injection, cefotetan	0.00	0.00	XXX	9	9	9	9	9
S0077		Ī	Injection, clindamycin	0.00	0.00	XXX	9	9	9	9	9
S0078		Î	Injection, fosphenytoin	0.00	0.00	XXX	9	9	9	ģ	9
S0080		Î	Injection, pentamidine	0.00	0.00	XXX	9	9	9	9	9
S0081		Ī	Injection, piperacillin	0.00	0.00	XXX	ģ	9	9	9	9
S0090		Î	Sildenafil citrate, 25 mg	0.00	0.00	XXX	9	9	ģ	9	9
S0096		İ	Injection, itraconazole	0.00	0.00	XXX	ģ	9	ģ	9	ģ
S0097		İ	Injection, ibutilide	0.00	0.00	XXX	9	9	9	9	ģ
S0097		Ī	Injection, sodium ferric	0.00	0.00	XXX	9	9	9	9	9
S0601		Ī	Screening proctoscopy	0.00	0.00	XXX	9	9	9	9	9
S0605		Ī	Digital rectal exam	0.00	0.00	XXX	9	9	9	9	9
S0610		I	Annual gynecological	0.00	0.00	XXX	9	9	9	9	9
S0610 S0612		I		0.00	0.00	XXX	9	9	9	9	9
			Annual gynecological				9	9	9	9	9
S0620 S0621		I	Routine ophthalmological Routine ophthalmological	$0.00 \\ 0.00$	0.00	XXX XXX	9	9	9	9	9

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

# **MINNESOTA RULES 2001**

6	6	6	6	6	XXX	00.0	00.0	Diabetic management	I	59₹6S
6	6	6	6	6	XXX	00.0	00.0	Diabetic management	Ī	0976S
6	6	6	6	6	XXX	00.0	00.0	Diabetic management	Ī	5576S
6	6	6	6	6	XXX	00.0	00.0	Diabetic management	Î	1716S
	6		6	6	XXX	00.0	00.0	Diabetic management	Ì	
6		6						Occupational therapy		0716S
6	6	6	6	6	XXX	00.0	00.0		I	S9129
6	6	6	6	6	XXX	00.0	00.0	<b>Уреес</b> h thетару	I	8216S
6	6	6	6	6	XXX	00.0	00.0	Social work visit	Ι	Z315S
6	6	6	6	6	XXX	00.0	00.0	Hospice care in home	I	9216S
6	6	6	6	6	XXX	00.0	00.0	Respite care in home	I	S315S
6	6	6	6	6	XXX	00.0	00.0	Nursing care in home	Ī	\$216S
6	6	6	6	6	XXX	00.0	00.0	Nursing care in home	İ	89123
6	6	6	6	6	XXX	00.0	00.0	Home health side	Ī	25155
						00.0	00.0	Meniscal allograft		\$806S
6	6	6	6	6	XXX				I	
6	6	6	6	6	XXX	00.0	00.0	Smoking cessation	Ĭ	\$406S
6	6	6	6	6	XXX	00.0	00.0	Coma stimulation	I	9 <b>\$</b> 06 <b>\$</b>
6	6	6	6	6	XXX	00.0	00.0	Procuren or other factor	I	\$\$06S
6	6	6	6	6	XXX	00.0	00.0	Gait analysis	I	EE06S
6	6	6	6	6	XXX	00.0	0.00	Paranasal sinus	I	\$206S
6	6	6	6	6	XXX	00.0	00.0	Xenon regional cerebral	I	£206S
6	6	6	6	6	XXX	00.0	00.0	Digital subtraction	Ī	ZZ06S
6	6	6	6	6	XXX	00.0	00.0	Home uterine monitor	Ī	1006S
							00.0	Complex lymphedema	Ī	
6	6	6	6	6	XXX	00.0				0\$68S
6	6	6	6	6	XXX	00.0	00.0	Sacral nerve	I	00888
6	6	6	6	6	XXX	00.0	00.0	Oral orthotic sleep apnea	I	285e0
6	6	6	6	6	XXX	00.0	00.0	Chest compression	I	S0Z8S
6	6	6	6	6	XXX	00.0	00.0	Chest compression vest	I	28200
6	6	6	6	6	XXX	00.0	00.0	Peak expiratory flow	Ι	01188
6	6	6	6	6	XXX	00.0	00.0	Portable peak flow	I	9608S
6	6	6	6	6	XXX	00.0	00.0	Wig, medical	I	\$608S
6	6	6	6	6	XXX	00.0	00.0	Electron beam computed	Ī	Z608S
6	6	6	6	6	XXX	00.0	00.0	Supply of contrast	Ī	0908S
6	6	6	6	6	XXX	00.0	00.0	Intraoperative radiation	Ī	6 <del>7</del> 08S
6	6	6	6	6	XXX	00.0	00.0	Isolated limb perfusion	Ì	8708S
								Topographic brain		
6	6	6	6	6	XXX	00.0	00.0		I	07088
6	6	6	6	6	XXX	00.0	00.0	Magnetic source imaging	I	\$£08S
6	6	6	6	6	XXX	00.0	00.0	Saliva test, hormone	I	Z\$9E\$
6	6	6	6	6	XXX	00.0	00.0	Saliva test, hormone	I	0 <b>5</b> 98 <b>S</b>
6	6	6	6	6	XXX	00.0	00.0	HIV-1 antibody testing	I	S79ES
6	6	6	6	6	XXX	00.0	00.0	Diskectomy, anterior	Ι	22331
6	6	6	6	6	XXX	00.0	00.0	Diskectomy, anterior	Ι	25320
6	6	6	6	6	XXX	00.0	00.0	Arthroscopy shoulder	Ι	S2300
6	6	6	6	6	XXX	00.0	00.0	Cryosurgical ablation	I	22210
6	6	6	6	6	XXX	00.0	00.0	Minimally invasive direct	Ī	82209
6	6	6	6	6	XXX	00.0	00.0	Minimally invasive direct	Ì	82228
6	6	6	6	6	XXX	00.0	00.0	Minimally invasive direct	Ī	25202
								Minimally invasive direct		
6	6	6	6	6	XXX	00.0	00.0		Ĭ	25706
6	6	6	6	6	XXX	00.0	00.0	Minimally invasive direct	I	25505
6	6	6	6	6	XXX	00.0	00.0	Transmyocardial laser	I	\$2204
6	6	6	6	6	XXX	00.0	00.0	Subcutaneous implantation	I	0612S
6	6	6	6	6	XXX	00.0	00.0	Autologous chondrocyte	I	S2109
6	6	6	6	6	XXX	00.0	00.0	Harvesting of donor	Ι	25055
6	6	6	6	6	XXX	00.0	00.0	Transplant visceral	Ι	22024
6	6	6	6	6	XXX	00.0	00.0	Transplant intestine	Ī	22023
6	6	6	6	6	XXX	00.0	00.0	Transplant intestine	Î	ZS02S
6	6	6	6	6	XXX	00.0	00.0	Donor enterectomy, prep	Ī	25053
								Photorefractive (PRK)		01808
6	6	6	6	6	XXX	00.0	00.0		I	
6	6	6	6	6	XXX	00.0	00.0	Laser in situ	I	0080S

1 2 3

S9470	I	Nutritional counseling	0.00	0.00	XXX	9	9	9	9	9
S9472	I	Cardiac rehabilitation	0.00	0.00	XXX	9	9	9	9	9
S9473	I	Pulmonary rehabilitation	0.00	0.00	XXX	9	9	9	9	9
S9474	I	Enterostomal therapy	0.00	0.00	XXX	9	9	9	9	9
S9475	I	Ambulatory setting	0.00	0.00	XXX	9	9	9	9	9
S9480	I	Intensive outpatient	0.00	0.00	XXX	9	9	9	9	9
S9485	I	Crisis intervention	0.00	0.00	XXX	9	9	9	9	9
S9524	I	Nursing services home IV	0.00	0.00	XXX	9	9	9	9	9
S9527	I	Insertion of catheter	0.00	0.00	XXX	9	9	9	9	9
S9528	I	Insertion of catheter	0.00	0.00	XXX	9	9	9	9	9
S9543	I	Administer medication	0.00	0.00	XXX	9	9	9	9	9
S9990	I	Services, clinical trial	0.00	0.00	XXX	9	9	9	9	9
S9991	I	Services phase III	0.00	0.00	XXX	9	9	9	9	9
S9992	I	Transportation costs	0.00	0.00	XXX	9	9	9	9	9
S9994	I	Lodging costs	0.00	0.00	XXX	9	9	9	9	9
S9996	I	Meals	0.00	0.00	XXX	9	9	9	9	9
S9999	I	Sales tax	0.00	0.00	XXX	9	9	9	9	9

L. Procedure codes V2020 to V5299 relate to miscellaneous vision and hearing services and supplies.

5 6 7 8 9 10 11 12

										_
V2020	x	Vision services, frames	0.00	0.00	xxx	9	9	9	9	9
V2020 V2025	N	Eyeglasses, deluxe frame	0.00	0.00	XXX	9	9	9	.9	9
V2023 V2100	X	Single vision sphere	0.00	0.00	XXX	ģ	9	9	9	9
V2100 V2101	X	Single vision sphere	0.00	0.00	XXX	ģ	9	9	ģ	9
V2102	X	Single vision sphere	0.00	0.00	XXX	9	9	9	9	9
V2103	X	Spherocylinder	0.00	0.00	XXX	9	ģ	ģ	ģ	9
V2104	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2105	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2106	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2107	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2108	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2109	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2110	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2111	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2112	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2113	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2114	X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2115	X	Lenticular lens	0.00	0.00	XXX	9	9	9	9	9
V2116	X	Nonaspheric lens	0.00	0.00	XXX	9	9	9	9	9
V2117	X	Aspheric lens	0.00	0.00	XXX	9	9	9	9	9
V2118	X	Aniseikonic lens	0.00	0.00	XXX	9	9	9	9	9
V2199	X	Single vision lens	0.00	0.00	XXX	9	9	9	9	9
V2200	X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2201	X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2202	X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2203	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2204	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2205	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2206	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2207	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2208	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	.9

V2209	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2210	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2211	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2212	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2213	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2214	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	ģ
V2215	X	Lenticular lens	0.00	0.00	XXX	ģ	9	9	9	ģ
V2216	X	Lenticular lens	0.00	0.00	XXX	9	9	ģ	9	9
V2217	X	Lenticular lens	0.00	0.00	XXX	9	ģ	9	9	ģ
V2218	X	Aniseikonic lens	0.00	0.00	XXX	ģ	9	9	ģ	ģ
V2219	X	Bifocal SEG lens	0.00	0.00	XXX	9	ģ	9	ģ	9
V2220	X	Bifocal add lens	0.00	0.00	XXX	9	9	9	9	9
V2299	X	Specialty bifocal lens	0.00	0.00	XXX	9	9	9	9	9
V2300	X	Sphere trifocal	0.00	0.00	XXX	9	ģ	9	9	9
V2301	X	Sphere trifocal	0.00	0.00	XXX	9	9	ģ	9	9
V2302	X	Sphere trifocal	0.00	0.00	XXX	9	9	ģ	9	9
V2303	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2304	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	ģ	ģ
V2305	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2306	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2307	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	9	ģ	9	9
V2308	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	9	9	9	ģ
V2309	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	9	9	ģ	ģ
V2310	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	ģ	9	ģ	9
V2310 V2311	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	9	9	9	9
V2312	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
V2313	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	ģ
V2314	X	Trifocal spherocylinder	0.00	0.00	XXX	ģ	ģ	ý	9	9
V2315	X	Lenticular lens	0.00	0.00	XXX	9	ģ	9	ģ	9
V2316	X	Lenticular lens	0.00	0.00	XXX	ģ	9	9	ģ	9
V2317		Lenticular lens	0.00	0.00	XXX	ģ	9	9	ģ	ģ
V2318	X	Aniseikonic lens	0.00	0.00	XXX	9	9	9	9	9
V2319	X	Trifocal SEG lens	0.00	0.00	XXX	9	9	ģ	ģ	9
V2320	X	Trifocal add lens	0.00	0.00	XXX	ģ	9	9	9	9
V2399	X	Specialty trifocal lens	0.00	0.00	XXX	ģ	9	ģ	ģ	9
V2410	X	Variable asphericity lens	0.00	0.00	XXX	9	9	9	9	ģ
V2430	X	Variable asphericity lens	0.00	0.00	XXX	ģ	9	9	ģ	9
V2499	X	Variable asphericity lens	0.00	0.00	XXX	ģ	9	9	9	9
V2500	X	Contact lens, PMMA	0.00	0.00	XXX	9	9	9	ģ	9
V2501	X	Contact lens, PMMA	0.00	0.00	XXX	ģ	9	ģ	ģ	9
V2502	X	Contact lens, PMMA	0.00	0.00	XXX	ģ	9	9	9	ģ
V2503	X	Contact lens, PMMA	0.00	0.00	XXX	ģ	9	9	9	9
V2510	X	Gas permeable contact	0.00	0.00	XXX	9	9	ģ	9	ģ
V2511	X	Gas permeable contact	0.00	0.00	XXX	9	9	9	9	9
V2512	X	Gas permeable contact	0.00	0.00	XXX	9	9	9	9	9
V2513	X	Gas permeable contact	0.00	0.00	XXX	ģ	9	ģ	9	9
V2520	P	Contact lens hydrophilic	0.00	0.00	XXX	ģ	ģ	9	9	ģ
V2521	X	Contact lens hydrophilic	0.00	0.00	XXX	9	9	9	9	9
V2522	X	Contact lens hydrophilic	0.00	0.00	XXX	ģ	9	ģ	ģ	9
V2523	X	Contact lens hydrophilic	0.00	0.00	XXX	ģ	9	9	9	ý
V2530	X	Contact lens, scleral	0.00	0.00	XXX	9	9	9	9	9
V2531	X	Contact lens, scleral	0.00	0.00	XXX	9	9	9	9	ģ
V2599	X	Contact lens, other type	0.00	0.00	XXX	9	ģ	9	9	9
V2599 V2600	X	Hand-held low vision aids	0.00	0.00	XXX	9	9	9	9	9
V2610	X	Single lens vision aids	0.00	0.00	XXX	9.	9	9	9	9
V2615	X	Telescope, other compound	0.00	0.00	XXX	9	9	9	9	9
V2613 V2623	X	Prosthetic eye, plastic	0.00	0.00	XXX	9	9	9	9	9
V2623 V2624	X	Polish artificial eye	0.00	0.00	XXX	9	9	9	9	9
¥ 2024	Λ	1 Onsil altiticial Eye	0.00	0.00	$\Lambda\Lambda\Lambda$	J	J	7	7	9

# **MINNESOTA RULES 2001**

History: 18 SR 1472; 20 SR 530; 25 SR 1142

:18	7:94	41 -	9EI .	9 <i>21</i>	:1381:9	132: 12	921 :101		Lioiry A	Statt 58.971
Δ	Λ	Λ	Δ,	^	XXX	00.0	00:0	Hearing service	Я	66ZSA
0 6	0 6	0 6	0 6	0 6	XXX	00.0	00.0 00.0	Bicros dispensing fee	a N	V5260
6	6	6	6	6	XXX	00.0	00.0	Glasses bicros	N	V5230
6	6	6	6	6	XXX	00.0	00.0	Behind ear bicros	N	V5220
6	6	6	6	6	XXX	00.0	00.0	In ear bicros	N	01757
6	6	6	6	6	XXX	00.0	00.0	Cros dispensing fee	N	0025A
6	6	6	6	6	XXX	00.0	00.0	Glasses cros	N	0615A
6	6	6	6	6	XXX	00.0	00.0	Behind ear cros	N	0815V
6	6	6	6	6.	XXX	00.0	00.0	In ear cros	N	OLISA
6	6	6	6	6	XXX	00.0	00.0	Binaural dispensing fee	N	091SV
6	6	6	6	6	XXX	00.0	00.0	Glasses binaural	N	0\$T\$A
6	6	6	6	6	XXX	00.0	0.00	Behind ear binaural	N	0515V
6	6	6	6	6	XXX	00.0	00.0	In ear binaural	N	V5130
6	6	6	6	6	XXX	00.0	00.0	Body-worn binaural	N	$\Lambda$ 2150
6	6	6	6	6	XXX	0.00	0.00	Bilaieral dispensing fee	N	$0115\Lambda$
6	6	6	6	6	XXX	00.0	00.0	Body-worn bilateral	N	$\Lambda 2100$
6	6	6	6	6	XXX	00.0	00.0	Hearing aid fee	N	060SV
6	6	6	6	6	XXX	00.0	00.0	Glasses, bone conduction	N	080SV
6	6	6	6	6	XXX	00.0	00.0	Glasses, air conduction	N	$0L0S\Lambda$
6	6	6	6	6	XXX	00.0	00.0	Hearing aid behind ear	N	090\$Λ
6	6	6	6	6	XXX	00.0	00.0	Hearing aid in ear	N	0\$0\$Λ
6	6	6	6	6	XXX	00.0	00.0	Body-worn hearing aid	N	070SA
6	6	6	6	6	XXX	00.0	00.0	Body-worn hearing aid	N	V503V
6	6	6	6	6	XXX	00.0	00.0	Conformity evaluation	N	V502V
6	6	6	6	6	XXX	00.0	00.0	Hearing aid repair	N	4108V
6	6	6	6	6	XXX	00.0	00.0	Hearing aid fitting	N	11057
6	6	6	6	6	XXX	00.0	00.0	Hearing screening Assess for hearing aid	N	V5010
6	6	6	6	6	XXX	00.0	00.0	Miscellaneous vision	N	800SA
6	6	6 6	6 6	6	XXX	00.0	$00.0 \\ 00.0$	Corneal tissue	X X	66LZV 88LZV
6	6	-	_	6	XXX	00.0		Progressive lens	X	1872V
6 6	6 6	6 6	6 6	6 6	XXX	00.0	$00.0 \\ 00.0$	Oversize lens	X	08LZA
6	6	6	6	6	XXX	00.0	00.0	Occluder lens	x	08LCA 0LLZA
6	6	6	6	6	XXX	00.0	00.0	Scratch resistant coating	X	09LZA
6	6	6	6	6	XXX	00.0	00.0	UV lens	X	SSLZA
6	6	6	6	6	XXX	00.0	00.0	Anti-reflective coating	X	V2750
6	6	6	6	6	XXX	00.0	00.0	Lint, photochromatic	X	77744
6	6	6	6	6	XXX	00.0	00.0	Non-rose tint, glass	X	72743
6	6	6	6	6	XXX	00.0	00.0	Rose tint, glass	X	747V
6	6	6	6	6	XXX	00.0	00.0	Non-rose tint, plastic	X	14727
6	6	6	6	6	XXX	00.0	00.0	Rose tint, plastic	X	$\Lambda$ 5 $\lambda$ 4 $0$
6	6	6	6	6	XXX	0.00	00.0	Special base curve	X	V2730
6	6	6	6	6	XXX	0.00	00.0	Fresnell prism	X	8172V
6	6	6	6	6	XXX	00.0	00.0	Prism	X	SILZA
6	6	6	6	6	XXX	00.0	00.0	Glass/plastic slab	X	$\Lambda$ 2710
6	6	6	6	6	XXX	00.0	00.0	Balance lens	X	$\Lambda$ 5 $\lambda$ 00
6	6	6	6	6	XXX	00.0	0.00	Posterior chamber lens	X	V2632
6	6	6	6	6	XXX	00.0	0.00	lris supported lens	X	V2631
6	6	6	6	6	XXX	00.0	0.00	Anterior chamber lens	X	V2630
6	6	6	6	6	XXX	00.0	00.0	Prosthetic eye, other	X	$\Lambda$ 5629
6	6	6	6	6	XXX	0.00	0.00	Fabrication and fitting	X	V2628
6	6	6	6	6	XXX	00.0	0.00	Scleral cover shell	X	72627
6	6	6	6	6	XXX	00.0	0.00	Reduce artificial eye	X	$\Lambda$ 5626
6	6	6	6	6	XXX	00.0	00.0	Enlarge artificial eye	X	$\Lambda$ 5625

#### 5221.4032 PROFESSIONAL/TECHNICAL COMPONENTS FOR MEDICAL/SURGI-CAL SERVICES.

Subpart 1. General. Fees for certain services which are a combination of professional and technical care shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other providers. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. Services subject to this distinction are identified in part 5221.4030, subpart 2b, by modifiers appearing in column 2 alongside the service codes. Modifier TC indicates relative RVUs for the technical component of the service and modifier 26 indicates RVUs for the professional component of the service. The maximum fee for either component of the service is calculated using the RVUs for the component provided and the formula in part 5221.4020.

- Subp. 2. Separate billing for both components. If the professional component is split from the technical component and both are billed separately, the total cost for both cannot exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 3. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated for the complete service by using the RVUs corresponding to the service code listed without a modifier in part 5221.4030, subpart 2b, and the formula in part 5221.4020.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.4033 OUTPATIENT LIMITATION FOR MEDICAL/SURGICAL FACILITY FEE.

- Subpart 1. No facility fee. Procedures whose codes are listed in subpart 2b are predominantly performed in office settings and, therefore, no additional facility fees are payable when the procedure is performed by the employee's treating health care provider, unless it is an emergency or medically necessary to perform the procedure in a nonoffice setting or after normal office hours. This part does not preclude payment of a facility fee where the employee is treated by emergency room or urgent care staff.
- Subp. 1a. **Payment of facility fee.** Except where the facility fee is precluded from payment in subpart 1, fees for ambulatory surgical center and hospital outpatient surgical center are paid in accordance with part 5221.0500, subpart 2.
- A. Services and supplies included in facility fee. The services in subitems (1) to (8) are included in the facility fee. There may be no separate payment for these services and supplies:
  - (1) nursing, technician, and related services;
  - (2) use of the facilities where the surgical procedures are performed;
- (3) drugs, biologicals, surgical dressings, supplies, splints, casts, appliances, and equipment directly related to the provision of surgical procedures;
- (4) diagnostic or therapeutic services or items directly related to the provision of a surgical procedure;
  - (5) administrative, recordkeeping, and housekeeping items and services;
  - (6) materials for anesthesia;
  - (7) intraocular lenses (IOLs); and
  - (8) supervision of the services of an anesthetist by the operating surgeon.
- B. Services and supplies in subitems (1) to (7) are paid separately from the facility fee:

#### 5221.4033 FEES FOR MEDICAL SERVICES

- (1) physician services;
- (2) laboratory, X-ray, or diagnostic procedures, other than those directly related to performance of the surgical procedure;
  - (3) prosthetic devices, except IOLs;
  - (4) ambulance services;
  - (5) leg, arm, back, and neck braces and artificial limbs; and
- (6) durable medical equipment for use in the patient's home or takehome supplies; and
  - (7) anesthetist services.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. Procedure codes subject to limitation.

CPT/HCPCS Procedure	
Code	CPT/HCPCS Description
10040	Acne surgery
10060	Drainage of skin abscess
10061	Drainage of skin abscess
10080	Drainage of pilonidal cyst
10081	Drainage of pilonidal cyst
10120	Remove foreign body
10121	Remove foreign body
10140	Drainage of hematoma/fluid
10160	Puncture drainage of lesion
11000	Surgical cleansing of skin
11001	Additional cleansing of skin
11040	Surgical cleansing, abrasion
11041	Surgical cleansing of skin
11050	Trim skin lesion
11051	Trim 2 to 4 skin lesions
11052	Trim over 4 skin lesions
11100	Biopsy of skin lesion
11101	Biopsy, each added lesion
11200	Removal of skin tags
11201	Removal of added skin tags
11300	Shave skin lesion
11301	Shave skin lesion
11302	Shave skin lesion
11303	Shave skin lesion
11305	Shave skin lesion
11306	Shave skin lesion
11307	Shave skin lesion
11308	Shave skin lesion
11310	Shave skin lesion
11311	Shave skin lesion
11312	Shave skin lesion
11313	Shave skin lesion
11400	Removal of skin lesion
11401	Removal of skin lesion
11402	Removal of skin lesion
11403	Removal of skin lesion
11420	Removal of skin lesion
11421	Removal of skin lesion
11422	Removal of skin lesion
11423	Removal of skin lesion

### FEES FOR MEDICAL SERVICES 5221.4033

11440	Removal of skin lesion
11441	Removal of skin lesion
11442	Removal of skin lesion
11443	Removal of skin lesion
11600	Removal of skin lesion
11601	Removal of skin lesion
11602	Removal of skin lesion
	Removal of skin lesion
11603 11620	Removal of skin lesion
11621	Removal of skin lesion
	Removal of skin lesion
11622	Removal of skin lesion
11623	
11640	Removal of skin lesion Removal of skin lesion
11641	
11642	Removal of skin lesion
11643	Removal of skin lesion
11730	Removal of nail plate
11731	Removal of second nail plate
11732	Remove additional nail plate
11740	Drain blood from under nail
11750	Removal of nail bed
11752	Remove nail bed/finger tip
11760	Reconstruction of nail bed
11762	Reconstruction of nail bed
11765	Excision of nail fold, toe
11900	Injection into skin lesions
11901	Added skin lesion injections
12031	Layer closure of wound(s)
12032 12041	Layer closure of wound(s)
12041	Layer closure of wound(s)
12042	Layer closure of wound(s)
12052	Layer closure of wound(s)  Layer closure of wound(s)
15780	Abrasion treatment of skin
15781	Abrasion treatment of skin
15782	Abrasion treatment of skin
15783	Abrasion treatment of skin
15786	Abrasion treatment of skin
15787	Abrasion, added skin lesions
15851	Removal of sutures
15852	Dressing change, not for burn
16000	Initial treatment of burn(s)
16010	Treatment of burn(s)
16020	Treatment of burn(s)
16025	Treatment of burn(s)
17000	Destroy benign/premal lesion
17001	Destruction of additional lesions
17002	Destruction of additional lesions
17010	Destruction of additional resions  Destruction of skin lesion(s)
17100	Destruction of skin lesion
17101	Destruction of second lesion
17102	Destruction of additional lesions
17104	Destruction of additional resions
17105	Destruction of skin lesions
17106	Destruction of skin lesions
17107	Destruction of skin lesions
17110	Destruction of skin lesions
17200	Electrocautery of skin tags
11200	Distribution, or skin tags

### 5221.4033 FEES FOR MEDICAL SERVICES

17201	Electrocautery added lesions
	Cleaning added lesions
17250	Chemical cautery, tissue
17260	Destruction of skin lesions
17261	Destruction of skin lesions
17262	Destruction of skin lesions
17263	Destruction of skin lesions
17264	Destruction of skin lesions
17266	Destruction of skin lesions
17270	Destruction of skin lesions
17271	Destruction of skin lesions
	Destruction of skin lesions
17272	
17273	Destruction of skin lesions
17274	Destruction of skin lesions
17276	Destruction of skin lesions
17280	
	Destruction of skin lesions
17281	Destruction of skin lesions
17282	Destruction of skin lesions
17283	Destruction of skin lesions
17284	Destruction of skin lesions
17286	Destruction of skin lesions
17304	Chemosurgery of skin lesion
17305	Second stage chemosurgery
17306	Third stage chemosurgery
17307	Follow-up skin lesion therapy
17310	Extensive skin chemosurgery
17340	Cryotherapy of skin
17360	Skin peel therapy
19000	Drainage of breast lesion
19001	Drain added breast lesion
20000	Incision of abscess
20500	Injection of sinus tract
20520	Removal of foreign body
20550	Inject tendon/ligament/cyst
20600	Drain/inject joint/bursa
20605	Drain/inject joint/bursa
20610	
	Drain/inject joint/bursa
20615	Treatment of bone cyst
20974	Electrical bone stimulation
21029	Contour of face bone lesion
21030	Removal of face bone lesion
21031	Remove exostosis, mandible
21032	Remove exostosis, maxilla
21079	Prepare face/oral prosthesis
21080	Prepare face/oral prosthesis
	Description of the second seco
21081	Prepare face/oral prosthesis
21082	Prepare face/oral prosthesis
21083	Prepare face/oral prosthesis
21084	Prepare face/oral prosthesis
21085	Prepare face/oral prosthesis
21086	Prepare face/oral prosthesis
21087	Prepare face/oral prosthesis
21088	Prepare face/oral prosthesis
21089	Prepare face/oral prosthesis
21110	Interdental fixation
23031	Drain shoulder bursa
24200	Removal of arm foreign body
24650	Treat radius fracture
25500	Treat fracture of radius

### FEES FOR MEDICAL SERVICES 5221.4033

25530	Treat fracture of ulna
25600	Treat fracture radius/ulna
25622	Treat wrist bone fracture
25630	Treat wrist bone fracture
25650	Repair wrist bone fracture
26010	Drainage of finger abscess
26600	Treat metacarpal fracture
26720	Treat finger fracture, each
26725	Treat finger fracture, each
26740	Treat finger fracture, each
28001	Drainage of bursa of foot
28010	Incision of toe tendon
28011	Incision of toe tendons
28022	Exploration of a foot joint
28024	
28052	Exploration of a toe joint
	Biopsy of foot joint lining Removal of toe lesions
28108	
28124	Partial removal of toe
28126	Partial removal of toe
28153	Partial removal of toe
28160	Partial removal of toe
28190	Removal of foot foreign body
28220	Release of foot tendon
28230	Incision of foot tendon(s)
28232	Incision of toe tendon Incision of foot tendon
28234	Release of foot contracture
28270	
28272	Release of toe joint, each Treatment of ankle fracture
28430 28450	Treat midfoot fracture, each
28455	
28470	Treat midfoot fracture, each Treat metatarsal fracture
28475	Treat metatarsal fracture
28490	Treat big toe fracture
28495	Treat big toe fracture
28510	Treatment of toe fracture
28515	Treatment of toe fracture
28530	Treat sesamoid bone fracture
28540	Treat foot dislocation
28570	Treat foot dislocation
28600	Treat foot dislocation
28630	Treat toe dislocation
29015	Application of body cast
29020	Application of body cast
29025	Application of body cast
29035	Application of body cast
29049	Application of shoulder cast
29065	Application of long arm cast
29075	Application of forearm cast
29085	Apply hand/wrist cast
29105	Apply long arm splint
29125	Apply forearm splint
29126	
29130	Apply forearm splint Application of finger splint
29131	Application of finger splint  Application of finger splint
29200	Strapping of chest
29220	Strapping of low back
29260	Strapping of elbow or wrist
2720U	Strapping of clook of wrist

#### 5221.4033 FEES FOR MEDICAL SERVICES

cast cast ce cast
cast cast ce
cast ce
ce
cast
cast
ast
plint
ot
nt
st
st
st
st
st
ry
l
l
(s)
iose
on
ody
IS
IS
У
Y
, Y
ce
ervice
n
ns
in ein
:111
on 
m ( )
mouth
n
n

41825	Excision of gum lesion
41826	Excision of gum lesion
42100	Biopsy roof of mouth
42330	Removal of salivary stone
42400	Biopsy of salivary gland
42650	Dilation of salivary duct
42660	Dilation of salivary duct
42800	Biopsy of throat
45300	Proctosigmoidoscopy
45303	Proctosigmoidoscopy
45330	Sigmoidoscopy, diagnostic
45520	Treatment of rectal prolapse
46083	Incise external hemorrhoid
46221	Ligation of hemorrhoid(s)
46230	Removal of anal tabs
46320	Removal of hemorrhoid clot
46500	Injection into hemorrhoids
46600	Diagnostic anoscopy
46604	Anoscopy and dilation
46606	Anoscopy and biopsy
46614	Anoscopy, control bleeding
46615	Anoscopy
46900	Destruction, anal lesion(s)
46910	
46916	Destruction, anal lesion(s)
46917	Cryosurgery, anal lesion(s)
	Laser surgery, anal lesion(s)
46934	Destruction of hemorrhoids
46935	Destruction of hemorrhoids
46936	Destruction of hemorrhoids
46940	Treatment of anal fissure
46942	Treatment of anal fissure
46945	Ligation of hemorrhoids
46946	Ligation of hemorrhoids
51700	Irrigation of bladder
51705	Change of bladder tube
51720	Treatment of bladder lesion
52265	Cystoscopy and treatment
53270	Removal of urethra gland
53600	Dilate urethra stricture
53601	Dilate urethra stricture
53620	Dilate urethra stricture
53621	Dilate urethra stricture
53660	Dilation of urethra
53661	Dilation of urethra
53670	Insert urinary catheter
54050	Destruction, penis lesion(s)
54055	Destruction, penis lesion(s)
54056	Cryosurgery, penis lesion(s)
54200	Treatment of penis lesion
54230	Prepare penis study
54235	Penile injection
55000	Drainage of hydrocele
55250	Removal of sperm duct(s)
56420	Drainage of gland abscess
56501	Destruction, vulva lesion(s)
56606	Biopsy of vulva/perineum
57061	Destruction, vagina lesion(s)
57100	Biopsy of vagina

#### 5221.4033 FEES FOR MEDICAL SERVICES

57150	Treat vagina infection
57160	Insertion of pessary
57170	Fitting of diaphragm/cap
57452	Examination of vagina
57454	Vagina examination and biopsy
57460	LEEP procedure
57500	Biopsy of cervix
57505	Endocervical curettage
57510	Cauterization of cervix
57511	Cryocautery of cervix
58100	Biopsy of uterus lining
58301	Remove intrauterine device
59200	Insert cervical dilator
59300	Episiotomy or vaginal repair
59425	Antepartum care only
59426	Antepartum care only
59430	Care after delivery
60100	Biopsy of thyroid
61001	Remove cranial cavity fluid
63690	Analysis of neuroreceiver
63691	
64400	Analysis of neuroreceiver
•	Injection for nerve block
64405	Injection for nerve block
64408	Injection for nerve block
64412	Injection for nerve block
64413	Injection for nerve block
64418	Injection for nerve block
64435	Injection for nerve block
64440	Injection for nerve block
64441	Injection for nerve block
64445	Injection for nerve block
64450	Injection for nerve block
64505	Injection for nerve block
64508	Injection for nerve block
64550	Apply neurostimulator
64553	Implant neuroelectrodes
64555	Implant neuroelectrodes
64560	Implant neuroelectrodes
64565	Implant neuroelectrodes
64612	Destroy nerve, face muscle
64613	Destroy nerve, spine muscle
65205	Remove foreign body from eye
65210	Remove foreign body from eye
65220	Remove foreign body from eye
65222	Remove foreign body from eye
65286	Repair of eye wound
65430	Corneal smear
65435	Curette/treat cornea
65436	Curette/treat cornea
65600	Revision of cornea
65772	Correction of astigmatism
65855	Laser surgery of eye
65860	Incise inner eye adhesions
66761	Revision of iris
66770	Removal of inner eye lesion
67145	Treatment of retina
67210	Treatment of retinal lesion
67228	Treatment of retinal lesion

### FEES FOR MEDICAL SERVICES 5221.4033

Destroy nerve of eye muscle
Inject/treat eye socket
Inject/treat eye socket
Drainage of eyelid abscess
Incision of eyelid
Remove eyelid lesion
Remove eyelid lesions
Remove eyelid lesions
Biopsy of eyelid
Revise eyelashes
Revise eyelashes
Remove eyelid lesion
Treat eyelid lesion
Repair eyelid defect
Repair eyelid defect
Repair eyelid wound
Remove eyelid foreign body
Incise/drain eyelid lining
Treatment of eyelid lesions
Biopsy of eyelid lining
Remove eyelid lining lesion
Remove eyelid lining lesion
Treat eyelid by injection
Incise/drain tear gland
Incise/drain tear sac
Incise tear duct opening
Clearance of tear duct
Revise tear duct opening
Close tear duct opening
Close tear duct opening
Close tear duct opening  Close tear system fistula
Explore/irrigate tear ducts Drain external ear lesion
Drain external ear lesion
Drain outer ear canal lesion
Biopsy of external ear
Biopsy of external ear canal
Clear outer ear canal
Remove impacted ear wax
Clean out mastoid cavity
Clean out mastoid cavity
Inflate middle ear canal
Inflate middle ear canal
Catheterize middle ear canal
Inset middle ear baffle
Incision of eardrum
Create eardrum opening
Remove ear lesion
Repair of eardrum
Eye exam, new patient
Eye exam, new patient
Eye exam, established patient
Eye exam and treatment
Eye exam and treatment
Special eye evaluation
Fitting of contact lens
Serial tonometry exam(s)
Tonography and eye evaluation

### 5221.4033 FEES FOR MEDICAL SERVICES

92130	Water provocation tonography
92140	Glaucoma provocative tests
92225	Special eye exam, initial
92226	Special eye exam, subsequent
92230	Eye exam with photos
92260	Ophthalmoscopy/dynamometry
92287	Internal eye photography
92311	Contact lens fitting
92312	
92312	Contact lens fitting
	Contact lens fitting
92315	Prescription of contact lens
92316	Prescription of contact lens
92317	Prescription of contact lens
92330	Fitting of artificial eye
92335	Fitting of artificial eye
92352	Special spectacles fitting
92353	Special spectacles fitting
92354	Special spectacles fitting
92371	Repair and adjust spectacles
92504	Ear microscopy examination
92506	Speech and hearing evaluation
92507	Speech/hearing therapy
92508	Speech/hearing therapy
92511	Nasopharyngoscopy
92512	Nasal function studies
92516	Facial nerve function test
92520	Laryngeal function studies
92565	Stenger test, pure tone
92571	Filtered speech hearing test
92575	Sensorineural acuity test
92576	Synthetic sentence test
92577	Stenger test, speech
92582	Conditioning play audiometry
93721	Plethysmography tracing
93797	Cardiac rehab
	Cardiac rehab/monitor
93798	
95010	Sensitivity skin tests
95015	Sensitivity skin tests
95056	Photosensitivity tests
95065	Nose allergy test
95075	Ingestion challenge test
95144	Antigen therapy services
95145	Antigen therapy services
95146	Antigen therapy services
95147	Antigen therapy services
95148	Antigen therapy services
95149	Antigen therapy services
95165	Antigen therapy services
95170	Antigen therapy services
95180	Rapid desensitization
95831	Limb muscle testing, manual
95832	Hand muscle testing, manual
95833	Body muscle testing, manual
95834	Body muscle testing, manual
95851	Range of motion measurements
95852	Range of motion measurements
95857	Tensilon test
96405	Intralesional chemotherapy administration

0.404

96406	Intralesional chemotherapy administration
96445	Chemotherapy, intracavitary
96450	Chemotherapy, into central nervous system
96542	Chemotherapy injection
98940	Chiropractor manip of spine
98941	Chiropractor manip of spine
98942	Chiropractor manip of spine
98943	Chiropractor manip extra spinal
99201	Office/outpatient visit, new
99202	Office/outpatient visit, new
99203	Office/outpatient visit, new
99204	Office/outpatient visit, new
99205	Office/outpatient visit, new
99211	Office/outpatient visit, established
99212	Office/outpatient visit, established
99213	Office/outpatient visit, established
99214	Office/outpatient visit, established
99215	Office/outpatient visit, established
99241	Office consultation
99242	Office consultation
99243	Office consultation
99244	Office consultation
99245	Office consultation
99271	Confirmatory consultation
99272	Confirmatory consultation
99273	Confirmatory consultation
99274	Confirmatory consultation
99354	Prolonged service, office
99355	Prolonged service, office
M0101	Foot care hygiene

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

**5221.4034** [Repealed, 25 SR 1142]

#### 5221.4035 FEE ADJUSTMENTS FOR MEDICAL/SURGICAL SERVICES.

Subpart 1. **Definition of a global surgical package.** Coding and payment for all surgical procedures is based on a global surgical package as indicated in column 7 of parts 5221.4030 to 5221.4060 and as described in part 5221.4020, subpart 2, item G. The RVU listed for each procedure includes preoperative, postoperative, and intraoperative work related to the given surgical procedure as specified in this part. Column 7 of parts 5221.4030 to 5221.4060 provides the postoperative periods that apply to each surgical procedure.

To determine the global period for surgeries with a 090 global period, include the day immediately before the day of surgery, the day of surgery, and the 90 days immediately following the day of surgery.

EXAMPLE: Date of surgery, January 5; preoperative period, January 4; last day of global period, April 5.

To determine the global period for procedures with a 010 global period, count the day of surgery and the appropriate number of days immediately following the date of surgery.

EXAMPLE: Date of surgery, January 5; last day of global period, January 15.

The global period for procedures with a 000 global period include only the services provided on the day of surgery.

#### 5221.4035 FEES FOR MEDICAL SERVICES

Physicians who perform the surgery and furnish all of the usual preoperative and postoperative work are paid for the global package according to the appropriate CPT code and any appropriate modifiers for the surgical procedure only. Payment for services in the global surgical package are based on the total RVUs listed in columns 5 and 6. Physicians are not paid separately for visits or other services that are included in the global package.

Other subparts may effect coding and payment for services for which a global period applies. Subpart 2 further defines services included in the global surgical package. Subpart 3 further defines services not included in the global surgical package. Subpart 4 governs coding and payment adjustment for physicians furnishing less than the full global package. Subpart 5 specifies additional coding and payment requirements for multiple surgeries. Subpart 6 specifies additional coding and payment requirements for bilateral procedures. Subpart 7 specifies additional coding and payment requirements for assistant-at-surgery. Subpart 8 specifies additional coding and payment requirements for cosurgeons. Subpart 9 specifies additional coding and payment requirements for team surgery.

Subp. 2. Components of a global surgical package. The global surgical package includes coding and payment instructions for the following services related to the surgery when furnished by the physician who performs the surgery. The services included in the global surgical package may be furnished in any setting, for example, in hospitals, ambulatory surgical centers, outpatient hospital surgical centers, and physicians' offices. Visits to a patient in an intensive care or critical care unit are also included if made by the surgeon. However, certain critical care services identified by CPT codes 99291 and 99292 are payable separately as specified in subpart 3, item L. Included in the global surgical package are:

#### A. preoperative visits as follows:

- (1) preoperative visits beginning with the day before the day of surgery for procedures with a global period of 090 days except that the evaluation and management service to determine the need for surgery is separately coded and paid in accordance with subpart 3, item A, subitem (1), even if the evaluation and management service is the day before or the day of surgery; and
- (2) preoperative visits the day of surgery for procedures with a global period of 000 or 010 days unless a significant separately identifiable evaluation and management service is performed as described in subpart 3, item A, subitem (2);
- B. intraoperative services which include services that are normally a usual and necessary part of a surgical procedure;
- C. all additional medical or surgical services required of the surgeon during the postoperative period of the surgery because of complications which do not require additional trips to the operating room. Subpart 3, item G, governs services for postoperative complications which require a return trip to the operating room;
- D. postoperative visits which include follow-up visits during the global period of the surgery that are related to recovery from the surgery;
  - E. postsurgical pain management by the surgeon;
  - F. supplies, except for those noted in subpart 3, item I; and
- G. miscellaneous services such as dressing changes; local incisional care; removal of operative pack; removal of cutaneous sutures and staples, lines, wires, tubes, drains, casts, and splints; insertion, irrigation and removal of urinary catheters, routine peripheral intravenous lines, nasogastric and rectal tubes, and changes and removal of tracheostomy tubes.
- Subp. 3. Services not included in global surgical package. The services listed in items A to O are not included in the global surgical package. These services may be coded and paid for separately. Physicians must use appropriate modifiers as set forth in this subpart.

- A. The initial consultation or evaluation of the problem by the surgeon to determine the need for a surgical procedure is coded and paid as specified in subitems (1) and (2):
- (1) for services with a global period of 090 days, a separate payment is allowed for the appropriate level of evaluation and management service. This circumstance must be coded by adding CPT modifier 57 to the appropriate level of evaluation and management service; or
- (2) for services with a global period of 000 or 010, and endoscopies, the initial consultation or evaluation services by the same physician on the same day as the procedure, are included in the payment for the procedure, unless a significant, separately identifiable service is also performed. For example, an evaluation and management service on the same day could be properly billed in addition to suturing a scalp wound if a full neurological examination is made for a patient with head trauma. Payment for an evaluation and management service is not appropriate if the physician only identified the need for sutures and confirmed allergy and immunization status. The physician must document in the medical record that the patient's condition required a significant, separately identifiable evaluation and management service above and beyond the usual preoperative and postoperative care associated with the procedure or service that was performed. This circumstance must be coded by adding CPT modifier 25 to the appropriate level of evaluation and management service.
- B. Services of other physicians are not included in the global surgical package and are separately coded and paid as follows:
- (1) preoperative physical examination and postdischarge services of a physician other than the surgeon are coded by the appropriate evaluation and management code and are paid separately. No modifiers are necessary;
- (2) physicians who provide follow-up services for procedures with a global period of 000 or 010 that were initially performed in emergency departments may charge the appropriate level of office visit code and are paid separately. The physician who performs the emergency room service codes for the surgical procedure without a modifier;
- (3) if the services of a physician other than the surgeon are required during a postoperative period for an underlying condition or medical complication, the other physician codes the appropriate evaluation and management service and is paid separately. No modifiers are necessary. An example is a cardiologist who manages underlying cardiovascular conditions of a patient; and
- (4) where the surgeon and another physician or physicians agree to transfer care otherwise included in the global period, coding and payment are governed by subpart 4.
- C. Visits unrelated to the diagnosis for which the surgical procedure is performed, unless the visits occur due to complications of the surgery, are not included in the global surgical package and are separately payable. Physicians must use the following modifiers if appropriate:
- (1) CPT modifier 79 identifies an unrelated procedure by the same physician during a postoperative period. The physician must document that the performance of a procedure during a postoperative period was unrelated to the original procedure; and
- (2) CPT modifier 24 identifies an unrelated evaluation and management service by the same physician during a postoperative period. This circumstance must be coded by adding CPT modifier 24 to the appropriate level of evaluation and management service. The physician must document that an evaluation and management service was performed during the postoperative period of an unrelated procedure. An ICD-9-CM code that clearly indicates that the reason for the encounter was unrelated to the surgery is acceptable documentation.
- D. Treatment for the underlying condition or an added course of treatment which is not part of normal recovery from surgery is not included in the global surgical

#### 5221,4035 FEES FOR MEDICAL SERVICES

package and is separately payable. Complications from the surgical procedure are governed by item G and subpart 2, item C.

- E. Diagnostic tests and procedures, including diagnostic radiological procedures and diagnostic biopsies, are not included in the global surgical package and are separately coded and payable. If a diagnostic biopsy with a ten-day global period precedes a major surgery on the same day or in the ten-day period, the major surgery is payable separately.
- F. Clearly distinct surgical procedures during the postoperative period which are not reoperations for complications (reoperations for complications are governed by item G) are not included in the global surgical package and are separately payable. This includes procedures done in two or more parts for which the decision to stage the procedure is made prospectively or at the time of the first procedure. Examples of this are procedures to diagnose and treat epilepsy, codes 61533, 61534-61536, 61539, 61541, and 61543, which may be performed in succession within 90 days of each other.

CPT modifier 58 must be used to code for staged or related surgical procedures done during the global period of the first procedure. The global period for the staged or subsequent procedures is separate from the global period for the proceeding procedure.

G. Treatment for postoperative complications which requires a return trip to the operating room is not included in the global surgical package and is separately coded and paid as specified in this item. This additional procedure is referred to as a reoperation.

"Operating room," for this purpose, is defined as a place of service specifically equipped and staffed for the sole purpose of performing procedures. Operating room includes a cardiac catheterization suite, laser suite, and endoscopy suite. It does not include a patient's room, minor treatment room, recovery room, or intensive care unit, unless the patient's condition was so critical there would be insufficient time for transportation to an operating room.

- (1) When coding for treatment for postoperative complications for services with a global period of 090 or 010 days which requires a return trip to the operating room, as defined in this item, physicians must code the CPT code that describes the procedures performed during the return trip as follows:
- (a) Some reoperations have been assigned separate, distinct reoperation CPT procedure codes and RVUs. The maximum fee for these procedures is calculated using the RVUs for the coded reoperation and the formula in part 5221.4020.
- (b) Reoperations which have not been assigned separate, distinct reoperation CPT codes and RVUs must be identified on the bill with the CPT procedure code that describes the procedure or treatment for the complication plus CPT modifier 78 which indicates a return to the operating room for a related procedure during the global period. The CPT procedure code may be the one used for the original procedure when the identical procedure is repeated or another CPT procedure code which describes the actual procedure or service performed. The reoperation is paid at 76 percent of the total RVU listed for the reoperation procedure. The maximum fee for a reoperation without a separate distinct reoperation CPT procedure code is calculated according to the following formula:

Maximum fee =  $.76 \times (total RVUs for the reoperation) \times (conversion factor)$ 

(c) When no CPT code exists to describe the treatment for complications, use an unlisted surgical procedure code plus CPT modifier 78 which indicates a return to the operating room for a related procedure during the global period. The reoperation is paid at 38 percent of the total RVU listed for the original procedure. The maximum fee for a reoperation for a procedure identified by an unlisted CPT procedure code is calculated according to the following formula:

Maximum fee =  $.38 \times (total \text{ RVUs for the original procedure}) \times (conversion factor)$ 

- (2) When coding for treatment for postoperative complications for a procedure with a 000 global period, physicians must use CPT modifier 78 which indicates a return trip to the operating room for a related procedure during the postoperative global period. The full value for the repeat procedure is paid according to the formula in part 5221.4020.
- (3) If additional procedures are performed during the same operative session as the original surgery to treat complications which occurred during the original surgery, the additional procedures are coded and paid as multiple surgeries as specified in subpart 5. Only surgeries that require a return to the operating room due to complications from the original surgery are coded and paid as specified in subitems (1) and (2).
- (4) If the patient is returned to the operating room after the initial operative session and during the postoperative global surgery period of the original surgery, for one or more additional procedures as a result of complications from the original surgery, each procedure required to treat the complications from the original surgery is paid as specified in subitem (1) or (2).

The multiple surgery rules under subpart 5 do not also apply. The original operation session and the reoperation session are separate and distinct surgical sessions. The reoperation is not considered a multiple surgery, as described in subpart 5, of the original operation. If during the reoperation session multiple surgeries are performed, the additional surgeries are not governed by the multiple surgery payment rules in subpart 5 but are governed by subitems (1) and (2).

- (5) If the patient is returned to the operating room during the postoperative global surgery period of the original surgery, not on the same day of the original surgery, for bilateral procedures that are required as a result of complications from the original surgery, subitems (1) to (4) apply. The bilateral rules in part 5221.4020, subpart 2, item I, do not apply.
- H. If a less extensive procedure fails, and a more extensive procedure is required, the second procedure is coded and paid separately.
- I. For surgical services listed in this item that are performed in a physician's office, separate payment may be made for a surgical tray (CPT code A4550): 19101, 19120, 19125, 19126, 20200, 20205, 20220, 20225, 20240, 25111, 28290, 28292, 28293, 28294, 28296, 28297, 28298, 28299, 32000, 36533, 37609, 38500, 43200, 43202, 43220, 43226, 43234, 43235, 43239, 43245, 43247, 43249, 43250, 43251, 43458, 45378, 45379, 45380, 45382, 45383, 45384, 45385, 49080, 49081, 52005, 52007, 52010, 52204, 52214, 52224, 52234, 52235, 52240, 52250, 52260, 52270, 52275, 52276, 52277, 52282, 52283, 52290, 52300, 52301, 52305, 52310, 52315, 57520, 57522, 58120, 62270, 68761, 85095, 85102, 95028, 96440, 96445, 96450, and G0105.
  - J. Splints, casting, and take-home supplies are coded and paid separately.
- K. Immunosuppressive therapy for organ transplants is coded and paid separately.
- L. Critical care services (CPT codes 99291 and 99292) unrelated to the surgery, where a seriously injured or burned patient is critically ill and requires constant attendance of the physician, provided during a global surgical period, are coded and paid separately.
- M. Except as provided in part 5221.0410, subpart 7, item A, the physician may separately bill a reasonable amount for supplementary reports and services directly related to the employee's ability to return to work, fitness for job offers, and opinions as to whether or not the condition was related to a work-related injury. Coding and payment for these services is governed by parts 5221.0410, subpart 7; 5221.0420, subpart 3; and 5221.0500, subpart 2.
- N. The global surgical package does not apply, and separate coding and payment is allowed, for an initial service that meets both of the conditions in subitems (1) and (2):

- (1) the service is for initial care only to afford comfort to a patient or to stabilize or protect a fracture, dislocation, or other injury; and
- (2) subsequent restorative treatment, such as surgical repair or reduction of a fracture or joint dislocation, is expected to be performed by a physician other than the physician rendering the initial care only.
- O. Surgeries for which services performed are significantly greater or more complex than usually required must be coded with CPT modifier 22 added to the CPT code for the procedure. Additional requirements for use of this modifier are as follows:
- (1) This modifier may only be used where circumstances create a more complex procedure such as congenital or developmental disorders of the anatomy, multiple fractures of the same long bone, coexisting disease, when there has been previous surgery on the same body part or where there is a significant amount of scar tissue.
- (2) This modifier may only be reported with procedure codes that have a global period of 000, 010, or 090 days.
  - (3) Physicians must provide:
- (a) a concise statement about how the service is significantly more complex than usually required; and
  - (b) an operative report with the claim.
- (4) The maximum fee for a surgical procedure that has satisfied all of the requirements for use of CPT modifier 22 is up to 125 percent of the total RVU for that CPT code listed in subpart 2b.
- (5) CPT modifier 22 is not used to report additional procedures that are performed during the same operative session as the original surgery to treat complications which occurred during the original surgery. Additional procedures to treat complications which occurred during surgery are governed by subpart 5.
- Subp. 4. Physicians furnishing less than full global package. There are occasions when more than one physician provides services included in the global surgical package. It may be the case that the physician who performs the surgical procedure does not furnish the follow-up care. Payment for the postoperative, postdischarge care is split between two or more physicians where the physicians agree on the transfer of care. Coding and payment requirements for physicians furnishing less than the full global package are:
- A. When more than one physician furnishes services that are included in the global surgical package, the sum of the amount allowed for all physicians may not exceed what would have been paid if a single physician provides all services.
- B. Where physicians agree on the transfer of care during the global period, they must add the appropriate CPT modifier to the surgical procedure code:
  - (1) CPT modifier 54 for surgical care only; or
  - (2) CPT modifier 55 for postoperative management only.
- C. Physicians who share postoperative management with another physician must submit additional information showing when they assumed and relinquished responsibility for the postoperative care. If the physician who performed the surgery relinquishes care at the time of discharge, the physician need only show the date of surgery when billing with CPT modifier 54.

However, if the surgeon also cares for the patient for some period following discharge, the surgeon must show the date of surgery and the date on which postoperative care was relinquished to another physician. The physician providing the remaining postoperative care must show the date care was assumed.

D. If a surgeon performs a procedure with a global period of 010 or 090 days, and cares for the patient until time of discharge from a hospital or ambulatory surgical center, the maximum fee for this surgeon's services is paid at 87 percent of the total RVU and calculated according to the following formula:

Maximum fee =  $.87 \times (total RUVs \times CF)$ 

Modifier 54 is used to identify these services.

E. If a health care provider who did not perform the surgery assumes surgical follow-up care of a patient after discharge from the hospital or ambulatory surgical center, then the maximum fee for this practitioner's services is paid at 13 percent of the total RVU and is calculated according to the following formula:

Maximum fee =  $.13 \times (total RVUs \times CF)$ 

CPT modifier 55 is used to identify these services.

- F. If several health care providers furnish postoperative care, the maximum fee for the postoperative period is divided among the practitioners based on the number of days for which each health care provider was primarily responsible for care of the patient. CPT modifier 55 (for postoperative management only) is used to identify postoperative services furnished by more than one provider.
- G. If the providers have agreed to a payment distribution of the global fee that differs from the distributions set forth in items D to F, then payments will be made accordingly, if the agreed-upon distribution is documented and explained on the bill for the procedure and is not prohibited by Minnesota Statutes, section 147.091, subdivision 1, paragraph (p).
- Subp. 5. Coding and payment for multiple surgeries and procedures. Part 5221.4020, subpart 2, item H, and column 8 in parts 5221.4030 to 5221.4060, describe codes subject to the multiple procedures payment restrictions. Multiple surgeries are separate surgeries performed by a single physician on the same patient at the same operative session or on the same day for which separate payment may be allowed.
- A. The coding requirements in subitems (1) and (2) apply to multiple surgeries that have an indicator of 2 or 3 in column 8 by the same physician on the same day as specified in items D and E:
- (1) the surgical procedure with the highest RVU is reported without the multiple procedures CPT modifier 51;
- (2) the additional surgical procedures performed are reported with CPT modifier 51.
- B. There may be instances in which two or more physicians each perform distinctly different, unrelated surgeries on the same patient on the same day, for example, in some multiple trauma cases. When this occurs, CPT modifier 51 is not used and the multiple procedure payment reductions do not apply unless one of the surgeons individually performs multiple surgeries.
- C. If any of the multiple surgeries are bilateral or cosurgeries, first determine the allowed amount for the procedure as specified in subpart 6 or 8, next rank this amount with the remaining procedures, and finally, apply the appropriate multiple surgery payment reductions as specified in items D and E.
- D. For procedures with an indicator of 2 in column 8, if the procedures are reported on the same day as another procedure with an indicator of 2, the maximum fee for the procedure with the highest RVU is paid at 100 percent of the listed RVU and the maximum fee for each additional procedure with an indicator of 2 is paid at 50 percent of the listed RVU.
- E. For procedures with an indicator of 3 in column 8, the multiple endoscopy payment rules apply if the procedure is billed with another endoscopy in the same family (i.e., another endoscopy that has the same base procedure). For purposes of this item, the term "endoscopy" also includes arthroscopy procedures. If an endoscopy procedure is performed on the same day as another endoscopy procedure within the same family, the payment for the procedure with the highest RVU is 100 percent of the maximum allowed fee and the maximum allowed fee for every other procedure in that family is reduced by the value of the endobase code for that family of procedures. No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day.

### 5221.4035 FEES FOR MEDICAL SERVICES

Endobase CPT Code	CPT Procedure Codes in the same family
29815	29819, 29820, 29821, 29822, 29823, 29825, 29826
29830	29834, 29835, 29836, 29837, 29838
29840	29843, 29844, 29845, 29846, 29847
29860	29861, 29862, 29863
29870	29871, 29874, 29875, 29876, 29877, 29879, 29880, 29881, 29882, 29883, 29884, 29885, 29886, 29887
31505	31510, 31511, 31512, 31513
31525	31527,31528,31529,31530,31535,31540,31560,31570
31526	31531, 31536, 31541, 31561, 31571
31575	31576, 31577, 31578, 31579
31622	31625, 31628, 31629, 31630, 31631, 31635, 31640, 31641, 31645
43200	43202, 43204, 43205, 43215, 43216, 43217, 43219, 43220, 43226, 43227, 43228
43235	43239, 43241, 43243, 43244, 43245, 43246, 43247, 43249, 43250, 43251, 43255, 43258, 43259
43260	43261, 43262, 43263, 43264, 43265, 43267, 43268, 43269, 43271, 43272
44360	44361, 44363, 44364, 44365, 44366, 44369, 44372, 44373
44376	44377, 44378
44388	44389, 44390, 44391, 44392, 44393, 44394
45300	45303, 45305, 45307, 45308, 45309, 45315, 45317, 45320, 45321
45330	45331, 45332, 45333, 45334, 45337, 45338, 45339
45378	45379, 45380, 45382, 45383, 45384, 45385
46600	46604, 46606, 46608, 46610, 46611, 46612, 46614, 46615
47552	47553, 47554, 47555, 47556
50551	50555, 50557, 50559, 50561
50570	50572, 50574, 50575, 50576, 50578, 50580
50951	50953, 50955, 50957, 50959, 50961
50970	50974, 50976

# **MINNESOTA RULES 2001**

#### FEES FOR MEDICAL SERVICES 5221,4035

52000	52007, 52010, 52204, 52214, 52224, 52250, 52260, 52265, 52270, 52275, 52276, 52277, 52281, 52282, 52283, 52285, 52290, 52300, 52301, 52305, 52310, 52315, 52317, 52318
52005	52320, 52325, 52327, 52330, 52332, 52334
52335	52336, 52337, 52338, 52339
56300	56301, 56302, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56311, 56314, 56343, 56344
56350	56351, 56352, 56353, 56354, 56355, 56356
57452	57454, 57460

The following examples illustrate various applications of the endoscopy and multiple procedure payment rule.

Example 1. Endobase procedure plus one other procedure in that family.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
52000 endobase code	\$100	0.00	No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day
52214 (same family as endobase code)	\$200	\$200	Pay 100 percent for the procedure with the highest RVU
		\$200	Total amount paid is \$200 \$0 (for 52000) + \$200 (for 52214) = \$200

Example 2. Endobase procedure plus two or more procedures in the same endoscopy family. The endoscopy pricing rule applies.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
52000 endobase code	\$100	\$0	No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

753

#### 5221,4035 FEES FOR MEDICAL SERVICES

52214 (same family as endobase code)	\$200	\$200	Pay 100 percent of the procedure with the highest RVU
52204 (same family as endobase code)	\$150	\$50	Pay the difference between the next highest valued endoscopy code and the base endoscopy code \$150 - \$100 = \$50
		\$250	Total amount paid is \$250 \$200 (for 52214) + \$50 (for 52204) + \$0 (for 52000) = \$250

Example 3. Two unrelated endoscopy procedures. The multiple surgery rule as depicted by indicator 2 applies.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
45378 endobase code	\$150	\$150	Pay 100 percent of the procedure with the highest RVU with an indicator of 2
43217 endobase code	\$75	\$37.50	Pay 50 percent of all other procedures with an indicator of 2
		\$187.50	Total amount paid is \$187.50 \$150 (for 45378) + \$37.50 (for 43217) = \$187.50

Example 4. Two unrelated series of endoscopy procedures. The endoscopy pricing rule is applied first, within each family of endoscopy codes. The multiple surgery pricing rule as depicted by indicator 2 is then applied. The codes in the series with the highest total value are allowed at 100 percent of the calculated maximum value. The codes in the series with the lower total value are allowed at 50 percent of total allowed calculated maximum value.

Example 5. Endoscopy procedures billed with other surgery procedures. All procedures subject to the multiple surgery pricing rule are ranked from highest to lowest to determine which codes, or groups of codes, are allowed at 100 percent or 50 percent of the their calculated maximum value. If two or more of the billed codes belong to the same endoscopy family, the endoscopy pricing rule is applied first, and the total value of the endoscopy series is used in the array.

F. For procedures with an indicator of 4, special rules for multiple procedures are specified in parts 5221.4051 and 5221.4061.

- G. For procedures with an indicator of 0 or 9, no payment rules for multiple or endoscopy procedures apply.
- Subp. 6. Coding and payment for bilateral surgeries and procedures. Part 5221.4020, subpart 2, item I, and column 9 in parts 5221.4030 to 5221.4060 describe codes subject to the bilateral procedures payment restrictions. Bilateral surgeries are procedures performed on both sides of the body during the same operative session or on the same day.
- A. For procedures with an indicator of 0, 3, or 9 in column 9, no bilateral payment provisions apply. For procedures with an indicator of 0, the bilateral adjustment is inappropriate because of physiology or anatomy or because the code description specifically states that it is a unilateral procedure and there is an existing code for the bilateral procedure. Services with an indicator of 3 are generally radiology procedures or other diagnostic tests which are not subject to bilateral payment adjustments. For procedures with an indicator of 9, the concept of bilateral surgeries does not apply.
- B. For procedures with an indicator of 1 in column 9, if the procedures are billed as bilateral procedures, the allowed payment is 150 percent of the maximum amount allowed for a single procedure. The bilateral adjustment is applied before any multiple procedure rules as specified in subpart 5, item C, or cosurgery as specified in subpart 8, are applied.
- C. For procedures with an indicator of 2, no further bilateral adjustments apply because the RVUs are already based on the procedure being performed as a bilateral procedure.
- Subp. 7. Coding and payment for assistant-at-surgery. Part 5221.4020, subpart 2, item J, and column 10 in parts 5221.4030 to 5221.4060 describe codes subject to the assistant-at-surgery payment restrictions. An assistant-at-surgery must use the appropriate CPT or HCPCS modifier in accordance with their provider type. Payment for a physician assistant-at-surgery is not allowed when payment is made for cosurgeons or team surgeons for the same procedures. For procedures with an indicator of 0 (where medical necessity is established) or 2 in column 10 the maximum fee for an assistant-at-surgery is as follows:
- A. For a physician who is an assistant-at-surgery, 16 percent of the global surgery fee is paid. This is paid in addition to the global fee paid to the surgeon.
- B. If the assistant surgery service is performed by a provider who is not a physician, but who has advanced training to act as an assistant-at-surgery consistent with their scope of practice, 13.6 percent of the global surgery fee is paid. This is paid in addition to the global fee paid to the surgeon.
- Subp. 8. Coding and payment for cosurgeons. Part 5221.4020, subpart 2, item K, and column 11 in parts 5221.4030 to 5221.4060 describe codes subject to the cosurgeon's payment adjustments. Under some circumstances, the individual skills of two or more surgeons are required to perform surgery on the same patient during the same operative session. This may be required because of the complex nature of the procedures or the patient's condition. It is cosurgery if two surgeons, each in a different specialty, are required to perform a specific procedure, for example, heart transplant. Cosurgery also refers to surgical procedures involving two surgeons performing the parts of the procedure simultaneously, for example, bilateral knee replacement. In these cases, the additional physicians are not acting as assistants-at-surgery.
- A. If cosurgeons are required to do a procedure, each surgeon codes for the procedure with CPT modifier 62 which indicate two surgeons.
- B. For procedures with an indicator of 1, where necessity of cosurgeons is established, or 2 in column 11, the amount paid for the procedure is 125 percent of the global fee, divided equally between the two surgeons. If the cosurgeons have agreed to a different payment distribution, payments will be made accordingly, if the agreed-upon distribution is documented and explained on the bill for the procedure, and is not prohibited by Minnesota Statutes, section 147.091, subdivision 1, paragraph (p).

#### 5221.4035 FEES FOR MEDICAL SERVICES

- C. For procedures with an indicator of 0 or 9 in column 11, either cosurgeons are not allowed or the concept of cosurgery does not apply and cosurgery fee adjustments do not apply.
- D. If surgeons of different specialties are each performing a distinctly different procedure with specific CPT codes, cosurgery fee adjustments do not apply even if the procedures are performed through the same incision. If one of the surgeons performs multiple procedures, the multiple procedure rules in subpart 5 apply to that surgeon's services.
- Subp. 9. Coding and payment for team surgery. Part 5221.4020, subpart 2, item L, and column 12 in parts 5221.4030 to 5221.4060 govern application of the team surgery concept.
- A. If a team of surgeons, that is, more than two surgeons of different specialties, is required to perform a specific procedure, each surgeon bills for the procedure with the CPT modifier 66 which indicates a surgical team.
- B. For procedures with an indicator of 1, where necessity of a team is established, or 2 in column 12, the amount paid for the procedure is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- C. For procedures with an indicator of 0 or 9 in column 12, either team surgery is not allowed or the concept of team surgery does not apply.
- Subp. 10. Unbundling surgical services. Where several component services which have different CPT codes may be described in one more comprehensive CPT code, only the single CPT code most accurately and comprehensively describing the procedure performed or service rendered may be reported. Intraoperative services, incidental surgeries, or components of more major surgeries are not separately billable or payable.

For example, an anterior arthrodesis of the lumbar spine using the anterior interbody technique may be performed by two surgeons. One of the surgeons may perform opening or the approach for the anterior arthrodesis while a different surgeon performs the arthrodesis. In this instance, the surgeons are acting as cosurgeons performing different components of a major surgery. The opening or approach is not a separately billable or payable procedure. Both surgeons must code this service using the anterior arthrodesis code and are paid for the procedure as cosurgeons as specified in subpart 8.

**Statutory Authority:** MS s 176.135; 176.1351; 176.136; 176.83

**History:** 25 SR 1142

#### 5221.4040 PATHOLOGY AND LABORATORY PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of pathology and laboratory procedure codes.

1	2	3	4	5	6	7	8	9	10	11	12
80007			7 Clinical chemistry tests	0.71	0.71	XXX	0	0	0	0	0
80500			Lab pathology consult	0.45	0.45	XXX	0	0	0	0	0
80502			Lab pathology consult	1.28	1.28	XXX	0	0	0	0	0
81000		Α	Urinalysis with microscopy	0.21	0.21	XXX	0	0	0	0	0
81002		Α	Urinalysis, no microscopy	0.12	0.12	XXX	0	0	0	0	0
82565		Α	Assay blood creatinine	0.08	0.08	XXX	0	0	0	0	0
82947		Α	Assay body fluid	0.34	0.34	XXX	0	0	0	0	0

84132	Α	Assay blood potassium	0.21	0.21	XXX	0	0	0	0	0
84295	Α	Assay blood sodium	0.27	0.27	XXX	0	0	0	0	0
85007	A	Differential WBC count	0.25	0.25	XXX	0	0	0	0	0
85014	A	Hematocrit	0.14	0.14	XXX	0	0	0	0	0
85018	A	Hemoglobin	0.16	0.16	·XXX	Õ	Õ	Ŏ	Ŏ	Õ
85021	A	Automated hemogram	0.22	0.22	XXX	ő	ŏ	ŏ	ŏ	ŏ
85022	A	Automated hemogram	0.38	0.38	XXX	0	0	0	ŏ	ŏ
	A		0.48	0.38	XXX	0	0	0	0	0
85023		Automated hemogram			XXX	0	0	0	0	0
85024	A	Automated hemogram	0.41	0.41	XXX		0	0	0	0
85025	A	Automated hemogram	0.59	0.59		0			0	
85031	A	Manual hemogram	0.43	0.43	XXX	0	0	0	-	0
85048		White blood cell	0.15	0.15	XXX	0	0	0	0	0
85060	A	Blood smear interpretation	0.53	0.53	XXX	0	0	0	0	0
85095	Α	Bone marrow aspiration	1.38	1.38	XXX	0	0	0	0	0
85097		Bone marrow interpretation	1.12	1.12	XXX	0	0	0	0	0
85105		Bone marrow, interpretation	0.86	0.86	XXX	0	0	0	0	0
85610		Prothrombin time	0.24	0.24	XXX	0	0	0	0	0
85651	Α	RBC sedimentation	0.16	0.16	XXX	0	0	0	0	0
85730	Α	Thromboplastin	0.33	0.33	XXX	0	0	0	0	0
86077	Α	Physician blood bank	0.96	0.96	XXX	0	0	0	0	0
86078	Α	Physician blood bank	1.00	1.00	XXX	0	0	0	0	0
86079	Α	Physician blood bank	0.99	0.99	XXX	0	0	0	0	0
86490	Α	Coccidioidomycosis	0.24	0.24	XXX	0	0	0	0	0
86510	Α	Histoplasmosis	0.25	0.25	XXX.	0	0	0	0	0
86580	A	TB intradermal	0.20	0.20	XXX	0	0	0	0	0
86585	A	TB tine test	0.16	0.16	XXX	0	0	0	0	0
87040		Blood culture	0.85	0.85	XXX	ŏ	ŏ	ŏ	Ö	Ŏ
87070	A	Culture specimen	0.44	0.44	XXX	ŏ	ŏ	ŏ	Ŏ	Ŏ
88104		Cytopathology	0.80	0.80	XXX	ŏ	ŏ	ő	ŏ	ŏ
88106	A	Cytopathology	0.74	0.74	XXX	ŏ	ŏ	ŏ	0	ŏ
88107	A	Cytopathology	0.97	0.74	XXX	0	ő	0	0	0
88108	A	Cytopathology, concentra-	0.82	0.82	XXX	0	0	0	0	ő
00100	А		0.02	0.62	ллл	U	U	U	U	U
00135	٨	tion	0.29	0.29	XXX	0	0	0	0	0
88125	A	Forensic cytopathology			XXX	_		0	0	0
88141	A	Cervical cytopathology	0.59	0.59		0	0	-		
88160	Α	Cytopathology, smears	0.66	0.66	XXX	0.	0	0	0	0
88161	Α	Cytopathology, smears	0.71	0.71	XXX	0	0	0	0	0
88162	Α	Cytopathology, smears	1.24	1.24	XXX	0	0	0	0	0
88170		1	1.80	1.80	XXX	0	0	0	0	0
88171		Fine needle aspiration	2.09	2.09	XXX	0	0	0	0	0
88172	Α	Evaluation of specimen(s)	1.05	1.05	XXX	0	0	0	0	0
88173	Α	Interpretation and report	1.78	1.78	XXX	0	0	0	0	0
88180	Α	Cell marker study	0.55	0.55	XXX	0	0	0	0	0
88182	Α	Cell marker study	1.33	1.33	XXX	0	0	0	0	0
88300	Α	Surgical pathology	0.23	0.23	XXX	0	0	0	0	0
88302	Α	Tissue examination	0.44	0.44	XXX	0	0	0	0	0
88304	Α	Tissue examination	0.64	0.64	XXX	0	0	0	0	0
88305	Α	Tissue examination	1.44	1.44	XXX	0	0	0	0	0
88307	Α	Tissue examination	2.49	2.49	XXX	0	0	0	0	0
88309	A	Tissue examination	3.34	3.34	XXX	Ō	0	Ō	0	0
88311	A	Decalcify tissue	0.36	0.36	XXX	Ŏ	0.	ŏ	Õ	0
88312	A	Special stains	0.62	0.62	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
88313	A	Special stains	0.36	0.36	XXX	0	0	0	0	0
88314	A	Histochemical staining	0.86	0.86	XXX	0	0	0	0	0
				0.80	XXX	-			0	
88318	A	Chemical histochemistry	0.52			0	0	0		0
88319	A	Enzyme histochemistry	0.82	0.82	XXX	0	0	0	0	0
88321	A	Microslide consultation	1.33	1.33	XXX	0	0	0	0	0
88323	Α	Microslide consultation	1.63	1.63	XXX	0	0	0	0	0

88325	Α	Comprehensive report	2.08	2.08	XXX	0	0	. 0	0	0
88329	Α	Pathology consultation	0.82	0.82	XXX	0	0	0	0	0
88331	Α	Pathology consultation	1.83	1.83	XXX	0	0	0	0	0
88332	Α	Pathology consultation	0.92	0.92	XXX	0	0	0	0	0
88342	Α	Immunocytochemistry	1.18	1.18	XXX	0	0	0	0	0
88346	Α	Immunofluorescent study	1.14	1.14	XXX	0	0	0	0	0
88347	Α	Immunofluorescent study	1.01	1.01	XXX	0	0	0	0	0
88348	Α	Electron microscopy	3.06	3.06	XXX	0	0	0	0	0
88349	Α	Electron microscopy	1.88	1.88	XXX	0	0	0	0	0
88355	Α	Analysis, skeletal	2.87	2.87	XXX	0	0	0	0	0
88356	Α	Analysis, nerve	4.52	4.52	XXX	0	0	0	0	0
88358	Α	Analysis, tumor	4.08	4.08	XXX	0	0	0	0	0
88362	Α	Nerve teasing preparations	3.29	3.29	XXX	0	0	0	0	0
88365	Α	Tissue hybridization	1.33	1.33	XXX	0	0	0	0	0
89100	Α	Sample intestine	0.81	0.81	XXX	0	0	0	0	0
89105	Α	Sample intestine	0.71	0.71	XXX	0	0	0	0	0
89130	Α	Sample stomach	0.69	0.69	XXX	0	0	0	0	0
89132	Α	Sample stomach	0.31	0.31	XXX	0	0	0	0	0
89135	Α	Sample stomach	1.09	1.09	XXX	0	0	0	0	0
89136	Α	Sample stomach	0.35	0.35	XXX	0	0	0	0	0
89140	Α	Sample stomach .	1.40	1.40	XXX	0	0	0	0	0
89141	Α	Sample stomach	1.26	1.26	XXX	0	0	0	0	0
89350	Α	Sputum specimen	0.33	0.33	XXX	0	0	0	0	0
89360	Α	Collect sweat	0.36	0.36	XXX	0	0	0	0	0

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 20 SR 1163; 25 SR 1142

# 5221.4041 FEE ADJUSTMENTS FOR PROFESSIONAL/TECHNICAL COMPONENTS FOR PATHOLOGY/LABORATORY SERVICES.

Subpart 1. General. Fees for pathology and laboratory services shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other practitioners. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. The maximum fee for the professional component of the service is calculated according to the following formula:

Maximum fee = .75 x (total RVUs x CF). The billing code for the professional component of the service is the specific procedure code plus the modifier 26. The maximum fee for the technical component of the service is calculated according to the following formula: Maximum fee = .25 x (total RVUs x CF). The billing code for the technical component of the service is the specific procedure code plus the modifier TC.

- Subp. 2. Services provided to hospital inpatients. The maximum fee for a service rendered by a provider to an employee while hospitalized as an inpatient is that calculated for the professional component of the service only. Charges for the technical component of the service for an inpatient may be included in the separate billing by hospital and are limited by Minnesota Statutes, section 176.136, subdivision 1b.
- Subp. 3. **Separate billing for each component.** If the professional component is split from the technical component and both are billed separately, the total cost for both shall not exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.

- Subp. 4. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated according to the formula in part 5221.4020.
- Subp. 5. Services performed in an independent laboratory. The maximum fee for physician pathology services performed in an independent laboratory is that calculated for the complete service, using the RVUs corresponding to the service code listed without a modifier in part 5221.4040, subpart 2b, and the formula in part 5221.4020.

**Statutory Authority:** MS s 175.171: 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.4050 PHYSICAL MEDICINE AND REHABILITATION PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of physical medicine and rehabilitation procedure codes.

1	2	3	4	5	6	7	8	9	10	11	12
therapy			ocedure codes 97001 to			hysical	and	oc	cup	atio	nal
97001		Α	PT evaluation	1.29	1.29	XXX	0	0	0	0	0
97002		Α	PT reevaluation	0.51	0.51	XXX	0	0	0	0	0
97003		A	OT evaluation	1.29	1.29	XXX	0	0	0	0	0
97004		Α	OT reevaluation	0.51	0.51	XXX	0	0	0	0	0
	ъ	<b>D</b>	1 07010 4 07	700 1	1 .	1			1	1, *1*	٠,

B. Procedure codes 97010 to 97799 relate to physical medicine and rehabilitation procedure codes.

97010	В	Hot or cold packs	0.00	0.00	XXX	9	9	9	9	9
	Ā	Mechanical traction	0.37	0.37	XXX	4	Ó	ó	Ó	Ó
	A	Electrical stimulation	0.32	0.32	XXX	4	ŏ	ŏ	ŏ	ŏ
	À	Vasopneumatic devices	0.36	0.36	XXX	4	ŏ	ŏ	ŏ	ŏ
		Paraffin bath therapy	0.26	0.26	XXX	4	ŏ	ŏ	ŏ	ŏ
	A	Microwave therapy	0.22	0.22	XXX	4	ŏ	ŏ	ŏ	ŏ
	A	Whirlpool therapy	0.30	0.30	XXX	4	ŏ	ŏ	ŏ	ŏ
	A	Diathermy treatment	0.23	0.23	XXX	4	ŏ	ŏ	ŏ	ŏ
	A	Infrared therapy	0.22	0.22	XXX	4	0	Ŏ	Õ	Ō
		Ultraviolet therapy	0.23	0.23	XXX	4	ŏ	ŏ	ō	Õ
	A	Electrical stimulation	0.32	0.32	XXX	4	Ō	Õ	Ō	0
	A	Electric current	0.33	0.33	XXX	4	0	0	0	0
	A	Contrast bath therapy	0.25	0.25	XXX	4	Ō	Ō	Ō	0
		Ultrasound therapy	0.26	0.26	XXX	4	Ŏ	Ŏ	Õ	Ō
		Hydrotherapy	0.41	0.41	XXX	4	Ō	Ō	Ō	Ō
		Unlisted therapy service	0.37	0.37	XXX	4	Ŏ	Õ	Ō	Ō
	A	Therapeutic exercises	0.47	0.47	XXX	Ó	Õ	Õ	Ŏ	Ŏ
	A	Neuromuscular reeducation	0.47	0.47	XXX	Ō	0	0	Ō	Ō
	A	Aquatic therapy	0.52	0.52	XXX	Õ	Õ	0	Õ	Ō
		Gait training therapy	0.41	0.41	XXX	Ŏ	Õ	Ō	Ō	Ō
	A	Massage therapy	0.37	0.37	XXX	ŏ	Ō	ŏ	ŏ	Ŏ
	A	Unlisted phys. med. service	0.31	0.31	XXX	ŏ	Ŏ	Õ	ō	Ŏ
97140										

97150	Α	Group therapy procedure	0.39	0.39	XXX	0	0	0	0	0
97504	Α	Orthotic training	0.48	0.48	XXX	0	0	0	0	0
97520	Α	Prosthetic training	0.49	0.49	XXX	0	0	0	0	0
97530	Α	Therapeutic activities	0.50	0.50	XXX	0	0	0	0	0
97535	Α	Self care/home management	0.51	0.51	XXX	0	0	0	0	0
97537	Α	Community/work training	0.51	0.51	XXX	0	0	0	0	0
97542	Α	Wheelchair management	0.35	0.35	XXX	0	0	0	0	0
97545	R	Work hardening	0.00	0.00	XXX	0	0	0	0	0
97546	R	Work hardening	0.00	0.00	XXX	0	0	0	0	0
97703	Α	Prosthetic checkout	0.36	0.36	XXX	0	0	0	0	0
97750	Α	Physical performance test	0.57	0.57	XXX	0	0	0	0	0
97770	Α	Cognitive skills	0.60	0.60	XXX	0	0	0	0	0
97780	N	Acupuncture, no stimulus	0.00	0.00	XXX	9	9	9	9	9
97781	N	Acupuncture with stimulus	0.00	0.00	XXX	9	9	9	9	9
97799	C	Physical medicine	0.00	0.00	XXX	0	0	0	0	0

C. Procedure codes V5336 to V5364 relate to miscellaneous physical medicine procedure codes.

V5336	N	Repair communication device	0.00	0.00	XXX	9	9	9	9	9
V5362	R	Speech screening	0.00	0.00	XXX	0	0	0	0	0
V5363	R	Language screening	0.00	0.00	XXX	0	0	0	0	0
V5364	R	Dysphagia screening	0.00	0.00	XXX	0	0	0	0	0

Subp. 3. Additional payment instructions. The instructions and examples in items A to D are in addition to CPT code descriptions found in the CPT manual. Additional instructions include both general instructions for a group of codes as well as specific instructions for an individual specific code.

# A. Supervised modalities.

(1) Additional general instructions for supervised modality codes 97010 to 97028. All supervised modalities refer to one or more areas. For example, if diathermy is applied to the cervical and low back on the same day, the charge would be one unit. If the diathermy and electrical stimulation are applied to the low back, the charge would be one unit of diathermy and one unit of electrical stimulation.

(2) Additional specific instructions for supervised modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97014	Electrical stimulation	Unattended electrical stimulation includes muscle stimulation, low volt therapy, sine wave therapy, stimulation of peripheral nerve, galvanic, and unattended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.

# B. Constant attendance modalities.

(1) Additional general instructions for constant attendance modality codes 97032 to 97039. The application of a constant attendance modality is to one or more areas. Where the CPT manual specifies a specific time frame, count only the actual treatment time, and do not count setup, preparation of the area, cleanup, or

# FEES FOR MEDICAL SERVICES 5221.4050

documentation time. For example, with ultrasound treatment for two areas, the shoulder and elbow, if total treatment time for both areas is less than 15 minutes, one unit of ultrasound is appropriate. All units billed require supporting documentation.

(2) Additional specific instructions for constant attendance mode	alities.
---	----------

CPT Code	CPT Description	Specific Instructions and Examples
97032	Electrical stimulation	Electrical stimulation (manual) includes attended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.
97033	Electric current	RVU includes the use of disposable or reusable electrodes.
97546.	C. Additional specific	instructions for therapeutic procedure codes 97110 to
CPT Code	CPT Description	Specific Instructions and Examples
97110	Therapeutic exercises	Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises.
97112	Neuromuscular reeducation	Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais.
97113	Aquatic therapy	This code applies to any water-based exercise program such as Hubbard Tank or pools.
97140	Manual therapy	In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this code also includes, but is not limited to: myofascial release, joint mobilization and manipulation, manual lymphatic drainage, manual traction, soft tissue mobilization and manipulation, trigger point therapy, acupressure, muscle stimulation - manual (nonelectrical), and transverse friction massage. This code is not paid when reported with any of the osteopathic manipulative treatment (OMT) (98925-98929) or chiropractic manipulative treatment (CMT) (98940-98943) codes on the same regions(s)/body

# 5221.4050 FEES FOR MEDICAL SERVICES

		part on the same day. This code may be paid when reported with CMT or OMT codes only if used on a different region(s)/ body part on the same day and must be accompanied by CPT modifier 59 which identifies a distinct procedural service.
97150	Group therapeutic	Therapeutic procedure(s) for a group is used when two or more patients are present for the same type of service such as instruction in body mechanics training, or group exercises when participants are doing same type exercises, etc. There is no time definition for this code. Providers may charge only one unit, regardless of size of group, number of areas treated, or length of time involved.
97504	Orthotic training	This code applies to fabrication, instruction in use, fitting, and care and precautions of the orthotic.
97530	Therapeutic activities	This code is used for treatment promoting functional use of a muscle, muscle group, or body part. This code is not to be used for PROM, active assistive ROM, manual stretch, or manual therapy. Examples for use of code: A patient has had rotator cuff repair. When treatment incorporates functional motion of reaching to increase range of motion and strength, 97530 should be used. A patient has a herniated disc. When treatment incorporates instruction in body mechanics and positioning and simulated activities to improve functional performance, 97530 should be used.
97537	Community/ work	Community/work reintegration training includes jobsite analysis.
97545	Work hardening/ conditioning	Work hardening/conditioning units are for the initial two hours each visit. Codes 97545 and 97546 refer to services provided within a work hardening or work conditioning program described in part part 5221.6500, subpart 2, item D.
97546	Work hardening/ conditioning	Work hardening/conditioning additional units are for each additional hour each visit. Refers to time beyond initial two hours of work conditioning or work hardening.

D. Additional specific instructions and examples for other physical medicine activities.

**CPT** 

Code CPT Description

97750 Physical performance

Specific Instructions and Examples

Physical performance test or measurement

includes isokinetic strength testing, comprehensive muscle strength or joint range of motion testing, or functional

capacity evaluations.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 20 SR 858; 25 SR 1142

# 5221.4051 FEE ADJUSTMENTS FOR PHYSICAL MEDICINE AND REHABILITATION SERVICES.

Maximum fees for the physical medicine and rehabilitation modalities in the following list are determined according to the following payment schedule when more than one modality on the list is provided to the same patient on the same day: 100 percent of the fee calculated according to the formula in part 5221.4020 for the modality with the highest RVU and 75 percent of the fee calculated according to the formula in part 5221.4020 for each additional modality. All modalities after the first modality with the highest RVU shall be coded by adding modifier 51 to the applicable procedure code.

97012	Mechanical traction therapy
97014	Electric stimulation therapy
97016	Vasopneumatic device therapy
97018	Paraffin bath therapy
97020	Microwave therapy
97022	Whirlpool therapy
97024	Diathermy treatment
97026	Infrared therapy
97028	Ultraviolet therapy
97032	Electrical stimulation
97033	Electric current
97034	Contrast bath therapy
97035	Ultrasound therapy
97036	Hydrotherapy
97039	Unlisted therapy service

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

#### 5221.4060 CHIROPRACTIC PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of chiropractic procedure codes.

1	2	3	4	5	_ 6	7 8	8 . 9	10	11	12

A. Procedure code numbers 72010 to 73610 relate to radiology procedure codes.

72010		Α	X-ray exam of spine	0.86	0.86	XXX	0	0	0	0	0
72010	26	Α	X-ray exam of spine	0.33	0.33	XXX	0	0	0	0	0

# 5221.4060 FEES FOR MEDICAL SERVICES

72010	TC	Α	X-ray exam of spine	0.53	0.53	XXX	0	0	$0 \ 0 \ 0$
72020		Α	X-ray exam of spine	0.33	0.33	XXX	0	0	$0 \ 0 \ 0$
72020	26	Α	X-ray exam of spine	0.11	0.11	XXX	0	0	0 0 0
72020	TC	A	X-ray exam of spine	0.22	0.22	XXX	0	0	0 0 0
72040	10	A	X-ray exam of neck	0.47	0.47	XXX	0	0	0 0 0
	26		-				-	-	
72040	26	Α	X-ray exam of neck	0.16	0.16	XXX	0	0	0 0 0
72040	TC	Α	X-ray exam of neck	0.31	0.31	XXX	0	0	$0 \ 0 \ 0$
72050		Α	X-ray exam of neck	0.69	0.69	XXX	0	0	$0 \ 0 \ 0$
72050	26	Α	X-ray exam of neck	0.23	0.23	XXX	0	0	$0 \ 0 \ 0$
72050	TC	Α	X-ray exam of neck	0.46	0.46	XXX	0	0	$0 \ 0 \ 0$
72052		Α	X-ray exam of neck	0.86	0.86	XXX	0	0	0 0 0
72052	26	Α	X-ray exam of neck	0.27	0.27	XXX	0	0	0 0 0
72052	TC	Α	X-ray exam of neck	0.59	0.59	XXX	0	0	0 0 0
	10		•			XXX	0	0	0 0 0
72070	26	A	X-ray exam of thoracic	0.50	0.50		-	_	
72070	26	Α	X-ray exam of thoracic	0.16	0.16	XXX	0	0	$0 \ 0 \ 0$
72070	TC	A	X-ray exam of thoracic	0.34	0.34	XXX	0	0	0 0 0
72074		Α	X-ray exam of thoracic	0.64	0.64	XXX	0	0	$0 \ 0 \ 0$
72074	26	Α	X-ray exam of thoracic	0.16	0.16	XXX	0	0	$0 \ 0 \ 0$
72074	TC	Α	X-ray exam of thoracic	0.47	0.47	XXX	0	0	$0 \ 0 \ 0$
72080		Α	X-ray exam of thoracic	0.51	0.51	XXX	0	0	$0 \ 0 \ 0$
72080	26	Α	X-ray exam of thoracic	0.16	0.16	XXX	0	0	$0 \ 0 \ 0$
72080	TC	Α	X-ray exam of thoracic	0.35	0.35	XXX	0	0	$0 \ 0 \ 0$
72090		Α	X-ray exam of thoracic	0.56	0.56	XXX	0	0	0 0 0
72090	26	Α	X-ray exam of thoracic	0.21	0.21	XXX	0	0	0 0 0
72090	TC	A	X-ray exam of thoracic	0.35	0.35	XXX	0	0	0 0 0
72100	10	A	X-ray exam of lumbosacral	0.51	0.51	XXX	0	0	0 0 0
72100	26	A	X-ray exam of lumbosacral	0.16	0.16	XXX	0	0	0 0 0
72100	TC			0.10	0.10	XXX	0	0	0 0 0
	10	A	X-ray exam of lumbosacral				0		
72110	26	A	X-ray exam of lumbosacral	0.70	0.70	XXX		0	
72110	26 TC	A	X-ray exam of lumbosacral	0.23	0.23	XXX	0	0	0 0 0
72110	TC	Α	X-ray exam of lumbosacral	0.47	0.47	XXX	0	0	$0 \ 0 \ 0$
72114		Α	X-ray exam of lumbosacral	0.88	0.88	XXX	0	0	0 0 0
72114	26	Α	X-ray exam of lumbosacral	0.27	0.27	XXX	0	0	$0 \ 0 \ 0$
72114	TC	Α	X-ray exam of lumbosacral	0.61	0.61	XXX	0	0	$0 \ 0 \ 0$
72120		Α	X-ray exam of lumbosacral	0.63	0.63	XXX	0	0	$0 \ 0 \ 0$
72120	26	Α	X-ray exam of lumbosacral	0.16	0.16	XXX	0	0	$0 \ 0 \ 0$
72120	TC	Α	X-ray exam of lumbosacral	0.46	0.46	XXX	0	0	$0 \ 0 \ 0$
72170		Α	X-ray exam of pelvis	0.39	0.39	XXX	0	0	$0 \ 0 \ 0$
72170	26	Α	·	0.12	0.12	XXX	0	0	$0 \ 0 \ 0$
72170	TC		X-ray exam of pelvis	0.27	0.27	XXX	0	0	0 0 0
72190			X-ray exam of pelvis	0.50	0.50	XXX	0	0	0 0 0
72190	26	Α	X-ray exam of pelvis	0.16	0.16	XXX	0	ŏ	0 0 0
72190	TC		X-ray exam of pelvis	0.35	0.35	XXX	0	ŏ	0 0 0
73020	10		X-ray exam of shoulder	0.36	0.36	XXX	0	3	0 0 0
	26								
73020	26 TC		X-ray exam of shoulder	0.11	0.11	XXX	0	3	
73020	TC		X-ray exam of shoulder	0.24	0.24	XXX	0	3	$0 \ 0 \ 0$
73030	2.		X-ray exam of shoulder	0.43	0.43	XXX	0	3	$0 \ 0 \ 0$
73030	26		X-ray exam of shoulder	0.13	0.13	XXX	0	3	$0 \ 0 \ 0$
73030	TC	Α	X-ray exam of shoulder	0.29	0.29	XXX	0	3	$0 \ 0 \ 0$
73070		Α	X-ray exam of elbow	0.38	0.38	XXX	0	3	$0 \ 0 \ 0$
73070	26	Α	X-ray exam of elbow	0.11	0.11	XXX	0	3	0 0 0
73070	TC		X-ray exam of elbow	0.27	0.27	XXX	0	3	$0 \ 0 \ 0$
73100			X-ray exam of wrist	0.37	0.37	XXX	0	3	0 0 0
73100	26		X-ray exam of wrist	0.12	0.12	XXX	0	3	0 0 0
			•						

 $\,$  B. Procedure code numbers 81000 and 81002 relate to pathology and laboratory procedure codes.

81000	X	Urinalysis, nonautomated	0.12	0.12	XXX	9	9	9	9	9
81002		Urinalysis, nonautomated	0.07	0.07	XXX	9	9	9	9	9

C. Procedure code numbers 97010 to 97799 relate to physical medicine and rehabilitation procedure codes.

97010	В	Hot or cold packs	0.00	0.00	XXX	9	9	9	9	9
97012	Α	Mechanical traction	0.23	0.23	XXX	4	0	0	0	0
97014	Α	Electric stimulation	0.20	0.20	XXX	4	0	0	0	0
97016	Α	Vasopneumatic devices	0.23	0.23	XXX	4	0	0	0	0
97018	Α	Paraffin bath therapy	0.16	0.16	XXX	4	0	0	0	0
97020	Α	Microwave therapy	0.14	0.14	XXX	4	0	0	0	0
97022	Α	Whirlpool therapy	0.19	0.19	XXX	4	0	0	0	0
97024	Α	Diathermy treatment	0.15	0.15	XXX	4	0	0	0	0
97026	Α	Infrared therapy	0.13	0.13	XXX	4	0	0	0	0
97028	Α	Ultraviolet therapy	0.14	0.14	XXX	4	0	0	0	0
97032	Α	Electrical stimulation	0.20	0.20	XXX	4	0	0	0	0
97033	Α	Electric current	0.21	0.21	XXX	4	0	0	0	0
97034	Α	Contrast bath therapy	0.16	0.16	XXX	4	0	0	0	0
97035	Α	Ultrasound therapy	0.16	0.16	XXX	4	0	0	0	0
97036	Α	Hydrotherapy	0.25	0.25	XXX	4	0	0	0	0
97039	Α	Unlisted therapy service	0.23	0.23	XXX	4	0	0	0	0
97110	Α	Therapeutic exercises	0.29	0.29	XXX	0	0	0	0	0
97112	Α	Neuromuscular reeducation	0.29	0.29	XXX	0	0	0	0	0
97113	Α	Aquatic therapy	0.33	0.33	XXX	0	0	0	0	0
97116	Α	Gait training therapy	0.26	0.26	XXX	0	0	0	0	0
97124	Α	Massage therapy	0.23	0.23	XXX	0	0	0	0	0
97139	Α	Unlisted phys. med. service	0.19	0.19	XXX	0	0	0	0	0
97140	Α	Manual therapy	0.33	0.26	XXX	0	0	0	0	0
97150	Α	Group therapy procedure	0.24	0.24	XXX	0	0	0	0	0
97504	Α	Orthotic training	0.30	0.30	XXX	0	0	0	0	0
97520	Α	Prosthetic training	0.31	0.31	XXX	0	0	0	0	0
97530	Α	Therapeutic activities	0.31	0.31	XXX	0	0	0	0	0
97535	Α	Self care/home management	0.32	0.32	XXX	0	0	0	0	0
97537	Α	Community/work training	0.32	0.32	XXX	0	0	0	0	0
97542	Α	Wheelchair management	0.22	0.22	XXX	0	0	0	0	0
97545	R	Work hardening/conditioning	0.00	0.00	XXX	0	0	0	0	0
97546	R	Work hardening/conditioning	0.00	0.00	XXX	0	0	0	0	0
97703	Α	Prosthetic checkout	0.23	0.23	XXX	0	0	0	0	0
97750	Α	Physical performance test	0.36	0.36	XXX	0	0	0	0	0
97770	Α	Cognitive skill	0.37	0.37	XXX	0	0	0	0	0

97780	N	Acupuncture, no stimulus	0.00	0.00	XXX	9	9	9	9	9
97781	N	Acupuncture with stimulus	0.00	0.00	XXX	9	9	9	9	9
97799	C	Physical medicine	0.00	0.00	XXX	0	0	0	0	0

D. Procedure code numbers 98940 to 98943 relate to chiropractic manipulative treatment codes.

98940	Α	Chiropractic manipulation	0.38	0.30	XXX	0	0	0	0	0
98941	Α	Chiropractic manipulation	0.47	0.40	XXX	0	0	0	0	0
98942	Α	Chiropractic manipulation	0.58	0.51	XXX	0	0	0	0	0
98943	Α	Chiropractic manipulation	0.35	0.35	XXX	4	0	0	0	0

E. Procedure code numbers 99201 to 99213 relate to evaluation and management services codes.

99201	Α	Office/outpatient	0.45	0.33	XXX	0	0	0	0	0
99202	Α	Office/outpatient	0.71	0.56	XXX	0	0	0	0	0
99203	Α	Office/outpatient	0.98	0.81	XXX	0	0	0	0	0
99211	Α	Office/outpatient	0.20	0.14	XXX	0	0	0	0	0
99212		Office/outpatient	0.39	0.30	XXX	0	0	0	0	0
99213	Α	Office/outpatient	0.56	0.44	XXX	0	0	0	0	0

F. Procedure code number 99199 relates to miscellaneous procedures.

99199 C Special service 0.00 0.00 XXX 0 0 0 0 0

Subp. 3. Select chiropractic procedure code descriptions, instructions, and examples. The following instructions and examples are in addition to CPT code descriptions found in the CPT manual. Additional instructions include both general instructions for a group of codes as well as specific instructions for an individual specific code.

A. Supervised modalities.

(1) Additional general instructions for supervised modality codes 97010 to 97028. All supervised modalities refer to one or more areas. For example, if diathermy is applied to the cervical and low back on the same day, the charge would be one unit. If the diathermy and electrical stimulation are applied to the low back, the charge would be one unit of diathermy and one unit of electrical stimulation.

(2) Additional specific instructions for supervised modalities.

CPT Code CPT Description Specific Instructions and Examples

97014 Electrical Unattended electrical stimulation includes muscle stimulation, low volt therapy, sine wave therapy, stimulation

of peripheral nerve, galvanic, and unattended clinical application of TENS. RVU includes the use of disposable or

reusable electrodes.

# B. Constant attendance modalities.

(1) Additional general instructions for constant attendance modality codes 97032 to 97039. The application of a constant attendance modality is to one or

# FEES FOR MEDICAL SERVICES 5221.4060

more areas. Where the CPT manual specifies a time frame, count only the actual treatment time, and do not count setup, preparation of the area, cleanup, or documentation time. For example, with ultrasound treatment for two areas, the shoulder and elbow, if total treatment time for both areas is less than 15 minutes, one unit of ultrasound is appropriate. All units billed require supporting documentation.

(2) Additional specific instructions for constant attendance modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97032	Electrical stimulation	Electrical stimulation (manual) includes attended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.
97033	Electric current	RVU includes the use of disposable or reusable electrodes.
97546.	C. Additional specific	instructions for therapeutic procedure codes 97110 to
CPT Code	CPT Description	Specific Instructions and Examples
97110	Therapeutic exercises	Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises.
97112	Neuromuscular reeducation	Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais.
97113	Aquatic therapy	This code applies to any water-based exercise program such as Hubbard Tank or pools.
97140	Manual therapy	In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this code also includes, but is not limited to: myofascial release, joint mobilization and manipulation, manual lymphatic drainage, manual traction, soft tissue mobilization and manipulation, trigger point therapy, acupressure, muscle stimulation - manual (nonelectrical), and transverse friction massage. This code is not paid when reported with any of the osteopathic manipulative treatment (OMT) (98925-

# 5221.4060 FEES FOR MEDICAL SERVICES

-98929) or chiropractic manipulative treatment (CMT) (98940-98943) codes on the same region(s)/body part on the same day. This code may be paid when reported with CMT or OMT codes only if used on a different region(s)/body part on the same day and must be accompanied by CPT modifier 59 which identifies a distinct procedural service.

97150

Group therapeutic

Therapeutic procedure(s) for a group is used when two or more patients are present for the same type of service such as instruction in body mechanics training, or group exercises when participants are doing same type exercises, etc. There is no time definition for this code. Providers may charge only one unit, regardless of size of group, number of areas treated, or length of time involved.

97504

Orthotic training

This code applies to fabrication, instruction in use, fitting, and care and precautions of the orthotic.

97530

Therapeutic activities

This code is used for treatment promoting functional use of a muscle, muscle group, or body part. This code is not to be used for PROM, active assistive ROM, manual stretch, or manual therapy. Examples for use of code: A patient has had rotator cuff repair. When treatment incorporates functional motion of reaching to increase range of motion and strength, 97530 should be used. A patient has a herniated disc. When treatment incorporates instruction in body mechanics and positioning and simulated activities to improve functional performance, 97530 should

used.

97537

Community/ work

Community/work reintegration training includes jobsite analysis.

97545

Work hardening/ conditioning

Work hardening/conditioning units are for the initial two hours each visit. Codes 97545 and 97546 refer to services provided within a work hardening or work conditioning program described in part 5221.6500, subpart 2, item D.

97546

Work hardening/ conditioning

Work hardening/conditioning additional units are for each additional hour each visit. Refers to time beyond initial two hours of work conditioning or work hardening.

Copyright © 2001 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

D. Additional specific instructions and examples for other physical medicine activities.

**CPT** 

Code CPT Description

Specific Instructions and Examples

97750

ing:

ing:

Physical

performance

Physical performance test or measurement includes isokinetic strength testing, comprehensive muscle strength or joint range of motion testing, or functional

capacity evaluations.

# Subp. 4. Evaluation and management services coding and reporting.

A. Evaluation and management services may be coded and paid separately from the chiropractic manipulative therapy services described by CPT codes 98940 to 98943 only if the condition requires a significant, separately identifiable evaluation and management service above and beyond the usual preservice, intraservice, and postservice work associated with the manipulative procedure, as described in subitems (1) to (3). When performing the evaluation and management service on the same day as a spinal or extraspinal manipulation, the evaluation and management code must be coded using the CPT modifier 25.

- (1) Preservice work for CPT codes 98940 to 98943 includes the following:
  - (a) documentation and chart review;
  - (b) imaging review;
  - (c) test interpretation and care planning; and
- (d) premanipulation procedures which include a brief evaluation of the current problem, including components of a review of symptoms, and a focused exam of the current problem and related areas.
  - (2) Intraservice work for CPT codes 98940 to 98943 includes the follow-
    - (a) manipulation; and
    - (b) postmanipulation assessment and procedures.
    - (3) Postservice work for CPT codes 98940 to 98943 includes the follow-
- (a) chart documentation, including documentation of appropriate subjective and objective assessments as well as the procedural components of patient visit; and
- (b) if necessary, arrange for further services and coordination of patient care. This may include telephone or written communications with other health care providers, family members, employers, medical case manager for a managed care organization certified under Minnesota Statutes, section 176.1351, or insurers regarding the coordination of patient care or consultation services.
- B. Circumstances in which a separate evaluation and management service is appropriate under item A include the following:
  - (1) if there is a new injury;
  - (2) if there is an exacerbation of a previous injury; or
  - (3) if there is an unanticipated change in condition.
- C. A reexamination in the following circumstances may be coded and paid as a separate evaluation and management service if the reexamination is above and beyond the usual preservice, intraservice, and postservice work associated with the manipulative procedure as described in item A, subitems (1) to (3):

# 5221.4060 FEES FOR MEDICAL SERVICES

- (1) in preparation for a requested report other than a report of work ability:
  - (2) if requested to render an opinion about a job offer;
  - (3) when a job search is initiated;
- (4) to review the patient's condition after a period of treatment by another health care provider; or
- (5) to evaluate the patient's condition in anticipation of a change in the treatment plan.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 22 SR 500; 25 SR 1142

#### 5221.4061 FEE ADJUSTMENTS FOR CHIROPRACTIC SERVICES.

Subpart 1. **Multiple modalities.** Maximum fees for the chiropractic modalities in the following list are determined according to the following payment schedule when more than one modality on the list is provided to the same patient on the same day: 100 percent of the fee calculated according to the formula in part 5221.4020 for the modality with the highest relative value and 75 percent of the fee calculated according to the formula in part 5221.4020 for each additional modality. All modalities after the first modality with the highest relative value, shall be coded by adding modifier 51 to the applicable modality code.

97012	Mechanical traction therapy
97014	Electrical stimulation therapy
97016	Vasopneumatic device therapy
97018	Paraffin bath therapy
97020	Microwave therapy
97022	Whirlpool therapy
97024	Diathermy treatment
97026	Infrared therapy
97028	Ultraviolet therapy
97032	Electrical stimulation
97033	Electric current
97034	Contrast bath therapy
97035	Ultrasound therapy
97036	Hydro therapy
97039	Unlisted therapy service

Subp. 2. Extraspinal code. If the extraspinal code (98943) is used in conjunction with any of the spinal chiropractic manipulative treatment (CMT) codes (98940 to 98942) on the same day, the extraspinal code must be coded with CPT modifier 51. The CPT modifier 51 reduces the RVU of 98943 when used in conjunction with any of the CMT codes (98940 to 98942) on the same day by 50 percent.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.4062 PROFESSIONAL/TECHNICAL COMPONENTS FOR CHIROPRACTIC SERVICES.

Subpart 1. General. Fees for certain services which are a combination of professional and technical care shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the

procedure, and consultation with other providers. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. Services subject to this distinction are identified in part 5221.4060, subpart 2b, by modifiers appearing in column 2 next to the service codes. Modifier TC indicates relative RVUs for the technical component of the service and modifier 26 indicates RVUs for the professional component of the service. The maximum fee for either component of the service is calculated using the RVUs for the component provided and the formula in part 5221.4020.

- Subp. 2. Separate billing for both components. If the professional component is split from the technical component and both are billed separately, the total cost for both cannot exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 3. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated for the complete service by using the RVUs corresponding to the service code listed without a modifier in part 5221.4060, subpart 2b, and the formula in part 5221.4020.

**Statutory Authority:** MS s 176.135; 176.1351; 176.136; 176.83

History: 25 SR 1142

#### 5221.4070 PHARMACY.

Subpart 1. Substitution of generically equivalent drugs. A generically equivalent drug as defined in Minnesota Statutes, section 151.21, subdivision 2, must be dispensed in place of the ordered drug if:

- A. the generically equivalent drug is approved by the United States Food and Drug Administration and is also determined as therapeutically equivalent by the United States Food and Drug Administration;
- B. in the professional judgment of the pharmacist, the substituted drug is therapeutically equivalent to the ordered drug; and
- C. the charge for the substituted generically equivalent drug is less than the charge for the drug originally ordered.

However, a substitution shall not be made if the ordering provider has written in his or her own handwriting "Dispense as written" or "DAW" on the prescription, as provided in the Minnesota Drug Selection Act, Minnesota Statutes, section 151.21. The dispensing provider must notify the recipient and the payer when a generically equivalent drug is dispensed. The notice to the recipient may be given orally or by appropriate labeling on the medication's container. The notice to the payer must be in writing on a claim form prescribed in part 5221.0700, subpart 2.

Subp. 2. **Procedure code.** The procedure code for a medication is the current HCPCS code which correctly describes the medication as provided or the prescription number. Procedure codes are not required for nonprescription medications.

# Subp. 3. Maximum fee.

- A. The employer's liability for compensable prescription medications provided for outpatient use by a large hospital, clinic, or an independent pharmacy shall be limited to the sum of the average wholesale price (AWP) of the medication on the date the medication was dispensed, and a professional dispensing fee of \$5.14 per medication.
- B. The employer's liability for compensable nonprescription medications shall be the lower of the actual retail price of the medication or the sum of the average wholesale price (AWP) of the medication, on the date the medication was dispensed, and a professional dispensing fee of \$5.14 per medication.
- C. The employer's liability for compensable prescription medications provided for inpatient use, including an inpatient who is being discharged, by a large hospital is

#### 5221.4070 FEES FOR MEDICAL SERVICES

limited to 85 percent of the usual and customary charge according to part 5221.0500, subpart 2, item D.

D. The employer's liability for compensable prescription medications provided by a small hospital is paid at 100 percent of the usual and customary fee according to part 5221.0500, subpart 2, item C.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.6010 AUTHORITY.

Parts 5221.6010 to 5221.8900 are adopted under the authority of Minnesota Statutes, sections 176.83, subdivisions 1, 3, 4, and 5, and 176.103, subdivision 2.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

#### 5221.6020 PURPOSE AND APPLICATION.

Subpart 1. **Purpose.** Parts 5221.6010 to 5221.6600 establish parameters for reasonably required treatment of employees with compensable workers' compensation injuries to prevent excessive services under Minnesota Statutes, sections 176.135 and 176.136, subdivision 2. Parts 5221.6010 to 5221.6600 do not affect any determination of liability for an injury under Minnesota Statutes, chapter 176, and are not intended to expand or restrict a health care provider's scope of practice under any other statute.

Subp. 2. Application. All treatment must be medically necessary as defined in part 5221.6040, subpart 10. In the absence of a specific parameter, any applicable general parameters govern. A departure from a parameter that limits the duration or type of treatment may be appropriate in any one of the circumstances specified in part 5221.6050, subpart 8. Parts 5221.6010 to 5221.6600 apply to all treatment provided after January 4, 1995, regardless of the date of injury. All limitations on the duration of a specific treatment modality or type of modality begin with the first time the modality is initiated after January 4, 1995. However, consideration may be given to treatment initiated under the emergency rules (parts 5221.6050 to 5221.6500 [Emergency]). Parts 5221.6010 to 5221.6600 do not apply to treatment of an injury after an insurer has denied liability for the injury. However, in such cases the rules do apply to treatment initiated after liability has been established. References to days and weeks in parts 5221.6050 to 5221.6600 mean calendar days and weeks unless specified otherwise.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

# **5221.6030 INCORPORATION BY REFERENCE.**

The ICD-9-CM diagnostic codes referenced in parts 5221.6010 to 5221.6600 are contained in the fourth edition of the International Classification of Diseases, Clinical Modification, 9th Revision, 1994, and corresponding annual updates. This document is subject to annual revisions and is incorporated by reference. It is published by the United States Department of Health and Human Services, Health Care Financing Administration, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402. It is available through the Minitex interlibrary loan system.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

#### **5221.6040 DEFINITIONS.**

Subpart 1. **Scope.** The terms used in parts 5221.6010 to 5221.6600 have the meanings given them in this part.

Subp. 2. Active treatment. "Active treatment" means treatment specified in parts 5221.6200, subpart 4; 5221.6205, subpart 4; 5221.6210, subpart 4; 5221.6300, subpart 4;

- and 5221.6305, subpart 2, item C, which requires active patient participation in a therapeutic program to increase flexibility, strength, endurance, or awareness of proper body mechanics.
- Subp. 3. Chronic pain syndrome. "Chronic pain syndrome" means any set of verbal or nonverbal behaviors that:
  - A. involve the complaint of enduring pain;
  - B. differ significantly from the patient's preinjury behavior;
  - C. have not responded to previous appropriate treatment;
- D. are not consistent with a known organic syndrome which has remained untreated; and
  - E. interfere with physical, psychological, social, or vocational functioning.
- Subp. 4. Condition. A patient's "condition" means the symptoms, physical signs, clinical findings, and functional status that characterize the complaint, illness, or injury related to a current claim for compensation.
  - Subp. 5. Emergency treatment. "Emergency treatment" means treatment that is:
- A. required for the immediate diagnosis and treatment of a medical condition that, if not immediately diagnosed and treated, could lead to serious physical or mental disability or death; or
  - B. immediately necessary to alleviate severe pain.

Emergency treatment includes treatment delivered in response to symptoms that may or may not represent an actual emergency but that is necessary to determine whether an emergency exists.

- Subp. 6. **Etiology**. "Etiology" means the anatomic alteration, physiologic dysfunction, or other biological or psychological abnormality which is considered a cause of the patient's condition.
- Subp. 7. Functional status. "Functional status" means the ability of an individual to engage in activities of daily living and other social, recreational, and vocational activities.
- Subp. 8. Initial nonsurgical management or treatment. "Initial nonsurgical management or treatment" is initial treatment provided after an injury that includes passive treatment, active treatment, injections, and durable medical equipment under parts 5221.6200, subparts 3, 4, 5, and 8; 5221.6205, subparts 3, 4, 5, and 8; 5221.6210, subparts 3, 4, 5, and 8; 5221.6300. subparts 3, 4, 5, and 8; and 5221.6305, subpart 2. Scheduled and nonscheduled medication may be a part of initial nonsurgical treatment. Initial nonsurgical management does not include surgery or chronic management modalities under part 5221.6600.
- Subp. 9. **Medical imaging procedures.** A "medical imaging procedure" is a technique, process, or technology used to create a visual image of the body or its function. Medical imaging includes, but is not limited to: X-rays, tomography, angiography, venography, myelography, computed tomography (CT) scanning, magnetic resonance imaging (MRI) scanning, ultrasound imaging, nuclear isotope imaging. PET scanning, and thermography.
- Subp. 10. Medically necessary treatment. "Medically necessary treatment" means those health services for a compensable injury that are reasonable and necessary for the diagnosis and cure or significant relief of a condition consistent with any applicable treatment parameter in parts 5221.6050 to 5221.6600. Where parts 5221.6050 to 5221.6600 do not govern, the treatment must be reasonable and necessary for the diagnosis or cure and significant relief of a condition consistent with the current accepted standards of practice within the scope of the provider's license or certification.
- Subp. 11. **Neurologic deficit.** "Neurologic deficit" means a loss of function secondary to involvement of the central or peripheral nervous system. This may include, but is not limited to, motor loss; spasticity; loss of reflex; radicular or anatomic

sensory loss; loss of bowel, bladder, or erectile function; impairment of special senses, including vision, hearing, taste, or smell; or deficits in cognitive or memory function.

- A. "Static neurologic deficit" means any neurologic deficit that has remained the same by history or noted by repeated examination since onset.
- B. "Progressive neurologic deficit" means any neurologic deficit that has become worse by history or noted by repeated examination since onset.
- Subp. 12. **Passive treatment.** "Passive treatment" is any treatment modality specified in parts 5221.6200, subpart 3; 5221.6205, subpart 3; 5221.6210, subpart 3; 5221.6300, subpart 3; and 5221.6305, subpart 2, item B. Passive treatment modalities include bedrest; thermal treatment; traction; acupuncture; electrical muscle stimulation; braces; manual and mechanical therapy; massage; and adjustments.
- Subp. 13. **Therapeutic injection.** "Therapeutic injection" is any injection modality specified in parts 5221.6200, subpart 5; 5221.6205, subpart 5; 5221.6210, subpart 5; 5221.6300, subpart 5; and 5221.6305, subpart 2, item A. Therapeutic injections include trigger point injections, sacroiliac injections, facet joint injections, facet nerve blocks, nerve root blocks, epidural injections, soft tissue injections, peripheral nerve blocks, injections for peripheral nerve entrapment, and sympathetic blocks.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

# 5221.6050 GENERAL TREATMENT PARAMETERS; EXCESSIVE TREATMENT; PRIOR NOTIFICATION.

Subpart 1. General.

A. All treatment must be medically necessary treatment, as defined in part 5221.6040, subpart 10. The health care provider must evaluate the medical necessity of all treatment under item B on an ongoing basis.

Parts 5221.6050 to 5221.6600 do not require or permit any more frequent examinations than would normally be required for the condition being treated, but do require ongoing evaluation of the patient that is medically necessary, consistent with accepted medical practice.

- B. The health care provider must evaluate at each visit whether initial nonsurgical treatment for the low back, cervical, thoracic, and upper extremity conditions specified in parts 5221.6200, 5221.6205, 5221.6210, and 5221.6300, is effective according to subitems (1) to (3). No later than any applicable treatment response time in parts 5221.6200 to 5221.6300, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in subitems (1) to (3):
- (1) the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- (2) the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- (3) the employee's functional status, especially vocational activities, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

Except as otherwise provided under parts 5221.6200, subpart 3, item B; 5221.6205, subpart 3, item B; 5221.6210, subpart 3, item B; and 5221.6300, subpart 3, item B, if there is not progressive improvement in at least two of subitems (1) to (3), the modality must be discontinued or significantly modified, or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider who ordered the treatment.

- C. The health care provider must use the least intensive setting appropriate and must assist the employee in becoming independent in the employee's own care to the extent possible so that prolonged or repeated use of health care providers and medical facilities is minimized.
- Subp. 2. **Documentation.** A health care provider must maintain an appropriate record, as defined in part 5221.0100, subpart 1a, of any treatment provided to a patient.
- Subp. 3. Nonoperative treatment. Health care providers shall provide a trial of nonoperative treatment before offering or performing surgical treatment unless the treatment for the condition requires immediate surgery, unless an emergency situation exists, or unless the accepted standard of initial treatment for the condition is surgery.
- Subp. 4. Chemical dependency. The health care provider shall maintain diligence to detect incipient or actual chemical dependency to any medication prescribed for treatment of the employee's condition. In cases of incipient or actual dependency, the health care provider shall refer the employee for appropriate evaluation and treatment of the dependency.
- Subp. 5. Referrals between health care providers. The primary health care provider directing the course of treatment shall make timely and appropriate referrals for consultation for opinion or for the transfer of care if the primary health care provider does not have any reasonable alternative treatment to offer and there is a reasonable likelihood that the consultant may offer or recommend a reasonable alternative treatment plan. This subpart does not prohibit a referral for consultation in other circumstances based on accepted medical practice and the patient's condition.
- A. Referrals from consulting health care provider. If the consultant has reasonable belief that another consultation is appropriate, that consultant must coordinate further referral with the original treating health care provider unless the consultant has been approved as the employee's treating health care provider. The consultant is under no obligation to provide or recommend treatment or further referral, if in the consultant's opinion, all reasonable and necessary treatment has been rendered. The consultant shall in this situation refer the employee back to the original treating health care provider for further follow-up.
- B. Information sent to consultant. When a referring health care provider arranges for consultation or transfer of care, except in cases of emergency, the referring health care provider shall, with patient authorization, summarize for the consultant orally or in writing the conditions of injury, the working diagnosis, the treatment to date, the patient's response to treatment, all relevant laboratory and medical imaging studies, return to work considerations, and any other information relevant to the consultation. In addition, the referring health care provider shall make available to the consultant, with patient authorization, a copy of all medical records relevant to the employee's injury.

# $Subp.\ 6.\ Communication\ between\ health\ care\ providers\ and\ consideration\ of\ prior\ care.$

- A. Information requested by new health care provider. Upon accepting for treatment a patient with a workers' compensation injury, the health care provider shall ask the patient if treatment has been previously given for the injury by another health care provider. If the patient reports that treatment has been previously given for the injury by another health care provider and if the medical records for the injury have not been transferred, the new health care provider shall request authorization from the employee for relevant medical records. Upon receipt of the employee authorization, the new health care provider shall request relevant medical records from the previous health care providers. Upon receipt of the request for medical records and employee authorization, the previous health care providers shall provide the records within seven working days.
- B. Treatment by prior health care provider. If the employee has reported that care for an injury has been previously given:

- (1) Where a previous health care provider has performed diagnostic imaging, a health care provider may not repeat the imaging or perform alternate diagnostic imaging for the same condition except as permitted in part 5221.6100.
- (2) When a therapeutic modality employed by a health care provider was no longer improving the employee's condition under subpart 1, item B, or has been used for the maximum duration allowed under parts 5221.6050 to 5221.6600, another health care provider may not employ the same modality at any time thereafter to treat the same injury except if one of the departures applies under subpart 8, after surgery, or for treatment of reflex sympathetic dystrophy under part 5221.6305.
- (3) It is also inappropriate for two health care providers to use the same treatment modality concurrently.
- C. Employee refusal. An employee's refusal to provide authorization for release of medical records does not justify repeat treatment or diagnostic testing. An insurer is not liable for repeat diagnostic testing or other duplicative treatment prohibited by this subpart.
- Subp. 7. Determinations of excessive treatment; notice of denial to health care providers and employee; expedited processing of medical requests.
- A. In addition to services deemed excessive under part 5221.0500 and Minnesota Statutes, section 176.136, subdivision 2, treatment is excessive if:
- (1) the treatment is inconsistent with an applicable parameter or other rule in parts 5221.6050 to 5221.6600; or
- (2) the treatment is consistent with the parameters in parts 5221.6050 to 5221.6600, but is not medically necessary treatment.
- B. If the insurer denies payment for treatment that departs from a parameter under parts 5221.6050 to 5221.6600, the insurer must provide the employee and health care provider with written notice of the reason for the denial and that the treatment rules permit departure from the parameters in specified circumstances. If the insurer denies authorization for proposed treatment after prior notification has been given under subpart 9, the insurer must provide the employee and health care provider in writing with notice of the reason why the information given by the health care provider does not support the proposed treatment and notice of the right to review of the denial under subpart 9, item C. The insurer may not deny payment for a program of chronic management that the insurer has previously authorized for an employee, either in writing or by routine payment for services, without providing the employee and the employee's health care provider with at least 30 days' notice of intent to apply any of the chronic management parameters in part 5221.6600 to future treatment. The notice must include the specific parameters that will be applied in future determinations of compensability by the insurer.
- C. If the insurer denies authorization or payment for treatment governed by parts 5221.6050 to 5221.6600, the health care provider or the employee may request a determination from the commissioner or compensation judge by filing a medical request or petition under chapter 5220 and Minnesota Statutes, sections 176.106, 176.2615, and 176.305. The medical request may not be filed before completion of the managed care plan's dispute resolution process, if applicable. If the health care provider has notified the insurer of proposed treatment requiring prior notification under subpart 9, the health care provider or employee must describe or attach a copy of the notification, and any response from the insurer, to the medical request filed with the department. The insurer may, but is not required to, file a medical response where the insurer's response to prior notification under subpart 9 has been attached to the medical request. If the insurer elects to file a medical response in such cases, it must be received within ten working days of the date the medical request was filed with the department. The commissioner or compensation judge may issue a decision based on written submissions no earlier than ten working days after receipt of the medical request, unless a medical response has been filed sooner.

- D. A determination of the compensability of medical treatment under Minnesota Statutes, chapter 176, must include consideration of the following factors:
- (1) whether a treatment parameter or other rule in parts 5221.6050 to 5221.6600 applies to the etiology or diagnosis for the condition;
- (2) if a specific or general parameter applies, whether the treatment is consistent with the treatment parameter and whether the treatment was medically necessary as defined in part 5221.6040, subpart 10; and
- (3) whether a departure from the applicable parameter is or was necessary because of any of the factors in subpart 8.
- Subp. 8. **Departures from parameters.** A departure from a parameter that limits the duration or type of treatment in parts 5221.6050 to 5221.6600 may be appropriate in any one of the circumstances specified in items A to E. The health care provider must provide prior notification of the departure as required by subpart 9.
  - A. Where there is a documented medical complication.
- B. Where previous treatment did not meet the accepted standard of practice and the requirements of parts 5221.6050 to 5221.6600 for the health care provider who ordered the treatment.
- C. Where the treatment is necessary to assist the employee in the initial return to work where the employee's work activities place stress on the part of the body affected by the work injury. The health care provider must document in the medical record the specific work activities that place stress on the affected body part, the details of the treatment plan and treatment delivered on each visit, the employee's response to the treatment, and efforts to promote employee independence in the employee's own care to the extent possible so that prolonged or repeated use of health care providers and medical facilities is minimized.
- D. Where the treatment continues to meet two of the following three criteria, as documented in the medical record:
- (1) the employee's subjective complaints of pain are progressively improving as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- (2) the employee's objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- (3) the employee's functional status, especially vocational activity, is objectively improving as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.
- E. Where there is an incapacitating exacerbation of the employee's condition. However, additional treatment for the incapacitating exacerbation may not exceed, and must comply with, the parameters in parts 5221.6050 to 5221.6600.
- Subp. 9. Prior notification; health care provider and insurer responsibilities. Prior notification is the responsibility of the health care provider who wants to provide the treatment in item A. Prior notification need not be given in any case where emergency treatment is required.
- A. The health care provider must notify the insurer of proposed treatment in subitems (1) to (4) at least seven working days before the treatment is initiated, except as otherwise provided in subitem (4):
- (1) for chronic management modalities where prior notification is required under part 5221.6600;
- (2) for durable medical equipment requiring prior notification in parts 5221.6200, subpart 8; 5221.6205, subpart 8; 5221.6210, subpart 8; and 5221.6300, subpart 8;
- (3) for any nonemergency inpatient hospitalization or nonemergency inpatient surgery. A surgery or hospitalization is considered inpatient if the patient spends at least one night in the facility; and

- (4) for treatment that departs from a parameter limiting the duration or type of treatment in parts 5221.6050 to 5221.6600. The health care provider must notify the insurer within two business days after initiation of treatment if the departure from a parameter is for an incapacitating exacerbation or an emergency.
- B. The health care provider's prior notification required by item A may be made orally, or in writing, and shall provide the following information, when relevant:
  - (1) the diagnosis;
- (2) when giving prior notification for chronic management modalities, durable medical equipment, or inpatient hospitalization or surgery required by item A, subitems (1) to (3), whether the proposed treatment is consistent with the applicable treatment parameter;
- (3) when giving prior notification for treatment that departs from a treatment parameter, or notification of treatment for an incapacitating exacerbation or emergency, the basis for departure from any applicable treatment parameter specified in subpart 8; the treatment plan, including the nature and anticipated length of the proposed treatment; and the anticipated effect of treatment on the employee's condition.
- C. The insurer must provide a toll-free facsimile and telephone number for health care providers to provide prior notification. The insurer must respond orally or in writing to the requesting health care provider's prior notification of proposed treatment in item A within seven working days of receipt of the request. Within the seven days, the insurer must either approve the request, deny authorization, request additional information, request that the employee obtain a second opinion, or request an examination by the employer's physician. A denial must include notice to the employee and health care provider of the reason why the information given by the health care provider in item B does not support the treatment proposed, along with notice of the right to review of the denial under subitem (3).
- (1) If the health care provider does not receive a response from the insurer within the seven working days, authorization is deemed to have been given.
- (2) If the insurer authorizes the treatment, the insurer may not later deny payment for the treatment authorized.
- (3) If the insurer denies authorization, the health care provider or employee may orally or in writing request that the insurer review its denial of authorization.

The insurer's review of its denial must be made by a currently licensed registered nurse, medical doctor, doctor of osteopathy, doctor of chiropractic, or a person credentialed by a program approved by the commissioner of Labor and Industry. The insurer may also delegate the review to a certified managed care plan under subpart 10. In lieu of or in addition to the insurer's review under this subitem, the insurer may request an examination of the employee under subitem (4), (5), or (6) and the requirements of those subitems apply to the proposed treatment. Unless an examination of the employee is requested under subitem (4), (5), or (6), the insurer's determination following review must be communicated orally or in writing to the requester within seven working days of receipt of the request for review.

Instead of requesting a review, or if the insurer maintains its denial after the review, the health care provider or the employee may file with the commissioner a medical request or a petition for authorization of the treatment under subpart 7, item C, or except as specified in subitem (4), (5), or (6), may proceed with the proposed treatment subject to a later determination of compensability by the commissioner or compensation judge.

(4) If the insurer requests an examination of the employee by the employer's physician, the health care provider may elect to provide the treatment subject to a determination of compensability by the commissioner or compensation judge under subpart 7, item B. However, the health care provider may not provide nonemergency surgery where the insurer has requested an examination for surgery

except as provided in subitems (5) and (6), and may not provide continued passive care modalities where prior approval by the insurer, commissioner, or compensation judge is required under parts 5221.6200, subpart 3, item B, subitem (2); 5221.6205, subpart 3, item B, subitem (2); 5221.6300, subpart 3, item B, subitem (2); and 5221.6300, subpart 3, item B, subitem (2).

- (5) If prior notification of surgery is required under item A, subitem (3), the insurer may require that the employee obtain a second opinion from a physician of the employee's choice under Minnesota Statutes, section 176.135, subdivision 1a. If within seven working days of the prior notification the insurer notifies the employee and health care provider that a second opinion is required, the health care provider may not perform the nonemergency surgery until the employee provides the second opinion to the insurer. Except as otherwise provided in parts 5221.6200, subpart 6, items B and C; 5221.6205, subpart 6, items B and C; 5221.6300, subpart 6, item B; and 5221.6305, subpart 3, item B, if the insurer denies authorization within seven working days of receiving the second opinion, the health care provider may elect to perform the surgery, subject to a determination of compensability by the commissioner or compensation judge under subpart 7.
- (6) In any case where prior notification of proposed surgery is required, the insurer may elect to obtain an examination of the employee by the employer's physician under Minnesota Statutes, section 176.155, sometimes referred to as an "independent medical examination." If the insurer notifies the employee and health care provider of the examination within seven working days of the provider's notification, the proposed nonemergency surgery may not be provided pending the examination. However, after 45 days following the insurer's request for an examination, the health care provider may elect to proceed with the surgery, subject to a determination of compensability by the commissioner or compensation judge under subpart 7.
- (7) The insurer's request for additional information must be directed to the requesting health care provider and must specify the additional information required that is necessary to respond to the health care provider's notification of proposed treatment. The proposed treatment may not be given until the provider provides reasonable additional information. Once the additional information has been received, the insurer must respond within seven working days according to subitems (1) to (6).
- Subp. 10. Certified managed care plans. The insurer may delegate responsibility for the notices required in subpart 7, item B, and the response to prior notification under subpart 9, to the certified managed care plan with which the insurer has contracted to manage the employee's medical treatment under Minnesota Statutes, section 176.135, subdivision 1f. Alternatively, the managed care plan may act as an intermediary between the treating health care provider and the insurer. In either case, the notices and time periods in subparts 7, 8, and 9 also apply to the managed care plan. Where the insurer has delegated responsibility to the managed care plan, the insurer may not later deny treatment authorized by the plan.
- Subp. 11. Outcome studies. The commissioner shall perform outcome studies on the treatment modalities in parts 5221.6200 to 5221.6600. The modalities to be studied shall be selected in consultation with the Workers' Compensation Medical Services Review Board. The commissioner may require health care providers who use these modalities to prospectively gather and report outcome information on patients treated, with necessary consent of the employee. The health care providers shall report the outcome information on the modalities in parts 5221.6200 to 5221.6600 on a form prescribed by the commissioner, which may include:
  - A. the name of the health care provider;
- B. the name of the patient, date of injury, date of birth, gender, and, with patient permission, level of education and social security number;
- C. the name of the workers' compensation insurer and managed care plan, if any;
  - D. the pretreatment and posttreatment employment status;

# 5221.6050 FEES FOR MEDICAL SERVICES

- E. the nature of treatment given before and after the treatment being studied for the same condition;
- F. the diagnosis, symptoms, physical findings, and functional status before and after the treatment being studied for the same condition; and
  - G. the presence or absence of preexisting or concurrent conditions.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

# 5221.6100 PARAMETERS FOR MEDICAL IMAGING.

- Subpart 1. General principles. All medical imaging must comply with items A to E. Except for emergency evaluation of significant trauma, a health care provider must document in the medical record an appropriate history and physical examination, along with a review of any existing medical records and laboratory or imaging studies regarding the patient's condition, before ordering any imaging study.
- A. Effective imaging. A health care provider should initially order the single most effective imaging study for diagnosing the suspected etiology of a patient's condition. No concurrent or additional imaging studies should be ordered until the results of the first study are known and reviewed by the treating health care provider. If the first imaging study is negative, no additional imaging is indicated except for repeat and alternative imaging allowed under items D and E.
- B. Appropriate imaging. Imaging solely to rule out a diagnosis not seriously being considered as the etiology of the patient's condition is not indicated.
- C. Routine imaging. Imaging on a routine basis is not indicated unless the information from the study is necessary to develop a treatment plan.
- D. Repeat imaging. Repeat imaging, of the same views of the same body part with the same imaging modality is not indicated except as follows:
  - (1) to diagnose a suspected fracture or suspected dislocation;
- (2) to monitor a therapy or treatment which is known to result in a change in imaging findings and imaging of these changes are necessary to determine the efficacy of the therapy or treatment; repeat imaging is not appropriate solely to determine the efficacy of physical therapy or chiropractic treatment;
  - (3) to follow up a surgical procedure;
- (4) to diagnose a change in the patient's condition marked by new or altered physical findings;
- (5) to evaluate a new episode of injury or exacerbation which in itself would warrant an imaging study; or
- (6) when the treating health care provider and a radiologist from a different practice have reviewed a previous imaging study and agree that it is a technically inadequate study.
  - E. Alternative imaging.
- (1) Persistence of a patient's subjective complaint or failure of the condition to respond to treatment are not legitimate indications for repeat imaging. In this instance an alternative imaging study may be indicated if another etiology of the patient's condition is suspected because of the failure of the condition to improve.
- (2) Alternative imaging is not allowed to follow up negative findings unless there has been a change in the suspected etiology and the first imaging study is not an appropriate evaluation for the suspected etiology.
- (3) Alternative imaging is allowed to follow up abnormal but inconclusive findings in another imaging study. An inconclusive finding is one that does not provide an adequate basis for accurate diagnosis.
- Subp. 2. Specific imaging procedures for low back pain. Except for the emergency evaluation of significant trauma, a health care provider must document in the medical record an appropriate history and physical examination, along with a review of any

existing medical records and laboratory or imaging studies regarding the patient's condition, before ordering any imaging study of the low back.

- A. Computed tomography (CT) scanning is indicated any time that one of the following conditions is met:
  - (1) when cauda equina syndrome is suspected;
  - (2) for evaluation of progressive neurologic deficit; or
- (3) when bony lesion is suspected on the basis of other tests or imaging procedures.

Except as specified in subitems (1) to (3), CT scanning is not indicated in the first eight weeks after an injury.

Computed tomography scanning is indicated after eight weeks if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.

- B. Magnetic resonance imaging (MRI) scanning is indicated any time that one of the following conditions is met:
  - (1) when cauda equina syndrome is suspected;
  - (2) for evaluation of progressive neurologic deficit;
- (3) when previous spinal surgery has been performed and there is a need to differentiate scar due to previous surgery from disc herniation, tumor, or hemorrhage; or
  - (4) suspected discitis.

Except as specified in subitems (1) to (4), MRI scanning is not indicated in the first eight weeks after an injury.

Magnetic resonance imaging scanning is indicated after eight weeks if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.

- C. Myelography is indicated in the following circumstances:
- (1) may be substituted for otherwise indicated CT scanning or MRI scanning in accordance with items A and B, if those imaging modalities are not locally available:
- (2) in addition to CT scanning or MRI scanning, if there are progressive neurologic deficits or changes and CT scanning or MRI scanning has been negative; or
- (3) for preoperative evaluation in cases of surgical intervention, but only if CT scanning or MRI scanning have failed to provide a definite preoperative diagnosis.
- D. Computed tomography myelography is indicated in the following circumstances:
- (1) the patient's condition is predominantly sciatica, and there has been previous spinal surgery, and tumor is suspected;
- (2) the patient's condition is predominantly sciatica and there has been previous spinal surgery and MRI scanning is equivocal;
- (3) when spinal stenosis is suspected and the CT or MRI scanning is equivocal;
- (4) in addition to CT scanning or MRI scanning, if there are progressive neurologic symptoms or changes and CT scanning or MRI scanning has been negative; or
- (5) for preoperative evaluation in cases of surgical intervention, but only if CT scanning or MRI scanning have failed to provide a definite preoperative diagnosis.

#### 5221,6100 FEES FOR MEDICAL SERVICES

- E. Intravenous enhanced CT scanning is indicated only if there has been previous spinal surgery, and the imaging study is being used to differentiate scar due to previous surgery from disc herniation or tumor, but only if intrathecal contrast for CT-myelography is contraindicated and MRI scanning is not available or is also contraindicated
  - F. Gadolinium enhanced MRI scanning is indicated when:
- (1) there has been previous spinal surgery, and the imaging study is being used to differentiate scar due to previous surgery from disc herniation or tumor;
  - (2) hemorrhage is suspected:
  - (3) tumor or vascular malformation is suspected;
  - (4) infection or inflammatory disease is suspected; or
  - (5) unenhanced MRI scanning was equivocal.
  - G. Discography is indicated when:
    - (1) all of the following are present:
      - (a) back pain is the predominant complaint;
      - (b) the patient has failed to improve with initial nonsurgical manage-
- ment;
  (c) other imaging has not established a diagnosis; and
  - (d) lumbar fusion surgery is being considered as a therapy; or
- (2) there has been previous spinal surgery, and pseudoarthrosis, recurrent disc herniation, annular tear, or internal disc disruption is suspected.
  - H. Computed tomography discography is indicated when:
- (1) sciatica is the predominant complaint and lateral disc herniation is suspected; or
- (2) if appropriately performed discography is equivocal or paradoxical, with a normal X-ray pattern but a positive pain response, and an annular tear or intraannular injection is suspected.
- I. Nuclear isotope imaging (including technicium, indium, and gallium scans) are not indicated unless tumor, stress fracture, infection, avascular necrosis, or inflammatory lesion is suspected on the basis of history, physical examination findings, laboratory studies, or the results of other imaging studies.
- J. Thermography is not indicated for the diagnosis of any of the clinical categories of low back conditions in part 5221.6200, subpart 1, item A.
- K. Anterior-posterior (AP) and lateral X-rays of the lumbosacral spine are limited by subitems (1) and (2).
  - (1) They are indicated in the following circumstances:
- (a) when there is a history of significant acute trauma as the precipitating event of the patient's condition, and fracture, dislocation, or fracture dislocation is suspected:
- (b) when the history, signs, symptoms, or laboratory studies indicate possible tumor, infection, or inflammatory lesion;
  - (c) for postoperative follow-up of lumbar fusion surgery;
  - (d) when the patient is more than 50 years of age;
- (e) before beginning a course of treatment with spinal adjustment or manipulation; or
- (f) eight weeks after an injury if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.
  - (2) They are not indicated in the following circumstances:
    - (a) to verify progress during initial nonsurgical treatment; or
    - (b) to evaluate a successful initial nonsurgical treatment program.

- L. Oblique X-rays of the lumbosacral spine are limited by subitems (1) and (2).
  - (1) They are indicated in the following circumstances:
- (a) to follow up abnormalities detected on anterior-posterior or lateral X-ray;
  - (b) for postoperative follow-up of lumbar fusion surgery; or
- (c) to follow up spondylolysis or spondylolisthesis not adequately diagnosed by other indicated imaging procedures.
- (2) They are not indicated as part of a package of X-rays including anterior-posterior and lateral X-rays of the lumbosacral spine.
- M. Electronic X-ray analysis of plain radiographs and diagnostic ultrasound of the lumbar spine are not indicated for diagnosis of any of the low back conditions in part 5221.6200, subpart 1, item A.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

#### 5221.6200 LOW BACK PAIN.

- Subpart 1. Diagnostic procedures for treatment of low back injury. A health care provider shall determine the nature of the condition before initiating treatment.
- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating distal to the knee, or pain conforming to a dermatomal distribution and accompanied by anatomically congruent motor weakness or reflex changes. This part does not apply to fractures of the lumbar spine, or back pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional low back pain, includes referred pain to the leg above the knee unless it conforms to an L2, L3, or L4 dermatomal distribution and is accompanied by anatomically congruent motor weakness or reflex changes. Regional low back pain includes the diagnoses of lumbar, lumbosacral, or sacroiliac: strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, spondylosis, and other diagnoses for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the lumbar spine or sacroiliac joints and which effects the lumbosacral region, with or without referral to the buttocks and/or leg above the knee, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721, 721.3, 721.5 to 721.90, 722, 722.3, 722.32, 722.5, 722.51, 722.52, 722.6, 722.9, 722.90, 722.93, 724.2, 724.5, 724.6, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.2 to 739.4, 756.1 to 756.19, 847.2 to 847.9, 922.3, 926.1, 926.11, and 926.12.
- (2) Radicular pain, with or without regional low back pain, with static or no neurologic deficit. This includes the diagnoses of sciatica; lumbar or lumbosacral radiculopathy, radiculitis or neuritis; displacement or herniation of intervertebral disc with myelopathy, radiculopathy, radiculitis or neuritis; spinal stenosis with myelopathy, radiculopathy, radiculitis or neuritis; and any other diagnoses for pain in the leg below the knee believed to originate with irritation of a nerve root in the lumbar spine, including, but not limited to, the ICD-9-CM codes 721.4, 721.42, 721.91, 722.1, 722.10, 722.2, 722.7, 722.73, 724.0, 724.00, 724.02, 724.09, 724.3, 724.4, and 724.9. In these cases, neurologic findings on history and physical examination are either absent or do not show progressive deterioration.
- (3) Radicular pain, with or without regional low back pain, with progressive neurologic deficit. This includes the same diagnoses as subitem (2), however, this category applies when there is a history of progressive deterioration in the neurologic symptoms and physical findings which include worsening sensory loss, increasing muscle weakness, or progressive reflex changes.

# 5221.6200 FEES FOR MEDICAL SERVICES

- (4) Cauda equina syndrome, which is a syndrome characterized by anesthesia in the buttocks, genitalia, or thigh and accompanied by disturbed bowel and bladder function, ICD-9-CM codes 344.6, 344.60, and 344.61.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional low back pain, radicular pain, or cauda equina syndrome, except in any of the following circumstances:
- (1) when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis;
  - (2) to evaluate potential adverse side effects of medications; or
  - (3) as part of a preoperative evaluation.

Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

- C. Medical imaging evaluation of the lumbosacral spine must be based on the findings of the history and physical examination and cannot be ordered before the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with all of the standards in part 5221.6100, subparts 1 and 2. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are always inappropriate for regional low back pain as defined in item A, subitem (1). EMG and nerve conduction studies may be an appropriate diagnostic tool for radicular pain and cauda equina syndrome as defined in item A, subitems (2) to (4), after the first three weeks of radicular symptoms. Repeat EMG and nerve conduction studies for radicular pain and cauda equina syndrome are not indicated unless a new neurologic symptom or finding has developed which in itself would warrant electrodiagnostic testing. Failure to improve with treatment is not an indication for repeat testing.
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
  - (1) surface electromyography or surface paraspinal electromyography;
  - (2) thermography;
  - (3) plethysmography;
  - (4) electronic X-ray analysis of plain radiographs;
  - (5) diagnostic ultrasound of the lumbar spine; or
  - (6) somatosensory evoked potentials (SSEP) and motor evoked potentials
- (MEP).
  - F. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing may be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit with a physician, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychosocial evaluations may be indicated for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?

- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve injection, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain before surgery and to diagnose conditions which fail to respond to initial nonsurgical management.
- (2) These injections are invasive and when done as diagnostic procedures only, are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not indicated during the period of initial nonsurgical management.
- (2) After the period of initial nonsurgical management functional capacity assessment or evaluation is indicated in either of the following circumstances:
  - (a) activity restrictions and capabilities must be identified; or
  - (b) there is a question about the patient's ability to do a specific job.
- (3) A functional capacity evaluation is not appropriate to establish baseline performance before treatment, or for subsequent assessments, to evaluate change during or after treatment.
- (4) Only one completed functional capacity evaluation is indicated per injury.
- J. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with accepted medical practice.

# Subp. 2. General treatment parameters for low back pain.

- A. All medical care for low back pain, appropriately assigned to a clinical category in subpart 1, item A, is determined by the clinical category to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 13, as follows:
  - (1) subpart 11 governs regional low back pain;

#### 5221.6200 FEES FOR MEDICAL SERVICES

- (2) subpart 12 governs radicular pain with no or static neurologic deficits; and
- (3) subpart 13 governs cauda equina syndrome and radicular pain with progressive neurologic deficits.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed, the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with low back problems, except patients with progressive neurologic deficit or cauda equina syndrome under subpart 1, item A, subitems (3) and (4), must be given initial nonsurgical management which may include active treatment modalities, passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical treatment begins with the first active, passive, medication, durable medical equipment, or injection modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 13, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with radicular pain with progressive neurological deficit, or cauda equina syndrome may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy in a clinical setting with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical care.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 13, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date.
- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

# Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:

- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care:
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.

# 5221.6200 FEES FOR MEDICAL SERVICES

- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

# F. Mechanical traction:

and

- (1) Treatment given in a clinical setting:
  - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
  - (a) time for patient education and training, one session; and
- (b) patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
  - I. Phoresis includes iontophoresis and phonophoresis:
    - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (3) maximum treatment is nine sessions of either iontophoresis or phonophoresis, or combination, to any one site, with a maximum duration of 12 weeks for all treatment.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Spinal braces and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
  - (1) time for treatment response, three days;
- (2) treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and

- (3) maximum continuous duration, three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities can extend past the 12-week limitation on passive treatment modalities so long as the maximum duration for the active modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the lumbosacral spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment, this shall not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter.

Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks, and should decrease in frequency thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program, and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, up to three visits for instruction and monitoring; and
- (b) there is no limit on the duration or frequency of exercise at home.
- Subp. 5. **Therapeutic injections.** Injection modalities are indicated as set forth in items A to C. Use of injections can extend past the 12-week limit on passive treatment modalities so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections, including injections of trigger points, facet joints, facet nerves, sacroiliac joints, sympathetic nerves, epidurals, nerve roots, and peripheral

#### 5221.6200 FEES FOR MEDICAL SERVICES

nerves. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.

- (1) Trigger point injections:
  - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week to any one site if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections to different sites are reimbursable per patient visit; and
  - (c) maximum treatment, four injections to any one site.
  - (2) Sacroiliac joint injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first injection. Only two injections are reimbursable per patient visit; and
  - (c) maximum treatment, two injections to any one site.
  - (3) Facet joint or nerve injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks to any one site if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. No more than three injections to different sites are reimbursable per patient visit; and
  - (c) maximum treatment, three injections to any one site.
  - (4) Nerve root blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first injection. Only three injections to different sites are reimbursable per patient visit; and
  - (c) maximum treatment, two injections to any one site.
  - (5) Epidural injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
  - (c) maximum treatment, three injections.
- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
  - (1) time for treatment response, within one week;
  - (2) maximum treatment frequency, may repeat once for any site; and
  - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of low back problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures and arthrodesis. Surgery may only be performed if it also meets the specific parameters specified in subparts 11 to 13 and part 5221.6500. The health care provider must provide prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative

period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:

- (1) eight weeks following lumbar decompression or implantation of a dorsal column stimulator or morphine pump; or
  - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 13 and part 5221.6500, and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if a second opinion is requested by the insurer.
- C. The following surgical therapies have very limited application and require a second opinion that confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation that indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, and is not a candidate for any other surgical therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, and is not a candidate for any other surgical therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of low back pain must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in the situations specified in items A to D. The health care provider must provide prior notification as required in items B and C according to part 5221.6050, subpart 9.
- A. Lumbar braces, corsets, or supports are indicated as specified in subpart 3, item K.
- B. For patients using electrical stimulation or mechanical traction devices at home, the device and any required supplies are indicated within the parameters of subpart 3, items E and F. Prior notification must be provided to the insurer for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonsurgical care or during reevaluation and surgical therapy. Prior notification must be provided to the insurer for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate use of that facility instead of authorizing purchase of the equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for low back conditions:
- (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments; or
  - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.

# 5221.6200 FEES FOR MEDICAL SERVICES

- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and must evaluate whether initial nonsurgical treatment is effective according to items A to C. No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:
- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of the injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive imitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified, or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional low back pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonscheduled medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and that the most cost-effective regimen is used.

# Subp. 11. Specific treatment parameters for regional low back pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional low back pain under subpart 1, item A, subitem (1).
- (1) The passive, active, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management, depending on the severity of the condition.
- (2) The only therapeutic injections indicated for patients with regional back pain are trigger point injections, facet joint injections, facet nerve injections, sacroiliac joint injections, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical treatment must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as otherwise specified in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical

care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.

- (1) Surgical evaluation, if indicated, may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100. Medical imaging studies which do not meet these parameters are not indicated.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and physical findings.
- (6) The only surgical procedures indicated for patients with regional low back pain only are decompression of a lumbar nerve root or lumbar arthrodesis, with or without instrumentation, which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, items A and C. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated; their use must meet the parameters of subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery, it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of part 5221.6050, subpart 9, for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated, or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management according to the parameters of part 5221.6600.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management which must be provided according to the parameters of part 5221.6600.
- Subp. 12. Specific treatment parameters for radicular pain, with or without regional low back pain, with no or static neurologic deficits.

A. Initial nonsurgical treatment is appropriate for all patients with radicular pain, with or without regional low back pain, with no or static neurologic deficits under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks, and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional low back pain, therapeutic facet joint injections, facet nerve injections, trigger point injections, and sacroiliac injections may also be indicated.

#### 5221.6200 FEES FOR MEDICAL SERVICES

- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It must be provided within the parameters of subpart 11, item B.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered, the patient refused surgical therapy, or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional back pain, with static neurologic deficits must meet all of the parameters of part 5221.6600.
- Subp. 13. Specific treatment parameters for cauda equina syndrome and for radicular pain, with or without regional low back pain, with progressive neurologic deficits.
- A. Patients with cauda equina syndrome or with radicular pain, with or without regional low back pain, with progressive neurologic deficits may require immediate or emergency surgical evaluation at any time during the course of the overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any initial nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, except that surgical evaluation and surgical therapy may begin at any time.
- B. If the health care provider decides to proceed with a course of initial nonsurgical care for a patient with radicular pain with progressive neurologic changes, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional back pain, with foot drop or progressive neurologic changes at first presentation must meet the parameters of part 5221.6600.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

# 5221.6205 NECK PAIN.

- Subpart 1. Diagnostic procedures for treatment of neck injury. A health care provider shall determine the nature of the condition before initiating treatment.
- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating distal to the shoulder. This part does not apply to fractures of the cervical spine or cervical pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional neck pain includes referred pain to the shoulder and upper back. Regional neck pain includes the diagnoses of cervical strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, and other diagnoses for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the cervical spine and which affects the cervical region, with or without referral to the upper back

or shoulder, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721 to 721.0, 721.5 to 721.90, 722.3 to 722.30, 722.4, 722.6, 722.9 to 722.91, 723 to 723.3, 723.5 to 723.9, 724.5, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.1, 756.1 to 756.19, 847 to 847.0, 920, 922.3, 925, and 926.1 to 926.12.

- (2) Radicular pain, with or without regional neck pain, with no or static neurologic deficit. This includes the diagnoses of brachialgia; cervical radiculopathy, radiculitis, or neuritis; displacement or herniation of intervertebral disc with radiculopathy, radiculitis, or neuritis; spinal stenosis with radiculopathy, radiculitis, or neuritis; and other diagnoses for pain in the arm distal to the shoulder believed to originate with irritation of a nerve root in the cervical spine, including, but not limited to, the ICD-9-CM codes 721.1, 721.91, 722 to 722.0, 722.2, 722.7 to 722.71, 723.4, and 724 to 724.00. In these cases neurologic findings on history and examination are either absent or do not show progressive deterioration.
- (3) Radicular pain, with or without regional neck pain, with progressive neurologic deficit, which includes the same diagnoses as subitem (2); however, in these cases there is a history of progressive deterioration in the neurologic symptoms and physical findings, including worsening sensory loss, increasing muscle weakness, and progressive reflex changes.
- (4) Cervical compressive myelopathy, with or without radicular pain, is a condition characterized by weakness and spasticity in one or both legs and associated with any of the following: exaggerated reflexes, an extensor plantar response, bowel or bladder dysfunction, sensory ataxia, or bilateral sensory changes.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional neck pain, or radicular pain, except:
- (1) when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis;
  - (2) to evaluate potential adverse side effects of medications; or
  - (3) as part of a preoperative evaluation.

Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

- C. Medical imaging evaluation of the cervical spine must be based on the findings of the history and physical examination and cannot be ordered prior to the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are always inappropriate for the regional neck pain diagnoses in item A, subitem (1). EMG and nerve conduction studies may be an appropriate diagnostic tool for radicular pain and myelopathy diagnoses in item A, subitems (2) to (4), after the first three weeks of radicular or myelopathy symptoms. Repeat EMG and nerve conduction studies for radicular pain and myelopathy are not indicated unless a new neurologic symptom or finding has developed which in itself would warrant electrodiagnostic testing. Failure to improve with treatment is not an indication for repeat testing.
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
  - (1) surface electromyography or surface paraspinal electromyography;
  - (2) thermography;
  - (3) plethysmography;
  - (4) electronic X-ray analysis of plain radiographs;
  - (5) diagnostic ultrasound of the spine; or

# 5221.6205 FEES FOR MEDICAL SERVICES

- (6) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).
- F. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing can be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychological evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors, such as those in subitems (1) to (6), likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve block, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain prior to surgery and to diagnose conditions which fail to respond to initial nonsurgical management
- (2) These blocks and injections are invasive and when done as diagnostic procedures only, are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not necessarily limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine a patient's physical capacities in general or to determine and report work tolerance for a specific job, task, or work activity.

and

- (1) Functional capacity assessment or evaluation is not reimbursable during the period of initial nonoperative care.
- (2) Functional capacity assessment or evaluation is reimbursable in either of the following circumstances:
- (a) permanent activity restrictions and capabilities must be identified; or
  - (b) there is a question about the patient's ability to do a specific job.
- J. Consultations with other health care providers may be initiated at any time by the treating health care provider, consistent with accepted medical practice.

# Subp. 2. General treatment parameters for neck pain.

- A. All medical care for neck pain appropriately assigned to a clinical category in subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 14, as follows:
  - (1) subpart 11 governs regional neck pain;
  - (2) subpart 12 governs radicular pain with static neurologic deficits;
  - (3) subpart 13 governs radicular pain with progressive neurologic deficits;
    - (4) subpart 14 governs myelopathy.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with neck problems, except patients with radicular pain with progressive neurological deficit, or myelopathy under subpart 1, item A, subitems (3) and (4), must be given initial nonsurgical care which may include both active and passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical management begins with the first passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonoperative care is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice, and subparts 6 and 11 to 14, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with radicular pain with progressive neurological deficit, or myelopathy may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical management.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 14, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date.

# 5221.6205 FEES FOR MEDICAL SERVICES

- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

# Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care;
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating modalities and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and

and

- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

#### F. Mechanical traction:

- (1) Treatment given in a clinical setting:
  - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting, but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
  - (a) time for patient education and training, one session; and
- (b) a patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and

#### 5221.6205 FEES FOR MEDICAL SERVICES

- (3) maximum treatment duration, 12 weeks.
- I. Phoresis includes iontophoresis and phonophoresis:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Cervical collars, spinal braces, and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
  - (1) time for treatment response, three days;
- (2) treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, up to three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limitation on passive treatment modalities, so long as the maximum duration for the active modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the cervical spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment, it must not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter. Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks, decreasing in frequency thereafter; and
  - (b) maximum duration, 12 weeks.

- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program, and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, up to three visits for instruction and monitoring; and
- (b) there is no limit on the duration or frequency of exercise at home.
- Subp. 5. **Therapeutic injections.** Injection modalities are indicated as set forth in items A to C. Use of injections may extend past the 12-week limit on passive treatment modalities, so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections include trigger points injections, facet joint injections, facet nerve blocks, sympathetic nerve blocks, epidurals, nerve root blocks, and peripheral nerve blocks. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
  - (1) Trigger point injections:
    - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. Only three injections are reimbursable per patient visit; and
  - (c) maximum treatment, four injections to any one site.
  - (2) Facet joint injections or facet nerve blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection or block. If subsequent injections or blocks demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections or blocks should be discontinued. Only three injections or blocks are reimbursable per patient visit; and
  - (c) maximum treatment, three injections or blocks to any one site.
  - (3) Nerve root blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection no sooner than two weeks after the previous injection if a positive response to the first injection. No more than three blocks are reimbursable per patient visit; and
  - (c) maximum treatment, two blocks to any one site.
  - (4) Epidural injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
  - (c) maximum treatment, three injections.
- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
  - (1) time for treatment response, within one week;
  - (2) maximum treatment frequency, may repeat once for any site; and
  - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of neck problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures and arthrodesis. Surgery may only be performed if it meets the specific parameters of subparts 11 to 14 and part

# 5221.6205 FEES FOR MEDICAL SERVICES

- 5221.6500. The health care provider must provide prior notification for nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following decompression or implantation of a dorsal column stimulator or morphine pump; or
  - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 14 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if requested by the insurer.
- C. The following surgical therapies have very limited application and require a second opinion which confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of neck disorders must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only as specified in items A to D. The health care provider must provide prior notification as required in items B and C according to part 5221.6050, subpart 9.
- A. Cervical collars, braces, or supports and home cervical traction devices may be indicated within the parameters of subpart 3, items F and K.
- B. For patients using electrical stimulation at home, the device and any required supplies are indicated within the parameters of subpart 3, item E. Prior notification must be given for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonoperative care or during reevaluation and surgical therapy. Prior notification must be given to the insurer before purchase of the home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate the use of that facility instead of authorizing purchase of equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for neck pain conditions:

or

- (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments;
  - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and shall evaluate whether initial nonsurgical management is effective according to items A to C.

No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality has resulted in progressive improvement as specified in items A to C:

- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional working under the direction of the treating health care provider but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional neck pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonnarcotic medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

# Subp. 11. Specific treatment parameters for regional neck pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional neck pain under subpart 1, item A, subitem (1).
- (1) The active, passive, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management depending on the severity of the condition.
- (2) The only therapeutic injections indicated for patients with regional neck pain are trigger point injections, facet joint injections, facet nerve blocks, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical treatment must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as otherwise provided in subpart 3, passive treatment modalities in a clinic setting of requiring attendance by a health care provider are not

# 5221.6205 FEES FOR MEDICAL SERVICES

indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.

- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation if indicated may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100, subpart 1.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and physical findings.
- (6) The only surgical procedure indicated for patients with regional neck pain only is cervical arthrodesis, with or without instrumentation, which must meet the parameters of subpart 6. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery, it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of part 5221.6050, subpart 9, for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated or if the patient does not wish to proceed with surgical therapy, then the patient is a candidate for chronic management.
- C. If the patient continues with symptoms and objective physical findings after surgery has been rendered or the patient refuses surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to part 5221.6600.
- Subp. 12. Specific treatment parameters for radicular pain, with or without regional neck pain, with no or static neurologic deficits.
- A. Initial nonsurgical treatment is appropriate for all patients with radicular pain, with or without regional neck pain, with no or static neurologic deficits under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional neck pain, therapeutic facet joint injections, facet nerve blocks, and trigger point injections may also be indicated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical

care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It must be provided within the parameters of subpart 11, item B, with the following modifications: the only surgical procedures indicated for patients with radicular pain are decompression of a cervical nerve root which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, item B, and cervical arthrodesis, with or without instrumentation. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered, the patient refused surgical therapy, or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional neck pain, with static neurologic changes must meet all of the parameters of part 5221.6600.

# Subp. 13. Specific treatment parameters for radicular pain, with or without regional neck pain, with progressive neurologic changes.

A. Patients with radicular pain, with or without regional neck pain, with progressive neurologic deficits may require immediate or emergency evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:

- (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with radicular pain are decompression of a cervical nerve root which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, item B, or cervical arthrodesis, with or without instrumentation. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with radicular pain with progressive neurologic changes, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional neck pain, with progressive neurologic changes at first presentation must meet all of the parameters of part 5221.6600.

# Subp. 14. Specific treatment parameters for myelopathy.

A. Patients with myelopathy may require emergency surgical evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:

- (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with myelopathy are anterior or posterior decompression of the spinal cord, or cervical arthrodesis with or without instrumentation. For patients with failed back surgery, dorsal column

stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.

B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with myelopathy, it must follow the parameters of subpart 12, item A.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with myelopathy must meet all of the parameters of part 5221.6600.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

#### 5221.6210 THORACIC BACK PAIN.

Subpart 1. Diagnostic procedures for treatment of thoracic back injury. A health care provider shall determine the nature of the condition before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the consistency appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating in a dermatomal distribution around the chest or abdomen. This part does not apply to fractures of the thoracic spine or thoracic back pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional thoracic back pain includes the diagnoses of thoracic strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, and any other diagnosis for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the thoracic spine and which effects the thoracic region, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721 to 721.0, 721.5 to 721.90, 722.3 to 722.30, 722.4, 722.6, 722.9 to 722.91, 723 to 723.3, 723.5 to 723.9, 724.5, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.1, 756.1 to 756.19, 847 to 847.0, 920, 922.3, 925. and 926.1 to 926.12.
- (2) Radicular pain, with or without regional thoracic back pain, includes the diagnoses of thoracic radiculopathy, radiculitis, or neuritis; displacement or herniation of intervertebral disc with radiculopathy, radiculitis, or neuritis; spinal stenosis with radiculopathy, radiculitis, or neuritis; and any other diagnoses for pain believed to originate with irritation of a nerve root in the thoracic spine, including, but not limited to, the ICD-9-CM codes 721.1, 721.91, 722 to 722.0, 722.2, 722.7 to 722.71, 723.4, and 724 to 724.00.
- (3) Thoracic compressive myelopathy, with or without radicular pain, is a condition characterized by weakness and spasticity in one or both legs and associated with any of the following: exaggerated reflexes, an extensor plantar response, bowel or bladder dysfunction, sensory ataxia, or bilateral sensory changes.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional thoracic back pain, or radicular pain, except when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis, or side effects of medications. Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications. Laboratory tests may also be ordered as part of a preoperative evaluation.
- C. Medical imaging evaluation of the thoracic spine must be based on the findings of the history and physical examination and cannot be ordered prior to the health care provider's clinical evaluation of the patient. Medical imaging may not be

performed as a routine procedure and must comply with all of the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.

- D. EMG and nerve conduction studies are always inappropriate for regional thoracic back pain and radicular pain under item A, subitems (1) to (3).
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
  - (1) surface electromyography or surface paraspinal EMG;
  - (2) thermography;
  - (3) plethysmography;
  - (4) electronic X-ray analysis of plain radiographs;
  - (5) diagnostic ultrasound of the spine; or
- (6) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).
- F. Computerized range of motion or strength measuring tests are not reimbursable during the period of initial nonsurgical care, but may be reimbursable during a period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonoperative care computerized range of motion or strength testing can be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychological evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors, such as those listed in subitems (1) to (6), likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve block, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain prior to surgery and to diagnose conditions which fail to respond to initial nonoperative care.
- (2) These blocks and injections are invasive and when done as diagnostic procedures only are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.

#### 5221.6210 FEES FOR MEDICAL SERVICES

- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the guidelines of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not reimbursable during the period of initial nonoperative care.
- (2) Functional capacity assessment or evaluation is reimbursable in either of the following circumstances:
- (a) permanent activity restrictions and capabilities must be identified; or
  - (b) there is a question about the patient's ability to do a specific job.
- J. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with standard medical practice.

# Subp. 2. General treatment parameters for thoracic back pain.

- A. All medical care for thoracic back pain, appropriately assigned to a category of subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 13, as follows:
  - (1) subpart 11 governs regional thoracic back pain;
  - (2) subpart 12 governs radicular pain; and
  - (3) subpart 13 governs myelopathy.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in items C to F, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with thoracic back problems, except patients with myelopathy under subpart 1, item A, subitem (3), must be given initial nonoperative care which may include active and passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical treatment begins with the first clinical passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 13, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.

- (a) Patients with myelopathy may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical care.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 13, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date in light of new clinical information.
- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may also include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

# Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care;
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.

#### 5221.6210 FEES FOR MEDICAL SERVICES

- D. Thermal treatment includes all superficial and deep heating modalities and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - (a) maximum time for patient education and training, up to three
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

#### F. Mechanical traction:

sessions; and

and

- (1) Treatment given in a clinical setting:
  - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
  - (a) maximum time for patient education and training, one session;
- (b) a patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:

- (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
  - I. Phoresis includes iontophoresis and phonophoresis:
    - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Spinal braces and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
  - (1) time for treatment response, three days;
- (2) maximum treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limit on passive treatment modalities, so long as the maximum durations for the active treatment modalities are not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, back, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the thoracic spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment this shall not be the primary focus of the exercise program.

Exercises shall be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance shall be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care,

# 5221.6210 FEES FOR MEDICAL SERVICES

after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter. Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks and should decrease with time thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, one to three visits for instruction and monitoring; and
- (b) there is no limit on the duration and frequency of exercise at home.
- Subp. 5. **Therapeutic injections.** Injection modalities are indicated as set forth in items A to C. Use of injections may extend past the 12-week limit on passive treatment modalities, so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections include trigger points injections, facet joint injections, facet nerve blocks, sympathetic nerve blocks, epidurals, nerve root blocks, and peripheral nerve blocks. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
  - (1) Trigger point injections:
    - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections are reimbursable per patient visit; and
  - (c) maximum treatment, four injections to any one site.
  - (2) Facet joint injections or facet nerve blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection or block. If subsequent injections or blocks demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections or blocks should be discontinued. Only three injections or blocks are reimbursable per patient visit; and
  - (c) maximum treatment, three injections or blocks to any one site.
  - (3) Nerve root blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first block. Only three injections are reimbursable per patient visit; and
  - (c) maximum treatment, two blocks to any one site.
  - (4) Epidural injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
  - (c) maximum treatment, three injections.

- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
  - (1) time for treatment response, within one week;
  - (2) optimum treatment frequency, may repeat once for any site; and
  - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of thoracic back problems and are not reimbursable.
- Subp. 6. **Surgery, including decompression procedures.** Surgery may only be performed if it meets the specific parameters of subparts 11 to 13 and part 5221.6500. The health care provider must provide prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following decompression or implantation of a dorsal column stimulator or morphine pump; or
  - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 13 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if a second opinion is requested by the insurer.
- C. The surgical therapies in subitems (1) and (2) have very limited application and require a second opinion which confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation which indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, and is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, and is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- Subp. 7. **Chronic management.** Chronic management of thoracic back pain must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in certain specific situations, as specified in items A to D. The health care provider must provide the insurer with prior notification as required by items B and C, according to part 5221.6050, subpart 9.
- A. Braces or supports may be indicated within the parameters of subpart 3, item K.
- B. For patients using electrical stimulation or mechanical traction devices at home, the device and any required supplies are indicated within the parameters of subpart 3, items E and F. Prior notification of the insurer is required for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonoperative care or during reevaluation and surgical therapy. Prior notification of the insurer is required for the purchase of home exercise equipment. The insurer may decide which

# 5221.6210 FEES FOR MEDICAL SERVICES

brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate the use of that facility instead of authorizing purchase of equipment for home use.

- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for thoracic back pain conditions:
  - (1) whirlpools, Jacuzzis, hot tubs, special bath or shower attachments; or
  - (2) beds, waterbeds, mattresses, chairs, recliners, or loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and must evaluate whether initial nonsurgical management is effective according to items A to C. No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:
- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional working under the direction of the treating health care provider but remains the ultimate responsibility of the treating health care provider.

Subp. 10. **Scheduled and nonscheduled medication.** Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional thoracic back pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonnarcotic medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

#### Subp. 11. Specific treatment parameters for regional thoracic back pain.

A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional thoracic back pain under subpart 1, item A, subitem (1).

(1) The active, passive, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used

in sequence or simultaneously during the period of initial nonsurgical management, depending on the severity of the condition.

- (2) The only therapeutic injections indicated for patients with regional thoracic back pain are trigger point injections, facet joint injections, facet nerve blocks, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical management must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as provided in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and objective physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgical therapy does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100. Medical imaging studies which do not meet these parameters are not indicated.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and objective physical findings.
- (6) The only surgical procedure indicated for patients with regional thoracic back pain only is thoracic arthrodesis with or without instrumentation, which must meet the parameters of subpart 6, and part 5221.6500, subpart 2, item C. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of parts 5221.6010 to 5221.6500 for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management.
- C. If the patient continues with symptoms and objective physical findings after surgery has been rendered or the patient refuses surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the

#### 5221.6210 FEES FOR MEDICAL SERVICES

regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to the parameters of part 5221.6600.

# Subp. 12. Specific treatment parameters for radicular pain.

- A. Initial nonsurgical treatment is appropriate for all patients with radicular pain under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional thoracic back pain, therapeutic facet joint injections, facet nerve blocks, and trigger point injections may also be indicated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It shall be provided within the parameters of subpart 11, item B, with the following modifications: the only surgical procedures indicated for patients with radicular pain are decompression or arthrodesis. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refused surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional thoracic back pain, must meet all of the parameters of part 5221.6600.

# Subp. 13. Specific treatment parameters for myelopathy.

- A. Patients with myelopathy may require emergency surgical evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:
  - (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with myelopathy are decompression and arthrodesis. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with myelopathy, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with myelopathy must meet all of the parameters of part 5221.6600.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

# 5221.6300 UPPER EXTREMITY DISORDERS.

Subpart 1. Diagnostic procedures for treatment of upper extremity disorders (UED). A health care provider shall determine the nature of an upper extremity disorder before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must at each visit assign the patient to the appropriate clinical category according to subitems (1) to (6). The diagnosis must be documented in the medical record. Patients may have multiple disorders requiring assignment to more than one clinical category. This part does not apply to upper extremity conditions due to a visceral, vascular, infectious, immunological, metabolic, endocrine, systemic neurologic, or neoplastic disease process, fractures, lacerations, amputations, or sprains or strains with complete tissue disruption.
- (1) Epicondylitis. This clinical category includes medial epicondylitis and lateral epicondylitis, ICD-9-CM codes 726.31 and 726.32.
- (2) Tendonitis of the forearm, wrist, and hand. This clinical category encompasses any inflammation, pain, tenderness, or dysfunction or irritation of a tendon, tendon sheath, tendon insertion, or musculotendinous junction in the upper extremity at or distal to the elbow due to mechanical injury or irritation, including, but not limited to, the diagnoses of tendonitis, tenosynovitis, tendovaginitis, peritendinitis, extensor tendinitis, de Quervain's syndrome, intersection syndrome, flexor tendinitis, and trigger digit, including, but not limited to, ICD-9-CM codes 726.4, 726.5, 726.8, 726.9, 726.90, 727, 727.0, 727.00, 727.03, 727.04, 727.05, and 727.2.
- (3) Nerve entrapment syndromes. This clinical category encompasses any compression or entrapment of the radial, ulnar, or median nerves, or any of their branches, including, but not limited to, carpal tunnel syndrome, pronator syndrome, anterior interosseous syndrome, cubital tunnel syndrome, Guyon's canal syndrome, radial tunnel syndrome, posterior interosseous syndrome, and Wartenburg's syndrome, including, but not limited to, ICD-9-CM codes 354, 354.0, 354.1, 354.2, 354.3, 354.8, and 354.9.
- (4) Muscle pain syndromes. This clinical category encompasses any painful condition of any of the muscles of the upper extremity, including the muscles responsible for movement of the shoulder and scapula, characterized by pain and stiffness, including, but not limited to, the diagnoses of chronic nontraumatic muscle strain, repetitive strain injury, cervicobrachial syndrome, tension neck syndrome, overuse syndrome, myofascial pain syndrome, myofasciitis, nonspecific myalgia, fibrositis, fibromyalgia, and fibromyositis, including, but not limited to, ICD-9-CM codes 723.3, 729.0, 729.1, 729.5, 840, 840.3, 840.5, 840.6, 840.8, 840.9, 841, 841.8, 841.9, and 842.
- (5) Shoulder impingement syndromes, including tendonitis, bursitis, and related conditions. This clinical category encompasses any inflammation, pain, tenderness, dysfunction, or irritation of a tendon, tendon insertion, tendon sheath, musculotendinous junction, or bursa in the shoulder due to mechanical injury or irritation, including, but not limited to, the diagnoses of impingement syndrome, supraspinatus tendonitis, infraspinatus tendonitis, calcific tendonitis, bicipital tendonitis, subacromial bursitis, subcoracoid bursitis, subdeltoid bursitis, and rotator cuff tendinitis. including, but not limited to, ICD-9-CM codes 726.1 to 726.2, 726.9, 726.90, 727 to 727.01, 727.2, 727.3, 840, 840.4, 840.6, 840.8, and 840.9.
- (6) Traumatic sprains or strains of the upper extremity. This clinical category encompasses an instantaneous or acute injury, as a result of a single precipitating event to the ligaments or the muscles of the upper extremity including, without limitation, ICD-9-CM codes 840 to 842.19. Injuries to muscles as a result of repetitive use, or occurring gradually over time without a single precipitating trauma, are considered muscle pain syndromes under subitem (4). Injuries with complete tissue disruption are not subject to this parameter.
- B. Certain laboratory tests may be indicated in the evaluation of a patient with upper extremity disorder to rule out infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders such as rheumatoid arthritis, or side effects of medications. Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

# 5221.6300 FEES FOR MEDICAL SERVICES

- C. Medical imaging evaluation of upper extremity disorders must be based on the findings of the history and physical examination and cannot be ordered before the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are only appropriate for nerve entrapment disorders and recurrent nerve entrapment after surgery.
- E. The following diagnostic procedures or tests are not indicated for diagnosis of upper extremity disorders:
  - (1) surface electromyography;
  - (2) thermography; or
- (3) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).
- F. The following diagnostic procedures or tests are considered adjuncts to the physical examination and are not reimbursed separately from the office visit:
  - (1) vibrometry;
  - (2) neurometry;
  - (3) Semmes-Weinstein monofilament testing; or
  - (4) algometry.
- G. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing can be performed but must be done in conjunction with and are not reimbursed separately from an office visit with a physician, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- H. Personality or psychosocial evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate initial nonsurgical care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
  - I. Diagnostic analgesic blocks or injection studies.
- (1) These procedures are used to localize the source of pain and to diagnose conditions which fail to respond to appropriate initial nonsurgical management.
- (2) Selection of patients, choice of procedure, and localization of the site of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.

- (3) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- J. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the required information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not indicated during the first 12 weeks of initial nonsurgical treatment.
- (2) Functional capacity assessment or evaluation is indicated after the first 12 weeks of care in either of the following circumstances:
  - (a) activity restrictions and capabilities must be identified; or
- (b) there is a question about the patient's ability to return to do a specific job.
- (3) A functional capacity evaluation is not appropriate to establish baseline performance before treatment, or for subsequent assessments, to evaluate change during or after treatment.
- (4) Only one completed functional capacity evaluation is indicated per injury.
- K. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with accepted medical practice.

#### Subp. 2. General treatment parameters for upper extremity disorders.

- A. All medical care for upper extremity disorders, appropriately assigned to a category of subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 16 as follows:
  - (1) subpart 11 governs epicondylitis;
  - (2) subpart 12 governs tendonitis of the forearm, wrist, and hand;
  - (3) subpart 13 governs upper extremity nerve entrapment syndromes;
  - (4) subpart 14 governs upper extremity muscle pain syndromes:
  - (5) subpart 15 governs shoulder impingement syndromes; and
- (6) subpart 16 governs traumatic sprains and strains of the upper extremity.

The health care provider must at each visit reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing and opinions, and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category and these changes must be recorded in the medical record. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury, unless the treatment or therapy is subsequently delivered to a different part of the body.

When treating more than one clinical category or body part for which the same treatment modality is appropriate, then the treatment modality should be applied simultaneously, if possible, to all indicated areas.

# 5221.6300 FEES FOR MEDICAL SERVICES

- B. In general, a course of treatment must be divided into three phases:
- (1) First, all patients with an upper extremity disorder must be given initial nonsurgical management, unless otherwise specified. Initial nonsurgical management may include any combination of the passive, active, injection, durable medical equipment, and medication treatment modalities listed in subparts 3, 4, 5, 8, and 10, appropriate to the clinical category. The period of initial nonsurgical treatment begins with the first passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 16, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy can be in addition to any received during the period of initial nonsurgical management.
- (b) Surgery must follow the parameters in subparts 6 and 11 to 16, and part 5221.6500.
- (c) A decision against surgery at this time does not preclude a decision for surgery made at a later date.
- (3) Third, for those patients who are not candidates for surgery or refuse surgery, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment is described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

#### Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to H is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to H are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care;
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of

the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.

- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment'given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments:
- (b) maximum treatment frequency. up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
- (a) time for patient education and training, one to three sessions; and
- (b) patient may use the electrical stimulation device unsupervised for one month, at which time effectiveness of the treatment must be reevaluated by the provider before continuing home use of the device.
- F. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (1) time for treatment response, three to five sessions:
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
  - G. Phoresis includes phonopheresis and iontophoresis:

- (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (3) maximum treatment duration is nine sessions of either iontophoresis or phonophoresis, or combination, to any one site, with a maximum duration of 12 weeks for all treatment.
- H. Manual therapy includes soft tissue and joint mobilization and therapeutic massage:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- I. Splints, braces, and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active motion exercises to avoid stiffness and prolonged disability:
  - (1) time for treatment response, ten days;
- (2) maximum treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, eight weeks. Prophylactic use is allowed indefinitely.
- J. Rest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Total restriction of use of an affected body part should not be prescribed for more than two weeks, unless rigid immobilization is required. In cases of rigid immobilization, active motion exercises at adjacent joints should begin no later than two weeks after application of the immobilization.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limitation on passive treatment modalities so long as the maximum treatment for the active treatment modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to upper extremity function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which include an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of a nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the upper extremity. While aerobic exercise may be performed as adjunctive treatment this must not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, or endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the testing sooner than two weeks after the initial evaluation and monthly thereafter.

- Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.
- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, up to three times per week for three weeks. Should decrease with time thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting and may supplement or follow the period of supervised exercise.
- Subp. 5. Therapeutic injections. Therapeutic injections include injections of trigger points, sympathetic nerves, peripheral nerves, and soft tissues. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site. Use of injections may extend past the 12-week limitation on passive modalities, so long as the maximum treatment for injections in items A to C is not exceeded.

# A. Trigger point injections:

- (1) time for treatment response, within 30 minutes;
- (2) maximum treatment frequency, once per week to any one site if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, four injections to any one site over the course of treatment.
- B. Soft tissue injections include injections of a bursa, tendon, tendon sheath, ganglion, tendon insertion, ligament, or ligament insertion:
  - (1) time for treatment response, within one week;
- (2) maximum treatment frequency, once per month to any one site if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, three injections to any one site over the course of treatment.
  - C. Injections for median nerve entrapment at the carpal tunnel:
    - (1) time for treatment response, within one week;
- (2) maximum treatment frequency, can repeat injection in one month if a positive response to the first injection. Only three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, two injections to any one site over the course of treatment.
- Subp. 6. **Surgery.** Surgery may only be performed if it meets applicable parameters in subparts 11 to 16 and part 5221.6500.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from initiation of the first passive modality used, except bedrest or bracing, is as follows:

# 5221.6300 FEES FOR MEDICAL SERVICES

- (1) for rotator cuff repair, acromioclavicular ligament repair, or any surgery for a clinical category in this part which requires joint reconstruction, 16 weeks; or
  - (2) for all other surgery for clinical categories in this part, eight weeks.

The health care provider must provide the insurer with prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.

- B. Repeat surgery must also meet the parameters of subparts 11 to 16 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if requested by the insurer.
- Subp. 7. Chronic management. Chronic management of upper extremity disorders must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in the situations specified in items A to D. The health care provider must provide the insurer with prior notification as required in items B and C and part 5221.6050, subpart 9.
- A. Splints, braces, straps, or supports may be indicated as specified in subpart 3, item I.
- B. For patients using an electrical stimulation device at home, the device and any required supplies are indicated within the parameters of subpart 3, item E. Prior notification of the insurer is required for purchase of the device or for use longer than one month. The insurer may provide the equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonsurgical care or during reevaluation and surgical therapy. Prior notification of the insurer is required for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment the insurer may mandate use of that facility instead of authorizing purchase of the equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for the upper extremity disorders specified in subparts 11 to 16:
- (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments; or
  - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary and whether initial nonsurgical treatment is effective according to items A to C.

No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:

A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;

- B. the objective clinical findings are progressively improving as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items in items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. Therefore, these medications are not routinely indicated in the treatment of patients with upper extremity disorders. The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonscheduled medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

# Subp. 11. Specific treatment parameters for epicondylitis.

- A. Initial nonsurgical management is appropriate for all patients with epicondylitis and must be the first phase of treatment.
- (1) The passive, active, injection, durable medical equipment, and medication treatment modalities and procedures specified in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management depending on the severity of the condition. After the first week of treatment, initial nonsurgical care must at all times include active treatment modalities according to subpart 4.
- (2) Initial nonsurgical management must be provided in the least intensive setting consistent with quality health care practices.
- (3) Except as provided in subpart 3, use of passive treatment modalities in a clinic setting or requiring attendance by a health care provider for a period in excess of 12 weeks is not indicated.
- (4) Use of home-based treatment modalities with monitoring by the treating health care provider may continue for up to 12 months. At any time during this period the patient may be a candidate for chronic management if surgery is ruled out as an appropriate treatment.
- B. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. The purpose and goal of surgical evaluation is to determine whether surgery is indicated for the patient who has failed to recover with appropriate nonsurgical care or chronic management.
- (1) Surgical evaluation, if indicated, must begin no later than 12 months after beginning initial nonsurgical management.
- (2) Surgical evaluation may include the use of appropriate laboratory and electrodiagnostic testing within the parameters of subpart 1, if not already obtained during the initial evaluation. Repeat testing is not indicated unless there has been an objective change in the patient's condition which in itself would warrant further testing. Failure to improve with therapy does not, by itself, warrant further testing.

- (3) Plain films may be appropriate if there is a history of trauma, infection, or inflammatory disorder and are subject to the general parameters in part 5221.6100, subpart 1. Other medical imaging studies are not indicated.
- (4) Surgical evaluation may also include personality or psychological evaluation consistent with the parameters of subpart 1, item H.
- (5) Consultation with other health care providers is an important part of surgical evaluation of a patient who fails to recover with appropriate initial nonsurgical management. The need for consultation and the choice of consultant will be determined by the diagnostic findings and the patient's condition. Consultation is governed by part 5221.6050, subpart 6.
- (6) If surgery is indicated, it may not be performed until 12 months after initial nonsurgical management was begun except in a patient who has had resolution of symptoms with appropriate treatment followed by a recurrence with intractable pain. In this instance, a second surgical opinion must confirm the need for surgery sooner than 12 months after initial nonsurgical management was begun.
- (7) If surgery is not indicated, or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- C. If the patient continues with symptoms and objective physical findings after surgery or the patient refused surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to part 5221.6600.
- Subp. 12. Specific treatment parameters for tendonitis of forearm, wrist, and hand.
- A. Except as provided in item B, subitem (3), initial nonsurgical management is appropriate for all patients with tendonitis and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A.
- B. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).
- (1) For patients with a specific diagnosis of de Quervain's syndrome, surgical evaluation and surgical therapy, if indicated, may begin after only two months of initial nonsurgical management.
- (2) For patients with a specific diagnosis of trigger finger or trigger thumb, surgical evaluation and potential surgical therapy may begin after only one month of initial nonsurgical management.
- (3) For patients with a locked finger or thumb, surgery may be indicated immediately without any preceding nonsurgical management.
- C. If the patient continues with symptoms and objective physical findings after surgery, or the patient refused surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with tendonitis must meet all of the parameters of part 5221.6600.

# Subp. 13. Specific treatment parameters for nerve entrapment syndromes.

A. Initial nonsurgical management is appropriate for all patients with nerve entrapment syndromes, except as specified in subitem (2), and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A, with the following modifications: nonsurgical management may be inappropriate for patients with advanced symptoms and signs of

nerve compression, such as abnormal two-point discrimination, motor weakness, or muscle atrophy, or for patients with symptoms of nerve entrapment due to acute trauma. In these cases, immediate surgical evaluation may be indicated.

- B. If the patient continues with symptoms and objective physical findings after 12 weeks of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).
- (1) Surgical evaluation may begin, and surgical therapy may be provided, if indicated, after 12 weeks of initial nonsurgical management, except where immediate surgical evaluation is indicated under item A.
- (2) Surgery is indicated if an EMG confirms the diagnosis, or if there has been temporary resolution of symptoms lasting at least seven days with local injection.
- (3) If there is neither a confirming EMG or appropriate response to local injection, or if surgery has been previously performed at the same site, surgery is not indicated unless a second opinion confirms the need for surgery.
- C. If the patient continues with symptoms and objective physical findings after all surgery, or the patient refused surgery therapy or the patient was not a candidate for surgery therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with nerve entrapment syndromes must meet all of the parameters of part 5221.6600.

# Subp. 14. Specific treatment parameters for muscle pain syndromes.

- A. Initial nonsurgical management is appropriate for all patients with muscle pain syndromes and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A.
  - B. Surgery is not indicated for the treatment of muscle pain syndrome.
- C. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with muscle pain syndrome must meet all of the parameters of part 5221.6600.

# Subp. 15. Specific treatment parameters for shoulder impingement syndromes.

- A. Initial nonsurgical management is appropriate for all patients with shoulder impingement syndromes without clinical evidence of rotator cuff tear and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A, except as follows:
- (1) continued nonsurgical management may be inappropriate, and early surgical evaluation may be indicated, for patients with:
  - (a) clinical findings of rotator cuff tear; or
  - (b) acute rupture of the proximal biceps tendon;
- (2) use of home-based treatment modalities with monitoring by the health care provider may continue for up to six months. At any time during this period the patient may be a candidate for chronic management if surgery is ruled out as an appropriate treatment.
- B. If the patient continues with symptoms and objective physical findings after six months of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).

# 5221.6300 FEES FOR MEDICAL SERVICES

- (1) Surgical evaluation must begin no later than six months after beginning initial nonsurgical management.
- (2) Diagnostic injection, arthrography, CT-arthrography, or MRI scanning may be indicated as part of the surgical evaluation.
- (3) The only surgical procedures indicated for patients with shoulder impingement syndrome and related conditions are rotator cuff repair, acromioplasty, excision of distal clavicle, excision of bursa, removal of adhesion, or repair of proximal biceps tendon, all of which must meet the parameters of part 5221.6500, subpart 3.
- C. If the patient continues with symptoms and objective physical findings after surgery, or the patient refused surgery or was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with shoulder impingement syndrome must meet the parameters of part 5221.6600.
- Subp. 16. Specific treatment parameters for traumatic sprains and strains of the upper extremity.
- A. Initial nonsurgical management must be the first phase of treatment for all patients with traumatic sprains and strains of the upper extremity without evidence of complete tissue disruption. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11.
- B. Surgery is not indicated for the treatment of traumatic sprains and strains, unless there is clinical evidence of complete tissue disruption. Patients with complete tissue disruption may need immediate surgery.
- C. If the patient continues with symptoms and objective physical findings after 12 weeks of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life, including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management must meet all of the parameters of part 5221.6600.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

# 5221.6305 REFLEX SYMPATHETIC DYSTROPHY OF THE UPPER AND LOWER EXTREMITIES.

Subpart 1. Scope.

- A. This clinical category encompasses any condition of the upper or lower extremity characterized by concurrent presence in the involved extremity of five of the following conditions: edema; local skin color change of red or purple; osteoporosis in underlying bony structures demonstrated by radiograph; local dyshidrosis; local abnormality of skin temperature regulation; reduced passive range of motion in contiguous joints; local alteration of skin texture of smooth or shiny; or typical findings of reflex sympathetic dystrophy on bone scan. This clinical category includes, but is not limited to, the diagnoses of reflex sympathetic dystrophy, causalgia, Sudek's atrophy, algoneurodystrophy, and shoulder-hand syndrome, and including, but not limited to, ICD-9-CM codes 337.9, 354.4, and 733.7.
- B. Reflex sympathetic dystrophy occurs as a complication of another preceding injury. The treatment parameters of this part refer to the treatment of the body part affected by the reflex sympathetic dystrophy. The treatment for any condition not affected by reflex sympathetic dystrophy continues to be subject to whatever treatment parameters otherwise apply. Any treatment under this part for the reflex sympathetic dystrophy may be in addition to treatment received for the original condition.
- C. Thermography may be used in the diagnosis of reflex sympathetic dystrophy, but is considered an adjunct to physical examination and is not reimbursed separately from the office visit.
- Subp. 2. Initial nonsurgical management. Initial nonsurgical management is appropriate for all patients with reflex sympathetic dystrophy and must be the first

phase of treatment. Any course or program of initial nonsurgical management is limited to the modalities specified in items A to D.

- A. Therapeutic injection modalities. The only injections allowed for reflex sympathetic dystrophy are sympathetic block, intravenous infusion of steroids or sympatholytics, or epidural block.
- (1) Unless medically contraindicated, sympathetic blocks or the intravenous infusion of steroids or sympatholytics must be used if reflex sympathetic dystrophy has continued for four weeks and the employee remains disabled as a result of the reflex sympathetic dystrophy.
  - (a) Time for treatment response: within 30 minutes.
- (b) Maximum treatment frequency: can repeat an injection at a site if there was a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections must be discontinued. No more than three injections to different sites are reimbursable per patient visit.
- (c) Maximum treatment duration: may be continued as long as injections control symptoms and facilitate objective functional gains, if the period of improvement is progressively longer with each injection.
- (2) Epidural block may only be performed in patients who had an incomplete improvement with sympathetic block or intravenous infusion of steroids or sympatholytics.
- B. Only the passive treatment modalities set forth in subitems (1) to (4) are indicated. These passive treatment modalities in a clinical setting or requiring attendance by a health care provider are not indicated beyond 12 weeks from the first modality initiated for treatment of the reflex sympathetic dystrophy.
- (1) Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (a) Treatment given in a clinical setting:
    - i. time for treatment response, two to four treatments;
- ii. maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- iii. maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies specified in this subpart.
- (b) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without professional assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- (2) Desensitizing procedures, such as stroking or friction massage, stress loading, and contrast baths:
  - (a) time for treatment response, three to five treatments;
- (b) maximum treatment frequency in a clinical setting, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration in a clinical setting, 12 weeks. Home use of desensitizing procedures may be prescribed at any time during the course of treatment.
- (3) Electrical stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (a) Treatment given in a clinical setting:

# 5221.6305 FEES FOR MEDICAL SERVICES

- i. time for treatment response, two to four treatments;
- ii. maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- iii. maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (b) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - i. time for patient education and training, one to three sessions;

and

- ii. patient may use the electrical stimulation device unsupervised for one month, at which time effectiveness of the treatment must be reevaluated by the provider before continuing home use of the device.
- (4) Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (a) time for treatment response, three to five sessions;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
  - (c) maximum treatment duration, 12 weeks.
- C. Active treatment includes supervised and unsupervised exercise. After the first week of treatment, initial nonsurgical management must include exercise. Exercise is essential for a return to normal activity and must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must be specifically aimed at the involved musculature. Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, or endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation, and monthly thereafter.
- (1) Supervised exercise. One goal of a supervised exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, up to five times per week for three weeks. Should decrease in frequency thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting and may supplement or follow the period of supervised exercise. Maximum duration is unlimited.
- D. Oral medications may be indicated in accordance with accepted medical practice.

# Subp. 3. Surgery.

- A. Surgical sympathectomy may only be performed in patients who had a sustained but incomplete improvement with sympathetic blocks by injection.
- B. Dorsal column stimulator or morphine pump may be indicated for a patient with neuropathic pain unresponsive to all other treatment modalities who is not a candidate for any other therapy and has had a favorable response to a trial screening period. Use of these devices is indicated only if a second opinion confirms that this treatment is indicated, and a personality or psychosocial evaluation indicates that the patient is likely to benefit from this treatment.
- Subp. 4. Chronic management. If the patient continues with symptoms and objective physical findings after surgery, or the patient refuses surgery, or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the

patient may be a candidate for chronic management. Any course or program of chronic management must satisfy all of the treatment parameters of part 5221.6600.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

## 5221.6400 INPATIENT HOSPITALIZATION PARAMETERS.

## Subpart 1. General principles.

- A. The health care provider must provide prior notification of inpatient hospital admission for nonemergency care according to part 5221.6050, subpart 9. Hospitalization is characterized as inpatient if the patient spends at least one night in the hospital.
- B. Treatment for emergency conditions, including incapacitating pain, should not be delayed to provide the insurer with prior notification. The admitting health care provider should notify the insurer within two business days following an emergency admission, or within two business days after the health care provider learns that it is a workers' compensation injury. The medical necessity for the emergency hospitalization is subject to retrospective review, based on the information available at the time of the emergency hospitalization.
- C. Unless the patient's condition requires special care, only ward or semiprivate accommodations are indicated. The admitting health care provider must document the special care needs.
- D. Admissions before the day of surgery are indicated only if they are medically necessary to stabilize the patient before surgery. Admission before the day of surgery to perform any or all of a preoperative work-up which could have been completed as an outpatient is not indicated.
- E. Inpatient hospitalization solely for physical therapy, bedrest, or administration of injectable drugs is indicated only if the treatment is otherwise indicated and the patient's condition makes the patient unable to perform the activities of daily life and participate in the patient's own treatment and self-care.
- F. Discharge from the hospital must be at the earliest possible date consistent with proper health care.
- G. If transfer to a convalescent center or nursing home is indicated, prior notification is required as provided for inpatient hospitalization.
- Subp. 2. Specific requirements for hospital admission of patients with low back pain. Hospitalization for low back pain is indicated in the circumstances in items A to D.
- A. When the patient experiences incapacitating pain as evidenced by inability to mobilize for activities of daily living, for example unable to ambulate to the bathroom, and in addition, the intensity of service during admission meets the criteria in subitems (1) and (2).
- (1) Physical therapy is necessary at least twice daily for assistance with mobility. Heat, cold, ultrasound, and massage therapy alone do not meet this criterion.
- (2) Muscle relaxants or narcotic analgesics are necessary intramuscularly or intravenously for a minimum of three injections in 24 hours. Need for parenteral analgesics is determined by:
  - (a) an inability to take oral medications or diet (N.P.O.); or
  - (b) an inability to achieve relief with aggressive oral analgesics.
- B. For surgery which is otherwise indicated according to part 5221.6500 and is appropriately scheduled as an inpatient procedure.
- C. For evaluation and treatment of cauda equina syndrome, according to part 5221.6200, subpart 13.

D. For evaluation and treatment of foot drop or progressive neurologic deficit, according to part 5221.6200, subpart 13.

**Statutory Authority:** *MS s* 176.103; 176.83

History: 19 SR 1412

## 5221.6500 PARAMETERS FOR SURGICAL PROCEDURES.

Subpart 1. General.

- A. The health care provider must provide prior notification according to part 5221.6050, subpart 9, before proceeding with any elective inpatient surgery.
- B. Emergency surgery may proceed without prior notification. The reasonableness and necessity for the emergency surgery is subject to retrospective review based on the information available at the time of the emergency surgery.
- Subp. 2. **Spinal surgery.** Initial nonsurgical, surgical, and chronic management parameters are also included in parts 5221.6200, low back pain; 5221.6205, neck pain; and 5221.6210, thoracic back pain.
- A. Surgical decompression of a lumbar nerve root or roots includes, but is not limited to, the following lumbar procedures: laminectomy, laminotomy, discectomy, microdiscectomy, percutaneous discectomy, or foraminotomy. When providing prior notification for decompression of multiple nerve roots, the procedure at each nerve root is subject independently to the requirements of subitems (1) to (3).
- (1) Diagnoses: surgical decompression of a lumbar nerve root may be performed for the following diagnoses:
- (a) intractable and incapacitating regional low back pain with positive nerve root tension signs and an imaging study showing displacement of lumbar intervertebral disc which impinges significantly on a nerve root or the thecal sac, ICD-9-CM code 722.10;
  - (b) sciatica, ICD-9-CM code 724.3; or
  - (c) lumbosacral radiculopathy or radiculitis, ICD-9-CM code 724.4.
- (2) Indications: both of the following conditions in units (a) and (b) must be satisfied to indicate that the surgery is reasonably required.
- (a) Response to nonsurgical care: the employee's condition includes one of the following:
  - i. failure to improve with a minimum of eight weeks of initial
- nonsurgical care; or
  ii. cauda equina syndrome, ICD-9-CM code 344.6, 344.60, or

344.61; or

- iii. progressive neurological deficits.
- (b) Clinical findings: the employee exhibits one of the findings of subunit i in combination with the test results of subunit ii or, in the case of diagnosis in subitem (1), unit (a), a second opinion confirms that decompression of the lumbar nerve root is the appropriate treatment for the patient's condition:
- i. subjective sensory symptoms in a dermatomal distribution which may include radiating pain, burning, numbness, tingling, or paresthesia, or objective clinical findings of nerve root specific motor deficit, including, but not limited to, foot drop or quadriceps weakness, reflex changes, or positive EMG; and
- ii. medical imaging test results that correlate with the level of nerve root involvement consistent with both the subjective and objective findings.
- (3) Repeat surgical decompression of a lumbar nerve root is not indicated at the same nerve root unless a second opinion, if requested by the insurer, confirms that surgery is indicated.
- B. Surgical decompression of a cervical nerve root. Surgical decompression of a cervical nerve root or roots includes, but is not limited to, the following cervical procedures: laminectomy, laminotomy, discectomy, foraminotomy with or without

fusion. When providing prior notification for decompression of multiple nerve roots, the procedure at each nerve root is subject independently to the requirements of subitems (1) to (3).

- (1) Diagnoses: surgical decompression of a cervical nerve root may be performed for the following diagnoses:
- (a) displacement of cervical intervertebral disc, ICD-9-CM code 722.0, excluding fracture; or
- (b) cervical radiculopathy or radiculitis, ICD-9-CM code 723.4, excluding fracture.
- (2) Indications: the requirements in units (a) and (b) must be satisfied to indicate that surgery is reasonably required:
- (a) response to nonsurgical care, the employee's condition includes one of the following:
- i. failure to improve with a minimum of eight weeks of initial nonsurgical care;
  - ii. cervical compressive myelopathy; or
  - iii. progressive neurologic deficits;
- (b) clinical findings: the employee exhibits one of the findings of subunit i, in combination with the test results of subunit ii:
- i. subjective sensory symptoms in a dermatomal distribution which may include radiating pain, burning, numbness, tingling, or paresthesia, or objective clinical findings of nerve root specific motor deficit, reflex changes, or positive EMG; and
- ii. medical imaging test results that correlate with the level of nerve root involvement consistent with both the subjective and objective findings.
- (3) Second opinions: surgical decompression of a cervical nerve root is not indicated for the following conditions, unless a second opinion, if requested by the insurer, confirms that the surgery is indicated:
  - (a) repeat surgery at same level; or
  - (b) request for surgery at the C3-4 level.
  - C. Lumbar arthrodesis with or without instrumentation.
- (1) Indications: one of the following conditions must be satisfied to indicate that the surgery is reasonably required:
- (a) unstable lumbar vertebral fracture, ICD-9-CM codes 805.4, 805.5, 806.4, and 806.5; or
- (b) for a second or third surgery only, documented reextrusion or redisplacement of lumbar intervertebral disc, ICD-9-CM code 722.10, after previous successful disc surgery at the same level and new lumbar radiculopathy with or without incapacitating back pain, ICD-9-CM code 724.4. Documentation under this item must include an MRI or CT scan or a myelogram; or
- (c) traumatic spinal deformity including a history of compression (wedge) fracture or fractures, ICD-9-CM code 733.1, and demonstrated acquired kyphosis or scoliosis, ICD-9-CM codes 737.1, 737.10, 737.30, 737.41, and 737.43; or
- (d) incapacitating low back pain, ICD-9-CM code 724.2, for longer than three months, and one of the following conditions involving lumbar segments L-3 and below is present:
- i. for the first surgery only, degenerative disc disease, ICD-9-CM code 722.4, 722.5, 722.6, or 722.7, with postoperative documentation of instability created or found at the time of surgery, or positive discogram at one or two levels; or
  - ii. pseudoarthrosis, ICD-9-CM code 733.82;
  - iii. for the second or third surgery only, previously operated disc;

or

iv. spondylolisthesis.

## 5221.6500 FEES FOR MEDICAL SERVICES

- (2) Contraindications: lumbar arthrodesis is not indicated as the first primary surgical procedure for a new, acute lumbosacral disc herniation with unilateral radiating leg pain in a radicular pattern with or without neurological deficit.
- (3) Retrospective review: when lumbar arthrodesis is performed to correct instability created during a decompression, laminectomy, or discectomy, approval for the arthrodesis will be based on a retrospective review of the operative report.
- Subp. 3. **Upper extremity surgery.** Initial nonsurgical, surgical, and chronic management parameters for upper extremity disorders are found in part 5221.6300, subparts 1 to 16.

# A. Rotator cuff repair:

- (1) Diagnoses: rotator cuff surgery may be performed for the following diagnoses:
- (a) rotator cuff syndrome of the shoulder, ICD-9-CM code 726.1, and allied disorders: unspecified disorders of shoulder bursae and tendons, ICD-9-CM code 726.10, calcifying tendinitis of shoulder, ICD-9-CM code 726.11, bicipital tenosynovitis, ICD-9-CM code 726.12, and other specified disorders, ICD-9-CM code 726.19; or
  - (b) tear of rotator cuff, ICD-9-CM code 727.61.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), both of the following conditions must be satisfied to indicate that surgery is reasonably required:
- (a) response to nonsurgical care: the employee's condition has failed to improve with adequate initial nonsurgical treatment; and
  - (b) clinical findings: the employee exhibits:
    - i. severe shoulder pain and inability to elevate the shoulder; or
- ii. weak or absent abduction and tenderness over rotator cuff, or pain relief obtained with an injection of anesthetic for diagnostic or therapeutic trial;
- iii. positive findings in arthrogram, MRI, or ultrasound, or positive findings on previous arthroscopy, if performed.

## B. Acromioplasty:

and

support brace; or

- (1) Diagnosis: acromioplasty may be performed for acromial impingement syndrome, ICD-9-CM codes 726.0 to 726.2.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), both of the following conditions must be satisfied for acromioplasty:
- (a) response to nonsurgical care: the employee's condition has failed to improve after adequate initial nonsurgical care; and
- (b) clinical findings: the employee exhibits pain with active elevation from 90 to 130 degrees and pain at night, and a positive impingement test.
  - C. Repair of acromioclavicular or costoclavicular ligaments:
- (1) Diagnosis: surgical repair of acromioclavicular or costoclavicular ligaments may be performed for acromioclavicular separation, ICD-9-CM codes 831.04 to 831.14.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), the requirements of units (a) and (b) must be satisfied for repair of acromioclavicular or costoclavicular ligaments:
  - (a) response to nonsurgical care: the employee's condition includes:
    - i. failure to improve after at least a one-week trial period in a
  - ii. separation cannot be reduced and held in a brace; or
    - iii. grade III separation has occurred; and

- (b) clinical findings: the employee exhibits localized pain at the acromioclavicular joint and prominent distal clavicle and radiographic evidence of separation at the acromioclavicular joint.
  - D. Excision of distal clavicle:
- (1) Diagnosis: excision of the distal clavicle may be performed for the following conditions:
  - (a) acromioclavicular separation, ICD-9-CM codes 831.01 to 831.14;
- (b) osteoarthrosis of the acromioclavicular joint, ICD-9-CM codes 715.11, 715.21, and 715.31; or
  - (c) shoulder impingement syndrome.
- (2) Criteria and indications: in addition to one of the diagnosis in subitem (1), the following conditions must be satisfied for excision of distal clavicle:
- (a) response to nonsurgical care: the employee's condition fails to improve with adequate initial nonsurgical care; and
  - (b) clinical findings: the employee exhibits:
- i. pain at the acromioclavicular joint, with aggravation of pain with motion of shoulder or carrying weight;
- ii. confirmation that separation of AC joint is unresolved and prominent distal clavicle, or pain relief obtained with an injection of anesthetic for diagnostic/therapeutic trial; and
- iii. separation at the acromioclavicular joint with weight-bearing films, or severe degenerative joint disease at the acromioclavicular joint noted on X-rays.
  - E. Repair of shoulder dislocation or subluxation (any procedure):
- (1) Diagnosis: surgical repair of a shoulder dislocation may be performed for the following diagnoses:
  - (a) recurrent dislocations, ICD-9-CM code 718.31;
  - (b) recurrent subluxations; or
  - (c) persistent instability following traumatic dislocation.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following clinical findings must exist for repair of a shoulder dislocation:
- (a) the employee exhibits a history of multiple dislocations or subluxations that inhibit activities of daily living; and
- (b) X-ray findings are consistent with multiple dislocations or subluxations.
  - F. Repair of proximal biceps tendon:
- (1) Diagnosis: surgical repair of a proximal biceps tendon may be performed for proximal rupture of the biceps, ICD-9-CM code 727.62 or 840.8.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), both of the following conditions must be satisfied for repair of proximal biceps tendon:
- (a) the procedure may be done alone or in conjunction with another indicated repair of the rotator cuff; and
  - (b) clinical findings: the employee exhibits:
- i. complaint of pain that does not resolve with attempt to use arm; and
  - ii. palpation of "bulge" in upper aspect of arm.
- G. Epicondylitis. Specific requirements for surgery for epicondylitis are included in part 5221.6300, subpart 11.
- H. Tendinitis. Specific requirements for surgery for tendinitis are included in part 5221.6300, subpart 12.

## 5221.6500 FEES FOR MEDICAL SERVICES

- I. Nerve entrapment syndromes. Specific requirements for nerve entrapment syndromes are included in part 5221.6300, subpart 13.
  - J. Muscle pain syndromes. Surgery is not indicated for muscle pain syndromes.
- K. Traumatic sprains and strains. Surgery is not indicated for the treatment of traumatic sprains and strains, unless there is clinical evidence of complete tissue disruption. Patients with complete tissue disruption may need immediate surgery.

# Subp. 4. Lower extremity surgery.

- A. Anterior cruciate ligament (ACL) reconstruction:
- (1) Diagnoses: surgical repair of the anterior cruciate ligament, including arthroscopic repair, may be performed for the following diagnoses:
- (a) old disruption of anterior cruciate ligament, ICD-9-CM code 717.83; or
  - (b) sprain of cruciate ligament of knee, ICD-9-CM code 844.2.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1) the conditions in units (a) to (c) must be satisfied for anterior cruciate ligament reconstruction. Pain alone is not an indication:
- (a) the employee gives a history of instability of the knee described as "buckling or giving way" with significant effusion at time of injury, or description of injury indicates a rotary twisting or hyperextension occurred;
- (b) there are objective clinical findings of positive Lachman's sign, positive pivot shift, and/or positive anterior drawer; and
- (c) there are positive diagnostic findings with arthrogram, MRI, or arthroscopy and there is no evidence of severe compartmental arthritis.
  - B. Patella tendon realignment or Maquet procedure:
- (1) Diagnosis: patella tendon realignment may be performed for dislocation of patella, open, ICD-9-CM code 836.3, or closed, ICD-9-CM code 836.4, or chronic residuals of dislocation.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), all of the following conditions must be satisfied for a patella tendon realignment:
- (a) the employee gives a history of rest pain as well as pain with patellofemoral movement, and recurrent effusion, or recurrent dislocation; and
- (b) there are objective clinical findings of patellar apprehension, synovitis, lateral tracking, or Q angle greater than 15 degrees.

## C. Knee joint replacement:

- (1) Diagnoses: knee joint replacement may be performed for degeneration of articular cartilage or meniscus of knee, ICD-9-CM codes 717.1 to 717.4.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), the following conditions must be satisfied for a knee joint replacement:
- (a) clinical findings: the employee exhibits limited range of motion, night pain in the joint or pain with weight-bearing, and no significant relief of pain with an adequate course of initial nonsurgical care; and
- (b) diagnostic findings: there is significant loss or erosion of cartilage to the bone, and positive findings of advanced arthritis and joint destruction with standing films, MRI, or arthroscopy.
  - D. Fusion; ankle, tarsal, metatarsal:
    - (1) Diagnoses: fusion may be performed for the following conditions:
- (a) malunion or nonunion of fracture of ankle, tarsal, or metatarsal, ICD-9-CM code 733.81 or 733.82; or
  - (b) traumatic arthritis (arthropathy), ICD-9-CM code 716.17.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following conditions must be satisfied for an ankle, tarsal, or metatarsal fusion:

#### FEES FOR MEDICAL SERVICES 5221.6600

- (a) initial nonsurgical care: the employee must have failed to improve with an adequate course of initial nonsurgical care which included:
- i. immobilization which may include casting, bracing, shoe modification, or other orthotics; and
  - ii. anti-inflammatory medications;
  - (b) clinical findings:
- i. the employee gives a history of pain which is aggravated by activity and weight-bearing, and relieved by xylocaine injection; and
- ii. there are objective findings on physical examination of malalignment or specific joint line tenderness, and decreased range of motion; and
- (c) diagnostic findings: there are medical imaging studies confirming the presence of:
  - i. loss of articular cartilage and joint space narrowing;
  - ii. bone deformity with hypertrophic spurring and sclerosis; or
  - iii. nonunion or malunion of a fracture.

# E. Lateral ligament ankle reconstruction:

- (1) Diagnoses: ankle reconstruction surgery involving the lateral ligaments may be performed for the following conditions:
  - (a) chronic ankle instability, ICD-9-CM code 718.87; or
  - (b) grade III sprain, ICD-9-CM codes 845.0 to 845.09.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following conditions must be satisfied for a lateral ligament ankle reconstruction:
- (a) initial nonsurgical care: the employee must have received an adequate course of initial nonsurgical care including, at least:
  - i. immobilization with support, cast, or ankle brace, followed by
  - ii. a physical rehabilitation program; and
  - (b) clinical findings:
    - i. the employee gives a history of ankle instability and swelling;

and

- ii. there is a positive anterior drawer sign on examination; or
- iii. there are positive stress X-rays identifying motion at ankle or subtalar joint with at least a 15 degree lateral opening at the ankle joint, or demonstrable subtalar movement, and negative to minimal arthritic joint changes on X-ray, or ligamentous injury is shown on MRI scan.
  - (3) Prosthetic ligaments: prosthetic ligaments are not indicated.
- (4) Implants: requests for any plastic implant must be confirmed by a second opinion.
- (5) Calcaneus osteotomy: requests for calcaneus osteotomies must be confirmed by a second opinion.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

### 5221.6600 CHRONIC MANAGEMENT.

Subpart 1. **Scope.** This part applies to chronic management of all types of physical injuries, even if the injury is not specifically governed by parts 5221.6200 to 5221.6500. If a patient continues with symptoms and physical findings after all appropriate initial nonsurgical and surgical treatment has been rendered, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. The purpose of chronic management is twofold: the patient should be made independent of health

#### 5221.6600 FEES FOR MEDICAL SERVICES

care providers in the ongoing care of a chronic condition; and the patient should be returned to the highest functional status reasonably possible.

- A. Personality or psychological evaluation may be indicated for patients who are candidates for chronic management. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
- B. Any of the chronic management modalities of subpart 2 may be used singly or in combination as part of a program of chronic management.
- C. No further passive treatment modalities or therapeutic injections are indicated, except as otherwise provided in parts 5221.6200, subpart 3, item B; 5221.6205, subpart 3, item B; and 5221.6300, subpart 3, item B.
- D. No further diagnostic evaluation is indicated unless there is the development of symptoms or physical findings which would in themselves warrant diagnostic evaluation.
- E. A program of chronic management must include appropriate means by which use of scheduled medications can be discontinued or severely limited.
- Subp. 2. Chronic management modalities. The health care provider must provide prior notification of the chronic management modalities in items B to F according to part 5221.6050, subpart 9. Prior notification is not required for home-based exercises in item A, unless durable medical equipment is prescribed for home use. The insurer may not deny payment for a program of chronic management that the insurer has previously authorized for an employee, either in writing or by routine payment for services, without providing the employee and the employee's health care provider with at least 30 days' notice of intent to apply any of the chronic management parameters in part 5221.6600 to future treatment. The notice must include the specific parameters that will be applied in future determinations of compensability by the insurer.
- A. Home-based exercise programs consist of aerobic conditioning, stretching and flexibility exercises, and strengthening exercises done by the patient on a regular basis at home without the need for supervision or attendance by a health care provider. Maximum effectiveness may require the use of certain durable medical equipment that may be prescribed and reimbursed within any applicable treatment parameters in parts 5221.6200 to 5221.6305.
- (1) Indications: exercise is necessary on a long-term basis to maintain function.
- (2) Requirements: the patient should receive specific instruction and training in the exercise program. Repetitions, durations, and frequencies of exercises must be specified. Any durable medical equipment needed must be prescribed in advance and the insurer must be given prior notification of proposed purchase.
  - (3) Treatment period, one to three visits for instruction and monitoring.

#### B. Health clubs:

- (1) Indications: the patient is deconditioned and requires a structured environment to perform prescribed exercises. The health care provider must document the reasons why reconditioning cannot be accomplished with a home-based program of exercise.
- (2) Requirements: the program must have specific prescribed exercises stated in objective terms, for example "30 minutes riding stationary bicycle three times per week." There must be a specific set of prescribed activities and a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a prescribed frequency of attendance and the patient must maintain adequate documentation of attendance. There must be a prescribed duration of attendance.
- (3) Treatment period, 13 weeks. Additional periods of treatment require additional prior notification of the insurer. Additional periods of treatment at a health club are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment. If the employer has an appropriate exercise facility on its premises the insurer may mandate use of that facility instead of providing a health club membership.
- C. Computerized exercise programs utilize computer controlled exercise equipment that allows for the isolation of specific muscle groups and the performance of graded exercise designed to increase strength, tone, flexibility, and range of motion. In combination with computerized range of motion or strength measuring tests, these programs allow for quantitative measurement of effort and progress.
- (1) Indications: the patient is deconditioned and requires a structured environment to accomplish rehabilitation goals. The health care provider must document the reasons why reconditioning cannot be accomplished with a home-based program of exercise.
- (2) Requirements: the program must have specific goals stated in objective terms, for example "improve strength of back extensors 50 percent." There must be a specific set of prescribed activities and a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a prescribed frequency and duration of attendance.
- (3) Treatment period, six weeks. Additional periods of treatment require additional prior notification of the insurer. Additional periods of treatment are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment.
- D. Work conditioning and work hardening programs are intensive, highly structured, job oriented, individualized treatment plans based on an assessment of the patient's work setting or job demands, and designed to maximize the patient's return to work. These programs must include real or simulated work activities. Work conditioning is designed to restore an individual's neuromusculoskeletal strength, endurance, movement, flexibility, and motor control, and cardiopulmonary function. Work conditioning uses physical conditioning and functional activities related to the individual's work. Services may be provided by one discipline of health care provider. Work hardening is designed to restore an individual's physical, behavioral, and vocational functions within an interdisciplinary model. Work hardening addresses the issues of productivity, safety, physical tolerances, and work behaviors. An interdisciplinary team includes professionals qualified to evaluate and treat behavioral, vocational, physical, and functional needs of the individual.
- (1) Indications: the patient is disabled from usual work and requires reconditioning for specific job tasks or activities and the reconditioning cannot be done on the job. The health care provider must document the reasons why work hardening cannot be accomplished through a structured return to work program. Work conditioning is indicated where only physical and functional needs are identified. Work

#### 5221.6600 FEES FOR MEDICAL SERVICES

hardening is indicated where, in addition to physical and functional needs, behavioral and vocational needs are also identified that are not otherwise being addressed.

- (2) Requirements: the program must have specific goals stated in terms of work activities, for example "able to type for 30 minutes." There must be an individualized program of activities and the activities must be chosen to simulate required work activities or to enable the patient to participate in simulated work activities. There must be a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a set frequency and hours of attendance and the program must maintain adequate documentation of attendance. There must be a set duration of attendance. Activity restrictions must be identified at completion of the program.
- (3) Treatment period, six weeks. Additional periods of treatment require prior notification of the insurer. Additional periods of treatment at a work hardening program or work conditioning program are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment or unless there has been a change in the patient's targeted return to work job which necessitates a redesign of the program.
- E. Chronic pain management programs consist of multidisciplinary teams who provide coordinated, goal-oriented services to reduce pain disability, improve functional status, promote return to work, and decrease dependence on the health system of persons with chronic pain syndrome. Pain management programs must provide physical rehabilitation, education on pain, relaxation training, psychosocial counseling, medical evaluation, and, if indicated, chemical dependency evaluation. The program of treatment must be individualized and based on an organized evaluative process for screening and selecting patients. Treatment may be provided in an inpatient setting, outpatient setting, or both as appropriate.
- (1) Indications: the patient is diagnosed as having a chronic pain syndrome.
- (2) Requirements: an admission evaluation must be performed by a doctor, and a licensed mental health professional, each with at least two years experience in evaluation of chronic pain patients and chronic pain treatment, or one year of formal training in a pain fellowship program. The evaluation must confirm the diagnosis of chronic pain syndrome and a willingness and ability of the patient to benefit from a pain management program. There must be a specific set of prescribed activities and treatments, and a specific timetable of progression in those activities. There must be a set frequency and hours of attendance and the program must maintain adequate documentation of attendance. There must be a set duration of attendance.
- (3) Treatment period: for initial treatment, a maximum of 20 eight-hour days, though fewer or shorter days can be used, and a maximum duration of four weeks no matter how many or how long the days prescribed. For aftercare, a maximum of 12 sessions is allowed. Only one completed pain management program is indicated for an injury.
  - F. Individual or group psychological or psychiatric counseling.
- (1) Indications: a personality or psychosocial evaluation has revealed one or more of the problems listed in subpart 1, item A, which interfere with recovery from the physical injury, but the patient does not need or is not a candidate for a pain management program.
- (2) Requirements: there must be a specific set of goals based on the initial personality or psychosocial evaluation and a timetable for achieving those goals within the prescribed number of treatment or therapy sessions. There must be a prescribed frequency of attendance and the treating health care provider must maintain adequate documentation of attendance. There must be a prescribed duration of treatment.

(3) Treatment period: a maximum of 12 sessions. Only one completed program of individual or group psychological or psychiatric counseling is indicated for an injury.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

## 5221.8900 DISCIPLINARY ACTION; PENALTIES.

- Subpart 1. **Discipline.** A health care provider is subject to disciplinary action under Minnesota Statutes, section 176.103, for failure to comply with the requirements in parts 5221.6010 to 5221.6600 or the violation of any of the provisions of Minnesota Statutes, chapter 176, or other rules or orders issued pursuant thereto.
- Subp. 2. Complaints. Complaints about professional behavior or services of health care providers relating to noncompliance with established workers' compensation laws, rules, or orders shall be made in writing to the commissioner. The commissioner or a designee shall assist a person in filing a complaint, if necessary. A complaint may be submitted by any person who becomes aware of a violation, including designees of the commissioner, administrative law judges, and presiding officials at judicial proceedings.
- Subp. 3. Review and investigation. The commissioner shall investigate all complaints to determine whether there has been a violation of established workers' compensation laws, rules, or orders. The commissioner may refer a matter to another agency that has jurisdiction over the provider's license or conduct, or to an agency that has prosecuting authority in the event of suspected theft or fraud or to a peer review organization for an opinion. Absent suspected theft or fraud, providing treatment outside a parameter set forth in parts 5221.6020 to 5221.6500 shall not in itself result in a referral to a prosecuting authority.

If an investigation indicates that discipline may be warranted, the commissioner shall determine whether the violation involves inappropriate, unnecessary, or excessive treatment, or whether the violation involves other statutes or rules. The commissioner shall take appropriate action according to subpart 6, 7, or 8.

- Subp. 4. Cooperation with disciplinary proceedings. A health care provider who is the subject of a complaint investigated by the commissioner under Minnesota Statutes, section 176.103, shall cooperate fully with the investigation. Cooperation includes, but is not limited to, responding fully and promptly to any questions raised by the commissioner relating to the subject of the investigation and providing copies of records, reports, logs, data, and cost information as requested by the commissioner to assist in the investigation. The health care provider shall not charge for services but may charge for the cost of copies of medical records, at the rate set in part 5219.0300, subpart 2, for this investigation. Cooperation includes attending, in person, a meeting scheduled by the commissioner for the purposes of subpart 5. This subpart does not limit the health care provider's right to be represented by an attorney.
- Subp. 5. **In-person meeting.** When conferring with the parties to a complaint is deemed appropriate, the commissioner shall schedule a meeting for the purpose of clarification of issues, obtaining information, instructing parties to the complaint, or for the purpose of resolving disciplinary issues.
- Subp. 6. **Resolution by instruction or written agreement.** The commissioner may resolve a complaint through instruction of a provider, or may enter into stipulated consent agreements regarding discipline with a provider in lieu of initiating a contested case or medical services review board proceeding.

## Subp. 7. Inappropriate, unnecessary, or excessive treatment.

A. Except as otherwise provided in subparts 3 and 6, if the suspected violation involves a treatment standard set forth in parts 5221.6020 to 5221.6500 the commissioner must refer the health care provider to the medical services review board for review under Minnesota Statutes, section 176.103, subdivision 2, if:

#### 5221.8900 FEES FOR MEDICAL SERVICES

- (1) the situation requires medical expertise in matters beyond the department's general scope;
- (2) wherever possible under Minnesota Statutes, chapter 176, a final determination has been made by a workers' compensation presiding official, or provider licensing or registration body that the medical treatment in issue was inappropriate, unnecessary, or excessive; and
- (3) a pattern of consistently providing inappropriate, unnecessary, or excessive services exists for three or more employees.
- B. Where the medical service review board's report to the commissioner indicates a violation of treatment standards or other inappropriate, unnecessary, or excessive treatment the commissioner shall order a sanction. Sanctions may include, but are not limited to, a warning; a fine of up to \$200 per violation; a restriction on providing treatment; requiring preauthorization by the board, the payor, or the commissioner for a plan of treatment; and suspension from receiving compensation for the provision of treatment.
- C. Within 30 days of receipt of the order of sanction, the health care provider may request in writing a review by the commissioner of the sanction in accordance with the procedure set forth in Minnesota Statutes, section 176.103, subdivision 2a. Within 30 days following receipt of the compensation judge's decision reviewing the sanction, a provider may petition the workers' compensation court of appeals for review according to the procedures in Minnesota Statutes, section 176.103, subdivision 2a.
- Subp. 8. Violations of statutes and rules other than those involving inappropriate, unnecessary, or excessive treatment. If the suspected violation warranting discipline involves a statute or rule other than treatment standards, the commissioner shall initiate a contested case hearing for disciplinary action under Minnesota Statutes, section 176.103, subdivision 3, paragraph (b), and the administrative procedure act in Minnesota Statutes, chapter 14.
- A. Upon petition of the commissioner and following receipt of the recommendation of the administrative law judge, the medical services review board may issue a fine of up to \$200 for each violation, or disqualify or suspend the health care provider from receiving payment for services, according to Minnesota Statutes, section 176.103, subdivision 3, paragraph (b).
- B. Within 30 days after service of the board's decision, a provider may petition the workers' compensation court of appeals for review according to Minnesota Statutes, section 176.421.
- Subp. 9. **Penalties.** In addition to disciplinary action under subparts 1 to 8, the commissioner may assess a penalty under part 5220.2810 if a health care provider fails to release existing written medical data according to Minnesota Statutes, section 176.138. A penalty may also be assessed under part 5220.2830 and Minnesota Statutes, section 176.231, subdivision 10, if a health care provider fails to provide reports required by part 5221.0410.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412