# **CHAPTER 5221**

# DEPARTMENT OF LABOR AND INDUSTRY FEES FOR MEDICAL SERVICES

5221.0100	DEFINITIONS.	5221,4041	FEE ADJUSTMENTS FOR
5221.0200	AUTHORITY.		PROFESSIONAL/TECHNICAL COMPONENTS
5221.0300	PURPOSE.		FOR PATHOLOGY/LABORATORY SERVICES.
5221.0400	SCOPE.	5221.4050	PHYSICAL MEDICINE AND
5221.0405	INCORPORATIONS BY REFERENCE.		REHABILITATION PROCEDURE CODES.
		5221.4051	FEE ADJUSTMENTS FOR PHYSICAL
5221.0410	REQUIRED REPORTING AND FILING OF		MEDICINE AND REHABILITATION
	MEDICAL INFORMATION.		SERVICES.
5221.0420	HEALTH CARE PROVIDER PARTICIPATION	5221.4060	CHIROPRACTIC PROCEDURE CODES.
	WITH RETURN TO WORK PLANNING.	5221.4061	FEE ADJUSTMENTS FOR CHIROPRACTIC
5221.0430	CHANGE OF HEALTH CARE PROVIDER.	5001 1000	SERVICES.
5221.0500	EXCESSIVE CHARGES; LIMITATION OF	5221.4062	PROFESSIONAL/TECHNICAL COMPONENTS FOR CHIROPRACTIC SERVICES.
	PAYER LIABILITY.	5221,4070	PHARMACY.
5221.0600	PAYER RESPONSIBILITIES.	5221.6010	AUTHORITY.
5221.0650	DATA COLLECTION, RETENTION, AND	5221.6020	PURPOSE AND APPLICATION.
3221.0030	REPORTING REQUIREMENTS.	5221.6030	INCORPORATION BY REFERENCE.
£221 0700	7	5221.6040	DEFINITIONS.
5221.0700	PROVIDER RESPONSIBILITIES.	5221.6050	GENERAL TREATMENT PARAMETERS;
5221.4000	APPLICATION SCHEDULE; INSTRUCTIONS.	5221.0050	EXCESSIVE TREATMENT; PRIOR
5221.4010	EMPLOYER'S LIABILITY FOR SERVICES		NOTIFICATION.
	UNDER MEDICAL FEE SCHEDULE.	5221.6100	PARAMETERS FOR MEDICAL IMAGING.
5221.4020	DETERMINING FEE SCHEDULE PAYMENT	5221.6200	LOW BACK PAIN.
	LIMITS.	5221.6205	NECK PAIN.
5221.4030	MEDICAL/SURGICAL PROCEDURE CODES.	5221.6210	THORACIC BACK PAIN.
5221.4032	PROFESSIONAL/TECHNICAL COMPONENTS	5221.6300	UPPER EXTREMITY DISORDERS.
	FOR MEDICAL/SURGICAL SERVICES.	5221.6305	REFLEX SYMPATHETIC DYSTROPHY OF
5221.4033	OUTPATIENT LIMITATION FOR		THE UPPER AND LOWER EXTREMITIES.
	MEDICAL/SURGICAL FACILITY FEE.	5221.6400	INPATIENT HOSPITALIZATION
5221.4035	FEE ADJUSTMENTS FOR	****	PARAMETERS.
3421.4033	MEDICAL/SURGICAL SERVICES.	5221.6500	PARAMETERS FOR SURGICAL
5221.4040	PATHOLOGY AND LABORATORY	5031 6600	PROCEDURES.
3221.4040		5221.6600	CHRONIC MANAGEMENT.
	PROCEDURE CODES.	5221.8900	DISCIPLINARY ACTION; PENALTIES.

#### **5221.0100 DEFINITIONS.**

Subpart 1. Scope. The following terms have the meanings given in this chapter unless the context clearly indicates a different meaning.

Subp. 1a. Ambulatory surgical center. "Ambulatory surgical center" means a distinct entity that operates exclusively for the purpose of providing surgical services to patients not requiring hospitalization and is accredited by Medicare or is an outpatient surgical center as defined in part 4675.0100, subpart 8, and licensed by the Minnesota Department of Health.

- Subp. 1b. Appropriate record. "Appropriate record" is a legible medical record or report which substantiates the nature and necessity of a service being billed and its relationship to the work injury.
- Subp. 2. Bill or billing. "Bill" or "billing" means a provider's statement of charges and services rendered for treatment of a work related injury.
- Subp. 3. Charge. "Charge" means the payment requested by a provider on a bill for a particular service. This chapter does not prohibit a provider from billing usual and customary charges which are in excess of the amount listed in the fee schedule.
- Subp. 4. Code. "Code" means the alphabetic, numeric, or alphanumeric symbol used to identify a specific health care service, place of service, or diagnosis as follows:
- A. "Billing code" means a procedure code as defined in item F plus any applicable modifiers as defined in subpart 10a. A billing code is used to identify a specific health care service, article, or supply for billing purposes.
- B. "CPT code" means a numeric code included in the Current Procedural Terminology Coding System manual, incorporated by reference in part 5221.0405, item D. A CPT code is used to identify a specific medical service, article, or supply.
- C. "HCPCS code" means a numeric or alphanumeric code included in the Centers for Medicare and Medicaid Services' Common Procedure Coding System. An

- HCPCS code is used to identify a specific medical service, article, or supply. HCPCS level I codes are the numeric CPT codes listed in the CPT manual, incorporated by reference in part 5221.0405, item D. HCPCS level II codes are alphanumeric codes created for national use. HCPCS level III codes are alphanumeric codes created for statewide use. HCPCS level II and level III codes are listed in the HCPCS manual, incorporated by reference in part 5221.0405, item E.
- D. "ICD-9-CM code" means a numeric code included in the International Classification of Diseases, Clinical Modification manual, incorporated by reference in part 5221.0405, item A. An ICD-9-CM code is used to identify a particular medical or chiropractic diagnosis.
- E. "Place of service code" means the code used to identify the type of facility and classification of service as inpatient or outpatient service on the HCFA 1500 claim form or the Uniform Billing Claim Form (UB-92 HCFA 1450), incorporated by reference in part 5221.0405, items B and C.
- F. "Procedure code" means a numeric or alphanumeric code used to identify a particular health care service. Procedure codes used in this chapter include CPT codes, HCPCS codes, revenue codes, dental codes, and prescription numbers.
- G. "Revenue code" means a numeric or alphanumeric code included in the UB-92 manual, incorporated by reference in part 5221.0405, item G. Revenue codes are used in institutional settings such as hospitals to identify an individual or group of medical services, articles, or supplies.
- Subp. 5. Commissioner. "Commissioner" means the commissioner of the Department of Labor and Industry.
- Subp. 6. Compensable injury. "Compensable injury" means an injury or condition for which a payer is liable under Minnesota Statutes, chapter 176.
- Subp. 6a. Conversion factor. "Conversion factor" means the dollar value of the maximum fee payable for one relative value unit of a compensable health care service delivered under Minnesota Statutes, chapter 176.
- Subp. 6b. Division. "Division" means the Workers' Compensation Division of the Department of Labor and Industry.
- Subp. 6c. Emergency care. "Emergency care" means those medical services that are required for the immediate diagnosis and treatment of medical conditions that, if not immediately diagnosed and treated, could lead to serious physical or mental disability or death, or that are immediately necessary to alleviate severe pain. Emergency treatment includes treatment delivered in response to symptoms that may or may not represent an actual emergency, but is necessary to determine whether an emergency exists.
  - Subp. 7. [Repealed, 18 SR 1472]
  - Subp. 8. [Repealed, 18 SR 1472]
- Subp. 9. Injury. "Injury" is as defined in Minnesota Statutes, section 176.011, subdivision 16 as a "personal injury."
- Subp. 10. **Medical fee schedule.** "Medical fee schedule" means the list of codes, service descriptions, and corresponding dollar amounts allowed under Minnesota Statutes, section 176.136, subdivisions 1 and 5, and parts 5221.4000 to 5221.4070.
- Subp. 10a. Modifier. "Modifier" means a two-digit number or two-letter symbol that is added to a procedure code to indicate that the service rendered differs in some material respect from the service as described in this chapter or in the CPT or HCPCS manual in effect on the date the service was rendered. Only those modifiers listed and described in the CPT or HCPCS manual in effect on the date the service was rendered may be used. Applicable modifiers must be used with a procedure code, even if the modifier has no effect on the payment level.
- Subp. 11. Payer. "Payer" refers to any entity responsible for payment and administration of workers' compensation claims under Minnesota Statutes, chapter 176.

#### 5221.0100 FEES FOR MEDICAL SERVICES

Subp. 11a. **Physician.** "Physician" means a person who is authorized by law to practice the medical profession within the United States, is in good standing in the profession, and includes only those persons holding the degree D.O. (Doctor of Osteopathy) or M.D. (Doctor of Medicine), as defined in Minnesota Statutes, sections 176.011, subdivision 17, and 176.135, subdivision 2a.

Subp. 12. **Provider.** "Provider" is as defined in Minnesota Statutes, section 176.011, subdivision 24.

Subp. 13. [Repealed, 18 SR 1472]

Subp. 14. [Repealed, 18 SR 1472]

Subp. 14a. Relative value unit or RVU. "Relative value unit" or "RVU" means the numeric value assigned to a health care service or procedure to represent or quantify its worth, as compared to a standard service.

Subp. 15. Service or treatment. "Service" or "treatment" means any procedure, operation, consultation, supply, product, or other thing performed or provided for the purpose of curing or relieving an injured worker from the effects of a compensable injury under Minnesota Statutes, section 176.135, subdivision 1.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

**History:** 9 SR 601; 13 SR 2609; 15 SR 124; 18 SR 1472; 25 SR 1142; L 2002 c 277 s 32

#### 5221.0200 AUTHORITY.

This chapter is adopted under the authority of Minnesota Statutes, sections 175.171; 176.101, subdivision 3e; 176.135, subdivisions 2 and 7; 176.136; 176.231; and 176.83.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 1472

#### 5221.0300 PURPOSE.

This chapter is intended to prohibit health care providers treating employees with compensable injuries from receiving excessive reimbursement for their services. This chapter defines the payer's maximum liability for medical services, articles, and supplies. This chapter also governs health care provider communication with parties; required reporting of medical, disability, and billing information under Minnesota Statutes, chapter 176; change of health care provider; and criteria for determining, serving, and filing maximum medical improvement.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 1472

#### 5221.0400 SCOPE.

The following are subject to this chapter: all entities responsible for payment and administration of medical claims compensable under Minnesota Statutes, chapter 176; providers of medical services or supplies for compensable injuries under Minnesota Statutes, section 176.135, subdivision 1; and employees as defined in Minnesota Statutes, section 176.011, subdivision 9. This chapter shall be applied in all relevant determinations made by compensation judges at the department and the Office of Administrative Hearings, and by the commissioner.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 2545

#### 5221.0405 INCORPORATIONS BY REFERENCE.

The following documents are incorporated by reference to the extent cited in this chapter. Many of these documents may be accessed through the Internet by contacting the organization listed.

- A. The International Classification of Diseases, Clinical Modification, 9th revision, 1991 (ICD-9-CM). It is subject to frequent change. It is published by the United States Department of Health and Human Services, Centers for Medicare and Medicaid Services, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402. It is available through the Minitex interlibrary loan system.
- B. The Centers for Medicare and Medicaid Services claim form (HCFA-1500)(U2)(12-90), and any subsequent revisions. It is not subject to frequent change. It is developed by the United States Department of Health and Human Services, Centers for Medicare and Mediciad Services, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402, telephone number (202) 512-1800. It is available through the Minitex interlibrary loan system.
- C. The Uniform Billing Claim form (UB-92, HCFA-1450) developed by the National Uniform Billing Committee, and any subsequent revisions. The Centers for Medicare and Medicaid Services determines the standards for printing this form. It is not subject to frequent change. It may be purchased from local commercial business office supply stores. It is available through the Minitex interlibrary loan system.
- D. The Physician's Current Procedural Terminology, (CPT manual) 4th edition, 1998, 1999, 2000, and any subsequent revisions. CPT codes are subject to frequent change. They are published by and may be purchased from the American Medical Association, Order Department: OP054196, P.O. Box 10950, Chicago, Illinois 60610. They are available through the Minitex interlibrary loan system.
- E. The alphanumeric HCFA Common Procedural Coding System (HCPCS manual), January 1998, 1999, and 2000 editions, and any subsequent revisions. It is subject to frequent change. It is published by the HCPCS subcommittee of Minnesota under the authority of the Centers for Medicare and Medicaid Services and may be purchased from Minnesota's Bookstore, (651) 297-3000 or (800) 657-3757. It is available through the Minitex interlibrary loan system.
- F. Minnesota Standards for the Use of the HCFA 1500 Claim Form, third edition effective October 1, 1998, as referenced in the August 31, 1998, edition of the State Register, and any subsequent revisions adopted by the Department of Health under Minnesota Statutes, sections 62J.52 and 62J.61. It is subject to frequent change. It is published by the Administrative Uniformity Committee in conjunction with the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It may be purchased from Minnesota's Bookstore, (651) 297-3000 or (800) 657-3757. It is available through the Minitex interlibrary loan system.
- G. The Manual for the Standards of Use of the UB-92 (HCFA 1450) form, 1994, and any subsequent revisions adopted by the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It is subject to frequent change. It is developed by the National Uniform Billing Committee and the Minnesota Uniform Billing Committee and published in conjunction with the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It may be purchased from the Minnesota Hospital and Health Care Partnership, (651) 641-1121. It is available through the Minitex interlibrary loan system.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142; L 2002 c 277 s 32

#### 5221.0410 REQUIRED REPORTING AND FILING OF MEDICAL INFORMATION.

- Subpart 1. **Scope.** This part prescribes information the health care provider is required to submit to the employer, insurer, or commissioner. This part does not preclude any party or the commissioner from requesting supplementary reports from the health care provider under Minnesota Statutes, section 176.231, subdivision 4.
- Subp. 2. Health care provider report. Within ten days of receipt of a request for information on the prescribed health care provider report form from an employer,

#### 5221.0410 FEES FOR MEDICAL SERVICES

insurer, or the commissioner, a health care provider must respond on the report form or in a narrative report that contains the same information requested on the form.

The health care provider's report form prescribed by the commissioner must include the information required by items A to M:

- A. information identifying the employee and employer, and insurer, if known;
- B. date of first examination for this injury or disease by the health care provider;
- C. diagnosis and appropriate ICD-9-CM diagnostic codes for the injury or disease;
  - D. history of the injury or disease as given by the employee;
  - E. the relationship of the injury or disease to employment activities;
- F. information regarding any preexisting or other conditions affecting the employee's disability;
- G. information about future treatment including, but not limited to, hospital admission, surgery, or referral to another doctor;
  - H. information regarding any surgery that has been performed;
- I. information regarding the employee's ability to work, any work restrictions, and dates of disability;
- J. information regarding the employee's permanent partial disability rating, in accordance with subpart 4;
- K. information regarding whether the employee is unable to return to former employment for medical reasons attributed to the injury;
- L. information regarding maximum medical improvement in accordance with subpart 3; and
- M. signature of health care provider, license or registration number, and identification information.
- Subp. 3. Maximum medical improvement. For injuries occurring on or after January 1, 1984, or upon request for earlier injuries, the health care provider must report to the self-insured employer or insurer, maximum medical improvement, when ascertainable, on the health care provider report form or in a narrative report. "Maximum medical improvement" is a medical and legal concept defined by Minnesota Statutes, section 176.011, subdivision 25.
- A. For purposes of subitems (1) and (2), "the employee's condition" includes the signs, symptoms, physical and clinical findings, and functional status that characterize the complaint, illness, or injury. "Functional status" means the ability of an individual to engage in activities of daily life and vocational activities. Except as otherwise provided in item B:
- (1) In determining maximum medical improvement, the following factors shall be considered by the health care provider as an indication that maximum medical improvement has been reached:
- (a) there has been no significant lasting improvement in the employee's condition, and significant recovery or lasting improvement is unlikely, even if there is ongoing treatment;
- (b) all diagnostic evaluations and treatment options that may reasonably be expected to improve or stabilize the employee's condition have been exhausted, or declined by the employee;
- (c) any further treatment is primarily for the purpose of maintaining the employee's current condition or is considered palliative in nature; and
- (d) any further treatment is primarily for the purpose of temporarily or intermittently relieving symptoms.
- (2) The following factors should be considered by the health care provider as an indication that maximum medical improvement has not been reached:

- (a) the employee's condition is significantly improving or likely to significantly improve, with or without additional treatment;
- (b) there are diagnostic evaluations that could be performed that have a reasonable probability of changing or adding to the treatment plan leading to significant improvement; or
- (c) there are treatment options that have not been applied that may reasonably be expected to significantly improve the employee's condition.
- B. This item applies to musculoskeletal injuries that fall within any category under parts 5223,0070, 5223.0080, 5223.0110 to 5223.0150, and 5223.0170 for dates of injury before July 1, 1993, and that fall within any category under parts 5223.0370 to 5223,0390 and 5223,0440 to 5223,0550 for dates of injury on or after July 1, 1993. When more than one year has elapsed since the date of a musculoskeletal injury that falls within any of the above categories, the only factors in determining maximum medical improvement shall be whether a decrease is anticipated in the employee's estimated permanent partial disability rating or a significant improvement is anticipated in the employee's work ability as documented on the report of work ability described in subpart 6. If medical reports show no decrease in the employee's estimated permanent partial disability or no significant improvement in the employee's work ability in any three-month period later than one year after the injury, the employee is presumed to have reached maximum medical improvement. This presumption can only be rebutted by a showing that a decrease in the employee's permanent partial disability rating or significant improvement in the work ability has occurred or is likely to occur beyond this three-month period. The medical reports relied upon as establishing maximum medical improvement under this item must be served on the employee in accordance with item C.

This item applies only to injuries of the musculoskeletal system, except where the injury is a spinal cord injury resulting in permanent paralysis, a head injury with loss of consciousness, or where surgery has been performed within the previous six months. In these cases, the factors listed in item A shall be used to determine maximum medical improvement.

- C. If the employer or insurer does not serve a notice of intention to discontinue benefits or a petition to discontinue benefits under Minnesota Statutes, section 176.238, at the same time a narrative maximum medical improvement report is served, then the report must be served with a cover letter containing the information in subitems (1) to (6). Serving the cover letter with the maximum medical improvement report does not replace the notice of intention to discontinue benefits or petition to discontinue benefits required by Minnesota Statutes, section 176.238. The cover letter must include:
- (1) information identifying the employee by name, social security number, and date of injury;
  - (2) information identifying the employer and insurer;
  - (3) the date the report was mailed to the employee;
- (4) a statement that the attached report indicates that in the opinion of the health care provider, the employee reached maximum medical improvement by the specified date or an explanation that the attached reports indicate the employee has reached maximum medical improvement under the circumstances specified in item B;
- (5) the definition of maximum medical improvement as defined by Minnesota Statutes, section 176.011, subdivision 25; and
- (6) the statement: "There may be an impact on your temporary total disability benefits. If we propose to stop your benefits, a notice of discontinuance of benefits will be sent to you first. If you have any questions concerning your benefits or maximum medical improvement, you may call the claims person at ..................... or the workers' compensation division at ................ (specify telephone numbers)."

#### 5221.0410 FEES FOR MEDICAL SERVICES

Subp. 4. **Permanent partial disability.** The health care provider must render an opinion of permanent partial disability when ascertainable, but no later than the date of maximum medical improvement. The rating must be reported on the health care provider report form or in a narrative report. In making a rating of permanent partial disability, the health care provider must specify any applicable category of the permanent partial disability schedule in effect for the employee's date of injury. If a zero rating is appropriate, this rating must also be reported.

The health care provider may refer the employee to another health care provider for an opinion of the employee's permanent partial disability rating if the primary health care provider feels unable to make the determination in complicated cases involving impairments to more than one body part or multiple citations under the permanent partial disability schedule. In such cases, the treating provider must be available for consultation with the evaluating provider, and must make all relevant medical records available, without charge to the payer. The evaluating provider is entitled to reimbursement from the payer for a consultation as limited by the medical fee schedule.

- Subp. 5. Required reporting to division. For those injuries that are required to be reported to the division under Minnesota Statutes, section 176.231, subdivision 1, the self-insured employer or insurer or third-party administrator shall file with the division the health care provider report form prescribed in subpart 2 or a narrative report that indicates that the employee has reached maximum medical improvement, or that indicates a preliminary or final permanent partial disability rating. The commissioner shall, by written request under Minnesota Statutes, section 176.231, subdivisions 3 and 7, require the filing of the health care provider report at additional times as necessary to monitor compliance with Minnesota Statutes, chapter 176, in accordance with Minnesota Statutes, sections 176.231, subdivision 6, and 176.251. All reports filed under this subpart must include the appropriate ICD-9-CM diagnostic codes for the injury or disease.
- Subp. 6. **Report of work ability.** Each primary health care provider as defined in part 5221.0430, subpart 1, must complete and submit to the employee a report of work ability. A health care provider providing service under the direction or prescription of another provider is not required to complete a report of work ability.
- A. For all work injuries, the primary health care provider must complete a report of work ability within ten days of a request by an insurer or at the intervals stated in subitems (1) to (3), unless there are no restrictions or the restrictions are permanent and have been so indicated in a report of work ability:
  - (1) every visit if visits are less frequent than once every two weeks;
- (2) every two weeks if visits are more frequent than once every two weeks, unless work restrictions change sooner; or
- (3) upon expiration of the ending or review date of the restriction specified in a previous report of work ability. Open-ended durations of disability or restriction may not be given.
- B. The report of work ability must be either on the form prescribed by the commissioner or in a report that contains the same information as the report of work ability. The report of work ability prescribed by the commissioner shall include:
- (1) information identifying the employee and employer, and insurer, if known;
  - (2) the date of the most recent examination;
- (3) information stating whether the employee is able to work without restrictions, able to work with restrictions, or unable to work;
- (4) work restrictions stated in functional terms, if the employee is able to work with restrictions;
- (5) the date any restriction of work activity is to begin and the anticipated ending or review date;

- (6) the date of the next scheduled visit;
- (7) the signature of the health care provider, license or registration number, and identification information; and
- (8) a notice to the employee that a copy of the report must be promptly provided to the employer or workers' compensation insurer and assigned qualified rehabilitation consultant.
- C. The report of work ability must be based on the health care provider's most recent evaluation of the employee's signs, symptoms, physical and clinical findings, and functional status.
- D. The report of work ability must be provided to the employee and a copy of the report must be placed in the employee's medical record. Promptly upon receipt, the employee shall submit the report of work ability to the employer or the insurer and the assigned qualified rehabilitation consultant. The commissioner shall, by written request under Minnesota Statutes, sections 176.102, subdivision 7, and 176.231, subdivisions 3 and 7, require the filing of a report of work ability when necessary to monitor compliance with Minnesota Statutes, chapter 176, in accordance with Minnesota Statutes, sections 176.231, subdivision 6, and 176.251.

#### Subp. 7. Payment and coding for required and supplementary reporting.

- A. No charge may be assessed for completion of a health care provider report or report of work ability required by subparts 2 and 6, or for a narrative or other report prepared in lieu of a health care provider report or report of work ability. If a provider itemizes this service on the billing form, the provider must use code 99080 (special reports) when reporting this service.
- B. A payer or other party may request supplementary reports from the health care provider for information not required in the health care provider report or the report of work ability. A provider may charge a reasonable amount for requested supplementary reports using code 99199 (unlisted special service or report). Payment for supplementary reports is not subject to the 85 percent payment limit as specified in part 5221.0500, subpart 2, item F.
- Subp. 8. Proper filing of documents with division. A health care provider report or narrative report required by the division under this part may be filed by facsimile or electronic transmission, if available at the division. Filing is completed at the time that the facsimile or electronic transmission is received by the commissioner. A report received after 4:30 p.m. shall be deemed received on the next open state business day. The filed facsimile or transmitted information has the same force and effect as the original. Where the quality of the document is at issue, the commissioner shall require the original document to be filed.

A narrative report filed with the division must, at the top of the first page, identify the employee by name, social security number, and date of injury. The name of the self-insured employer, insurer, and administrator if appropriate, must also be identified. The filer must identify the reason the report is submitted, and must highlight the corresponding pertinent sections of the report.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.0420 HEALTH CARE PROVIDER PARTICIPATION WITH RETURN TO WORK PLANNING.

Subpart 1. Cooperation with return to work planning. In addition to completing the required report of work ability under part 5221.0410, subpart 6, a health care provider must participate cooperatively in the planning of an injured employee's return to work by communicating with the employee, employer, insurer, rehabilitation providers, and the commissioner in accordance with this part. A health care provider must release the employee to return to work, with restrictions if necessary, at the earliest appropriate time.

#### 5221.0420 FEES FOR MEDICAL SERVICES

If no qualified rehabilitation consultant has requested an opinion under subpart 2, item B, subitem (1), the health care provider must respond within ten calendar days of receipt of a request by the employee, employer, or insurer regarding whether the physical requirements of a proposed job are within the employee's medical restrictions or whether the health care provider requires further information. The health care provider may respond in writing, in person, or by telephone. The health care provider may require that the proposed job be described in writing. The provider may also agree to review a videotape of the job.

- Subp. 2. Communication with assigned qualified rehabilitation consultant. When an employee is receiving vocational rehabilitation services under Minnesota Statutes, section 176.102, the health care provider must communicate with the assigned qualified rehabilitation consultant as follows:
- A. A valid patient authorization is required for communication with the assigned qualified rehabilitation consultant. Under part 5220.1802, it is the assigned qualified rehabilitation consultant's responsibility to obtain the patient authorization and send it to the health care provider. Within ten calendar days of receipt of a request for information, the health care provider must respond to the assigned qualified rehabilitation consultant in person, by telephone, or in writing when any of the circumstances specified in item B occur. When an opinion about a proposed job is requested, the health care provider may require that the proposed job be described in writing. The provider may also agree to review a videotape of the job.
- B. The health care provider must respond to a request for communication from the assigned qualified rehabilitation consultant upon initial assignment of a qualified rehabilitation consultant. Thereafter, the health care provider must respond to a request no more than once in any 30-calendar day period, except that the provider must also respond to a request when any of the following occur:
- (1) when an opinion is requested regarding whether the physical requirements of a proposed job are within the employee's restrictions;
- (2) when there has been an unanticipated or substantial change in the employee's condition;
  - (3) when a job search is initiated; or
  - (4) when there has been a change in the employee's work status.
- Subp. 3. Reimbursement for services. A health care provider may not require prepayment for communication required by this part. The provider must bill the employer and insurer for the services rendered. Return to work services for communication directly with the employee alone must be included in the appropriate level of evaluation and management service. For a return to work service provided to anyone other than the employee, a provider may charge a reasonable amount under this part using code 99199 (unlisted special service or report). Payment for return to work services coded as 99199 under this subpart is not subject to the 85 percent payment limit as specified in part 5221.0500, subpart 2, item F.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.0430 CHANGE OF HEALTH CARE PROVIDER.

Subpart 1. **Primary health care provider.** The individual health care provider directing and coordinating medical care to the employee following the injury is the primary health care provider. If the employee receives medical care after the injury from a provider on two occasions, the provider is considered the primary health care provider if that individual directs and coordinates the course of medical care provided to the employee. The employee may have only one primary health care provider at a time. The selection of a provider by an employee covered by a certified managed care plan is governed by chapter 5218.

- Subp. 2. Change of health care provider. Following selection of a primary provider, the employee may change primary providers once within the first 60 days after initiation of medical treatment for the injury without the need for approval from the insurer, the department, or a workers' compensation judge. After the first 60 days following initiation of medical treatment for the injury, any further changes of primary provider must be approved by the insurer, the department, or a workers' compensation judge. However, at any time throughout the claim, transfer of medical care coordination due to conditions beyond the employee's control, such as retirement, death, cessation from practice of the primary provider, or a referral from the primary provider to another provider, does not require prior approval. If the employee is covered by a certified managed care plan, a change of providers is governed by chapter 5218, Minnesota Statutes, section 176.1351, subdivision 2, clause (11), and procedures under the plan.
- Subp. 3. Unauthorized change; prohibited payments. If the employee or health care provider fails to obtain approval of a change of provider before commencing treatment where required by this part, the insurer is not liable for the treatment rendered prior to approval unless the insurer has agreed to pay for the treatment. Treatment rendered before a change of provider is approved under this subpart is not inappropriate if the treatment was provided in an emergency situation and prior approval could not reasonably have been obtained.
- Subp. 4. Change of primary provider not approved. After the first 60 days following initiation of medical treatment for the injury, or after the employee has exercised the employee's right to change doctors once, the department, a certified managed care organization, or a compensation judge shall not approve a party's request to change primary providers, where:
- A. a significant reason underlying the request is an attempt to block reasonable treatment or to avoid acting on the provider's opinion concerning the employee's ability to return to work;
- B. the change is to develop litigation strategy rather than to pursue appropriate diagnosis and treatment;
  - C. the provider lacks the expertise to treat the employee for the injury;
- D. the travel distance to obtain treatment is an unnecessary expense and the same care is available at a more reasonable location;
  - E. at the time of the employee's request, no further treatment is needed; or
- F. for another reason, the request is not in the best interest of the employee and the employer.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

### 5221.0500 EXCESSIVE CHARGES; LIMITATION OF PAYER LIABILITY.

- Subpart 1. Excessive health care provider charges. A billing charge for services, articles, or supplies provided to an employee with a compensable injury is excessive if any of the conditions in items A to I apply to the charge. A payer is not liable for a charge which meets any of these conditions.
- A. the charge wholly or partially duplicates another charge for the same service, article, or supply, such that the charge has been paid or will be paid in response to another billing; or
- B. the charge exceeds the provider's current usual and customary charge, as specified in subpart 2, item B, for the same or similar service, article, or supply in cases unrelated to workers' compensation injuries; or
- C. the charge is described by a billing code that does not accurately reflect the actual service provided; or
- D. the service does not comply with the treatment standards and requirements adopted under Minnesota Statutes, section 176.83, subdivision 5, concerning the

#### 5221.0500 FEES FOR MEDICAL SERVICES

reasonableness and necessity, quality, coordination, level, duration, frequency, and cost of services; or

- E. the service was performed by a provider prohibited from receiving reimbursement under Minnesota Statutes, chapter 176, pursuant to Minnesota Statutes, sections 176.83, 176.103, 176.1351, and 256B.0644; or
- F. the service, article, or supply is not usual, customary, and reasonably required for the cure or relief of the effects of a compensable injury or is provided at a level, duration, or frequency that is excessive, based on accepted medical standards for quality health care and accepted rehabilitation standards under Minnesota Statutes, section 176.136, subdivision 2, clause (2); or
- G. the service, article, or supply was delivered in violation of the federal Medicare anti-kickback statutes and regulations as specified in part 5221.0700, subpart 1a; or
- H. where approval for a change of doctor is required by part 5221.0430 for the provider submitting the charge, and approval has not been obtained from the payer, commissioner, or compensation judge; or
- I. the service is outside the scope of practice of the particular provider or is not generally recognized within the particular profession of the provider as of therapeutic value for the specific injury or condition, under Minnesota Statutes, section 176.136, subdivision 2, clause (3).
- Subp. 2. Limitation of payer liability. A payer is not liable for health care charges which are excessive under subpart 1. If the charges are not excessive under subpart 1, a payer's liability for payment of charges is limited as provided in items A to F.
- A. If the medical fee schedule applies to the service according to part 5221.4000, subpart 3, the payer's liability shall be limited to the maximum amount allowed for any service, article, or supply in the medical fee schedule in effect on the date of the service, or the provider's usual and customary fee, whichever is lower.
- B. Except as provided in items C to F, if the maximum fee for service, article, or supply is not limited by parts 5221.4000 to 5221.4070, the payer's liability for payment shall be limited to 85 percent of the provider's usual and customary charge, or 85 percent of the prevailing charge for similar treatment, articles, or supplies furnished to an injured person when paid for by the injured person, whichever is lower.
- (1) A usual and customary charge under Minnesota Statutes, section 176.136, subdivision 1b, paragraphs (a) and (b), means the amount actually billed by the health care provider to all payers for the same service, whether under workers' compensation or not, and regardless of the amount actually reimbursed under a contract or government payment system.
- (2) A prevailing charge under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (b), is the 75th percentile of the usual and customary charges as defined in subitem (1) in the previous calendar year for each service, article, or supply if the database for the service meets all of the following criteria:
- (a) the database includes only Minnesota providers, with at least three different, identifiable providers of the same provider type, distinguished by whether the service is an inpatient hospital service, or an outpatient physician, pathology, laboratory, chiropractic, physical therapy or occupational therapy service, or provider of other similar service, article, or supply;
  - (b) there are at least 20 billings for the service, article, or supply; and
- (c) the standard deviation is less than or equal to 50 percent of the mean of the billings for each service in the data base or the value of the 75th percentile is not greater than or equal to three times the value of the 25th percentile of the billings.
- C. Under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (a), payment for services, articles, and supplies provided to an employee while an inpatient or outpatient at a hospital with 100 or fewer licensed beds shall be 100 percent of the usual and customary charge as defined in item B, unless the charge is determined by

the commissioner or compensation judge to be unreasonably excessive. The payer's liability for services provided by a nursing home that participates in the medical assistance program shall be the rate established by the commissioner of human services.

- D. Under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (b), payment for services, articles, and supplies provided to an employee who is an inpatient at a hospital with more than 100 licensed beds shall be limited to 85 percent of the hospital's usual and customary charge as defined in item B, or 85 percent of the prevailing charge as defined in item B, whichever is lower. Outpatient charges for hospitals with more than 100 beds are limited by the maximum fees for any service set forth in parts 5221.4000 to 5221.4070. For hospitals with more than 100 beds, liability for outpatient charges that are not included in parts 5221.4000 to 5221.4070 is limited to 85 percent of the hospitals usual and customary, or prevailing charge, as described in item B. A hospital charge is considered an inpatient charge if the employee spent either the night before or the night after the service in the hospital, and there is an overnight room charge.
- E. Charges for cost of copies of medical records and postage are governed by parts 5219.0100 to 5219.0300 and are not subject to the 85 percent reimbursement limit specified in item B. Travel expenses incurred by an employee for compensable medical services shall be paid at the rate equal to the rate paid by the employer for ordinary business travel expenses, or the rate paid by the state of Minnesota under the commissioner's plan for employment-related travel, whichever is lower. Reimbursement for employee travel expenses is not subject to the 85 percent reimbursement limit specified in item B.
- F. Charges for supplementary reports that are not required reports under part 5221.0410, subpart 7, and charges for return to work services under part 5221.0420, subpart 3, are not subject to the 85 percent reimbursement limit specified in item B.
- Subp. 3. Collection of excessive charges. A provider may not collect or attempt to collect payment from an injured employee, or any other source, charges for a compensable injury which the payer has determined are excessive under subpart 1 or which exceed the maximum amount payable specified in subpart 2, unless payment is ordered by the commissioner, compensation judge, or Workers' Compensation Court of Appeals. Unless the provider or the employee has filed a claim for a determination of the amount payable with the commissioner, the health care provider must remove the charges from the billing statement. If a dispute exists as to whether an employee's injury is compensable under Minnesota Statutes, chapter 176, and the employee has general health insurance, payment of medical bills is governed by Minnesota Statutes, section 176.191, subdivision 3.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

**5221.0550** [Repealed, 18 SR 1472]

#### 5221.0600 PAYER RESPONSIBILITIES.

- Subpart 1. Compensability. This chapter does not require a payer to pay a charge for a service that is not for the treatment of a compensable injury or a charge that is the primary obligation of another payer.
- Subp. 2. **Determination of excessiveness.** Subject to a determination of the commissioner or compensation judge, the payer shall determine whether a charge or service is compensable by evaluating the charge and service according to the conditions of excessiveness and payer liability specified in part 5221.0500, subparts 1 and 2, and Minnesota Statutes, section 176.136, subdivision 2. If the payer determines that the provider has assigned an incorrect code for a service, the payer may determine the correct code for the service and evaluate liability for payment on the basis of the correct code.

- Subp. 3. **Determination of charges.** As soon as reasonably possible, and no later than 30 calendar days after receiving the bill, the payer shall:
  - (1) pay the charge or any portion of the charge that is not denied;
- (2) deny all or a portion of a charge on the basis that the injury is noncompensable; the charge is excessive or noncompensable under Minnesota Statutes, section 176.136, subdivision 2; or part 5221.0500, subparts 1 and 2; or the charges are not submitted on the appropriate billing form prescribed in part 5221.0700; or
- (3) request specific additional information to determine whether the charge or the condition is compensable. The payer shall make a determination as set forth in subitems (1) and (2) no later than 30 calendar days following receipt of the provider's response to the initial request for specific additional information.
- Subp. 4. Notification. Within 30 calendar days of receipt of the bill, the payer shall provide written notification to the employee and provider of denial of part or all of a charge, or of any request for additional information. Written notification shall include:
- A. the basis for denial of all or part of a charge that the payer has determined is not for a compensable injury under part 5221.0100, subpart 6;
- B. the basis for denial or reduction of each charge and the specific amounts being denied or reduced for each charge meeting the conditions of an excessive or noncompensable charge under part 5221.0500, subparts 1 and 2, or Minnesota Statutes, section 176.136, subdivision 2;
- C. denial of a charge for failure to submit it on the billing form prescribed in part 5221.0700, subpart 2; and
- D. a request for an appropriate record or the specific information requested to allow for proper determination of the bill under this part.

The payer shall specify the applicable rule, part, and subpart in this chapter supporting its denial or reduction of a charge. A general statement that a service or charge "exceeds the fee schedule or treatment parameters" is not adequate notification.

If payment is denied under item B, C, or D, the payer shall reconsider the charges in accordance with this rule as soon as reasonably possible, and no later than 30 calendar days after receipt of additional relevant information or documents. Notice of denial of part or all of a charge shall be given by the payer consistent with the guidelines in this subpart.

- Subp. 5. **Penalties.** Failure to comply with the requirements of this part may subject the payer to the penalties provided in Minnesota Statutes, sections 176.221, 176.225, and 176.194.
- Subp. 6. Collection of excessive payment. Any payment made to a provider which is determined to be wholly or partially excessive, according to the conditions prevailing at the time of payment, may be collected from the provider by the payer in the amount that the reimbursement was excessive. The payer must demand reimbursement of the excessive payment from the provider within one year of the payment.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

# 5221.0650 DATA COLLECTION, RETENTION, AND REPORTING REQUIREMENTS.

- Subpart 1. Scope. This part applies to workers' compensation insurers, self-insurers, group self-insurers, adjusters, and third-party administrators who act on behalf of an insurer, self-insurer, the assigned risk plan, and the Minnesota Insurance Guaranty Association.
- Subp. 2. Purpose. The purpose of this part is to establish procedures and requirements for reporting medical and related data regarding treatment of work-

related injuries. The data shall be provided in order for the department to monitor and evaluate medical services and supplies under Minnesota Statutes, chapter 176.

- Subp. 3. **Retention period.** Data described in subpart 4 shall be collected and stored by the parties listed in subpart 1, beginning July 1, 1994, for all medical services and supplies provided to an employee under Minnesota Statutes, chapter 176, for ten years from the date of injury, or four years from the date the claim is closed, whichever is later.
- Subp. 4. Required data. The data in items A and B shall be collected and stored by the parties listed in subpart 1.
- A. Required data for professional services and supplies includes all elements required on the uniform billing form under part 5221.0700, subpart 2a, and:
  - (1) an indication of open or closed claim status;
- (2) an indication of whether the employee was incapacitated from performing labor or service for more than three calendar days under Minnesota Statutes, section 176.231, subdivision 1;
- (3) the amount of payments made for individual medical services, articles, and supplies; and
- (4) the name of the managed care plan if services were provided under contract with or referral by a certified workers' compensation managed care plan.
- B. Required data for inpatient and outpatient hospital services and supplies includes all elements required on the uniform billing form under part 5221.0700, subpart 2b, and:
  - (1) an indication of open or closed claim status;
- (2) an indication of whether the employee was incapacitated from performing labor or service for more than three calendar days under Minnesota Statutes, section 176.231, subdivision 1; and
- (3) the name of the managed care plan if services were provided under a contract with or referral by a certified managed care plan for workers' compensation.
- Subp. 5. Reporting requirements. The data in subpart 4 shall be periodically sampled according to the sampling specifications prescribed by the research design for a study initiated by the commissioner under Minnesota Statutes, sections 175.17, 175.171, 176.103, and 176.1351. The samples shall be reported within 90 days of the request of the commissioner. The requested data shall be provided without charge to the department by a mutually agreeable standard of information exchange such as hard copy, computerized form, or electronic data interchange.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 18 SR 1472

#### 5221.0700 PROVIDER RESPONSIBILITIES.

- Subpart 1. Usual charges. No provider shall submit a charge for a service which exceeds the amount which the provider charges for the same type of service in cases unrelated to workers' compensation injuries.
- Subp. 1a. Conflicts of interest. All health care providers subject to this chapter are bound by the federal Medicare antikickback statute in section 1128B(b) of the Social Security Act, United States Code, title 42, section 1320a-7b(b), and regulations adopted under it, pursuant to Minnesota Statutes, section 62J.23. Any medical services or supplies provided in violation of these provisions are not compensable under Minnesota Statutes, chapter 176.
- Subp. 2. Submission of information. Providers except for hospitals must supply with the bill a copy of an appropriate record that adequately documents the service and substantiates the nature and necessity of the service or charge. Hospitals must submit an appropriate record upon request by the payer. All charges billed after January 1, 1994, for workers' compensation health care services, articles, and supplies, except for

#### 5221.0700 FEES FOR MEDICAL SERVICES

United States government facilities rendering health care services for veterans must be submitted to the payer on the forms prescribed in subparts 2a, 2b, and 2c, and in accordance with items A to D.

- A. Charges for services, articles, and supplies must be submitted to the payer directly by the health care provider actually furnishing the service, article, or supply. This includes but is not limited to the following:
- (1) diagnostic imaging, laboratory, or pathology testing not actually performed by the health care provider, or employee of the health care provider, who ordered the test:
- (2) equipment, supplies, and medication not ordinarily kept in stock by the hospital or other health care provider facility, purchased from a supplier for a specific employee;
- (3) services performed by a health care provider at a small or large hospital, as defined in part 5221.0500, subpart 2, items C and D, if the provider has an independent practice, except that a hospital may charge for services furnished by a provider who receives at least a base payment from the hospital, which is paid regardless of the number of patients seen; and
- (4) outpatient medications dispensed by a licensed pharmacy pursuant to an order written by a health care provider, as described in this subpart, including both prescription and nonprescription medications.
- B. Charges must be submitted to the payer in the manner required by subparts 2a, 2b, and 2c within 60 days from the date the health care provider knew the condition being treated was claimed by the employee as compensable under workers' compensation. Failure to submit charges within the 60 days is not a basis to deny payment, but is a basis for disciplinary action against the provider under Minnesota Statutes, section 176.103.
- C. When a provider orders a medication for an employee, the provider must also supply the employee with a document accurately describing the medication as ordered and including the words "workers' compensation," or the letters "W.C." on its face. This requirement applies to both prescription and nonprescription medications and may be fulfilled by a handwritten note on the provider's personalized stationary or prescription pad.
- D. This part does not limit the collection of other information the provider may be required to report under any other state or federal jurisdiction.
- Subp. 2a. Federal health care financing administration claim form HCFA 1500 form. Except as provided in subparts 2b and 2c, charges for all services, articles, and supplies that are provided for a claimed workers' compensation injury must be submitted to the payer on the HCFA 1500 form. Charges for dental services may be submitted on the dental claim form required by Minnesota Statutes, section 62J.52, subdivision 3. The HCFA 1500 form must be filled out in accordance with Minnesota Statutes, section 62J.52, and directions set forth in the "Minnesota Standards for the Use of the HCFA 1500 Claim Form" manual adopted by the Department of Health under Minnesota Statutes, section 62J.61.
- Subp. 2b. Uniform billing claim form UB-92 (HCFA 1450). Hospitals licensed under Minnesota Statutes, section 144.50, must submit itemized charges on the uniform billing claim form, UB-92, (HCFA 1450). The UB-92 form must be filled out according to Minnesota Statutes, section 62J.52, and the manual for the standards of use of the UB-92 form published by the Minnesota Hospital and Health Care Partnership.

When the UB-92 form provides only summary information, an itemized listing of all services and supplies provided during the inpatient hospitalization must be attached to the UB-92 form. The itemized list must include:

A. where a code is assigned to a service, the approved procedure codes and modifiers appropriate for the service, in accordance with subpart 3. Charges for supplies need not be coded, but a description and charge for specific articles and supplies must be itemized;

- B. the charge for each service;
- C. the number of units of each service provided; and
- D. the date each service was provided.
- Subp. 2c. **Submission of pharmacy charges.** Itemized charges for all hospital outpatient and independent pharmacy medications provided for a claimed workers' compensation injury must be submitted to the payer on a claim form which includes the following information:
- A. the workers' compensation file number (the employee's social security number), if provided by the employee;
  - B. the employee's name and address;
  - C. the insurer's name and address;
  - D. the date of the injury;
  - E. the name of the health care provider who ordered the medication;
- F. if the medication was provided under a contract with, or by referral from a managed care plan certified for workers' compensation by the commissioner of labor and industry under Minnesota Statutes, section 176.1351, the name of the managed care plan;
  - G. the name and quantity of each medication provided;
  - H. the prescription number for the medication;
  - I. the date the medication was provided;
  - J. the total charge for each medication provided; and
- K. the name, address, and telephone number of the pharmacy that provided the medication.

#### Subp. 3. Billing code.

A. The provider shall undertake professional judgment to assign the correct approved billing code, and any applicable modifiers, in the CPT, HCPCS, or UB-92 manual in effect on the date the service, article, or supply was rendered, using the appropriate provider group designation, and according to the instructions and guidelines in this chapter. No provider may use a billing code which is assigned a "D," "G," "H," or "I" status in part 5221.4030. Where several component services which have different CPT codes may be described in one more comprehensive CPT code, only the single CPT code most accurately describing the procedure performed or service rendered may be reported.

Dental procedures not included in CPT or HCPCS shall be coded using any standard dental coding system.

B. The codes for services in parts 5221.4030 to 5221.4070 may be submitted with two-digit or two-letter suffixes called "modifiers" as defined in part 5221.0100, subpart 10a. Except as otherwise specifically provided in parts 5221.4000 to 5221.4070, the use of a modifier does not change the maximum fee to be calculated according to part 5221.4020.

#### C. Provider group designation.

(1) General. The provision of services by all health care providers is limited and governed by each provider's scope of practice as stated in the applicable statute. A provider shall not perform a service which is outside that provider's scope of practice, nor shall a provider use a procedure code for a service which is outside that provider's scope of practice. Services delivered at the direction and under the supervision of a licensed health care provider listed in this item are considered incident to the services of the licensed provider and are coded as though provided directly by the licensed provider. Services delivered by support staff such as aides, assistants, or other unlicensed providers are incident to the services of a licensed provider only if the licensed provider directly responsible for the unlicensed provider is on the premises at the time the service is rendered. Hospital charges are governed by part 5221.0500,

#### 5221.0700 FEES FOR MEDICAL SERVICES

- subpart 2, items C and D. Outpatient charges by hospitals with more than 100 licensed beds are subject to the maximum fees in parts 5221.4000 to 5221.4070.
- (2) Medical and surgical services. Procedure codes for medical and surgical services and supplies are listed in part 5221.4030. These include services delivered by the following types of providers or services provided incident to the services of the following types of providers: medical physicians, surgeons, osteopathic physicians, podiatrists, dentists, oral and maxillofacial surgeons, optometrists, opticians, speech pathologists, licensed psychologists, social workers, nurse practitioners, clinical nurse specialists, and physician's assistants.
- (3) Pathology and laboratory services. Procedure codes for services and supplies provided by a pathologist or by a technician under the supervision of a physician are listed in part 5221.4040.
- (4) Physical medicine and rehabilitation services. Procedure codes for services and supplies provided by a physician, an osteopathic physician, a physical therapist, an occupational therapist, a physical therapist assistant under the direction and supervision of a physical therapist, or a certified occupational therapy assistant under the direction and supervision of an occupational therapist, or provided incident to the services of a physician, an osteopathic physician, a physical therapist, or an occupational therapist are listed in part 5221.4050.
- (5) Chiropractic services. Procedure codes for services and supplies provided by a chiropractor or provided incident to a chiropractor's services are listed in part 5221.4060.
- (6) Pharmacy services. Procedure codes for medications provided pursuant to the order of a health care provider, are described in part 5221.4070.
- Subp. 4. Cooperation with payer. Pursuant to Minnesota Statutes, section 176.138, providers shall comply within seven working days with payers' proper written requests for copies of existing medical data concerning the services provided, the patient's condition, the plan of treatment, and other issues pertaining to the payer's determination of compensability or excessiveness.

Subp. 5. [Repealed, 18 SR 1472]

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

**5221.0800** [Repealed, 18 SR 1472]

**5221.0900** [Repealed, 13 SR 2609]

**5221.1000** Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 18 SR 1472]

Subp. 5. [Repealed, 18 SR 1472]

Subp. 6. [Repealed, 18 SR 1472]

Subp. 7. [Renumbered 5221.0700, subpart 3, item C, subitems (1) to (20)]

**5221.1100** [Repealed, 18 SR 1472]

**5221.1200** [Repealed, 18 SR 1472]

**5221.1210** [Repealed, 16 SR 622; 18 SR 1472]

**5221.1215** [Repealed, 18 SR 1472]

**5221.1220** [Repealed, 18 SR 1472]

```
5221.1300 [Repealed, 18 SR 1472]
5221.1400 [Repealed, 13 SR 2609]
5221.1410 [Repealed, 18 SR 1472]
5221.1450 [Repealed, 18 SR 1472]
5221.1500 [Repealed, 18 SR 1472]
5221.1600 MR 1987 [Repealed, 12 SR 662]
5221.1600 [Repealed, 18 SR 1472]
5221.1700 [Repealed, 13 SR 2609]
5221.1800 [Repealed, 18 SR 1472]
5221.1900 [Repealed, 18 SR 1472]
5221.1950 [Repealed, 18 SR 1472]
5221.2000 [Repealed, 18 SR 1472]
5221.2050 [Repealed, 18 SR 1472]
5221.2070 [Repealed, 18 SR 1472]
5221.2100 [Repealed, 18 SR 1472]
5221.2150 [Repealed, 18 SR 1472]
5221.2200 [Repealed, 18 SR 1472]
5221.2250 [Repealed, 18 SR 1472]
5221.2300 [Repealed, 18 SR 1472]
5221.2400 [Repealed, 18 SR 1472]
5221.2500 Subpart 1. [Repealed, 18 SR 1472]
    Subp. 2. [Repealed, 18 SR 1472]
    Subp. 3. [Repealed, 10 SR 765]
    Subp. 4. [Repealed, 10 SR 765]
    Subp. 5. [Repealed, 10 SR 765]
    Subp. 6. [Repealed, 10 SR 765]
    Subp. 7. [Repealed, 10 SR 765]
    Subp. 8. [Repealed, 10 SR 765]
    Subp. 9. [Repealed, 10 SR 765]
    Subp. 10. [Repealed, 10 SR 765]
5221.2600 Subpart 1. [Repealed, 18 SR 1472]
    Subp. 2. [Repealed by amendment, 13 SR 2609]
    Subp. 3. [Repealed, 10 SR 765]
```

Subp. 4. [Repealed, 10 SR 765]Subp. 5. [Repealed, 10 SR 765]5221.2650 [Repealed, 18 SR 1472]5221.2700 [Repealed, 14 SR 722]

#### 5221.4000 FEES FOR MEDICAL SERVICES

**5221.2750** [Repealed, 18 SR 1472]

**5221.2800** Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. MR 1985 [Repealed, 10 SR 765]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 18 SR 1472]

**5221.2900** [Repealed, 18 SR 1472]

**5221.3000** Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. [Repealed, 10 SR 765]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 10 SR 765]

Subp. 5. [Repealed, 10 SR 765]

**5221.3100** [Repealed, 14 SR 722]

**5221.3150** [Repealed, 18 SR 1472]

**5221.3155** [Repealed, 18 SR 1472]

**5221.3160** [Repealed, 18 SR 1472]

**5221.3200** [Repealed, 18 SR 1472]

**5221.3300** [Repealed, 18 SR 1472]

**5221.3310** [Repealed, 14 SR 722]

**5221.3400** [Repealed, 13 SR 2609]

**5221.3500** [Repealed, 18 SR 1472]

#### 5221.4000 APPLICATION SCHEDULE; INSTRUCTIONS.

Subpart 1. Contents. This part provides general guidelines for application of the relative value medical fee schedule. The medical fee schedule contains codes and descriptions of services, relative value units and additional descriptive information for each service, and the conversion factor.

- Subp. 2. Revisions. The current medical fee schedule is effective until annual revisions are adopted, except that the commissioner may revise the medical fee schedule at any time to improve the schedule's accuracy, fairness, or equity, or to simplify the administration of the schedule.
- Subp. 3. Applicability. The medical fee schedule applies to a charge for a particular health care service if:
- A. the medical service is compensable under Minnesota Statutes, section 176.135;
- B. the service conforms to a billing code listed in the CPT, HCPCS, or UB-92 manual in effect on the date the service was rendered; and
- C. the billing code for the service is listed under the appropriate provider group designation for the health care provider that rendered the service.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.4010 EMPLOYER'S LIABILITY FOR SERVICES UNDER MEDICAL FEE SCHEDULE.

Unless the maximum fee is adjusted under part 5221.4035, 5221.4041, 5221.4051, or 5221.4061, the employer's liability for services included in parts 5221.4030 to 5221.4060 is limited to 100 percent of the fee schedule amount calculated according to the formula in part 5221.4020 or the provider's usual and customary fee for the service, whichever is lower. The employer's liability for pharmacy services is as provided in part 5221.4070.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.4020 DETERMINING FEE SCHEDULE PAYMENT LIMITS.

#### Subpart 1. Conversion factor.

A. Except as provided in parts 5221.4035, 5221.4041, 5221.4051, 5221.4061, and 5221.4070, the maximum fee in dollars for a health care service subject to the medical fee schedule is calculated according to the following formula:

maximum fee = relative value unit (RVU) x conversion factor (CF), rounded to the nearest cent, according to standard mathematical principles.

RVUs for all included services are listed in parts 5221.4030, 5221.4040, 5221.4050, and 5221.4060.

B. The conversion factor shall be updated annually, pursuant to Minnesota Statutes, section 176.136, subdivision 1a. The conversion factor for services included in parts 5221.4030 to 5221.4060 provided after October 1, 1993, is \$52.05. This initial conversion factor is annually adjusted as follows:

(1) for dates of service from October 1, 1994, to September 30, 1995: \$52.91;
(2) for dates of service from October 1, 1995, to September 30, 1996:

(3) for dates of service from October 1, 1996, to September 30, 1997:

\$56.35;

\$54.31:

(4) for dates of service from October 1, 1997, to September 30, 1998:

\$59.47;

(5) for dates of service from October 1, 1998, to September 30, 1999:

\$62.27;

(6) for dates of service from October 1, 1999, to September 30, 2000:

\$66.14;

(7) for dates of service from October 1, 2000, to September 30, 2001:

\$69.04;

(8) for dates of service from October 1, 2001, to September 30, 2002:

\$73.13;

(9) for dates of service from October 1, 2002, to September 30, 2003:

\$75.18; and

(10) for dates of service from October 1, 2003, to September 30, 2004:

\$75.18.

As a sample calculation, assume the RVU for a new patient office examination, nonfacility, by a physician, procedure code 99201, is 0.84 RVU. If the date of service was September 1, 2000, this RVU is multiplied by 66.14 (conversion factor effective October 1, 1999). The maximum fee under parts 5221.4030 to 5221.4070, excluding any applicable adjustment, would be equal to \$55.56 for the service.

Subp. 2. Key to abbreviations and terms and payment instructions. Columns 1 to 12 found in parts 5221.4030, subpart 2b, 5221.4040, subpart 2b, 5221.4050, subpart 2b,

#### 5221.4020 FEES FOR MEDICAL SERVICES

and 5221.4060, subpart 2b, list indicators necessary to determine the maximum fee for the service. Further payment adjustments may apply as specified in this subpart.

- A. Column 1 identifies CPT/HCPCS code. This is the specific procedure code intended to identify the health care service described in column 4.
- B. Column 2 identifies when there is a technical/professional modifier. Column 2 contains a modifier if there is a technical component (TC) and a professional component (26) for the service. Parts 5221.4032 and 5221.4062 provide additional instructions for applying these modifiers. The technical/professional modifier for pathology/laboratory services is as described in part 5221.4041. Column 2 also contains a modifier "53" to identify a separate RVU for a procedure that has been terminated by the physician before completion.
- (1) 26 indicates professional component only codes. This indicator identifies codes that describe the physician work portion of selected services for which there is an associated code that describes the technical component of the service only.
- (2) TC indicates technical component only codes. This indicator identifies codes that describe the technical component, such as staff and equipment costs, of selected services for which there is an associated code that describes the professional component of the service only.
  - C. Column 3 identifies the status of the code.
- (1) "A" status indicates an active code. These services are separately paid under the medical fee schedule. The maximum fee for this service is calculated according to the formula in subpart 1 and as adjusted by other instructions in this subpart.
- (2) "B" status indicates a bundled code. Payment for covered services are always bundled into payment for other services. There is no separate payment for these services even if an RVU is listed. When these services are covered, payment for them is subsumed by the payment for the services to which they are incident. An example is a telephone call from a hospital nurse regarding care of a patient.
- (3) "C" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (4) "D" status indicates an invalid or deleted CPT or HCPCS code. Another CPT or HCPCS code must be used to describe the service. No payment is allowed for codes with a "D" status even if a positive RVU is listed.
- (5) "E" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- (6) "G" and "I" status indicates an invalid CPT or HCPCS code and "H" status indicates an invalid modifier code. Another code must be used to describe these services. No payment is allowed for codes with a "G," "H," or "I" status even if a positive RVU is listed.
- (7) "N" status indicates a code that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the liability for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
  - (8) "P" status indicates a bundled or excluded code.
- (a) If the item or service is covered as incident to a physician service and is provided on the same day as a physician service, payment for it is bundled into

the payment for the physician service to which it is incident. An example is an elastic bandage furnished by a physician incident to physician service.

- (b) If the item or service is covered as other than incident to a physician service, such as colostomy supplies, it may be paid for separately. If the item or service is not provided incident to the services of a licensed provider, the maximum fee for the service is governed by any listed positive RVU or, if there is a zero RVU listed, by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (9) "R" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- (10) "T" status indicates injections. There are RVUs listed for these services, but they are only paid if there are no other services payable under the fee schedule billed on the same date by the same provider. If any other services payable under the fee schedule are billed on the same date by the same provider, these services are bundled into the physician services for which payment is made. Payment for the injected material is separate from the injection services and is governed by part 5221.0500, subpart 2, items B to F.
- (11) "X" status indicates a code that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- D. Column 4 is an abbreviated CPT/HCPCS description. This is a short narrative description of the procedure code. A detailed description of the service appears in the CPT or HCPCS manual incorporated by reference in the applicable medical fee schedule.
- E. Column 5 lists the total RVUs for the service when the service is provided by a health care provider in the provider's office.
- F. Column 6 lists the total RVUs for the professional service when the service is provided by a health care provider in a facility such as a hospital or ambulatory surgical center.
- G. Column 7 indicates the application of the global surgery package. It provides time frames and other circumstances that apply to each surgical procedure. Part 5221.4035 provides additional factors affecting payment.
- (1) 000 indicates endoscopic or minor procedure with related preoperative and postoperative relative values on the day of the procedure only included in the RVU amount.
- (2) 010 indicates a procedure with preoperative relative values on the day of the procedure and postoperative relative values during a ten-day postoperative period included in the RVU amount.
- (3) 090 indicates major surgery with a one-day preoperative period and a 90-day postoperative period included in the RVU amount.
- (4) MMM indicates maternity codes. The usual global period does not apply.
- (5) XXX indicates the global surgery package concept does not apply to the code.
- (6) YYY indicates the global surgery package concept may apply. If the provider and payor cannot agree to a specified global period, the global period shall be determined by the commissioner or compensation judge. For purposes of this subitem, the global period shall include normal, uncomplicated follow-up care for the procedure.

#### 5221.4020 FEES FOR MEDICAL SERVICES

- (7) ZZZ indicates the code is related to a primary service and has the same global period as the primary service. However, it is considered an add-on code and is paid separately.
- H. Column 8 governs payment for multiple procedures. Symbols in column 8 indicate applicable payment adjustment rule for multiple procedures.
- (1) O indicates no payment adjustment rules for multiple procedures apply.
- (2) 2 indicates standard payment adjustment rules for multiple procedures apply as provided in part 5221.4035, subpart 5.
- (3) 3 indicates special rules for multiple endoscopic/arthroscopic procedures apply as provided in part 5221.4035, subpart 5, item E.
- (4) 4 indicates special rules for multiple procedures. See parts 5221.4051 and 5221.4061 for specific instructions.
  - (5) 9 indicates that the concept of multiple procedure does not apply.
- I. Column 9 governs payment for bilateral procedure. Symbols in column 9 indicate services subject to payment adjustment if they are bilateral procedures.
  - (1) 0 indicates that no payment adjustments apply to bilateral procedures.
  - (2) 1 indicates that bilateral payment adjustments apply.
  - (3) 2 indicates that no further bilateral payment adjustments apply.
  - (4) 3 indicates that no bilateral payment adjustments apply.
  - (5) 9 indicates that the concept of bilateral procedures does not apply.
- J. Column 10 governs payment for assistant-at-surgery. Symbols in column 10 indicate services when an assistant-at-surgery may be paid.
- (1) 0 indicates an assistant-at-surgery may not be paid unless supporting documentation is submitted to establish medical necessity, in which case payment is according to part 5221.4035, subpart 7.
  - (2) 1 indicates an assistant-at-surgery may not be paid.
- (3) 2 indicates that an assistant-at-surgery may be paid according to part 5221.4035, subpart 7.
  - (4) 9 indicates that the concept of assistant-at-surgery does not apply.
- K. Column 11 governs payment for cosurgeons. Symbols in column 11 indicate services for which two surgeons may be paid.
- (1) 0 indicates cosurgeons are not permitted for this procedure and no payment for a cosurgeon may be made.
- (2) 1 indicates cosurgeons may be paid, with supporting documentation establishing the medical necessity of two surgeons for the procedure. Where necessity is established, payment is according to part 5221.4035, subpart 8.
- (3) 2 indicates cosurgeons are paid according to part 5221.4035, subpart 8.
  - (4) 9 indicates that the concept of cosurgeons does not apply.
- L. Column 12 governs payment for team surgery. Symbols in column 12 indicate services for which team surgeons may be paid. Part 5221.4035, subpart 9, defines team surgery.
- (1) 0 indicates team surgeons are not permitted for this procedure and no payment may be made for team surgeons.
- (2) 1 indicates team surgeons may be paid, if supporting documentation establishes medical necessity of a team. The maximum fee for the service is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (3) 2 indicates team surgeons are permitted. The maximum fee for the service is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.

- (4) 9 indicates that the concept of team surgery does not apply.
- Subp. 3. Supplies, separate billing allowed. Except as otherwise provided in subpart 2, charges for the following supplies provided during an evaluation and management service in the office may be billed separately and paid according to the assigned RVU or, if no positive RVU is assigned, the charges are limited by part 5221.0500, subpart 2:
  - A. surgical trays for services specified in part 5221.4035, subpart 3, item I;
  - B. injectable drugs and antigens;
- C. splints, casts, and other devices used in the treatment of fractures and dislocations;
- D. all take-home supplies provided by the health care provider or hospital, regardless of type;
- E. orthotic device used for the purpose of supporting a weak or deformed body member or restricting or eliminating motion in a diseased or injured part of the body. Braces meet this definition. Elastic stockings and bandages applied in the office do not meet this definition; and
- F. prosthetic devices which replace all or part of an internal body organ, or replace all or part of the function of a permanently inoperative or malfunctioning internal body organ. A foley catheter for a permanently incontinent patient meets this definition. A catheter used to obtain a urine specimen does not meet this definition.
- Subp. 4. Codes 99455 and 99456. The CPT manual describes two codes for "Work Related or Medical Disability Evaluation Services" (codes 99455 and 99456). These codes are used to report evaluations performed to establish baseline information prior to life or disability insurance certificates being issued. They are not to be used for reporting services for treatment or evaluation of a compensable work injury under parts 5221.0410 and 5221.0420 or Minnesota Statutes, chapter 176.

**Statutory Authority:** MS s 14.38; 14.388; 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 21 SR 420; 22 SR 500; 23 SR 595; 24 SR 302; 25 SR 730; 25 SR 1142; 26 SR 490; 27 SR 378; 28 SR 315

#### 5221.4030 MEDICAL/SURGICAL PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2. [Repealed, 20 SR 530]

2

3

1

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of medical/surgical procedure codes.

4

A. Procedure code numbers 10040 to 19499 relate to skin procedures.

5

6

7

8 9 10 11 12

(1) Skin,	incisio	on and drainage:				_				
10040	Α	Acne surgery	1.40	1.24	010	2	0	1	0	0
10060	A	Drainage of skin abscess	1.51	1.30	010	2	0	1	0	Ō
10061	Α	Drainage of skin abscess	2.83	2.52	010	2	0	1	0	0
10080	Α	Drainage of pilondial	1.57	1.33	010	2	0	1	0	0
10081	Α	Drainage of pilondial	3.38	2.85	010	2	0	1	0	0
10120	Α	Remove foreign body	1.58	1.36	010	2	0	1	0	0
10121	Α	Remove foreign body	3.47	2.99	010	2	0	1	0	0
10140	Α	Drainage of hematoma	1.88	1.65	010	2	0	1	0	0
10160	Α	Puncture drainage of cyst	1.48	1.30	010	2	0	1	0	0
10180	Α	Complex drainage, cyst	3.16	3.16	010	2	0	1	0	0

## 5221.4030 FEES FOR MEDICAL SERVICES

(2) Skin, ex	cisi	on, debridement:								
11000	Δ	Debride infected skin	0.95	0.76	000	2	0	1	0	0
11001	A	Debride infected skin	0.53	0.70	ZZZ	0	0	1	0	0
11010		Debride skin, foreign	8.00	8.00	010	2	2	2	0	0
11010	Α	Debride skin/muscle	9.48	9.48	000	2	2	2	0	0
11011	A	Debride skin/muscle	13.17	13.17	000	2	2	2	0	0
11012		Debride skin, partial	0.86	0.67	000	2	0	1	0	0
11040		Debride skin, full	1.32	1.05	000	2	0	1	0	0
11041		Debride skin/tissue	1.69	1.37	000	2	0	1	0	0
11042		Debride tissue/muscle	4.10	4.10	010	2	0	1	0	0
11043	A	Debride tissue/muscle	5.77	5.77	010	2	0	1	0	0
11044	А	Deblide fissue/muscle	3.11	3.77	010	2	U	1	U	U
(3) Skin, pa	ring	g or cutting:								
11050	D	Trim skin lesion	0.76	0.59	000	2	0	1	0	0
11051	D	Trim 2 to 4 skin lesions	1.11	0.87	000	2	0	1	0	0
11052	Ď	Trim over 4 skin lesions	1.20	1.00	000	2	0	1	0	0
11052	R	Trim skin lesion	0.50	0.38	000	2	0	1	0	0
11056	R	Trim 2 to 4 skin lesions	0.70	0.53	000	2	0	1	0	0
11057	R	Trim over 4 skin lesions	0.74	0.60	000	2	0	1	0	0
11037	1	Timi over 4 skin lesions	0.74	0.00	000	L	Ü	1	U	U
(4) Skin, bio	opsy	<i>y</i> :								
11100	Α	Biopsy of skin	1.25	1.00	000	2	0	1	0	0
11101	Α	Biopsy, each additional	0.66	0.52	ZZZ	0	0	1	Õ	0
11191		Ziopoji, <del>vuon uuu</del> mona.	0.00	0.02		Ü	Ū	-	Ü	Ŭ
(5) Skin, rea	mov	val of skin tags:								
11200	Α	Removal of skin tags	1.14	0.93	010	2	0	1	0	0
11201	Α	Removal of additional	0.44	0.36	ZZZ	0	0	1	0	0
11201	•	Removal of additional	0.44	0.50	LLL	Ü	U	1	U	U
(6) Skin, sha	avin	g of epidermal or dermal lesio	ns:							
11300	Α	Shave skin lesion	1.00	0.75	000	2	0	0	0	0
11301	A	Shave skin lesion	1.45	1.13	000	2	0	0	0	0
11302	A	Shave skin lesion	1.86	1.43	000	2	0	ŏ	ŏ	ŏ
11303	A	Shave skin lesion	2.53	1.88	000	2	0	0	2	ŏ
11305	A	Shave skin lesion	1.14	0.89	000	2	0	Õ	0	Ŏ
11306	A	Shave skin lesion	1.62	1.28	000	2	0	0	0	ŏ
11307	Α	Shave skin lesion	2.00	1.54	000	2	0	0	ő	ŏ
11308	Α	Shave skin lesion	2.73	2.05	000	2	0	0	0	ŏ
11310	Α	Shave skin lesion	1.36	1.03	000	2	0	0	0	0
11311	Α	Shave skin lesion	1.82	1.41	000	2	0	0	0	0
11312	Α	Shave skin lesion	2.23	1.69	000	2	0	0	.0	ŏ
11313	Α	Shave skin lesion	2.99	2.27	000	2	0	0	0	0
- <del></del>			_,,,	<b>-</b> ,		-	-	~	7	-

## FEES FOR MEDICAL SERVICES 5221.4030

(7) Skin, ex	cisio	on, benign lesions:								
11400	Α	Removal of skin	1.37	1.11	010	2	0	1	0	0
11401	A	Removal of skin	1.88	1.56	010	2	ŏ	î	ŏ	ŏ
11402	A	Removal of skin	2.37	1.94	010	2	ŏ	î	Ö	ŏ
11403	A	Removal of skin	2.94	2.38	010	$\bar{2}$	Ŏ	1	Ŏ	Ŏ
11404	A	Removal of skin	3.42	2.76	010	2	Ŏ	1	ŏ	Ŏ
11406	A	Removal of skin	4.50	4.50	010	2	ŏ	î	ŏ	ŏ
11420	Α	Removal of skin	1.49	1.24	010	2	Ŏ	ĺ	ŏ	Ŏ
11421	Α	Removal of skin	2.11	1.77	010	2	Ŏ	ĩ	ŏ	Ŏ
11422	A	Removal of skin	2.56	2.11	010	2	Õ	ĩ	Ō	Õ
11423		Removal of skin	3.32	2.69	010	2	Ō	ī	Ŏ	Ō
11424	Α	Removal of skin	3.81	3.14	010	2	0	1	0	0
11426	Α	Removal of skin	5.36	5.36	010	2	0	1	0	0
11440	Α	Removal of skin	1.74	1.41	010	2	0	1	0	0
11441	Α	Removal of skin	2.33	1.92	010	2	0	1	0	0
11442	Α	Removal of skin	2.84	2.30	010	2	0	1	0	0
11443	Α	Removal of skin	3.74	3.04	010	2	0	1	0	0
11444	A	Removal of skin	4.60	3.89	010	2	0	1	0	0
11446	Α	Removal of skin	5.89	5.04	010	2	0	1	0	0
11450	Α	Removal, sweat	5.31	5.31	090	2	Ŏ	ī	Ŏ	Ŏ
11451		Removal, sweat	6.64	6.64	090	2	ŏ	Õ	ŏ	Ŏ
11462	Α	Removal, sweat	4.81	4.81	090	2	ŏ	ŏ	ŏ	ŏ
11463	Α	Removal, sweat	5.71	5.71	090	$\bar{2}$	ŏ	ŏ	ŏ	ŏ
11470	A	Removal, sweat	5.88	5.88	090	$\bar{2}$	ŏ	1	ŏ	ŏ
11471	A	Removal, sweat	6.64	6.64	090	$\bar{2}$	ŏ	Ô	ŏ	ŏ
(8) Skin, ex	cisio	on, malignant lesions:								
11600										
-1000	Α	Removal of skin	2.43	1.88	010	2	0	1	0	0
11601	A	Removal of skin	2.43 3.16	2.49	010 010	2	0 0	1 1	0 0	$0 \\ 0$
				2.49 2.86		2				
11601 11602 11603	Α	Removal of skin Removal of skin Removal of skin	3.16 3.74 4.42	2.49 2.86 3.34	010	2 2 2	0 0 0	1 1 1	0 0 0	0 0 0
11601 11602 11603 11604	A A	Removal of skin Removal of skin Removal of skin Removal of skin	3.16 3.74 4.42 4.99	2.49 2.86 3.34 3.74	010 010 010 010	2 2 2 2	0 0 0 0	1 1 1 1	0 0 0 0	0 0 0 0
11601 11602 11603 11604 11606	A A A A	Removal of skin Removal of skin Removal of skin Removal of skin Removal of skin	3.16 3.74 4.42 4.99 6.39	2.49 2.86 3.34 3.74 6.39	010 010 010 010 010	2 2 2 2 2	0 0 0 0 0	1 1 1 1	0 0 0 0 0	0 0 0 0
11601 11602 11603 11604 11606 11620	A A A A A	Removal of skin Removal of skin Removal of skin Removal of skin Removal of skin Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58	2.49 2.86 3.34 3.74 6.39 1.93	010 010 010 010 010 010	2 2 2 2 2 2 2	0 0 0 0 0	1 1 1 1 1	0 0 0 0 0	0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621	A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57	2.49 2.86 3.34 3.74 6.39 1.93 2.72	010 010 010 010 010 010 010	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622	A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29	010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623	A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04	010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624	A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84	010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626	A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails:	A A A A A A A A A A A A A A A A A A A	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails:	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70 9.91	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails:	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70 9.91	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails:	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70 9.91	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails:	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70 9.91	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails: 11719 11720 11721 11730 11731 11732	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70 9.91 0.34 0.62 1.04 1.48 1.04 0.77	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91 0.16 0.46 0.78 1.27 0.79 0.65	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11601 11602 11603 11604 11606 11620 11621 11622 11623 11624 11626 11640 11641 11642 11643 11644 11646 (9) Nails:	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Removal of skin	3.16 3.74 4.42 4.99 6.39 2.58 3.57 4.35 5.29 6.39 7.48 3.07 4.33 5.27 6.24 7.70 9.91 0.34 0.62 1.04 1.48 1.04	2.49 2.86 3.34 3.74 6.39 1.93 2.72 3.29 4.04 4.84 7.48 2.27 3.32 4.03 4.79 6.01 9.91 0.16 0.46 0.78 1.27 0.79	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

# 5221.4030 FEES FOR MEDICAL SERVICES

11750	Α	Removal of nail	3.82	2.81	010	2	0	1	0	0
11752	Α	Remove nail bed	5.35	3.98	010	2	0	1	0	0
11755	Α	Biopsy of nail unit	2.21	2.21	000	2	0	0	0	0
11760	Α	Reconstruction	2.38	1.93	010	2	0	1	0	0
11762	Α	Reconstruction	5.24	4.00	010	2	0	1	0	0
11765	Α	Excision of skin of nail	1.15	0.90	010	2	0	1	0	0
11770	Α	Removal of pilondial	5.19	5.19	010	2	0	1	0	0
11771		Removal of pilondial	10.08	10.08	090	2	0	1	0	0
11772	Α	Removal of pilondial	11.55	11.55	090	2	0	1	0	0
(10) Nails,	intro	oduction:								
11900	Α	Injection, intralesional	0.72	0.60	000	2	0	1	0	0
11901	A	Added skin lesions	1.14	0.94	000	$\bar{2}$	ŏ	1	Ŏ	Õ
11920	R	Correct skin color	2.73	2.73	000	2	0	0	0	0
11921	R	Correct skin color	3.26	3.26	000	2	0	0	0	0
11922		Correct skin color	0.83	0.83	ZZZ	0	0	0	0	0
11950	R	Therapy, contour defects	1.97	1.97	000	2	0	0	0	0
11951	R	Therapy, contour defects	2.29	2.29	000	2	0	0	0	0
11952	R	Therapy, contour defects	2.74	2.74	000	2	0	0	0	0
11954	R	Therapy, contour defects	2.89	2.89	000	2	0	0	0	0
11960	Α	Insert tissue expander	16.53	16.53	090	2	0	1	0	0
11970	Α	Replace tissue expander	14.80	14.80	090	2	0	1	0	0
11971	Α	Remove tissue expander	4.61	4.61	090	2	0	0	0	0
11975	N	Insert contraceptive	0.00	0.00	XXX	9	9	9	9	9
11976	R	Remove contraceptive	3.02	3.02	XXX	2	0	0	0	0
11977	N	Removal/reinsertion	0.00	0.00	XXX	9	9	9	9	9
				0.00	71111		-	-		
				0.00	7001			•		
(11) Repai		nple:		3.33	700					
, , -	r, sin							1	0	0
12001	r, sin	Repair superficial	2.12	2.12	010	2	0	1	0 0	0
12001 12002	r, sin A A	Repair superficial Repair superficial	2.12 2.49	2.12 2.49	010 010	2 2	0 0	1	0 0 0	0
12001	r, sin	Repair superficial Repair superficial Repair superficial	2.12	2.12	010	2 2 2	0		0	
12001 12002 12004	r, sin A A A	Repair superficial Repair superficial Repair superficial Repair superficial	2.12 2.49 3.19	2.12 2.49 3.19	010 010 010	2 2	0 0 0	1 1	0 0	0 0
12001 12002 12004 12005	r, sin A A A A	Repair superficial Repair superficial Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58	2.12 2.49 3.19 4.09 5.16 5.58	010 010 010 010	2 2 2 2 2 2 2	0 0 0 0	1 1 1 1 1	0 0 0 0 1	0 0 0
12001 12002 12004 12005 12006 12007 12011	r, sin	Repair superficial Repair superficial Repair superficial Repair superficial Repair superficial Repair superficial Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35	2.12 2.49 3.19 4.09 5.16 5.58 2.35	010 010 010 010 010 010 010	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 1	0 0 0 0 1 0	0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013	r, sin	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85	010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1	0 0 0 0 1 0	0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014	r, sin A A A A A A A A	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44	010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1	0 0 0 0 1 0 0	0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015	A A A A A A A A	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54	010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1	0 0 0 0 1 0 0 0	0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016	r, sin	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1	0 0 0 0 1 0 0 0 0	0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017	r, sin A A A A A A A A A A A A A A A A A A A	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 0	0 0 0 0 1 0 0 0 0 0	0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018	r, sin A A A A A A A A A A A A A A A A A A A	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2	0 0 0 0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020	r, sin A A A A A A A A A A A A A A A A A A A	Repair superficial Closure of split wound	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2	0 0 0 0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018	r, sin A A A A A A A A A A A A A A A A A A A	Repair superficial	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2	0 0 0 0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021	r, sin AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Repair superficial Closure of split wound	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2	0 0 0 0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021 (12) Repai	r, sin A A A A A A A A A A A A A A A A A A A	Repair superficial Closure of split wound Closure of split wound	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.33	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.03	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2 1 1	0 0 0 0 1 0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021 (12) Repai	r, sin AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Repair superficial Closure of split wound closure of split wound	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 0 2 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021 (12) Repai	r, sin AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Repair superficial Closure of split wound Closure of split wound	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.33	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.03	010 010 010 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2 1 1	0 0 0 0 1 0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021  (12) Repai 12031 12032 12034 12035	r, sin AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Repair superficial Closure of split wound Closure of split wound remediate:  Layer closure of wounds Layer closure of wounds Layer closure of wounds Layer closure of wounds	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.33	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.03	010 010 010 010 010 010 010 010 010 010	222222222222222222222222222222222222222	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 0 2 1 1 1 1 1 1	0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
12001 12002 12004 12005 12006 12007 12011 12013 12014 12015 12016 12017 12018 12020 12021  (12) Repai 12031 12032 12034	r, sin AAAAAAAAAA r, int AAAAA	Repair superficial Closure of split wound Closure of split wound remediate:  Layer closure of wounds Layer closure of wounds Layer closure of wounds	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.33	2.12 2.49 3.19 4.09 5.16 5.58 2.35 2.85 3.44 4.54 5.86 7.69 10.26 3.63 2.03	010 010 010 010 010 010 010 010 010 010	222222222222222222222222222222222222222	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 0 2 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0

12041	٨	Layer closure of wounds	3.01	2.60	010	2	0	1	0	0
12041	A	Layer closure of wounds	3.68	3.12	010	2	0	1	0	0
						2	0	1		
12044		Layer closure of wounds	4.51	4.51	010				0	0
12045		Layer closure of wounds	5.49	5.49	010	2	0	1	0	0
12046		Layer closure of wounds	6.79	6.79	010	2	0	0	0	0
12047		Layer closure of wounds	8.41	8.41	010	2	0	2	1	0
12051		Layer closure of wounds	3.27	2.79	010	2	0	1	0	0
12052	Α	Layer closure of wounds	4.01	3.30	010	2	0	1	0	0
12053	Α	Layer closure of wounds	4.63	4.63	010	2	0	1	0	0
12054	Α	Layer closure of wounds	5.79	5.79	010	2	0	1	0	0
12055		Layer closure of wounds	7.36	7.36	010	2	0	1	0	0
12056		Layer closure of wounds	9.62	9.62	010	2	0	0	Ō	0
12057	A	Layer closure of wounds	11.06	11.06	010	2	Ŏ	2	1	Ŏ
(13) Repa	air, co	mplex:								
13100	Α	Repair of wound	4.01	3.45	010	2	0	1	0	0
13101	A	Repair of wound	5.68	4.68	010	2	0	1	Õ	Ŏ
13120	A	Repair of wound	4.39	3.74	010	2	Ŏ	1	ŏ	ő
13121	A	Repair of wound	6.67	5.39	010	2	0	1	0	0
		Repair of wound	5.48	4.52		2		1	0	
13131	A				010		0		-	0
13132	A	Repair of wound	10.06	7.85	010	2	0	1	0	0
13150	A	Repair of wound	5.29	5.29	010	2	0	1	0	0
13151	A	Repair of wound	6.60	5.42	010	2	0	1	0	0
13152	Α	Repair of wound	11.08	8.60	010	2	0	1	0	0
13160	Α	Late closure of wound	13.05	13.05	090	2	0	1	0	0
13300	Α	Repair of wound	10.77	10.77	010	2	0	1	0	0
(14) Repa	air, ad	jacent tissue transfer or rearr	angement	:						
. , -					000	2	0	1	0	0
14000	Α	Rearrange skin tissue	8.85	7.20	090	2	0	1	0	0
14000 14001	A A	Rearrange skin tissue Rearrange skin tissue	8.85 12.70	7.20 12.70	090	2	0	1	0	0
14000 14001 14020	A A A	Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue	8.85 12.70 10.99	7.20 12.70 10.99	090 090	2	$0 \\ 0$	1 1	0 0	0
14000 14001 14020 14021	A A	Rearrange skin tissue Rearrange skin tissue	8.85 12.70	7.20 12.70	090 090 090	2 2 2	0	1 1 1	0 0 0	0 0 0
14000 14001 14020	A A A	Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue	8.85 12.70 10.99	7.20 12.70 10.99	090 090	2 2 2 2	$0 \\ 0$	1 1	0 0	0
14000 14001 14020 14021	A A A	Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue	8.85 12.70 10.99 15.65	7.20 12.70 10.99 15.65	090 090 090	2 2 2 2 2	0 0 0	1 1 1	0 0 0	0 0 0
14000 14001 14020 14021 14040	A A A A	Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04	7.20 12.70 10.99 15.65 10.77	090 090 090 090	2 2 2 2	0 0 0 0	1 1 1	0 0 0 0	0 0 0 0
14000 14001 14020 14021 14040 14041	A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78	7.20 12.70 10.99 15.65 10.77 14.80 15.78	090 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	1 1 1 1 1 1	0 0 0 0 0	0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061	A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92	090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060	A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78	7.20 12.70 10.99 15.65 10.77 14.80 15.78	090 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	1 1 1 1 1 1	0 0 0 0 0	0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350	A A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repa	A A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 1 1 1 1 1 1 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repa	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repa	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repa	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repa	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repa	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Skin graft skin split graft Skin split graft Skin split graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28	090 090 090 090 090 090 090 090 2ZZ	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 0	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repair 15000 15050 15100 15101 15120	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Skin graft skin split graft Skin split graft Skin split graft Skin split graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28 15.29	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28 15.29	090 090 090 090 090 090 090 090 ZZZ 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repair 15000 15050 15100 15101 15120 15121	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Skin graft skin split graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53	090 090 090 090 090 090 090 090 ZZZ 090 ZZZ	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14300 14350 (15) Repair 15000 15050 15100 15101 15120 15121 15200	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Skin graft skin graft Skin split graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66	090 090 090 090 090 090 090 090 ZZZ 090 ZZZ 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14350 (15) Repair 15000 15050 15100 15101 15120 15121 15200 15201	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Rein graft skin graft Skin split graft Skin split graft Skin split graft Skin full graft Skin full graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66 3.10	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66 2.87	090 090 090 090 090 090 090 090 ZZZ 090 ZZZ 090 ZZZ	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 2 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14350 (15) Repair 15000 15050 15100 15101 15120 15121 15200 15201 15220	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Rein graft Skin graft procedure Skin pinch graft Skin split graft Skin split graft Skin split graft Skin full graft Skin full graft Skin full graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66 3.10 12.29	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66 2.87 12.29	090 090 090 090 090 090 090 090 090 ZZZ 090 ZZZ 090 ZZZ 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
14000 14001 14020 14021 14040 14041 14060 14061 14350 (15) Repair 15000 15050 15100 15101 15120 15121 15200 15201	A A A A A A A A A A A A A A A A A A A	Rearrange skin tissue Rein graft skin graft Skin graft procedure Skin split graft Skin split graft Skin split graft Skin full graft Skin full graft Skin full graft	8.85 12.70 10.99 15.65 14.04 18.61 15.78 21.99 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66 3.10	7.20 12.70 10.99 15.65 10.77 14.80 15.78 16.92 22.62 15.17 4.14 5.80 13.09 3.28 15.29 5.53 11.66 2.87	090 090 090 090 090 090 090 090 ZZZ 090 ZZZ 090 ZZZ	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 2 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

# 5221.4030 FEES FOR MEDICAL SERVICES

15240 15241 15260 15261 15350 15400	Α	Skin full graft Skin full graft Skin homograft	14.67 4.31 16.88 5.11 6.27 6.36	14.67 3.99 16.88 4.72 6.27 6.36	090 ZZZ 090 ZZZ 090 090	2 0 2 0 2 2 2	0 0 0 0 0	1 1 1 1 1	0 0 0 0 0	0 0 0 0 0 0
(16) Repair	, fla	aps:								
15570 15572 15574 15576 15580 15600 15610 15620 15625 15630 15650 15732 15734 15736 15738	A A A A A A A A A	Skin graft procedure	14.82 14.64 15.10 11.23 13.47 4.64 5.36 6.47 4.19 6.94 8.34 33.06 36.30 32.09 30.53	14.82 14.64 15.10 11.23 13.47 4.25 5.21 6.26 4.19 6.94 8.34 33.06 36.30 32.09 30.53	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 0 0 0 1 0 1 0 2 2 1 2	0 0 0 0 0 0 0 0 0 0 0 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(17) Repair	, ot	her flaps and grafts:								
15740 15750 15756 15757 15758 15760 15770 15775	A A A	Island pedicle Neurovascular pedicle Free muscle flap Free skin flap Free fascial flap Composite skin Derma-fat-fascia Hair transplant Hair transplant	20.23 23.03 63.99 63.99 63.87 15.59 14.56 6.69 9.36	20.23 23.03 63.99 63.87 15.59 14.56 6.69 9.36	090 090 090 090 090 090 090 000	2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 2 2 2 2 1 2 0 0	0 0 2 2 2 0 1 0 0	0 0 0 0 0 0 0 0
(18) Repair	, ot	her procedures:								
15780 15781 15782 15783 15786 15787 15788 15789 15792 15793 15810 15811 15819 15820	A A A A A A A A A A A A	Abrasion treatment Abrasion treatment Abrasion treatment Abrasion treatment Abrasion treatment Abrasion, additional Chemical peel Chemical peel Chemical peel Chemical peel Salabrasion Salabrasion Plastic surgery Revision of lower eyelid	8.17 8.26 5.14 5.79 2.47 0.54 3.39 5.96 2.20 3.91 8.13 8.91 16.73 10.51	7.43 6.44 4.57 4.89 2.18 0.43 3.39 5.96 2.20 3.91 8.13 8.91 16.73 10.51	090 090 090 090 010 <b>ZZZ</b> 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1 0 0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0

# FEES FOR MEDICAL SERVICES 5221.4030

15821	Α	Revision of lower eyelid	11.64	11.64	090	2	1	0	0	0
15822	Α	Revision of upper eyelid	9.08	9.08	090	2	1	1	0	0
15823	Α	Revision of upper eyelid	14.18	14.18	090	2	1	1	0	0
15824	R	Removal of forehead	0.00	0.00	XXX	2	0	0	0	0
15825	R	Removal of neck	0.00	0.00	XXX	2	0	0	0	0
15826	R	Removal of brow	0.00	0.00	XXX	2	0	0	0	0
15828	R	Removal of face	0.00	0.00	XXX	2	0	0	0	0
15829	R	Removal of skin	0.00	0.00	XXX	2	0	0	0	0
15831	Α	Excise excessive skin	21.87	21.87	090	2	0	2	1	0
15832	Α	Excise excessive skin	19.26	19.26	090	2	0	2	1	0
15833	Α	Excise excessive skin	16.28	16.28	090	2	0	0	0	0
15834	Α	Excise excessive skin	17.46	17.46	090	2	0	0	0	0
15835	Α	Excise excessive skin	18.03	18.03	090	2	0	0	0	0
15836	Α	Excise excessive skin	14.69	14.69	090	2	0	0	0	0
15837	Α	Excise excessive skin	13.89	13.89	090	2	0	0	0	0
15838	Α	Excise excessive skin	12.56	12.56	090	2	0	0	0	0
15839	Α	Excise excessive skin	11.13	11.13	090	2	0	0	0	0
15840	Α	Graft for face	27.39	27.39	090	2	0	1	0	0
15841	Α	Graft for face	38.93	38.93	090	2	0	2	1	0
15842	Α	Graft for face	63.95	63.95	090	2	0	2	1	0
15845	Α	Skin and muscle	26.17	26.17	090	2	0	2	0	0
15850	В	Removal of sutures	0.00	0.00	XXX	9	9	9	9	9
15851	Α	Removal of sutures	1.09	0.94	000	2	0	1	0	0
15852	Α	Dressing change	1.24	1.03	000	2	0	1	0	0
15860	Α	Test for blood	3.21	3.21	000	2	0	0	0	0
15876	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15877	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15878	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15879	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0

# (19) Repair, pressure ulcers:

15920	Α	Removal of tail	10.41	10.41	090	2	0	0	0	0
15922	Α	Removal of tail	15.42	15.42	090	2	0	2	1	0
15931	Α	Remove sacrum ulcer	11.52	11.52	090	2	0	1	0	0
15933	Α	Remove sacrum ulcer	17.32	17.32	090	2	0	0	0	0
15934	Α	Remove sacrum ulcer	19.55	19.55	090	2	0	1	0	0
15935	Α	Remove sacrum ulcer	25.34	25.34	090	2	0	2	1	0
15936	Α	Remove sacrum ulcer	22.29	22.29	090	2	0	1	1	0
15937	Α	Remove sacrum ulcer	27.38	27.38	090	2	0	2	1	0
15940	Α	Remove ischial ulcer	12.31	12.31	090	2	0	1	0	0
15941	Α	Remove ischial ulcer	17.95	17.95	090	2	0	0	0	0
15944	Α	Remove ischial ulcer	20.35	20.35	090	2	0	0	0	0
15945	Α	Remove ischial ulcer	23.43	23.43	090	2	0	0	0	0
15946	Α	Remove ischial ulcer	37.41	37.41	090	2	0	2	1	0
15950	Α	Remove thigh ulcer	10.07	10.07	090	2	0	1	0	0
15951	Α	Remove thigh ulcer	17.99	17.99	090	2	0	0	1	0
15952	Α	Remove thigh ulcer	17.98	17.98	090	2	0	2	1	0
15953	Α	Remove thigh ulcer	21.27	21.27	090	2	0	1	1	0
15956	Α	Remove thigh ulcer	32.45	32.45	090	2	0	2	1	0
15958	Α	Remove thigh ulcer	32.58	32.58	090	2	0	2	1	0
15999	C	Remove ulcer	0.00	0.00	YYY	2	0	0	1	1

## 5221.4030 FEES FOR MEDICAL SERVICES

(20) Repair, burns, local treatment	(20) 1	Repair,	burns,	local	treatment
-------------------------------------	--------	---------	--------	-------	-----------

16000	Α	Initial treatment	1.16	0.99	000	2	0	1	0	0
16010	Α	Treatment of burn	1.12	0.96	000	2	0	1	0	0
16015	Α	Treatment of burn	4.31	4.31	000	2	0	1	0	0
16020	Α	Treatment of burn	1.07	0.91	000	2	0	1	0	0
16025	Α	Treatment of burn	2.14	1.92	000	2	0	1	0	0
16030	Α	Treatment of burn	2.43	2.43	000	2	0	1	0	0
16035	Α	Incision of burn	6.38	6.38	090	2	0	1	0	0
16040	Α	Burn wound excision	2.72	2.30	000	2	0	0	0	0
16041	Α	Burn wound excision	5.61	5.61	000	2	0	0	0	0
16042	Α	Burn wound excision	4.93	4.93	000	2	0	0	0	0

# (21) Destruction, benign or premalignant lesions:

17000	Α	Destroy lesions	0.97	0.76	010	2	0	1	0	0
17001	D	Destroy lesions	0.37	0.28	ZZZ	0	0	1	0	0
17002	D	Destroy lesions	0.27	0.23	ZZZ	0	0	1	0	0
17003	Α	Destroy 2 to 14 lesions	0.27	0.20	ZZZ	0	0	1	0	0
17004	Α	Destroy 15 or more	4.82	3.73	010	0	0	1	0	0
17010	D	Destroy lesions	1.45	1.22	010	2	0	1	0	0
17100	D	Destroy lesions	0.88	0.70	010	2	0	1	0	0
17101	D	Destroy lesions	0.23	0.17	ZZZ	0	0	1	0	0
17102	D	Destroy lesions	0.18	0.14	ZZZ	0	0	1	0	0
17104	D	Destroy lesions	1.93	1.89	010	2	0	1	0	0
17105	D	Destroy lesions	1.03	0.88	010	2	0	1	0	0
17106	Α	Destroy lesions	6.13	5.20	090	2	0	1	0	0
17107	Α	Destroy lesions	12.10	10.32	090	2	0	1	0	0
17108	Α	Destroy lesions	21.37	21.37	090	2	0	0	0	0
17110	Α	Destroy lesions	0.99	0.80	010	2	0	1	0	0
17111	Α	Destroy lesions	1.44	1.15	010	2	0	1	0	0
17200	D	Electrocautery	1.00	0.80	010	2	0	1	0	0
17201	D	Electrocautery	0.50	0.42	ZZZ	0	0	1	0	0
17250	Α	Chemical cauterization	0.80	0.64	000	2	0	1	0	0

# (22) Destruction, malignant lesions, any method:

17260	Α	Destroy lesions	1.97	1.43	010	2	0	1	0	0
17261	Α	Destroy lesions	2.47	1.80	010	2	0	1	0	0
17262	Α	Destroy lesions	3.28	2.40	010	2	0	1	0	0
17263	Α	Destroy lesions	3.91	2.83	010	2	0	1	0	0
17264	Α	Destroy lesions	4.41	3.16	010	2	0	1	0	0
17266	Α	Destroy lesions	5.40	3.90	010	2	0	1	0	0
17270	Α	Destroy lesions	2.56	1.91	010	2	0	1	0	0
17271	Α	Destroy lesions	3.13	2.29	010	2	0	1	0	0
17272	Α	Destroy lesions	3.84	2.77	010	2	0	1	0	0
17273	Α	Destroy lesions	4.49	3.24	010	2	0	1	0	0
17274	Α	Destroy lesions	5.63	4.08	010	2	0	1	0	0
17276	Α	Destroy lesions	6.48	4.83	010	2	0	1	0	0
17280	Α	Destroy lesions	2.74	1.94	010	2	0	1	0	0
17281	Α	Destroy lesions	3.68	2.67	010	2	0	1	0	0
17282	Α	Destroy lesions	4.46	3.22	010	2	0	1	0	0
17283	Α	Destroy lesions	5.46	4.00	010	2	0	1	0	0
17284	Α	Destroy lesions	6.49	4.79	010	2	0	1	0	0
17286	Α	Destroy lesions	8.53	6.45	010	2	0	1	0	0

(23) Destruction, Mohs' micrographic surgery:										
17304	Δ	1st stage chemosurgery	10.95	9.01	000	0	0	1	0	0
17305	A		4.86	3.77	000	0	0	1	0	0
17306	A	3rd stage chemosurgery	4.00	3.32	000	0	0	1	0	0
17307	_	Follow-up skin, 1 to 5	4.07	3.36	000	0	0	1	0	0
17310	Α	Extensive skin, over 5	0.99	0.93	000	0	0	1	0	0
(24) Destru	ctio	n, other procedures:								
17340	Α	Cryotherapy for acne	0.97	0.84	010	2	0	1	0	0
17360	Α	Skin peel therapy	1.57	1.44	010	2	0	1	0	0
17380	R	Hair removal	0.00	0.00	XXX	2	0	0	0	0
17999	C	Skin tissue procedure	0.00	0.00	YYY	2	0	0	1	1
(25) Breast,	inc	ision:								
(20) 210000,										
19000	Α	Drainage of breast cyst	1.17	0.98	000	2	1	1	0	0
19001	Α	Drain additional cyst	0.64	0.52	ZZZ	0	1	1	0	0
19020	Α	Incision of breast	4.75	4.75	090	2	1	1	0	0
19030	Α	Injection for breast	1.88	1.88	000	2	1.	1	0	0
(26) Breast,	exc	cision:								
19100	Α	Biopsy of breast	1.84	1.53	000	2	1	1	0	0
19101	Α	Biopsy of breast	5.40	5.40	010	2	1	1	0	0
19110	Α	Nipple exploration	6.56	6.56	090	2	1	1	0	0
19112	Ā	Excise breast duct	5.79	5.79	090	2	1	0	0	0
19120	A	Removal of breast	8.18	8.18	090	2	1	1	0	0
19125	A	Excision, breast lesion	8.63	8.63	090	2	1	1	1	Ō
19126	A	Excision, additional	4.23	4.23	ZZZ	0	0	1	1	0
19140	A	Removal of breast	9.31	9.31	090	2	1	1	0	Ŏ
19160	Ā	Removal of breast	9.91	9.91	090	2	1	0	0	0
19162	A	Removal of breast	22.42	22.42	090	2	1	2	1	0
19180	Α	Removal of breast	14.05	14.05	090	2	1	2	1	0
19182	A	Removal of breast	13.58	13.58	090	2	1	2	1	0
19200	Α	Removal of breast	25.12	25.12	090	2	1	2	1	0
19220		Removal of breast	25.95	25.95	090	2	1	2	1	0
19240		Removal of breast	24.74	24.74	090	2	1	2	1	0
19260		Removal of chest tumor	19.47	19.47	090	2	0	2	1	0
19271		Revision of chest tumor	32.16	32.16	090	2	0	2	1	Ŏ
19272		Extensive chest	33.15	33.15	090	2	0	2	1	0
(27) Breast,	int	roduction:								
19290	Δ	Place needle wire	1.62	1.62	000	2	1	1	2	n
19290		Place needle wire	0.84	0.84	ZZZ	0	0	0	2	0

### 5221.4030 FEES FOR MEDICAL SERVICES

(28) Br	east,	rep	pair and/or reconstruction:								
19316 19318 19324 19325 19328 19330 19340 19342 19350 19355 19357 19361 19364 19366 19367 19368 19369	east,	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Suspension of breast Reduce large breast Enlarge breast Enlarge breast Enlarge breast Removal of breast Removal of implant Immediate breast implant Delayed breast implant Breast reconstruction Correct inverted nipple Breast reconstruction	22.40 29.66 8.86 13.96 9.19 11.05 13.60 21.73 15.70 12.19 29.53 39.07 44.45 36.91 44.94 51.02 48.65	22.40 29.66 8.86 13.96 9.19 11.05 13.60 21.73 15.70 12.19 29.53 39.07 44.45 36.91 44.94 51.02 48.65	090 090 090 090 090 090 2ZZZ 090 090 090 090 090 090	222222222222222222222222222222222222222	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 0 0 1 1 1 0 1 0 2 2 2 2 2 2 2	1 1 0 0 0 0 0 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
19370 19371			Surgery of breast Removal of breast	13.92 16.98	13.92 16.98	090 090	2	1 1	1 1	0	0
19371		A	Breast reconstruction	17.00	17.00	090	2	1	1	0	0
19396		A	Design custom breast	3.66	3.66	000	2	î	ō	ŏ	ŏ
(29) Br 19499	east,		ner procedures:  Breast surgery	0.00	0.00	YYY	2	1	0	1	1
25 155		_	210ast sargery	0.00	0.00		_	_	Ū	-	_
dures.	B. 2	Pro	ocedure code numbers 20000  4	to 29909	relate 6	to musc	ulos 8			pro	
										-	
1 (1) Ger	2 neral,	3	4 cision:	5	6		8			-	
1 (1) Ger 20000	2 neral,	inc A	4 cision: Incision of abscess	2.79	2.38	7 010	8	9	10	11 0	12
1 (1) Ger 20000 20005	2 neral,	inc A A	4 cision:	5	6	7	8	9	10	11	12
1 (1) Ger 20000 20005	2 neral,	inc A A	dund exploration, trauma:	2.79	2.38	7 010	2 2 2	9	10	11 0	12
1 (1) Ger 20000 20005 (2) Ger 20100 20101	2 neral,	inc A A	4  Cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest	2.79 5.03 14.59 4.64	2.38 5.03	7 010 010 010	2 2 2	9 0 0	10	111	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102	2 neral,	inc A A A	cision:  Incision of abscess Incision of deep abscess ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	7 010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 0	10 1 1 1 2 2 2 2	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101	2 neral,	inc A A	4  Cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest	2.79 5.03 14.59 4.64	2.38 5.03	7 010 010 010	2 2 2	9 0 0	10	111	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger	2 neral,	inc A A A A A A A	cision:  Incision of abscess Incision of deep abscess ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity cision:	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	010 010 010 010 010 010	2 2 2 2 2	9 0 0 0	10 1 1 1 2 2 2 0	0 0 0 0 0	0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150	2 neral,	inc A A A A A A A A	cision:  Incision of abscess Incision of deep abscess ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity cision:  Excise epiphyseal bar	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	7 010 010 010 010 010 010	2 2 2 2 2	9 0 0 0 1	10 1 1 1 2 2 2 2 0	111 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200	2 neral,	inc A A A A A A A A A A	cision:  Incision of abscess Incision of deep abscess  bund exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	7 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205	2 neral, neral,	inc AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	7 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 1 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205 20206	2 neral, neral,	ind AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy Needle biopsy, muscle	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90	2.38 5.03 14.59 4.64 5.68 7.64	7 010 010 010 010 010 010 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0	10 1 1 1 2 2 2 2 0 0	111 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205	2 neral, neral,	inc AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90 2.47 3.84	7 010 010 010 010 010 010 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0 0 0 0	10 1 1 1 2 2 2 2 2 0	111 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205 20206 20220	2 neral, neral,	ind AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision:  Incision of abscess Incision of deep abscess  ound exploration, trauma:  Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity  cision:  Excise epiphyseal bar Muscle biopsy Deep muscle biopsy Needle biopsy, muscle Bone biopsy, trocar	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90 2.47	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90 2.47	7 010 010 010 010 010 010 010 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0 0 0	10 1 1 1 2 2 2 2 2 0	111 0 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0 0 0

# **MINNESOTA RULES 2003**

559			FEES	FOR	MEDICA	L SER	VICI	ES	522	1.40	30
20245	Α	Bone biopsy, excisional		7.29	7.29	010	2	0	1	0	0
20250	Α	Open bone biopsy		9.88		010	2	0	1	0	0
20251	Α	Open bone biopsy		11.20	11.20	010	2	0	2	0	0
(4) General	, in	troduction or removal:									
20500	Α	Injection of sinus tract		1.49		010	2	0	1	0	0
20501	Α	Injection of sinus tract	_	0.99		000	2	0	1	0	0
20520	Α	9		2.41		010	2	0	1	0	0
20525	A	Removal of foreign boo	iy	5.51		010	2	0	1	0	0
20550 20600	A	Inject tendon/ligament		1.17 1.08		000	2 2	0 1	1 1	0	0 0
20605	A	Drain or inject joint Drain or inject joint		1.08		000	2	1	1	0	0
20610	A	Drain or inject joint		1.18		000	2	1	1	0	0
20615	A	Treatment of bone cyst		2.58		010	2	Ô	1	0	0
20650	A	Insert and removal		3.14		010	2	ŏ	1	1	Ö
20660	Α	Apply, remove		3.90		000	ō	Õ	1	Ō	Ö
20661	Α	Application of halo		8.49		090	2	0	1	0	0
20662	Α	Application of halo		12.40	12.40	090	2	0	0	0	0
20663	Α	Application of halo		9.83	9.83	090	2	0	0	0	0
20664	Α	Halo brace application		11.37		090	2	0	1	0	0
20665	Α	Removal of fixation		1.73		010	2	0	0	0	0
20670	A	Removal of implant		2.36		010	2	0	1	0	0
20680	A	Removal of implant		6.54		090	2	0	0	0	0
20690	A	Apply bone fixation		7.05		ZZZ	0	0	1 2	0	0
20692 20693	A	Apply bone fixation		11.63 7.96		ZZZ 090	0 2	0	1	$\frac{1}{0}$	0
20694	A	Adjust bone fixation Remove bone fixation		6.5		090	2	0	1	0	0
20071	•	remove bone ination		0.5	0.51	0,0	_	Ü	•	Ü	Ü
(5) General	, re	plantation:									
	,	_									
20802	Α	Replantation, arm		77.19	77.19	090	2	1	2	1	0
20805	Α	Replantation, forearm		94.16		090	2	1	2	1	0
20808	A	Replantation, hand		116.60		090	2	1	2	1	0
20816	A	Replantation, digit		57.98		090	2	0	2	1	0
20822	A	Replantation, digit		47.94		090	2	0	2	1	0
20824 20827	A	Replantation, thumb		57.98 49.38		090 090	2	1	2	1	0
20827	A	Replantation, thumb Replantation, foot		77.43		090	2	1 1	2	1 1	0
20030	А	Replantation, 100t		//	77.43	090	2	1	۷	1	U
(6) General	, gr	afts:									
20900	Δ	Removal of bone		8.02	2 8.02	090	2	0	2	1	0
20900	A	Removal of bone		12.08		090	2	0	2	1	0
20910	A	Removal of botte		5.66		090	2	0	0	0	0
20912	A	Remove cartilage		10.58		090	2	ŏ	ŏ	ŏ	Õ
20920	Α	Removal of fascia		8.89		090	2	0	1	1	Ŏ
20922	A	Removal of fascia		10.63		090	2	0	2	1	0
20924	Α	Removal of tendon		11.62		090	2	0	2	1	0
20926	Α	Removal of tissue		7.74	7.74	090	2	0	1	0	0
20930	В	Spinal bone allograft		0.00	0.00	XXX	9	9	9	9	9
20931	A	Spinal bone allograft		3.47		ZZZ	0	1	1	1	0
20936	В	Spinal bone autograft		0.00	0.00	XXX	9	9	9	9	9

# **MINNESOTA RULES 2003**

5221.4030 FEES FOR MEDICAL SERVICES									560			
20937 20938		Spinal bone autograft Spinal bone autograft	5.34 5.78	5.34 5.78	ZZZ ZZZ	0	1 1	2 2	1 1	0		
(7) General, other procedures:												
20950	Α	Record fluid pressure	2.29	2.29	000	2	0	0	0	0		
20955		Fibula bone graft	73.45	73.45	090	2	0	2	1	0		
20956		Iliac bone graft	64.53	64.53	090	2	0	2	1	0		
20957		Metatarsal bone graft	66.83	66.83	090	2	0	2	1	0		
20962		Other bone graft	64.53	64.53	090	2	0	2	1	0		
20969	Α	Bone/skin graft	82.26	82.26	090	2	0	2	1	0		
20970	Α	Bone/skin graft	80.61	80.61	090	2	0	2	1	0		
20972	Α		80.87	80.87	090	2	0	2	0	0		
20973	Α	Bone/skin graft	86.16	86.16	090	2	0	2	1	0		
20974		Electrical, bone healing	4.16	2.51	000	0	0	1	ō	Õ		
20975		Electrical, bone healing	5.43	5.43	ZZZ	Ŏ	0	2	1	0		
20999	C	Musculoskeletal	0.00	0.00	YYY	2	Ŏ	$\bar{0}$	1	1		
(8) Head, i			19.61	19.61	090	2	1	0	0	0		
21010	A	Incision of jaw	19.01	19.01	090	2	1	U	U	U		
(9) Head, 6	excis	ion:										
21015	Α	Resection of face	11.05	11.05	090	2	0	1	0	0		
21025	Α	Excision of bone	13.34	11.34	090	2	0	1	0	0		
21026	Α	Excision of face bone	7.59	6.07	090	2	0	1	0	0		
21029	Α	Contour of face bone	15.62	11.52	090	2	0	0	0	0		
21030	Α	Removal of face tumor	9.26	7.64	090	2	0	1	0	0		
21031	Α	Remove exostosis	6.67	4.90	090	2	0	1	0	0		
21032	Α	Remove exostosis	6.88	5.01	090	2	0	1	0	0		
21034	Α	Removal of face tumor	21.91	21.91	090	2	0	2	1	0		
21040	Α	Removal of jaw tumor	4.71	3.38	090	2	0	1	0	0		
21041	Α	Removal of jaw tumor	11.93	9.15	090	2	0	1	0	0		
21044	Α	Removal of jaw tumor	20.60	20.60	090	2	0	2	1	0		
21045		Extensive jaw resection	28.91	28.91	090	2	0	2	1	0		
21050	Α	Removal of jaw	21.82	21.82	090	2	1	0	0	0		
21060	Α	Remove jaw joint	20.73	20.73	090	2	1	2	1	0		
21070	Α	Remove coronoidectomy	14.47	14.47	090	2	1	0	0	0		
(10) Head,	intr	oduction or removal:										
21076	Α	Prepare face/oral	27.19	20.06	010	2	0	0	0	0		
21077		Prepare face/oral	68.37	50.44	090	2	1	0	0	Ō		
21079	Α	Prepare face/oral	48.50	35.01	090	2	0	1	Ŏ	0		
21080		Prepare face/oral	54.49	39.33	090	2	0	1	Ō	0		
21081		Prepare face/oral	49.66	35.85	090	2	0	0	0	0		
21082		Prepare face/oral	42.28	31.19	090	2	0	0	Õ	0		
21083		Prepare face/oral	41.90	30.24	090	2	Ō	Ō	Ŏ	Ō		
21084	A	Prepare face/oral	48.87	35.28	090	2	Ŏ	ŏ	ŏ	ŏ		
21085	A	Prepare face/oral	18.23	13.45	010	2	Ŏ	ŏ	ő	ŏ		
21086		Prepare face/oral	54.10	39.05	090	2	1	Ŏ	ŏ	Ŏ		
					=	-						

21088 C 21089 C 21100 A 21110 A	Prepare face/oral Prepare face/oral Prepare face/oral Maxillofacial fixation Interdental fixation	50.48 0.00 0.00 4.92 10.33	37.25 0.00 0.00 4.92 7.65	090 090 090 090 090	2 0 0 2 2	0 0 0 0	0 0 1 0	0 0 0 0	0 0 0 0
	Interdental fixation Injection, jaw joint	10.33	7.65 1.47	000	2	0	1	0	0

FEES FOR MEDICAL SERVICES 5221.4030

# (11) Head, repair, revision, and/or reconstruction:

21120	Α	Reconstruction	8.17	8.17	090	2	0	1	1	0
21121	Α	Reconstruction	12.76	12.76	090	2	0	2	0	0
21122	Α	Reconstruction	14.16	14.16	090	2	0	2	0	0
21123	Α	Reconstruction	18.52	18.52	090	2	0	2	1	0
21125	Α	Augmentation	14.50	14.50	090	2	0	2	Ō	0
21127	A	Augmentation	18.24	18.24	090	2	Ŏ	2	1	Õ
21137		Reduction of forehead	16.24	16.24	090	2	ŏ	2	ô	ŏ
21138		Reduction of forehead	20.20	20.20	090	2	ŏ	2	1	ŏ
21139	A	Reduction of forehead	24.23	24.23	090	2	ő	2	1	0
21141	A	Reconstruct midface	31.21	31.21	090	2	0	2	1	0
21142	A	Reconstruct midface	32.37	32.37	090	2	0	2	1	0
21142	Ā	Reconstruct midface	33.65	33.65	090	2	0	2	1	0
21145		Reconstruct midface	32.88	32.88	090	2	0	2	Ô	0
21145	Ā	Reconstruct midface	34.10	34.10	090	2	0	2	1	0
21140	A	Reconstruct midface	35.64	35.64	090	$\frac{2}{2}$	0	2	0	0
					•	2	-	2	-	
21150		Reconstruct midface	41.94	41.94	090		0	2	0	0
21151	Α	Reconstruct midface	47.00	47.00	090	2	0	2	0	0
21154	Α	Reconstruct midface	50.53	50.53	090	2	0	2	1	0
21155	Α	Reconstruct midface	57.15	57.15	090	2	0	2	0	0
21159	Α	Reconstruct midface	70.44	70.44	090	2	0	2	1	0
21160	Α	Reconstruct midface	77.16	77.16	090	2	0	2	0	0
21172	Α	Reconstruct orbital rim	46.15	46.15	090	2	0	2	1	0
21175	Α	Reconstruct orbital rim	55.22	55.22	090	2	0	2	0	0
21179	Α	Reconstruct forehead	36.93	36.93	090	2	0	2	0	0
21180	Α	Reconstruct forehead	41.90	41.90	090	2	0	2	1	0
21181	Α	Contour cranial bones	16.31	16.31	090	2	0	0	0	0
21182	Α	Reconstruct cranial bone	53.58	53.58	090	2	0	2	1	0
21183	Α	Reconstruct cranial bone	58.70	58.70	090	2	0	2	1	0
21184	Α	Reconstruct cranial bone	63.63	63.63	090	2	0	2	0	0
21188	Α	Reconstruct midface	37.12	37.12	090	2	0	2	0	0
21193	Α	Reconstruct lower jaw	28.25	28.25	090	2	2	2	1	0
21194	Α	Reconstruct lower jaw	32.71	32.71	090	2	2	2	Ō	0
21195		Reconstruct lower jaw	28.36	28.36	090	2	2	2	Ö	0
21196	A	Reconstruct lower jaw	31.18	31.18	090	$\bar{2}$	2	$\bar{2}$	1	Õ
21198	A	Reconstruct lower jaw	28.13	28.13	090	2	Õ	$\tilde{2}$	1	ŏ
21206	A	Reconstruct upper jaw	23.25	23.25	090	2	ŏ	$\tilde{2}$	1	ŏ
21208	A		20.74	20.74	090	2	ŏ	Õ	0	0
21209	A	Reduction of face	10.95	10.95	090	2	0	2	0	ő
21210		Face bone graft	20.87	15.43	090	2	0	1	0	0
21215			22.01	16.28	090	2	0	1	1	0
		Lower jaw bone graft				2	_	_	_	_
21230	A		20.73	20.73	090		0	0	0	0
21235		Ear cartilage graft	13.84	13.84	090	2	0	1	0	0
21240	A	Reconstruction	28.84	28.84	090	2	1	2	1	0
21242	A	Reconstruction	26.76	26.76	090	2	1	2	1	0
21243	A	Reconstruction	33.71	33.71	090	2	1	2	1	0
21244	Α	Reconstruction	24.44	24.44	090	2	0	2	1	0
21245	Α	Reconstruction	22.57	22.57	090	2	0	2	0	0

21246	Α	Reconstruction	20.42	20.42	090	2	0	2	0	0
21240			45.84	45.84	090		0	2	1	0
	A	Reconstruct lower jaw				2				
21248	A	Reconstruction	23.59	17.49	090	2	0	1	0	0
21249	Α	Reconstruction	36.33	27.03	090	2	0	0	0	0
21255	Α	Reconstruct lower jaw	33.87	33.87	090	2	0	2	1	0
21256	Α	Reconstruction	32.80	32.80	090	2	0	2	1	0
21260	Α	Revise eye socket	33.46	33.46	090	2	0	2	1	0
21261	Α	Revise eye socket	46.67	46.67	090	2	0	2	1	0
21263	Α	Revise eye socket	57.57	57.57	090	2	0	2	1	0
21267	Α	Revise eye socket	32.44	32.44	090	2	0	2	1	0
21268	Α	Revise eye socket	38.78	38.78	090	2	0	2	1	0
21270	Α	Augmentation, chin	19.34	19.34	090	2	0	2	1	0
21275	Α	Revise orbitofacial	19.54	19.54	090	2	0	2	1	0
21280	Α	Revision of eye	12.21	12.21	090	2	1	0	0	0
21282	A	Revision of eye	7.31	7.31	090	2	1	1	ŏ	ŏ
21295	A	Revision of jaw	2.39	2.39	090	2	0	Ô	0	ŏ
21296	A		7.48	7.48	090	2	0	0	0	0
21290	A	Revision of jaw	7.40	7.40	090	۷	U	U	U	U
(12) Head	, othe	er procedures:								
21299	С	Cranio/maxillofacial	0.00	0.00	YYY	2	0	0	1	1
212))	C	Cramo/maxinoraciai	0.00	0.00	111	۷	U	Ü	1	1
(13) Head	, frac	ture and/or dislocation:								
21300	Α	Treatment of skull	1.60	1.48	000	2	0	0	0	0
21310	Α	Treatment of nose	1.30	1.19	000	2	0	1	0	0
21315	Α	Treatment of nose	3.23	3.09	010	2	0	1	0	0
21320	Α	Treatment of nose	4.12	3.84	010	2	0	1	0	0
21325	Α	Repair of nose	7.66	7.66	090	2	0	0	0	0
21330	Α	Repair of nose	11.08	11.08	090	2	0	0	0	0
21335	Α	Repair of nose	17.82	17.82	090	2	0	1	0	0
21336	Α	Repair nasal septal	9.43	9.43	090	2	0	0	0	0
21337	Α	Repair nasal septal	5.38	5.38	090	2	0	0	0	0
21338	Α	Repair nasoethmoid	11.07	11.07	090	2	0	Ō	Ŏ	0
21339	A	Repair nasoethmoid	14.58	14.58	090	2	Ŏ	2	1	Ŏ
21340	A	Repair of nose	18.96	18.96	090	$\bar{2}$	Ŏ	$\bar{0}$	Ô	ŏ
21343	A	Repair of sinus	21.21	21.21	090	$\bar{2}$	Ŏ	2	1	Ŏ
21344	A	Repair of sinus	27.36	27.36	090	2	ŏ	2	2	ŏ
21345	A	Repair of nose	15.49	15.49	090	2	Ŏ	õ	$\bar{0}$	Ŏ
21346	A	Repair of nose	19.29	19.29	090	$\bar{2}$	Ŏ	1	1	Ŏ
21347	A	Repair of nose	22.28	22.28	090	2	Ō	2	1	Ō
21348	A	Repair of nose	27.33	27.33	090	2	0	2	2	ŏ
21355	A	Repair cheek bone	5.02	5.02	010	2	0	$\bar{0}$	$\bar{0}$	ŏ
21356	A	Repair cheek bone	8.67	8.67	010	2	ŏ	ő	0	ő
21360	A	Repair cheek bone	13.22	13.22	090	2	ŏ	2	0	ŏ
21365	A	Repair cheek bone	26.40	26.40	090	2	0	2	1	0
21366	A	Repair cheek bone	29.10	29.10	090	2	0	2	2	0
21385	A	Repair eye socket	18.20	18.20	090	2	0	2	1	0
21386	A		17.77	17.77	090	2	0	2	0	0
		Repair eye socket		16.53		2	0	2		
21387	A	Repair eye socket	16.53		090				0	0
21390	A	Repair eye socket	20.71 21.57	20.71 21.57	090	2	0	2	1	0
21395	A A	Repair eye socket Treat eye socket	21.57	21.57	090 090	2	0	0	$\begin{array}{c} 1 \\ 0 \end{array}$	0
		LIEAL EVE SUCKEL	4.98	Z D.D	いりい	4	U	U	17	0
21400										
21400 21401 21406	A A	Repair eye socket Repair eye socket	5.63 11.80	5.63 11.80	090 090	2 2	0	2 2	0 1	$0 \\ 0$

563		F	EES	FOR	MEDICAL	AL SERV		SERVICES		ES	S 5221.		30
21407	Α	Repair eye socket		15.10	) 15.10	090	2	0	2	1	0		
21407	A	Repair eye socket		19.99		090	2	ő	2	2	0		
21421	A	Treat mouth roof		10.94		090	2	0	0	0	0		
21421	A	Repair mouth roof		17.05		090	2	0	2	1	0		
21423	A	Repair mouth roof		19.56		090	2	0	2	2	0		
21423	A	Treat craniofacial		12.61		090	2	0	2	0	0		
21431				14.81		090	2	0	2	0	0		
	A	Repair craniofacial		41.52		090	2	0	2	1	0		
21433 21435	A	Repair craniofacial		29.50		090	2	0	2	0	0		
21435	A	Repair craniofacial Repair craniofacial		40.75		090	2	0	2	2	0		
	A	-		5.57		090	2	0	0	0	0		
21440	A	Repair dental ridge					2		2				
21445	A	Repair dental ridge		11.09		090	2	0	0	0	0		
21450	A	Treat lower jaw		5.58		090	2			0			
21451	A	Treat lower jaw		10.46		090	2	0	$0 \\ 0$	0	0		
21452	A	Treat lower jaw		3.23		090	2	0	0	0	0		
21453	A	Treat lower jaw		11.75 13.52		090	2	0	0	0	0		
21454	A	Treat lower jaw		16.66		090	2	0	2	1 1	0		
21461	A	Repair lower jaw				090	2	0	2				
21462	A	Repair lower jaw		20.03		090		0		1	0		
21465	A	Repair lower jaw		19.51		090	2	0	2	1	0		
21470	A	Repair lower jaw		31.18		090	2	0	2	1	0		
21480	A	Reset dislocation		1.36		000	2	1	1	0	0		
21485	A	Reset dislocation		5.85		090	2	1	0	0	0		
21490	A	Repair dislocation		17.15		090	2	1	2	1	0		
21493	A	Treat hyoid bone		2.69		090	2	0	1	1	0		
21494	A	Repair hyoid bone		13.31		090		0	2	1	0		
21495	A	Repair hyoid bone		10.10		090	2	0	2	0	0		
21497	A	Interdental wiring		7.55	7.55	090	2	0	0	0	0		
(14) Head,	othe	er procedures:											
21499	C	Head surgery procedure		0.00	0.00	YYY	2	0	0	1	1		
(15) Neck a	nd 1	thorax, incision:											
21501	A	Drain neck/chest		5.36	5.36	090	2	0	1	0	0		
21502	A	Drain chest lesion		10.95		090	2	ŏ	2	ŏ	ŏ		
21510		Drainage of bone		9.18		090	2	ŏ	ō	ŏ	ŏ		
		Dramage or com-			7124						•		
(16) Neck a	nd 1	chorax, excision											
21550	Α	Biopsy of neck		2.76	2.35	010	2	0	1	0	0		
21555	Α	Remove lesion, neck		5.63		090	2	0	1	0	0		
21556	A	Remove lesion, neck		9.08		090	2	0	1	0	0		
21557	A	Remove tumor, neck		17.05		090	2	0	2	1	0		
21600	Α	Partial removal		11.09		090	2	0	2	1	Ō		
21610		Partial removal		18.68		090	2	0	2	Ō	Õ		
21615	A	Removal of rib		19.83		090	2	1	2	1	Õ		
21616	Α	Removal of rib		18.77		090	2	1	2	Ô	ŏ		
21620	A	Partial removal		13.46		090	2	ō	2	1	ŏ		
21627	A	Sternal debridement		11.54		090	2	ő	2	0	ő		
21630	A	Extensive sternum		29.55		090	2	0	2	1	ŏ		
21632	Α	Extensive sternum		28.84		090	2	0	2	1	ŏ		
	- •				_0.0.		_	•	_	-	~		

(17) Neck a	nd 1	thorax, repair, revision, and/or	reconstr	uction:						
21700	Δ	Revision of neck	9.91	9.91	090	2	0	2	0	0
21705		Revision of neck	13.93	13.93	090	2	0	2	ő	0
21703		Revision of neck	9.15	9.15	090	2	0	2	ő	0
21725		Revision of neck	11.43	11.43	090	2	0	2	1	ő
21740		Reconstruction	24.57	24.57	090	2	0	2	1	0
21750		Repair of sternum	17.65	17.65	090	2	0	2	1	0
21750	A	Repair of sternam	17.05	17.05	070	2	Ū	_	1	U
(18) Neck a	ind 1	thorax, fracture and/or dislocat	tion:							
21800	Α	Treat rib fracture	1.65	1.65	090	2	0	1	0	0
21805	A	Treat rib fracture	3.89	3.89	090	2	0	0	Ŏ	Ŏ
21810	A	Treat rib fracture	13.64	13.64	090	2	0	2	Ŏ	ŏ
21820	Ā		2.57	2.57	090	2	0	1	Õ	0
21825		Repair sternum fracture	14.01	14.01	090	$\bar{2}$	Õ	2	1	ŏ
21025	21	respair stormain fractate	14.01	14.01	070	_	J	_	•	Ū
(19) Neck a	ınd 1	thorax, other procedures:								
21899	С	Neck/chest surgery	0.00	0.00	YYY	2	0	0	1	1
(20) Back a	nd f	lank, excision:								
21920	Α	Biopsy soft tissue	2.69	2.31	010	2	0	1	0	0
21925		Biopsy soft tissue	6.14	6.14	090	2	0	1	0	0
21930		Remove lesion, back	7.44	7.44	090	2	0	1	0	0
21935		Remove tumor, back	23.39	23.39	090	2	0	1	1	0
(21) Spine,	exci	sion:								
22100	Α	Remove part of vertebra	16.81	16.81	090	2	0	2	1	0
22101		Remove part of thoracic	17.40	17.40	090	2	0	2	1	0
22102		Remove part of lumbar	13.62	13.62	090	2	0	2	1	0
22103	Α	Remove extra segment	4.48	4.48	ZZZ	0	0	2	1	0
22110	Α	Remove part of lesion	21.86	21.86	090	2	0	2	1	0
22112		Remove part of thoracic	22.09	22.09	090	2	0	2	1	0
22114	Α	Remove part of lumbar	19.28	19.28	090	2	0	2	1	0
22116	A	Remove extra segment	4.44	4.44	ZZZ	0	0	2	1	0
(22) Spine,	oste	eotomy:								
22210		Revision of neck	36.32	36.32	090	2	0	2	1	0
22212		Revision of thoracic	35.89	35.89	090	2	0	0	0	0
22214		Revision of lumbar	33.73	33.73	090	2	0	2	1	0
22216		Revise extra segment	10.87	10.87	ZZZ	0	1	2	1	0
22220		Revision of neck	36.92	36.92	090	2	0	2	1	0
22222		Revision of thoracic	33.55	33.55	090	2	0	0	0	0
22224		Revision of lumbar	35.18	35.18	090	2	0	2	1 1	0
22226	A	Revise extra segment	10.87	10.87	ZZZ	0	1	2	1	0

### FEES FOR MEDICAL SERVICES 5221.4030

22310       A Treat spine fracture       5.18       5.18       090       2       0       1       0         22315       A Treat spine fracture       13.82       13.82       090       2       0       1       0         22325       A Repair of spine       25.39       25.39       090       2       0       2       1         22326       A Repair cervical       34.68       34.68       090       2       0       2       1         22327       A Repair thoracic       34.13       34.13       090       2       0       2       1         22328       A Repair each additional       8.83       8.83       ZZZ       0       0       2       1         (24) Spine, manipulation:       22505       A Manipulation of spine       3.06       3.06       010       2       0       1       0         (25) Spine, anterior or anterolateral approach technique:         22548       A Neck spine fusion       47.51       47.51       090       2       0       2       2         22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2       2       2       2 <th></th>	
22310       A Treat spine fracture       5.18       5.18       090       2       0       1       0         22315       A Treat spine fracture       13.82       13.82       090       2       0       1       0         22325       A Repair of spine       25.39       25.39       090       2       0       2       1         22326       A Repair cervical       34.68       34.68       090       2       0       2       1         22327       A Repair thoracic       34.13       34.13       090       2       0       2       1         22328       A Repair each additional       8.83       8.83       ZZZ       0       0       2       1         (24) Spine, manipulation:       22505       A Manipulation of spine       3.06       3.06       010       2       0       1       0         (25) Spine, anterior or anterolateral approach technique:         22548       A Neck spine fusion       47.51       47.51       090       2       0       2       2         22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2       2       2       2 <td>0</td>	0
22315 A Treat spine fracture  22325 A Repair of spine  25.39 25.39 090 2 0 2 1  22326 A Repair cervical  34.68 34.68 090 2 0 2 1  22327 A Repair thoracic  34.13 34.13 090 2 0 2 1  22328 A Repair each additional  8.83 8.83 ZZZ 0 0 2 1  (24) Spine, manipulation:  22505 A Manipulation of spine  3.06 3.06 010 2 0 1 0  (25) Spine, anterior or anterolateral approach technique:  22548 A Neck spine fusion  47.51 47.51 090 2 0 2 2  22554 A Neck spine fusion  37.98 37.98 090 2 0 2 2  22556 A Thorax spine fusion  44.21 44.21 090 2 0 2 2  22558 A Lumbar spine fusion  41.57 41.57 090 2 0 2 2  22558 A Additional spine  10.75 10.75 ZZZ 0 0 2 2  (26) Spine, posterior, posterolateral or lateral transverse process technique:	Õ
22325       A Repair of spine       25.39       25.39       090       2       0       2       1         22326       A Repair cervical       34.68       34.68       090       2       0       2       1         22327       A Repair thoracic       34.13       34.13       090       2       0       2       1         22328       A Repair each additional       8.83       8.83       ZZZ       0       0       2       1         (24) Spine, manipulation:         (25) Spine, manipulation of spine       3.06       3.06       010       2       0       1       0         (25) Spine, anterior or anterolateral approach technique:         22548       A Neck spine fusion       47.51       47.51       090       2       0       2       2         22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2         22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22585       A Additional spine       10.75       10.75       ZZZ       0       0       2       2	Ŏ
22326       A Repair cervical       34.68       34.68       090       2       0       2       1         22327       A Repair thoracic       34.13       34.13       090       2       0       2       1         22328       A Repair each additional       8.83       8.83       ZZZ       0       0       2       1         (24) Spine, manipulation:         (25) Spine, anterior or anterolateral approach technique:         (25) Spine, anterior or anterolateral approach technique:         22548       A Neck spine fusion       47.51       47.51       090       2       0       2       2         22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2         22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22558       A Lumbar spine fusion       41.57       41.57       090       2       0       2       2         (26) Spine, posterior, posterior, posterolateral or lateral transverse process technique:         22590       A Spine and skull       41.35       41.35       090       2       0       2       2 <td>ŏ</td>	ŏ
22327       A Repair thoracic       34.13       34.13       090       2       0       2       1         22328       A Repair each additional       8.83       8.83       ZZZ       0       0       2       1         (24) Spine, manipulation:         22505       A Manipulation of spine       3.06       3.06       010       2       0       1       0         (25) Spine, anterior or anterolateral approach technique:         22548       A Neck spine fusion       47.51       47.51       090       2       0       2	0
22328       A Repair each additional       8.83       8.83       ZZZ       0       0       2       1         (24) Spine, manipulation:       22505       A Manipulation of spine       3.06       3.06       010       2       0       1       0         (25) Spine, anterior or anterolateral approach technique:         22548       A Neck spine fusion       47.51       47.51       090       2       0       2<	0
(24) Spine, manipulation:  22505 A Manipulation of spine 3.06 3.06 010 2 0 1 0  (25) Spine, anterior or anterolateral approach technique:  22548 A Neck spine fusion 47.51 47.51 090 2 0 2 2  22554 A Neck spine fusion 37.98 37.98 090 2 0 2 2  22556 A Thorax spine fusion 44.21 44.21 090 2 0 2 2  22558 A Lumbar spine fusion 41.57 41.57 090 2 0 2 2  22585 A Additional spine 10.75 10.75 ZZZ 0 0 2 2  (26) Spine, posterior, posterolateral or lateral transverse process technique:	0
22505 A Manipulation of spine 3.06 3.06 010 2 0 1 0  (25) Spine, anterior or anterolateral approach technique:  22548 A Neck spine fusion 47.51 47.51 090 2 0 2 2 22554 A Neck spine fusion 37.98 37.98 090 2 0 2 2 22556 A Thorax spine fusion 44.21 44.21 090 2 0 2 2 22558 A Lumbar spine fusion 41.57 41.57 090 2 0 2 2 22585 A Additional spine 10.75 10.75 ZZZ 0 0 2 2  (26) Spine, posterior, posterolateral or lateral transverse process technique:  22590 A Spine and skull 41.35 41.35 090 2 0 2 2	Ü
(25) Spine, anterior or anterolateral approach technique:  22548 A Neck spine fusion 47.51 47.51 090 2 0 2 2 22554 A Neck spine fusion 37.98 37.98 090 2 0 2 2 22556 A Thorax spine fusion 44.21 44.21 090 2 0 2 2 22558 A Lumbar spine fusion 41.57 41.57 090 2 0 2 2 22585 A Additional spine 10.75 10.75 ZZZ 0 0 2 2  (26) Spine, posterior, posterolateral or lateral transverse process technique:  22590 A Spine and skull 41.35 41.35 090 2 0 2 2	
22548       A Neck spine fusion       47.51       47.51       090       2       0       2       2         22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2         22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22558       A Lumbar spine fusion       41.57       41.57       090       2       0       2       2         22585       A Additional spine       10.75       10.75       ZZZ       0       0       2       2         (26) Spine, posterior, posterolateral or lateral transverse process technique:         22590       A Spine and skull       41.35       41.35       090       2       0       2       2	0
22548       A Neck spine fusion       47.51       47.51       090       2       0       2       2         22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2         22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22558       A Lumbar spine fusion       41.57       41.57       090       2       0       2       2         22585       A Additional spine       10.75       10.75       ZZZ       0       0       2       2         (26) Spine, posterior, posterolateral or lateral transverse process technique:         22590       A Spine and skull       41.35       41.35       090       2       0       2       2	
22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2         22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22558       A Lumbar spine fusion       41.57       41.57       090       2       0       2       2         22585       A Additional spine       10.75       10.75       ZZZ       0       0       2       2         (26) Spine, posterior, posterolateral or lateral transverse process technique:         22590       A Spine and skull       41.35       41.35       090       2       0       2       2	
22554       A Neck spine fusion       37.98       37.98       090       2       0       2       2         22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22558       A Lumbar spine fusion       41.57       41.57       090       2       0       2       2         22585       A Additional spine       10.75       10.75       ZZZ       0       0       2       2         (26) Spine, posterior, posterolateral or lateral transverse process technique:         22590       A Spine and skull       41.35       41.35       090       2       0       2       2	0
22556       A Thorax spine fusion       44.21       44.21       090       2       0       2       2         22558       A Lumbar spine fusion       41.57       41.57       090       2       0       2       2         22585       A Additional spine       10.75       10.75       ZZZ       0       0       2       2         (26) Spine, posterior, posterolateral or lateral transverse process technique:         22590       A Spine and skull       41.35       41.35       090       2       0       2       2	0
22585 A Additional spine 10.75 10.75 ZZZ 0 0 2 2  (26) Spine, posterior, posterolateral or lateral transverse process technique:  22590 A Spine and skull 41.35 41.35 090 2 0 2 2	0
22585 A Additional spine 10.75 10.75 ZZZ 0 0 2 2  (26) Spine, posterior, posterolateral or lateral transverse process technique:  22590 A Spine and skull 41.35 41.35 090 2 0 2 2	0
(26) Spine, posterior, posterolateral or lateral transverse process technique:  22590 A Spine and skull 41.35 41.35 090 2 0 2 2	0
22590 A Spine and skull 41.35 41.35 090 2 0 2 2	
22590 A Spine and skull 41.35 41.35 090 2 0 2 2	
	0
22595 A Neck spine fusion 40.34 40.34 090 2 0 2 2	0
22600 A Neck spine fusion 33.63 33.63 090 2 0 2 2	Ō
22600       A Neck spine fusion       33.63       33.63       090       2       0       2       2         22610       A Thorax spine fusion       33.08       33.08       090       2       0       2       2         22612       A Lumbar spine fusion       40.80       40.80       090       2       0       2       2	Ō
22612 A Lumbar spine fusion 40.80 40.80 090 2 0 2 2	Ŏ
	Ŏ
	0
	0
(27) Spine, deformity:	
22800 A Fusion of spine 37.94 37.94 090 2 0 2 1	0
	0
•	0
•	0
<b>4</b>	Ŏ
	Ö
22819 A Kyphectomy, 3 or more 63.04 63.04 090 2 0 2 2	2
22017 A hyprictionly, 3 of more 03.04 03.04 090 2 0 2 2	۷.
(28) Spine, exploration	
22830 A Exploration of fusion 22.59 22.59 090 2 0 2 1	0

(29) Spine, s	spin	al instrumentation:								
22840 22841 22842 22843 22844 22845 22846 22847 22848 22849 22850 22851 22852 22855	B A A A A A A A A A	Insert spine fixation Insert pelvic fixation Reinsert spine fixation Remove spine fixation Apply spine prosthesis Remove spine fixation Remove spine fixation Remove spine fixation	17.70 0.00 18.66 21.25 25.96 16.88 19.62 21.79 11.49 29.25 18.33 12.85 18.51 21.63	17.70 0.00 18.66 21.25 25.96 16.88 19.62 21.79 11.49 29.25 18.33 12.85 18.51 21.63	ZZZ XXX ZZZ ZZZ ZZZ ZZZ ZZZ ZZZ ZZZ 090 090 ZZZ 090 090	0 9 0 0 0 0 0 0 0 2 2 2	0 9 0 0 0 0 0 0 0 0 0 0	2 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 9 2 2 2 2 2 2 2 1 1 1	0 9 0 0 0 0 0 0 0 0 0 0
(30) Spine, o	othe	er procedures:								
22899	С	Spine surgery procedure	0.00	0.00	YYY	2	0	2	1	1
(31) Abdom	en,	excision:								
22900	Α	Remove abdominal tumor	8.52	8.52	090	2	0	2	1	0
(32) Abdom	en,	other procedures:								
22999	С	Abdomen surgery procedure	0.00	0.00	YYY	2	0	0	1	1
(33) Shoulde	er, i	ncision:								
23000 23020 23030 23031 23035 23040 23044	A A A A	Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder	7.35 15.73 5.39 3.00 14.40 18.12 13.79	7.35 15.73 5.39 2.76 14.40 18.12 13.79	090 090 010 010 090 090 090	2 2 2 2 2 2 2 2	0 1 0 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1	0 0 0 0 0 0
(34) Shoulde	er, e	excision:								
23065 23066 23075 23076 23077 23100 23101 23105 23106 23107	A A A A A A	Biopsy of shoulder Biopsy of shoulder Removal of shoulder Removal of shoulder Remove tumor Biopsy of shoulder Shoulder joint Remove shoulder Incision of collar bone Explore, treat shoulder	2.75 4.97 3.95 10.70 22.50 12.56 11.66 17.17 10.44 17.86	2.75 4.97 3.95 10.70 22.50 12.56 11.66 17.17 10.44 17.86	010 090 010 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1	1 1 1 2 2 1 2 1 2	0 0 0 0 1 1 1 1 1	0 0 0 0 0 0 0 0

567			FOR	MEDICAL	SERV	ЛСЕ	ES	522	1.40	30
23120	Δ	Partial removal	11.32	2 11.32	090	2	0	2	1	0
23125	A	Removal collar bone	17.43		090	2	1	2	1	0
23130	A	Partial removal	14.29		090	2	1	1	1	0
23140	A	Removal of bone	10.68		090	2	1	1	0	0
23145		Removal of bone	16.84		090	2	1	2	1	0
23146		Removal of bone	12.72		090	2	1	0	0	0
23150		Removal of humerus	14.67		090	2	1	2	1	0
23155	A	Removal of humerus	18.65		090	2	1	2	1	0
						2	1	2	0	
23156		Removal of humerus	15.95		090	2	1	1		0
23170 23172		Remove collar bone	11.30		090	2	_	2	0	0
		Remove shoulder	11.65		090	2	1 1	2	$0 \\ 1$	0
23174	A	Remove humerus	17.56		090	2				
23180		Remove collar bone	12.27		090	2	1	1 2	1	0
23182		Remove shoulder	14.37		090		_	2	0	0
23184		Remove humerus	17.86		090	2	1	2	1	0
23190		Partial removal	12.98		090	2	1		1	0
23195		Removal of humeral head	18.31		090	2	1	2	1	0
23200		Removal of collar bone	20.52		090	2	1	2	1	0
23210		Removal of shoulder	20.82		090	2	1	2	1	0
23220	A	Partial removal	25.98		090	2	1	2	1	0
23221	A	Partial removal	34.27		090	2	1	2	0	0
23222	Α	Partial removal	37.49	9 37.49	090	2	1	2	1	0
(35) Should	ler,	introduction or removal:								
23330	Α	Remove shoulder	2.25	5 1.98	010	2	1	0	0	0
23331	Α	Remove shoulder	9.09	9.09	090	2	1	0	0	0
23332	Α	Remove shoulder	20.80	20.80	090	2	1	2	1	0
23350	Α	Injection for shoulder	1.44	1.44	000	2	1	1	0	0
(36) Should	ler,	repair, revision, and/or reconst	ructior	ı:						
23395	٨	Muscle transfer	27.06	5 27.06	090	2	0	2	1	0
23397	A	Muscle transfer	29.43		090	2	0	2	1	0
23400	A	Fixation of shoulder	22.72		090	2	1	2	1	0
23405	A	Incision of tendon	15.38		090	2	0	2	1	0
23406	Α	Incision of tendons	19.76		090	2	ŏ	2	ō	ŏ
23410	A	Repair of tendon	22.83		090	2	Õ	2	1	ŏ
23412	Α	Repair of tendon	26.19		090	$\bar{2}$	1	$\tilde{2}$	1	ŏ
23415	A	Release of shoulder	14.5		090	2	1	$\bar{1}$	1	ŏ
23420	A	Repair of shoulder	27.50		090	2	î	2	î	ŏ
23430	Α	Repair biceps tendon	16.8		090	2	1	2	ī	ŏ
23440	Α	Removal/transplant	17.08		090	$\bar{2}$	1	2	1	Õ
23450	Α	Repair shoulder	25.6		090	$\bar{2}$	1	2	1	Õ
23455	Α	Repair shoulder	29.45		090	2	1	2	1	Ŏ
23460	Α	Repair shoulder	28.78		090	2	1	$\bar{2}$	1	ŏ
23462	Α	Repair shoulder	29.8		090	2	î	2	1	Ŏ
23465	A	Repair shoulder	29.3		090	2	1	2	1	Ŏ
23466	A	Repair shoulder	29.49		090	2	1	2	1	Õ
23470	Α	Reconstruct shoulder	33.22		090	2	1	2	1	0
23472	Α	Reconstruct shoulder	36.03		090	2	1	2	1	0
23480	A	Revision of collar bone	17.08		090	2	1	1	1	0
23485	Α	Revision of collar bone	24.19		090	2	1	2	1	0
23490	Α	Reinforce clavicle	20.83		090	2	1	2	0	0
23491	Α	Reinforce shoulder	26.33		090	2	1	2	1	0

(37) Should	er,	fracture and/or dislocation:								
23500	Α	Treat clavicle	3.60	3.60	090	2	1	1	0	0
23505	A	Treat clavicle	6.04	6.04	090	2	1	1	Õ	Ŏ
23515	A	Repair clavicle	14.04	14.04	090	2	1	2	1	0
23520	A	Treat clavicle	3.40	3.40	090	2	1	ō	ō	0
23525	Ā	Treat clavicle	5.33	5.33	090	2	1	Ŏ	Ŏ	Ŏ
23530	A	Repair clavicle	13.49	13.49	090	2	1	2	ŏ	Ŏ
23532	A	Repair clavicle	14.91	14.91	090	$\bar{2}$	1	$\bar{2}$	Õ	ŏ
23540	A	Treat clavicle	3.63	3.63	090	$\bar{2}$	1	1	Ŏ	ŏ
23545	A	Treat clavicle	5.02	5.02	090	2	1	Ō	Õ	0
23550	Α	Repair clavicle	15.07	15.07	090	2	1	2	1	0
23552	A	Repair clavicle	15.36	15.36	090	2	1	2	1	0
23570	Α	Treat shoulder bone	3.80	3.80	090	2	1	1	ō	0
23575	Α	Treat shoulder bone	6.58	6.58	090	2	1	0	Õ	0
23585	Α	Repair scapula	16.28	16.28	090	2	1	2	1	0
23600	A	Treat humerus fixation	5.70	5.70	090	2	1	1	Ō	Ö
23605	Α	Treat humerus fixation	9.44	9.44	090	2	1	1	Ŏ	0
23615	Α	Repair humerus	19.41	19.41	090	2	1	2	1	0
23616	Α	Repair humerus	42.82	42.82	090	2	1	2	2	0
23620	Α	Treat humerus	5.21	3.71	090	2	1	1	0	0
23625	Α	Treat humerus	7.59	7.59	090	2	1	1	0	0
23630	Α	Repair humerus	15.26	15.26	090	2	1	2	1	0
23650	Α	Treat shoulder	5.24	5.24	090	2	1	1	0	0
23655	Α	Treat shoulder	7.22	7.22	090	2	1	1	0	0
23660	Α	Repair shoulder	15.53	15.53	090	2	1	2	1	0
23665	Α	Treat dislocation	7.58	7.58	090	2	1	1	0	0
23670	Α	Repair dislocation	16.59	16.59	090	2	1	2	1	0
23675	Α	Treat dislocation	9.62	9.62	090	2	1	1	0	0
23680	A	Repair dislocation	21.00	21.00	090	2	1	2	1	0
(38) Should	er,	manipulation:								
						_	_		_	_
23700	Α	Fixation of shoulder	4.49	4.49	010	2	0	1	0	0
(39) Should	er,	arthrodesis:								
23800	٨	Fusion of shoulder	20.25	20.25	000	2	1	2	1	Λ
23802	A	Fusion of shoulder	29.35 29.90	29.35 29.90	090 090	2	$\frac{1}{0}$	2	1	0
23002	A	rusion of shoulder	29.90	29.90	090	2	U	2	1	U
(40) Should	er,	amputation:								
23900	Δ	Amputation of arm	31.37	31.37	090	2	0	2	0	0
23920	A	Amputation of shoulder	28.04	28.04	090	2	0	2	1	0
23921	A	Amputation	9.52	9.52	090	2	ŏ	1	Ô	ŏ
		<b>L</b>	<b>.</b>	<u>.</u>	370	_	•	•	,	•
(41) Should	er, (	other procedures:								
23929	С	Shoulder surgery	0.00	0.00	YYY	2	0	2	1	1

(42) Hum	erus a	and elbow, incision:								
23930	Δ	Drainage of arm	4.36	4.36	010	2	1	1	0	0
23931	A	Drainage of arm	2.41	2.05	010	2	1	1	ŏ	ŏ
23935	A	Drain arm/elbow	10.49	10.49	090	$\tilde{2}$	1	Ô	ő	ő
24000		Exploratory elbow	12.26	12.26	090	2	1	0	1	0
24006		Release elbow joint	15.99	15.99	090	2	1	2	2	0
24000	A	Release cloow joint	13.77	13.33	050	۷	1	2	۷	U
(43) Hum	erus a	and elbow, excision:								
24065	Α	Biopsy arm or elbow	2.71	2.32	010	2	1	1	0	0
24066	Α	Biopsy arm or elbow	7.57	7.57	090	2	1	1	0	0
24075	Α	Remove arm or elbow	5.66	5.66	090	2	1	1	0	0
24076	Α	Remove arm or elbow	9.64	9.64	090	2	1	1	0	0
24077	Α	Remove tumor	21.16	21.16	090	2	1	2	1	0
24100	Α	Biopsy elbow joint	8.94	8.94	090	2	1	2	1	0
24101	Α	Explore/treat elbow	12.85	12.85	090	2	1	2	0	0
24102	Α	Remove elbow joint	16.82	16.82	090	2	1	2	1	0
24105	Α	Removal of elbow	7.27	7.27	090	2	1	1	0	0
24110	Α	Remove humerus	14.81	14.81	090	2	1	1	1	0
24115		Remove/graft bone	16.89	16.89	090	2	1	2	1	0
24116		Remove/graft bone	20.92	20.92	090	2	1	2	0	0
24120		Remove elbow lesion	12.39	12.39	090	2	1	0	0	0
24125		Remove/graft bone	13.09	13.09	090	2	1	2	1	0
24126		Remove/graft bone	15.36	15.36	090	2	1	2	0	0
24130		Removal of radial head	12.76	12.76	090	2	1	1	1	0
24134		Removal of arm	17.91	17.91	090	2	1	2	0	0
24136		Remove radius bone	16.24	16.24	090	2	1	1	0	0
24138		Remove elbow bone Partial removal	14.06	14.06 17.60	090 090	2	1 1	2	0	0 0
24140 24145		Partial removal	17.60 13.61	13.61	090	2	1	1	1	0
24147		Partial removal	13.83	13.83	090	2	1	1	1	0
24149		Radical resection	26.24	26.24	090	2	1	2	1	0
24150	A	Extensive humerus	26.88	26.88	090	2	1	2	1	0
24151	A		28.67	28.67	090	2	1	2	1	0
24152		Extensive radius	16.34	16.34	090	2	1	2	1	ŏ
24153		Extensive radius	21.50	21.50	090	2	1	Õ	ō	ŏ
24155		Removal of elbow	21.98	21.98	090	2	1	2	1	Ö
(44) Hum	erus a	and elbow, introduction or re	moval:							
24160		Remove elbow joint	12.22	12.22	090	2	1	1	1	0
24164		Remove radial head	11.49	11.49	090	2	1	1	1	0
24200		Removal of arm	2.17	1.90	010	2	1	0	0	0
24201		Removal of arm	7.37	7.37	090	2	1	1	0	0
24220	Α	Injection for elbow	1.71	1.71	000	2	1	0	0	0
(45) Hum	erus a	and elbow, repair, revision, ar	nd/or reco	nstructio	n:					
24301	А	Muscle/tendon transfer	17.57	17.57	090	2	0	2	1	0
24305		Arm tendon lengthening	9.90	9.90	090	2	0	0	0	0
24310		Revision of arm	8.54	8.54	090	2	0	0	0	0
24310		Repair of arm tenoplasty	19.18	19.18	090	2	0	2	1	0
2432U	А	Acpair of arm templasty	17.10	17.10	070	_	U	_	1	U

						_		_	_	_
24330	Α	Revision of arm	17.95	17.95	090	2	1	2	0	0
24331	Α	Revision of arm	19.83	19.83	090	2	1	2	0	0
24340	Α	Repair of biceps	14.55	14.55	090	2	1	2	1	0
24341	Α	Repair tendon/muscle	14.55	14.55	090	2	1	2	1	0
24342	Α	Repair of rupture	20.64	20.64	090	2	1	2	1	0
24350	Α	Repair of tennis elbow	9.23	9.23	090	2	1	0	0	0
24351	Α	Repair of tennis elbow	10.18	10.18	090	2	1	0	0	0
24352	Α	Repair of tennis elbow	11.85	11.85	090	2	1	2	1	0
24354	Α	Repair of tennis elbow	11.82	11.82	090	2	1	1	0	0
24356	Α	Revision of tennis elbow	13.75	13.75	090	2	1	0	0	0
24360	Α	Reconstruct elbow	25.67	25.67	090	2	1	2	1	0
24361	Α	Reconstruct elbow	26.57	26.57	090	2	1	2	1	0
24362	Α	Reconstruct elbow	26.74	20.40	090	2	1	2	0	0
24363	Α	Replace elbow joint	38.71	38.71	090	2	1	2	0	0
24365	Α	Reconstruct radial head	15.54	15.54	090	2	1	2	1	0
24366	Α	Reconstruct radial head	18.98	18.98	090	2	1	2	1	0
24400	Α	Revision of humerus	18.94	18.94	090	2	1	2	1	0
24410	Α	Revision of humerus	28.15	28.15	090	2	1	2	1	0
24420	Α	Revision of humerus	25.19	25.19	090	2	1	2	1	0
24430	Α	Repair of humerus	26.53	26.53	090	2	1	2	1	0
24435	Α	Repair of humerus	27.52	27.52	090	2	1	2	1	0
24470	Α	Revision of elbow	16.30	16.30	090	2	1	2	0	0
24495	Α	Decompression of forearm	13.53	13.53	090	2	1	0	0	0
24498	Α	Reinforce humerus	21.73	21.73	090	2	1	2	1	0

## (46) Humerus and elbow, fracture and/or dislocation:

24500	Α	Treat humerus fracture	5.57	5.57	090	2	1	1	0	0
24505	Α	Treat humerus fracture	9.43	9.43	090	2	1	1	0	0
24515	Α	Repair humerus	20.75	20.75	090	2	1	2	1	0
24516	Α	Repair humerus	20.75	20.75	090	2	1	2	2	0
24530	Α	Treat humerus fracture	6.05	6.05	090	2	1	1	0	0
24535	Α	Treat humerus fracture	11.35	11.35	090	2	1	1	0	0
24538	Α	Treat humerus fracture	16.96	16.96	090	2	1	1	0	0
24545	Α	Repair humerus	20.00	20.00	090	2	1	2	1	0
24546	Α	Repair humerus	24.75	24.75	090	2	1	2	2	0
24560	Α	Treat humerus fracture	4.79	4.79	090	2	1	1	0	0
24565	Α	Treat humerus fracture	8.68	8.68	090	2	1	1	0	0
24566	Α	Treat humerus fracture	13.45	13.45	090	2	1	1	0	0
24575	Α	Repair humerus	17.89	17.89	090	2	1	2	1	0
24576	Α	Treat humerus fracture	4.86	4.86	090	2	1	1	0	0
24577	Α	Treat humerus fracture	9.46	9.46	090	2	1	1	0	0
24579	Α	Repair humerus	19.36	19.36	090	2	1	2	1	0
24582	Α	Treat humerus fracture	14.74	14.74	090	2	1	1	0	0
24586	Α	Repair elbow fracture	29.33	29.33	090	2	1	2	1	0
24587	Α	Repair elbow fracture	28.21	28.21	090	2	1	2	1	0
24600	Α	Treat elbow dislocation	5.87	5.87	090	2	1	1	0	0
24605	Α	Treat elbow dislocation	7.34	7.34	090	2	1	1	0	0
24615	Α	Repair elbow dislocation	18.34	18.34	090	2	1	2	1	0
24620	Α	Treat elbow fracture	10.30	10.30	090	2	1	0	0	0
24635	Α	Repair elbow fracture	23.64	23.64	090	2	1	2	1	0
24640	Α	Treat elbow dislocation	2.11	2.11	010	2	1	0	0	0
24650	Α	Treat radius fracture	4.32	3.23	090	2	1	1	0	0
24655	Α	Treat radius fracture	7.15	7.15	090	2	1	1	0	0
24665	Α	Repair radius fracture	14.91	14.91	090	2	1	2	1	0
24666	Α	Repair radius fracture	19.42	19.42	090	2	1	2	1	0

571		FEES	FOR 1	MEDICAL	SERV	/ICES	522	21.40	)30
24670	Α	Treat ulnar fracture	4.34	4.34	090	2 1	. 1	0	0
24675		Treat ulnar fracture	7.97		090	$\overline{2}$ $\overline{1}$		0	Ō
24685		Repair ulnar fracture	16.84		090	2 1		1	0
(47) Humo	erus a	and elbow, arthrodesis:							
24800	Α	Fusion of elbow	21.25	21.25	090	2 1	2	1	0
24802	Α	Fusion/graft of elbow	25.29	25.29	090	2 1	2 2	0	0
(48) Hum	erus a	and elbow, amputation:							
24900		Amputation of ulna	16.90		090	2 1		1	0
24920		Amputation of ulna	15.87		090	2 1		1	0
24925		Amputation	12.89		090	2 1	2	0	0
24930		Amputation	17.83		090	2 1		0	0
24931		Upper arm and implant	23.35		090	2 1		0	0
24935		Revision of amputation	28.59		090	2 1		0	0
24940	C	Revision of extremity	0.00	0.00	090	2 1	2	0	0
(49) Hum	erus a	and elbow, other procedures:							
24999	С	Upper arm/elbow surgery	0.00	0.00	YYY	2 1	. 0	1	1
(50) Forea	ırm a	nd wrist, incision:							
25000	Α	Incision of tendon	7.00	7.00	090	2 1	1	0	0
25020		Decompression	10.00		090	2 1		0	0
25023		Decompression	17.54	17.54	090	2 1		0	0
25028		Drainage of forearm	6.95		090	2 1	1	0	0
25031		Drainage of forearm	4.45		090	2 1		0	0
25035		Treat forearm	13.32		090	2 1		0	0
25040	Α	Explore/treat wrist	12.51	12.51	090	2 1	0	0	0
(51) Forea	arm a	nd wrist, excision:							
25065	Α	Biopsy of forearm	2.58	2.22	010	2 1	1	0	0
25066	Α	Biopsy of forearm	5.36	5.36	090	2 1		0	0
25075		Removal of forearm	5.71		090	2 1		0	0
25076		Removal of forearm	8.48		090	2 1		0	0
25077		Remove tumor, forearm	17.97		090	2 1		0	0
25085		Incision of wrist	9.85		090	2 1		0	0
25100		Biopsy of wrist	8.12		090	2 1		0	0
25101		Explore/treat wrist	9.78		090	2 1		0	0
25105		Remove wrist joint	12.19		090	2 1 2 1		1	0
25107 25110		Remove wrist joint Remove wrist tendon	11.43 6.52		090	2 1 2 1		1 0	0 0
25110 25111		Remove wrist tendon Remove wrist tendon	6.49		090 090	2 1		0	0
25111		Remove wrist tendon Reremove wrist tendon	8.07		090	2 1		0	0
25112		Remove wrist/forearm	15.58		090	2 1		0	0
25116		Remove wrist/forearm	14.77		090	$\stackrel{\scriptstyle 2}{2}$ 1		1	0
25118		Excise wrist tendon	9.18		090	$\tilde{2}$ 1		0	ŏ
			5.1-0	- /			_	•	-

25119	Α	Partial removal of ulna	12.62	12.62	090	2	1	2	1	0
25120	Α	Removal of forearm	12.47	12.47	090	2	1	0	1	0
25125	Α	Remove/graft forearm	13.97	13.97	090	2	1	0	0	0
25126	Α	Remove/graft forearm	14.04	14.04	090	2	1	2	0	0
25130	Α	Removal of wrist	9.21	9.21	090	2	1	0	0	0
25135	Α	Remove and graft	12.06	12.06	090	2	1	2	1	0
25136	Α	Remove and graft	10.47	10.47	090	2	1	2	1	0
25145	Α	Remove forearm	11.94	11.94	090	2	1	2	0	0
25150	Α	Partial removal	13.50	13.50	090	2	1	1	1	0
25151	Α	Partial removal	12.83	12.83	090	2	1	2	1	0
25170	Α	Extensive forearm	20.36	20.36	090	2	1	2	1	0
25210	Α	Removal of wrist	10.56	10.56	090	2	0	0	1	0
25215	Α	Removal of wrist	16.33	16.33	090	2	0	2	1	0
25230	Α	Partial removal	10.60	10.60	090	2	1	1	1	0
25240	Α	Partial removal	10.29	10.29	090	2	1	0	1	0

## (52) Forearm and wrist, introduction or removal:

25246	Α	Injection for wrist	1.83	1.83	000	2	1	1	0	0
25248	Α	Removal of forearm	6.98	6.98	090	2	1	1	0	0
25250	Α	Removal of wrist	11.93	11.93	090	2	1	2	0	0
25251	Α	Removal of wrist	17.42	17.42	090	2	0	2	0	0

## (53) Forearm and wrist, repair, revision, and/or reconstruction:

25260	Α	Repair forearm	11.96	11.96	090	2	0	1	0	0
25263	Α	Repair forearm	13.24	13.24	090	2	0	2	0	0
25265	Α	Repair forearm	17.41	17.41	090	2	0	2	0	0
25270	Α	Repair forearm	9.00	9.00	090	2	0	0	0	0
25272	Α	Repair forearm	10.01	10.01	090	2	0	0	0	0
25274	Α	Repair forearm	14.96	14.96	090	2	0	0	1	0
25280	Α	Revise wrist/forearm	11.01	11.01	090	2	0	0	1	0
25290	Α	Incise wrist/forearm	7.41	7.41	090	2	0	1	0	0
25295	Α	Release wrist/forearm	9.18	9.18	090	2	0	1	0	0
25300	Α	Fusion of tendon	15.75	15.75	090	2	1	2	0	0
25301	Α	Fusion of tendon	14.82	14.82	090	2	1	2	0	0
25310	Α	Transplant forearm	14.93	14.93	090	2	0	2	1	0
25312	Α	Transplant forearm	16.78	16.78	090	2	0	2	1	0
25315	Α	Revise palsy hand	17.78	17.78	090	2	1	2	0	0
25316	Α	Revise palsy hand	22.39	22.39	090	2	1	2	0	0
25320	Α	Repair/revise wrist	18.88	18.88	090	2	1	2	0	0
25332	Α	Revise wrist joint	20.89	20.89	090	2	1	2	0	0
25335	Α	Realignment of wrist	23.57	23.57	090	2	1	2	0	0
25337	Α	Reconstruct ulna	18.34	18.34	090	2	1	1	0	0
25350	Α	Revision of radius	16.02	16.02	090	2	1	2	0	0
25355	Α	Revision of radius	18.86	18.86	090	2	1	2	0	0
25360	Α	Revision of ulna	14.39	14.39	090	2	1	2	1	0
25365	Α	Revise radius and ulna	22.08	22.08	090	2	1	2	0	0
25370	Α	Revise radius or ulna	24.55	24.55	090	2	1	2	0	0
25375	Α	Revise radius and ulna	25.24	25.24	090	2	1	2	1	0
25390	Α	Shorten radius or ulna	18.79	18.79	090	2	1	2	1	0
25391	Α	Lengthen radius or ulna	24.32	24.32	090	2	1	2	1	0
25392	Α	Shorten radius and ulna	25.81	25.81	090	2	1	2	0	0
25393	Α	Lengthen radius and ulna	29.41	29.41	090	2	1	2	0	0
25400	Α	Repair radius or ulna	21.29	21.29	090	2	1	2	1	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

25405	Α	Repair/graft radius	26.17	26.17	090	2	1	2	1	0
25415	Α	Repair radius and ulna	24.21	24.21	090	2	1	2	1	0
25420	Α	Repair/graft radius	30.28	30.28	090	2	1	2	1	0
25425	Α	Repair/graft radius	24.63	24.63	090	2	1	2	1	0
25426	Α	Repair/graft radius	26.86	26.86	090	2	1	2	1	0
25440	Α	Repair/graft wrist	19.05	19.05	090	2	1	2	1	0
25441	Α	Reconstruct wrist	23.73	23.73	090	2	1	2	1	0
25442	Α	Reconstruct wrist	17.34	17.34	090	2	1	2	1	0
25443	Α	Reconstruct wrist	19.33	19.33	090	2	1	2	1	0
25444	Α	Reconstruct wrist	20.83	20.83	090	2	1	2	0	0
25445	Α	Reconstruct wrist	19.75	19.75	090	2	1	1	1	0
25446	Α	Wrist replacement	34.54	34.54	090	2	1	2	1	0
25447	Α	Repair wrist joint	19.60	19.60	090	2	1	2	1	0
25449	Α	Remove wrist joint	21.37	21.37	090	2	1	2	1	0
25450	Α	Revision of wrist	14.86	14.86	090	2	1	1	0	0
25455	Α	Revision of wrist	17.81	17.81	090	2	1	1	0	0
25490	Α	Reinforce radius	17.84	17.84	090	2	1	2	0	0
25491	Α	Reinforce ulna	18.65	18.65	090	2	1	2	0	0
25492	Α	Reinforce radius	23.03	23.03	090	2	1	2	0	0

## (54) Forearm and wrist, fracture and/or dislocation:

25500	Α	Treat fracture	4.63	3.51	090	2	1	1	0	0
25505	Α	Treat fracture	8.46	8.46	090	2	1	1	0	0
25515	Α	Repair fracture	16.38	16.38	090	2	1	2	1	0
25520	Α	Repair fracture	11.75	11.75	090	2	1	1	2	0
25525	Α	Repair fracture	22.89	22.89	090	2	1	2	2	0
25526	Α	Repair fracture	24.30	24.30	090	2	1	2	2	0
25530	Α	Treat fracture	4.45	3.20	090	2	1	1	0	0
25535	Α	Treat fracture	8.41	8.41	090	2	1	1	0	0
25545	Α	Repair fracture	16.06	16.06	090	2	1	2	1	0
25560	Α	Treat fracture	4.56	4.56	090	2	1	1	0	0
25565	Α	Treat fracture	10.00	10.00	090	2	1	1	0	0
25574	Α	Treat fracture	14.76	14.76	090	2	1	2	2	0
25575	Α	Repair fracture	20.78	20.78	090	2	1	2	1	0
25600	Α	Treat fracture	5.36	3.99	090	2	1	1	0	0
25605	Α	Treat fracture	9.43	9.43	090	2	1	1	0	0
25611	Α	Repair fracture	13.39	13.39	090	2	1	1	0	0
25620	Α	Repair fracture	15.28	15.28	090	2	1	2	0	0
25622	Α	Treat wrist bone	4.75	3.65	090	2	1	1	0	0
25624	Α	Treat wrist bone	7.97	6.20	090	2	1	0	0	0
25628	Α	Repair wrist bone	15.18	15.18	090	2	1	2	0	0
25630	Α	Treat wrist bone	4.90	3.84	090	2	1	1	0	0
25635	Α	Treat wrist bone	7.51	5.88	090	2	1	0	0	0
25645	Α	Repair wrist bone	13.56	13.56	090	2	1	2	0	0
25650	Α	Repair wrist bone	5.54	4.25	090	2	1	1	0	0
25660	Α	Treat wrist dislocation	6.22	6.22	090	2	1	0	0	0
25670	Α	Repair wrist dislocation	14.65	14.65	090	2	1	2	1	0
25675	Α	Treat wrist dislocation	6.63	6.63	090	2	1	0	0	0
25676	Α	Repair wrist dislocation	14.98	14.98	090	2	1	2	0	0
25680	Α	Treat wrist fracture	7.99	7.99	090	2	1	0	0	0
25685	Α	Repair wrist fracture	18.16	18.16	090	2	1	2	0	0
25690	Α	Treat wrist dislocation	10.12	10.12	090	2	1	0	0	0
25695	Α	Repair wrist dislocation	15.02	15.02	090	2	1	2	1	0

(55) Forea	rm a	nd wrist, arthrodesis:								
25800	Α	Fusion of wrist	20.23	20.23	090	2	1	2	1	0
25805		Fusion/graft of wrist	23.38	23.38	090	2	1	2	1	0
25810	A	Fusion/graft of wrist	21.97	21.97	090	2	1	2	1	0
25820		Fusion of hand	15.50	15.50	090	2	1	2	1	Ō
25825	A	Fusion of hand bone	19.37	19.37	090	2	1	2	1	Ŏ
25830		Fusion of radioulnar	18.24	18.24	090	2	1	$\bar{2}$	1	ŏ
23030	7.	T distort of Fudiounius	10.21	10.21	070	_	-	-	•	Ü
(56) Forea	rm a	nd wrist, amputation:								
25900	Α	Amputation of forearm	15.74	15.74	090	2	1	0	0	0
25905	Α	Amputation of forearm	15.78	15.78	090	2	1	2	0	0
25907	Α	Amputation follow-up	13.18	13.18	090	2	1	2	0	0
25909	Α	Amputation follow-up	14.08	14.08	090	2	1	2	0	0
25915	Α	Amputation	32.22	32.22	090	2	1	2	0	0
25920	Α	Amputation of hand	15.30	15.30	090	2	1	0	0	0
25922	Α	Amputation of hand	12.66	12.66	090	2	1	2	0	0
25924	Α	Amputation follow-up	15.60	15.60	090	2	1	2	0	0
25927	Α	Amputation of hand	14.74	14.74	090	2	1	0	0	0
25929	Α	Amputation follow-up	12.00	12.00	090	2	1	2	0	0
25931	Α	Amputation follow-up	11.97	11.97	090	2	1	1	0	0
(57) Forea	rm a	nd wrist, other procedures:								
25999	C	Forearm or wrist surgery	0.00	0.00	YYY	2	1	0	1	1
		2 ,								
(58) Hand	and	fingers, incision:								
(58) Hand 26010		fingers, incision:	1.89	1.66	010	2	0	1	0	0
26010		fingers, incision:  Drainage of finger				2 2	0 0	1 1		
26010 26011	A A	fingers, incision:  Drainage of finger  Drainage of finger	3.61	3.61	010	2	0	1	0	0
26010	A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon	3.61 8.18	3.61 8.18	010 090	2 2	$\begin{array}{c} 0 \\ 0 \end{array}$	1 1	0 0	$\begin{array}{c} 0 \\ 0 \end{array}$
26010 26011 26020	A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar	3.61	3.61	010 090 090	2 2 2	0 0 0	1	0 0 0	0 0 0
26010 26011 26020 26025	A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar	3.61 8.18 9.15 11.46	3.61 8.18 9.15 11.46	010 090 090 090	2 2 2 2	$\begin{array}{c} 0 \\ 0 \end{array}$	1 1 0	0 0	0 0 0 0
26010 26011 26020 26025 26030 26034	A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone	3.61 8.18 9.15 11.46 10.13	3.61 8.18 9.15	010 090 090	2 2 2 2 2	0 0 0 0	1 1 0 0	0 0 0 0	0 0 0 0 0
26010 26011 26020 26025 26030	A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger	3.61 8.18 9.15 11.46	3.61 8.18 9.15 11.46 10.13	010 090 090 090 090	2 2 2 2	0 0 0 0 0	1 1 0 0 1	0 0 0 0	0 0 0 0
26010 26011 26020 26025 26030 26034 26035	A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger	3.61 8.18 9.15 11.46 10.13 14.10	3.61 8.18 9.15 11.46 10.13 14.10	010 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 0 0 1 0	0 0 0 0 0	0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040	A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06	010 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 0 0 1 0 0 1	0 0 0 0 0 0	0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037	A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture	3.61 8.18 9.15 11.46 10.13 14.10 13.31	3.61 8.18 9.15 11.46 10.13 14.10 13.31	010 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 0 0 1 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055	A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92	010 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1	1 0 0 1 0 0 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060	A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74	010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1	1 1 0 0 1 0 0 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0	1 0 0 1 0 0 1 1 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060	A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74	010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0	1 0 0 1 0 0 1 1 1 1 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0	1 0 0 1 0 0 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0	1 0 0 1 0 0 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision:  Biopsy hand joint	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 0 0 1	1 1 0 0 1 0 0 1 1 1 1 0 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080 (59) Hand 26100 26105 26110	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision:  Biopsy hand joint Biopsy finger joint Biopsy finger joint	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 1 0	1 1 0 0 1 0 0 1 1 1 1 0 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080 (59) Hand 26100 26105 26110 26115	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision:  Biopsy hand joint Biopsy finger joint Biopsy finger joint Removal of hand	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 1 0 0 1 1 1 0	1 1 0 0 1 1 0 0 1 1 1 1 1 1 0 0 1 1 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080 (59) Hand 26100 26105 26110	A A A A A A A A A A A A A A A A A A A	fingers, incision:  Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision:  Biopsy hand joint Biopsy finger joint Biopsy finger joint	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 1 0 0 1 1 1 0	1 1 0 0 1 1 0 0 1 1 1 1 1 1 0 0 1 1 0 0 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

26117	Α	Remove tumor, hand	13.16	13.16	090	2	0	1	0	0
26121	Α	Release palm contracture	15.74	15.74	090	2	1	1	0	0
26123		Release palm contracture	18.07	18.07	090	2	1	1	Ŏ	0
							Ô	1	0	0
26125		Release palm contracture	6.96	6.96	ZZZ	0		_		
26130		Remove wrist joint	10.23	10.23	090	2	1	1	0	0
26135	Α	Revise finger joint	11.47	11.47	090	2	0	0	0	0
26140	Α	Revise finger joint	10.26	10.26	090	2	0	1	0	0
26145	Α	Tendon excision	10.73	10.73	090	2	0	1	0	0
26160	Α	Remove tendon sheath	5.32	5.32	090	2	0	1	0	0
26170	Α	Removal of palm	7.31	7.31	090	2	0	0	0	0
26180		Removal of finger	8.97	8.97	090	2	ŏ	ő	ŏ	Ö
26185		Remove finger bone	9.09	9.09	090	2	1	2	1	0
26200		Remove hand bone	9.73	9.73	090	2	0	0	0	0
26205		Remove/graft bone	13.74	13.74	090	2	0	1	0	0
26210		Removal of finger	8.80	8.80	090	2	0	1	0	0
26215	Α	Remove/graft finger	12.32	12.32	090	2	0	1	0	0
26230	Α	Partial removal	10.24	10.24	090	2	0	0	0	0
26235	Α	Partial removal	10.04	10.04	090	2	0	0	0	0
26236		Partial removal	8.92	8.92	090	2	Ō	1	Õ	Ō
26250		Extensive hand	13.24	13.24	090	2	Õ	0	ŏ	ŏ
26255	-	Extensive hand	20.77	20.77	090	2	0	2	1	0
26260		Extensive finger	12.45	12.45	090	2	0	2	0	0
26261	Α	Extensive finger	16.41	16.41	090	2	0	2	0	0
26262	Α	Partial removal	10.15	10.15	090	2	0	2	0	0
(00) Hand	anu	fingers, introduction or remov	ai:							
26320	Α	Removal of implant	7.35	7.35	090	2	0	1	0	0
		•			090	2	0	1	0	0
		Removal of implant fingers, repair, revision, and/o			090	2	0	1	0	0
(61) Hand	and	fingers, repair, revision, and/o	r reconst	ruction:	090 090		0	1		
(61) Hand 26350	and A	fingers, repair, revision, and/o	r reconst	ruction:	090	2	0	1	0	0
(61) Hand 26350 26352	and A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand	r reconst 11.53 13.95	11.53 13.95	090 090	2 2	0 0	1 2	0 1	0 0
(61) Hand 26350 26352 26356	and A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand	r reconst 11.53 13.95 14.97	11.53 13.95 14.97	090 090 090	2 2 2 2	0 0 0	1 2 1	0 1 0	0 0 0
(61) Hand 26350 26352 26356 26357	and A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand	11.53 13.95 14.97 14.80	11.53 13.95 14.97 14.80	090 090 090 090	2 2 2 2 2	0 0 0 0	1 2 1 2	0 1 0 0	0 0 0 0
(61) Hand 26350 26352 26356 26357 26358	and A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand	11.53 13.95 14.97 14.80 16.15	11.53 13.95 14.97 14.80 16.15	090 090 090 090 090	2 2 2 2 2 2	0 0 0 0 0	1 2 1 2 2	0 1 0 0 0	0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370	and A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand	11.53 13.95 14.97 14.80 16.15 13.56	11.53 13.95 14.97 14.80 16.15 13.56	090 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	1 2 1 2 2 0	0 1 0 0 0	0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372	and A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair finger/hand Repair/graft hand	11.53 13.95 14.97 14.80 16.15 13.56 14.76	11.53 13.95 14.97 14.80 16.15 13.56 14.76	090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 2 1 2 2 0 2	0 1 0 0 0 0	0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 2 1 2 2 0 2 2	0 1 0 0 0 0 0	0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2	0 1 0 0 0 0 0 0	0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2	0 1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1	0 1 0 0 0 0 0 0 0 1 1	0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1 0	0 1 0 0 0 0 0 0 0 0 1 1 0 0	0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair finger/hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1	0 1 0 0 0 0 0 0 0 1 1	0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1 0	0 1 0 0 0 0 0 0 0 0 1 1 0 0	0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1 0 0	0 1 0 0 0 0 0 0 0 0 1 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1 0 0 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 0 2 2 2 2 2 1 0 0 1 1 1 2 1 2	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 1 0 0 1 1 1 2 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger/hand Repair/graft finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 1 0 0 1 1 1 2 1 0 0	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 2 1 0 0 1 1 1 2 1 0 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26432 26433	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Repair finger/hand Repair/graft hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair finger tendon Repair finger tendon Repair finger tendon	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8:31	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 2 1 0 0 1 1 1 2 1 0 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26433 26434	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair finger tendon Repair/graft finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8:31 10.77	090 090 090 090 090 090 090 090 090 090	222222222222222222222222222222222222222	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 1 0 0 1 1 2 1 0 1 1 1 2 1 0 1 1 1 2 1 1 1 2 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26433 26434 26437	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/finger/hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft finger Repair/graft finger Repair finger tendon Repair/graft finger Repair/graft finger Repair/graft finger Repair/graft finger Repair/graft finger Repair/graft finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77 9.57	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8:31 10.77 9.57	090 090 090 090 090 090 090 090 090 090	222222222222222222222222222222222222222	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 1 0 0 1 1 1 2 1 0 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(61) Hand 26350 26352 26356 26357 26358 26370 26372 26373 26390 26392 26410 26412 26415 26416 26418 26420 26426 26428 26433 26434	and A A A A A A A A A A A A A A A A A A A	fingers, repair, revision, and/o Repair finger/hand Repair/graft hand Repair finger/hand Repair finger/hand Repair/graft hand Repair/graft hand Repair/graft hand Repair/graft hand Repair finger/hand Repair finger/hand Revise hand/finger Repair/graft hand Repair hand tendon Repair/graft hand Excision, hand Graft hand or finger Repair finger tendon Repair/graft finger Repair finger/hand Repair/graft finger Repair finger tendon Repair/graft finger Repair finger tendon Repair finger tendon Repair/graft finger	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 6.97 8.31 10.77	11.53 13.95 14.97 14.80 16.15 13.56 14.76 14.64 16.70 18.33 7.66 12.07 14.59 17.63 7.64 12.16 12.27 12.41 5.45 8:31 10.77	090 090 090 090 090 090 090 090 090 090	222222222222222222222222222222222222222	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 2 2 2 2 2 2 2 2 1 0 0 1 1 2 1 0 1 1 1 2 1 0 1 1 1 2 1 1 1 2 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

26445	Α	Release hand/finger	7.35	7.35	090	2	0	1	0	0
26449	Α	Release forearm	12.26	12.26	090	2	0	0	0	0
26450	Α	Incision of palm	5.73	5.73	090	2	0	0	0	0
26455	Α	Incision of finger	5.31	5.31	090	2	0	0	0	0
26460	Α	Incise hand/finger	4.97	4.97	090	2	0	1	0	0
26471	Α	Fusion of finger	9.58	9.58	090	2	0	0	0	0
26474	Α	Fusion of finger	9.70	9.70	090	2	0	2	0	0
26476	Α	Tendon lengthening	7.64	7.64	090	2	0	1	0	0
26477	Α	Tendon shortening	8.93	8.93	090	2	0	1	1	0
26478	Α	Lengthen hand tendon	9.82	9.82	090	2	0	0	0	0
26479	Α	Shorten hand tendon	10.79	10.79	090	2	0	2	0	0
26480	Α	Transplant hand tendon	12.99	12.99	090	2	0	0	0	0
26483	Α	Transplant/graft	16.51	16.51	090	2	0	2	1	0
26485	Α	Transplant palm tendon	13.86	13.86	090	2	0	2	1	0
26489		Transplant/graft	12.24	12.24	090	2	0	0	0	0
26490		Revise thumb tendon	15.87	15.87	090	2	0	0	0	0
26492	A	Tendon transfer	17.85	17.85	090	2	0	2	1	0
26494		Hand tendon/muscle	15.40	15.40	090	2	Õ	2	1	Ŏ
26496		Revise thumb tendon	17.98	17.98	090	$\bar{2}$	Õ	$\bar{0}$	Ō	Ŏ
26497		Finger tendon transfer	17.20	17.20	090	$\bar{2}$	ŏ	2	ŏ	ŏ
26498	A	Finger tendon transfer	25.21	25.21	090	$\bar{2}$	Õ	2	1	0
26499		Revision of finger	16.33	16.33	090	$\bar{2}$	ŏ	$\bar{2}$	î	ŏ
26500		Reconstruct hand tendon	9.11	9.11	090	2	ŏ	Õ	Ô	ŏ
26502		Reconstruct hand tendon	12.10	12.10	090	2	ŏ	2	Ö	ő
26504		Reconstruct hand tendon	13.88	13.88	090	2	0	2	ő	ő
26508		Release thumb contracture	9.86	9.86	090	2	0	õ	0	0
26510	A	Thumb tendon transfer	9.31	9.31	090	2	0	ő	ŏ	0
26516		Fusion of knuckle	10.88	10.88	090	2	0	ő	ő	0
26517		Fusion of knuckle	15.52	15.52	090	2	0	2	0	0
26518		Fusion of knuckle	15.15	15.15	090	2	Ö	2	1	0
26520		Release knuckle	9.53	9.53	090	2	ő	1	Ô	ŏ
26525		Release finger	8.70	8.70	090	2	ŏ	1	1	ŏ
26530		Revise knuckle	11.53	11.53	090	2	ő	2	Ô	ŏ
26531		Revise knuckle	14.22	14.22	090	2	ő	2	1	ŏ
26535	A	Revise finger joint	9.75	9.75	090	2	0	1	0	ŏ
26536		Revise/implant	13.21	13.21	090	2	ŏ	0	ő	ő
26540		Repair hand joint	12.87	12.87	090	2	0	0	1	ő
26541		Repair hand joint	17.27	17.27	090	2	0	2	1	ő
26542	A	Repair hand joint	12.17	12.17	090	2	ŏ	ō	0	0
26545		Reconstruct finger	11.89	11.89	090	2	ő	ŏ	0	ő
26546	A	Repair nonunion	16.66	16.66	090	2	1	2	0	Ö
26548		Reconstruct finger	13.43	13.43	090	2	0	0	0	ŏ
26550	A	Construct thumb	40.20	40.20	090	2	Ö	2	0	ő
26551	A	Great toe-hand	86.91	86.91	090	2	Ö	2	0	ő
26553	A	Single toe-hand	86.32	86.32	090	2	ŏ	2	1	0
26554		Double toe-hand	102.76	102.76	090	2	0	2	1	0
26555		Positional change	31.37	31.37	090	2	Ö	2	0	0
26556		Toe joint transfer	87.97	87.97	090	2	0	2	1	ŏ
26560		Repair of web finger	9.74	9.74	090	2	ŏ	2	0	Ö
26561	A A		19.36	19.36	090	2	0	2	1	0
		Repair of web finger	19.53	19.53	090	2	0	2	0	0
26562		Repair of web finger		12.21		2		2		
26565	A	1	12.21		090		0		0	0
26567		Correct finger	10.70	10.70	090	2	0	0 2	0	0
26568		Lengthen metacarpal	16.99	16.99	090	2	0	2	0	0
26580		Repair hand defect	34.34	34.34	090		0		0	0
26585		Repair finger defect	26.43	26.43	090	2	0	2	0	0
26587	C	Reconstruct extension	0.00	0.00	090	2	0	2	0	0
26590	Α	Repair finger defect	33.87	33.87	090	2	0	2	0	0

577

FEES FOR MEDICAL SERVICES 5221.4030

377		FLES	POR N	IEDICAL	, SER	VICE	20	344	1.70	50
26591	Α	Repair muscles	5.38	5.38	090	2	0	0	0	0
26593	A	Release muscles	9.19	9.19	090	2	Õ	1	Õ	Ō
26596	A	Excision constriction	16.83	16.83	090	2	0	2	0	0
26597	Α	Release of scar	17.42	17.42	090	2	0	0	0	0
(62) Hand a	nd	fingers, fracture and/or disloca	tion:							
26600	Α	Treat metacarpal	3.39	2.64	090	2	0	1	0	0
26605	A	Treat metacarpal	5.00	3.89	090	2	0	1	0	0
26607	A	Treat metacarpal	8.61	8.61	090	2	0	0	0	0
26608	Α	Treat metacarpal	8.61	8.61	090	2	0	0	0	0
26615	A	Repair metacarpal	9.98	9.98	090	2	0	1	0	0
26641	A	Treat thumb dislocation	4.73	4.73	090	2	0	0	0	0
26645	Α	Treat thumb fracture	6.31	6.31	090	2	0	0	0	0
26650	A	Repair thumb fracture	9.42	9.42	090	2	0	1	0	0
26665	A	Repair thumb fracture	13.67	13.67	090	2	0	1	1	0
26670	A	Treat hand dislocation	4.33	4.33	090	2	0	0	0	0
26675	A	Treat hand dislocation	8.74	8.74	090	2	0	0	0	0
26676		Pin hand dislocation	10.08	10.08	090	2	0	1	0	0
26685	A	Repair hand dislocation	12.40	12.40	090	2	0	1	1	0
26686	_	Repair hand dislocation	13.88	13.88	090	2	0	2	0	0
26700	A	Treat knuckle dislocation Treat knuckle dislocation	4.26	4.26	090	2	0	1	0	0
26705	A		5.67	5.67	090	2	0	0 1	0	0
26706	A	Pin knuckle dislocation	9.58	9.58	090	2	0	0	0 0	0
26715	A	Repair knuckle	9.56 2.65	9.56 2.12	090 090	2	0	1	0	0
26720	A A	Treat finger fracture	4.64	3.89	090	2	0	1	0	0
26725	A	Treat finger fracture	7.32	7.32	090	2	0	1	0	0
26727 26735	A	Treat finger fracture Repair finger fracture	9.37	9.37	090	2	0	1	0	0
26740	Ā	Treat finger fracture	2.97	2.41	090	2	0	1	ő	0
26742	Â	Treat finger fracture	5.58	5.58	090	2	0	1	0	0
26746	A	Repair finger fracture	10.30	10.30	090	2	0	1	ő	Ö
26750	A	Treat finger fracture	2.40	2.40	090	2	0	1	0	ő
26755	A	Treat finger fracture	3.94	3.94	090	2	0	1	ő	ŏ
26756		Pin finger fracture	6.00	6.00	090	2	0	Ô	Õ	ŏ
26765	A	Repair finger fracture	6.60	6.60	090	2	ŏ	1	ŏ	ŏ
26770	A	Treat finger dislocation	3.52	3.52	090	2	ŏ	1	ŏ	ŏ
26775	A	Treat finger dislocation	4.55	4.55	090	$\bar{2}$	ŏ	1	ŏ	ŏ
26776	A	Pin finger dislocation	6.56	6.56	090	$\bar{2}$	ŏ	1	Ŏ	Ŏ
26785		Repair finger dislocation	6.96	6.96	090	$\bar{2}$	0	1	0	0
(63) Hand a	nd	fingers, arthrodesis:								
26820	٨	Thumb fusion with graft	14.50	14.50	090	2	0	2	1	0
26841		Fusion of thumb	12.98	12.98	090	2	0	2 0	1	0
26842		Thumb fusion with graft	16.52	16.52	090	2	Ö	2	1	ŏ
26843		Fusion of hand	13.67	13.67	090	2	0	2	1	0
26844		Fusion/graft	15.68	15.68	090	2	ŏ	2	î	ŏ
26850		Fusion of knuckle	11.22	11.22	090	2	ŏ	õ	Ô	ő
26852		Fusion of knuckle	13.76	13.76	090	$\bar{2}$	ŏ	2	1	ŏ
26860		Fusion of finger	8.79	8.79	090	2	0	1	0	0
26861		Fusion of finger	3.66	3.66	ZZZ	0	0	1	0	0
26862	Α	Fusion/graft	12.14	12.14	090	2	0	2	1	0
26863	Α	Fusion/graft	7.11	7.11	ZZZ	0	0	2	0	0

(64) Han	d and	fingers, amputation:								
26910	Α	Amputation of metacarpal	12.40	12.40	090	2	0	1	0	0
26951		Amputation of finger	7.21	7.21	090	2	ŏ	1	0	0
26952		Amputation of finger	9.97	9.97	090	2	Õ	1	0	ŏ
20,02	••		2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	070	_		_		
(65) Han	d and	fingers, other procedures:								
26989	C	'Hand/finger surgery	0.00	0.00	YYY	2	0	1	0	1
(66) Pelvi	is and	hip joint, incision:								
26990	Α	Drainage of pelvis	10.07	10.07	090	2	0	1	0	0
26991		Drainage of pelvis	7.97	7.97	090	2	Ŏ	0	Ŏ	0
26992		Drainage of bone	18.56	18.56	090	2	0	0	0	0
27000		Incision of hip	7.02	7.02	090	2	1	1	1	0
27001		Incision of hip	8.77	8.77	090	2	1	2	1	0
27003	Α	Incision of hip	13.80	13.80	090	2	1	2	1	0
27005	Α	Incision of hip	12.32	12.32	090	2	1	2	1	0
27006	Α	Incision of hip	13.69	13.69	090	2	1	2	1	0
27025	Α	Incision of hip	16.61	16.61	090	2	1	0	1	0
27030		Drainage of hip	23.87	23.87	090	2	1	2	1	0
27033		Exploration of hip	24.30	24.30	090	2	1	2	1	0
27035		Denervation of hip	27.83	27.83	090	2	1 1	2	1 1	0
27036	Α	Excision of hip	23.77	23.77	090	2	1	2	1	0
(67) Pelvi	is and	hip joint, excision:								
27040	Α	Biopsy of soft tissue	3.36	3.36	010	2	1	1	0	0
27041	Α	Biopsy of soft tissue	11.80	11.80	090	2	1	1	0	0
27047	Α	Remove hip/pelvis	8.77	8.77	090	2	1	1	0	0
27048	Α	1 1	10.31	10.31	090	2	1	2	1	0
27049	Α	Remove tumor, hip	23.23	23.23	090	2	1	2	1	0
27050	Α	1 2	9.07	9.07	090	2	1	0	1	0
27052		Biopsy of hip joint	13.15	13.15	090	2	1	2	1	0
27054		Removal of hip Removal of ischia	18.07	18.07	090	2	1 1	2	1 0	0
27060 27062	A A	Remove femur lesion	9.10 9.35	9.10 9.35	090 090	2	1	1	1	0
27065	A	Removal of hip	11.25	11.25	090	2	1	2	1	0
27066	A	Removal of hip	17.73	17.73	090	2	1	2	1	0
27067	A	Remove/graft hip	24.85	24.85	090	2	1	2	0	Õ
27070	A	Partial removal	17.56	17.56	090	2	1	2	1	Õ
27071	A	Partial removal	19.41	19.41	090	2	1	2	1	0
27075	Α	Extensive hip	30.00	30.00	090	2	0	2	1	0
27076	Α	Extensive hip	37.33	37.33	090	2	0	2	1	0
27077	Α	Extensive hip	41.12	41.12	090	2	0	2	1	0
27078	Α	Extensive hip	22.01	22.01	090	2	0	2	1	0
27079	Α	Extensive hip	21.74	21.74	090	2	0	2	1	0
27080	Α	Removal of tailbone	10.90	10.90	090	2	0	2	1	0

## (68) Pelvis and hip joint, introduction or removal:

27086	A Removal of hip	2.30	2.02	010	2	1	0	0	0
27087	A Removal of hip	11.58	11.58	090	2	1	2	1	0
27090	A Removal of hip	19.71	19.71	090	2	1	2	1	0
27091	A Removal of hip	40.98	40.98	090	2	1	2	1	0
27093	A Injection for hip	2.03	2.03	000	2	1	1	0	0
27095	A Injection for hip	2.33	2.33	000	2	1	1	0	0

### (69) Pelvis and hip joint, repair, revision, and/or reconstruction:

27097	Α	Revision of hip	16.13	16.13	090	2	1	2	0	0
27098	Α	Transfer tendon	16.16	16.16	090	2	1	2	0	0
27100	Α	Transfer	18.26	18.26	090	2	1	2	1	0
27105	Α	Transfer	17.12	17.12	090	2	1	2	0	0
27110	Α	Transfer of iliopsoas	23.31	23.31	090	2	1	2	1	0
27111	Α	Transfer of iliopsoas	23.17	23.17	090	2	1	2	1	0
27120	Α	Reconstruction	35.46	35.46	090	2	1	2	1	0
27122	Α	Reconstruction	31.14	31.14	090	2	1	2	1	0
27125	Α	Partial hip replacement	30.61	30.61	090	2 2 2	1	2 2 2	1	0
27130	Α	Total hip replacement	42.17	42.17	090	2	1	2	1	0
27132	Α	Total hip replacement	48.72	48.72	090		1		1	0
27134	Α	Revise hip joint	59.48	59.48	090	2	1	2	1	0
27137	Α	Revise hip joint	44.37	44.37	090	2	1	2	1	0
27138	Α	Revise hip joint	46.06	46.06	090	2	1	2	1	0
27140	Α	Transplant	22.73	22.73	090	2	1	2	1	0
27146	Α	Incision of hip	27.08	27.08	090	2	1	2	1	0
27147	Α	Revision of hip	36.60	36.60	090	2	1	2	1	0
27151	Α	Incision of hip	39.14	39.14	090	2	1	2	1	0
27156	Α	Revision of hip	41.75	41.75	090	2 2 2 2	1	2	1	0
27158	Α	Revision of pelvis	33.30	33.30	090	2	2	2	0	0
27161	Α	Incision of neck	30.27	30.27	090	2		2	1	0
271.65	Α	Incision/fixation	33.90	33.90	090		0	2	1	0
27170	Α	Repair/graft femur	31.90	31.90	090	2	1	2	1	0
27175	Α	Treat slipped epiphysis	8.92	8.92	090	2	1	0	0	0
27176	Α	Treat slipped epiphysis	21.91	21.91	090	2	1	2	1	0
27177	Α	Repair slipped epiphysis	26.79	26.79	090	2	1	2	1	0
27178	Α	Repair slipped epiphysis	21.84	21.84	090	2	1	2	1	0
27179	Α	Revise head/neck	23.56	23.56	090		1	2	0	0
27181	Α	Repair slipped epiphysis	27.21	27.21	090	2	1	2	0	0
27185	Α	Revision of femur	11.49	11.49	090	2	1.	1	1	0
27187	Α	Reinforce hip bone	28.20	28.20	090	2	1	2	1	0
		-								

## (70) Pelvis and hip joint, fracture and/or dislocation:

27193	Α	Treat pelvic ring	7.59	7.59	090	2	1	1	2	0
27194	Α	Treat pelvic ring	12.80	12.80	090	2	0	0	2	0
27200		Treat tailbone	3.20	3.20	090	2	0	1	0	0
27202	Α	Repair tailbone	12.82	12.82	090	2	0	2	0	0
27215	Α	Pelvic fracture	21.09	21.09	090	2	0	2	2	0
27216	Α	Treat pelvic ring	18.31	18.31	090	2	0	2	2	0
27217		Treat pelvic ring	28.15	28.15	090	2	0	2	2	0
27218		Treat pelvic ring	33.63	33.63	090	2	0	2	2	0
27220		Treat hip socket	10.08	10.08	090	2	1	1	0	0
27222		Treat hip socket	18.25	18.25	090	2	1	1	0	0
27226	Α	Treat hip wall	30.17	30.17	090	2	1	2	2	0
27227		Treat hip fracture	42.08	42.08	090	2	1	2	2	0

27228	Α	Treat hip fracture	45.69	45.69	090	2	1	2	2	0
27230	A	Treat fracture	8.41	8.41	090	2	1	1	õ	0
27232	A	Treat fracture	19.17	19.17	090	2	1	1	0	0
27235			25.40	25.40	090	2	1	1	1	0
	A	Repair of thigh		31.99		2	1	2	1	0
27236		Repair of thigh	31.99		090		_			
27238	A	Treatment of thigh	10.15	10.15	090	2	1	1	0	0
27240	A	Treatment of thigh	21.56	21.56	090	2	1	1	0	0
27244	A	Repair of thigh	31.66	31.66	090	2	1	2	1	0
27245	A	Repair of thigh	35.63	35.63	090	2	1	2	2	0
27246	A	Treatment of thigh	8.34	8.34	090	2	1	1	0	0
27248	A	Repair of thigh	21.76	21.76	090	2	1	2	1	0
27250	A	Treat hip dislocation	9.64	9.64	090	2	1	1	0	0
27252	Α	Treat hip dislocation	14.00	14.00	090	2	1	1	0	0
27253	Α	Repair of hip	25.59	25.59	090	2	1	2	1	0
27254	Α	Repair of hip	30.84	30.84	090	2	1	2	1	0
27256	Α	Treatment of hip	5.73	5.73	010	2	1	0	0	0
27257	Α	Treatment of hip	9.60	9.60	010	2	1	0	0	0
27258	Α	Repair of hip	28.51	28.51	090	2	1	2	1	0
27259	Α	Repair of hip	37.73	37.73	090	2	1	2	0	0
27265	Α	Treatment of hip	8.22	8.22	090	2	1	1	0	0
27266	Α		11.49	11.49	090	2	1	1	0	0
		1								
(71) D. 1.		1 to totak occupto dogto								
(71) Pelvis	and	hip joint, manipulation:								
27275	Α	Manipulation of hip	4.04	4.04	010	2	0	1	0	0
		r				_			-	_
(72) Pelvis	and	hip joint, arthrodesis:								
27280	٨	Fusion of sacroiliac	22.85	22.85	090	2	1	2	1	0
27282						2	0	2	1	
		Fusion of pubis	19.93	19.93	090			2		0
27284	A		30.54	30.54	090	2	1		1	0
27286	A	Fusion of hip joint	31.17	31.17	090	2	1	2	1	0
(73) Pelvis	and	hip joint, amputation:								
27290	٨	Amputation of limb	48.26	48.26	090	2	0	2	1	0
27295		Amputation of limb	34.53	34.53	090	2	ő	2	1	0
21293	А	Amputation of inito	34.33	34.33	090	2	U	2	1	U
(74) Pelvis	and	hip joint, other procedures:								
27299	С	Pelvis/hip joint surgery	0.00	0.00	YYY	2	1	2	1	1
		z contract jerne z z gozj				_				
(75) D	,	(dalam tatia trata)								
(75) remur	anc	knee joint, incision:								
27301	Α	Drain thigh/knee	8.49	8.49	090	2	1	1	0	0
27303		Drainage of bone	13.71	13.71	090	2	ĩ	2	1	Ŏ
27305	Α	Incise thigh tendon	9.42	9.42	090	2	1	2	1	Ō
27306		Incision of thigh	6.29	6.29	090	2	1	2	Ō	Ō
27307	Α	Incision of thigh	8.44	8.44	090	2	1	0	1	0
27310	Α	Exploration of knee	18.52	18.52	090	2	1	2	1	0
27315		Partial removal	12.05	12.05	090	2	1	2	0	0

FEES FOR MEDICAL SERVICES 5221.4030

581

27320	Α	Partial removal	11.13	11.13	090	2	1	2	1	0
(76) Femi	ur and	I knee joint, excision:								
27323	А	Biopsy thigh tissue	3.02	2.58	010	2	1	1	0	0
27324		Biopsy thigh tissue	7.24	7.24	090	2	1	î	ő	0
27327	A	Removal of thigh	6.49	6.49	090	2	1	1	Ö	ŏ
27328		Removal of thigh	9.39	9.39	090	2	1	1	0	0
27329		Remove tumor	25.31	25.31	090	2	1	2	1	0
27329	A		10.45	10.45	090	2	1	1	1	0
27330	A	Biopsy knee joint Explore/treat knee	12.41	12.41	090	2	1	2	1	0
		Removal of knee	17.25	17.25	090	2	1	2	1	0
27332		Removal of knee	17.23	15.77	090	2	1	2	1	0
27333						2	1	2	1	0
27334		Remove knee joint	18.12	18.12	090	2	1	2	1	
27335		Remove knee joint	20.83	20.83	090					0
27340		Removal of knee	7.86	7.86	090	2	1	1	0	0
27345		Removal of knee	11.34	11.34	090	2	1	2	1	0
27350		Removal of knee	16.95	16.95	090	2	1	2	1	0
27355		Remove femur lesion	14.94	14.94	090	2	1	2	1	0
27356	Α	Remove femur lesion	17.27	17.27	090	2	1	2	1	0
27357		Remove femur lesion	18.85	18.85	090	2	1	2	1	0
27358	Α	Remove femur lesion	9.10	9.10	ZZZ	0	1	2	0	0
27360	Α	Partial removal	18.57	18.57	090	2	1	2	1	0
27365	Α	Extensive leg surgery	29.58	29.58	090	2	1	2	1	0
27370 27372	Α	I knee joint, introduction or re Injection for knee Removal of foreign body	1.48	1.48	000	2	1	1	0	0
		removal of foreign coup	8.20	8.20	090	2	1	0	0	Ö
(78) Fem	ur anc	I knee joint, repair, revision, a			090				0	
, ,		I knee joint, repair, revision, a	nd/or rec	onstruct	090 ion:	2	1	0		0
27380	A	I knee joint, repair, revision, a Repair of kneecap	nd/or rec 14.82	onstruct	090 ion: 090	2	1	0 2	1	0
27380 27381	A A	I knee joint, repair, revision, a Repair of kneecap Repair/graft kneecap	nd/or rec 14.82 21.28	eonstruct 14.82 21.28	090 ion: 090 090	2 2 2	1 1 1	2 2 2	1 1	0 0 0
27380 27381 27385	A A A	I knee joint, repair, revision, a Repair of kneecap Repair/graft kneecap Repair of thigh	nd/or rec 14.82 21.28 16.08	14.82 21.28 16.08	090 ion: 090	2 2 2 2	1	2 2 2	1	0
27380 27381 27385 27386	A A A	I knee joint, repair, revision, a Repair of kneecap Repair/graft kneecap Repair of thigh Repair/graft thigh	14.82 21.28 16.08 21.92	14.82 21.28 16.08 21.92	090 ion: 090 090 090 090	2 2 2 2 2	1 1 1 1	0 2 2 2 2 2	1 1 1	0 0 0 0
27380 27381 27385 27386 27390	A A A A	I knee joint, repair, revision, a Repair of kneecap Repair/graft kneecap Repair of thigh Repair/graft thigh Incision of thigh	14.82 21.28 16.08 21.92 9.44	14.82 21.28 16.08 21.92 9.44	090 ion: 090 090 090 090 090	2 2 2 2 2 2	1 1 1 1 0	0 2 2 2 2 2 2	1 1 1 1 0	0 0 0 0 0
27380 27381 27385 27386 27390 27391	A A A A	I knee joint, repair, revision, a Repair of kneecap Repair/graft kneecap Repair of thigh Repair/graft thigh Incision of thigh Incision of thigh	14.82 21.28 16.08 21.92 9.44 12.27	14.82 21.28 16.08 21.92 9.44 12.27	090 ion: 090 090 090 090 090 090	2 2 2 2 2 2 2	1 1 1 1 0 0	2 2 2 2 2 2 0	1 1 1 1 0 1	0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392	A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair of thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh	14.82 21.28 16.08 21.92 9.44 12.27 16.47	14.82 21.28 16.08 21.92 9.44 12.27 16.47	090 ion: 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2	1 1 1 1 0 0 2	0 2 2 2 2 2 0 2	1 1 1 1 0	0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393	A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair of thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79	090 ion: 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0	2 2 2 2 2 2 0 2 2	1 1 1 0 1 1	0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394	A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77	090 ion: 090 090 090 090 090 090 090 090 090 09	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0	2 2 2 2 2 2 0 2 2 2 2	1 1 1 1 0 1 1 1 0	0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395	A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68	090 ion: 090 090 090 090 090 090 090 090 090 09	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 2 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1	0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396	A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57	090 ion: 090 090 090 090 090 090 090 090 090 09	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 2 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62	090 ion: 090 090 090 090 090 090 090 090 090 09	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 2 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 0 1	0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49	090 ion: 090 090 090 090 090 090 090 090 090 09	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 2 0 0 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 2 0 0 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 0 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97	090 ion: 090 090 090 090 090 090 090 090 090 09	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 0 2 0 0 0 2 0 0 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405 27407	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee Repair of knee	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405 27407 27409	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee Repair of knee Repair of knee	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 1 1 1 1 1 1 1	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405 27407 27409 27418	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee Repair of knee Repair of knee Repair degeneration	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 1 1 1 1 1	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405 27407 27409 27418 27420	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee Repair of knee Repair degeneration Revision of patella	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40 20.33	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40 20.33	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 0 2 0 0 0 1 1 1 1 1 1 1 1	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405 27407 27409 27418 27420 27422	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee Repair of knee Repair degeneration Revision of patella Revision of patella	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40 20.33 20.28	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40 20.33 20.28	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 0 2 0 0 0 1 1 1 1 1 1 1 1	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
27380 27381 27385 27386 27390 27391 27392 27393 27394 27395 27396 27397 27400 27403 27405 27407 27409 27418 27420	A A A A A A A A A A A A A A A A A A A	Repair of kneecap Repair/graft kneecap Repair/graft kneecap Repair/graft thigh Repair/graft thigh Incision of thigh Incision of thigh Incision of thigh Incision of thigh Lengthening of hamstring Lengthening of hamstring Lengthening of hamstring Transplant of tendon Transplants of tendons Revise thigh muscle Repair of knee Repair of knee Repair of knee Repair degeneration Revision of patella	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40 20.33	14.82 21.28 16.08 21.92 9.44 12.27 16.47 11.79 13.77 21.68 14.57 19.62 16.49 16.85 17.97 18.68 26.79 22.40 20.33	090 ion:  090 090 090 090 090 090 090 090 090 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 2 0 0 0 1 1 1 1 1 1 1 1 1	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

27427	Α	Reconstruction	19.69	19.69	090	2	1	2	1	0
27428	Α	Reconstruction	27.41	27.41	090	2	1	2	1	0
27429	Α	Reconstruction	25.98	25.98	090	2	1	2	1	0
27430	Α	Revision of thigh	18.65	18.65	090	2	1	2	1	0
27435	Α	Incision of knee	16.03	16.03	090	2	1	2	1	0
27437	Α	Revise kneecap	17.53	17.53	090	2	1	1	1	0
27438	Α	Revise kneecap	23.30	23.30	090	2	1	2	1	0
27440	Α	Revision of knee	21.71	21.71	090	2	1	2	1	0
27441	Α	Revision of knee	19.48	19.48	090	2	1	2	1	0
27442	Α	Revision of knee	25.11	25.11	090	2	1	2	1	0
27443	Α	Revision of knee	23.37	23.37	090	2	1	2	1	0
27445	Α	Revision of knee	37.16	37.16	090	2	1	2	1	0
27446	Α	Revision of knee	33.34	33.34	090	2	1	2	1	0
27447	Α	Total knee replacement	45.05	45.05	090	2	1	2	1	0
27448	Α	Incision of thigh	22.95	22.95	090	2	1	2	1	0
27450	Α	Incision of thigh	28.33	28.33	090	2	1	2	1	0
27454	Α	Realignment	32.66	32.66	090	2	1	2	1	0
27455	Α	Realignment	24.31	24.31	090	2	1	2	1	0
27457	Α	Realignment	26.24	26.24	090	2	1	2	1	0
27465	Α	Shortening femur	25.52	25.52	090	2	1	2	1	0
27466	Α	Lengthening femur	29.05	29.05	090	2	1	2	1	0
27468	Α	Shorten/lengthen	35.00	35.00	090	2	1	2	1	0
27470	Α	Repair of thigh	32.12	32.12	090	2	1	2	1	0
27472	Α	Repair/graft	36.66	36.66	090	2	1	2	1	0
27475	Α	Surgery	16.02	16.02	090	2	1	1	1	0
27477	Α	Surgery	20.83	20.83	090	2	1	1	1	0
27479	Α	Surgery	23.90	23.90	090	2	1	2	0	0
27485	Α	Surgery	16.38	16.38	090	2	1	1	0	0
27486	Α	Revise knee joint	40.32	40.32	090	2	1	2	1	0
27487	Α	Revise knee joint	53.05	53.05	090	2	1	2	1	0
27488	Α	Removal of knee	31.32	31.32	090	2	1	2	1	0
27495	Α	Reinforce thigh	32.20	32.20	090	2	1	2	1	0
27496	Α	Decompression	10.33	10.33	090	2	1	1	2	0
27497	Α	Decompression	12.37	12.37	090	2	1	0	2	0
27498	Α	Decompression	13.93	13.93	090	2	1	2	2	0
27499	Α	Decompression	15.86	15.86	090	2	1	2	2	0
		•								

## (79) Femur and knee joint, fracture and/or dislocation:

27500	Α	Treatment of thigh	11.05	11.05	090	2	1	1	0	0
27501	Α	Treatment of thigh	11.05	11.05	090	2	1	0	0	0
27502	Α	Treatment of thigh	17.68	17.68	090	2	1	1	0	0
27503	Α	Treatment of thigh	17.68	17.68	090	2	1	0	0	0
27506	Α	Repair of thigh	32.73	32.73	090	2	1	2	1	0
27507	Α	Treatment of thigh	28.98	28.98	090	2	1	2	2	0
27508	Α	Treatment of thigh	9.73	9.73	090	2	1	1	0	0
27509	Α	Treatment of thigh	11.43	11.43	090	2	1	0	0	0
27510	Α	Treatment of thigh	15.48	15.48	090	2	1	1	0	0
27511	Α	Treatment of thigh	28.28	28.28	090	2	1	2	2	0
27513	Α	Treatment of thigh	33.15	33.15	090	2	1	2	2	0
27514	Α	Repair of thigh	32.32	32.32	090	2	1	2	1	0
27516	Α	Repair of thigh	9.92	9.92	090	2	1	1	0	0
27517	Α	Repair of thigh	16.23	16.23	090	2	1	0	0	0
27519	Α	Repair of thigh	27.01	27.01	090	2	1	2	1	0
27520	Α	Treat kneecap fracture	5.78	4.31	090	2	1	1	0	0
27524	Α	Repair of kneecap	19.98	19.98	090	2	1	2	1	0

583		I	FEES	FOR	MEDICAL	SERV	ЛСЕ	ES	522	<b>1.4</b> 0	30
27530 27532 27535 27536 27538 27540 27550 27552 27556 27557 27558 27560 27562 27566		<b>L</b>		7.00 12.62 22.77 26.54 7.96 23.43 7.91 10.78 26.21 30.67 31.53 4.94 10.68 22.24	2 12.62 7 22.77 4 26.54 6 7.96 8 23.43 1 7.91 8 10.78 1 26.21 7 30.67 3 31.53 4 4.94 8 10.68	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 0 2 0 0 2 2 2 2 1 0 2	0 0 2 1 0 1 0 0 1 1 2 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0
(80) Femur	ano	d knee joint, manipulatior	ı:								
27570	Α	Fixation of knee		3.40	3.40	010	2	0	1	0	0
(81) Femur 27580		I knee joint, arthrodesis: Fusion of knee		34.16	5 34.16	090	2	1	2	1	0
(82) Femur	ano	I knee joint, amputation:									
27590 27591 27592 27594 27596 27598	A A	Amputate leg at thigh Amputate leg at thigh Amputate leg at thigh Amputation follow-up Amputation follow-up Amputate lower leg		20.71 24.04 17.82 10.18 17.52 20.24	4 24.04 2 17.82 3 10.18 2 17.52	090 090 090 090 090 090	2 2 2 2 2 2	1 1 1 1 1	2 2 2 1 1 2	1 1 1 0 1	0 0 0 0 0
(83) Femur	and	i knee joint, other proced	ures:								
27599	С	Leg surgery		0.00	0.00	YYY	2	1	2	1	1
(84) Leg an	ıd a	nkle joint, incision:									
27600 27601 27602 27603 27604 27605 27606 27607 27610 27612	A A A A	Decompression of leg Decompression of leg Decompression of leg Drain lower leg Drain lower leg Incision of tendon Incision of tendon Treat lower leg Explore/treat ankle Exploration of ankle		8.76 8.75 11.01 7.01 5.12 3.82 6.00 13.58 15.37	5 8.75 1 11.01 1 7.01 2 4.63 2 3.82 0 6.00 8 13.58 7 15.37	090 090 090 090 090 010 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1	1 1 2 1 0 0 1 1 1 2	1 0 1 0 0 0 1 0 0	0 0 0 0 0 0 0 0

	(85) I	Leg and	d ankle	ioint.	excision
--	--------	---------	---------	--------	----------

27613	Α	Biopsy lower leg	2.67	2.35	010	2	1	1	0	0
27614	Α	Biopsy lower leg	7.53	7.53	090	2	1	1	0	0
27615	Α	Remove tumor, leg	20.13	20.13	090	2	1	0	1	0
27618	Α	Remove lower leg	6.83	6.83	090	2	1	1	0	0
27619	Α	Remove lower leg	11.98	11.98	090	2	1	1	0	0
27620	Α	Explore, treat	11.78	11.78	090	2	1	2	1	0
27625	Α	Remove ankle joint	16.65	16.65	090	2	1	2	1	0
27626	Α	Remove ankle joint	18.24	18.24	090	2	1	2	0	0
27630	Α	Removal of tendon	7.61	7.61	090	2	1	1	0	0
27635	Α	Remove lower leg	15.53	15.53	090	2	1	1	1	0
27637	Α	Remove/graft leg	17.90	17.90	090	2	1	2	1	0
27638	Α	Remove/graft leg	19.27	19.27	090	2	1	2	1	0
27640	Α	Partial removal	20.66	20.66	090	2	1	1	1	0
27641	Α	Partial removal	15.93	15.93	090	2	1	1	1	0
27645	Α	Extensive lower leg	25.20	25.20	090	2	1	2	1	0
27646	Α	Extensive lower leg	22.82	22.82	090	2	1	2	1	0
27647	Α	Extensive ankle	21.47	21.47	090	2	1	2	0	0

## (86) Leg and ankle joint, introduction or removal:

27648 A Injection for ankle 1.40 1.40 000 2 1 0 0

### (87) Leg and ankle joint, repair, revision, and/or reconstruction:

27650	Α	Repair Achilles	18.25	18.25	090	2	1	2	1	0
27652	Α	Repair/graft Achilles	20.29	20.29	090	2	1	1	1	0
27654	Α	Repair Achilles	20.56	20.56	090	2	1	2	1	0
27656	Α	Repair leg	7.52	7.52	090	2	1	2	0	0
27658	Α	Repair of leg tendon	8.73	8.73	090	2	0	2	1	0
27659	Α	Repair of leg tendon	12.33	12.33	090	2	0	2	1	0
27664	Α	Repair of leg tendon	7.75	7.75	090	2	0	0	0	0
27665	Α	Repair of leg tendon	10.10	10.10	090	2	0	2	1	0
27675	Α	Repair lower leg	13.22	13.22	090	2	1	2	1	0
27676	Α	Repair lower leg	15.58	15.58	090	2	1	2	0	0
27680	Α	Release of lower leg	9.53	9.53	090	2	0	1	1	0
27681	Α	Release of lower leg	12.43	12.43	090	2	0	1	1	0
27685	Α	Revision of lower leg	9.83	9.83	090	2	0	2	1	0
27686	Α	Revise lower leg	13.61	13.61	090	2	0	1	1	0
27687	Α	Revision of calf	11.35	11.35	090	2	1	2	1	0
27690	Α	Revise lower leg	14.90	14.90	090	2	1	2	1	0
27691	Α	Revise lower leg	17.34	17.34	090	2	1	2	1	0
27692	Α	Revise additional	3.82	3.82	ZZZ	0	1	2	1	0
27695	Α	Repair of ankle	13.55	13.55	090	2	1	1	1	0
27696	Α	Repair of ankle	14.97	14.97	090	2	1	1	1	0
27698	Α	Repair of ankle	19.47	19.47	090	2	1	2	1	0
27700	Α	Revision of ankle	19.14	19.14	090	2	1	2	1	0
27702	Α	Reconstruct ankle	29.14	29.14	090	2	1	2	1	0
27703	Α	Reconstruction	29.00	29.00	090	2	1	2	0	0
27704	Α	Removal of ankle	13.10	13.10	090	2	1	2	1	0
27705	Α	Incision of tibia	20.77	20.77	090	2	1	2	1	0
27707	Α	Incision of fibula	8.99	8.99	090	2	1	1	1	0
27709	Α	Incision of tibia	20.79	20.79	090	2	1	2	1	0
27712	Α	Realignment of rod	24.45	24.45	090	2	1	2	1	0
27715	Α	Revision of lower leg	26.28	26.28	090	2	1	2	1	0
27720	Α	Repair of tibia	24.47	24.47	090	2	1	2	1	0

585			<b>FEES</b>	FOR :	MEDICAL	SERV	VICI	ΞS	522	1.40	30
27722	Α	Repair/graft		21.78	21.78	090	2	1	2	1	0
27724	A	Repair/graft		30.16		090	2	1	2	1	0
27725	A	Repair of lower leg		25.07		090	2	1	2	1	0
27727	A	Repair of lower leg		22.79		090	2	1	2	1	0
27730	A	Repair of tibia		10.66		090	2	1	1	1	0
27732	A			9.94		090	2	1	1	0	0
27734	A	Repair of fibula Repair lower leg		15.66		090	2	1	1	0	0
27740				17.27		090	2	1	2	0	0
27742	A	Repair of leg		19.16		090	2	1	2	1	0
27745	A A	Repair of leg Reinforce tibia		19.10			2	1	2	1	0
21143	А	Remorce tion		10.57	10.57	090	۷	1	2	1	U
(88) Leg an	ıd a	nkle joint, fracture and/	or dislo	cation:							
27750	Α	Treatment of tibia		6.50	6.50	090	2	1	1	0	0
27752	Α	Treatment of tibia		10.66		090	2	1	1	0	0
27756	Α	Repair of tibia		14.30		090	2	1	2	1	0
27758	A	Repair of tibia		24.22		090	2	1	2	1	0
27759	Α	Repair of tibia		26.99		090	2	1	2	2	0
27760	Α	Treatment of ankle		5.43		090	2	1	1	0	0
27762	Α	Treatment of ankle		8.29		090	2	1	1	Õ	Ō
27766	Α	Repair of ankle		15.89		090	2	1	1	1	0
27780	Α	Treatment of fibula		4.45		090	2	1	1	0	0
27781	Α			7.44		090	2	1	1	0	0
27784	Α	Repair of fibula		12.33		090	2	1	1	1	0
27786	Α	Treatment of ankle		5.22		090	2	1	1	0	0
27788	Α	Treatment of ankle		7.47		090	2	1	1	0	0
27792	Α	Repair of ankle		14.73		090	2	1	1	1	0
27808	Α	Treatment of ankle		5.48	5.48	090	2	1	1	0	0
27810	Α			9.98		090	2	1	1	0	0
27814	Α	Repair of ankle		20.24		090	2	1	2	1	0
27816	Α	Treatment of ankle		6.28		090	2	1	1	0	0
27818	Α	Treatment of ankle		11.42		090	2	1	1	0	0
27822	Α	Repair of ankle		19.16	19.16	090	2	1	2	1	0
27823	Α	Repair of ankle		24.20	24.20	090	2	1	2	1	0
27824	Α	Treat lower leg		6.28	6.00	090	2	1	1	0	0
27825	Α	Treat lower leg		12.49	12.49	090	2	1	0	0	0
27826	Α	Treat lower leg		17.86	17.86	090	2	1	2	2	0
27827	Α	Treat lower leg		25.11	25.11	090	2	1	2	2	0
27828	Α	Treat lower leg		28.22	28.22	090	2	1	2	2	0
27829	Α	Treat lower leg		11.57	11.57	090	2	1	2	2	0
27830	Α	_		6.83		090	2	1	0	0	0
27831	Α	Treat lower leg		8.31		090	2	1	0	0	0
27832	Α	Repair lower leg		11.89	11.89	090	2	1	2	1	0
27840	Α	Treat ankle dislocation	ı	6.08		090	2	1	1	0	0
27842	Α	Treat ankle dislocation	1	7.97		090	2	1	1	0	0
27846	Α	Repair ankle dislocation	on	17.94		090	2	1	2	1	0
27848	Α	Repair ankle dislocation		18.97	18.97	090	2	1	2	1	0
(89) Leg an	ıd aı	nkle joint, manipulation	:								
, , -				2.50	2.50	010	2	0	0	0	0
27860	A	Fixation of ankle		3.59	3.59	010	2	0	0	0	0

(90) Leg ar	nd a	nkle joint, arthrodesis:								
27870 27871		Fusion of ankle Fusion of tibiofibula	26.74 16.52	26.74 16.52	090 090	2 2	1 1	2 2	1 1	0
(91) Leg an	nd a	nkle joint, amputation:								
27880	Α	Amputation of leg	19.72	19.72	090	2	1	2	1	0
27881	A		22.69	22.69	090	2	1	2	1	0
27882		Amputation of leg	16.01	16.01	090	2	1	0	1	0
27884 27886		Amputation follow-up Amputation follow-up	11.04 16.13	11.04 16.13	090 090	2	1 1	1 1	$0 \\ 1$	0
27888	A A	Amputation of fibula	18.86	18.86	090	2	1	2	1	0
27889		Amputation of fibula	18.06	18.06	090	2	1	2	1	0
27007	•	Timputation of notice	10.00	10.00	070	_	_	_	-	Ū
(92) Leg ar	nd a	nkle joint, other procedures:								
27892	Α	Decompression of leg	10.34	10.34	090	2	1	0	2	0
27893	Α	Decompression of leg	10.31	10.31	090	2	1	Ō	Ō	0
27894	Α	Decompression of leg	13.86	13.86	090	2	1	2	2	0
27899	С	Leg/ankle surgery	0.00	0.00	YYY	2	1	0	1	1
(93) Foot a	ınd 1	toes, incision:								
28001	Α	Drainage of bursa	3.01	2.76	010	2	0	1	0	0
28002		Treatment of foot	6.55	6.55	010	2	0	1	0	0
28003		Treatment of foot	11.34	9.65	090	2	0	1	0	0
28005	A		12.16	12.16	090	2	0	1	0	0
28008			6.79	6.79	090	2	0	1	0	0
28010 28011	A	Incision of toe Incision of toe	6.26 5.57	4.51 4.72	090 090	2	0	1 1	0	0 0
28020	A	Exploration	9.11	9.11	090	2	0	1	$0 \\ 1$	0
28022		Exploration	7.06	5.73	090	2	0	1	0	0
28024	A	Exploration	6.42	5.26	090	2	Ö	1	0	ő
28030		Removal of foot	9.61	9.61	090	2	ŏ	Ô	ŏ	ŏ
28035	Α	Decompression	11.09	10.53	090	2	0	1	1	0
(94) Foot a	nd 1	coes, excision:								
28043	Α	Excision of foot	5.00	5.00	090	2	1	1	0	0
28045	Α	Excision of foot	8.39	8.39	090	2	1	Ô	ŏ	ŏ
28046	Α	Resection of tumor	14.85	14.85	090	2	1	1	1	0
28050	Α	Biopsy of foot	7.86	7.86	090	2	1	1	1	0
28052	Α	Biopsy of foot	7.50	5.66	090	2	1	1	1	0
28054	Α	Biopsy of toe joint	5.45	5.45	090	2	1	0	0	0
28060	A		9.12	9.12	090	2	1	1	0	0
28062	A	Removal of foot Removal of foot	13.21	13.21	090	2	0	1	1	0
28070 28072	A A		9.22 7.49	9.22 7.49	090 090	2	0	1 1	0 0	0 0
28080	A	Removal of foot	7.43	7.49	090	2	0	0	0	0
28086	A	Excise foot tendon	7.61	7.61	090	2	1	2	1	0
28088	Α	Excise foot tendon	7.22	7.22	090	$\bar{2}$	1	$\bar{0}$	Ô	Ŏ
28090	Α	Removal of foot	7.08	7.08	090	2	1	1	0	0
28092	Α	Removal of toe	5.40	5.40	090	2	0	1	0	0

587

FEES FOR MEDICAL SERVICES 5221.4030

28100	Α	Removal of ankle	9.87	9.87	090	2	1	2	1	0
28102	Α	Remove/graft foot	14.09	14.09	090	2	1	2	0	0
28103	Α	Remove/graft foot	11.70	11.70	090	2	1	2	0	0
28104	A	Removal of foot	9.10	9.10	090	2	0	2	1	0
28106	A	Remove/graft foot	13.14	13.14	090	2	Õ	2	1	ŏ
28107	A	Remove/graft foot	10.01	10.01	090	2	Õ	2	0	0
28108	A	Removal of toe	8.04	6.01	090	2	Ö	1	ő	ŏ
28110	A	Partial removal of toe	7.28	7.28	090	2	1	1	1	0
						2	1			
28111	A	Partial removal of toe	9.78	9.78	090			1	1	0
28112	A	Partial removal of toe	8.15	8.15	090	2	1	1	1	0
28113	A	Partial removal of toe	8.90	8.90	090	2	1	0	0	0
28114	Α	Removal of metatarsal	18.53	18.53	090	2	1	2	1	0
28116	Α	Revision of foot	12.64	12.64	090	2	1	1	0	0
28118	Α	Removal of heel	11.29	11.29	090	2	1	2	1	0
28119	Α	Removal of heel	10.46	10.46	090	2	1	1	1	0
28120	Α	Partial removal of bone	10.14	10.14	090	2	1	1	1	0
28122	Α	Partial removal	11.24	11.24	090	2	1	2	1	0
28124	Α	Partial removal	8.54	6.56	090	2	1	1	0	0
28126	Α	Partial removal	7.24	5.32	090	2	0	1	0	0
28130	Α	Removal of ankle	14.64	14.64	090	2	1	2	1	0
28140	Α	Removal of metatarsal	11.38	11.38	090	2	0	1	1	0
28150	Α	Removal of toe	7.10	7.10	090	2	0	1	0	0
28153	Α	Partial removal	7.38	5.45	090	2	0	1	0	0
28160	Α	Partial removal	7.58	5.59	090	2	0	1	0	0
28171	Α	Extensive foot	16.92	16.92	090	2	0	2	0	0
28173	Α	Extensive foot	13.94	13.94	090	2	0	1	1	Ŏ
28175	A	Extensive foot	11.01	11.01	090	2	ŏ	î	î	ŏ
(95) Foot	and t	oes, introduction or removal:								
` '			2.31	2.06	010	2	1	1	0	0
28190	A	Removal of foot	2.31 6.23	2.06 6.23	010 090	2 2	1	1	0	0
28190 28192	A A	Removal of foot Removal of foot	6.23	6.23	090	2	1	1	0 0 0	0
28190	A	Removal of foot							0	
28190 28192 28193	A A A	Removal of foot Removal of foot	6.23 7.67	6.23 7.67	090	2	1	1	0	0
28190 28192 28193 (96) Foot	A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re	6.23 7.67 econstruct	6.23 7.67	090 090	2 2	1	1	0 0	0 0
28190 28192 28193 (96) Foot 28200	A A and t	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re	6.23 7.67 econstruct 9.34	6.23 7.67 tion:	090 090	2 2 2	1 1 0	1 1 1	0 0	0 0
28190 28192 28193 (96) Foot 28200 28202	A A and t A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft	6.23 7.67 econstruct 9.34 12.26	6.23 7.67 cion: 9.34 12.26	090 090 090	2 2 2 2	1 1 0 0	1 1 1 2	0 0 1 1	0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208	A A and t A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot	6.23 7.67 econstruct 9.34 12.26 6.84	6.23 7.67 cion: 9.34 12.26 6.84	090 090 090 090 090 090	2 2 2 2 2 2	1 1 0 0 0	1 1 1 2 1	0 0 1 1 1	0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210	A A and t A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft	6.23 7.67 econstruct 9.34 12.26 6.84 11.50	6.23 7.67 cion: 9.34 12.26 6.84 11.50	090 090 090 090 090 090	2 2 2 2 2 2	1 1 0 0 0 0	1 1 2 1 2	0 0 1 1 1 0	0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220	A A and t A A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09	6.23 7.67 cion: 9.34 12.26 6.84 11.50 6.22	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2	1 1 0 0 0 0 0	1 1 2 1 2 1	0 0 1 1 1 0 0	0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222	A A and t A A A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Release of foot Release of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63	6.23 7.67 dion: 9.34 12.26 6.84 11.50 6.22 8.54	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0	1 1 2 1 2 1	0 0 1 1 1 0 0	0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225	A A and t A A A A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Release of foot Release of foot Release of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75	6.23 7.67 dion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75	090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0	1 1 2 1 2 1 1 1	0 0 1 1 1 0 0 0	0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226	A A and t A A A A A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60	6.23 7.67 dion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0	1 1 2 1 2 1 1 1 1	0 0 1 1 1 1 0 0 0 0	0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230	A A and t A A A A A A A A	Removal of foot Removal of foot Removal of foot oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Incision of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32	6.23 7.67 dion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0	1 1 2 1 2 1 1 1 1 1	0 0 1 1 1 1 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232	A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Release of foot Release of foot Release of foot Incision of foot Incision of toe	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71	6.23 7.67 dion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 1 2 1 1 1 1 1 1	0 0 1 1 1 1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234	A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Release of foot Release of foot Release of foot Incision of foot Incision of foot Incision of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61	6.23 7.67 dion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 1 2 1 1 1 1 1 1	0 0 1 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28238	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Incision of foot Incision of foot Revision of foot Revision of foot	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47	6.23 7.67 sion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 1 2 1 1 1 1 1 1 1 2	0 0 1 1 1 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28238 28240	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot  oes, repair, revision, and/or re  Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Incision of foot Incision of foot Revision of foot Revision of foot Release of big toe	6.23 7.67 econstruct 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47 6.14	6.23 7.67 sion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47 6.14	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1	1 1 2 1 2 1 1 1 1 1 1 1 1 2 1	0 0 1 1 1 0 0 0 0 0 1 0 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28234 28238 28240 28250	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Resision of foot Incision of foot Revision of foot Revision of foot Release of big toe Revision of foot	6.23 7.67 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47 6.14 9.96	6.23 7.67 sion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47 6.14 9.96	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 2 1 1 1 1 1 1 1 2 1 2 1 2 1 2	1 1 1 1 0 0 0 0 0 1 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28238 28240 28250 28260	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Resision of foot Revision of foot Revision of foot Release of big toe Revision of foot Release of midfoot	6.23 7.67 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47 6.14 9.96 11.77	6.23 7.67 sion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47 6.14 9.96 11.77	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1	1 1 2 1 2 1 1 1 1 1 1 1 2 1 2 2 2 2 2 2	0 0 1 1 1 0 0 0 0 0 1 0 0 0 1 1 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28234 28238 28240 28250 28260 28261	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Resision of foot Revision of foot Revision of foot Release of big toe Revision of foot Release of midfoot Release of midfoot Revision of foot	6.23 7.67 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47 6.14 9.96 11.77 16.68	6.23 7.67 sion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47 6.14 9.96 11.77 16.68	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1	1 1 2 1 2 1 1 1 1 1 1 1 2 2 2 0	0 0 1 1 1 0 0 0 0 1 0 0 0 1 0 0 1 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28234 28238 28240 28250 28260 28261 28262	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot  oes, repair, revision, and/or re  Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Resision of foot Revision of foot Revision of foot Release of big toe Revision of foot Release of midfoot Revision of foot	6.23 7.67 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47 6.14 9.96 11.77 16.68 26.67	6.23 7.67 7.67 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47 6.14 9.96 11.77 16.68 26.67	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1	1 1 2 1 2 1 1 1 1 1 1 2 2 2 0 2	0 0 1 1 1 1 0 0 0 0 0 1 0 0 0 1 1 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
28190 28192 28193 (96) Foot 28200 28202 28208 28210 28220 28222 28225 28226 28230 28232 28234 28234 28238 28240 28250 28260 28261	A A A A A A A A A A A A A A A A A A A	Removal of foot Removal of foot Removal of foot Oes, repair, revision, and/or re Repair of foot Repair/graft Repair of foot Repair/graft Release of foot Resision of foot Revision of foot Revision of foot Release of big toe Revision of foot Release of midfoot Release of midfoot Revision of foot	6.23 7.67 9.34 12.26 6.84 11.50 8.09 11.63 5.75 7.60 6.32 4.71 4.61 14.47 6.14 9.96 11.77 16.68	6.23 7.67 sion: 9.34 12.26 6.84 11.50 6.22 8.54 5.75 7.60 5.14 3.93 3.88 14.47 6.14 9.96 11.77 16.68	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1	1 1 2 1 2 1 1 1 1 1 1 1 2 2 2 0	0 0 1 1 1 0 0 0 0 1 0 0 0 1 0 0 1 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

28272	Α	Release of toe	5.52	4.53	090	2	1	1	0	0
28280	Α	Fusion of toes	7.02	7.02	090	2	1	0	0	0
28285	Α	Repair of hammertoe	8.60	8.60	090	2	0	1	1	0
28286	Α	Repair of hammertoe	7.81	7.81	090	2	0	1	0	0
28288	Α	Partial removal	8.16	8.16	090	2	0	1	0	0
28290	Α	Correction of bunion	10.66	10.66	090	2	1	1	0	0
28292	Α	Correction of bunion	13.61	13.61	090	2	1	2	1	0
28293	Α	Correction of bunion	18.07	18.07	090	2	1	2	1	0
28294	Α	Correction of bunion	17.09	17.09	090	2	1	2	1	0
28296	Α	Correction of bunion	17.38	17.38	090	2	1	2	1	0
28297	Α	Correction of bunion	17.63	17.63	090	2	1	2	1	0
28298	Α	Correction of bunion	16.08	16.08	090	2	1	2	1	0
28299	Α	Correction of bunion	18.09	18.09	090	2	1	2	1	0
28300	Α	Incision of heel	15.39	15.39	090	2	1	2	1	0
28302	Α	Incision of ankle	17.87	17.87	090	2	1	2	1	0
28304	Α	Incision of midfoot	14.92	14.92	090	2	0	2	1	0
28305	Α	Incise/graft midfoot	19.61	19.61	090	2	0	2	1	0
28306	Α	Incision of metatarsal	9.99	9.99	090	2	0	2	1	0
28307	Α	Incision of metatarsal	11.84	11.84	090	2	0	0	0	0
28308	Α	Incision of metatarsal	10.59	10.59	090	2	0	2	1	0
28309	Α	Incision of metatarsal	18.79	18.79	090	2	0	0	0	0
28310	Α	Revision of big toe	9.19	9.19	090	2	0	1	1	0
28312	Α	Revision of toe	8.78	8.78	090	2	0	1	1	0
28313	Α	Repair deformity	7.20	5.96	090	2	0	1	0	0
28315	Α	Removal of toe	8.73	8.73	090	2	1	1	1	0
28320	Α	Repair of foot	17.30	17.30	090	2	0	2	1	0
28322	Α	Repair of metatarsal	12.37	12.37	090	2	0	2	1	0
28340	Α	Resect enlarged toe	12.96	12.96	090	2	0	1	0	0
28341	Α	Resect enlarged toe	15.56	15.56	090	2	0	1	0	0
28344	Α	Repair extra toe	7.77	7.77	090	2	0	1	1	0
28345	Α	Repair webbed toes	10.94	10.94	090	2	0	0	0	0
28360	Α	Reconstruct cleft foot	24.69	24.69	090	2	0	2	0	0

## (97) Foot and toes, fracture and/or dislocation:

28400	Α	Treatment of heel	4.66	3.42	090	2	1	1	0	0
28405	Α	Treatment of heel	8.24	8.24	090	2	1	0	0	0
28406	Α	Treatment of heel	12.12	12.12	090	2	1	0	0	0
28415	Α	Repair of heel	23.98	23.98	090	2	1	2	1	0
28420	Α	Repair/graft heel	26.52	26.52	090	2	1	2	1	0
28430	Α	Treatment of ankle	4.46	3.27	090	2	1	1	0	0
28435	Α	Treatment of ankle	6.61	6.61	090	2	1	0	0	0
28436	Α	Treatment of ankle	8.70	8.70	090	2	1	1	0	0
28445	Α	Repair of ankle	17.74	17.74	090	2	1	2	1	0
28450	Α	Treat midfoot fracture	3.67	2.77	090	2	0	1	0	0
28455	Α	Treat midfoot fracture	5.45	4.22	090	2	0	0	0	0
28456	Α	Repair midfoot	4.84	4.84	090	2	0	1	0	0
28465	Α	Repair midfoot	12.16	12.16	090	2	0	1	0	0
28470	Α	Treat metatarsal	3.67	2.80	090	2	0	1	0	0
28475	Α	Treat metatarsal	5.12	3.99	090	2	0	1	0	0
28476	Α	Repair metatarsal	6.57	6.57	090	2	0	0	0	0
28485	Α	Repair metatarsal	10.04	10.04	090	2	0	1	1	0
28490	Α	Treat big toe fracture	1.91	1.48	090	2	0	1	0	0
28495	Α	Treat big toe fracture	2.59	2.05	090	2	0	1	0	0
28496	Α	Repair big toe	4.29	4.29	090	2	0	1	0	0
28505	Α	Repair big toe	6.58	6.58	090	2	0	1	0	0

589		F	FEES	FOR	MEDICAL	SERV	ЛСЕ	ES	522	1.40	30
28510	Α	Treatment of toe		1.90	1.47	090	2	0	1	0	0
28515	A	Treatment of toe		2.47		090	2	0	1	0	0
28525	A	Repair of toe fracture		5.16		090	2	0	0	0	0
28530	A	Treat sesamoid fracture		1.98		090	2	0	0	0	Õ
28531	A	Treat sesamoid fracture		4.15		090	2	0	1	2	0
28540	A	Treat foot dislocation		2.46		090	$\bar{2}$	0	Ô	$\tilde{0}$	ŏ
28545	A	Treat foot dislocation		3.57		090	2	0	Õ	Ŏ	0
28546	Α	Treat foot dislocation		5.80		090	2	0	0	0	0
28555	Α	Repair foot dislocation		11.51		090	2	0	2	1	0
28570	Α	Treat foot dislocation		3.14		090	2	0	0	0	0
28575	Α	Treat foot dislocation		5.91	5.91	090	2	0	0	0	0
28576	Α	Treat foot dislocation		6.69		090	2	0	0	0	0
28585	Α	Repair foot dislocation		12.35	12.35	090	2	0	2	1	0
28600	Α	Treat foot dislocation		2.42		090	2	0	0	0	0
28605	Α	Treat foot dislocation		4.83		090	2	0	0	0	0
28606	Α	Treat foot dislocation		8.12		090	2	0	1	0	0
28615	Α	Repair foot dislocation		12.27		090	2	0	2	1	0
28630	Α	Treat toe dislocation		2.60		010	2	0	0	0	0
28635	Α	Treat toe dislocation		3.23		010	2	0	0	0	0
28636	A	Treat toe dislocation		5.22		010	2	0	1	2	0
28645	A	Repair toe dislocation		7.17		090	2	0	1	1	0
28660	A	Treat toe dislocation		1.76		010	2	0	1	0	0
28665	A	Treat toe dislocation		2.75		010	2	0	0 1	0	0
28666 28675	A A	Treat toe dislocation Repair toe dislocation		4.99 5.77		010 090	2	0	1	0	0
(98) Foot a	ınd t	oes, arthrodesis:									
28705	Α	Fusion of foot		29.70	29.70	090	2	0	2	1	0
28715	Α	Fusion of foot		24.84		090	2	0	2	1	0
28725	Α	Fusion of foot		20.45		090	2	0	2	1	0
28730	Α	Fusion of foot		19.20	19.20	090	2	0	2	1	0
28735	Α	Fusion of foot		20.03	3 20.03	090	2	0	2	1	0
28737	Α	Revision of foot		17.94	17.94	090	2	0	2	1	0
28740	Α	Fusion of foot		12.64		090	2	0	2	1	0
28750	Α	Fusion of big toe		12.22		090	2	1	0	0	0
28755		Fusion of big toe		8.12		090	2	1	1	1	0
28760	Α	Fusion of big toe		12.61	12.61	090	2	1	2	1	0
(99) Foot a	and t	oes, amputation:									
28800	Α	Amputation of midtarsa	l	14.53	3 14.53	090	2	1	2	1	0
28805		Amputation		14.39		090	2	1	0	0	0
28810		Amputation of toe		9.83	9.83	090	2	0	0	0	0
28820	Α	Amputation of toe		6.75		090	2	0	1	0	0
28825		Partial amputation		5.80	5.80	090	2	0	1	0	0
(100) Foot	and	toes, other procedures:									
(100) 1000		procession									
28899	С	Foot/toes surgery		0.00	0.00	YYY	2	0	0	1	1

(101) Ca	sts and	d strapping, body and upper ext	remity:							
29000	Δ	Application of casts	3.95	3.95	000	2	0	0	0	0
29010	A		4.31	4.25	000	2	ő	0	0	ő
29015	A	Application of casts	4.62	3.50	000	2	ŏ	ŏ	ŏ	ŏ
29020	A		3.80	2.92	000	$\bar{2}$	ŏ	ŏ	ŏ	ŏ
29025		Application of casts	2.98	2.62	000	$\bar{2}$	ŏ	ŏ	ŏ	ŏ
29035	A	Application of casts	3.67	2.73	000	2	ŏ	ŏ	ŏ	ŏ
29040		Application of casts	4.13	4.13	000	2	Ō	Ō	0	0
29044		Application of casts	4.13	4.13	000	2	Ō	Ō	0	Ŏ
29046	Α	Application of casts	4.54	4.54	000	2	0	0	0	0
29049	Α	Application of casts	1.25	1.04	000	2	0	0	0	0
29055		Application of casts	2.87	2.87	000	2	0	0	0	0
29058	Α	Application of casts	1.87	1.87	000	2	0	0	0	0
29065	Α	Application of casts	1.63	1.25	000	2	1	1	0	0
29075	Α	Application of casts	1.34	1.05	000	2	1	1	0	0
29085	Α	Apply hand/wrist	1.32	1.08	000	2	1	1	0	0
29105	Α	Apply long arm	1.32	1.08	000	2	1	1	0	0
29125	Α		0.92	0.74	000	2	1	1	0	0
29126	Α	Apply forearm splint	1.12	0.93	000	2	1	1	0	0
29130	Α	Application of splint	0.63	0.55	000	2	1	1	0	0
29131	Α	Application of splint	0.91	0.72	000	2	1	1	0	0
29200	Α	Strapping	0.87	0.74	000	2	0	1	0	0
29220	Α	Strapping of low back	0.98	0.79	000	2	0	1	0	0
29240	Α	Strapping of shoulder	0.92	0.92	000	2	0	1	0	0
29260	Α	Strapping of elbow	0.74	0.63	000	2	1	1	0	0
29280	Α	Strapping of hand	0.68	0.58	000	2	1	1	0	0
(102) Ca	sts and	strapping, lower extremity:								
29305	Δ	Application of cast	3 83	3 83	000	2	Λ	Λ	Λ	Λ
29305 29325	A	11	3.83	3.83 4.13	000	2	0	0	0	0
29325	Α	Application of cast	4.13	4.13	000	2	0	0	0	0
29325 29345	A A	Application of cast Application of cast	4.13 2.34	4.13 1.85	000 000	2	0 1	0 1	0 0	0
29325 29345 29355	A A A	Application of cast Application of cast Application of cast	4.13 2.34 2.55	4.13 1.85 2.01	000 000 000	2 2 2	0 1 1	0 1 1	0 0 0	0 0 0
29325 29345 29355 29358	A A A	Application of cast Application of cast Application of cast Apply long leg cast	4.13 2.34 2.55 3.00	4.13 1.85 2.01 2.24	000 000 000 000	2 2 2 2	0 1 1 1	0 1 1 1	0 0 0 0	0 0 0 0
29325 29345 29355	A A A	Application of cast Application of cast Application of cast Apply long leg cast Application of cast	4.13 2.34 2.55 3.00 1.98	4.13 1.85 2.01 2.24 1.56	000 000 000 000 000	2 2 2 2 2	0 1 1	0 1 1	0 0 0 0	0 0 0 0 0
29325 29345 29355 29358 29365	A A A A	Application of cast Application of cast Application of cast Apply long leg cast Application of cast Apply short leg cast	4.13 2.34 2.55 3.00 1.98 1.61	4.13 1.85 2.01 2.24	000 000 000 000 000 000	2 2 2 2 2 2 2	0 1 1 1 1	0 1 1 1 1	0 0 0 0	0 0 0 0 0 0
29325 29345 29355 29358 29365 29405	A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Application of cast	4.13 2.34 2.55 3.00 1.98	4.13 1.85 2.01 2.24 1.56 1.23	000 000 000 000 000	2 2 2 2 2	0 1 1 1 1 1	0 1 1 1 1 1	0 0 0 0 0	0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425	A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Application of cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast	4.13 2.34 2.55 3.00 1.98 1.61 1.93	4.13 1.85 2.01 2.24 1.56 1.23 1.46	000 000 000 000 000 000 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1	0 1 1 1 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445	A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Application of cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply rigid leg cast	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74	000 000 000 000 000 000 000 000 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1	0 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450	A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Application of cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1	0 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505	A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of cast	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1	0 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of splint	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1	0 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of knee	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Addition of walker Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of ankle	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Addition of walker Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of toe	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550 29580	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Addition of walker Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of toe Application of unna boot	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71 1.30	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58 0.92	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Addition of walker Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of toe	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550 29580 29590	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply rigid leg cast Addition of walker Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of toe Application of unna boot	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71 1.30	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58 0.92	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550 29580 29590	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply rigid leg cast Addition of walker Apply rigid leg cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of toe Application of unna boot Application of splint	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71 1.30	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58 0.92	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550 29580 29590	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of ankle Strapping of toe Application of splint Strapping of splint Strapping of ship Strapping of ship Strapping of ship Strapping of ship Strapping of splint Strapping of splint Strapping of toe Application of splint	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71 1.30 0.98	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550 29580 29590 (103) Cast 29700 29705 29710	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of ship Strapping of toe Application of unna boot Application of splint Strapping of toe Application of splint Strapping of toe Application of unna boot Application of splint  Strapping, removal or repair: Removal/revision	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71 1.30 0.98	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0 1 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
29325 29345 29355 29358 29365 29405 29425 29435 29440 29445 29450 29505 29515 29520 29530 29540 29550 29580 29590 (103) Cast	A A A A A A A A A A A A A A A A A A A	Application of cast Application of cast Application of cast Apply long leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply short leg cast Apply rigid leg cast Apply rigid leg cast Application of cast Application of cast Application of splint Strapping of hip Strapping of shee Strapping of ankle Strapping of toe Application of splint Strapping of toe Application of splint Strapping of toe Application of unna boot Application of splint  Strapping, removal or repair: Removal/revision Removal/revision	4.13 2.34 2.55 3.00 1.98 1.61 1.93 2.31 0.76 3.41 1.32 1.22 1.15 0.85 0.88 0.77 0.71 1.30 0.98	4.13 1.85 2.01 2.24 1.56 1.23 1.46 1.74 0.65 3.41 1.14 1.22 0.92 0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0 1 0	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

		MINIESOIA	CLL	5 2003	,					
591		FEES	FOR M	1EDICAI	SERV	ЛСЕ	S	522	1.40	30
29720	Α	Repair of body cast	0.86	0.75	000	2	0	1	0	0
29730	Α	Windowing of cast	0.95	0.83	000	2	0	1	0	0
29740	Α	Wedging of cast	1.42	1.23	000	2	0	1	0	0
29750	A	Wedging of clubfoot cast	1.67	1.42	000	2	1	0	0	0
(104) Casts	and	strapping, other procedures:								
29799	С	Casts/strapping procedure	0.00	0.00	YYY	2	0	0	1	1
(105) Endo	scop	py/Arthroscopy:								
29800	Α	Jaw arthroscopy	9.96	9.96	090	2	1	0	0	0
29804	Α	Jaw arthroscopy	16.84	16.84	090	2	1	2	1	0
29815		Shoulder arthroscopy	10.44	10.44	090	2	1	1	1	0
29819	Α	Shoulder arthroscopy	15.97	15.97	090	3	1	1	1	0
29820	Α	Shoulder arthroscopy	14.89	14.89	090	3	1	2	1	0
29821	Α	Shoulder arthroscopy	16.38	16.38	090	3	1	2	1	0
29822	Α	Shoulder arthroscopy	15.60	15.60	090	3	1	2	0	0
29823	Α	Shoulder arthroscopy	17.38	17.38	090	3	1	2	1	0
29825	Α	Shoulder arthroscopy	16.14	16.14	090	3	1	2	1	0
29826	Α	Shoulder arthroscopy	18.99	18.99	090	3	1	2	1	0
29830	Α	Elbow arthroscopy	10.83	10.83	090	2	1	1	0	0
29834	Α	Elbow arthroscopy	11.87	11.87	090	3	1	2	1	0
29835	Α	Elbow arthroscopy	12.25	12.25	090	3	1	2	1	0
29836	Α	Elbow arthroscopy	14.28	14.28	090	3	1	2	1	0
29837	Α	Elbow arthroscopy	13.00	13.00	090	3	1	2	1	0
29838	Α	Elbow arthroscopy	14.44	14.44	090	3	1	0	0	0
29840	Α	Wrist arthroscopy	8.51	8.51	090	2	1	0	0	0
29843	Α	Wrist arthroscopy	11.37	11.37	090	3	1	2	1	0
29844	Α	Wrist arthroscopy	11.71	11.71	090	3	1	2	0	0
29845	Α	Wrist arthroscopy	14.22	14.22	090	3	1	2	1	0
29846	Α	Wrist arthroscopy	14.52	14.52	090	3	1	0	0	0
29847	Α	Wrist arthroscopy	13.51	13.51	090	3	1	2	0	0
29848	Α	Wrist arthroscopy	9.00	9.00	090	2	1	1	0	0
29850	Α	Knee arthroscopy	17.10	12.75	090	2	1	0	2	0
29851	Α	Knee arthroscopy	23.43	23.43	090	2	1	2	2	0
29855	Α	Tibial arthroscopy	21.96	21.96	090	2	1	2	2	0
29856	Α	Tibial arthroscopy	25.17	25.17	090	2	1	2	2	0
29860	Α	Hip arthroscopy	12.40	12.40	090	2	1	2	1	0
29861	Α	Hip arthroscopy	18.32	18.32	090	3	1	2	1	0
29862	Α	Hip arthroscopy	19.99	19.99	090	3	1	2	1	0
29863	Α	1 1 2	18.36	18.36	090	3	1	2	1	0
29870	Α	1 3	8.84	8.84	090	2	1	1	1	0
29871	Α	Knee arthroscopy	13.02	13.02	090	3	1	1	0	0
29874		Knee arthroscopy	14.73	14.73	090	3	1	0	0	0
29875		Knee arthroscopy	13.32	13.32	090	3	1	0	0	0
29876		Knee arthroscopy	16.68	16.68	090	3	1	1	0	0
29877		Knee arthroscopy	15.48	15.48	090	3	1	0	0	0
29879		Knee arthroscopy	17.05	17.05	090	3	1	0	0	0
29880		Knee arthroscopy	17.97	17.97	090	3	1	0	1	0
29881		Knee arthroscopy	16.30	16.30	090	3	1	0	0	0
29882		Knee arthroscopy	18.10	18.10	090	3	1	1	0	0
29883		Knee arthroscopy	20.19	20.19	090	3	1	0	0	0
29884		Knee arthroscopy	15.30	15.30	090	3	1	2	1	0
29885	Α	Knee arthroscopy	16.95	16.95	090	3	1	2	1	0

A Knee arthroscopy

16.95

16.95

29885

29886 29887 29888	Α	Knee arthroscopy Knee arthroscopy Knee arthroscopy	14.03 18.75 29.14	14.03 18.75 29.14	090 090 090	3 3 2	1 1 1	2 2 2	0 1 1	0 0 0
29889		Knee arthroscopy	24.57	24.57	090	2	1	2	1	0
29891	Α	Ankle arthroscopy	17.16	17.16	090	2	1	2	0	0
29892	Α	Ankle arthroscopy	17.70	17.70	090	2	1	2	0	0
29893	Α	Scope, plantar	10.02	10.02	090	2	1	2	1	0
29894	Α	Ankle arthroscopy	15.02	15.02	090	2	1	2	1	0
29895	Α	Ankle arthroscopy	14.61	14.61	090	2	1	2	1	0
29897	Α	Ankle arthroscopy	15.12	15.12	090	2	1	2	0	0
29898	Α	Ankle arthroscopy	17.44	17.44	090	2	1	2	1	0
29909	С	Arthroscopy of joint	0.00	0.00	YYY	2	1	1	1	1

C. Procedure code numbers 30000 to 49999 relate to respiratory, cardiovascular, lymphatic, and diaphragm procedures.

1	2	3	4	5	6	7	8	9	10	11	12
(1) Nos	e, in	cisi	on:						-		
30000 30020			Drainage of nose Drainage of nose	1.89 1.91	1.61 1.62	010 010	2 2	0	0 1	0 0	0
(2) Nos	e, ex	cisi	on:								
30100 30110 30115 30117 30118 30120 30124 30125 30130 30140 30150 30160		A A A A	Intranasal biopsy Remove nose polyp Remove nose polyp Remove intranasal lesion Remove intranasal lesion Revision of nose Remove nose cyst Remove nose cyst Removal of turbinate Removal of turbinate Partial removal of nose Removal of nose	1.56 2.80 6.83 5.78 17.04 10.94 4.20 12.26 4.78 6.24 16.54 19.83	1.23 2.18 6.83 5.78 17.04 10.94 3.55 12.26 4.78 6.24 16.54 19.83	000 010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 0 0 0 0 0 1 1 0 0	1 1 1 1 2 1 1 1 2 1 1 1 2 2	0 0 0 0 1 0 0 0 0 0 1 1	0 0 0 0 0 0 0 0 0 0
(3) Nos	e, in	troc	luction:								
30200 30210 30220		A A A	Injection, therapeutic Nasal sinus therapy Insert nasal septal	1.09 1.25 2.94	0.91 1.12 2.22	000 010 010	2 2 2	0 0 0	1 1 1	0 0 0	0 0 0
(4) Nos	e, re	mo	val of foreign body:								
30300 30310 30320		A A A	Remove foreign body Remove foreign body Remove foreign body	1.42 3.44 8.48	1.19 3.44 8.48	010 010 090	2 2 2	0 0 0	1 0 0	0 0 0	0 0 0

(5) Nose, re	pai	r:								
30400	D	Reconstruction	19.30	19.30	090	2	0	0	0	0
30410	R	Reconstruction	26.69	26.69	090	2	0	2	0	ő
11 11			32.52	32.52	090	2	0		0	
30420	R	Reconstruction			090	2	0	1	-	0
30430	R	Revision of nose	12.79	12.79				2	0	
30435	R	Revision of nose	21.06	21.06	090	2	0		0	0
30450	R	Revision of nose	28.29	28.29	090	2	0	2	0	0
30460	A	Revision of nose	17.84	17.84	090	2	0	2	2	0
30462	A	Revision of nose	35.37	35.37	090	2	0	2	2	0
30520	A	Repair of nasal septum	11.76	11.76	090	2	0	1	0	0
30540	A	Repair nasal defect	13.83	13.83	090	2	0	2	0	0
30545	A	Repair nasal defect	21.31	21.31	090	2	0	2	0	0
30560	A	Release nasal adhesions	1.71	1.44	010	2	0	1	0	0
30580	Α	Repair upper jaw	12.42	9.40	090	2	0	1	0	0
30600	Α	Repair mouth/nose	9.31	9.31	090	2	0	0	0	0
30620	Α	Intranasal dermatoplasty	12.37	12.37	090	2	0	1	0	0
30630	Α	Repair nasal septal	12.88	12.88	090	2	0	0	0	0
(6) Nose, de	estr	uction:								
20001			1 47	1.24	010	•	•		^	^
30801		Cauterization, ablation	1.47	1.24	010	2	2	1	0	0
30802	Α	Cauterization, intramural	2.81	2.81	010	2	2	1	0	0
(7) Nose, ot	her	procedures:								
30901	Α	Control hemorrhage	1.67	1.40	000	2	1	1	0	0
30903	Α	Control hemorrhage	2.26	2.26	000	2	1	1	0	0
30905	Α	Control hemorrhage	3.61	3.61	000	2	2	1	0	0
30906	Α	Repeat control	3.33	3.33	000	2	2	1	0	0
30915	Α	Ligation arteries	11.60	11.60	090	2	0	1	0	0
30920	Α	Ligation upper artery	18.87	18.87	090	2	0	1	0	0
30930	Α	Therapy fracture	1.87	1.87	010	2	0	1	0	0
30999	С	Nasal surgery	0.00	0.00	YYY	2	0	0	1	1
(8) Accessor	ry s	inuses, incision:								
31000	Α	Irrigation, maxillary	1.49	1.28	010	2	1	1	0	0
31002	A	Irrigation, sphenoid	2.21	1.98	010	2	î	0	ŏ	ŏ
31020	A	Exploration, maxillary	5.40	5.40	090	2	1	1	ŏ	ŏ
31030	A	Exploration, maxillary	12.14	12.14	090	2	1	î	ŏ	ŏ
31032	A	Explore sinus, radical	13.49	13.49	090	2	1	1	0	ŏ
31040	A	Explore behind upper jaw	16.73	16.73	090	2	0	1	1	ő
31050	A	Explore benind upper jaw Exploration, sphenoid	10.76	10.76	090	2	1	1	0	0
			14.48	14.48	090	2	1	1	0	0
31051 31070	A A	Sphenoid sinus Exploration	8.69	8.69	090	2	1	1	0	0
			18.66	18.66	090	2	1	2	1	0
31075	A	Exploration  Removal of frontal	19.88	19.88		2	1	2	0	0
31080	A A	Removal of frontal Removal of frontal	22.26	22.26	090 090	2	1	2	1	0
31081		Removal of frontal	27.44	27.44	090	2	1	2	1	0
31084	A		28.95	28.95		2	1	2	1	0
31085	A	Removal of frontal		28.93	090 090	2	1	2	0	
31086	A	Removal of frontal	22.81							0
31087	Α	Removal of frontal	22.66	22.66	090	2	1	2	1	0

5221.4030	FE	ES FOR MEDICAL SERVIC	CES						5	594
31090	A	Exploration	19.94	19.94	090	2	1	1	0	0
(9) Accesse	ory s	inuses, excision:								
31200	Α	Remove ethmoidectomy	9.24	9.24	090	2	1	1	0	0
31201		Remove ethmoidectomy	14.78	14.78	090	2	1	1	0	0
31205	Α	Remove ethmoidectomy	17.50	17.50	090	2	1	2	1	0
31225		Removal of upper jaw	37.54	37.54	090	2	1	2	1	0
31230	A	Removal of upper jaw	42.29	42.29	090	2	1	2	1	0
(10) Acces	sory	sinuses, endoscopy:								
31231	Α	Nasal endoscopy	2.40	2.40	000	2	2	1	0	0
31233		Nasal/sinus endoscopy	4.85	3.50	000	2	1	1	0	0
31235		Nasal/sinus endoscopy	4.85	3.69	000	2	1	1	0	0
31237		Nasal/sinus endoscopy	6.08	4.49	000	2	1	1	0	0
31238		Nasal/sinus endoscopy	6.68	4.94	000	2	1	0	0	0
31239		Nasal/sinus endoscopy	17.79	17.79	010	2	1	0	0	0
31240		Nasal/sinus endoscopy	5.35	5.35	000	2	1	0	0	0
31254		Revise ethmoidectomy	9.55	9.55	000	2	1	1	0	0
31255		Remove ethmoidectomy	14.35	14.35 6.71	000	2 2	1 1	1	0	0
31256 31267	A	Exploration, maxillary Endoscopy, maxillary	6.71 10.46	10.46	000 000	2	1	1	0	0 0
31207	A		14.93	14.93	000	2	1	1	0	0
31270		Nasal/sinus endoscopy	8.08	8.08	000	2	1	0	0	0
31288		Nasal/sinus endoscopy	9.46	9.46	000	2	1	ő	0	ŏ
31290		Nasal/sinus endoscopy	32.55	32.55	010	2	1	Ŏ	Õ	Ō
31291		Nasal/sinus endoscopy	34.27	34.27	010	2	1	0	0	0
31292		Nasal/sinus endoscopy	27.12	27.12	010	2	1	0	0	0
31293		Nasal/sinus endoscopy	29.73	29.73	010	2	1	0	0	0
31294	Α	Nasal/sinus endoscopy	34.46	34.46	010	2	1	0	0	0
(11) Acces	sory	sinuses, other procedures:								
31299	С	Sinus surgery	0.00	0.00	YYY	2	0	0	1	1
(12) Laryn	x, ex	cision:								
31300	Α	Removal of larynx	24.86	24.86	090	2	0	2	1	0
31320	A	Diagnostic	8.78	8.78	090	2	Ŏ	$\bar{0}$	Ō	Ō
31360	Α	Removal of larynx	34.86	34.86	090	2	0	2	1	0
31365		Removal of larynx	49.32	49.32	090	2	0	2	1	0
31367		Partial removal, larynx	37.52	37.52	090	2	0	2	1	0
31368		Partial removal, larynx	52.13	52.13	090	2	0	2	1	0
31370		Partial removal, larynx	37.04	37.04	090	2	0	2	1	0
31375		Partial removal, larynx	33.54	33.54	090	2	0	2	1	0
31380 31382		Partial removal, larynx	36.07 35.12	36.07 35.12	090 090	2	0	2	1 1	$\begin{array}{c} 0 \\ 0 \end{array}$
31382		Partial removal, larynx Removal of larynx	53.12	53.38	090	2	0	2	1	0
31395		Reconstruct larynx	63.04	63.04	090	2	0	2	1	0
31400		Revision of larynx	17.41	17.41	090	2	0	2	0	0
31420	A	Epiglottidectomy	17.55	17.55	090	2	ŏ	2	1	ŏ

(13) Larynx	, int	roduction:								
31500 31502	A A	Intubation, emergency Change of windpipe	3.29 1.19	3.29 1.19	000 000	0 2	0	1 1	0	0
(14) Larynx	, en	doscopy:								
31505	Α	Diagnostic, larynx	1.00	0.79	000	2	0	1	0	0
31510	Α	Laryngoscopy, biopsy	2.31	2.31	000	3	0	0	0	0
31511	Α	Remove foreign body	2.94	2.94	000	3	0	1	0	0
31512	Α	Removal of larynx	3.72	3.72	000	3	0	0	0	0
31513	Α	Injection, vocal cord	4.35	4.35	000	3	0	0	0	0
31515	Α	Laryngoscopy, aspiration	2.80	2.80	000	2	0	1	0	0
31520	Α	Diagnostic, larynx	4.01	4.01	000	2	0	0	0	0
31525	Α	Diagnostic, larynx	4.64	3.58	000	2	0	1	0	0
31526	Α	Diagnostic, larynx	5.28	5.28	000	2	0	1	0	0
31527	Α	Laryngoscopy	6.02	6.02	000	3	0	0	0	0
31528	Α	Laryngoscopy	4.84	4.84	000	3	0	0	0	0
31529	Α	Laryngoscopy	4.95	4.95	000	3	0	0	0	0
31530	Α	Operative larynx	6.80	6.80	000	3	0	1	0	0
31531	Α	Operative larynx	7.41	7.41	000	3	0	0	0	0
31535	Α	Operative larynx	6.48	6.48	000	3	0	1	0	0
31536	Α	Operative larynx	7.34	7.34	000	3	0	1	0	0
31540	Α	Operative larynx	8.47	8.47	000	3	0	1	0	0
31541	Α	Operative larynx	8.93	8.93	000	3	0	1	0	0
31560	Α	Operative larynx	10.06	10.06	000	3	0	0	0	0
31561		Operative larynx	12.10	12.10	000	3	0	0	0	0
31570		Laryngoscopy, injection	7.96	5.90	000	3	0	1	0	0
31571		Laryngoscopy, injection	8.61	8.61	000	3	0	1	0	0
31575	Α	Diagnostic, larynx	2.60	1.85	000	2	0	1	0	0
31576	Α	Diagnostic, larynx	4.07	4.07	000	3	0	1	0	0
31577	Α	Remove foreign body	5.07	5.07	000	3	0	0	0	0
31578	Α	Removal of larynx	5.86	5.86	000	3	0	0	0	0
31579	Α	Diagnostic, larynx	4.45	3.32	000	3	0	1	0	0
(15) Larynx	, re	pair:								
21500		Desiries of laws	25.20	25.20	000	^	0	2	1	Δ
31580	Α	Revision of larynx	25.29	25.29	090	2	0	2	1	0
31582	Α	Revision of larynx	37.96	37.96	090	2	0	1	1	0
31584		Repair of larynx	30.86	30.86	090	2	0	2	1	0
31585		Repair of larynx	8.07	8.07	090	2	0	0	0	0
31586		Repair of larynx	14.01	14.01	090	2	0	0	0	0
31587		Revision of larynx	18.29	18.29	090	2	0	2	1	0
31588		Revision of larynx	22.88	22.88	090	2	0	2	0	0
31590	Α	Reinnervation of larynx	12.23	12.23	090	2	0	2	1	0
(16) Larynx	, de	struction:								
31595	Α	Larynx nerve section	14.59	14.59	090	2	0	2	1	0

(17) Larynx	, ot	her procedures:								
31599	С	Larynx surgery	0.00	0.00	YYY	2	0	0	1	1
(18) Trache	ea a	nd bronchi, incision:								
31600		Incision of windpipe	7.49	7.49	000	2	0	1	0	0
31601		Incision of windpipe	9.14	9.14	000	2	0	2	1	0
31603		Incision of windpipe	8.22	8.22	000	2	0	1	0	0
31605	Α	Incision of windpipe	7.33	7.33	000	2	0	1	0	0
31610		Incision of windpipe	14.90	14.90	090	2	0	1	0	0
31611		Surgery/speech	11.92	11.92	090	2	0	2	1	0
31612	Α	Puncture/clear	2.02	1.86	000	2	0	0	0	0
31613	Α	Repair windpipe	6.46	6.46	090	2	0	1	0	0
31614	Α	Repair windpipe	13.38	13.38	090	2	0	1	0	0
(19) Trache	a a	nd bronchi, endoscopy:								
31615	Α	Visualization	3.90	3.90	000	2	0	1	0	0
31622	Α	Diagnostic, bronchi	5.70	5.70	000	2	Ō	1	0	0
31625		Bronchoscopy, biopsy	6.84	6.84	000	3	0	1	0	0
31628		Bronchoscopy, biopsy	7.72	7.72	000	3	Õ	1	0	0
31629		Bronchoscopy, biopsy	6.83	6.83	000	3	0	1	0	0
31630	A	Bronchoscopy, dilation	7.34	7.34	000	3	Õ	1	0	0
31631	Α	Bronchoscopy, removal	8.04	8.04	000	3	Ō	1	Ŏ	0
31635	Α	Remove foreign body	7.55	7.55	000	3	Ō	1	Ō	0
31640	Α	Bronchoscopy, excision	9.70	9.70	000	3	0	1	0	0
31641		Bronchoscopy, tumor	10.38	10.38	000	3	0	1	0	0
31645	Α	Bronchoscopy	6.40	6.40	000	3	0	1	0	0
31646		Bronchoscopy	5.51	5.51	000	2	0	1	0	0
31656	Α	Bronchoscopy, injection	4.45	4.45	000	2	0	0	0	0
(20) Trache	a ai	nd bronchi, introduction:								
31700		Insertion of airway	2.64	2.64	000	2	0	Λ	0	Λ
31708		Insertion of airway Instill airway	2.04	2.04	000	2	0 1	0	0	0
31708	A A		2.07		000	2	1	0	0 0	0
31710	A	Insertion of airway Injection for brush	1.49	2.12 1.49	000	2	1	0	0	0
31717		Bronchial brush biopsy	2.66	2.66		_	_	1	0	
31720		Clearance of airway	1.73	1.73	000 000	2 2	$0 \\ 0$	1	0	0
31725		Clearance of airway	3.22	3.22	000	2	0	1	0	0
31723	A	Introduction, windpipe	5.10	5.10	000	2	0	1	2	0
31730	А	introduction, windpipe	5.10	3.10	000	۷	U	1	۷	U
(21) Trache	a ar	nd bronchi, repair:								
31750	Α	Repair of windpipe	21.00	21.00	090	2	0	2	1	0
31755	Α	Repair of windpipe	28.10	28.10	090	2	0	2	1	0
31760	A	Repair of windpipe	32.24	32.24	090	2	0	2	1	0
31766	A	Reconstruction	46.02	46.02	090	2	0	2	1	0
31770	A	Repair/graft	36.14	36.14	090	2	0	2	1	0
31775	A	Reconstruct bronchi	38.24	38.24	090	2	0	2	0	0
31780	A	Reconstruct windpipe	33.97	33.97	090	2	0	2	1	0

597		FEES	FOR M	MEDICAL	SERV	<b>ICES</b>	52	221.	40.	30
31781	Δ	Reconstruct windpipe	38.73	38.73	090	2	) :	2	1	0
31785		Remove windpipe	24.90	24.90	090		Ó		1	Ö
31786		Remove windpipe	35.85	35.85	090				î	ŏ
31800		Repair of windpipe	11.90	11.90	090				o o	Ŏ
31805		Repair of windpipe	22.18	22.18	090				1	0
31820		Closure of windpipe	7.79	7.79	090				0	0
31825		Repair of windpipe	11.33	11.33	090	2 (	) (	0 (	0	0
31830	Α	Revise windpipe	7.85	7.85	090	2 (	) (	0 (	0	0
(22) Trach	ea ai	nd bronchi, other procedures:								
31899	С	Airways surgery procedure	0.00	0.00	YYY	2	) (	0	1	1
(23) Lungs	and	pleura, incision:								
32000	Α	Drainage of chest	2.31	2.31	000	0	) :	1 1	0	0
32002	A		3.40	3.40	000	-			1	0
32005		Treat lung lining	3.12	3.12	000			-	0	Ö
32020		Insertion of tube	6.39	6.39	000		_		ŏ	Ŏ
32035		Exploration	15.09	15.09	090				1	Õ
32036	Α	Exploration	16.40	16.40	090	2			1	0
32095	Α	Biopsy of lung or pleura	16.36	16.36	090		) :		1	0
32100	Α	Exploration/biopsy	22.76	22.76	090		) :		1	0
32110		Explore/repair	24.59	24.59	090				1	0
32120		Re-exploration	20.55	20.55	090		) ;		1	0
32124	A	Explore chest	23.33	23.33	090				1	0
32140		Removal of lung	25.93	25.93	090				1	0
32141		Remove/treat lung	27.07	27.07	090				1	0
32150		Removal of lung	23.94 22.49	23.94 22.49	090 090				1 1	0
32151 32160	A	Remove lung foreign body Open chest heart	18.10	18.10	090		) :		1	0
32200		Open drainage of abscess	21.05	21.05	090		) :		1	0
32201		Percutaneous drainage	6.75	6.75	000				0	0
32215		Treat chest lining	18.35	18.35	090		5		1	ŏ
32220		Release of lung	34.42	34.42	090				1	Ŏ
32225		Partial release of lung	25.37	25.37	090				1	0
		· ·								
. , .		pleura, excision:								
32310		Removal of chest	24.60	24.60	090				1	0
32320		Free/remove chest	38.00	38.00	090	_			1	0
32400		Needle biopsy, chest	3.09	3.09	000				0	0
32402		Open biopsy, chest	14.92	14.92	090			_	1	0
32405		Biopsy, lung	3.90	3.90	000				0	0
32420		Puncture/clear lung	3.50	3.50	000			_	0	0
32440		Removal of lung	38.97	38.97	090				1	0
32442		Sleeve pneumonectomy	43.08	43.08	090				1	0
32445		Removal of lung	44.68	44.68	090				1	0
32480		Partial removal of lung	34.98 36.24	34.98 36.24	090 090				1 1	$0 \\ 0$
32482 32484		Bilobectomy Segmentectomy	37.13	30.24 37.13	090				1	0
32486 32486	A		39.47	37.13 39.47	090				1	0
32488	A		42.38	42.38	090				1	0
J2700		Completion pheumonectomy	72.50	12.20	0,0	_		_	•	J

32491 32500 32501 32520 32522 32525 32540	A A A	Lung volume reduction Partial removal Repair bronchus Remove lung, resection Remove lung, resection Remove lung, resection Removal of lung	35.88 27.40 8.81 41.81 45.43 49.30 25.69	35.88 27.40 8.81 41.81 45.43 49.30 25.69	090 090 <b>ZZZ</b> 090 090 090	2 2 0 2 2 2 2 2	1 0 1 0 0 0	2 2 2 2 2 2 2 2 2	1 1 1 1 1 1	0 0 0 0 0 0
(25) Lungs a	and	pleura, endoscopy:								
32601 32602 32603 32604 32605 32606 32650 32651 32652 32653 32654 32655 32656 32657 32658 32659 32660 32661	A A A A A A A A A A A A A A A A A A A	Thoracoscopy, diagnostic Thoracoscopy, surgical	8.62 9.50 10.76 12.06 9.96 11.72 17.83 24.41 33.87 22.78 23.52 26.25 25.93 26.81 24.30 24.28 36.30 21.77	8.62 9.50 10.76 12.06 9.96 11.72 17.83 24.41 33.87 22.78 23.52 26.25 25.93 26.81 24.30 24.28 36.30 21.77	000 000 000 000 000 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
32662 32663 32664 32665	A A A	Thoracoscopy, surgical Thoracoscopy, surgical Thoracoscopy, surgical Thoracoscopy, surgical	30.49 35.11 24.21 29.41	30.49 35.11 24.21 29.41	090 090 090 090	2 2 2 2	$egin{array}{c} 0 \\ 0 \\ 1 \\ 0 \end{array}$	2 2 2 2	1 1 1	0 0 0 0
(26) Lungs a	ınd	pleura, repair:					-			
32800 32810 32815 32820	A A A	Repair lung hernia Close chest Close bronchial Reconstruct injury	21.30 18.78 37.16 39.65	21.30 18.78 37.16 39.65	090 090 090 090	2 2 2 2	0 0 0 0	2 2 2 2	1 0 1 1	0 0 0 0
(27) Lungs a	nd	pleura, lung transplantation:								
32851 32852 32853	A A A	Donor pneumonectomy Lung transplant Lung transplant Lung transplant Lung transplant	0.00 62.50 67.70 77.70 82.90	0.00 62.50 67.70 77.70 82.90	XXX 090 090 090 090		$0 \\ 0$	9 2 2 2 2	9 1 1 1 1	9 2 2 2 2
(28) Lungs a	nd	pleura, surgical collapse therap	y; thora	coplasty	:					
		Removal of ribs Revise and repair	27.48 32.58	27.48 32.58	090 090	2 2	0	2 2	1	0

599		FEES	FOR M	MEDICAL	SERV	лсеѕ	522	1.40	30
22006		Decise and sensity	40.01	40.01	000	2 0	2	1	٥
32906 32940		Revise and repair Revision of lung	40.81 29.59	40.81 29.59	090 090	2 0 2 0		1 1	0
32940		Therapeutic pneumothorax	29.59	29.39	000	$\frac{2}{2} = 0$	1	0	0
32900	A	Therapeutic pheumomorax	2.04	2.04	000	2 0	1.	U	U
(29) Lung	s and	pleura, other procedures:							
32999	С	Chest surgery	0.00	0.00	YYY	2 0	2	1	1
(30) Hear	t and	pericardium:							
33010		Drainage of heart	3.60	3.60	000	2 0	1	0	0
33011		Repeat drainage	3.17	2.64	000	2 0		0	0
33015		Incision of heart	10.63	10.63	090	2 0	1	0	0
33020		Incision of heart	25.65	25.65	090	2 0		1	0
33025	A		25.26	25.26	090	2 0	2	1	0
33030		Partial removal	39.03	39.03	090	2 0		1	0
33031		Partial removal	33.96	33.96	090	2 0	2 2	1	0
33050	А	Removal of heart	22.78	22.78	090	2 0	2	1	0
(31) Hear	t and	pericardium, cardiac tumor:							
33120	Α	Removal of heart	51.25	51.25	090	2 0	2	1	0
33130		Removal of heart	33.68	33.68	090	$\frac{1}{2}$ $0$	2	1	ŏ
(32) Hear	t and	pericardium, pacemaker or de	fibrillato	or:					
33200	Α	Insertion of pacemaker	24.23	24.23	090	2 0	1	0	0
33201		Insertion of pacemaker	20.97	20.97	090	2 0	1	0	0
33206		Insertion of pacemaker	13.88	13.88	090	2 0		2	0
33207		Insertion of pacemaker	16.57	16.57	090	2 0	1	2	0
33208	Α	Insertion of pacemaker	16.87	16.87	090	2 0		2	0
33210		Insertion of pacemaker	6.33	6.33	000	2 0		0	0
33211		Insertion of electrodes	6.42	6.42	000	2 0		0	0
33212		Insertion of pulse	10.69	10.69	090	2 0	1	0	0
33213		Insertion of pulse	11.46	11.46	090	2 0	_	0	0
33214		Upgrade of pacemaker	12.84	12.84	090	2 0	0	2	0
33216	A A	Revision of implant	10.05 10.37	10.05 10.37	090	2 0 2 0		$0 \\ 0$	0
33217 33218	A	Insert/revise	9.71	9.71	090 090	2 0		0	$0 \\ 0$
33220	A	Repair pacemaker Repair pacemaker	9.71	9.79	090	2 0	1	0	0
33222		Revision of pacemaker	10.33	10.33	090	2 0		0	0
33223		Revision of pacemaker	11.93	11.93	090	$\frac{2}{2} = 0$		0	0
33233		Removal of pacemaker	5.56	5.56	090	$\frac{2}{2} = 0$	1	ŏ	ŏ
33234	A	Removal of pacemaker	9.97	9.97	090	$\overline{2}$ $\overline{0}$		Ö	0
33235	A	Removal of pacemaker	11.75	11.75	090	$\overline{2}$ $\overline{0}$		ŏ	0
33236	Α	Remove electrodes	15.62	15.62	090	2 0		2	0
33237	Α	Remove electrodes	22.34	22.34	090	2 0		2	0
33238	Α	Remove electrodes	24.86	24.86	090	2 0		2	0
33240	Α	Insert/replace	12.58	12.58	090	2 0	1	0	0
33241	Α	Remove pulse generator	5.26	5.26	090	2 0	0	1	0
33242	Α	Repair pulse generator	13.01	13.01	090	2 0	0	1	0
33243	Α	Remove pulse generator	30.12	30.12	090	2 0	2	1	0

33244	Α	Remove pulse generator	17.71	17.71	090	2	0	1	1	0
33245	A	Implant defibrillator	29.48	29.48	090	2	0	2	1	0
33246	A	Implant defibrillator	40.64	40.64	090	2	0	2	1	0
33247	A	Insert/replace	21.42	21.42	090	2	0	1	1	0
33249	A	Insert/replace	27.93	27.93	090	2	0	1	1	0
33250	A	Ablate heart	31.48	31.48	090	2	0	2	1	0
33251	A	Ablate heart	40.21	40.21	090	2	0	2	1	0
33253	A	Reconstruct atria	51.61	51.61	090	2	0	2	1	0
		Ablate heart	37.58	-		2	0	2	1	0
33261	Α	Ablate lleaft	37.36	37.58	090	2	U	2	1	U
(33) Heart	and	pericardium, wounds of heart	and grea	t vessels:						
33300	Α	Repair of heart	31.57	31.57	090	2	0	2	1	0
33305	Α	Repair of heart	37.96	37.96	090	2	0	2	1	0
33310	Α	Exploratory, heart	28.76	28.76	090	2	Õ	2	1	0
33315	Α	Exploratory, heart	35.71	35.71	090	2	Õ	2	1	Ŏ
33320	Α	Repair major vessels	30.28	30.28	090	2	Ŏ	2	1	Õ
33321	A	Repair major vessels	41.34	41.34	090	2	ŏ	2	1	ő
33322	Α	Repair major vessels	41.72	41.72	090	2	ŏ	2	1	ő
33330	A	Insert major vessels	32.76	32.76	090	2	ŏ	2	1	0
33332	A	Insert major vessels	37.63	37.63	090	2	Ö	2	1	0
33335	A	Insert major vessels	43.12	43.12	090	2	0	2	1	0
33333	A	msert major vessers	45.12	43.12	090	2	U	2	1	U
(24) Hoort	لمسم									
(34) Heart	апо	pericardium, cardiac valves:								
33400	Α	Repair of aortic valve	49.88	49.88	090	2	0	2	1	0
33401	Α	Valvuloplasty	48.58	48.58	090	2	0	2	1	0
33403	Α	Valvuloplasty	49.47	49.47	090	2	0	2	1	0
33404	Α	Prepare heart-aortic	59.18	59.18	090	2	0	2	1	0
33405	Α	Replace aortic valve	60.17	60.17	090	2	0	2	1	0
33406	Α	Replace aortic valve	67.75	67.75	090	2	0	2	1	0
33411	Α	Replace aortic valve	68.09	68.09	090	2	0	2	0	0
33412	Α	Replace aortic valve	72.66	72.66	090	2	0	2	1	0
33413	Α	Replace aortic valve	73.42	73.42	090	2	0	2	1	0
33414	Α	Repair, aortic	63.91	63.91	090	2	0	2	1	0
33415	Α	Revision, subvalvular	56.44	56.44	090	2	0	2	1	0
33416	Α	Revise ventriclar	57.49	57.49	090	2	0	2	1	0
33417	Α	Repair of aortic	59.62	59.62	090	2	0	2	1	0
33420	Α	Revision of mitral valve	41.10	41.10	090	2	0	2	1	0
33422	Α	Revision of mitral valve	54.66	54.66	090	2	0	2	1	0
33425	Α	Repair of mitral valve	56.19	56.19	090	2	0	2	1	0
33426	Α	Repair of mitral valve	62.24	62.24	090	2	0	2	1	0
33427	Α	Repair of mitral valve	67.61	67.61	090	2	0	2	1	0
33430	Α	Replace mitral valve	65.29	65.29	090	2	0	2	1	0
33460	Α	Revision of tricuspid	49.11	49.11	090	2	0	2	1	0
33463	Α	Valvuloplasty	53.76	53.76	090	2	0	2	1	0
33464	Α	Valvuloplasty	57.13	57.13	090	2	0	2	1	0
33465	Α	Replace tricuspid valve	60.01	60.01	090	2	0	2	1	0
33468	Α	Revision of tricuspid	62.82	62.82	090	2	0	2	1	0
33470	Α	Revision of pulmonary	39.39	39.39	090	2	0	2	0	0
33471		Valvotomy, pulmonary	45.41	45.41	090	2	0	2	1	0
33472		Revision of pulmonary	45.41	45.41	090	2	0	2	0	0
33474	Α	Revision of pulmonary	46.95	46.95	090	2	0	2	1	0
33475	Α	Replacement, pulmonary	59.35	59.35	090	2	0	2	1	0
33476	Α	Revision of heart	53.33	53.33	090	2	0	2	1	0

601	FEES FOR MEDICAL S		SERV	SERVICES		5221.403		30		
33478	A	Revision of heart	55.67	7 55.67	090	2	0	2	1	0
(35) Heart	and	pericardium, other valvular pr	rocedui	res:						
33496	A	Repair, prosthetic	56.64	4 56.64	090	2	0	2	1	0
(36) Heart	and	pericardium, coronary artery	anomal	lies:						
33500	Α	Repair heart vein	53.21	1 53.21	090	2	0	2	1	0
33501		Repair heart vein	31.18		090	2	ŏ	2	2	Ŏ
33502		Repair coronary artery	34.14		090	2	Ŏ	2	1	ŏ
33503		Repair coronary artery	45.78		090	2		ō	1	Ŏ
33504		Repair coronary artery	51.46		090	2	0	2	1	Ō
33505		Repair artery	56.2		090	2	0	2	1	0
33506		Repair artery	55.95		090	2	0	2	1	0
(37) Heart	and	pericardium, venous grafting	only fo	r bypass:						
33510	Α	CABG, vein, single	52.36	5 52.36	090	2	0	2	0	0
33511	Α	CABG, vein, two	57.14	4 57.14	090	2	0	2	0	0
33512	Α	CABG, vein, three	61.89	61.89	090	2	0	2	0	0
33513	Α	CABG, vein, four	66.67	7 66.67	090	2	0	2	0	0
33514	Α	CABG, vein, five	72.95	5 72.95	090	2	0	2	0	0
33516	Α	CABG, vein, six	77.96	5 77.96	090	2	0	2	0	0
(38) Heart	and	pericardium, combined arteria	al-veno	us grafting	for byp	oass:	:			
33517	Α	CABG, artery-vein	5.34	5.34	090	0	0	2	0	0
33518	Α	CABG, artery-vein	10.12	2 10.12	ZZZ	0	0	2	0	0
33519	Α	CABG, artery-vein	14.87	7 14.87	ZZZ	0	0	2	0	0
33521		CABG, artery-vein	19.64	19.64	ZZZ	0	0	2	0	0
33522	Α	CABG, artery-vein	24.40	24.40	ZZZ	0	0	2	0	0
33523	Α	CABG, artery-vein	29.17		ZZZ	0	0	2	0	0
33530	Α	Coronary artery	12.75	5 12.75	ZZZ	0	0	2	0	0
(39) Heart	and	pericardium, arterial grafting	for byp	oass:						
33533	Α	CABG, arterial, single	53.85	5 53.85	090	2	0	2	0	0
33534		CABG, arterial, two	60.11		090	2	0	2	0	0
33535		CABG, arterial, three	66.37		090	2		2	0	0
33536		CABG, arterial, four	72.61		090	2		2	0	0
33542		Removal of heart	58.92		090	2	0	2	1	0
33545	A	Repair of heart	70.58	3 70.58	090	2	0	2	1	0
(40) Heart	and	pericardium, coronary endart	erecton	ny:						
33572	A	Open coronary	<b>7.5</b> 1	1 7.51	ZZZ	0	0	2	0	0

(41)	Heart	and	pericardium,	single	ventricle	and	other	anomalies:
------	-------	-----	--------------	--------	-----------	-----	-------	------------

33600	Α	Closure of valve	61.51	61.51	090	2	0	2	1	0
33602	Α	Closure of valve	58.29	58.29	090	2	0	2	1	0
33606	Α	Anastomosis/artery	64.67	64.67	090	2	0	2	1	0
33608	Α	Repair anomaly	65.37	65.37	090	2	0	2	1	0
33610	Α	Repair by enlargement	64.42	64.42	090	2	0	2	1	0
33611	Α	Repair double ventricle	67.75	67.75	090	2	0	2	1	0
33612	Α	Repair double ventricle	69.65	69.65	090	2	0	2	1	0
33615	Α	Repair (simple)	67.28	67.28	090	2	0	2	1	0
33617	Α	Repair by modification	71.16	71.16	090	2	0	2	1	0
33619	Α	Repair single ventricle	78.46	78.46	090	2	0	2	1	0

### (42) Heart and pericardium, septal defect:

33641	Α	Repair heart septal	44.83	44.83	090	2	0	2	1	0
33645	Α	Revision of heart	51.59	51.59	090	2	0	2	1	0
33647	Α	Repair heart septal	60.07	60.07	090	2	0	2	1	0
33660	Α	Repair of heart	53.31	53.31	090	2	0	2	1	0
33665	Α	Repair of heart	59.16	59.16	090	2	0	2	1	0
33670	Α	Repair of heart	68.59	68.59	090	2	0	2	1	0
33681	Α	Repair heart septal	57.98	57.98	090	2	0	2	1	0
33684	Α	Repair heart septal	61.89	61.89	090	2	0	2	1	0
33688	Α	Repair heart septal	63.79	63.79	090	2	0	2	1	0
33690	Α	Reinforce pulmonary	40.89	40.89	090	2	0	2	1	0
33692	Α	Repair of heart	64.70	64.70	090	2	0	2	1	0
33694	Α	Repair of heart	66.62	66.62	090	2	0	2	1	0
33697	Α	Repair of heart	70.53	70.53	090	2	0	2	1	0

#### (43) Heart and pericardium, sinus of Valsalva:

33702	A Repair of heart	55.23 55	5.23 090	2	0	2	1	0
33710	A Repair of heart	62.00 62	2.00 090	2	0	2	0	0
33720	A Repair of heart	55.28 55	5.28 090	2	0	2	1	0
33722	A Repair of heart	58.17 58	3.17 090	2	0	2	1	0

### (44) Heart and pericardium, total anomalous pulmonary venous drainage:

33730	Α	Repair of heart-venous	66.51	66.51	090	2	0	2	1	0
33732	Α	Repair of heart-venous	58.48	58.48	090	2	0	2	1	0

### (45) Heart and pericardium, shunting procedures:

33735	Α	Revision of heart	46.92	46.92	090	2	0	2	0	0
33736	Α	Revision of heart	48.85	48.85	090	2	0	2	1	0
33737	Α	Revision of heart	45.56	45.56	090	2	0	2	1	0
33750	Α	Major vessel shunt	43.15	43.15	090	2	0	2	1	0
33755	Α	Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33762	Α	Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33764	Α	Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33766	Α	Major vessel shunt	44.37	44.37	090	2	0	2	1	0
33767	Α	Atrial septectomy	49.74	49.74	090	2	0	2	1	0

(46) Hea	rt and	pericardium, transposition of	great ves	sels:						
33770	Α	Repair great vein	69.70	69.70	090	2	0	2	1	0
33771	A	Repair great vein	72.39	72.39	090	2	ő	2	1	ŏ
33774	A	Repair great vein	61.32	61.32	090	2	ŏ	2	1	ŏ
33775	A	Repair great vein	62.43	62.43	090	2	ŏ	$\tilde{2}$	Ō	ŏ
33776	A	Repair great vein	68.10	68.10	090	2	Õ	2	1	Õ
33777	Α	Repair great vein	63.57	63.57	090	2	Ō	2	Ō	0
33778	Α	Repair great vein	74.64	74.64	090	2	0	2	1	0
33779	Α	Repair great vein	75.41	75.41	090	2	0	2	1	0
33780	Α	Repair great vein	76.84	76.84	090	2	0	2	1	0
33781	Α	Repair great vein	75.89	75.89	090	2	0	2	0	0
(47) Hea	rt and	pericardium, truncus arterios	us:							
33786	Α	Repair arterial	72.75	72.75	090	2	0	2	1	0
33788	A	Revision of pulmonary	55.32	55.32	090	$\bar{2}$	ŏ	2 2	1	ŏ
(48) Hear	rt and	pericardium, aortic anomalies	5:							
33800	Α	Aortic suspension	29.79	29.79	090	2	0	2	2	0
33802	Α	Repair vessel division	37.17	37.17	090	2	0	2	1	0
33803	Α	Repair vessel division	40.98	40.98	090	2	0	2	1	0
33813	Α	Repair septal division	42.46	42.46	090	2	0	2	1	0
33814	Α	Repair septal division	53.72	53.72	090	2	0	2	1	0
33820	Α	Revise major vein	34.46	34.46	090	2	0	2	0	0
33822	Α	Revise major vein	36.49	36.49	090	2	0	2	1	0
33824	Α	Revise major vein	40.82	40.82	090	2	0	2	1	0
33840	Α	Remove aorta coarctation	43.73	43.73	090	2	0	2	1	0
33845	A	Remove aorta coarctation	46.66	46.66	090	2	0	2	1	0
33851	A	Remove aorta coarctation	44.99	44.99	090	2	0	2	1	0
33852	A	Repair septal division	49.80	49.80	090	2	0	2	0	0
33853	Α	Repair septal division	66.61	66.61	090	2	0	2	1	0

### (49) Heart and pericardium, thoracic aortic aneurysm:

33860		Ascending aorta graft	67.76	67.76			_	2	1	0
33861		Ascending aorta graft	68.27	68.27	090	2	0	2	1	0
33863	Α	Ascending aorta graft	70.04	70.04	090	2	0	2	1	0
33870	Α	Transverse aorta graft	83.82	83.82	090	2	0	2	1	0
33875	Α	Thoracic aorta graft	63.28	63.28	090	2	0	2	1	0
33877	Α	Thoracoabdominal	85.90	85.90	090	2	0	2	1	0

### (50) Heart and pericardium, pulmonary artery:

33910	Α	Remove lung artery	38.00	38.00	090	2	0	2	1	0
33915	Α	Remove lung artery	31.92	31.92	090	2	0	2	1	0
33916		Surgery of pulmonary	42.31	42.31	090	2	0	2	1	0
33917	Α	Repair pulmonary	51.75	51.75	090	2	0	2	1	0
33918	Α	Repair pulmonary	54.99	54.99	090	2	0	2	1	0
33919	Α	Repair pulmonary	68.48	68.48	090	2	0	2	1	0
33920	Α	Repair pulmonary	67.07	67.07	090	2	0	2	1	0

5221.4030	FE	ES FOR MEDICAL SERV	<b>ACES</b>						$\epsilon$	604
33922 33924	A A	Transect pulmonary Remove pulmonary	47.90 9.29	47.90 9.29	090 <b>ZZZ</b>	2	0	2 2	1 1	0
(51) Heart	and	pericardium, heart/lung tra	insplantation	n:						
33930	X	Removal of donor	0.00	0.00	XXX	9	9	9	9	9
33935	R	Transplantation	127.58	127.58	090	2	0	2	1	2
33940	X	Removal of donor	0.00	0.00	XXX	9	9	9	9	9
33945	R	Transplantation	89.04	89.04	090	2	0	2	1	2
(52) Heart	and	pericardium, cardiac assist:	:							
33960	Α	External circulation	24.87	24.87	XXX	0	0	2	1	0
33961	Α	External circulation	17.21	17.21	XXX	0	0	2	1	0
33970	Α	Aortic circulation	13.86	13.86	000	2	0	2	1	0
33971	Α	Aortic circulation	14.28	14.28	090	2	0	1	0	0
33973	Α	Insert balloon	16.70	16.70	000	2	0	2	1	0
33974		Remove intra-aortic	18.95	18.95	090	2	0	1	0	0
33975		Implant ventricular	34.84	34.84	090	2	0	2	0	0
33976		Implant ventricular	47.17	47.17	090	2	2	2	0	0
33977		Remove ventricular	30.84	30.84	090	2	0	2	0	0
33978	Α	Remove ventricular	34.96	34.96	090	2	2	2	0	0
(53) Heart	and	pericardium, other procedu	ures:							
33999	С	Cardiac surgery	0.00	0.00	YYY	2	0	2	1	1
(54) Arteri	es ai	nd veins, embolectomy/thro	mbectomy:							
34001	Α	Removal of artery	22.00	22.00	090	2	1	2	1	0
34051		Removal of artery	23.19	23.19	090	2	1	2	1	0
34101		Removal of artery	18.05	18.05	090	2	1	2	1	0
34111	Α	Removal of arm	15.53	15.53	090	2	1	2	1	0
34151	Α	Removal of artery	28.18	28.18	090	2	1	2	1	0
34201		Removal of artery	17.87	17.87	090	2	1	2	1	0
34203		Removal of leg	20.37	20.37	090	2	1	2	1	0
34401		Removal of vein	20.24	20.24	090	2	1	2	1	0
34421		Removal of vein	17.04	17.04	090	2	1	2	1	0
34451		Removal of vein	24.61	24.61	090	2	1	2	1	0
34471		Removal of vein	12.94	12.94	090	2	1	1	1	0
34490	Α	Removal of vein	14.77	14.77	090	2	1	1	0	0
(55) Arteri	es ar	nd veins, venous reconstruc	tion:							
34501	Α	Repair valve, femoral	17.50	17.50	090	2	1	2	1	0
34502		Reconstruct, vena cava	44.49	44.49	090	2	0	2	0	0
34510	Α	Transposition	21.19	21.19	090	2	1	2	1	0
34520	Α		22.09	22.09	090	2	1	2	1	0
34530	Α	Leg vein fusion	28.71	28.71	090	2	1	2	1	0

(56) Arteries and veins, repair of and graft for aneurysm:

35001	Α	Repair defect occlusive	34.94	34.94	090	2	1	2	1	0
35002	Α	Repair artery ruptured	32.60	32.60	090	2	1	2	1	0
35005	Α	Repair defect occlusive	27.59	27.59	090	2	1	2	1	0
35011	Α	Repair defect occlusive	24.48	24.48	090	2	1	2	1	0
35013	Α	Repair artery ruptured	31.67	31.67	090	2	1	2	1	0
35021	Α	Repair defect occlusive	37.04	37.04	090	2	1	2	1	0
35022	Α	Repair artery ruptured	36.86	36.86	090	2	1	2	1	0
35045	Α	Repair defect occlusive	23.53	23.53	090	2	1	2	1	0
35081	Α	Repair defect occlusive	48.45	48.45	090	2	0	2	1	0
35082	Α	Repair artery ruptured	57.66	57.66	090	2	0	2	1	0
35091	Α	Repair defect occlusive	56.38	56.38	090	2	1	2	1	0
35092	Α	Repair artery ruptured	63.10	63.10	090	2	1	2	1	0
35102	Α	Repair defect occlusive	51.70	51.70	090	2	1	2	1	0
35103	Α	Repair artery ruptured	58.62	58.62	090	2	1	2	1	0
35111	Α	Repair defect occlusive	33.96	33.96	090	2	1	2	1	0
35112	Α	Repair artery ruptured	28.29	28.29	090	2	1	2	1	0
35121	Α	Repair defect occlusive	44.08	44.08	090	2	1	2	0	0
35122	Α	Repair artery ruptured	49.86	49.86	090	2	1	2	1	0
35131	Α	Repair defect occlusive	33.92	33.92	090	2	1	2	1	0
35132	Α	Repair artery ruptured	39.94	39.94	090	2	1	2	1	0
35141	Α	Repair defect occlusive	28.91	28.91	090	2	1	2	1	0
35142	Α	Repair artery ruptured	31.74	31.74	090	2	1	2	1	0
35151	Α	Repair defect occlusive	31.89	31.89	090	2	1	2	1	0
35152	Α	Repair artery ruptured	25.19	25.19	090	2	1	2	1	0
35161	Α	Repair defect occlusive	34.11	34.11	090	2	1	2	1	0
35162	Α	Repair artery ruptured	37.97	37.97	090	2	1	2	1	0

### (57) Arteries and veins, repair arteriovenous fistula:

35180	Α	Repair blood vein	20.30	20.30	090	2	0	2	1	0
35182	Α	Repair blood vein	27.28	27.28	090	2	0	2	1	0
35184	Α	Repair blood vein	21.60	21.60	090	2	0	2	1	0
35188	Α	Repair blood vein	21.67	21.67	090	2	0	2	1	0
35189	Α	Repair blood vein	28.89	28.89	090	2	0	2	1	0
35190	Α	Repair blood vein	22.74	22.74	090	2	0	2	1	0

### (58) Arteries and veins, repair vessel, other than for fistula:

35201	Α	Repair blood vein	19.87	19.87	090	2	1	2	1	0
35206	Α	Repair blood vein	19.32	19.32	090	2	1	2	1	0
35207	Α	Repair blood vein	20.71	20.71	090	2	1	1	1	0
35211	Α	Repair blood vein	34.43	34.43	090	2	1	2	1	0
35216	Α	Repair blood vein	28.48	28.48	090	2	1	2	1	0
35221	Α	Repair blood vein	26.83	26.83	090	2	1	2	1	0
35226	Α	Repair blood vein	18.93	18.93	090	2	1	2	1	0
35231	Α	Repair blood vein	25.25	25.25	090	2	1	2	1	0
35236	Α	Repair blood vein	22.18	22.18	090	2	1	2	1	0
35241	Α	Repair blood vein	35.45	35.45	090	2	1	2	1	0
35246	Α	Repair blood vein	35.57	35.57	090	2	1	2	1	0
35251	Α	Repair blood vein	26.18	26.18	090	2	1	2	1	0
35256	Α	Repair blood vein	23.63	23.63	090	2	1	2	1	0
35261	Α	Repair blood vein	24.38	24.38	090	2	1	2	1	0
35266	Α	Repair blood vein	21.62	21.62	090	2	1	2	1	0

5221.4030	FE	ES FOR MEDICAL SERVI	CES						6	06
35271 35276 35281	Α	Repair blood vein Repair blood vein Repair blood vein	33.60 28.75 33.51	33.60 28.75 33.51	090 090 090	2 2 2	1 1 1	2 2 2	1 1 1	0 0 0
35286	A	Repair blood vein	23.37	23.37	090	2	1	2	1	Ö
(59) Arter	ies ai	nd veins, thromboendarterect	omy:							
35301		Rechanneling	32.49	32.49	090	2	1	2	1	0
35311	Α	Rechanneling	45.50	45.50	090	2	1	2	1	0
35321		Rechanneling	24.87	24.87	090	2	1	2	1	0
35331	Α	Rechanneling	35.70	35.70	090	2	1	2	1	0
35341	Α	Rechanneling	41.52	41.52	090	2	1	2	1	0
35351	Α	Rechanneling	34.33	34.33	090	2	1	2	1	0
35355	Α	Rechanneling	31.15	31.15	090	2	1	2	1	0
35361	Α	Rechanneling	42.27	42.27	090	2	1	2	1	0
35363	Α	Rechanneling	46.81	46.81	090	2	1	2	1	0
35371	Α	Rechanneling	24.03	24.03	090	2	1	2	1	0
35372	Α	Rechanneling	24.39	24.39	090	2	1	2	1	0
35381	Α	Rechanneling	29.05	29.05	090	2	1	2	1	0
35390	Α	Reoperation, cartoid	4.72	4.72	ZZZ	0	1	2	1	0
(60) Arter		nd veins, angioscopy:  Angioscopy	5.07	5.07	ZZZ	0	0	0	1	0
` ,	ies aı	nd veins, transluminal angiop	-	20.44						
35450	A		20.61	20.61	000	2	1	2	1	0
35452		Repair arterial	10.81	10.81	000	2	1	2	1	0
35454	A		12.74	12.74	000	2	1	2	1	0
35456 35458	A		15.42	15.42	000	2	1 1	2	1 1	0
35458 35450	A		19.41	19.41 17.93	000 000	2	1	2	1	0 0
35459 35460	A	Repair arterial Repair venous	17.93 8.94	8.94	000	2	1	1	1	0
35470	A	Repair arterial	17.93	17.93	000	2	1	1	0	0
35471		Repair arterial	20.61	20.61	000	2	1	1	ő	0
35472		Repair arterial	10.23	10.23	000	2	ī	Ô	1	ŏ
35473		Repair arterial	12.74	12.74	000	2	1	1	ō	Ō
35474		Repair arterial	15.44	15.44	000	2	1	1	0	0
35475	R	_ • •	19.41	19.41	000	2	1	1	0	0
35476	Α	Repair venous	8.94	8.94	000	2	1	1	0	0
(62) Arter	ies aı	nd veins, transluminal atherec	etomy:							
35480	Α	Atherectomy, open	22.59	22.59	000	2	0	2	2	0
35481		Atherectomy, open	11.45	11.45	000	2	0	2	2	0
35482		Atherectomy, open	13.95	13.95	000	2	0	2	2	0
35483		Atherectomy, open	16.89	16.89	000	2	0	2	2	0
35484		Atherectomy, open	20.27	20.27	000	2	0	2	2	0
35485		Atherectomy, open	13.57	13.57	000	2	0	2	2	0
35490		Atherectomy, peripheral	22.59	22.59	000	2	Õ	2	2	Ŏ
35491		Atherectomy, peripheral	11.45	11.45	000	2	Ö	2	2	Ö

607	F		ES FOR MEDICAL			<b>SERVICES</b>			30
35492	A	Atherectomy, peripheral	13.95	13.95	000	2 0	2	2	0
35493		Atherectomy, peripheral	16.89		000	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1	2	ŏ
35494		Atherectomy, peripheral	20.27		000	$\overline{2}$ $\overline{0}$	1	2	Ŏ
35495	A		13.57		000	$\bar{2}$ $\bar{0}$	Õ	$\bar{2}$	Õ
		, FF		,			-	_	-
(48)									
(63) Arterio	es ai	nd veins, bypass graft:							
35501	Α	Artery bypass graft	38.04	38.04	090	2 1	2	1	0
35506	Α	Artery bypass graft	38.38	38.38	090	2 1	2	1	0
35507	Α	Artery bypass graft	37.16		090	2 1	2	1	0
35508	Α	Artery bypass graft	36.32		090	2 1	2	1	0
35509	Α		36.82		090	2 1	2	1	0
35511	Α	Artery bypass graft	26.38		090	2 1	2	1	0
35515	Α	Artery bypass graft	28.91	28.91	090	2 1	2	1	0
35516		Artery bypass graft	33.55		090	2 1	2	1	0
35518		Artery bypass graft	32.24		090	2 1	2	1	0
35521	Α	Artery bypass graft	33.45		090	2 1	2	1	0
35526	Α	Artery bypass graft	32.01	32.01	090	2 1	2	1	0
35531		Artery bypass graft	44.96		090	2 1	2	1	0
35533	A	Artery bypass graft	41.39		090	2 1	2	1	0
35536	A	Artery bypass graft	43.92		090	2 1	2	1	0
35541	A	Artery bypass graft	44.32		090	2 0	2	1	0
35546	A	Artery bypass graft	46.20		090	2 1	2	1	0
35548	A	Artery bypass graft	40.48		090	2 0	2	1	0
35549	A	Artery bypass graft	44.21	44.21	090	2 2 2 1	2 2	1	0
35551	A	Artery bypass graft	44.94	44.94	090	2 1	2	1 1	0
35556 35558	A A	Artery bypass graft	39.87 29.44		090 090	2 1	2	1	$0 \\ 0$
35560	A	Artery bypass graft Artery bypass graft	43.09		090	2 1	2	1	0
35563	A	Artery bypass graft  Artery bypass graft	22.72	22.72	090	2 1	2	1	0
35565	A	Artery bypass graft	31.76	31.76	090	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2	1	0
35566	A	Artery bypass graft	46.61	46.61	090	$\frac{1}{2}$ 1	2	1	Ö
35571	A	Artery bypass graft	37.70		090	$\frac{1}{2}$	2	1	ŏ
35582	A	Vein bypass graft	50.26	50.26	090	$\tilde{2}$ $\tilde{1}$	$\tilde{2}$	î	Ŏ
35583	A	Vein bypass graft	42.33	42.33	090	$\overline{2}$ $\overline{1}$	2	1	Õ
35585	Α	Vein bypass graft	50.49		090	$\overline{2}$ $\overline{1}$	2	1	0
35587	A	Vein bypass graft	39.82	39.82	090	2 1	2	1	0
35601	Α	Artery bypass graft	35.91	35.91	090	2 1	2	1	0
35606	Α		35.87		090	2 1	2	1	0
35612	Α	Artery bypass graft	32.31	32.31	090	2 1	2	1	0
35616	Α	Artery bypass graft	32.36	32.36	090	2 1	2	1	0
35621	Α	Artery bypass graft	30.74	30.74	090	2 1	2	1	0
35623		Artery bypass graft	23.91	23.91	090	2 1	2	1	0
35626	Α	Artery bypass graft	43.51	43.51	090	2 1	2	1	0
35631	Α	Artery bypass graft	41.56	41.56	090	2 1	2	1	0
35636	Α	Artery bypass graft	34.78	34.78	090	2 1	2	1	0
35641	Α	Artery bypass graft	44.41	44.41	090	2 0	2	1	0
35642	Α	Artery bypass graft	27.51	27.51	090	2 1	2	1	0
35645	Α	Artery bypass graft	27.76	27.76	090	2 1	2	1	0
35646		Artery bypass graft	49.01	49.01	090	2 1	2	1	0
35650		Artery bypass graft	30.26		090	2 1	2	1	0
35651	A	Artery bypass graft	48.59	48.59	090	2 1	2	1	0
35654	Α	Artery bypass graft	39.10	39.10	090	2 1	2	1	0
35656		Artery bypass graft	36.84	36.84	090	2 1	2	1	0
35661	A	Artery bypass graft	27.79		090	2 1	2	1	0
35663	A	Artery bypass graft	30.02	30.02	090	2 1	2	1	0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						$\epsilon$	508
35665 35666 35671 35681	A A	Artery bypass graft Artery bypass graft Artery bypass graft Artery bypass graft	32.31 39.00 30.75 17.81	32.31 39.00 30.75 17.81	090 090 090 <b>ZZZ</b>	2 2 2 0	1 1 1 1	2 2 2 2	1 1 1 1	0 0 0 0
(64) Arteri	es a	nd veins, arterial transposition:								
35691 35693 35694 35695	A A	Arterial transposition Arterial transposition Arterial transposition Arterial transposition	37.44 24.08 27.60 27.60	37.44 24.08 27.60 27.60	090 090 090 090	2 2 2 2	1 1 1 1	2 2 2 2	1 1 1 1	0 0 0 0
(65) Arteri	es a	nd veins, exploration:								
35700 35701 35721 35741 35761 35800 35820 35840 35860 35875 35876 35901 35903 35905 35907	A A A A A A A A A A A A A A A A A A A	Exploration, carotid Exploration, femoral Exploration, popliteal Exploration Explore neck	4.56 11.35 10.78 11.04 11.12 12.01 20.13 16.65 11.28 31.77 17.93 21.25 15.18 16.26 24.25 25.21	4.56 11.35 10.78 11.04 11.12 12.01 20.13 16.65 11.28 31.77 17.93 21.25 15.18 16.26 24.25 25.21	222 090 090 090 090 090 090 090 090 090	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
36000 36005 36010 36011 36012 36013 36014 36015	A A A A A	Place needle Injection, venography Place catheter	0.42 1.34 4.42 4.81 5.95 4.50 5.09 5.95	0.28 1.34 4.42 4.81 5.95 4.50 5.09 5.95	XXX 000 XXX XXX XXX XXX XXX XXX	2 2 2 2 2 2 2 2 2	1 0 1 1 1 0 1	1 0 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0
(67) Arteri	es ai	nd veins, intra-arterial, intra-aon	tic:							
36100 36120 36140 36145 36160 36200 36215 36216	A A A A A	Establish access Establish access Establish access Artery to vein Establish access Place catheter Place catheter Place catheter	5.42 4.12 3.32 4.23 4.72 5.53 7.06 8.12	5.42 4.12 3.32 4.23 4.72 5.53 7.06 8.12	XXX XXX XXX XXX XXX XXX XXX	2 2 2 2 2 2 2 2 2	1 0 0 0 0 1 1	1 1 1 1 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

609		FEE	S FOR	MEDICA	L SERV	<b>ICES</b>	52	21.40	030
36217	Α	Place catheter	9.68	9.68	XXX	2	. 1	0	0
36218	Α	Place catheter	1.54		XXX	0 (	) 1	0	0
36245	Α	Place catheter	7.43	3 7.43	XXX	2	1	0	0
36246	Α	Place catheter	8.12		XXX	2	1	0	0
36247	Α	Place catheter	9.68	9.68	XXX	2	. 1	0	0
36248	Α	Place catheter	1.54		XXX	0 (		0	0
36260	Α	Insert infusion pump	16.10		090	2 (	) 1	0	0
36261	Α	Revise infusion pump	7.33		090	2 (	2	0	0
36262	Α	Remove infusion pump	5.73		090	2 (	1	0	0
36299	C	Vessel injection	0.00		YYY	2 (		1	1
		•							
(68) Arterie	s ai	nd veins, venous:							
36400	Α	Drawing blood	0.26	5 0.21	XXX	2 (	) 1	0	0
36405	Α	Drawing blood	0.63	0.40	XXX	2 (		0	0
36406	A	Drawing blood	0.32		XXX	2 (		0	0
36410	A	Drawing blood	0.39		XXX	2 (		0	0
36415	I	Drawing blood	0.00		XXX	9		9	9
36420	Ā	Establish access	1.44		XXX	2 (		0	0
36425	A	Establish access	0.77		XXX	2 (		ŏ	Ŏ
36430	A	Blood transfusion	0.97		XXX	$\bar{0}$		ő	ŏ
36440	A	Blood transfusion	1.88		XXX	2 (		Ŏ	Ŏ
36450	A	Exchange transfusion	3.94		XXX	2 (		ŏ	Ŏ
36455	A	Exchange transfusion	4.52		XXX	2 (		ő	ŏ
36460	A	Transfusion	11.13		XXX	2		ő	ŏ
36468	R	Injection(s)	0.00		XXX	2 (		ŏ	ő
36469	R	Injection(s)	0.00		XXX	2 (		ŏ	Õ
36470	A	Injection therapy	1.27		010	2 (		ő	ŏ
36471	A	Injection therapy	1.83		010	2 (		ŏ	ŏ
36481	A	Insertion of catheter	11.80		000	$\frac{2}{2}$		ő	ő
36488	A	Insertion of catheter	2.24		000	Õ (		ŏ	ő
36489	A	Insertion of catheter	2.28		000	ŏ		ő	ŏ
36490	A	Insertion of catheter	2.96		000	0 0		ő	ő
36491	A	Insertion of catheter	2.99		000	Ŏ (		0	ő
36493	A	Repositioning catheter	1.80		000	2 (		ő	ő
36500	A	Insertion of catheter	3.28		000	2 (		ő	ŏ
36510	A	Insertion of catheter	1.33		000	2 (		ő	Ŏ
36520	Α	Plasma/cell exchange	3.49		000	$\overline{2}$		ŏ	ŏ
36522		Photopheresis	4.12		000	2 (	_	Ö	ō
36530		Insert infusion pump	10.85		010	$\overline{2}$		ŏ	Õ
36531	R	Revise infusion pump	8.79		010	$\tilde{2}$		ŏ	Õ
36532		Remove infusion pump	4.91		010	$\overline{2}$		ŏ	ŏ
36533	Â	Insert access port	9.44		010	2 (	_		ŏ
36534	A		5.63		010	2 (	-	ŏ	ŏ
36535	A	Remove access port	4.02		010	2 (		ő	ŏ
(69) Arterie	s aı	nd veins, arterial:							
26600	A	Withdrawal of black	0.55	7 057	VVV	<b>1</b> (	1	0	Λ
36600		Withdrawal of blood	0.57		XXX	2 (		0	0
36620	A	Insertion of catheter	1.76		000	0 (		0	0
36625	A	Insertion of catheter	2.85		000	0 (		0	0
36640	A	Insertion of catheter	4.36		000	2 (		0	0
36660	Α	Insertion of catheter	1.77	7 1.77	000	0 (	0	0	0

610

MINIESUIA	NULLS 2003

5221.4030 FEES FOR MEDICAL SERVICES

(70)										
(70) Arterie	es a	nd veins, intraosseous:								
36680	A	Insert needle, infusion	2.34	2.34	000	2	0	0	0	0
(71) Arterie	es a	nd veins, intervascular cannuliz	zation or	shunt:						
36800	Δ	Insertion of cannula	4.50	4.50	000	2	0	1	0	0
36810		Insertion of cannula	8.23	8.23	000	2	Ö	1	0	0
36815	A	Insertion of cannula	5.55	5.55	000	2	0	1	0	0
36821		Artery-vein	15.91	15.91	090	2	0	2	1	0
36822	A	Insertion of cannula	10.75	10.75	090	2	0	1	0	0
36825	-	Artery-vein graft	20.60	20.60	090	2	0	2	1	0
36830			21.82	21.82	090	2	0	2	1	0
36832		Artery-vein graft			090	2	0	2	1	
		Revise artery-vein	14.03	14.03	090	2	0	2	1	0
36834	A	Repair A-V aneurysm	17.46	17.46		2	-	1	0	0
36835	A	Artery to vein	10.23	10.23	090	2	0	1	0	0
36860		Cannula declotting	4.54	4.20	000	2	0	1	0	0
36861	A	Cannula declotting	5.52	5.52	000	2	U	1	U	U
(72) Arterie	es ai	nd veins, portal decompression	procedu	ıres:						
37140	٨	Revision	39.00	39.00	090	2	0	1	1	0
37145	A	Revision	39.84	39.84	090	2	0	2	0	0
37143		Revision	38.83	38.83	090	2	0	2	1	0
37180		Revision	37.57		090	2	0	2	1	0
37180		Splice spleen/kidney	42.01	37.57 42.01	090	2	0	2	1	0
3/101	A	Splice spicell/kidiley	42.01	42.01	090	2	U	2	1	U
(73) Arterie	es ai	nd veins, transcatheter procedu	ıres:							
37195	Α	Thrombolytic therapy	7.72	7.72	XXX	0	0	0	0	0
37200	A		5.75	5.75	000	2	Ŏ	1	ŏ	ŏ
37201	Α		10.20	10.20	000	2	Ŏ	1	Õ	0
37202		Transcatheter therapy	9.59	9.59	000	2	Ŏ	1	ŏ	Ŏ
37203	Α	Transcatheter retrieval	8.50	8.50	000	2	0	1	0	0
37204	Α	Transcatheter occlusion	30.64	30.64	000	2	0	1	0	0
37205	Α	Transcatheter stents	12.73	12.73	000	2	0	0	2	0
37206	Α	Transcatheter stents	6.36	6.36	ZZZ	0	0	0	2	0
37207	Α	Transcatheter stents	12.73	12.73	000	2	1	2	2	0
37208	Α	Transcatheter stents	6.36	6.36	ZZZ	0	0	2	2	0
37209	A	Exchange arterial	3.48	3.48	000	2	0	1	0	0
(74) Arterie	es ai	nd veins, intravascular ultrasou	nd servi	ces:						
37250		Intravascular ultrasound	3.08	3.08	ZZZ	0	0	0	1	0
37251	Α	Intravascular ultrasound	2.35	2.35	ZZZ	0	0	0	1	0
(75) Arterie	es ar	nd veins, ligation and other pro	ocedures	:						
37565	Α	Ligation of neck	8.10	8.10	090	2	0	0	1	0
37600		Ligation of neck	9.40	9.40	090	2	ő	2	1	0
37605		Ligation of neck	11.56	11.56	090	2	ő	2	1	ŏ
-,				100	5,0	_	-	_	•	9

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

611			FEES	FOR	MEDICAL	SERV	VICI	ES	522	1.40	30
37606 37607 37609 37615 37616 37617 37618 37620 37650 37660 37700 37720 37730 37735 37760 37780 37785 37788 37788 37799	A A A A A	Ligation of neck Ligation of fistula Temporal artery Ligation of neck Ligation of chest Ligation of abdomen Ligation of extremity Revision of major vein Revision of major vein Revision of major vein Revision of major vein Revision of leg vein Removal of leg vein Removal of leg vein Revision of leg vein	,	11.82 8.94 4.44 11.24 19.49 23.00 9.79 18.90 8.83 15.78 7.30 10.65 14.14 18.54 17.55 5.50 4.55 35.44 13.38 0.00	4 8.94 4 4.44 4 11.24 9 19.49 6 23.06 9 .79 1 18.91 3 8.83 15.78 0 7.30 5 10.65 4 14.14 4 18.54 7 17.57 0 5.50 7 4.57 2 35.42 3 13.38	090 090 010 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 1 1 1 0 0 0 0 0	2 1 1 2 2 2 2 2 1 1 1 2 1 1 1 2 2 2 1 1 1 1 2 0 0 0 0	0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(76) Spleen 38100 38101		cision:  Removal of spleen Removal of spleen		21.0° 20.06		090 090	2 2	0 0	2 2	1 1	0 0
38102	A	Removal of spleen		7.10	7.10	ZZZ	0	0	2	1	0
(77) Spleen	, ге	pair:									
38115	Α	Repair ruptured spleen	l	21.08	8 21.08	090	2	0	2	1	0
(78) Spleen	, int	roduction:									
38200	A	Splenoportography		4.13	3 4.13	000	2	0	0	0	0
(79) Bone r	narı	ow or stem cell transpla	ntation	n servi	ces:						
38230		Bone marrow collection	1	6.92		010	2	0	0	0	0
38231 38240	R R	Stem cell collection Bone marrow/stem		2.73 4.12		000 XXX	2	0	0	0	0
38241	R	Bone marrow/stem		4.08		XXX	2	ŏ	ő	Õ	0
(80) Lymph	по	des and lymphatic chann	els, inc	cision:							
38300		Drain lymph abscess		2.00		010	2 2	0	1	0	0
38305		Drain lymph abscess		6.28		090	2	0	1	0	0
38308 38380	A A	Incision of lymph Thoracic duct		8.00 11.48		090 090	2	0	2	1 1	0 0
38381	A			19.82		090	2	ő	2	1	0
38382	Α			14.45		090	2	0	2	1	0

(81) Lymph nodes and lymphatic channels, excision:													
38500	Λ	Biopsy/removal	4.32	4.32	010	2	1	1	0	0			
38505	A	Needle biopsy	2.21	1.67	000	2	1	1	0	0			
38510	A	Biopsy/removal	6.46	6.46	090	2	1	1	0	0			
38520		Biopsy/removal	7.84	7.84	090	2	1	1	0	0			
38525	A	Biopsy/removal	7.02	7.02	090	2	1	1	0	0			
38530	A	Biopsy/removal	8.99	8.99	090	2	1	2	1	0			
38542	A	Explore deep node	9.81	9.81	090	2	1	2	1	0			
38550		Removal of neck/arm	9.58	9.51	090	2	0	0	0	0			
38555		Removal of neck/arm	20.74	20.74	090	2	0	2	1	0			
36333	А	Removal of neckyarm	20.74	20.74	050	2	U	۷	1	U			
(82) Lymph	no	des and lymphatic channels, lin	nited lyn	nphaden	ectomy	for	stag	ing:					
38562	Α	Removal, pelvic	16.83	16.83	090	2	2	2	1	0			
38564		Removal, abdomen	17.80	17.80	090	2	0	2	1	0			
30304	А	Kemovai, abdomen	17.00	17.00	070	2	U	۷	1	U			
(83) Lymph	no	des and lymphatic channels, ra	dical lyn	nphaden	ectomy:								
38700	Δ	Removal of lymph	16.95	16.95	090	2	1	2	1	0			
38720	A		27.94	27.94	090	2	1	2	1	0			
38724	A	Removal of lymph	28.17	28.17	090	2	0	2	1	0			
38740		Remove armpit	11.26	11.26	090	2	0	2	1	0			
38745		Remove armpits	16.99	16.99	090	2	0	2	1	0			
38746		Remove attripits Remove thoracic lymph	6.49	6.49	ZZZ	0	0	2	1	0			
38747		Remove abdominal lymph	7.24	7.24	ZZZ	0	0	2	1	0			
38760		Remove groin lymph	15.08	15.08	090	2	1	2	1	0			
38765		Remove groin lymph	28.15	28.15	090	2	1	2	1	0			
38770			27.02	27.02	090	2	1	2	1	0			
		Remove pelvis lymph				2	0	2	1	0			
38780	A	Remove abdomen lymph	32.30	32.30	090	2	U	2	1	U			
(84) Lymph	no	des and lymphatic channels, int	roduction	on:									
38790	Δ	Injection for lymphatic	2.86	2.65	000	2	1	1	0	0			
38794	A		6.99	6.99	090	2	Ô	Ô	ŏ	0			
							-			-			
(85) Lymph	no.	des and lymphatic channels, oth	ner proc	edures:									
38999	C	Blood/lymph system	0.00	0.00	YYY	2	0	2	1	1			
(86) Media	stinı	um, incision:											
20000		T 1	11.00	11.00	000	_	^	_					
39000		Exploration	11.98	11.98	090	2	0	2	1	0			
39010	Α	Exploration	22.92	22.92	090	2	0	2	1	0			
(87) Medias	stinı	ım, excision:											
20200		<b>.</b>	01.55	01	000	_	^	_	_	_			
39200		Removal of chest lesion	24.73	24.73	090	2	0	2	1	0			
39220	A	Removal of chest lesion	31.81	31.81	090	2	0	2	1	0			

613			FEES	FOR M	MEDICAL	SERV	ЛСI	ES	522	1.40	30
(88) Medias	stinı	ım, endoscopy:									
39400	A	Visualization		10.56	10.56	010	2	0	1	0	0
(89) Medias	stin	ım, other procedures:									
39499	С	Chest surgery		0.00	0.00	YYY	2	0	2	1	1
(90) Diaphr	agn	n, repair:									
39501 39502 39503 39520 39530 39531 39540 39541 39545	A A A A A A A	Repair of diaphragm Repair paraesophagea Repair of diaphragm Repair of diaphragm Repair of diaphragm Repair of diaphragm Repair of diaphragm Repair of diaphragm Revision of diaphragm		23.43 27.70 57.58 28.08 29.06 25.56 25.05 26.13 20.49	23.43 27.70 57.58 28.08 29.06 25.56 25.05 26.13 20.49	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0
(91) Diaphr	agn	n, other procedures:									
39599	С	Diaphragm surgery		0.00	0.00	YYY	2	0	2	1	1
(92) Lips, e	xcis	ion:									
40490 40500 40510 40520 40525 40527 40530	A A A A A	Biopsy of lip Partial excision Partial excision Partial excision Reconstruct lip Reconstruct lip Partial removal of lip		1.86 8.95 9.72 8.96 15.67 18.90 10.24	1.50 8.95 9.72 8.96 15.67 18.90 10.24	000 090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 0 1	0 0 0 0 0 0	0 0 0 0 0 0
(93) Lips, re	epai	r:									
40650 40652 40654 40700 40701 40702 40720 40761	A A A A A A	Repair lip Repair lip Repair lip Repair cleft lip		7.53 8.83 11.01 20.49 33.95 21.50 22.55 24.79	7.53 8.83 11.01 20.49 33.95 21.50 22.55 24.79	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 2 2 1 0	0 0 1 0 2 2 0 1	0 0 0 0 0 0 0	0 0 0 0 0 0
(94) Lips, o	the	r procedures:									
40799	С	Lip surgery		0.00	0.00	YYY	2	0	2	1	1

(95) Vestibule of mouth, incision:												
40800	Α	Drainage of mouth	1.82	1.46	010	2	0	1	0	0		
40801		Drainage of mouth	4.03	3.21	010	2	0	1	0	0		
40804		Removal of foreign body	1.72	1.44	010	2	0	0	0	0		
40805		Removal of foreign body	5.02	5.02	010	2	0	0	0	0		
40806	Α	Incision of lip	0.65	0.65	000	2	0	0	0	0		
(96) Vestib	ule	of mouth, excision, destruction:										
40808	A	Biopsy of mouth	1.65	1.28	010	2	0	1	0	0		
40810		Excision of mouth	2.39	1.82	010	2	0	1	0	0		
40812		Excise/repair mouth	3.62	2.90	010	2	0	1	0	0		
40814		Excise/repair mouth	6.40	4.84	090	2	0	1	0	0		
40816		Excision of mouth	6.62	5.07	090	2	0	1	0	0		
40818		Excise mucosa	4.47	4.47	090	2	0	0	0	0		
40819		Excise lip or cheek	3.45	2.86	090	2	0	0	0	0		
40820	A	Treatment of mouth	1.71	1.45	010	2	0	1	0	0		
(97) Vestib	ule	of mouth, repair:										
40020		Danais mouth laconation	2.20	2.20	010	2	Λ	Λ	Λ	٥		
40830		Repair mouth laceration	2.28 4.22	2.28 4.22	010	2 2	$0 \\ 0$	0	0	0		
40831 40840	A R	Repair mouth laceration Reconstruction	14.39	14.39	010 090	2	0	0	0	0		
40842		Reconstruction	14.39	14.39	090	2	0	0	0	0		
40843		Reconstruction	20.05	20.05	090	2	2	2	0	0		
40844	R	Reconstruction	26.52	26.52	090	2	0	2	ŏ	0		
40845		Reconstruction	37.68	37.68	090	2	ŏ	ō	ŏ	ŏ		
(98) Vestib	ule	of mouth, other procedures:										
40899	С	Mouth surgery	0.00	0.00	YYY	2	0	0	1	1		
(99) Tongue	e an	d floor of mouth, incision:										
41000	Δ	Drainage of mouth	1.96	1.59	010	2	0	1	0	0		
41005		Drainage of mouth	1.78	1.78	010	2		Ô		ő		
41006	A	Drainage of mouth	3.98	3.98	090	2	Ŏ	ŏ	Ŏ	Õ		
41007		Drainage of mouth	5.78	5.78	090	2	0	0	0	0		
41008		Drainage of mouth	4.14	3.63	090	2	0	0	0	0		
41009		Drainage of mouth	6.64	6.64	090	2	0	0	0	0		
41010		Incision of tongue	1.34	1.34	010	2	0	0	0	0		
41015		Drainage of mouth	4.49	4.49	090	2	0	0	0	0		
41016		Drainage of mouth	7.47	7.47	090	2	0	0	0	0		
41017		Drainage of mouth	5.12	5.12	090	2	0	0	0	0		
41018	A	Drainage of mouth	8.64	8.64	090	2	0	0	0	0		
(100) Tongo	ue a	nd floor of mouth, excision:										
41100	Α	Biopsy of tongue	2.30	1.91	010	2	0	1	0	0		
41105	A	Biopsy of tongue	2.35	1.85	010	2	ŏ	1	ŏ	ŏ		
		. ,										

615			FOR	MEDICAL	SERV	ЛСІ	ES	5 5221.4030		
41108	Α	Biopsy of floor of mouth	1.8	2 1.41	010	2	0	1	0	0
41110		Excision of tongue	2.7		010	2	ŏ	1	Ö	0
41112		Excision of tongue	4.9		090	2	ŏ	1	Õ	ŏ
41113		Excision of tongue	6.3		090	2	ő	1	ŏ	ŏ
41114		Excision of tongue	14.2		090	2	ŏ	ō	ő	ŏ
41115		Excision of tongue	3.3		010	2	ŏ	0	0	0
41116		Excision of mouth	4.7		090	2	ő	1	0	0
41120		Partial removal, tongue	16.3		090	2	ŏ	2	1	0
41130	A	Partial removal, tongue	19.5		090	2	Õ	2	î	0
41135	A	Tongue and neck	40.0		090	2	ŏ	2	1	0
41140		Removal of tongue	42.7		090	2	ŏ	2	1	0
41145	A	Removal of tongue, neck	50.9		090	2	ŏ	2	1	ő
41150	Α	Tongue, mouth, and jaw	40.5		090	2	0	2	1	0
41153	A	Tongue, mouth, and neck	47.4		090	2	Õ	2	1	Õ
41155	A	Tongue, jaw, and neck	56.1		090	2	0	2	1	0
(101) Tongu	ıe a	and floor of mouth, repair:								
41250		Danair tangua lagaration	2.8	3 2.83	010	2	0	0	0	٥
41251	A	Repair tongue laceration Repair tongue laceration	4.1		010	2	0	0	0	0
41251	A	Repair tongue laceration Repair tongue laceration	5.1		010	2	0	0	0	0
41232	Α	Repair tongue faceration	3.1	1 5.11	010	2	U	U	U	U
(102) Tongu	ie a	nd floor of mouth, other proc	edures	:						
41500	Α	Fixation of tongue	6.6	9 6.69	090	2	0	0	0	0
41510	Α	Tongue to lip suture	5.8	0 5.80	090	2	0	0	0	0
41520	Α	Reconstruction	5.4	1 5.41	090	2	0	0	0	0
41599	C	Tongue and mouth surgery	0.0	0.00	YYY	2	0	0	1	1
(103) Dento	alv	eolar structures, incision:								
41800	Α	Drainage of gum	1.7	7 1.43	010	2	0	1	0	0
41805		Removal of foreign body	1.9	8 1.98	010	2	0	0	0	0
41806	A	Removal of foreign body	4.1	1 3.32	010	2	0	0	0	0
(104) <b>Dent</b> o		eolar structures, excision, dest	ruction							
41820		Excision of gum	0.0		XXX	2	0	0	0	0
41821		Excision of gum	0.0		XXX	2	0	0	0	0
41822	R	Excision of gum	5.1		010	2	0	0	0	0
41823	R	Excision of gum	6.6		090	2	0	0	0	0
41825		Excision of gum	2.7		010	2	0	1	0	0
41826		Excision of gum	4.2		010	2	0	1	0	0
41827		Excision of gum	6.9		090	2	0	1	0	0
41828		Excision of gum	6.9		010	2	0	0	0	0
41830		Removal of gum	6.8		010	2	0	0	0	0
41850	R	Treatment of gum	0.0	0.00	XXX	2	0	0	0	0
(105) Dento	alv	eolar structures, other proced	ures:			•				
41870	R	Gum graft	0.0	0.00	XXX	2	0	0	0	0

5221.4030 FEES FOR MEDICAL SERVICES 61												
41872	R	Repair gum	5.25	5.25	090	2	0	0	0	0		
41874	R	Repair tooth sockets	6.27	6.27	090	2	Ŏ	Ŏ	0	0		
41899	C	Dental surgery	0.00	0.00	YYY	2	0	0	1	1		
		3 ,										
(106) Palat	te an	d uvula, incision:										
42000	A	Drainage of mouth	1.75	1.45	010	2	0	0	0	0		
(107) Palat	e an	d uvula, excision, destruction:										
42100	Α	Biopsy roof of mouth	2.00	1.61	010	2	0	1	0	0		
42104			3.15	2.36	010	2	0	1	0	0		
42106		Excision of lesion	4.17	3.09	010	2	0	1	0	0		
42107		Excision of lesion	9.02	6.66	090	2	0	1	0	0		
42120	A	Remove palate/lesion	12.72	12.72	090	2	0	2	1	0		
42140	A		2.86	2.86	090	2	0	1	0	0		
42145	A	Repair of palate Treatment of mouth	16.67	16.67 2.46	090	2 2	0	$\begin{array}{c} 1 \\ 0 \end{array}$	0	0		
42160	Α	Treatment of mouth	3.20	2.40	010	2	υ	U	U	U		
(108) Palat	e an	d uvula, repair:										
42180	Α	Repair palate	4.58	4.58	010	2	0	0	0	0		
42182		Repair palate	7.04	7.04	010	2	0	0	0	0		
42200		Reconstruct cleft palate	18.31	18.31	090	2	0	2	0	0		
42205		Reconstruct cleft palate	19.33	19.33	090	2	0	2	0	0		
42210 42215		Reconstruct cleft palate	25.77 15.90	25.77 15.90	090 090	2	0 0	2	0	0		
42213	A	Reconstruct cleft palate Reconstruct cleft palate	12.04	12.04	090	2	0	2	0	0		
42225	A	Reconstruct cleft palate	15.92	15.92	090	2	ŏ	2	0	0		
42226	A	Lengthening of palate	17.18	17.18	090	$\bar{2}$	ŏ	$\bar{2}$	Õ	ŏ		
42227		Lengthening of palate	16.01	16.01	090	2	0	2	0	0		
42235	Α	Repair palate	12.78	12.78	090	2	0	2	0	0		
42260	Α	Repair nose to lip	12.98	12.98	090	2	0	2	0	0		
42280	Α	Preparation, palate	3.41	3.41	010	2	0	0	0	0		
42281	Α	Insertion, palate	3.25	3.25	010	2	0	0	0	0		
(109) Palat	e an	d uvula, other procedures:										
42299	С	Palate/uvula surgery	0.00	0.00	YYY	2	0	2	1	1		
(110) Saliv	ary g	glands and ducts, incision:										
42300	Α	Drain salivary gland	2.75	2.28	010	2	0	1	0	0		
42305		Drain salivary gland	7.77	7.77	090	2	0	0	0	0		
42310		Drain salivary gland	2.48	1.98	010	2	0	0	0	0		
42320	A	Drain salivary gland	4.02	4.02	010	2	0 0	0	0	0		
42325 42326		Create salivary gland Create salivary gland	4.65 7.63	4.65 7.63	090 090	2	0	2	0	$0 \\ 0$		
42320		Remove salivary gland	3.14	2.60	010	2	0	1	0	0		
42335		Remove salivary gland	5.54	4.35	090	2	ŏ	1	ŏ	ŏ		
42340		Remove salivary gland	8.53	6.48	090	2	0	0	0	0		

(111) Salivary glands and ducts, excision:												
42400	Α	Biopsy of salivary gland	1.53	1.14	000	2	0	1	0	0		
42405	A	Biopsy of salivary gland	4.58	3.84	010	2	0	1	Ŏ	Õ		
42408	A	Excision of salivary cyst	7.46	7.46	090	2	Õ	Ô	ŏ	ŏ		
42409	Α	Drainage of salivary cyst	5.43	5.43	090	2	ŏ	2	ŏ	ő		
42410	A	Excise parotid	14.72	14.72	090	2	ŏ	2	1	ŏ		
42415	A	Excise parotid	28.51	28.51	090	2	Õ	2	1	0		
42420		Excise parotid	33.13	33.13	090	2	ŏ	2	1	ŏ		
42425	A	Excise parotid	23.33	23.33	090	2	ő	2	1	ő		
42426		Excise parotid	43.66	43.66	090	2	ŏ	2	1	ŏ		
42440		Excise submaxillary	14.28	14.28	090	2	ő	2	1	ő		
42450	A	Excise sublingual	7.69	7.69	090	2	ő	0	0	ő		
		·	,,,,,	,,,,,	0,0	-	Ĭ	Ū	Ü	Ŭ		
(112) Saliva	ry g	lands and ducts, repair:										
42500	Α	Repair salivary duct	8.63	8.63	090	2	0	0	0	0		
42505	Α	Repair salivary duct	12.65	12.65	090	2	0	1	0	0		
42507	Α	Parotid duct diversion	10.41	10.41	090	2	2	2	0	0		
42508	Α	Parotid duct diversion	16.13	16.13	090	2	2	2	0	0		
42509	Α	Parotid duct diversion	18.22	18.22	090	2	2	0	0	0		
42510	Α	Parotid duct diversion	15.25	15.25	090	2	2	2	1	0		
(113) Saliva	ry g	lands and ducts, other procedu	res:									
42550	Α	Injection, sialography	1.58	1.58	000	2	0	1	0	0		
42600	A		8.39	8.39	090	2	0	0	0	0		
42650	A	Dilation of salivary duct	1.10	0.91	000	2	Ō	1	Ŏ	0		
42660	A	Dilation of salivary duct	1.54	1.30	000	2	Õ	Ō	Ŏ	Ŏ		
42665	A	Ligation of salivary duct	4.41	4.41	090	2	0	0	0	0		
42699	C	Salivary surgery	0.00	0.00	YYY	2	0	2	1	1		
		, , ,										
(114) Phary	nx,	adenoids, and tonsils, incision:										
42700	Δ	Drainage of tonsils	2.35	1.94	010	2	0	1	0	0		
42720	A	Drainage of throat	6.87	6.87	010	2	0	0	0	0		
42725	A	Drainage of throat	14.32	14.32	090	2	0	2	1	0		
72125	7 1	Dramage of timoat	14.52	14.52	070	_	Ü	_	•	Ü		
(115) Phary	nx,	adenoids, and tonsils, excision,	destruct	tion:								
42800	Α	Biopsy of throat	2.02	1.66	010	2	0	1	0	0		
42802	A	Biopsy of throat	2.45	2.45	010	2	0	1	ő	0		
42804	A	Biopsy upper nose/throat	2.25	2.45	010	2	0	1	0	0		
42806	A	Biopsy upper nose/throat	2.87	2.23	010	2	0	1	0	0		
42808		Excise pharynx	4.68	4.68	010	2	0	1	0	0		
42809		Remove pharynx	2.48	2.48	010	2	Ö	1	0	0		
42810		Excision of neck	6.32	6.32	090	2	Ö	2	0	0		
42815		Excision of neck	14.86	14.86	090	2	ő	2	1	0		
42820	A		6.77	6.77	090	2	ő	Õ	Ō	0		
42821		Remove tonsils	7.94	7.94	090	2	ŏ	ő	Ö	ŏ		
					3,0	_	•	-	-	•		

MINNESOTA RULES 2003														
5221.4030         FEES FOR MEDICAL SERVICES         6           42825         A Removal of tonsils         5.84         5.84         090         2         0         0         0														
42825	Α	Removal of tonsils	5.84	5.84	090	2	0	0	0	0				
42826		Removal of tonsils	6.90	6.90	090	2	0	1	0	0				
42830		Removal of adenoids	4.28	4.28	090	2	0	0	0	0				
42831		Removal of adenoids	4.88	4.88	090	2	0	0	0	0				
42835	Α	Removal of adenoids	3.94	3.94	090	2	0	0	0	0				
42836	Α	Removal of adenoids	5.75	5.75	090	2	0	0	0	0				
42842	Α	Extensive surgery	14.82	14.82	090	2	0	0	0	0				
42844		Extensive surgery	24.17	24.17	090	2	0	2	1	0				
42845	Α	Extensive surgery	41.26	41.26	090	2	0	2	1	0				
42860		Excision of tonsil tags	3.96	3.96	090	2	0	0	0	0				
42870		Excision of lingual	7.29	7.29	090	2	0	0	0	0				
42890	Α	Partial removal	21.00	21.00	090	2	0	2	1	0				
42892		Revision of pharynx	25.62	25.62	090	2	0	2	1	0				
42894	Α	Revision of pharynx	37.29	37.29	090	2	0	2	1	0				
(116) Phar	ynx,	adenoids, and tonsils, repair:												
42900	Α	Repair throat wound	9.15	9.15	010	2	0	0	0	0				
42950		Reconstruction	16.57	16.57	090	2	0	2	1	Õ				
42953		Repair throat	14.77	14.77	090	2	0	2	0	0				
(117) Phar	ynx,	adenoids, and tonsils, other pr	ocedures	3:										
42955	Α	Surgical opening	10.15	10.15	090	2	0	2	0	0				
42960	Α	Control throat hemorrhage	3.22	3.22	010	2	0	0	0	0				
42961	Α	Control throat	6.87	6.87	090	2	0	2	0	0				
42962	Α	Control throat	12.63	12.63	090	2	0	2	0	0				
42970	Α	Control nose/throat	5.98	5.98	090	2	0	1	0	0				
42971		Control nose/throat	8.63	8.63	090	2	0	2	0	0				
42972		Control nose/throat	11.33	11.33	090	2	0	2	0	0				
42999	С	Throat surgery	0.00	0.00	YYY	2	0	0	1	1				
(118) Esop	hagı	ıs, incision:												
43020	Α	Incision of esophagus	14.09	14.09	090	2	0	2	1	0				
43030		Throat muscle surgery	15.82	15.82	090	2	0	2	1	0				
43045		Incision of esophagus	31.59	31.59	090	2	0	2	1	0				
(119) Esop	hagı	ıs, excision:												
43100	Δ	Excision of esophagus	14.85	14.85	090	2	0	2	1	0				
43101		Excision of esophagus	24 94	24 94	090		n	2	1	ñ				

43100	Α	Excision of esophagus	14.85	14.85	090	2	0	2	1	0
43101	Α	Excision of esophagus	24.94	24.94	090	2	0	2	1	0
43107	Α	Removal of esophagus	50.31	50.31	090	2	0	2	1	0
43108	Α	Removal of esophagus	58.08	58.08	090	2	0	2	1	0
43112		Removal of esophagus	51.58	51.58	090	2	0	2	2	0
43113	Α	Removal of esophagus	59.06	59.06	090	2	0	2	2	0
43116	Α	Partial removal	55.38	55.38	090	2	0	2	1	0
43117	Α	Partial removal	54.29	54.29	090	2	0	2	2	0
43118	Α	Partial removal	57.18	57.18	090	2	0	2	2	0
43121	Α	Partial removal	49.44	49.44	090	2	0	2	2	0
43122	Α	Partial removal	49.37	49.37	090	2	0	2	1	0
43123	Α	Partial removal	57.18	57.18	090	2	0	2	1	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

FEES FOR MEDICAL SERVICES 5221.4030

619

019		r	PEES	FUK N	IEDICAL	SERV	ICE	13	544	1.40	30
43124	٨	Domoval of acombonic		48.97	48.97	090	2	0	2	1	0
	A	Removal of esophagus		21.70	21.70	090	2	0	2	1	0
43130		Removal of esophagus		27.13	27.13	090	2	0	2	1	0
43135	Α	Removal of esophagus		27.13	27.13	090	2	U	2	1	U
(120) Esoph	าลฐบ	ıs, endoscopy:									
(130) 230p.		o, endoscopy.									
43200	Α	1 0 17		3.56	3.28	000	2	0	1	0	0
43202	Α	Esophagus endoscopy		4.21	3.90	000	3	0	1	0	0
43204	Α	Esophagus endoscopy		7.63	7.63	000	3	0	1	0	0
43205	Α	Esophagus endoscopy		6.15	6.15	000	3	0	0	0	0
43215	Α	Esophagus endoscopy		5.38	5.38	000	3	0	1	0	0
43216	Α	Esophagus endoscopy		4.93	4.93	000	3	0	0	0	0
43217	Α	Esophagus endoscopy		5.92	5.92	000	3	0	1	0	0
43219	Α	Esophagus endoscopy		5.70	5.70	000	3	0	1	0	0
43220	Α	Esophagus endoscopy		4.29	4.29	000	3	0	1	0	0
43226	Α	Esophagus endoscopy		4.75	4.75	000	3	0	1	0	0
43227	Α	Esophagus endoscopy		7.28	7.28	000	3	0	1	0	0
43228	Α	Esophagus endoscopy		7.64	7.64	000	3	0	1	0	0
43234	Α	Upper GI endoscopy		4.47	4.12	000	2	0	1	0	0
43235	Α	Upper GI endoscopy		5.30	4.87	000	2	0	1	0	0
43239		Upper GI endoscopy		5.95	5.48	000	3	0	1	0	0
43241	_	Upper GI endoscopy		5.31	5.31	000	3	0	1	0	0
43243	Α	Upper GI endoscopy		9.22	9.22	000	3	0	1	0	0
43244	A	Upper GI endoscopy		7.74	7.74	000	3	0	0	0	0
43245	A	Operative upper endosc	ору	6.90	6.90	000	3	0	1	0	0
43246	A	Place gastrostomy tube		8.81	8.81	000	3	0	0	2	0
43247	A	Operative upper endosc	ору	6.89	6.89	000	3	0	1	0	0
43248	A	Upper GI endoscopy		6.40	6.40	000	2	0	1	0	0
43249	A	Esophagus endoscopy		5.88	5.88	000	3	0	1	0	0
43250	A	Upper GI endoscopy		6.54	6.54	000	3	0	1	0	0
43251	A	Operative upper endosc		7.53	7.53	000	3	0	1	0	0
43255	A	Operative upper endosc		8.88	8.88	000	3	0	1 1	0	0
43258	A	Operative upper endosc	ору	9.18 8.52	9.18 8.52	000	3	0	0	0	
43259 43260		Endoscopic ultrasound			11.40	000	2		1	0	0
43261	A A	Endoscopy, bile		11.40 11.68	11.40	000	3	$0 \\ 0$	1	0	0 0
43262	A	Endoscopy, bile		14.88	14.88	000	3	0	1	0	0
43263	A	Endoscopy, bile Endoscopy, bile		11.46	11.46	000	3	0	1	0	0
43264	A	Endoscopy, bile		17.03	17.03	000	3	0	1	0	0
43265		Endoscopy, bile		14.94	14.94	000	3	0	1	0	0
43267		Endoscopy, bile		14.13	14.13	000	3	Ö	1	ŏ	ŏ
43268	A	Endoscopy, bile		14.87	14.87	000	3	ŏ	1	ŏ	0
43269		Endoscopy, bile		12.18	12.18	000	3	0	ī	ŏ	Ŏ
43271		Endoscopy, bile		14.35	14.35	000	3	Ŏ	1	Ö	ŏ
43272	A	Endoscopy, bile		12.35	12.35	000	3	0	Ō	Ŏ	Ŏ
		•••									
(121) Esopl	hagu	ıs, repair:									
43300	Α	Repair of esophagus		18.94	18.94	090	2	0	2	1	0
43305		Repair of esophagus		29.79	29.79	090	2	0	2	1	0
43310		Repair of esophagus		41.24	41.24	090	2	0	2	1	0
43312	Α	Repair of esophagus		40.32	40.32	090	2	0	2	1	0
43320		Fuse esophagus		27.00	27.00	090	2	0	2	1	0
43324		Revise esophagus		27.92	27.92	090	2	0	2	1	0
43325	Α	Revise esophagus		27.16	27.16	090	2	0	2	1	0

MINNESOTA RULES 2003													
5221.4030       FEES FOR MEDICAL SERVICES       620         43326       A Revise esophagus       22.67       22.67       090       2       0       2       1       0													
43326	Α	Revise esophagus	22.67	22.67	090	2	0	2	1	0			
43330	Α	Repair of esophagus	26.76	26.76	090	2	0	2	1	0			
43331		Repair of esophagus	30.03	30.03	090	2	0	2	1	0			
43340		Fuse esophagus	27.76	27.76	090	2	0	2	1	0			
43341		Fuse esophagus	25.68	25.68	090	2	0	2	1	0			
43350	Α	Surgical opening	19.79	19.79	090	2	0	2	1	0			
43351	Α		22.74	22.74	090	2	0	2	1	0			
43352	Α	Surgical opening	20.54	20.54	090	2	0	2	1	0			
43360	Α	Gastrointestinal	49.07	49.07	090	2	0	2	1	0			
43361	Α	Gastrointestinal	56.68	56.68	090	2	0	2	1	0			
43400	Α	Ligate esophagus	26.87	26.87	090	2	0	2	1	0			
43401	Α	Esophagus surgery	26.50	26.50	090	2	0	2	1	0			
43405		Ligate/staple esophagus	29.94	29.94	090	2	0	2	1	0			
43410		Repair esophagus	19.30	19.30	090	2	0	2	1	0			
43415		Repair esophagus	29.18	29.18	090	2	0	2	1	0			
43420		Repair esophagus	16.61	16.61	090	2	0	0	1	0			
43425	Α	Repair esophagus	25.93	25.93	090	2	0	2	1	0			
(122) Esop	hagu	us, manipulation:											
43450	Α	Dilate esophagus	1.94	1.94	000	2	0	1	0	0			
43453		Dilate esophagus	2.89	2.89	000	2	0	1	0	0			
43456		Dilate esophagus	4.85	4.85	000	2	0	1	0	0			
43458		Dilate esophagus	4.40	4.40	000	2	0	1	0	0			
43460	Α	Pressure treatment	5.15	5.15	000	2	0	1	0	0			
(123) Esop	hagu	us, other procedures:											
43496		Free jejunum transfer	0.00	0.00	090	2	0	2	1	0			
43499	С	Esophagus surgery	0.00	0.00	YYY	2	0	2	1	1			
(124) Stom	ach,	incision:											
43500	Α	Surgical opening	14.24	14.24	090	2	0	2		0			
43501		Surgical repair	23.20	23.20	090	2	0	2	1	0			
43502	Α	<u> </u>	25.34	25.34	090	2	0	2	1	0			
43510	Α	0 1 0	17.60	17.60	090	2	0	2	1	0			
43520	Α	Incise pyloric muscle	11.73	11.73	090	2	0	2	1	0			
(125) Stom	ach,	excision:											
43600	A	Biopsy of stomach	2.24	2.24	000	2	0	1	0	0			
43605	A	Biopsy of stomach	14.73	14.73	090	2	ŏ	2	1	ŏ			

43610	Α	Excision of stomach	18.96	18.96	090	2	U	2	1	U
43611	Α	Excision of stomach	21.21	21.21	090	2	0	2	1	0
43620	Α	Removal of stomach	37.08	37.08	090	2	0	2	1	0
43621	Α	Removal of stomach	37.55	37.55	090	2	0	2	1	0
43622	Α	Removal of stomach	38.77	38.77	090	2	0	2	1	0
43631	Α	Removal of stomach	31.31	31.31	090	2	0	2	1	0
43632	Α	Removal of stomach	31.31	31.31	090	2	0	2	1	0
43633	Α	Removal of stomach	31.71	31.71	090	2	0	2	1	0
43634	Α	Removal of stomach	42.49	42.49	090	2	0	2	1	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

MINNESOTA RULES 2003												
621		FEES	FOR B	MEDICAL	SERV	ЛСES	522	1.40	30			
43635	Α	Partial removal	3.06	3.06	ZZZ	0 0	2	1	0			
43638	Α	Partial removal	33.58		090	2 0		$\bar{1}$	Õ			
43639	Α	Removal of stomach	34.02		090	2 0		1	0			
43640	Α	Vagotomy, pyloroplasty	24.64		090	2 0		1	0			
43641	A	Vagotomy, pyloroplasty	24.83		090	2 0		1	Ŏ			
(126) Stom	ach,	introduction:										
43750	Α	Place gastrostomy tube	8.59	8.59	010	2 0	1	0	0			
43760	Α	Change gastrostomy tube	1.71		000	2 0	1	0	0			
43761	A	Reposition gastric tube	2.99		000	2 0		0	0			
(127) Stom	ach,	other procedures:										
43800	Α	Reconstruction	16.92	16.92	090	2 0	2	1	0			
43810	Α	Fusion of stoma	18.38	18.38	090	2 0		1	0			
43820	Α	Fusion of stoma	19.63	19.63	090	2 0		1	0			
43825	Α	Fusion of stoma	25.30	25.30	090	2 0		1	0			
43830	Α	Place gastrostomy tube	13.24	13.24	090	2 0		1	0			
43831	Α	Place gastrostomy tube	12.19	12.19	090	2 0		1	0			
43832	Α	Place gastrostomy tube	19.25	19.25	090	2 0		1	0			
43840	Α	Repair of stoma	19.28	19.28	090	2 0		1	0			
43842	Α	Gastroplasty	28.22	28.22	090	2 0	2	2	0			
43843	Α	Gastroplasty	28.35	28.35	090	2 0	2	2	0			
43846	Α	Gastric bypass	33.50	33.50	090	2 (		1	0			
43847	Α	Gastric bypass	35.58	35.58	090	2 0		1	0			
43848	Α	Revise gastroplasty	37.37		090	2 0		1	0			
43850	A	Revise stomach-bowel	30.36		090	2 (		1	0			
43855	Α	Revise stomach-bowel	30.25		090	2 (		1	0			
43860	A	Revise stomach-bowel	30.53		090	2 (		1	0			
43865	Α	Revise stomach-bowel	33.75		090	2 (		1	0			
43870	Α	Repair stomach opening	12.92		090	2 (		1	0			
43880	Α	Repair stomach-bowel	26.76		090	2 (		1	0			
43999	C	Stomach surgery	0.00		YYY	2 0		1	1			
(128) Intest	tines	s, incision:										
44005	Α	Freeing of bowel	21.53	21.53	090	2 (	2	1	0			
44010	A	Incision of small bowel	17.15		090	2 (		1	ŏ			
44015		Insert needle catheter	5.41		ZZZ	0 0		1	ő			
44020		Explore small bowel	19.28		090	2 (		1	ŏ			
44021		Decompress small bowel	18.48		090	2 (		1	Ö			
44025	A	Incision of large bowel	19.42		090	2 (		1	0			
44050	A	Reduce bowel obstruction	18.76		090	2 (		1	0			
44055		Correct malrotation	20.21		090	2 (		1	0			
11000	4 1	Corroct manotation	20.21	20.21	0,0	_ (		•	J			

44100	Α	Biopsy of bowel	3.23	3.23	000	2	0	1	0	0
44110	Α	Excision of bowel	17.42	17.42	090	2	0	2	1	0
44111	Α	Excision of bowel	21.59	21.59	090	2	0	2	1	0
44120	Α	Remove small intestine	23.41	23.41	090	2	0	2	1	0

(129) Intestines, excision:

44121	Α	Remove small intestine	6.58	6.58	ZZZ	0	0	2	1	0
44125	Α	Remove small intestine	25.22	25.22	090	2	0	2	1	0
44130	Α	Bowel to bowel fusion	20.62	20.62	090	2	0	2	1	0
44139	Α	Mobilization of flexure	3.30	3.30	ZZZ	0	0	2	1	0
44140	Α	Partial removal of colon	28.96	28.96	090	2	0	2	1	0
44141	Α	Partial removal of colon	30.57	30.57	090	2	0	2	1	0
44143	Α	Partial removal of colon	31.60	31.60	090	2	0	2	1	0
44144	Α	Partial removal of colon	30.19	30.19	090	2	0	2	1	0
44145	Α	Partial removal of colon	35.37	35.37	090	2	0	2	1	0
44146	Α	Partial removal of colon	38.13	38.13	090	2	0	2	1	0
44147	Α	Partial removal of colon	33.13	33.13	090	2	0	2	1	0
44150	Α	Removal of colon	35.16	35.16	090	2	0	2	1	0
44151	Α	Removal of colon	29.28	29.28	090	2	0	2	1	0
44152	Α	Removal of colon	38.93	38.93	090	2	0	2	1	0
44153	Α	Removal of colon	45.05	45.05	090	2	0	2	1	0
44155	Α	Removal of colon	40.20	40.20	090	2	0	2	1	0
44156	Α	Removal of colon	33.29	33.29	090	2	0	2	1	0
44160	Α	Removal of colon	27.91	27.91	090	2	0	2	1	0

### (130) Intestines, enterostomy, external fistulization of intestines:

44300	Α	Open bowel to skin	14.60	14.60	090	2	0	2	1	0
44310	Α	Ileostomy/jejunostomy	19.15	19.15	090	2	0	2	1	0
44312	Α	Revision of ileostomy	8.56	8.56	090	2	0	0	0	0
44314	Α	Revision of ileostomy	17.14	17.14	090	2	0	2	1	0
44316	Α	Devise bowel pouch	24.14	24.14	090	2	0	2	1	0
44320	Α	Colostomy	19.82	19.82	090	2	0	2	1	0
44322	Α	Colostomy with biopsies	20.67	20.67	090	2	0	2	1	0
44340	Α	Revision of colostomy	6.95	6.95	090	2	0	1	1	0
44345	Α	Revision of colostomy	15.52	15.52	090	2	0	2	1	0
44346	Α	Revision of colostomy	18.50	18.50	090	2	0	2	1	0

### (131) Intestines, endoscopy, small bowel and stomach:

44360	Α	Small bowel endoscopy	5.93	5.93	000	2	0	1	0	0
44361	Α		6.55	6.55	000	3	0	1	0	0
44363	Α	Small bowel endoscopy	6.66	6.66	000	3	0	0	0	0
44364	Α	Small bowel endoscopy	8.71	8.71	000	3	0	0	0	0
44365	Α	Small bowel endoscopy	7.74	7.74	000	3	0	0	0	0
44366	Α	Small bowel endoscopy	10.04	10.04	000	3	0	1	0	0
44369	Α	Small bowel endoscopy	10.31	10.31	000	3	0	0	0	0
44372	Α	Small bowel endoscopy	10.17	10.17	000	3	0	1	0	0
44373	Α	Small bowel endoscopy	8.04	8.04	000	3	0	1	0	0
44376	Α	Small bowel endoscopy	9.22	9.22	000	2	0	0	0	0
44377	Α	Small bowel endoscopy	9.70	9.70	000	3	0	0	0	0
44378	Α	Small bowel endoscopy	12.28	12.28	000	3	0	0	0	0
44380	Α	Small bowel endoscopy	3.10	3.10	000	2	0	1	0	0
44382	Α	Small bowel endoscopy	3.74	3.74	000	2	0	1	0	0
44385	Α	Endoscopy of bowel	4.09	3.77	000	2	0	1	0	0
44386	Α	Endoscopy of bowel	3.49	3.49	000	2	0	0	0	0
44388	Α	Colonoscopy	6.32	5.83	000	2	0	1	0	0
44389	Α	Colonoscopy with biopsy	6.95	6.41	000	3	0	1	0	0
44390	Α	Colonoscopy, foreign body	6.17	6.17	000	3	0	0	0	0
44391	Α	Colonoscopy for bleeding	9.30	8.80	000	3	0	0	0	0
44392	Α	Colonoscopy, polypectomy	8.84	7.91	000	3	0	1	0	0

623			FEES	FOR	MEDICAL	L SERV	лсі	ES	522	1.40	30
44393 44394	A A	Colonoscopy, lesion Colonoscopy, snare		10.01 9.39		000 000	3	0 0	1	0	0
(132) Intest	ines	s, introduction:									
44500	A	Gastrointestinal tube		0.80	0.80	000	0	0	0	0	0
(133) Intest	ines	s, repair:									
44602 44603 44604 44605 44615 44620 44625 44626 44640 44650 44660 44661 44680	A A A A A A A A A A A A A A A A A A A	Repair bowel opening Repair bowel opening Repair bowel opening Repair bowel-skin Repair bowel fistula		17.91 22.57 21.49 24.12 20.26 16.33 22.55 32.81 20.52 21.73 22.00 30.28 23.01	7 22.57 9 21.49 2 24.12 6 20.26 6 16.33 5 22.55 1 32.81 2 20.52 3 21.73 9 22.00 3 30.28	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0
44700 44799	A C	Suspend bowel Intestine surgery		25.33 0.00		090 YYY	2 2	0 0	2 2	1 1	0 1
(135) Meck	el's	diverticulum and meser	ntery, e	xcision	:						
44800 44820	A A	Excision of bowel Excision of mesentery		15.85 15.63		090 090	2 2	0 0	2 2	1	0
(136) Meck	el's	diverticulum and meser	itery, si	ıture:							
44850	Α	Repair of mesentery		14.75	5 14.75	090	2	0	2	1	0
(137) Meck	el's	diverticulum and meser	itery, o	ther pr	ocedures:						
44899	С	Bowel surgery		0.00	0.00	YYY	2	0	2	1	1
(138) Appe	ndix	x, incision:									
44900 44901		Drain appendix absces Drain appendix absces		12.63 5.71		090 000	2 2	0	2 2	1 0	0

624

MILLINESO	IANU	<b>∠</b> ∪∪

5221.4030 FEES FOR MEDICAL SERVICES

(139) Appe	endiz	x, excision:								
44950	Α	Appendectomy	13.18	13.18	090	2	0	2	1	0
44955	Α	Appendectomy	3.34	3.34	ZZZ	0	0	2	1	0
44960	Α	Appendectomy	16.12	16.12	090	2	0	2	1	0
(140) Rect	um,	incision:								
45000	Α	Drain pelvic abscess	5.77	5.77	090	2	0	1	0	0
45005	Α	Drain rectum abscess	3.17	3.17	010	2	0	1	0	0
45020	Α	Drain rectum abscess	7.09	7.09	090	2	0	1	0	0
(141) Rect	um,	excision:								
45100	Α	Biopsy of rectum	5.35	5.35	090	2	0	1	0	0
45108	A		7.18	7.18	090	2	0	2	1	0
45110	A	_ ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	39.26	39.26	090	2	0	2	1	0
45111		Partial removal	27.70	27.70	090	2	ŏ	$\overline{2}$	ī	ő
45112	A		40.93	40.93	090	$\bar{2}$	Ŏ	$\bar{2}$	ĩ	Ŏ
45113		Partial removal	40.96	40.96	090	2	Ŏ	2	1	Õ
45114		Partial removal	37.73	37.73	090	2	0	2	1	0
45116	Α	Partial removal	30.66	30.66	090	2	0	2	1	0
45119	Α	Removal of rectum	41.16	41.16	090	2	0	2	1	0
45120	Α	Removal of rectum	40.12	40.12	090	2	0	2	1	0
45121	Α	Removal of rectum	36.08	36.08	090	2	0	2	1	0
45123	Α	Partial removal	25.63	25.63	090	2	0	2	1	0
45130	Α	Excision of rectum	22.29	22.29	090	2	0	2	1	0
45135	Α	Excision of rectum	32.22	32.22	090	2	0	2	1	0
45150		Excision of rectum	8.76	8.76	090	2	0	0	0	0
45160		Excision of rectum	19.89	19.89	090	2	0	2	1	0
45170	А	Excision of rectum	13.86	13.86	090	2	0	2	1	0
(142) Recti	um,	destruction:								
45190	A	Destruction of rectum	13.02	13.02	090	2	0	2	1	0
(143) Recti	ım,	endoscopy:								
45300	٨	Prostosiomoidoscopy	1.21	0.94	000	2	0	1	0	0
45300 45303	A	Proctosigmoidoscopy Proctosigmoidoscopy	1.41	1.10	000	3	0	1	0	ő
45305	A	Proctosigmoidoscopy	1.81	1.40	000	3	0	1	0	0
45307	A	Proctosigmoidoscopy	2.88	2.88	000	3	ő	0	ő	0
45308		Proctosigmoidoscopy	2.57	2.03	000	3	ŏ	1	ŏ	ŏ
45309		Proctosigmoidoscopy	3.03	2.48	000	3	ŏ	î	ŏ	ŏ
45315	A	Proctosigmoidoscopy	3.55	3.55	000	3	Ŏ	ĩ	Ŏ	Ō
45317	A	Proctosigmoidoscopy	3.80	3.80	000	3	ŏ	ĩ	ŏ	ŏ
45320	Α	Proctosigmoidoscopy	4.61	4.61	000	3	0	1	0	0
45321	Α	Proctosigmoidoscopy	3.49	3.49	000	3	0	1	0	0
45330	Α	Sigmoidoscopy, flexible	2.13	1.45	000	2	0	1	0	0
45331	Α	Sigmoidoscopy and biopsy	2.78	2.57	000	3	0	1	0	0
45332	A	Sigmoidoscopy	3.57	3.57	000	3	0	1	0	0
45333	A	Sigmoidoscopy/polypectomy	4.09	4.01	000	3	0	1	0	0
45334	A	Sigmoidoscopy, bleeding	5.46	5.46	000	3	0	1	0	0
45337	Α	Sigmoidoscopy	4.86	4.86	000	3	0	1	0	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

## FEES FOR MEDICAL SERVICES 5221.4030

45338		Α	Sigmoidoscopy	4.64	4.64	000	3	0	1	0	0
45339		A	Sigmoidoscopy	6.15	6.15	000	3	0	î	0	0
45355		A	Surgical colonoscopy	4.38	4.38	000	2	0	1	0	Ö
			Diagnostic colonoscopy	7.56	7.51	000	2	0	1	0	ő
45378	52	A					2			-	
45378	53	A	Diagnostic colonoscopy	2.13	1.96	000		0	1	0	0
45379		A	1 -	9.68	9.55	000	3	0	1	0	0
45380		Α	1 7	8.49	8.12	000	3	0	1	0	0
45382		A	Colonoscopy for bleeding	11.10	11.10	000	3	0	1	0	0
45383		Α	137	11.32	11.32	000	3	0	1	0	0
45384		Α	1 7	9.58	9.58	000	3	0	1	0	0
45385		Α	Colonoscopy, lesion	11.56	10.78	000	3	0	1	0	0
(144) F	Rectu	m,	repair:								
45500			Danain of mastering	12.02	12.02	000	2	0	0	0	Λ
45500		Α	Repair of rectum	13.03	13.03	090	2	0	0	0	0
45505		A	Repair of rectum	12.22	12.22	090	2	0	1	0	0
45520		Α	Treatment of rectum	1.14	0.85	000	2	0	1	0	0
45540		Α	Correct rectal prolapse	22.44	22.44	090	2	0	2	1	0
45541		Α		20.61	20.61	090	2	0	2	1	0
45550		Α	Repair rectum, remove	28.99	28.99	090	2	0	2	1	0
45560		Α	Repair of rectocele	12.79	12.79	090	2	0	2	1	0
45562		Α	Explore/repair injury	19.77	19.77	090	2	0	2	1	0
45563		Α	Explore/repair injury	30.62	30.62	090	2	0	2	1	0
45800		Α	Repair rectumbladder	23.09	23.09	090	2	0	2	1	0
45805		Α	Repair fistula	28.20	28.20	090	2	0	2	1	0
45820		Α	Repair rectourethral	22.67	22.67	090	2	0	2	1	0
45825		Α	Repair fistula	25.76	25.76	090	2	0	2	1	0
			1								
(145) F	Rectu	m,	manipulation:								
` ,			•								
45900		Α	Reduce rectal prolapse	2.28	2.28	010	2	0	0	0	0
45905			Dilate anal sphincter	2.21	2.21	010	2	0	1	0	0
45910			Dilate rectal stricture	2.69	2.69	010	2	0	1	0	0
45915		Α	Remove rectal obstruction	2.80	2.80	010	2	0	1	0	0
10710					,			•		-	
(146) F	Rectu	m.	other procedures:								
(0) -		,	<b>F</b>								
45999		С	Rectum surgery	0.00	0.00	YYY	2	0	0	1	1
(147) A	Anus,	inc	cision:								
46000			75 1 6 .	1.54	1.54	010	_	^	0	0	0
46030			Removal of rectum	1.54	1.54	010	2	0	0	0	0
46040			Incision of rectum	6.32	6.32	090	2	0	1	0	0
46045			Incision of rectum	5.92	5.92	090	2	0	1	0	0
46050			Incision of anal abscess	1.72	1.43	010	2	0	1	0	0
46060			Incision of rectum	10.95	10.95	090	2	0	1	0	0
46070			Incision of anal septum	3.97	3.97	090	2	0	0	0	0
46080		Α	Incise anal sphincter	4.56	4.56	010	2	0	1	0	0
46083		Α	Incise hemorrhoid	1.92	1.62	010	2	0	1	0	0

(148) Anus	, exc	cision:								
46200 46210 46211 46220 46221 46230 46255 46257 46258 46260 46261 46262 46270 46275 46280 46285 46288	A A A A A A A A A A A A A A A A A A A	Removal of anal fissure Removal of anal crypt Removal of anal crypts Removal of anal tab Ligation of hemorrhoid Removal of anal tabs Hemorrhoidectomy Hemorrhoidectomy Remove hemorrhoid Remove hemorrhoid	6.65 3.24 5.90 2.09 2.01 3.20 7.14 9.89 11.35 12.40 13.29 14.61 15.18 5.39 9.61 11.99 6.15 10.38	6.65 3.24 5.90 2.09 1.69 2.80 7.14 9.89 11.35 12.40 13.29 14.61 15.18 5.39 9.61 11.99 6.15 10.38	090 090 090 010 010 010 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
46320	A	Removal of hemorrhoid	2.20	1.86	010	2	0	1	0	0
(149) Anus. 46500	, int		1.80	1.65	010	2	0	1	0	0
(150) Anus	, en	doscopy:								
46600 46604 46606 46608 46610 46611 46612 46614 46615	A A A A A A A	Diagnostic anoscopy Anoscopy and dilation Anoscopy and biopsy Anoscopy, remove foreign Anoscopy, remove tumor Anoscopy Anoscopy, remove tumor Anoscopy, bleeding Anoscopy	0.74 1.59 1.12 2.47 2.10 2.55 3.58 3.46 4.07	0.61 1.41 0.94 2.47 2.10 2.14 3.58 2.71 3.32	000 000 000 000 000 000 000 000	2 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0	1 1 0 1 0 0 0 1 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
(151) Anus,	, гер	pair:								
46700 46705 46715 46716 46730 46735 46740 46742 46744 46746 46748 46750 46751 46753 46760	A A A A A A A A A A A A A A A A A A A	Repair of anal stricture Repair of anal stricture Repair of anovaginal Repair of anovaginal Construction of absent Construction of absent Construction of absent Repair imperforated anus Repair, cloacalanomaly Repair, cloacalanomaly Repair, cloacalanomaly Repair of anal sphincter Repair of anal sphincter Reconstruction Removal of suture Repair of anal sphincter	13.20 10.41 10.61 17.65 31.33 37.82 33.61 47.08 52.76 58.09 64.35 13.86 12.23 11.26 2.99 17.75	13.20 10.41 10.61 17.65 31.33 37.82 33.61 47.08 52.76 58.09 64.35 13.86 12.23 11.26 2.99 17.75	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

627		FEES	FOR M	MEDICAI	SERV	/ICE	S	522	1.40	30
46761 46762	A A	Repair of anal sphincter Implant sphincter	17.32 15.35	17.32 15.35	090 090	2 2	0	2 2	1	0 0
(152) Anus	, de	struction:								
46900	Α	Destruction, anus	2.14	1.96	010	2	0	1	0	0
46910	Α	Destruction, anus	2.35	2.04	010	2	0	1	0	0
46916	Α	Cryosurgery, anus	2.37	2.05	010	2	0	1	0	0
46917	Α	Laser surgery, anus	3.73	2.80	010	2	0	1	0	0
46922	Α	Excision of anus	3.05	3.05	010	2	0	1	0	0
46924	Α	Destruction, anus	5.23	5.23	010	2	0	1	0	0
46934	Α	Destruction, hemorrhoids	4.95	4.37	090	2	0	1	0	0
46935	Α	Destruction, hemorrhoids	3.89	3.11	010	2	0	1	0	0
46936	Α	•	6.25	5.14	090	2	0	1	0	0
46937	Α	3 13.	4.96	4.96	010	2	0	0	0	0
46938	Α	131	6.93	6.93	090	2	0	0	0	0
46940	Α	Treatment of anus	2.65	2.40	010	2	0	1	0	0
46942	Α	Treatment of anus	2.34	2.12	010	2	0	0	0	0
(153) Anus	, sut	ture:								
46945	Α	Ligation of hemorrhoids	2.62	2.31	090	2	0	1	0	0
46946	Α	Ligation of hemorrhoids	3.73	3.27	090	2	0	1	0	0
(154) Anus	, otl	ner procedures:								
46999	С	Anus surgery	0.00	0.00	YYY	2	0	0	1	1
(155) Liver	, inc	cision:								
47000	Α	Needle biopsy of liver	3.15	3.15	000	2	0	1	0	0
47001	Α	1 5	3.15	3.15	ZZZ	0	0	1	1	0
47010	Α	Open drainage of abscess	16.48	16.48	090	2	0	2	1	0
47011		Percutaneous drainage	6.25	6.25	000	2	0	2	0	0
47015	Α	Inject/aspirate	15.95	15.95	090	2	0	2	1	0
(156) Liver	, ex	cision:								
47100	Α	Wedge biopsy of liver	10.35	10.35	090	2	0	2	1	0
47120	Α	~.	33.65	33.65	090	2	0	2	1	0
47122	Α	Extensive removal	51.09	51.09	090	2	0	2	1	0
47125	Α	and the second s	47.50	47.50	090	2	0	2	1	0
47130	Α	Partial removal	51.77	51.77	090	2	0	2	1	0
47133	X	Removal of donor	0.00	0.00	XXX	9	9	9	9	9
47134	R	Partial removal	57.95	57.95	XXX	2	0	2	1	2
47135	R	Transplantation	31.31	31.31	090	2	0	2	1	2
47136	R	Transplantation	98.93	98.93	090	2	0	2	1	2

628

(157) Live:	r, rep	pair:								
47300	٨	Curant for liver	17.07	17.07	000	2	0	2	1	Λ
47350 47350		Surgery for liver Repair liver wound	17.07 19.43	17.07 19.43	090 090	2	0	2 2 2	1 1	0
47360	A	Repair liver wound	27.45	27.45	090	2	0	2	1	0
47361	A	Repair liver wound	43.48	43.48	090	2	0	2	1	0
47362	A	Repair liver wound	16.51	16.51	090	2	0	2	1	0
47302	А	Repair liver would	10.51	10.51	050	۷	U	۷	1	U
(158) Live	r, otl	ner procedures:								
47399	C	Liver surgery	0.00	0.00	YYY	2	0	2	1	1
(159) Bilia	ry tr	act, incision:								
47400	٨	Indiain of liver	27.02	27.02	000	2	Δ	2	1	Λ
47400 47420	A	Incision of liver Incision of bile duct	27.93 25.43	27.93 25.43	090 090	2 2	0	2	1	0
47420 47425		Incision of bile duct	23.43	27.80	090	2	0	2	1	0
47460		Incise bile duct	29.79	29.79	090	2	Ö	2	1	0
47480		Incision of gallbladder	16.48	16.48	090	2	ő	2	1	0
47490		Incision of gallbladder	10.73	10.22	090	2	ŏ	1	ō	Ö
17150	• •	incision of gandadae.	10.22	10.22	070	-	Ū	•	Ū	Ū
(160) Bilia	ry tr	act, introduction:								
47500		Injection for liver	3.32	3.32	000	2	0	1	0	0
47505		Injection for liver	1.71	1.58	000	2	0	0	0	0
47510		Insert catheter	10.02	10.02	090	2	0	1	0	0
47511		Insert bile duct	12.44	12.44	090	2	1	1	0	0
47525	A	Change bile duct	6.66	6.66	010	2	0	1	0	0
47530	А	Revise/reinsert bile tube	6.87	6.87	090	2	U	1	0	0
(161) Bilia	ry tr	act, endoscopy:								
47550	Α	Biliary endoscopy	4.44	4.44	000	0	0	2	1	0
47552	Α	Biliary endoscopy	6.91	6.91	000	2	0	1	1	0
47553		Biliary endoscopy	9.78	9.78	000	3	0	1	0	0
47554	A	Biliary endoscopy	12.39	12.39	000	3	0	1	1	0
47555		Biliary endoscopy	9.57	9.57	000	3	0	1	0	0
47556	A	Biliary endoscopy	10.48	10.48	000	3	0	1	0	0
(162) Bilia	ry tr	act, excision:								
47600	Α	Removal of gallbladder	18.51	18.51	090	2	0	2	1	0
47605		Removal of gallbladder	20.05	20.05	090	2	0	2	1	0
47610		Removal of gallbladder	24.52	24.52	090	2	0	2	1	Ō
47612		Removal of gallbladder	29.77	29.77	090	2	0	2	1	0
47620		Removal of gallbladder	27.91	27.91	090	2	0	2	1	0
47630	Α	Remove bile duct	12.11	12.11	090	2	0	1	1	0
47700		Explore bile ducts	21.80	21.80	090	2	0	2	1	0
47701		Bile duct revision	34.22	34.22	090	2	0	0	0	0
47711	Α	Excision of bile duct	30.59	30.59	090	2	0	2	1	0
47712	Α	Excision of bile duct	36.10	36.10	090	2	0	2	1	0
47715	Α	Excision of bile duct	23.24	23.24	090	2	0	2	1	0
47716	Α	Fusion of bile duct cyst	19.74	19.74	090	2	0	2	1	0
•										

(163) Biliar	y tra	act, repair:								
47720	Α	Fuse gallbladder	22.06	22.06	090	2	0	2	1	0
47721	Α	Fuse upper GI structures	26.99	26.99	090	2	0	2	1	0
47740	Α	Fuse gallbladder	25.15	25.15	090	2	0	2	1	0
47741	Α	Fuse gallbladder	31.82	31.82	090	2	0	2	1	0
47760	A	Fuse bile ducts	32.35	32.35	090	2	0	2	1	0
47765	A	Fuse liver ducts	34.75	34.75	090	2	0	2	1	0
47780	Α	Fuse bile ducts	34.37	34.37	090	2	0	2	1	0
47785	Α	Fuse bile ducts	37.94	37.94	090	2	0	2	1	0
47800	Α	Reconstruction	31.90	31.90	090	2	0	2	1	0
47801	Α	Placement, bile duct	17.32	17.32	090	2	0	2	1	0
47802	Α	Fuse liver duct	27.34	27.34	090	2	0	2	1	0
47900	Α	Suture bile duct	29.31	29.31	090	2	0	2	1	0
(164) Biliar	y tra	act, other procedures:								
47999	C	Bile tract surgery	0.00	0.00	YYY	2	0	2	1	1
(165) Pancr	eas,	incision:								
48000	Α	Drainage of abdomen	21.12	21.12	090	2	0	2	1	0
48001		Placement of drains	25.99	25.99	090	2	0	2	1	0
48005	Α	Resect/debride pancreas	30.39	30.39	090	2	0	2	1	0
48020	Α	Removal of calculus	20.32	20.32	090	2	0	2	1	0
(166) Pancr	eas,	excision:								
48100	Α	Biopsy of pancreas	14.56	14.56	090	2	0	2	1	0
48102	Α	Needle biopsy, pancreas	6.71	6.71	010	2	0	1	0	0
48120	Α	Removal of pancreas	23.57	23.57	090	2	0	2	1	0
48140	Α	Partial removal	33.26	33.26	090	2	0	2	1	0
48145	Α	Partial removal	36.67	36.67	090	2	0	2	1	0
48146	Α	Pancreatectomy	38.69	38.69	090	2	0	2	1	0
48148	Α	Removal of pancreas	23.14	23.14	090	2	0	2	1	0
48150	Α	Partial removal	63.86	63.86	090	2	0	2	1	0
48152	Α	Pancreatectomy	60.37	60.37	090	2	0	2	1	0
48153	Α	Pancreatectomy	63.77	63.77	090	2	0	2	1	0
48154	Α	Pancreatectomy	60.66	60.66	090	2	0	2	1	0
48155	Α	Removal of pancreas	42.32	42.32	090	2	0	2	1	0
48160		Pancreas removal	0.00	0.00	XXX	9	9	9	9	9
48180	Α	Fuse pancreas and bowel	33.95	33.95	090	2	0	2	1	0
(167) Pancr	eas,	introduction:								
48400	A	Injection, intraoperative	2.90	2.90	ZZZ	0	0	0	0	0

(168) Panci	eas,	repair:								
48500	Δ	Surgery of pancreas	21.72	21.72	090	2	0	2	1	0
48510		Drain pancreatic cyst	19.84	19.84	090	$\tilde{2}$	ŏ	$\tilde{2}$	1	ŏ
48511		Drain pancreatic cyst	6.75	6.75	000	2	0	2	0	0
48520		Fuse pancreatic cyst	25.07	25.07	090	2	0	2	1	0
48540		Fuse pancreatic cyst	29.90	29.90	090	2	0	2	1	0
48545		Pancreatorrhaphy	23.34	23.34	090	2	0	2	1	0
48547	Α	Duodenal exclusion	33.37	33.37	090	2	0	2	1	0
(169) Panci	eas.	transplantation:								
(10)) 1		-								
48550	N	Donor pancreatectomy	0.00	0.00	XXX	9	9	9	9	9
48554	N	Transplant allograft	0.00	0.00	XXX	9	9	9	9	9
48556	A	Removal, allograft	22.21	22.21	090	2	0	2	1	0
(170) Panci	eas,	other procedures:								
48999	C	Pancreas surgery	0.00	0.00	YYY	2	0	2	1	1
40999	C	Tancreas surgery	0.00	0.00	111	2	U	2	1	1
(171) Abdo	mer	, peritoneum, and omentum,	incision:							
49000	Λ	Exploration of abdomen	17.93	17.93	090	2	0	2	1	0
				16.03	090	2		2		
49002		Reopening of abdomen	16.03			2	0	2	1	0
49010		Explore behind abdomen	18.58	18.58	090	2	0	2	1	0
49020		Drain abdominal abscess	20.40	20.40	090	2	0	2	0	0
49021		Drain abdominal abscess	7.16	7.16	000	2	0	2	0	0
49040		Open drainage of abscess	16.04	16.04	090	2	0	2	1	0
49041		Percutaneous drainage	6.75	6.75	000	2	0	2	0	0
49060		Open drainage of abscess	16.49	16.49	090	2	0	2	1	0
49061		Percutaneous drainage	6.25	6.25	000	2	0	2	0	0
49062		Drain to peritoneal	18.54	18.54	090	2	0	2	1	0
49080		Puncture, peritoneal	2.11	2.11	000	2	0	1	0	0
49081	Α	Removal of abdomen	1.91	1.91	000	2	0	1	0	0
49085	A	Removal of abdomen	11.82	11.82	090	2	0	1	1	0
(172) Abdo	mer	, peritoneum, and omentum,	excision,	destruct	ion:					
. ,		•				_			_	•
49180		Biopsy, abdominal mass	3.44	3.44	000	2	0	1	0	0
49200		Removal of abdomen	18.34	18.34	090	2	0	2	1	0
49201		Removal of abdomen	26.54	26.54	090	2	0	2	1	0
49215		Excise sacral tumor	29.39	29.39	090	2	0	2	1	0
49220		Multiple surgery	26.78	26.78	090	2	0	2	1	0
49250		Excision of umbilicus	12.48	12.48	090	2	0	1	1	0
49255	Α	Removal of omentum	15.73	15.73	090	2	0	2	1	0
(173) Abdo	men	, peritoneum, and omentum,	introduct	ion, revi	sion, an	d/or	rer	nova	al:	
49400	٨	Air injection	2.88	200	000	2	Λ	1	0	0
		Air injection		2.88		2	0	1	0	0
49420		Insert abdominal catheter	3.65	3.65	000	2	0	1	0	0
49421		Insert abdominal catheter	9.47	9.47	090	2	0	1	0	0
49422		Remove permanent	10.12	10.12	010	2	0	1	0	0
49423	Α	Exchange drainage	2.46	2.46	000	2	0	0	0	0

631	<b>FEES</b>	FOR	MEDICAL	<b>SERVICES</b>	5221.4030

49424	Α	Assess cyst, contrast	1.28	1.28	000	2	0	0	0	0
49425	Α	Insert abdomen-vein	19.49	19.49	090	2	0	2	1	0
49426	Α	Revise abdomen-vein	14.54	14.54	090	2	0	1	0	0
49427	Α	Injection, abdomen-vein	1.30	1.30	000	2	0	0	0	0
49428	Α	Ligation of shunt	3.30	3.30	010	2	0	1	0	0
49429	Α	Removal of shunt	10.35	10.35	010	2	0	1	0	0

### (174) Abdomen, peritoneum, and omentum, repair:

49495	Α	Repair inguinal hernia	10.68	10.68	090	2	1	2	1	0
49496	Α	Repair inguinal hernia	13.44	13.44	090	2	1	2	1	0
49500	Α	Repair inguinal hernia	9.58	9.58	090	2	1	2	1	0
49501	Α	Repair inguinal hernia	12.35	12.35	090	2	1	2	1	0
49505	Α	Repair inguinal hernia	10.77	10.77	090	2	1	2	1	0
49507	Α	Repair inguinal hernia	12.88	12.88	090	2	1	2	1	0
49520	Α	Re-repair inguinal	13.12	13.12	090	2	1	2	1	0
49521	Α	Repair inguinal hernia	14.74	14.74	090	2	1	2	1	0
49525	Α	Repair inguinal hernia	12.65	12.65	090	2	1	2	1	0
49540	Α	Repair lumbar hernia	13.69	13.69	090	2	1	2	1	0
49550	Α	Repair femoral hernia	11.68	11.68	090	2	1	2	1	0
49553	Α	Repair femoral hernia	12.30	12.30	090	2	1	2	1	0
49555	Α	Repair femoral hernia	13.56	13.56	090	2	1	2	1	0
49557	Α	Repair femoral hernia	15.20	15.20	090	2	1	2	1	0
49560	Α	Repair abdominal hernia	15.08	15.08	090	2	1	2	1	0
49561	Α	Repair incision	17.16	17.16	090	2	1	2	1	0
49565	Α	Re-repair hernia	15.91	15.91	090	2	1	2	1	0
49566	Α	Repair incision	18.10	18.10	090	2	1	2	1	0
49568	Α	Hernia repair with mesh	7.24	7.24	ZZZ	0	1	2	1	0
49570	Α	Repair epigastric hernia	9.14	9.14	090	2	1	2	1	0
49572	Α	Repair epigastric hernia	11.28	11.28	090	2	1	2	1	0
49580	Α	Repair umbilical hernia	7.43	7.43	090	2	0	2	1	0
49582	Α	Repair umbilical hernia	10.13	10.13	090	2	0	2	1	0
49585	Α	Repair umbilical hernia	9.59	9.59	090	2	0	2	1	0
49587	Α	Repair umbilical hernia	10.63	10.63	090	2	0	2	1	0
49590	Α	Repair abdominal hernia	12.73	12.73	090	2	1	2	1	0
49600	Α	Repair umbilical hernia	14.90	14.90	090	2	0	2	1	0
49605	Α	Repair umbilical hernia	29.83	29.83	090	2	0	2	1	0
49606	Α	Repair umbilical hernia	25.44	25.44	090	2	0	2	1	0
49610	Α	Repair umbilical hernia	15.53	15.53	090	2	0	2	1	0
49611	Α	Repair umbilical hernia	17.11	17.11	090	2	0	2	1	0

## (175) Abdomen, peritoneum, and omentum, suture:

49900	Α	Repair of abdominal wall	15.10	15.10	090	2	0	2	1	0
-------	---	--------------------------	-------	-------	-----	---	---	---	---	---

#### (176) Abdomen, peritoneum, and omentum, other procedures:

49905	A Omental flap	9.69	9.69	ZZZ	0	0	2	2	0
49906	C Free omental flap	0.00	0.00	090	2	0	2	1	0
49999	C Abdomen surgery	0.00	0.00	YYY	2	0	2	1	1

D. Procedure code numbers 50010 to 59899 relate to genitourinary and maternity procedures.

1	2	3	4	5	6	7	8	9	10	11	12
(1) Kid	ney,	inci	sion:	<u>.</u>							
50010 50020 50021 50040 50045 50060 50065 50070 50075 50080 50120 50120 50125 50130		A A A A A A A A A A A A A A A A A A A	Exploration of renal Open drain renal Percutaneous drain renal Drainage of kidney Exploration of kidney Removal of kidney Incision of kidney Incision of kidney Removal of kidney Removal of kidney Removal of kidney Removal of kidney Revise kidney Exploration Explore and drain Removal of kidney	19.82 20.35 5.71 20.84 24.00 30.02 33.07 31.62 40.19 25.77 35.04 25.34 25.67 26.16 28.76	19.82 20.35 5.71 20.84 24.00 30.02 33.07 31.62 40.19 25.77 35.04 25.34 25.67 26.16 28.76	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 0 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
50135 (2) Kid	ney,	A exc	Exploration ision:	34.78	34.78	090	2	0	2	1	0
50200 50205 50220 50225 50230 50234 50236 50240 50280 50290		A A A A A A A A A	Biopsy of kidney Biopsy of kidney Removal of kidney Partial removal Removal of kidney Removal of kidney	5.03 16.10 29.21 35.26 38.82 37.33 40.66 36.36 25.36 22.60	5.03 16.10 29.21 35.26 38.82 37.33 40.66 36.36 25.36 22.60	000 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 2 1 1 1 1	0 0 0 0 0 0 0 0
(3) Kid 50300 50320 50340 50360 50365 50370 50380	ney,	X A A	al transplantation:  Removal of donor kidney Removal of donor kidney Removal of kidney Transplantation Transplantation Remove transplant Reimplantation	0.00 37.41 24.33 54.58 65.23 24.22 29.56	0.00 37.41 24.33 54.58 65.23 24.22 29.56	XXX 090 090 090 090 090 090	9 2 2 2 2 2 2 2	9 1 1 0 1 0 0	9 2 2 2 2 2 2	9 1 1 2 2 1 1	9 0 0 2 2 0 0
(4) Kid 50390 50392 50393 50394 50395 50396	ney,	A A A	oduction:  Drainage of kidney Insert kidney drain Insert ureteral catheter Injection for kidney Create passage Measure kidney	3.49 5.46 6.83 1.25 6.45 2.41	3.49 5.46 6.83 1.25 6.45 2.41	000 000 000 000 000 000	2 2 2 2 2 2 2	1 1 1 1 1	1 1 1 1 0	0 0 0 0 0	0 0 0 0 0

633			FEES F	OR	MEDICAL	SERVICES		S	5221.4030		
50398	A	Change kidney tube		1.86	5 1.86	000	2	1	1	0	0
(5) Kidney	, rep	air:									
50400 50405 50500 50520 50525 50526 50540	A A A A	Revision of kidney Revision of kidney Repair of kidney Close kidney-skin Repair renal-abscess Repair renal-abscess Revision of horseshoe		31.65 39.39 30.71 26.46 33.50 30.22	39.39 30.71 5 26.46 0 33.50 2 30.22	090 090 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0 0 2	2 2 2 2 2 2 2 2	1 1 1 1 0 1	0 0 0 0 0 0
(6) Kidney	, enc	doscopy:									
50551 50553 50555 50557 50559 50561 50570 50572 50574 50575 50576 50578 50580	A A A A A A A A	Kidney endoscopy Kidney endoscopy Kidney endoscopy Kidney endoscopy Renal endoscopy Kidney endoscopy	:	7.32 7.14 10.72 10.83 7.53 12.11 10.14 16.81 17.20 22.82 18.80 14.62	7.14 7.14 10.72 10.83 7.53 12.11 10.14 16.81 17.20 2 22.82 18.80 2 14.62	000 000 000 000 000 000 000 000 000 00	2 2 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 1 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
(7) Kidney	, oth	er procedures:									
50590	Α	Fragmenting		18.45	5 18.45	090	2	1	1	0	0
(8) Ureter	, inci	sion:									
50600 50605 50610 50620 50630	A A A	Exploration Insert ureteral Removal of ureteral Removal of ureteral Removal of ureteral		24.30 20.27 26.47 25.50 26.53	7 20.27 7 26.47 0 25.50	090 090 090 090 090	2 2 2 2 2	1 1 1 1	2 2 2 2 2	1 1 1 1	0 0 0 0 0
(9) Ureter	, exc	ision:									
50650 50660		Removal of ureteral Removal of ureteral		28.13 30.66		090 090	2 2	0	2 2	1	0
(10) Urete	er, int	troduction:									
50684 50686 50688	Α	Injection, ureterograph Measure ureteral Change of ureteral	hy	1.19 1.75 1.46	1.75	000 000 010	2 2 2	1 0 0	1 0 1	0 0 0	0 0 0

5221.4030	FE	ES FOR MEDICAL SERVIC	ES						ć	34
50690	A	Ureteropyelography	1.38	1.38	000	2	0	1	0	0
(11) Urete	r, re	pair:								
50700		Revision of ureteral	26.66	26.66	090	2	0	2	1	0
50715	A	Release of ureteral	28.84	28.84	090	2	1	2	1	0
50722	Α	Release of ureteral	25.90	25.90	090	2	0	2	1	0
50725	Α	Release/revise	29.39	29.39	090	2	0	2	1	0
50727	A	Revise ureteral	12.89	12.89	090	2	0	2	2	0
50728	A	Revise ureteral	18.97	18.97	090	2	0	2	2	0
50740	A	Fusion of ureteral	30.35	30.35	090	2	0	2	1	0
50750	A	Fusion of ureteral	31.97	31.97	090	2	0	2	0	0
50760	A	Fusion of ureteral	30.55	30.55	090	2	0	2	1	0
50770	A	Splicing of ureteral	33.27	33.27	090	2	0	2	1	0
50780	A	Reimplant ureteral	30.78	30.78	090	2	1	2	1	0
50782	A	Reimplant ureteral	31.85	31.85	090	2	1	2	2	0
50783	A	Reimplant ureteral	32.77	32.77	090	2	1	2	2	0
50785	A	Reimplant ureteral	34.52	34.52	090	2	1	2	1	0
50800	A	Implant ureteral	28.18	28.18	090	2	1	2	1	0
50810	A	Fusion of ureteral	31.31	31.31	090	2	0	2	1	0
50815	A	Urine shunt	38.70	38.70	090	2	1	2	1	0
50820	A	Construct bowel	39.57	39.57	090	2	1	2	1	0
50825	A	Construct bowel	56.92	56.92	090	2	0	2	1	0
50830	A	Revise urine fluid	49.87	49.87	090	2	0	2	1	0
50840	A	Replace ureteral	31.77	31.77	090	2	1	2 2	1	0
50845	A	Appendico-vesicostomy	33.11 25.13	33.11 25.13	090 090	2	0 1	2	1 1	0 0
50860 50900	A A	Transplant ureteral Repair of ureteral	22.64	22.64	090	2	0	2	1	0
50920	A	Closure of ureter	22.75	22.75	090	2	0	2	1	0
50920	A	Closure of ureter	29.74	29.74	090	2	0	2	1	0
50940	A	Release of ureteral	23.26	23.26	090	2	1	2	1	0
30340	А	Release of dictoral	25.20	23.20	070	۷	1	۷	1	U
(12) Urete	r, en	doscopy:								
50951	Δ	Endoscopy of ureteral	7.01	7.01	000	2	1	0	0	0
50953	A	Endoscopy of ureteral	7.36	7.36	000	3	1	0	0	0
50955		Ureter endoscopy	8.73	8.73	000	3	î	ŏ	ŏ	ŏ
50957		Ureter endoscopy	8.72	8.72	000	3	1	0	0	0
50959		Ureter endoscopy	7.42	7.42	000	3	1	0	0	0
50961		Ureter endoscopy	8.17	8.17	000	3	1	0	0	0
50970		Ureter endoscopy	11.76	11.76	000	2	1	0	0	0
50972		Ureter endoscopy	7.83	7.83	000	2	1	0	0	0
50974		Ureter endoscopy	15.45	15.45	000	3	1	0	0	0
50976		Ureter endoscopy	14.74	14.74	000	3	1	0	0	0
50978		Ureter endoscopy	8.81	8.81	000	2	1	0	0	0
50980	Α	Ureter endoscopy	9.41	9.41	000	2	1	0	0	0
(13) Bladd	er, ir	ncision:								
51000	Λ	Drainage of bladder	1.20	1.20	000	2	Δ	1	Λ	Λ
51000		Drainage of bladder Drainage of bladder	1.20	1.20	000	2 2	0	1 1	0	0
51003		Drainage of bladder	4.20	4.20	010	2	0	1	0	0
51020	A	Incise and treat	13.10	13.10	090	2	ŏ	2	1	0
51030	Α	Incise and treat	10.76	10.76	090	2	Õ	Õ	Õ	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

635			FEES FOR	MEDICAL	SERV	ICES	522	1.40	30
51040 51045 51050 51060 51065 51080	A A A	Incise and drain Incise bladder Removal of bladder Removal of ureteral Removal of ureteral Drainage of bladder	9.00 11.2 13.5: 18.10 15.20 10.75	1 11.21 5 13.55 0 18.10 5 15.26	090 090 090 090 090 090	2 0 2 0 2 0 2 0 2 0 2 0 2 0	2 2 2 2 0 2	1 0 1 1 0 1	0 0 0 0 0
(14) Blac	lder, e	xcision:							
51500 51520 51525 51530 51535 51550 51555 51565 51570 51575 51580 51585 51590 51595 51596 51597	A A A A A A A A A A A	Removal of bladder Removal of bladder Removal of bladder Removal of bladder Repair of ureteral Partial removal Partial removal Revise bladder Removal of bladder Removal of bladder Removal of bladder Remove bladder	16.50 17.1: 23.5' 20.74 19.44 25.2: 31.84 35.8: 38.00 50.90 48.66 57.50 54.70 68.22 71.44 66.76	5 17.15 7 23.57 4 20.74 6 19.46 1 25.21 4 31.84 5 35.85 3 38.03 8 50.98 1 48.61 8 57.58 5 54.75 1 68.21 71.48	090 090 090 090 090 090 090 090 090 090	2 0 2 0 2 0 2 0 2 1 2 0 2 0 2 0 2 0 2 2 2 0 2 2 2 0 2 2 2 0 2 2 0 0 2 0 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(15) Blac	lder, ir	itroduction:							
51600 51605 51610 51700 51705 51710 51715 51720	A A A A A A	Injection for bladder Preparation for chain Injection for bladder Irrigation of bladder Change of bladder tube Change of bladder tube Endoscopic injection Treatment of bladder		9 .89 3 1.23 2 0.92 2 1.13 4 1.66 0 6.10	000 000 000 000 010 010 000 000	2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0	1 1 1 1 1 0 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(16) Blac	lder, u	rodynamics:							
51725 T 51726 2 51726 3 51726 T 51736 2 51736 3 51736 T 51741 2 51741 3 51741 7	26 A CC A A 26 A CC A A	Simple cystometrogram Simple cystometrogram Simple cystometrogram Complex cystometrogram Complex cystometrogram Complex cystometrogram Urine flow measure Urine flow measure Urine flow measure Electro-uroflow Electro-uroflow Urethra pressure Urethra pressure	2.03 0.39 um 2.87 um 2.33	2 2.02 9 0.39 7 2.87 8 2.38 9 0.49 7 0.97 2 0.82 5 0.15 1 1.61 1 0.21 3 2.43	000 000 000 000 000 000 000 000 000	2 0 2 0 0 0 2 0 2 0 0 0 2 0 2 0 0 0 2 0 2	0 0 0 1 1 1 0 0 0 1 1 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0

51772	TC	Α	Urethra pressure	0.43	0.43	000	0	0	0	0	0
51784			Anal/urinary muscle	2.45	2.45	000	2	0	1	Ō	0
51784	26		Anal/urinary muscle	2.06	2.06	000	2	Ö	1	ŏ	ŏ
51784	TC		Anal/urinary muscle	0.40	0.40	000	0	ŏ	1	ő	ŏ
51785	10			2.45	2.45	000	2	0	0	ő	0
	26		Anal/urinary muscle				2			_	
51785	26		Anal/urinary muscle	2.06	2.06	000		0	0	0	0
51785	TC	A	Anal/urinary muscle	0.40	0.40	000	0	0	0	0	0
51792			Urinary reflex	2.97	2.97	000	2	0	0	0	0
51792	26		Urinary reflex	1.60	1.60	000	2	0	0	0	0
51792	TC		Urinary reflex	1.37	1.37	000	0	0	0	0	0
51795		Α	Urine voiding pressure	2.87	2.87	000	2	0	0	0	0
51795	26	Α	Urine voiding pressure	1.97	1.97	000	2	0	0	0	0
51795	TC	Α	Urine voiding pressure	0.90	0.90	000	0	0	0	0	0
51797			Intra-abdominal	2.43	2.43	000	2	0	0	0	0
51797	26		Intra-abdominal	1.97	1.97	000	2	0	0	0	0
51797	TC		Intra-abdominal	0.46	0.46	000	õ	ŏ	Õ	ŏ	Ŏ
31171	10	4 1	mira accomma	0.10	0.10	000	Ü	Ü	U	Ü	Ü
(17) Bl	امططم	r r	anair.								
(17) D	lauuc	1, 1	грап.								
51000			D :: (11.11	20.24	20.24	000	2	^	2	1	^
51800		A	Revision of bladder	28.24	28.24	090	2	0	2	1	0
51820		Α	Revision of urine	24.11	24.11	090	2	2	2	1	0
51840		Α	Attach bladder	19.32	19.32	090	2	0	2	1	0
51841		Α	Attach bladder	23.28	23.28	090	2	0	2	1	0
51845		Α	Repair bladder	19.77	19.77	090	2	0	2	1	0
51860		Α	Repair of bladder	18.77	18.77	090	2	0	2	1	0
51865		Α	Repair of bladder	24.94	24.94	090	2	0	2	1	0
51880		Α	Repair of bladder	12.03	12.03	090	2	0	2	1	0
51900		Α	Repair bladder	23.81	23.81	090	2	0	2	1	0
51920			Close bladder	18.38	18.38	090	2	Õ	2	1	ŏ
51925		A	Hysterectomy/bladder	25.16	25.16	090	2	ŏ	2	î	ŏ
51940		A	Correction of bladder	43.87	43.87	090	2	ő	2	1	0
							2	0	2	1	0
51960		A	Revision of bladder	42.81	42.81	090			2		
51980		Α	Construct bladder	17.93	17.93	090	2	0	2	1	0
(10) DI			1		.4 41						
(18) BI	ladde	r, e	ndoscopy, cystoscopy, urethros	copy, cys	stourethr	oscopy:					
			_	• • •			_	_	_	_	_
52000		Α	Cystoscopy	3.19	2.54	000	2	0	1	0	0
52005		Α	Cystoscopy and ureteral	4.40	4.40	000	2	0	1	0	0
52007		Α	Cystoscopy	5.62	5.62	000	3	1	1	0	0
52010		Α	Cystoscopy and duct	4.69	3.77	000	3	0	1	0	0
(19) Bl	ladde	r, tı	ansurethral surgery:								
(=== )		-,									
52204		Δ	Cystoscopy	4.58	4.58	000	3	0	1	0	0
				6.23	6.23	000	3	0	1	0	
52214			Cystoscopy								0
52224			Cystoscopy	5.81	5.81	000	3	0	1	0	0
52234			Cystoscopy	9.00	9.00	000	2	0	1	0	0
52235			Cystoscopy	11.19	11.19	000	2	0	1	0	0
52240			Cystoscopy	19.69	19.69	000	2	0	1	0	0
52250		Α	Cystoscopy	7.01	7.01	000	3	0	1	0	0
52260			Cystoscopy	5.72	5.72	000	3	0	1	0	0
52265			Cystoscopy	4.05	3.40	000	3	0	1	0	0
52270		A	Cystoscopy	6.60	6.60	000	3	0	1	0	Õ
			-,-300 <b>-</b> 0PJ	3.00	2.00		-	-	-	•	,

637	FE	ES FOR	MEDICAL	SERV	<b>ICES</b>	522	1.40	30
52277 A 52281 A 52282 A 52283 A 52285 A 52290 A 52300 A 52301 A 52305 A 52310 A 52315 A 52317 A	Cystoscopy	7.76 9.21 10.52 4.90 10.48 4.94 6.28 6.56 8.37 8.55 8.39 5.60 8.88 12.41 16.38	9.21 10.52 10.52 10.48 4 4.94 8 4.86 6 6.56 7 8.37 5 8.55 9 8.39 0 5.60 8 8.88 12.41	000 000 000 000 000 000 000 000 000 00	3 0 3 0 3 0 3 0 3 0 3 0 3 2 3 2 3 2 3 0 3 0 3 0 3 0	1 0 1 1 1 1 0 0 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
(20) Bladder, u	reter and pelvis:							
52325 A 52327 A 52330 A 52332 A	Cystoscopy Cystoscopy Cystoscopy	9.22 12.52 8.47 8.12 5.85 7.79 10.10 14.10 16.30 12.70 14.04	2 12.52 7 8.47 2 8.12 5 5.75 9 7.79 9 10.10 9 14.10 9 16.30 9 12.70	000 000 000 000 000 000 000 000 000 00	3 1 3 0 3 1 3 1 3 1 2 0 3 0 3 1 3 1 3 1 3 1	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
(21) Bladder, v	esical neck and prostate:							
52450 A 52500 A 52510 A 52601 A 52606 A 52612 A 52614 A 52620 A 52630 A 52640 A 52647 A 52648 A 52700 A	Cystoscopy Incision of prostate Revision of bladder Dilation prostate Prostatectomy Control postoperative Prostatectomy Prostatectomy Remove residual Remove prostate Relieve bladder Laser surgery Laser surgery Drainage of prostate	14.04 12.03 15.27 13.65 23.34 10.77 16.27 13.43 11.43 14.93 12.56 21.06 22.28 9.55	3 12.03 7 15.27 5 13.65 4 23.34 7 10.77 7 16.27 8 13.43 8 11.43 8 14.93 6 12.56 6 21.06 8 22.28	090 090 090 090 090 090 090 090 090 090	2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
(22) Urethra, in	ncision:							
53010 A 53020 A 53025 A	Incision of urethra Incision of urethra Incision of urethra Incision of urethra Drainage of urethra	3.86 6.91 2.45 1.84 7.70	6.91 5 2.45 4 1.84	010 090 000 000 090	2 (0 2 (0 2 (0 2 (0 2 (0	1 1 0	0 0 0 0	0 0 0 0

5221.4030	FE	ES FOR MEDICAL SEI	RVICES						6	538
53060	Α	Drainage of urethra	2.92	2.92	010	2	0	1	0	0
53080		Drainage of urine	9.80	9.80	090	2	0	1	0	0
53085	Α	Drainage of urine	16.23	16.23	090	2	0	2	1	0
(23) Ureth	ra, e	xcision:								
53200	Α	Biopsy of urethra	3.48	3.48	000	2	0	1	0	0
53210	Α	Removal of urethra	18.19	18.19	090	2	0	2	1	0
53215	Α	Removal of urethra	24.33	24.33	090	2	0	2	1	0
53220	Α	Treatment of urethra	11.23	11.23	090	2	0	0	0	0
53230	Α	Removal of urethra	16.79	16.79	090	2	0	2	1	0
53235	Α		14.32	14.32	090	2	0	2	1	0
53240	Α	Surgery of urethra	10.29	10.29	090	2	0	1	0	0
53250	Α	Removal of urethra	9.48	9.48	090	2	0	1	0	0
53260	Α	Treatment of urethra	3.88	3.88	010	2	0	1	0	0
53265	Α	Treatment of urethra	4.77	4.77	010	2	0	1	0	0
53270	Α	Removal of urethra	3.72	3.31	010	2	0	1	0	0
53275	A	Repair of urethra	6.54	6.54	010	2	0	1	0	0
(24) Ureth	ra, r	epair:								
53400	Α	Revise urethra	19.23	19.23	090	2	0	2	1	0
53405	A	Revise urethra	23.84	23.84	090	2	0	2	1	0
53410	A	Reconstruction	23.66	23.66	090	2	Ō	2	1	0
53415	Α	Reconstruction	29.72	29.72	090	2	ō	2	1	Ō
53420	Α	Reconstruct urethra	23.87	23.87	090	2	0	1	1	0
53425	Α	Reconstruct urethra	23.93	23.93	090	2	0	2	1	0
53430	Α	Reconstruction	22.17	22.17	090	2	0	2	1	0
53440	Α	Correct bladder	24.66	24.66	090	2	0	2	1	0
53442	Α	Remove perineal	13.52	13.52	090	2	0	2	0	0
53443	Α	Reconstruction	28.34	28.34	090	2	0	2	1	0
53445	Α	Correct urine flow	28.83	28.83	090	2	0	2	1	0
53447	Α	Remove artificial	21.30	21.30	090	2	0	2	1	0
53449	Α	Correct artificial	17.38	17.38	090	2	0	2	1	0
53450	Α	Revision of urethra	8.37	8.37	090	2	0	1	0	0
53460		Revision of urethra	8.96	8.96	090	2	0	0	0	0
53502	A	Repair of urethra	12.04	12.04	090	2	0	1	0	0
53505		Repair of urethra	12.21	12.21	090	2	0	2	0	0
53510	Α	Repair of urethra	16.28	16.28	090	2	0	2	1	0
53515	Α	Repair of urethra	21.29	21.29	090	2	0	2	1	0
53520	A	Repair of urethra	13.88	13.88	090	2	0	1	0	0
(25) Ureth	ra, n	nanipulation:								
53600	Α	Dilate urethra	1.43	1.27	000	2	0	1	0	0
53601	Α	Dilate urethra	1.19	1.05	000	2	0	1	0	0
53605	Α	Dilate urethra	1.63	1.63	000	2	0	1	0	0
53620	Α	Dilate urethra	1.95	1.73	000	2	0	1	0	0
53621	Α	Dilate urethra	1.61	1.43	000	2	0	1	0	0
53660	Α	Dilation of urethra	0.93	0.80	000	2	0	1	0	0
53661		Dilation of urethra	0.91	0.79	000	2	Ŏ	1	Ŏ	0
53665		Dilation of urethra	1.06	1.06	000	2	0	1	Ŏ	0
53670		Insert urinary catheter	0.68	0.57	000	2	0	1	0	0

639			F	EES FOR	MED	ICAL SE	RVIC	ES	522	1.40	30
53675		Α	Insert urinary catheter	1.8	2 1.	82 00	0 2	0	1	0	0
(26) Ur	ethra	ι, ο	ther procedures:								
53850		Α	Prostatic microwave	15.4	2 15.				1	0	0
53852			Prostatic radiofrequency	16.1					1	0	0
53899		С	Urology surgery	0.0	0 0.	00 YY	Y 2	0	0	1	1
(27) Pe	nis, i	ncis	sion:								
54000		A	Slitting of penis	2.0		05 01			0	0	0
54001			Slitting of penis	2.8		85 01				0	0
54015		Α	Drain penis lesion	5.6	8 5.	68 01	0 2	0	0	0	0
(28) Pe	nis, d	lest	ruction:								
54050		Α	Destruction, penis	1.5	1 1.	33 01	0 2	0	1	0	0
54055			Destruction, penis	1.7	3 1.	44 01	0 2	0	1	0	0
54056			Cryosurgery, penis	1.6		40 01				0	0
54057			Laser surgery, penis	2.7		56 01				0	0
54060			Excision of penis	2.9		95 01				0	0
54065		Α	Destruction, penis	4.7	2 3.	53 01	.0 2	0	1	0	0
(29) Pe	nis, e	xci	sion:								
54100			Biopsy of penis	2.3		39 00				0	0
54105			Biopsy of penis	4.2		21 01				0	0
54110		A	Treatment of penis	15.3						0	0
54111		A	Treat penis lesion	21.7						1 1	0
54112			Treatment of panis	25.5 9.8		.50 09 .86 09				0	0 0
54115 54120			Treatment of penis Partial removal of penis	15.6						1	0
54125			Removal of penis	24.0						1	ő
54130			Removal of penis	33.1				2	2	1	ŏ
54135			Removal of penis	42.0						Ō	0
54150			Circumcision	2.1		19 01				0	0
54152		Α	Circumcision	3.9	7 3.	.97 01				0	0
54160			Circumcision	3.9		.97 01				0	0
54161		A	Circumcision	5.1	9 5.	.19 01	.0 2	0	1	0	0
(30) Pe	nis, i	ntre	oduction:								
54200		Α	Treatment of penis	1.2	9 1.	.13 01	0 2	0	1	0	0
54205			Treatment of penis	12.4	1 12.	.41 09	0 2	0	2	0	0
54220			Treatment of penis	3.8		.82 00		0		0	0
54230			Prepare penis	2.5		.94 00		0		0	0
54231			Dynamic cavernosometry			.32 00				0	0
54235 54240			Penile injection	1.5 2.2		.31 00 .21 00		0		0	0
54240 54240	26		Penis study Penis study	1.7		.71 00				0	0
54240			Penis study	0.5		.50 00				ŏ	ŏ
			-								

5221.4030	FE.	ES FOR MEDICAL SERVIC	ES						6	640
54250	Α	Penis study	2.83	2.83	000	2	0	0	0	0
54250 26		Penis study	2.53	2.53	000	2	ő	0	0	Õ
54250 TO		Penis study	0.31	0.31	000	Õ	ŏ	0	0	ő
31230	, ,,	Toms study	0.51	0.51	000	Ü	Ü			Ū
(31) Penis,	rep	air:								
54300		Revision of penis	16.58	16.58	090	2	0	2	1	0
54304	Α	Revision of penis	20.20	20.20	090	2	0	2	0	0
54308	A	Reconstruction	16.79	16.79	090	2	0	2	1	0
54312	Α	Reconstruction	21.87	21.87	090	2	0	2	1	0
54316	A	Reconstruction	26.84	26.84	090	2	0	2	1	0
54318	Α	Reconstruction	18.10	18.10	090	2	0	2	1	0
54322	Α	Reconstruction	19.57	19.57	090	2	0	2	0	0
54324	Α	Reconstruction	26.01	26.01	090	2	0	2	1	0
54326	A	Reconstruction	24.99	24.99	090	2	0	2	1	0
54328	Α	Revise penis	25.25	25.25	090	2	0	2	1	0
54332	Α	Revise penis	28.22	28.22	090	2	0	2	1	0
54336	Α	Revise penis	37.12	37.12	090	2	0	2	1	0
54340	Α	Secondary urethra	14.28	14.28	090	2	0	2	1	0
54344	A	Secondary urethra	31.12	31.12	090	2	0	2	1	0
54348	A	Secondary urethra	27.42	27.42	090	2	0	2	1	0
54352	Α	Reconstruct urethra	38.91	38.91	090	2	0	2	1	0
54360	A	Penis plastic surgery	18.01	18.01	090	2	0	2	1	0
54380 54385	A	Repair penis	21.48 24.57	21.48	090	2	$\begin{array}{c} 0 \\ 0 \end{array}$	2 2	1 1	0
54390	A A	Repair penis Repair penis	33.60	24.57 33.60	090 090	2	0	2	1	0 0
54400	A	Insert semi-rigid	18.41	18.41	090	2	0	1	1	0
54401	A	Insert self-contained	21.21	21.21	090	2	0	1	1	0
54402	A	Remove penis prosthesis	14.48	14.48	090	2	ő	2	1	0
54405	Α	Insert multicomponent	27.62	27.62	090	2	ő	2	1	ŏ
54407	A	Remove multicomponent	23.56	23.56	090	2	Õ	2	1	Ō
54409	Α	Revise penis prosthesis	20.22	20.22	090	2	0	2	1	0
54420	Α	Revision of penis	18.32	18.32	090	2	0	2	0	0
54430	Α	Revision of penis	16.35	16.35	090	2	2	2	0	0
54435	Α	Revision of penis	9.78	9.78	090	2	0	1	0	0
54440	С	Repair of penis	0.00	0.00	090	2	0	2	1	0
(32) Penis,	mar	nipulation:								
54450	Α	Preputial stretching	1.71	1.71	000	2	0	1	0	0
(33) Testis	, exc	ision:								
54500	Α	Biopsy of testis	1.64	1.64	000	2	1	0	0	0
54505	Α	Biopsy of testis	5.06	5.06	010	2	1	0	0	0
54510	Α	Removal of testis	8.08	8.08	090	2	1	0	0	0
54520	-	Removal of testis	10.16	10.16	090	2	1	1	0	0
54530	Α	Removal of testis	15.28	15.28	090	2	1	2	1	0
54535	Α	Extensive testis	19.85	19.85	090	2	1	2	0	0
54550	Α	Exploration	12.47	12.47	090	2	1	2	0	0
54560	Α	Exploration	17.53	17.53	090	2	1	2	1	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

### FEES FOR MEDICAL SERVICES 5221.4030

(34) Testis,	repa	air:								
54600 54620 54640 54650 54660 54670 54680	A A A A	Reduce testis torsion Suspension of testis Suspension of testis Orchiopexy, abdominal Revision of testis Repair testis Relocation of testis	11.09 7.84 14.10 18.45 8.11 10.21 19.84	11.09 7.84 14.10 18.45 8.11 10.21 19.84	090 010 090 090 090 090 090	2 2 2 2 2 2 2 2	1 1 1 1 1 1	1 1 2 0 0 2	0 0 0 0 0 0 1	0 0 0 0 0 0
(35) Epidid	ymis	s, incision:								
54700	Α	Drainage of scrotum	4.04	4.04	010	2	0	1	0	. 0
(36) Epidid	ymis	s, excision:								
54800 54820 54830 54840 54860 54861	A A A	Biopsy of epididymis Exploration of epididymis Removal of epididymis Removal of epididymis Removal of epididymis Removal of epididymis	4.12 7.36 8.49 9.66 11.01 15.53	4.12 7.36 8.49 9.66 11.01 15.53	000 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	0 0 0 1 1 0	0 0 0 0 0	0 0 0 0 0
(37) Epidid	ymis	s, repair:								
54900 54901		Fusion of sperm Fusion of sperm	21.11 28.82	21.11 28.82	090 090	2 2	0 2	0	0	0
(38) Tunica	vag	ginalis, incision:								
55000	Α	Drainage of hydrocele	1.71	1.51	000	2	0	1	0	0
(39) Tunica	vag	inalis, excision:								
55040 55041		Removal of hydrocele Removal of hydrocele	9.88 14.69	9.88 14.69	090 090	2 2	0 2	1	0	0
(40) Tunica	vag	rinalis, repair:								
55060	Α	Repair of hydrocele	9.28	9.28	090	2	1	0	0	0
(41) Scrotur	m, i	ncision:								
55100 55110 55120	Α	Drainage of scrotum Exploration of scrotum Removal of scrotum	2.58 8.74 6.47	2.58 8.74 6.47	010 090 090	2 2 2	0 0 0	1 1 0	0 0 0	0 0 0

5221.4030 FEES FOR MEDICAL SERVICES								6	642	
(42) Scrotu	m, e	excision:								
55150	Α	Removal of scrotum	12.13	12.13	090	2	0	2	1	0
(43) Scrotu	m, ı	repair:								
55175 55180		Revision of scrotum Revision of scrotum	9.36 16.78	9.36 16.78	090 090	2 2	0	0	0 0	0
(44) Vas de	efere	ens, incision:								
55200	Α	Incision	5.86	5.86	090	2	2	0	0	0
(45) Vas de	efer	ens, excision:								
55250	A	Removal	5.68	4.41	090	2	2	1	0	0
(46) Vas de	efere	ens, introduction:								
55300	Α	Preparation	5.95	5.95	000	2	2	0	0	0
(47) Vas de	efere	ens, repair:								
55400	A	Repair of sperm	14.39	14.39	090	2	1	2	1	0
(48) Vas de	efere	ens, suture:								
55450	Α	Ligation of sperm	6.44	6.44	010	2	2	0	0	0
(49) Sperm	atic	cord, excision:								
55500 55520		Removal of hydrocele Removal of sperm	9.52 8.77	9.52 8.77	090 090	2 2	0 0	0 2	0 1	0 0
55530 55535	Α	Revise spermatic Revise spermatic	10.49 10.45	10.49 10.45	090 090	2	0	1 2	1 1	0
55540		Revise hernia	11.85	11.85	090	2	0	2	1	0
(50) Semin	al ve	esicles, incision:								
55600 55605		Incise sperm duct Incise sperm duct	10.26 12.96	10.26 12.96	090 090	2 2	1	0	0	0
(51) Semina	al ve	esicles, excision:								
55650 55680		Remove sperm duct Remove sperm	18.11 9.20	18.11 9.20	090 090	2 2	1 0	2 0	1 0	0

### FEES FOR MEDICAL SERVICES 5221,4030

(52) Prost	ate, i	ncision:								
55700	Λ	Biopsy of prostate	2.96	2.23	000	2	0	1	0	0
55705		Biopsy of prostate	7.59	7.59	010	2	0	1	1	0
55720	A	Drainage of prostate	10.53	10.53	090	2	Ŏ	2	1	0
55725	A	Drainage of prostate	13.61	13.61	090	2	0	2	1	0
33723	A	Dramage or prostate	13.01	15.01	090	2	U	2	1	U
(53) Prosta	ate, e	excision:								
55801	Α	Removal of prostate	29.28	29.28	090	2	0	2	1	0
55810		Extensive prostate	38.75	38.75	090	2	0	2	1	0
55812		Extensive prostate	43.12	43.12	090	2	0	2	1	0
55815		Extensive prostate	53.33	53.33	090	2	2	2	1	0
55821		Removal of prostate	26.81	26.81	090	2	0	2	1	0
55831		Removal of prostate	29.04	29.04	090	2	0	2	1	0
55840		Extensive prostate	37.52	37.52	090	2	0	2	1	0
55842		Extensive prostate	41.68	41.68	090	2	0	2	1	0
55845		Extensive prostate	51.51	51.51	090	2	2	2	1	Ŏ
55859		Percutaneous/needle	17.38	17.38	090	2	0	0	Õ	Ŏ
55860		Surgical exposure	20.39	20.39	090	2	ŏ	1	1	ŏ
55862		Extensive prostate	28.65	28.65	090	2	ŏ	2	1	ŏ
55865		Extensive prostate	45.77	45.77	090	$\bar{2}$	2	2	î	ŏ
22002	• •	Estimate prostate		12.77	070	-	_	-	•	Ü
(54) Prost	ate, c	other procedures:								
55870	Α	Electroejaculation	4.21	4.21	000	2	0	1	1	0
55899	C	Genital surgery	0.00	0.00	YYY	2	0	2	1	1
(55) Inters	sex su	ırgery:								
55970	N	Sex transformation	0.00	0.00	XXX	9	9	9	9	9
55980	N	Sex transformation	0.00	0.00	XXX	9	9	9	9	9
(56) Lapar	rosco	py/hysteroscopy:								
56300	Α	Laparoscopy, diagnostic	9.44	9.44	010	2	0	2	2	0
56301		Laparoscopy	10.34	10.34	010	3	0	1	2	0
56302	Α	Laparoscopy	10.89	10.89	010	3	0	1	2	0
56303	Α	Laparoscopy, excision	16.68	16.68	090	3	0	2	2	0
56304	Α	Laparoscopy, lysis	16.32	16.32	090	3	0	2	2	0
56305	Α	Laparoscopy, biopsy	10.07	10.07	010	3	0	2	2	0
56306	Α	Laparoscopy, aspiration	10.53	10.53	010	3	0	2	2 2 2	0
56307	Α	Laparoscopy, removal	17.83	17.83	010	3	0	2	2	0
56308	Α	Laparoscopy/hysterectomy	23.09	23.09	010	3	0	2	2	0
56309	Α	Laparoscopy, removal	18.07	18.07	010	3	0	2	2	0
56310	Α	Laparoscopy, enterolysis	22.07	22.07	090	2	0	2	1	0
56311	Α	Laparoscopy, lymph	15.37	15.37	010	3	0	2	2	0
56312	Α	Laparoscopy, lymph	19.97	19.97	010	2	2	2		0
56313	Α	Laparoscopy, lymph	23.94	23.94	010	2	2	2	2	0
56314	Α	Laparoscopy, drainage	15.47	15.47	090	3	0	2	2	0
56315	Α	Laparoscopy/appendectomy	13.18	13.18	090	2	0	2	2	0
56316	Α	Laparoscopy, hernia	10.57	10.57	090	2	1	2	1	0

56317	Δ	Laparoscopy, hernia	13.13	13.13	090	2	1	2	1	0
56318	Α	Laparoscopy, orchiectomy	17.38	17.38	090	2	1	2	1	ŏ
56320		Laparoscopy, spermatic	10.46	10.46	090	2	1	2	1	ő
56322	A	Laparoscopy, vagus	14.76	14.76	090	2	0	2	1	ŏ
56323	A	Laparoscopy, vagus	17.69	17.69	090	2	ŏ	2	î	Õ
56324	A	Cholecystoenterostomy	21.33	21.33	090	2	ŏ	2	1	ő
56340	A	Cholecystoenterostomy	18.74	18.74	090	2	Õ	2	1	ŏ
56341	A	Cholecystoenterostomy	20.00	20.00	090	2	0	2	1	0
56342	A	Cholecystoenterostomy	23.07	23.07	090	2	ő	2	1	0
56343	A	Salpingostomy	18.19	18.19	090	3	1	2	0	0
56344	A	Fimbrioplasty	17.28	17.28	090	3	1	2	0	ő
56345	Ĉ	Laparoscopy, splenectomy	0.00	0.00	XXX	0	0	õ	0	0
56346	A	Laparoscopy, spicificationly Laparoscopy, gastrostomy	13.65	13.65	090	2	0	2	1	0
56347	$\hat{c}$	Laparoscopy, jejunostomy	0.00	0.00	XXX	0	0	0	0	0
56348	A		34.34	34.34	090	2	0	2	1	0
56349		Laparoscopy, resection	28.53	28.53	090	2	0	2	1	0
56350	A	Laparoscopy, fundoplasty		5.19		2	0	0	2	0
	A	Hysteroscopy, diagnostic	5.19		000	3		1	2	0
56351		Hysteroscopy, biopsy	6.48	6.48	000		0			
56352	A	Hysteroscopy, lysis	9.71	9.71	000	3	0	1 2	2	0
56353	A	Hysteroscopy, resection	10.46	10.46	000	3	0		2	0
56354	A	Hysteroscopy, resection	14.56	14.56	000	3	0	0	2	0
56355	A	Hysteroscopy, resection	6.89	6.89	000	3	0	1	2	0
56356	Α	Hysteroscopy, ablation	10.66	10.66	000	3	0	0	2	0
56362	A	Cholangiography	7.22	7.22	000	2	0	0	0	0
56363	Α	Laparoscopy, biopsy	8.75	8.75	000	2	0	0	0	0
(57) Laparo	osco	py/hysteroscopy, other procedu	res:							
56399	С	Laparoscopy procedure	0.00	0.00	YYY	2	1	2	0	0
(58) Vulva,	per	ineum and introitus, incision:								
56405	Α	Vulva incision, drainage	2.12	1.76	010	2	0	1	2	0
56420	Α	Drainage of gland	2.11	1.72	010	2	0	1	0	0
56440	Α	Surgery for vulva	5.41	5.41	010	2	0	1	0	0
56441	Α	Lysis of labial adhesions	3.55	3.55	010	2	0	0	0	0
		•								
(59) Vulva,	per	ineum and introitus, destruction	n:							
56501		Destruction of	1.07	1 77	010	2	0	1	0	^
56501		Destruction of vulva Destruction of vulva	1.97	1.71	010	2	0	1	0	0
56515	А	Destruction of vulva	4.35	4.07	010	2	0	1	0	0
(60) Vulva.	per	ineum and introitus, excision:								
, , ,	•	,								
56605	Α	Biopsy of vulva	1.74	1.41	000	2	0	1	2	0
56606		Biopsy of vulva	0.88	0.71	000	ō	ŏ	1	2	ŏ
56620		Partial removal	13.80	13.80	090	2	ŏ	2	1	ŏ
56625		Complete removal	17.73	17.73	090	2	ŏ	$\frac{1}{2}$	1	ŏ
56630		Extensive vulva	26.03		090	2	ŏ	2	1	ŏ
	Α	Extensive vulva	20.03	20.03	070					
		Extensive vulva		26.03 34.41	090			2		
56631	Α	Extensive vulva	34.41	34.41	090	2	0	2	2	0
	A A							2 2 2		

645		FEES	FOR 1	MEDICAL	SERV	<b>ICES</b>	52	221.4	030
56634 56637 56640 56700 56720	A A A	Extensive vulva Extensive vulva Extensive vulva Partial removal Incision	37.72 43.12 41.80 4.24 1.14	43.12 41.80 4.24	090 090 090 010 000	2 2 2 2 2	) 2 l 2	2 2 2 2 2 1 2 1 0 0	0 0 0
56740		Remove vagina gland	6.49	6.49	010	2 (	) 1	1 0	0
(61) Vulva,	per	ineum and introitus, repair:							
56800 56805 56810	A A A	_ '	6.67 29.23 6.56	29.23	010 090 010	2 (	) 2	2 1 2 1 2 2	0
(62) Vagina	, in	cision:							
57000 57010 57020	Α	Exploration of colpotomy Drain pelvic abscess Drain pelvic abscess	4.85 8.32 2.07	8.32	010 090 000	2 (	) (	0 0 0 0 0 0	0
(63) Vagina	, de	struction:							
57061 57065		Destroy vaginal lesion Destroy vaginal lesion	2.02 5.55		010 010			1 0 1 0	
(64) Vagina	, ex	cision:							
57100 57105 57108 57110 57120 57130 57135	A A A A	Biopsy of vagina Biopsy of vagina Partial removal Removal of vagina Closure of vagina Remove vagina lesion Remove vagina lesion	1.55 3.23 11.48 21.55 14.31 5.04 4.50	3.23 11.48 21.55 14.31 5.04	000 010 090 090 090 010 010	2 2 2 2 2 2		1 0 1 0 2 1 2 1 2 1 2 1 1 0	0 0 0 0
(65) Vagina	, in	troduction:				•			
57150 57160 57170 57180		Treat vagina infection Insert pessary device Fitting of diaphragm Treat vaginal bleeding	0.70 1.08 1.17 2.03	0.96 1.01	000 000 000 010	2 2	) (	1 0 1 0 0 0 1 0	0
(66) Vagina	, re	pair:							
57200 57210 57220 57230 57240 57250 57260	A A	Repair of vagina Repair vagina/perineum Revision of urethra Repair of urethra Repair bladder Repair rectum Repair of vagina	6.53 8.21 8.64 9.18 12.85 11.82 16.90	8.21 8.64 9.18 12.85 11.82	090 090 090 090 090 090 090	2 2 2 2 2	0 : 0 : 0 :	2 1 2 1 2 1 2 1 2 1 2 1 2 1	0 0 0 0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						ć	546
57265 57268 57270 57280 57282 57284 57288 57289 57291 57292 57300 57305 57307 57308 57310 57311 57320 57330 57330 57335	A A A A A A A A A A A A A A A A A A A	Suspension of vagina Repair of vagina Repair paravaginal Repair bladder Repair bladder Construction of vagina Construction of vagina Repair rectum-vagina Repair rectum-vagina Fistula repair	20.56 13.74 18.39 22.91 17.51 20.29 22.92 19.05 13.04 18.97 15.46 20.65 21.07 16.78 10.59 12.86 16.53 19.67 24.13	20.56 13.74 18.39 22.91 17.51 20.29 22.92 19.05 13.04 18.97 15.46 20.65 21.07 16.78 10.59 12.86 16.53 19.67 24.13	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(67) Vagina	ı, m	anipulation:								
57400 57410 57415	A A A	Dilation of vagina Pelvic examination Removal of foreign body	2.41 1.96 2.35	2.41 1.96 2.35	000 000 010	2 2 2	0 0 0	0 1 0	0 0 0	0 0 0
(68) Vagina	ı, er	doscopy:								
57452 57454 57460	A A A	Examination Vagina examination Cervix excision	1.60 2.47 4.77	1.29 1.88 3.80	000 000 000	2 3 3	0 0 0	1 1 1	0 0 2	0 0 0
(69) Cervix	ute	ri, excision:								
57500 57505 57510 57511 57513 57520 57522 57530 57531 57540 57545 57550 57555 57556	A A A A	Biopsy of cervix Endocervical curettage Cauterization of cervix Cryocautery of cervix Laser surgery Conization of cervix Conization of cervix Removal of cervix Removal of cervix Remove residual cervix Remove residual cervix Remove residual cervix Removal of cervix Removal of cervix Removal of cervix Removal of cervix	1.50 1.72 2.28 2.64 4.11 7.40 6.79 8.27 39.31 18.44 16.82 11.74 18.84 17.55	1.22 1.41 2.03 2.23 4.11 7.40 6.79 8.27 39.31 18.44 16.82 11.74 18.84 17.55	000 010 010 010 010 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0
(70) Cervix 57700		ri, repair:  Revision of cervix	5.72	5 70	OOO	2	0	Λ	0	0
3//00	A	Revision of Cervix	3.12	5.72	090	Z	0	0	0	0

647		F	EES	FOR	MEDICAL	SERV	ЛСЕ	ES	522	1.40	30
57720	A	Revision of cervix		6.69	6.69	090	2	0	2	0	0
(71) Cervix	ute	ri, manipulation:									
57800 57820	A A	Dilation of cervix Dilation and curettage		1.22 3.78		000 010	2 2	0	1	0	0
(72) Corpus	ute	eri, excision:									
58100 58120 58140 58145 58150 58152 58180 58200 58210 58240 58260 58262 58263 58267 58270 58275 58280 58285	A A A A A A A A A A A A A A A A A A A	Biopsy of uterus Dilation and curettage Removal of uterus Removal of uterus Total hysterectomy Total hysterectomy Partial hysterectomy Extensive hysterectomy Extensive hysterectomy Removal of pelvis Vaginal hysterectomy Vaginal hysterectomy Vaginal hysterectomy Hysterectomy Hysterectomy Hysterectomy Hysterectomy Hysterectomy Extensive hysterectomy		1.36 5.89 22.24 16.11 24.23 26.71 24.47 33.68 45.49 65.99 21.29 22.91 25.06 26.11 23.43 25.52 25.40 29.55	5.89 22.24 16.11 3 24.23 26.71 24.47 3 33.68 45.49 65.99 21.29 22.91 5 25.06 26.11 5 23.43 2 25.52 6 25.40	000 010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 1 1 1 1 1 1 1 1 1 2 2 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		eri, introduction:									
58300 58301 58321 58322 58323 58340 58345 58350	N A A A A A	Insert IUD Remove IUD Artificial insemination Artificial insemination Sperm washing Catheter Reopen fallopian tube Reopen fallopian tube		0.00 1.63 1.60 1.77 0.39 1.39 7.83 1.67	1.41 1.60 1.77 0.39 1.39 7.83	XXX 000 000 000 000 000 010 010	9 2 2 2 2 2 2 2	9 0 0 0 0 0 1 0	9 0 0 0 1 2	9 0 0 0 0 0 2 0	9 0 0 0 0 0
(74) Corpus	ute	eri, repair:									
58400 58410 58520 58540		Suspension of uterus Suspension of uterus Repair of rupture Revision of uterus		11.86 17.36 15.46 19.99	17.36 15.46	090 090 090 090	2 2 2 2	0 0 0 0	2 2 2 2	1 1 1 0	0 0 0 0
(75) Oviduo	t, ir	ncision:									
58600 58605 58611	Α	Ligate fallopian tube Ligate fallopian tube Ligate oviduct(s)		8.32 7.13 1.08	7.13	090 090 <b>ZZZ</b>	2 2 0	2 2 0	2 2 2	1 0 0	0 0 0

5221.4030 FEES FOR MEDICAL SERVICES									6	548
58615	A	Occlude fallopian tube	6.54	6.54	010	2	0	2	0	0
(76) Ovidue	ct, e	xcision:								
58700 58720	A A	Remove fallopian tube Remove ovary	12.73 18.46	12.73 18.46	090 090	2 2	2 2	2 2	1	0
(77) Oviduo	ct, r	epair:								
58740 58750 58752 58760 58770	A A A	Revise fallopian tube(s) Repair oviduct Revise ovarian tube(s) Remove tubal obstruction Create new tubal opening	12.52 20.37 20.50 17.51 18.39	12.52 20.37 20.50 17.51 18.39	090 090 090 090 090	2 2 2 2 2	0 0 0 1 1	2 2 2 2 2	1 1 0 1 0	0 0 0 0 0
(78) Ovary,	inc	ision:								
58800 58805 58820 58822 58823 58825	A A A	Drainage of ovarian cyst Drainage of ovarian cyst Open drainage of cyst Percutaneous drainage Percutaneous drainage Transposition, ovary	6.64 12.25 6.77 13.07 5.71 9.97	6.64 12.25 6.77 13.07 5.71 9.97	090 090 090 090 090 000	2 2 2 2 2 2 2	2 2 0 0 0 0	1 2 2 2 2 2 2	0 1 0 1 0	0 0 0 0 0
(79) Ovary,	exc	sision:								
58900 58920 58925 58940 58943 58950 58951 58952 58960	A A A A A	Biopsy of ovary Partial removal of ovary Removal of ovary Removal of ovary Removal of ovary Resect malignancy Resect malignancy Resect malignancy Resect malignancy Exploration	11.04 13.48 17.41 13.62 29.88 26.03 39.68 42.36 27.46	11.04 13.48 17.41 13.62 29.88 26.03 39.68 42.36 27.46	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2	2 2 2 2 0 2 2 2 0	2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0
(80) In vitro	o fe	rtilization:								
58970 58974 58976	C	Retrieval of oocyte Transfer of embryo Transfer of embryo	5.96 0.00 6.46	5.96 0.00 6.46	000 000 000	2 2 2	0 0 0	0 2 2	0 1 1	0 0 0
(81) In vitro	o fe	rtilization, other procedures:								
58999	C	Genital surgery	0.00	0.00	YYY	2	0	2	1	1
(82) Materr	nity	care and delivery, antepartum	services:							
59000	A	Amniocentesis	2.22	2.22	000	2	0	1	0	0

MINNESUTA RULES 2003											
649			FEES	FOR M	MEDICA	L SERV	/ICI	ES	522	1.40	30
59012	Á	4	Fetal cord puncture	5.83	5.83	000	2	0	0	0	0
59015			Chorion biopsy	3.21	3.21	000	2	0	0	0	0
59020			Fetal contraction	1.95	1.95	000	2	Õ	Ō	Ŏ	Õ
59020			Fetal contraction	1.41	1.41	000	2	Õ	Õ	Õ	0
			Fetal contraction	0.54	0.54	000	ō	Õ	Ŏ	Ŏ	Ŏ
59025			Fetal nonstress test	1.14	1.14	000	2	Õ	0	ŏ	Õ
59025			Fetal nonstress test	0.90	0.90	000	2	ŏ	ŏ	ŏ	ŏ
			Fetal nonstress test	0.23	0.23	000	õ	ŏ	0	ŏ	ŏ
59030			Fetal scalp blood sample	3.45	3.45	000	2	ŏ	ŏ	ŏ	ŏ
59050			Fetal monitor, report	1.67	1.67	XXX	õ	ŏ	ŏ	ŏ	ŏ
59051			Fetal monitor, interpret	1.54	1.54	XXX	ŏ	ŏ	ŏ	ŏ	ő
			, ,								
(83) Ma	iternit	y	care and delivery, excision:								
59100	A	4	Remove uterus	15.74	15.74	090	2	0	2	1	0
59120		4	Treat ectopic pregnancy	18.85	18.85	090	2	0	2	1	0
59121		4	Treat ectopic pregnancy	16.38	16.38	090	2	0	2	1	0
59130		4	Treat ectopic pregnancy	19.05	19.05	090	2	0	0	0	0
59135			Treat ectopic pregnancy	22.75	22.75	090	2	0	0	0	0
59136			Treat ectopic pregnancy	18.77	18.77	090	2	0	2	Ŏ	Ō
59140			Treat ectopic pregnancy	9.62	9.62	090	2	ő	2	ŏ	ŏ
59150		4	Treat ectopic pregnancy	11.21	11.21	090	2	Ŏ	2	Ŏ	Ŏ
59151		4	Treat ectopic pregnancy	15.81	15.81	090	2	Ŏ	2	Ö	Ō
59160			Postpartum curettage	5.58	5.58	010	2	Õ	$\bar{0}$	Õ	Ō
(84) Ma	ıternit	<b>y</b> ,	care and delivery, introduction	:							
59200	A	4	Insert cervical dilator	1.30	1.04	000	2	0	1	0	0
(95) Ma	tornit		care and delivery, repair:								
` ,			• • •	• • •		222	_	_	_	_	•
59300		4	Episiotomy, vagina repair	3.20	2.72	000	2	0	0	0	0
59320	_	4	Revision of cervix	4.20	4.20	000	2	0	0	0	0
59325		4	Revision of cervix	6.65	6.65	000	2	0	0	0	0
59350	F	4	Repair of uterus	8.37	8.37	000	2	0	2	0	0
(86) Ma	ternit	y	care and delivery, vaginal deliv	ery, ant	epartum	and pos	tpa	rtur	n ca	re:	
50400			Obstetrical care	27.22	27 22	NANANA	2	^	1	Ω	Λ
59400				37.33		MMM	2	0	1	0	0
59409			Obstetrical care	22.63		MMM	2	0	0	0	0
59410			Obstetrical care	24.69		MMM	2		1	0	0
59412			Antepartum manipulation	2.89		MMM	0	0	0	0	0
59414			Deliver placenta	2.72		MMM	2	0	0	0	0
59425			Antepartum care	7.51		MMM		0	0	0	0
59426			Antepartum care	12.92		MMM	0	0	0	0	0
59430	A	4	Care after delivery	2.34	2.16	MMM	2	0	1	0	0
(87) Ma	iternit	y	care and delivery, Cesarean de	livery:							
59510	,	4	Cesarean delivery	42.29	42.29	MMM	2	0	1	0	0
59514	A	Ā	Cesarean delivery	26.52		MMM	2	ŏ	2	1	ŏ

MINNESOTA RULES 2003													
5221.4030	5221.4030 FEES FOR MEDICAL SERVICES 650												
59515	Α	Cesarean delivery	28.69	28.69	MMM	2	0	1	0	0			
59525	A	Remove uterus, Cesarean	11.92		MMM	0	0	2	1	0			
(88) Mate	rnity	care and delivery, after previo	us Cesar	ean del	ivery:								
59610		VBAC delivery	38.74		MMM	2	0	0	0	0			
59612		VBAC delivery	24.04		MMM	2	0	0	0	0			
59614		VBAC care after delivery	26.11		MMM	2	0	0	0	0			
59618 59620		Attempted VBAC	43.70 27.94		MMM MMM	2	0	2 2	0	$0 \\ 0$			
59620 59622		Attempted VBAC Attempted VBAC	30.11		MMM	2	0	2	0	0			
39022	А	Attempted VBAC	30.11	50.11	141141141	2	U	2	U	U			
(89) Mate	rnity	care and delivery, abortion:											
59812	Α	Treatment of miscarriage	6.86	6.83	090	2	0	1	0	0			
59820		Care of miscarriage	7.69	7.69	090	2	0	1	0	0			
59821	Α		7.03	7.03	090	2	0	0	0	0			
59830	Α	Treat uterus	10.21	10.21	090	2	0	0	0	0			
59840		Abortion	6.22	6.22	010	2	0	0	0	0			
59841	Α	Abortion	8.80	8.80	010	2	0	0	0	0			
59850	Α		9.70	9.70	090	2	0	0	0	0			
59851	Α		10.00	10.00	090	2	0	0	0	0			
59852		Abortion	13.50	13.50	090	2	0	0	0	0			
59855		Abortion	10.08	10.08	090	2	0	0	0	0			
59856		Abortion	12.38	12.38	090	2	0	0	0	0			
59857	Α	Abortion	15.24	15.24	090	Z	0	0	0	0			
(90) Mate	rnity	care and delivery, other proce	dures:										
59866	Α	Abortion	6.76	6.76	000	2	0	2	1	0			
59870	A	Evacuate mole	7.07	7.07	090	2	ŏ	2	0	ŏ			
59871	Α	Remove cerclage suture	3.88	3.88	000	2	0	0	0	0			
59899	C	Maternity care	0.00	0.00	YYY	2	0	2	1	1			
F	E. Pro	ocedure code numbers 60000 t	o 69979	relate t	o neurolo	ogic	al p	госе	edur	es.			
1 2	3	4	5	6	7	8	۵	10	11	12			
1 2	3	<b>T</b>	3	U	,	U	,	10	11	12			
(1) Thyroi	d ola	nd, incision:											
(1) Thyron	u gia	nd, meision.											
60000	Α	Drain thyroid	2.23	1.94	010	2	0	0	0	0			
(2) Thyroi	d gla	nd, excision:											
60001	A	Aspirate/inject thyroid	1.96	1.96	000	2	0	1	0	0			
60100		Biopsy of thyroid	1.96	1.45	000	2	0	1	0	0			
60200	A	Remove thyroid	15.06	15.06	090	2	0	2	1	0			
60210	A	Partial excision	19.17	19.17	090	2	ő	$\tilde{2}$	1	ŏ			
60212	A		24.24	24.24	090	2	ŏ	2	1	ŏ			
<u> </u>		<del></del>	_ ·- <del>-</del> ·	· ·		-	-	_	_	-			

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

DESC	EOD	MEDICAL	SERVICES	E221 4020
rr.r.s	ruk	WILDHUAL.	SERVILES	3221.4U.M

60220 60225 60240 60252 60254 60260 60270 60271 60280	A A A A A A	Partial removal Partial removal Removal of thyroid Removal of thyroid Extensive thyroid Repeat thyroid removal Removal of thyroid Removal of thyroid Removal of thyroid	18.70 24.07 25.88 31.11 41.93 17.26 31.18 26.48 12.59	18.70 24.07 25.88 31.11 41.93 17.26 31.18 26.48 12.59	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 2 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0
60281		Remove thyroid Remove thyroid	12.59	12.59	090	2	0	2	1	0

### (3) Parathyroid, thymus, adrenal glands, and carotid body, excision:

60500	Α	Parathyroidectomy	26.98	26.98	090	2	0	2	1	0
60502	Α	Re-explore parathyroid	30.76	30.76	090	2	0	2	1	0
60505	Α	Parathyroidectomy	33.61	33.61	090	2	0	2	1	0
60512	Α	Autotransplant	6.58	6.58	ZZZ	0	0	2	1	0
60520	Α	Removal of thymus	29.70	29.70	090	2	0	2	1	0
60521	Α	Removal of thymus	31.57	31.57	090	2	0	2	1	0
60522	Α	Removal of thymus	35.40	35.40	090	2	0	2	1	0
60540	Α	Explore adrenal gland	28.25	28.25	090	2	1	2	1	0
60545	Α	Explore adrenal gland	33.12	33.12	090	2	0	2	1	0
60600	Α	Remove carotid tumor	28.38	28.38	090	2	0	2	1	0
60605	Α	Remove carotid tumor	29.94	29.94	090	2	0	2	1	0

### (4) Parathyroid, thymus, adrenal glands, and carotid body, other procedures:

60699 C Endocrine surgery 0.00 0.00 YYY 2 0 2 1	60699	C Endocrine surgery	0.00 0.00	YYY	2	0	2	1	1
---	-------	---------------------	-----------	-----	---	---	---	---	---

### (5) Skull, meninges, and brain, injection, drainage, or aspiration:

61000	Α	Remove cranial	2.56	2.56	000	2	2	1	0	0
61001	Α	Remove cranial	2.30	1.87	000	2	2	1	0	0
61020	Α	Remove brain catheter	2.70	2.70	000	2	0	1	0	0
61026	Α	Injection	3.45	3.45	000	2	0	1	0	0
61050	Α	Remove brain catheter	2.64	2.64	000	2	0	0	0	0
61055	Α	Injection	3.83	3.83	000	0	0	1	0	0
61070	Α	Brain canal shunt	1.30	1.06	000	2	0	1	0	0

### (6) Skull, meninges, and brain, twist drill, burr holes, or trephine:

61105	Α	Drill skull	10.81	10.81	090	2	0	0	0	0
61106	Α	Drill skull	9.74	9.74	ZZZ	0	0	1	0	0
61107	Α	Drill skull	10.55	10.55	000	0	0	1	0	0
61108	Α	Drill skull	21.30	21.30	090	2	0	1	0	0
61120	Α	Pierce skull	14.30	14.30	090	2	0	0	0	0
61130	Α	Pierce skull	11.09	11.09	ZZZ	0	0	1	1	0
61140	Α	Pierce skull	29.49	29.49	090	2	0	2	0	0
61150	Α	Pierce skull	31.55	31.55	090	2	0	1	1	0
61151	Α	Pierce skull	13.54	13.54	090	2	0	1	0	0
61154	Α	Pierce skull	31.34	31.34	090	2	1	2	1	0
61156	Α	Pierce skull	32.14	32.14	090	2	0	2	1	0

### 5221.4030 FEES FOR MEDICAL SERVICES

61210	Α	Pierce skull	11.98	11.98	000	0	0	1	0	0
61215	A	Insert brain fluid	10.53		090	2	0	1	1	
	A	Pierce skull		10.53				1		0
61250			18.01	18.01	090	2	1 2	2	1	0
61253	Α	Pierce skull	21.44	21.44	090	2	2	2	U	0
(7) Skull, n	nenii	nges, and brain, craniectomy or	r craniot	omy:						
61304	Α	Open skull	45.91	45.91	090	2	0	2	1	0
61305	A	Open skull	55.06	55.06	090	2	0	2	1	Ŏ
61312	Α	Open skull	48.07	48.07	090	2	Õ	2	1	Ŏ
61313	Α	Open skull	48.27	48.27	090	2	Ō	2	1	Õ
61314	Α	Open skull	49.32	49.32	090	2	Õ	2	1	Ö
61315	A	Open skull	51.17	51.17	090	2	Ŏ	$\bar{2}$	1	Ö
61320	A	Open skull	43.20	43.20	090	2	Õ	2	1	Ŏ
61321	Α	Open skull	46.98	46.98	090	2	Ö	2	1	Ŏ
61330	Α	Decompress eye socket	34.37	34.37	090	2	1	2	1	Ŏ
61332	A	Explore/biopsy	46.30	46.30	090	2	ō	2	1	Ö
61333	A	Explore/remove lesion	46.93	46.93	090	2	ŏ	2	1	ŏ
61334	A	Explore/remove object	31.74	31.74	090	$\bar{2}$	ŏ	$\bar{2}$	1	ŏ
61340	A	Relieve cranial	32.64	32.64	090	2	1	2	1	Ö
61343	A	Incise skull	58.96	58.96	090	2	ō	2	1	ŏ
61345	A	Relieve cranial	45.12	45.12	090	2	ŏ	2	1	Ö
61440	A	Incise skull	45.87	45.87	090	2	ŏ	2	1	ŏ
61450	A	Incise skull	45.18	45.18	090	2	ŏ	2	1	0
61458	A	Incise skull	53.81	53.81	090	2	ŏ	2	1	Ö
61460	A	Incise skull	52.16	52.16	090	2	ő	2	2	ő
61470	A	Incise skull	38.44	38.44	090	2	0	2	1	0
61480	A	Incise skull	39.59	39.59	090	2	ő	2	1	ő
61490	A	Incise skull	35.81	35.81	090	2	1	2	1	0
61500	A	Removal of skull	37.28	37.28	090	2	0	2	1	ő
61501	A	Remove infected	31.07	31.07	090	2	Ö	2	1	ŏ
61510	A	Removal of brain	54.65	54.65	090	2	ő	2	1	0
61512	A	Removal of brain	62.80	62.80	090	2	ŏ	2	1	0
61514	A	Removal of brain	50.20	50.20	090	2	ŏ	2	1	Ö
61516	A	Removal of brain	50.44	50.44	090	2	ŏ	2	1	0
61518	A	Removal of brain	65.89	65.89	090	2	ő	2	1	0
61519	A	Removal of brain	70.91	70.91	090	2	ő	2	1	ő
61520	A	Removal of brain	85.73	85.73	090	2	0	2	2	0
61521	A	Removal of brain	75.45	75.45	090	2	ŏ	2	1	Ö
61522	A	Removal of brain	48.11	48.11	090	2	ŏ	2	1	ŏ
61524	A	Removal of brain	54.65	54.65	090	2	ŏ	2	1	ŏ
61526	Ā	Removal of brain	82.85	82.85	090	2	ŏ	1	2	ŏ
61530	A	Removal of brain	75.31	75.31	090	2	ŏ	1	2	Ŏ
61531	A	Implant brain electrodes	28.72	28.72	090	2	Ŏ	2	$\bar{2}$	Ŏ
61533	A	Implant brain electrodes	36.17	36.17	090	$\bar{2}$	ŏ	2	1	Õ
61534		Removal of brain	26.31	26.31	090	2	ŏ	2	î	ŏ
61535		Remove brain electrodes	18.65	18.65	090	2	Ŏ	2	ĺ	ŏ
61536		Removal of brain	55.66	55.66	090	2	ŏ	2	1	ŏ
61538	A	Removal of brain	55.17	55.17	090	2	ő	2	î	0
61539	A	Removal of brain	53.55	53.55	090	2	ő	2	î	Ö
61541	Α	Incision of brain	47.40	47.40	090	2	0	2	1	0
61542		Removal of brain	49.54	49.54	090	2	0	2	1	ő
61543	A	Removal of brain	44.55	44.55	090	2	0	2	1	0
61544	A	Remove and treat brain	51.41	51.41	090	2	0	2	0	0
61545		Excision of brain	67.20	67.20	090	2	0	2	1	0
61546	A		57.14	57.14	090	2	0	2	1	0
220.0		pitaliary tallion	J , , , , ,	J , • 4 1	070	-	9	-	*	•

653	<b>FEES</b>	<b>FOR</b>	<b>MEDICAL</b>	<b>SERVICES</b>	5221.4

61548	Α	Remove pituitary tumor	44.64	44.64	090	2	0	2	2	0
61550	Α	Release of skull	25.32	25.32	090	2	0	2	1	0
61552	Α	Release of skull	32.60	32.60	090	2	0	2	1	0
61556	Α	Incise skull	36.89	36.89	090	2	0	2	0	0
61557	Α	Incise skull	37.09	37.09	090	2	0	2	0	0
61558	Α	Excision of skull	42.27	42.27	090	2	0	2	0	0
61559	Α	Excision of skull	54.47	54.47	090	2	0	2	1	0
61563	Α	Excision of skull	44.56	44.56	090	2	0	2	1	0
61564	Α	Excision of skull	56.19	56.19	090	2	0	2	1	0
61570	Α	Remove foreign body	39.95	39.95	090	2	0	2	1	0
61571	Α	Incise skull	43.42	43.42	090	2	0	2	1	0
61575	Α	Skull base/brain	65.84	65.84	090	2	0	2	1	0
61576	Α	Skull base/brain	77.02	77.02	090	2	0	2	1	0

### (8) Skull, meninges, and brain, approach procedures:

61580	Α	Craniofacial approach	50.11	50.11	090	2	1	2	1	2
61581		Craniofacial approach	57.01	57.01	090	2	1	2	1	2
61582		Craniofacial approach	51.98	51.98	090	2	0	2	I	2
61583		Craniofacial approach	59.39	59.39	090	2	0	2	1	2
61584	Α	Orbitocranial approach	57.13	57.13	090	2	1	2	1	2
61585	Α	Orbitocranial approach	63.77	63.77	090	2	1	2	1	2
61586	Α	Resect	44.72	44.72	090	2	0	2	1	2
61590	Α	Infratemporal approach	69.17	69.17	090	2	1	2	1	2
61591	Α	Infratemporal approach	72.42	72.42	090	2	1	2	1	2
61592	Α	Orbitocranial approach	65.71	65.71	090	2	1	2	1	2
61595	Α	Transtemporal approach	48.79	48.79	090	2	1	2	1	2
61596	Α	Transcochlear approach	59.02	59.02	090	2	1	2	1	2
61597		Transcondylar approach	62.66	62.66	090	2	1	2	1	2
61598		Transpetrosal approach	55.16	55.16	090	2	0	2	1	2

### (9) Skull, meninges, and brain, definitive procedures:

61600	Α	Resect/excise lesion	42.51	42.51	090	2	0	2	1	2
61601	Α	Resect/excise lesion	45.75	45.75	090	2	0	2	1	2
61605	Α	Resect/excise lesion	48.20	48.20	090	2	0	2	1	2
61606	Α	Resect/excise lesion	64.13	64.13	090	2	0	2	1	2
61607	Α	Resect/excise lesion	59.91	59.91	090	2	0	2	1	2
61608	Α	Resect/excise lesion	69.61	69.61	090	2	0	2	1	2
61609	Α	Transect, ligate artery	16.70	16.70	ZZZ	0	1	2	1	2
61610	Α	Transect, ligate artery	50.09	50.09	ZZZ	0	1	2	1	2
61611	Α	Transect, ligate artery	12.53	12.53	ZZZ	0	1	2	1	2
61612	Α	Transect, ligate artery	47.07	47.07	ZZZ	0	1	2	1	2
61613	Α	Remove aneurysm	67.88	67.88	090	2	1	2	1	2
61615	Α	Resect/excise lesion	52.81	52.81	090	2	0	2	1	2
61616	Α	Resect/excise lesion	71.57	71.57	090	2	0	2	1	2

(10) Skull, meninges, and brain, repair and/or reconstruction of surgical defects of skull base:

61618	Α	Repair dura	27.61	27.61	090	2	0	2	1	2
61619	Α	Repair dura	34.03	34.03	090	2	0	2	1	2

### 5221.4030 FEES FOR MEDICAL SERVICES

(11) Skull, meninges, and brain, endova
---

61624	Α	Occlusion/embolism	34.04	34.04	000	2	0	1	0	0
61626	Α	Occlusion/embolism	28.07	28.07	000	2	0	1	0	0

# (12) Skull, meninges, and brain, surgery for aneurysm, arteriovenous malformation or vascular disease:

61680	Α	Intracranial vein	61.07	61.07	090	2	0	2	1	0
61682	Α	Intracranial vein	93.51	93.51	090	2	0	2	1	0
61684	Α	Intracranial vein	66.80	66.80	090	2	0	2	1	0
61686	Α	Intracranial vein	95.62	95.62	090	2	0	2	1	0
61690	Α	Intracranial vein	55.39	55.39	090	2	0	2	1	0
61692	Α	Intracranial vein	76.75	76.75	090	2	0	2	1	0
61700	Α	Inner skull vessel	79.60	79.60	090	2	0	2	1	0
61702	Α	Inner skull vessel	82.67	82.67	090	2	0	2	1	0
61703	Α	Clamp neck artery	28.89	28.89	090	2	0	2	1	0
61705	Α	Revise circulation	65.13	65.13	090	2	0	2	1	0
61708	Α	Revise circulation	57.67	57.67	090	2	0	2	0	0
61710	Α	Revise circulation	43.96	43.96	090	2	0	0	0	0
61711	Α	Fusion of skull	68.31	68.31	090	2	0	2	1	0
61712	Α	Skull or spine surgery	7.39	7.39	ZZZ	0	0	2	1	0

### (13) Skull, meninges, and brain, stereotaxis:

61720	Α	Incise skull/brain	35.28	35.28	090	2	0	1	0	0
61735	Α	Incise skull/brain	31.90	31.90	090	2	0	1	1	0
61750	Α	Incise skull/brain	31.98	31.98	090	2	0	1	1	0
61751	Α	Brain biopsy	37.16	37.16	090	2	0	1	1	0
61760	Α	Implant brain electrodes	35.65	35.65	090	2	0	1	2	0
61770	Α	Incise skull	40.07	40.07	090	2	0	1	1	0
61790	Α	Treat trigeminal	23.07	23.07	090	2	0	1	0	0
61791	Α	Treat trigeminal	24.44	24.44	090	2	0	0	0	0
61793	Α	Focus radiation	35.05	35.05	090	2	0	1	0	0
61795	Α	Brain surgery	8.81	8.81	000	0	0	1	0	0

### (14) Skull, meninges, and brain, neurostimulators:

61850	Α	Implant neuroelectrodes	23.73	23.73	090	2	0	2	0	0
61855	Α	Implant neuroelectrodes	23.00	23.00	090	2	0	2	0	0
61860	Α	Implant neuroelectrodes	27.69	27.69	090	2	0	2	0	0
61865	Α	Implant neuroelectrodes	37.80	37.80	090	2	0	2	1	0
61870	Α	Implant neuroelectrodes	18.06	18.06	090	2	0	2	1	0
61875	Α	Implant neuroelectrodes	20.86	20.86	090	2	0	2	0	0
61880	Α	Revise neuroelectrodes	10.70	10.70	090	2	0	2	1	0
61885	Α	Implant neuroelectrodes	7.36	7.36	090	2	0	0	0	0
61888	Α	Revise neuroelectrodes	7.02	7.02	010	2	0	1	0	0

### (15) Skull, meninges, and brain, repair:

62000	A Repair of skull	17.43 17.43	090	2	0	2	0	0
62005	A Repair of skull	26.47 26.47	090	2	0	2	1	0

FEES FOR MEDICAL SERVICES 5221.4030

	·	

62010	Α	Treatment	38.40	38.40	090	2	0	2	1	0
62100	Α	Repair brain fluid	42.93	42.93	090	2	0	2	1	0
62115	Α	Reduction of skull	35.65	35.65	090	2	0	2	1	0
62116	Α	Reduction of skull	38.91	38.91	090	2	0	2	0	0
62117	Α	Reduction of skull	43.94	43.94	090	2	0	2	1	0
62120	Α	Repair of skull	38.61	38.61	090	2	0	2	1	0
62121	Α	Incise skull	38.38	38.38	090	2	0	2	0	0
62140	Α	Repair of skull	26.56	26.56	090	2	0	2	1	0
62141	Α	Repair of skull	31.19	31.19	090	2	0	2	1	0
62142	Α	Remove skull plate	22.72	22.72	090	2	0	2	0	0
62143		Replace skull plate	21.61	21.61	090	2	0	2	1	0
62145	Α	Repair of skull	31.06	31.06	090	2	0	2	1	0
62146	Α	Repair of skull	26.44	26.44	090	2	0	2	1	0
62147	Α	Repair of skull	31.70	31.70	090	2	0	2	1	0

### (16) Skull, meninges, and brain, CSF shunt:

655

62180	Α	Establish brain	34.33	34.33	090	2	0	2	0	0
62190	Α	Establish brain	23.58	23.58	090	2	0	1	1	0
62192	Α	Establish brain	25.65	25.65	090	2	0	2	1	0
62194	Α	Replace/irrigate catheter	6.54	6.54	010	2	0	0	0	0
62200	Α	Establish brain	34.71	34.71	090	2	0	2	1	0
62201	Α	Establish brain	22.92	22.92	090	2	0	1	0	0
62220	Α	Establish brain	27.33	27.33	090	2	0	2	1	0
62223	Α	Establish brain	27.03	27.03	090	2	0	2	1	0
62225	Α	Replace/irrigate catheter	9.87	9.87	090	2	0	1	0	0
62230	Α	Replace/revise catheter	20.07	20.07	090	2	0	2	1	0
62256	Α	Remove brain catheter	12.80	12.80	090	2	0	2	0	0
62258	Α	Replace brain catheter	28.88	28.88	090	2	0	2	1	0

### (17) Spine and spinal cord, injection, drainage, or aspiration:

62268	Α	Drain spinal cord	7.38	7.38	000	2	0	1	0	0
62269	Α	Needle biopsy, spinal	6.40	6.40	000	2	0	0	0	0
62270	Α	Spinal fluid tap	1.74	1.74	000	2	0	1	0	0
62272	Α	Drain spinal fluid	2.27	2.27	000	2	0	1	0	0
62273	Α	Treat lumbar spine	3.18	3.18	000	2	0	1	0	0
62274	Α	Inject spinal anesthetic	2.42	2.42	000	2	0	1	0	0
62275	Α	Inject spinal anesthetic	2.30	2.30	000	2	0	1	0	0
62276	Α	Inject spinal anesthetic	3.17	3.17	000	2	0	1	0	0
62277	Α	Inject spinal anesthetic	2.89	2.89	000	2	0	1	0	0
62278	Α	Inject spinal anesthetic	2.46	2.46	000	2	0	1	0	0
62279	Α	Inject spinal anesthetic	2.36	2.36	000	2	0	1	0	0
62280	Α	Treat spinal cord	3.15	3.15	010	2	0	1	0	0
62281	Α	Treat spinal cord	3.41	3.41	010	2	0	1	0	0
62282	Α	Treat spinal caudal	3.98	3.98	010	2	0	1	0	0
62284	Α	Inject for myelography	3.50	3.22	000	0	0	1	0	0
62287	Α	Percutaneous disk	15.52	15.52	090	2	0	1	0	0
62288	Α	Injection	2.79	2.79	000	2	0	1	0	0
62289	Α	Injection	2.68	2.68	000	2	0	1	0	0
62290	Α	Inject for spine	4.65	4.65	000	2	0	1	0	0
62291	Α	Inject for spine	4.58	4.58	000	2	0	1	0	0
62292	Α	Injection	16.67	16.67	090	2	0	0	0	0
62294	Α	Injection	16.76	16.76	090	2	0	1	0	0
62298	Α	Injection	3.07	3.07	000	2	0	1	0	0

(18)	Spine	and	spinal	cord,	catheter	imp	lantation:
(10)	Opine	una	Spinai	coru,	catheter	тт.	iantation.

62350	A Implant spinal catheter	10.17	10.17	090	2	0	2	1	0
62351	A Implant spinal catheter	14.89	14.89	090	2	0	2	2	0
62355	A Remove spinal catheter	8.69	8.69	090	2	0	0	0	0

### (19) Spine and spinal cord, reservoir/pump implantation:

62360		Α	Insert spine infusion	3.64	3.64	090	2	0	0	1	0
62361		Α	Implant spine infusion	7.94	7.94	090	2	0	0	1	0
62362		Α	Implant spine infusion	10.34	10.34	090	2	0	0	1	0
62365		Α	Remove spine infusion	8.65	8.65	090	2	0	0	0	0
62367		C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0
62367	26	Α	Analyze spine infusion	0.81	0.81	XXX	0	0	0	0	0
62367	TC	C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0
62368		C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0
62368	26	Α	Analyze spine infusion	1.27	1.27	XXX	0	0	0	0	0
62368	TC	C	Analyze spine infusion	0.00	0.00	XXX	0	0	0	0	0

(20) Spine and spinal cord, posterior extradural laminotomy or laminectomy for exploration/decompression of neural elements or excision of herniated intervertebral disks:

63001	Α	Removal of spinal cord	33.05	33.05	090	2	0	2	2	0
63003	Α	Removal of spinal cord	33.21	33.21	090	2	0	2	2	0
63005	Α	Removal of spinal cord	31.10	31.10	090	2	0	2	2	0
63011	Α	Removal of spinal cord	23.86	23.86	090	2	0	2	2	0
63012	Α	Removal of spinal cord	32.08	32.08	090	2	0	2	2	0
63015	Α	Removal of spinal cord	40.38	40.38	090	2	0	2	2	0
63016	Α	Removal of spinal cord	40.10	40.10	090	2	0	2	2	0
63017	Α	Removal of spinal cord	33.61	33.61	090	2	0	2	2	0
63020	Α	Neck spine disk	30.80	30.80	090	2	1	2	2	0
63030	Α	Low back disk space	25.19	25.19	090	2	1	2	2	0
63035	Α	Added spinal disk	6.63	6.63	ZZZ	0	1	2	2	0
63040	Α	Neck spine disk	39.43	39.43	090	2	1	2	2	0
63042	Α	Low back disk space	36.84	36.84	090	2	1	2	2	0
63045	Α	Removal of spinal cord	34.93	34.93	090	2	2	2	2	0
63046	Α	Removal of spinal cord	33.66	33.66	090	2	2	2	2	0
63047	Α	Removal of spinal cord	31.26	31.26	090	2	2	2	2	0
63048	Α	Removal of spinal cord	6.99	6.99	ZZZ	0	2	2	2	0

(21) Spine and spinal cord, transpedicular or costovertebral approach for posterolateral extradural exploration/decompression:

63055	A Decompress spinal cord	45.19	45.19	090	2	0	2	1	0
63056	A Decompress spinal cord	41.65	41.65	090	2	0	2	1	0
63057	A Decompress spinal cord	8.95	8.95	ZZZ	0	0	2	1	0
63064	A Decompress spinal cord	47.62	47.62	090	2	0	2	1	0
63066	A Decompress spinal cord	5.60	5.60	ZZZ	0	0	2	1	0

(22) Spine and	spinal o	cord,	anterior	or	anterolateral	approach	for	extradural	explora-
tion/decompres	sion:								

63075	Α	Neck spine disk	36.36	36.36	090	2	0	2	2	0
63076	Α	Neck spine disk	8.52	8.52	ZZZ	0	0	2	2	0
63077	Α	Spine disk surgery	39.00	39.00	090	2	0	2	2	0
63078	Α	Spine disk surgery	5.75	5.75	ZZZ	0	0	2	2	0
63081	Α	Removal of vertebra	49.23	49.23	090	2	0	2	1	2
63082	Α	Removal of vertebra	9.29	9.29	ZZZ	0	0	2	1	2
63085	Α	Removal of vertebra	53.48	53.48	090	2	0	2	2	2
63086	Α	Removal of vertebra	6.88	6.88	ZZZ	0	0	2	2	2
63087	Α	Removal of vertebra	62.25	62.25	090	2	0	2	2	2
63088	Α	Removal of vertebra	9.18	9.18	ZZZ	0	0	2	2	2
63090	Α	Removal of vertebra	56.50	56.50	090	2	0	2	2	2
63091	Α	Removal of vertebra	5.64	5.64	ZZZ	0	0	2	2	2

### (23) Spine and spinal cord, incision:

						_	_	_		_
63170	Α	Incise spinal cord	38.05	38.05	090	2	0	2	1	0
63172	Α	Drainage of spine	37.15	37.15	090	2	0	2	1	0
63173		Drainage of spine	35.90	35.90	090	2	0	2	1	0
63180	Α	Revise spinal cord	28.93	28.93	090	2	0	2	1	0
63182	Α	Revise spinal cord	35.71	35.71	090	2	0	2	1	0
63185	Α	Incise spinal cord	30.29	30.29	090	2	0	2	1	0
63190	Α	Incise spinal cord	36.54	36.54	090	2	0	2	1	0
63191	Α	Incise spinal cord	29.74	29.74	090	2	1	2	1	0
63194	Α	Incise spinal cord	31.28	31.28	090	2	0	2	1	0
63195	Α	Incise spinal cord	31.65	31.65	090	2	0	2	1	0
63196	Α	Incise spinal cord	36.31	36.31	090	2	0	2	1	0
63197	Α	Incise spinal cord	34.48	34.48	090	2	0	2	1	0
63198	Α	Incise spinal cord	40.56	40.56	090	2	0	2	1	0
63199	Α	Incise spinal cord	46.52	46.52	090	2	0	2	1	0
63200	Α	Release of spinal cord	30.49	30.49	090	2	0	2	0	0
		<del>-</del>								

### (24) Spine and spinal cord, excision by laminectomy of lesion other than herniated disk:

63250	Α	Revise spinal cord	66.92	66.92	090	2	0	2	1	0
63251	$\mathbf{A}$	Revise spinal cord	61.75	61.75	090	2	0	2	1	0
63252	Α	Revise spinal cord	67.72	67.72	090	2	0	2	1	0
63265	Α	Excise intraspinal	42.98	42.98	090	2	0	2	1	0
63266	Α	Excise intraspinal	46.38	46.38	090	2	0	2	1	0
63267	Α	Excise intraspinal	37.69	37.69	090	2	0	2	1	0
63268	Α	Excise intraspinal	30.30	30.30	090	2	0	2	1	0
63270	Α	Excise intraspinal	43.74	43.74	090	2	0	2	1	0
63271	Α	Excise intraspinal	52.77	52.77	090	2	0	2	1	0
63272	Α	Excise intraspinal	47.70	47.70	090	2	0	2	1	0
63273	Α	Excise intraspinal	40.73	40.73	090	2	0	2	0	0
63275	Α	Biopsy/excise neoplasm	49.47	49.47	090	2	0	2	1	0
63276	Α	Biopsy/excise neoplasm	48.28	48.28	090	2	0	2	1	0
63277	Α	Biopsy/excise neoplasm	43.38	43.38	090	2	0	2	1	0
63278	Α	Biopsy/excise neoplasm	42.90	42.90	090	2	0	2	1	0
63280	Α	Biopsy/excise neoplasm	55.61	55.61	090	2	0	2	1	0
63281	Α	Biopsy/excise neoplasm	54.93	54.93	090	2	0	2	1	0
63282	Α	Biopsy/excise neoplasm	49.69	49.69	090	2	0	2	1	0
63283	Α	Biopsy/excise neoplasm	42.72	42.72	090	2	0	2	1	0

5221.4030 FEES FOR MEDICAL SERVICES

658

5221.4030	re	ES FUR MEDICAL SERVIC	ES.						O	008
63285 63286	A A		58.81 62.84	58.81 62.84	090 090	2 2	0	2 2	1 1	0
63287	Α		60.66	60.66	090	2	0	2	1	0
63290	Α		62.73	62.73	090	2	0	2	1	0
(25) Spine lesion:	and	d spinal cord, excision, anteri	or or a	nterolate	eral app	roa	ch,	intra	aspii	nal
63300		Removal of vertebra	39.97	39.97	090	2	0	2	1	0
63301	A		44.85	44.85	090	2	0	2	1	0
63302		Removal of vertebra	47.54	47.54	090	2	0	2	1	0
63303		Removal of vertebra	47.43	47.43	090	2	0	2	1	0
63304		Removal of vertebra	49.49	49.49	090	2	0	2	0	0
63305	A		52.87	52.87	090	2	0	2	1	0
63306		Removal of vertebra	52.70	52.70	090	2	0	2	1	0
63307		Removal of vertebra	53.95	53.95	090	2	0	2	1	0
63308	Α	Removal of vertebra	9.08	9.08	ZZZ	0	0	2	0	0
(26) Spine	and	spinal cord, stereotaxis:								
63600	Α	Remove spinal cord	24.51	24.51	090	2	0	0	0	0
63610	Α	1	15.56	15.56	000	2	0	0	0	0
63615	Α	Remove lesion	27.06	27.06	090	2	0	1	1	0
(27) Spine	and	spinal cord, neurostimulators:								
63650	Α	Implant neuroelectrodes	14.45	14.45	090	2	0	1	0	0
63655	Α		22.28	22.28	090	2	0	2	1	0
63660	Α		13.00	13.00	090	2	0	2	1	0
63685	Α		14.34	14.34	090	2	0	2	1	0
63688		Revise neuroelectrodes	11.32	11.32	090	2	0	1	0	0
63690	Α	,	1.03	0.72	XXX	0	0	0	0	0
63691	Α	Analyze neuroelectrodes	1.05	0.85	XXX	2	0	1	0	0
(28) Spine	and	spinal cord, repair:								
63700	Α		27.19	27.19	090	2	0	2	1	0
63702	Α	Repair of spinal cord	30.49	30.49	090	2	0	2	1	0
63704		Repair of spinal cord	34.46	34.46	090	2	0	2	1	0
63706	Α	1 1	39.41	39.41	090	2	0	2	1	0
63707	Α	1 1	23.60	23.60	090	2	0	2	1	0
63709	Α	Repair spinal fluid	30.03	30.03	090	2	0	2	1	0
63710	Α	Graft repair	23.06	23.06	090	2	0	2	1	0
(29) Spine	and	spinal cord, shunt, spinal CSF:								
63740	Α	Install spinal shunt	24.04	24.04	090	2	0	2	1	0
63741		Install spinal shunt	17.58	17.58	090	2	0	2	1	0
63744	Α	1	16.15	16.15	090	2	0	2	1	0
63746	A	Removal of spine	11.76	11.76	090	2	0	0	0	0

(30) Extracranial nerves, peripheral nerves, and autonomic nervous system, introduction/injection of anesthetic agent, diagnostic or therapeutic:

64400	A Injection for nerve	1.50	1.27	000	2	0	1	0	0
64402	A Injection for nerve	1.78	1.78	000	2	0	1	0	0
64405	A Injection for nerve	1.86	1.55	000	2	0	1	0	0
64408	A Injection for nerve	2.35	1.84	000	2	0	0	0	0
64410	A Injection for nerve	2.07	2.07	000	2	0	0	0	0
64412	A Injection for nerve	1.71	1.41	000	2	0	1	0	0
64413	A Injection for nerve	2.03	1.67	000	2	0	1	0	0
64415	A Injection for nerve	1.63	1.63	000	2	0	1	0	0
64417	A Injection for nerve	2.00	2.00	000	2	0	1	0	0
64418	A Injection for nerve	2.07	1.66	000	2	0	1	0	0
64420	A Injection for nerve	1.73	1.73	000	2	0	1	0	0
64421	A Injection for nerve	2.42	2.42	000	2	0	1	0	0
64425	A Injection for nerve	2.19	2.19	000	2	0	1	0	0
64430	A Injection for nerve	2.07	2.07	000	2	0	1	0	0
64435	A Injection for nerve	1.82	1.59	000	2	0	1	0	0
64440	A Injection for nerve	2.03	1.65	000	2	0	1	0	0
64441	A Injection for nerve	2.67	2.18	000	2	0	1	0	0
64442	A Injection for nerve	2.52	2.52	000	2	0	1	0	0
64443	A Injection for nerve	1.56	1.56	ZZZ	0	0	1	0	0
64445	A Injection for nerve	1.85	1.61	000	2	0	1	0	0
64450	A Injection for nerve	1.69	1.44	000	2	0	1	0	0
64505	A Injection for nerve	1.87	1.57	000	2	0	1	0	0
64508	A Injection for nerve	2.07	1.56	000	2	0	0	0	0
64510	A Injection for nerve	1.89	1.89	000	2	0	1	0	0
64520	A Injection for nerve	2.01	2.01	000	2	0	1	0	0
64530	A Injection for nerve	2.72	2.72	000	2	0	1	0	0

(31) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurostimulators:

64550	Α	Apply neurostimulator	0.61	0.40	000	0	0	1	0	0
64553	Α	Implant neuroelectrodes	3.14	2.64	010	2	0	0	0	0
64555	Α	Implant neuroelectrodes	2.52	2.32	010	2	0	1	0	0
64560	Α	Implant neuroelectrodes	3.68	2.98	010	2	0	0	0	0
64565	Α	Implant neuroelectrodes	2.38	2.01	010	2	0	1	0	0
64573	Α	Implant neuroelectrodes	7.41	7.41	090	2	0	0	0	0
64575	Α	Implant neuroelectrodes	7.14	7.14	090	2	0	1	0	0
64577	Α	Implant neuroelectrodes	7.11	7.11	090	2	0	1	0	0
64580	Α	Implant neuroelectrodes	6.66	6.66	090	2	0	2	0	0
64585	Α	Revise neuroelectrodes	2.86	2.86	010	2	0	2	0	0
64590	Α	Implant neuroelectrodes	4.15	4.15	010	2	0	2	1	0
64595	Α	Revise neuroelectrodes	2.77	2.77	010	2	0	2	0	0

(32) Extracranial nerves, peripheral nerves, and autonomic nervous system, destruction by neurolytic agent:

64600	Α	Injection treatment	4.86	4.86	010	2	2	1	0	0
64605		Injection treatment	6.78	6.78	010	2	0	0	0	0
64610	Α	Injection treatment	14.26	14.26	010	2	0	1	0	0
64612	Α	Destroy nerve	3.27	2.57	010	2	0	1	0	0
64613	Α	Destroy nerve	3.27	2.57	010	2	0	1	0	0
64620	Α	Injection treatment	3.65	3.65	010	2	0	1	0	0

64622	Α	Injection treatment	4.67	4.67	010	2	0	1	0	0
64623	Α	Injection treatment	1.81	1.81	ZZZ	0	0	1	0	0
64630	Α	Injection treatment	4.61	4.61	010	2	0	0	0	0
64640	Α	Injection treatment	3.44	3.44	010	2	0	1	0	0
64680	Α	Injection treatment	4.10	4.10	010	2	0	1	0	0

(33) Extracranial nerves, peripheral nerves, and autonomic nervous system, neuroplasty:

Α	Revise finger/toe	8.30	8.30	090	2	0	1	0	0
A	Revise hand/foot	9.42	9.42	090	2	0	2	1	0
Α	Revise arm/leg	12.75	12.75	090	2	0	2	1	0
A	Revise sciatic nerve	16.20	16.20	090	2	0	2	1	0
A	Revise arm	20.01	20.01	090	2	0	2	1	0
Α	Revise low back	16.08	16.08	090	2	0	2	1	0
Α	Revise cranial nerve	10.76	10.76	090	2	0	2	1	0
A	Revise ulnar nerve	12.43	12.43	090	2	0	0	0	0
A	Revise ulnar nerve	9.65	9.65	090	2	0	1	0	0
A	Carpal tunnel	8.91	8.91	090	2	1	1	0	0
Α	Relieve pressure	9.87	9.87	090	2	0	2	1	0
A	Release foot/toe	4.53	4.53	090	2	0	1	0	0
Α	Internal nerve	6.25	6.25	ZZZ	0	0	1	0	0
	A A A A A A A	A Revise arm/leg A Revise sciatic nerve A Revise arm A Revise low back A Revise cranial nerve A Revise ulnar nerve A Revise ulnar nerve A Carpal tunnel A Relieve pressure A Release foot/toe	A Revise hand/foot 9.42 A Revise arm/leg 12.75 A Revise sciatic nerve 16.20 A Revise arm 20.01 A Revise low back 16.08 A Revise cranial nerve 10.76 A Revise ulnar nerve 12.43 A Revise ulnar nerve 9.65 A Carpal tunnel 8.91 A Relieve pressure 9.87 A Release foot/toe 4.53	A Revise hand/foot 9.42 9.42 A Revise arm/leg 12.75 12.75 A Revise sciatic nerve 16.20 16.20 A Revise arm 20.01 20.01 A Revise low back 16.08 16.08 A Revise cranial nerve 10.76 10.76 A Revise ulnar nerve 12.43 12.43 A Revise ulnar nerve 9.65 9.65 A Carpal tunnel 8.91 8.91 A Relieve pressure 9.87 9.87 A Release foot/toe 4.53 4.53	A Revise hand/foot 9.42 9.42 090 A Revise arm/leg 12.75 12.75 090 A Revise sciatic nerve 16.20 16.20 090 A Revise arm 20.01 20.01 090 A Revise low back 16.08 16.08 090 A Revise cranial nerve 10.76 10.76 090 A Revise ulnar nerve 12.43 12.43 090 A Revise ulnar nerve 9.65 9.65 090 A Carpal tunnel 8.91 8.91 090 A Relieve pressure 9.87 9.87 090 A Release foot/toe 4.53 4.53 090	A Revise hand/foot 9.42 9.42 090 2 A Revise arm/leg 12.75 12.75 090 2 A Revise sciatic nerve 16.20 16.20 090 2 A Revise arm 20.01 20.01 090 2 A Revise low back 16.08 16.08 090 2 A Revise cranial nerve 10.76 10.76 090 2 A Revise ulnar nerve 12.43 12.43 090 2 A Revise ulnar nerve 9.65 9.65 090 2 A Carpal tunnel 8.91 8.91 090 2 A Relieve pressure 9.87 9.87 090 2 A Release foot/toe 4.53 4.53 090 2	A Revise hand/foot 9.42 9.42 090 2 0 A Revise arm/leg 12.75 12.75 090 2 0 A Revise sciatic nerve 16.20 16.20 090 2 0 A Revise arm 20.01 20.01 090 2 0 A Revise low back 16.08 16.08 090 2 0 A Revise cranial nerve 10.76 10.76 090 2 0 A Revise ulnar nerve 12.43 12.43 090 2 0 A Revise ulnar nerve 9.65 9.65 090 2 0 A Carpal tunnel 8.91 8.91 090 2 1 A Relieve pressure 9.87 9.87 090 2 0 A Release foot/toe 4.53 4.53 090 2 0	A Revise hand/foot 9.42 9.42 090 2 0 2 A Revise arm/leg 12.75 12.75 090 2 0 2 A Revise sciatic nerve 16.20 16.20 090 2 0 2 A Revise arm 20.01 20.01 090 2 0 2 A Revise low back 16.08 16.08 090 2 0 2 A Revise cranial nerve 10.76 10.76 090 2 0 2 A Revise ulnar nerve 12.43 12.43 090 2 0 0 A Revise ulnar nerve 9.65 9.65 090 2 0 1 A Carpal tunnel 8.91 8.91 090 2 1 1 A Relieve pressure 9.87 9.87 090 2 0 2 A Release foot/toe 4.53 4.53 090 2 0 1	A Revise hand/foot 9.42 9.42 090 2 0 2 1 A Revise arm/leg 12.75 12.75 090 2 0 2 1 A Revise sciatic nerve 16.20 16.20 090 2 0 2 1 A Revise arm 20.01 20.01 090 2 0 2 1 A Revise low back 16.08 16.08 090 2 0 2 1 A Revise cranial nerve 10.76 10.76 090 2 0 2 1 A Revise ulnar nerve 12.43 12.43 090 2 0 0 0 A Revise ulnar nerve 9.65 9.65 090 2 0 1 0 A Carpal tunnel 8.91 8.91 090 2 1 1 0 A Relieve pressure 9.87 9.87 090 2 0 2 1 A Release foot/toe 4.53 4.53 090 2 0 1 0

(34) Extracranial nerves, peripheral nerves, and autonomic nervous system, transection or avulsion:

64702	Α	Revise finger/toe	8.30	8.30	090	2	0	1	0	0
64732	Α	Incision of brow nerve	8.56	8.56	090	2	0	2	0	0
64734	Α	Incision of cheek	9.29	9.29	090	2	0	0	0	0
64736	Α	Incision of chin	8.72	8.72	090	2	0	2	0	0
64738	Α	Incision of jaw	10.44	10.44	090	2	0	2	0	0
64740	Α	Incision of tongue nerve	10.42	10.42	090	2	0	2	0	0
64742	Α	Incision of face	10.72	10.72	090	2	0	2	0	0
64744	Α	Incision of back of head	10.93	10.93	090	2	1	0	0	0
64746	Α	Incise diaphragm	9.45	9.45	090	2	0	2	1	0
64752	Α	Incision of vagus	10.67	10.67	090	2	0	2	1	0
64755	Α	Incision of stomach	23.64	23.64	090	2	0	2	1	0
64760	Α	Incision of vagus	13.57	13.57	090	2	0	2	1	0
64761	Α	Incision of pelvus nerve	10.60	10.60	090	2	1	2	0	0
64763	Α	Incise hip/thigh	11.43	11.43	090	2	1	2	1	0
64766	Α	Incise hip/thigh	14.98	14.98	090	2	1	2	0	0
64771	Α	Sever cranial nerve	13.28	13.28	090	2	0	2	0	0
64772	Α	Incision of spinal nerve	13.80	13.80	090	2	0	2	1	0

(35) Extracranial nerves, peripheral nerves, and autonomic nervous system, excision:

64774	Α	Remove skin nerve	7.59	7.59	090	2	0	1	0	0
64776	Α	Remove digit nerve	7.56	7.56	090	2	0	0	0	0
64778	Α	Additional digit nerve	5.70	5.70	ZZZ	0	0	1	0	0
64782	Α	Remove limb nerve	10.45	10.45	090	2	0	1	1	0
64783	Α	Additional limb nerve	6.79	6.79	ZZZ	0	0	1	0	0
64784	Α	Remove nerve lesion	14.89	14.89	090	2	0	0	0	0
64786	Α	Remove sciatic nerve	27.44	27.44	090	2	0	2	0	0

64787	Α	Implant nerve end	7.59	7.59	ZZZ	0	0	0	0	0
64788	Α	Remove skin nerve	7.97	7.97	090	2	0	1	0	0
64790	Α	Removal of nerve	17.81	17.81	090	2	0	0	1	0
64792	Α	Removal of nerve	23.14	23.14	090	2	0	2	1	0
64795	Α	Biopsy of nerve	5.25	5.25	000	2	0	1	0	0
64802	Α	Remove sympathetic nerve	14.13	14.13	090	2	1	2	1	0
64804	Α	Remove sympathetic nerve	26.97	26.97	090	2	1	2	1	0
64809	Α	Remove sympathetic nerve	23.73	23.73	090	2	1	2	1	0
64818	Α	Remove sympathetic nerve	18.58	18.58	090	2	1	2	1	0
64820	Α	Remove sympathetic nerve	17.22	17.22	090	2	0	1	0	0

(36) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurorrhaphy:

(4000		) ( ) ( )	4.07	4.05	777	^	^	4	^	^
64830	Α	Microrepair of nerve	4.97	4.97	ZZZ	0	0	1	0	0
64831	Α	Repair of digit	12.14	12.14	090	2	0	1	0	0
64832	Α	Repair additional digit	6.62	6.62	ZZZ	0	0	0	0	0
64834	Α	Repair of hand	12.94	12.94	090	2	0	0	0	0
64835	Α	Repair of hand	16.26	16.26	090	2	0	2	0	0
64836	Α	Repair of hand	17.08	17.08	090	2	0	2	0	0
64837	Α	Repair additional nerve	10.45	10.45	ZZZ	0	0	2	0	0
64840	Α	Repair of leg nerve	22.11	22.11	090	2	0	2	0	0
64856	Α	Repair/transposition	21.26	21.26	090	2	0	1	1	0
64857	Α	Repair arm/leg	23.21	23.21	090	2	0	2	1	0
64858	Α	Repair sciatic nerve	26.74	26.74	090	2	0	2	1	0
64859	Α	Repair additional nerve	7.57	7.57	ZZZ	0	0	2	1	0
64861	Α	Repair of arm nerve	31.19	31.19	090	2	0	2	1	0
64862	Α	Repair of low back	39.36	39.36	090	2	0	2	0	0
64864	Α	Repair of facial nerve	19.63	19.63	090	2	0	2	1	0
64865	Α	Repair of facial nerve	26.58	26.58	090	2	0	2	1	0
64866	Α	Fusion of facial nerve	26.11	26.11	090	2	0	2	1	0
64868	Α	Fusion of facial nerve	24.37	24.37	090	2	0	2	1	0
64870	Α	Fusion of facial nerve	28.89	28.89	090	2	0	2	1	0
64872	Α	Subsequent repair	3.36	3.36	ZZZ	0	0	2	1	0
64874	Α	Repair and revise	5.04	5.04	ZZZ	0	0	2	1	0
64876	Α	Repair nerve	5.71	5.71	ZZZ	0	0	2	1	0

(37) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurorrhaphy with nerve graft:

64885	Α	Nerve graft, head/neck	28.99	28.99	090	2	0	2	1	0
64886	Α	Nerve graft, head/neck	34.43	34.43	090	2	0	2	1	0
64890	Α	Nerve graft, hand/foot	26.76	26.76	090	2	0	2	0	0
64891	Α	Nerve graft, hand/foot	25.67	25.67	090	2	0	2	0	0
64892	Α	Nerve graft, arm/leg	24.90	24.90	090	2	0	2	1	0
64893	A	Nerve graft, arm/leg	28.87	28.87	090	2	0	2	0	0
64895	Α	Nerve graft, hand/foot	31.59	31.59	090	2	0	2	1	0
64896	Α	Nerve graft, hand/foot	36.58	36.58	090	2	0	2	1	0
64897	Α	Nerve graft, arm/leg	30.12	30.12	090	2	0	2	0	0
64898	Α	Nerve graft, arm/leg	32.91	32.91	090	2	0	2	1	0
64901	Α	Graft additional nerve	19.57	19.57	ZZZ	0	0	2	1	0
64902	Α	Graft additional nerve	22.80	22.80	ZZZ	0	0	2	0	0
64905	Α	Nerve pedicle transfer	22.19	22.19	090	2	0	2	1	0
64907	Α	Nerve pedicle transfer	31.08	31.08	090	2	0	2	1	0

### 5221.4030 FEES FOR MEDICAL SERVICES

(38) Extracranial nerves, peripheral nerves, and autonomic nervous system, other procedures:										
64999	С	Nervous system surgery	0.00	0.00	YYY	2	0	0	1	1
(39) Eyebal	l, re	emoval of eye:								
65091	Α	Revise eye	12.98		090	2	1	0	1	0
65093	Α		13.83		090	2	1	1	1	0
65101	Α	Removal of eye	14.11	14.11	090	2	1	1	0	0
65103	Α	Remove eye/insert	15.19		090	2	1	1	1	0
65105	Α	Remove eye/attached	17.03		090	2	1	2	1	0
65110		Removal of eye	28.12		090	2	1	2	1	0
65112		Removal of eye	27.22		090	2	1	2	1	0
65114	Α	Removal of eye	29.45	29.45	090	2	1	2	1	0
(40) Eyebal	l, se	econdary implant procedures:								
65125	Α	Revise ocular implant	5.29	5.29	090	2	1	1	1	0
65130		Insert ocular implant	14.37		090	2	1	1	1	Ö
65135		Insert ocular implant	12.08	12.08	090	2	1	1	0	0
65140		Attach ocular implant	13.47		090	2	1	1	Ŏ	0
65150		Revise ocular implant	12.65	12.65	090	2	1	0	0	0
65155		Reinsert ocular implant	17.56	17.56	090	2	1	1	0	0
65175		Remove ocular implant	12.60	12.60	090	2	1	1	1	Õ
, , ,		emoval of foreign body:								
65205		Remove foreign body	1.01	0.83	000	2	1	1	0	0
65210		Remove foreign body	1.22	1.00	000	2	1	1	0	0
65220		Remove foreign body	1.17		000	2	1	1	0	0
65222		Remove foreign body	1.41	1.14	000	2	1	1	0	0
65235		Remove foreign body	12.46	12.46	090	2	1	0	0	0
65260		Remove foreign body	18.53	18.53	090	2	1	2	0	0
65265	Α	Remove foreign body	21.41	21.41	090	2	1	2	1	0
(42) Eyebal	l, re	pair of laceration:								
65270	Α	Repair of eye	2.89	2.89	010	2	1	0	0	0
65272	Α	Repair of eye	5.11	5.11	090	2	1	1	0	0
65273	Α	Repair of eye	7.18	7.18	090	2	1	1	1	0
65275	Α	Repair of eye	5.51	5.51	090	2	1	0	0	0
65280	Α	Repair of eye	15.37	15.37	090	2	1	0	0	0
65285	Α	Repair of eye	23.91	23.91	090	2	1	2	0	0
65286	Α	Repair of eye	9.77	7.45	090	2	1	1	0	0
65290	Α	Repair of eye	10.86	10.86	090	2	1	1	1	0
(43) Anterio	or se	egment, cornea:								
65400	Α	Removal of eye	11.93	11.93	090	2	1	1	0	0
65410	A	Biopsy of cornea	2.93	2.93	000	2	î	Ô	Ö	ŏ
- <del>-</del>	_	1 7		· <del></del>		_	-	-	-	-

### FEES FOR MEDICAL SERVICES 5221.4030 A Removal of eye 8.05 8.05 A Removal of eye 10.56 10.56 A Corneal smear 1.87 1.61 A Curette/treat cornea 1.60 1.23 A Curette/treat cornea 5.33 4.59 6.23 6.23 A Treatment of cornea 5.69 4.43 A Revision of cornea A Corneal transplant 23.85 23.85 28.27 28.27 A Corneal transplant 29.90 29.90 A Corneal transplant 29.84 29.84 A Corneal transplant N Revision of cornea 0.000.00XXX N Revision of cornea 0.00 0.00 XXX 0.00 XXX N Corneal tissue 0.00A Revise cornea 29.67 29.67 N Radial keratotomy 0.000.00 XXX A Correct astigmatism 8.62 6.35 A Correct astigmatism 11.69 11.69 (44) Anterior segment, anterior chamber: A Drainage of eye 3.45 3.45 3.54 2.66 A Drainage of eye 9.76 A Drainage of eye 9.76 9.05 A Drainage of eye 9.05 A Relieve inner eye 16.88 16.88 21.11 21.11 A Incision of eye 7.09 10.00 A Laser surgery A Incise inner eye 7.20 5.32 11.26 11.26 A Incise inner eye A Incise inner eye 11.52 11.52 A Incise inner eye 12.19 12.19 13.26 13.26 A Incise inner eye A Remove eye lesion 18.07 18.07 A Remove implant 15.94 15.94 A Remove blood clot 14.40 14.40 3.21 A Injection treatment 3.21 1.41 1.67 A Injection treatment (45) Anterior segment, anterior sclera: A Remove eye lesion 12.24 12.24 A Glaucoma surgery 16.68 16.68 A Glaucoma surgery 16.61 16.61 A Glaucoma surgery 19.94 19.94 A Glaucoma surgery 16.10 16.10 23.12 23.12 A Glaucoma surgery 25.74 A Incision of eye 25.74 A Implant eye shunt 29.24 29.24 A Revise eye shunt 16.36 16.36

12.99

22.25

11.99

12.99

22.25

11.99

A Repair eye lesion

A Follow-up surgery

A Repair/graft eve

 

### 5221.4030 FEES FOR MEDICAL SERVICES

(46) Ante	rior s	egment, iris, ciliary body:								
66500	Α	Incision of iris	7.46	7.46	090	2	1	1	1	0
66505	A	Incision of iris	6.96	6.96	090	2	1	1	Ō	Ŏ
66600	A		17.20	17.20	090	2	1	1	Ŏ	Ŏ
66605	A		23.45	23.45	090	2	1	1	Õ	ŏ
66625	Ā	Removal of iris	10.37	10.37	090	2	1	1	ő	Õ
66630	A		12.39	12.39	090	2	1	1	ŏ	ő
66635	A		12.59	12.59	090	2	1	1	Õ	0
66680	A		10.91	10.91	090	2	1	1	1	0
66682	A	_ •	12.44	12.44	090	2	1	1	0	0
66700	A		9.61	9.61	090	2	1	0	0	0
66710	A		9.65	9.65	090	2	1	1	0	0
66720		Destruction, ciliary	9.63	9.63	090	2	1	1	ő	ŏ
66740		Destruction, ciliary	9.64	9.64	090	2	1	1	0	ő
66761	A	the contract of the contract o	8.28	6.12	090	2	1	1	0	0
66762	A		9.33	6.90	090	2	1	1	0	0
66770	A		10.46	7.70	090	2	1	1	0	0
00770	A	Remove filler eye lesion	10.40	7.70	090	2	1	1	U	U
(47) Ante	rior s	egment, lens:								
66820	٨	Indicion secondary	7.83	7.83	090	2	1	1	0	0
66821		Incision, secondary After cataract	4.84	4.84	090	2	1	1	0	0
66825	A		14.76	14.76	090	2	1	0	0	0
66830		Removal of lens	15.07	15.07	090	2	1	1	0	0
66840	A	Removal of lens	15.88	15.88	090	2	1	1	0	0
66850		Removal of lens	18.34	18.34	090	2	1	1	0	0
66852		Removal of lens	20.14	20.14	090	2	1	0	1	0
66920		Extraction of lens	17.79	17.79	090	2	1	0	1	Ö
66930	A	Extraction of lens	19.69	19.69	090	2	1	0	0	ő
66940	A	Extraction of lens	17.93	17.93	090	2	1	0	1	ő
66983	A	Remove cataract	18.24	18.24	090	$\tilde{2}$	1	1	0	Ö
66984		Remove cataract	20.78	20.78	090	2	1	1	ŏ	ŏ
66985	A	Insert lens procedure	16.88	16.88	090	2	1	1	1	ŏ
66986	A	Exchange lens procedure	23.28	23.28	090	2	1	1	1	ŏ
(48) Ante	rior s	egment, other procedures:								
66999	С	Eye surgery	0.00	0.00	YYY	2	1	0	1	1
(49) Poste	rior s	segment, vitreous:								
67005	Α	Partial removal	11.85	11.85	090	2	1	1	1	0
67010	A	Partial removal	14.11	14.11	090	2	1	2	1	Ŏ
67015	A	Release of eye	12.71	12.71	090	$\bar{2}$	1	1	1	0
67025	A	Replace eye fluid	12.93	12.93	090	$\bar{2}$	1	1	1	0
67027	A	Implant drug delivery	18.84	18.84	090	2	1	2	1	Õ
67028	Α	Inject eye	5.50	5.06	000	2	1	1	Ō	Ŏ
67030		Incise inner eye	9.81	9.81	090	2	1	2	1	ŏ
67031		Laser surgery	7.65	5.70	090	2	1	1	0	0
67036		Remove inner eye fluid	24.25	24.25	090	2	1	2	1	0
67038	Α	· .	42.84	42.84	090	2	1	2	1	0
67039	Α	Laser treatment	29.53	29.53	090	2	1	2	1	0

665			<b>FEES</b>	FOR	MEDICAL	SERV	ЛСЕ	ES	522	1.40	30
67040	Δ	Laser treatment		34.91	l 34.91	090	2	1	2	1	0
07040	А	Laser treatment		J <del>1</del> .71	54.71	070	_	•	_	•	U
(50) Poster	ior s	egment, retina or chord	id.								
(50) 1 03101	101 3	eginent, retina or enore	nu.								
67101	Δ	Repair detached retina	1	15.20	11.20	090	2	1	1	0	0
67105		Repair detached retina		16.00		090	2	1	1	ŏ	ŏ
67107		Repair detached retina		29.84		090	2	1	2	1	ŏ
67108		Repair detached retina		41.99		090	$\bar{2}$	1	$\bar{2}$	ī	ŏ
67110		Repair detached retina		17.89		090	2	1	1	Ō	ŏ
67112		Re-repair detached		31.73		090	2	1	2	1	Ŏ
67115		Release, encircling		10.08		090	2	1	1	Ō	Ŏ
67120		Remove eye implant		11.99		090	2	1	1	1	Ō
67121	Α	Remove eye implant		19.06		090	2	1	2	1	0
67141		Treatment of retina		10.51		090	2	1	1	0	0
67145		Treatment of retina		11.42		090	2	1	1	0	0
67208	Α	Treatment of retina		13.49	9.93	090	2	1	1	0	0
67210	Α	Treatment of retina		18.10		090	2	1	1	0	0
67218	Α	Treatment of retina		25.52	2 25.52	090	2	1	1	0	0
67227	Α	Treatment of retina		13.25	13.25	090	2	1	1	0	0
67228	Α	Treatment of retina		20.90		090	2	1	1	0	0
(51) Poster	ior s	segment, sclera:									
` ,		,									
67250	Α	Reinforce eye		14.83	3 14.83	090	2	1	1	1	0
67255		Reinforce/graft eye		18.02		090	2	1	2	1	0
(52) Poster	ior s	segment, other procedur	es:								
67299	С	Eye surgery		0.00	0.00	YYY	2	1	0	1	1
(53) Ocula	r adı	nexa, extraocular muscle	es:								
										_	_
67311		Revise eye muscles		13.37		090	2	1	1	0	0
67312		Revise two eye muscle	S	17.12		090	2	1	1	1	0
67314	A	Revise eye muscles		15.14		090	2	1	1	0	0
67316		Revise two eye muscle	S	19.06		090	2	1	0	0	0
67318		Revise eye muscles		13.31		090	2	1	1	1	0
67320		Revise eye muscle		17.45		090	2	1	1	0	0
67331		Eye surgery		16.30		090	2	1	1	1	0
67332		Re-revise eye muscle		18.03		090	2	1	2	1	0
67334		Revise eye muscle		13.49		090	2	1	1	1	0
67335		Eye suture		5.14 16.78		ZZZ	0 2	1 1	1 2	1	0
67340 67343		Revise eye muscle				090	2	1	2	0	0
		Release eye tissue		12.48 4.97		090 010	2	1	1	1 0	0
67345 67350		Destroy nerve		4.99		000	2	1	0	0	0
67350 · 67399		Biopsy eye muscle				YYY	2	1	2	1	$0 \\ 1$
לצבוט י	С	Eye muscle surgery		0.00	0.00	111	۷	1	2	1	1
(54) Ocula	r adı	nexa. orbit:									
(= /) 30214											
67400	Α	Explore/biopsy eye		19.58	3 19.58	090	2	1	2	1	0
	_	1 1 1 1									

C= 40=			4.5.00			_		_	_	_
67405	Α	Explore/drain eye	15.99	15.99	090	2	1	2	0	0
67412	Α	Explore/treat eye	19.09	19.09	090	2	1	2	1	0
67413	Α	Explore/treat eye	17.21	17.21	090	2	1	2	0	0
67414	Α	Explore/decompress eye	18.45	18.45	090	2	1	2	1	0
67415	Α	Aspirate orbital contents	3.54	3.54	000	2	1	0	0	0
67420	Α	Explore/treat eye	35.03	35.03	090	2	1	2	1	0
67430	Α	Explore/treat eye	22.74	22.74	090	2	1	2	0	0
67440	Α	Explore/drain eye	26.33	26.33	090	2	1	2	1	0
67445	Α	Explore/decompress eye	24.16	24.16	090	2	1	2	1	0
67450	Α	Explore/biopsy eye	27.10	27.10	090	2	1	2	1	0
67500	Α	Inject/treat eye	1.46	1.46	000	2	1	1	0	0
67505	Α	Inject/treat eye	1.78	1.21	000	2	1	1	0	0
67515	Α	Inject/treat eye	1.11	0.84	000	2	1	1	0	0
67550	Α	Insert eye socket	18.93	18.93	090	2	1	1	1	0
67560	Α	Revise eye socket	17.91	17.91	090	2	1	0	0	0
67570	Α	Decompress optic nerve	19.85	19.85	090	2	1	2	1	0
67599	C	Orbit surgery procedure	0.00	0.00	YYY	2	1	2	1	1
		- · ·								

### (55) Ocular adnexa, eyelids:

67700	Α	Drainage of avalid	1.72	1.48	010	2	1	1	Λ	0
67710	A	Drainage of eyelid Incision of eyelid	1.72	1.46	010	2	1 1	1 1	0	0
67715			2.45	2.45		2	1	_	0	0
67800		Incision of eyelid	2.43	1.73	010	2	0	1		
	A	Remove eyelid lesion			010			1	0	0
67801	A	Remove eyelid lesion	3.09	2.42	010	2	0	1	0	0
67805	A	Remove eyelid lesion	3.39	2.73	010	2	0	1	0	0
67808	A	Remove eyelid lesion	5.58	5.58	090	2	0	1	0	0
67810	A	Biopsy of eyelid	2.15	1.76	000		0	1	0	0
67820	A	Revise eyelashes	1.19	1.00	000	2	0	1	0	0
67825	A	Revise eyelashes	2.15	1.72	010	2	0	1	0	0
67830	A	Revise eyelashes	3.68	3.44	010	2	0	1	0	0
67835	A	Revise eyelashes	11.21	11.21	090	2	0	0	0	0
67840	A	Remove eyelid lesion	3.07	2.48	010	2	0	1	0	0
67850	Α	Treat eyelid lesion	2.35	1.96	010	2	0	1	0	0
67875	Α	Closure of eyelid	2.96	2.74	000	2	0	1	0	0
67880	Α	Revision of eyelid	7.38	7.38	090	2	0	1	0	0
67882	Α	Revision of eyelid	10.20	10.20	090	2	0	1	0	0
67900	Α	Repair brow	9.34	9.34	090	2	0	1	0	0
67901	Α	Repair eyelid	14.09	14.09	090	2	1	1	0	0
67902	Α	Repair eyelid	14.25	14.25	090	2	1	2	1	0
67903	Α	Repair eyelid	12.96	12.96	090	2	1	1	1	0
67904	Α	Repair eyelid	12.73	12.73	090	2	1	1	1	0
67906	Α	Repair eyelid	11.64	11.64	090	2	1	1	0	0
67908	Α	Repair eyelid	10.40	10.40	090	2	1	1	0	0
67909	Α	Revise eyelid	10.90	10.90	090	2	1	1	0	0
67911	Α	Revise eyelid	10.82	10.82	090	2	1	1	0	0
67914	Α	Repair eyelid	7.47	7.47	090	2	1	1	0	0
67915	Α	Repair eyelid	4.13	3.53	090	2	1	1	0	0
67916	Α	Repair eyelid	10.67	10.67	090	2	1	1	0	0
67917	Α	Repair eyelid	12.12	12.12	090	2	1	1	0	0
67921	Α	Repair eyelid	6.81	6.81	090	2	1	1	0	0
67922	Α	Repair eyelid	3.97	3.39	090	2	1	1	Ŏ	0
67923	Α	Repair eyelid	11.80	11.80	090	2	1	1	Õ	Ō
67924	A	Repair eyelid	11.65	11.65	090	2	1	1	Ö	ŏ
67930	A	Repair eyelid	4.55	3.93	010	$\tilde{2}$	Ô	1	Õ	ŏ
67935	A	Repair eyelid	9.44	9.44	090	2	0	1	0	ŏ
,00			2.11	· · · ·	0,0	~	•	-	•	•

667	FEES	FOR M	FOR MEDICAL SERVICES					5221.4030			
67950 67961 67966 67971 67973 67974 67975	A Remove eyelid A Revision of eyelid A Revision of eyelid A Revision of eyelid A Reconstruction of eyelid C Revision of eyelid	1.73 11.71 11.49 13.31 19.56 25.26 25.73 12.43 0.00	1.48 11.71 11.49 13.31 19.56 25.26 25.73 12.43 0.00	010 090 090 090 090 090 090 090 YYY	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 2 0 1 2 2 2 1 0	0 1 0 0 1 1 1 0 1	0 0 0 0 0 0 0 0		
(56) Conjunc	tiva, incision and drainage:										
	A Incise/drain eye A Treatment of eye	1.75 1.22	1.51 1.00	010 000	2 2	0	1 1	0	0		
(57) Conjunc	tiva, excision and/or drainage:										
68110 68115 68130	A Biopsy of eyelid A Remove eyelid lesion A Remove eyelid lesion A Remove eyelid lesion A Remove eyelid lesion	2.21 2.84 4.07 8.55 2.41	1.74 2.24 4.07 8.55 2.05	000 010 010 090 010	2 2 2 2 2	0 0 0 0 0	1 1 1 1 1	0 0 0 0 0	0 0 0 0 0		
(58) Conjunc	tiva, injection:										
68200	A Treat eyelid	0.96	0.71	000	2	1	1	0	0		
(59) Conjunc	tiva, conjunctivoplasty:										
68325 68326 68328 68330 68335	A Revise/graft eyelid A Separate eyelid	10.82 14.85 14.36 16.57 9.71 14.54 6.91	10.82 14.85 14.36 16.57 9.71 14.54 6.91	090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 0 0 1	1 1 0 0 0 1	0 0 0 0 0 0		
(60) Conjunc	tiva, other procedures:										
68362	A Revise eyelid A Revise eyelid C Eyelid lining surgery	8.80 14.63 0.00	8.80 14.63 0.00	090 090 YYY	2 2 2	0 0 0	1 1 0	0 1 1	0 0 1		
(61) Conjunc	tiva, lacrimal system:										
68420 68440 68500	A Incise/drain tear duct A Incise/drain tear duct A Incise tear duct A Removal of tear duct A Partial removal	2.53 3.11 1.61 17.77 18.60	2.05 2.61 1.24 17.77 18.60	010 010 010 090 090	2 2 2 2 2	0 0 0 0 0	1 1 1 1	0 0 0 0	0 0 0 0		

### 5221.4030 FEES FOR MEDICAL SERVICES

68510	٨	Dianay of toor dust	7.90	7.90	000	2	0	0	0	0
	A	Biopsy of tear duct	15.08			2	0	0	0	
68520	A	Removal of tear duct		15.08	090					0
68525	A	Biopsy of tear duct	7.70	7.70	000	2	0	1	1	0
68530	A	Clearance of tear duct	6.17	4.79	010	2	0	1	0	0
68540		Remove tear gland	17.93	17.93	090	2	0	1	1	0
68550	Α	Remove tear gland	23.40	23.40	090	2	0	1	0	0
68700	Α	Repair tear duct	8.67	8.67	090	2	0	1	0	0
68705	Α	Revise tear duct	2.88	2.39	010	2	0	1	0	0
68720	Α	Create tear sac	18.05	18.05	090	2	0	2	1	0
68745	Α	Create tear duct	14.42	14.42	090	2	0	2	1	0
68750	Α	Create tear duct	17.53	17.53	090	2	0	2	1	0
68760	Α	Close tear duct	2.48	2.04	010	2	1	1	0	0
68761	Α	Close tear duct	2.15	1.70	010	2	1	0	0	0
68770	A	Close tear system	10.60	8.55	090	2	Ō	Ŏ	Ŏ	Ŏ
68801	Α	Dilate tear duct	1.27	1.07	010	2	1	1	Ö	ŏ
68810	A	Probe nasolacrimal duct	2.27	2.01	010	2	1	1	0	ŏ
68811	A	Probe nasolacrimal duct	3.62	3.62	010	2	1	1	0	0
						2	1	1		
68815	A	Probe nasolacrimal duct	4.82	3.89	010		_		0	0
68840	A	Explore/irrigate	1.62	1.39	010	2	0	1	0	0
68850	A	Injection	1.24	1.24	000	2	0	1	0	0
68899	С	Tear duct system surgery	0.00	0.00	YYY	2	0	0	1	1
(62) Extern	al e	ar, incision:								
69000	Α	Drain external ear	1.67	1.50	010	2	0	1	0	0
69005	A	Drain external ear	3.11	2.55	010	2	0	1	0	0
69020		Drain external ear	1.80	1.58	010	2	0	1	0	0
	A		0.00	0.00	XXX	9	9	9	9	9
69090	N	Pierce earlobes	0.00	0.00	<i><b>ЛЛЛ</b></i>	9	9	9	9	9
(62) Eutom	al a									
(63) Extern	ai e	ar, excision:								
69100	Α	Biopsy of external ear	1.41	1.09	000	2	0	1	0	0
69105	A	Biopsy of external ear	1.59	1.21	000	2	0	1	0	0
69110	Α	Partial removal	5.87	5.87	090	2	0	1	Ō	0
69120	A	Removal of external ear	4.47	4.47	090	2	Ŏ	1	ŏ	ŏ
69140	A	Remove ear canal	15.45	15.45	090	2	ŏ	Ô	ŏ	ŏ
69145	A	Remove ear canal	4.96	4.96	090	$\bar{2}$	Ŏ	1	ŏ	ŏ
69150	A	Extensive ear canal	22.99	22.99	090	2	ŏ	2	1	ŏ
69155		Extensive ear/neck	35.15	35.15	090	2	ő	2	1	ő
07133	Α.	Extensive car/neck	33.13	33.13	070	_	Ū	_	•	Ü
(64) Extern	പം	ar, removal of foreign body:								
(04) Extern	ai C	at, removal of foreign body.								
69200	Α	Clear outer ear	1.13	0.92	000	2	0	1	0	0
69205		Clear outer ear	2.18	2.18	010	2	0	1	0	0
69210		Remove impacted cerumen	0.79	0.68	000	2	2	1	0	0
69220		Clean out mastoid	1.26	1.02	000	2	1	1	ŏ	Õ
69222		Clean out mastoid	2.03	1.67	010	2	1	1	ŏ	ŏ
07222		Clean out mastera	2.03	1.07	010	_	•	•	Ü	Ů
(65) Extern	al e	ar renair:								
(02) Extern	ai Ci	ar, repair.								
69300	R	Revise external ear	11.05	11.05	YYY	0	0	0	0	0
69310		Rebuild outer ear	19.90	19.90	090	2	ŏ	1	ŏ	ŏ
<del></del>		<del></del>				_	-	_	-	-

669		1	FEES	FOR 1	MEDICAL	SERV	ЛСІ	ES	522	1.40	30
69320	A	Rebuild outer ear		30.46	30.46	090	2	0	2	0	0
(66) External ear, other procedures:											
69399	С	Outer ear surgery		0.00	0.00	YYY	2	0	0	1	1
(67) Middle	e ea	r, introduction:									
69400	Α	Inflate middle ear		1.22	1.00	000	2	0	1	0	0
69401	Α	Inflate middle ear		0.83	0.71	000	2	0	1	0	0
69405	Α	Catheterize middle ear		2.87	2.64	010	2	0	0	0	0
69410	Α	Inset middle ear		0.92	0.63	000	2	0	0	0	0
(68) Middle	ea	r, incision:									
69420	Α	Incision of ear		1.92	1.58	010	2	1	1	0	0
69421	A	Incision of ear		2.74		010	2	1	ĩ	Ŏ	Ŏ
69424	A	Remove ventilation		1.38		000	2	1	1	Ŏ	Ō
69433	Α	Create eardrum		2.75	2.10	010	2	1	1	0	0
69436	Α	Create eardrum		3.96	3.96	010	2	1	1	0	0
69440	Α	Exploration of ear		15.43	15.43	090	2	0	1	0	0
69450	Α	Eardrum revision		11.61	11.61	090	2	0	0	0	0
(69) Middle	e ea	r, excision:									
69501	Α	Simple mastoidectomy		18.52	18.52	090	2	0	1	0	0
69502	Α	Complete mastoidecton	าง	24.94		090	2	0	0	0	0
69505	Α	Remove mastoid	•	26.58	26.58	090	2	0	0	0	0
69511	Α	Extensive mastoid		27.65	27.65	090	2	0	0	0	0
69530	Α	Extensive mastoid		34.51	34.51	090	2	0	2	0	0
69535	Α	Remove part of bone		58.79	58.79	090	2	0	2	1	0
69540	Α	Remove ear lesion		2.39	1.78	010	2	0	1	0	0
69550	Α	Remove ear lesion		22.76		090	2	0	2	0	0
69552	Α			34.85		090	2	0	2	0	0
69554	Α	Remove ear lesion		53.65	53.65	090	2	0	2	1	0
(70) Middle	e ea	r, repair:									
69601	Α	Mastoid surgery		26.42	26.42	090	2	0	0	0	0
69602	Α	•		27.72		090	2	0	0	0	0
69603	Α	Mastoid surgery		28.66	28.66	090	2	0	0	0	0
69604	Α	Mastoid surgery		29.11		090	2	0	2	0	0
69605	Α			32.25		090	2	0	2	0	0
69610		Repair eardrum		4.98		010	2	0	1	0	0
69620		Repair eardrum		12.25		090	2	0	1	0	0
69631	Α	Repair eardrum		20.32		090	2	0	1	0	0
69632	Α			26.08		090	2	0	1	0	0
69633	Α			24.82		090	2	0	1	0	0
69635	Α	Repair eardrum		27.32		090	2	0	1	0	0
69636	A	Rebuild eardrum		31.15		090	2	0	0	0	0
69637	A	Rebuild eardrum		31.00	31.00	090	2	0	0	0	0

670

MIINNE50	IAF	KULES	<b>2</b> 00

69641	Α	Revise middle ear	26.07	26.07	090	2	0	1	0	0
69642		Revise middle ear	34.40	34.40	090	2	Õ	1	ŏ	0
69643		Revise middle ear	31.57	31.57	090	2	Õ	1	0	ŏ
69644		Revise middle ear	34.93	34.93	090	2	ő	1	0	ő
69645		Revise middle ear	33.66	33.66	090	2	0	1	0	0
69646		Revise middle ear	36.77	36.77	090	2	0	0	0	0
69650		Release middle ear	19.77	19.77	090	2	0	1	0	0
69660		Revise middle ear	24.45	24.45	090	2	0	1	0	0
69661	Α	Revise middle ear	32.07	32.07	090	2	0	0	0	0
69662	Α	Revise middle ear	31.49	31.49	090	2	0	1	0	0
69666	Α	Repair middle ear	20.19	20.19	090	2	0	0	0	0
69667	Α	Repair middle ear	20.15	20.15	090	2	0	0	0	0
69670	Α	Remove mastoid	20.88	20.88	090	2	0	2	0	0
69676	Α	Remove middle ear	17.36	17.36	090	2	1	1	0	0
(71) Midd	le ea	r, other procedures:								
60700		Class mosts id fintula	15 52	15.53	000	2	Λ	1	Λ	Λ
69700		Close mastoid fistula	15.53	0.00	090	2	0	1	0	0
69710	N	Implant/replace hearing	0.00		XXX	9	9	9	9	9
69711	Α	Remove/repair hearing	17.87	17.87	090	2	0	2	0	0
69720	Α	Release facial nerve	29.59	29.59	090	2	0	0	1	0
69725	Α	Release facial nerve	38.02	38.02	090	2	0	2	0	0
69740	Α	Repair facial nerve	26.85	26.85	090	2	0	2	0	0
69745	Α	Repair facial nerve	31.40	31.40	090	2	0	2	0	0
69799	С	Middle ear surgery	0.00	0.00	YYY	2	0	0	1	1
(72) Inner	ear,	incision and/or destruction:								
69801	Α	Incise inner ear	17.88	17.88	090	2	0	0	0	0
69802	A	Incise inner ear	23.42	23.42	090	2	ŏ	2	ő	Õ
69805	A	Explore inner ear	26.34	26.34	090	2	ŏ	$\tilde{2}$	Ö	0
69806	A	Explore inner ear	25.74	25.74	090	2	0	1	0	Ö
69820	A	Establish inner ear	18.49	18.49	090	2	0	2	0	0
69840	A	Revise inner ear	17.80	17.80	090	2	0	2	0	0
09040	A	Kevise illilei eai	17.00	17.00	090	2	U	2	U	U
(73) Inner	ear,	excision:								
69905	Λ	Remove inner ear	23.01	23.01	090	2	0	1	0	0
69910			28.14		090				-	
		Remove inner ear		28.14		2	0	0	0	0
69915	Α	Incise inner ear	37.49	37.49	090	2	0	2	1	0
(74) Inner	ear,	introduction:								
69930	Α	Implant cochlea	34.96	34.96	090	2	0	0	0	0
		•								
(75) Inner	ear,	other procedures:								
69949	C	Inner ear surgery	0.00	0.00	YYY	2	0	0	1	1
		<del>-</del> •								

(76) Te	mpo	ral	bone, middle fossa approach:								
69950		Α	Incise inner ear	41.93	41.93	090	2	0	2	1	0
69955			Release facial nerve	45.38	45.38	090	2	0	2	1	0
69960		Α	Release inner ear	42.85	42.85	090	2	0	2	1	0
69970		A	Remove inner ear	47.54	47.54	090	2	0	2	1	0
(77) Te	empo	ral	bone, middle fossa approach, o	other pro	ocedures	:					
69979		C	Temporal bone surgery	0.00	0.00	YYY	2	0	0	1	1
	F.	Pro	ocedure code numbers 70010 to	79999 i	relate to	radiolog	gy p	roc	edu	res.	
1	2	3	4	5	6	7	8	9	10	11	12
(1) Dia	ignos	tic	radiology, head and neck:								
70010		A	Contrast x-ray	5.76	5.76	XXX	0	0	0	0	0
70010	26	Α	Contrast x-ray	1.63	1.63	XXX	0	0	0	0	0
70010	TC		Contrast x-ray	4.13	4.13	XXX	0	0	0	0	0
70015		Α	Contrast x-ray	2.92	2.92	XXX	0	0	0	0	0
70015	26		Contrast x-ray	1.63	1.63	XXX	0	0	0	0	0
70015	TC		Contrast x-ray	1.30	1.30	XXX	0	0	0	0	0
70030	0.0		X-ray eye, foreign body	0.64	0.64	XXX	0	3	0	0	0
70030	26 TC		X-ray eye, foreign body	0.24	0.24	XXX	0	3	0	0	0
70030	TC	A	X-ray eye, foreign body	0.40	0.40	XXX	0	3	0	0	0
70100	26		X-ray exam of jaw	0.76	0.76 0.26	XXX XXX	0	0	0	0	0
70100	26 TC		X-ray exam of jaw	0.26 0.50	0.20	XXX	0	0	0	0	0 0
70100	IC		X-ray exam of jaw	0.30	0.30	XXX	0	0	0	0	0
70110 70110	26		X-ray exam of jaw X-ray exam of jaw	0.35	0.35	XXX	0	0	0	0	0
70110	ŤĊ		X-ray exam of jaw	0.59	0.59	XXX	0	0	0	0	0
70120	10		X-ray exam of mastoids	0.85	0.85	XXX	ő	3	0	0	Ö
70120	26		X-ray exam of mastoids	0.26	0.26	XXX	ő	3	0	ő	0
70120	TC		X-ray exam of mastoids	0.59	0.59	XXX	ŏ		ŏ	ŏ	ŏ
70130		A	X-ray exam of mastoids	1.23	1.23	XXX	Ŏ	3 3 3	ŏ	ŏ	Ŏ
70130	26		X-ray exam of mastoids	0.47	0.47	XXX	0	3	0	Ō	Ō
70130	TC	Α	X-ray exam of mastoids	0.75	0.75	XXX	0	3	0	0	0
70134		Α	X-ray exam of meati	1.18	1.18	XXX	0	0	0	0	0
70134	26		X-ray exam of meati	0.47	0.47	XXX	0	0	0	0	0
70134	TC		X-ray exam of meati	0.70	0.70	XXX	0	0	0	0	0
70140		Α	X-ray exam, facial bones	0.86	0.86	XXX	0	0	0	0	0
70140	26	Α	X-ray exam, facial bones	0.26	0.26	XXX	0	0	0	0	0
70140	TC	Α	X-ray exam, facial bones	0.59	0.59	XXX	0	0	0	0	0
70150			X-ray exam, facial bones	1.12	1.12	XXX	0	0	0	0	0
70150	26		X-ray exam, facial bones	0.36	0.36	XXX	0	0	0	0	0
70150	TC		X-ray exam, facial bones	0.75	0.75	XXX	0	0	0	0	0
70160		Α	,	0.74	0.74	XXX	0	0	0	0	0
70160	26		X-ray exam, nasal bones	0.24	0.24	XXX	0	0	0	0	0
70160	TC		X-ray exam, nasal bones	0.50	0.50	XXX	0	0	0	0	0
70170	01		X-ray exam of tear duct	1.32	1.32	XXX	0	0	0	0	0
70170	26 TC		X-ray exam of tear duct	0.42	0.42	XXX	0	0	0	0	0
70170	TC		X-ray exam of tear duct	0.90	0.90	XXX	0	0	0	0	0
70190	26	A	,	0.88	0.88	XXX	0	3	0	0	0
70190	26	A	X-ray exam of eye	0.29	0.29	XXX	U	3	U	U	U

70190	TC	Α	X-ray exam of eye	0.59	0.59	XXX	0	3	0	0	0
70200			X-ray exam of eye	1.14	1.14	XXX	0	0	0	Ŏ	Õ
70200	26		X-ray exam of eye	0.39	0.39	XXX	ŏ	ŏ	ŏ	ő	ŏ
									_		
70200	TC		X-ray exam of eye	0.75	0.75	XXX	0	0	0	0	0
70210			X-ray exam of sinuses	0.83	0.83	XXX	0	0	0	0	0
70210	26	Α	X-ray exam of sinuses	0.24	0.24	XXX	0	0	0	0	0
70210	TC	Α	X-ray exam of sinuses	0.59	0.59	XXX	0	0	0	0	0
70220		Α	X-ray exam of sinuses	1.11	1.11	XXX	0	0	0	0	0
70220	26	Α	X-ray exam of sinuses	0.35	0.35	XXX	0	0	0	0	0
70220	TC		X-ray exam of sinuses	0.75	0.75	XXX	ŏ	Ŏ	ŏ	Ŏ	Õ
70240	10			0.73	0.67	XXX	0	ő	0	0	0
	26		X-ray exam, pituitary								
70240	26	A	X-ray exam, pituitary	0.26	0.26	XXX	0	0	0	0	0
70240	TC		X-ray exam, pituitary	0.40	0.40	XXX	0	0	0	0	0
70250			X-ray exam of skull	0.93	0.93	XXX	0	0	0	0	0
70250	26	Α	X-ray exam of skull	0.34	0.34	XXX	0	0	0	0	0
70250	TC	Α	X-ray exam of skull	0.59	0.59	XXX	0	0	0	0	0
70260			X-ray exam of skull	1.33	1.33	XXX	0	0	0	0	0
70260	26		X-ray exam of skull	0.47	0.47	XXX	Ō	0	0	0	0
70260	TC		X-ray exam of skull	0.85	0.85	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70300	10	_					0	ő	0	Ö	0
	26	A	X-ray exam of teeth	0.40	0.40	XXX					
70300	26		X-ray exam of teeth	0.14	0.14	XXX	0	0	0	0	0
70300	TC	Α	X-ray exam of teeth	0.25	0.25	XXX	0	0	0	0	0
70310		Α	X-ray exam of teeth	0.62	0.62	XXX	0	0	0	0	0
70310	26	Α	X-ray exam of teeth	0.22	0.22	XXX	0	0	0	0	0
70310	TC	Α	X-ray exam of teeth	0.40	0.40	XXX	0	0	0	0	0
70320			Full mouth x-ray	1.06	1.06	XXX	0	0	0	0	0
70320	26		Full mouth x-ray	0.31	0.31	XXX	ŏ	Õ	Õ	ŏ	ŏ
70320	TC		Full mouth x-ray	0.75	0.75	XXX	0	0	ő	ŏ	ő
70328	10					XXX		0	0	Ö	
	26		X-ray exam of jaw	0.73	0.73		0				0
70328	26		X-ray exam of jaw	0.26	0.26	XXX	0	0	0	0	0
70328	TC		X-ray exam of jaw	0.47	0.47	XXX	0	0	0	0	0
70330		Α	X-ray exam of jaw	1.14	1.14	XXX	0	2	0	0	0
70330	26	Α	X-ray exam of jaw	0.34	0.34	XXX	0	2	0	0	0
70330	TC	Α	X-ray exam of jaw	0.80	0.80	XXX	0	2	0	0	0
70332		Α	X-ray exam of jaw	2.76	2.76	XXX	0	3	0	0	0
70332	26	Α	X-ray exam of jaw	0.75	0.75	XXX	0	3	0	0	0
70332	TC		X-ray exam of jaw	2.00	2.00	XXX	Ō	3	0	Ō	Ō
70336		A	Magnetic image	12.48	12.48	XXX	ŏ	3	ŏ	ŏ	ŏ
70336	26			1.79	1.79	XXX	0	3	ŏ	0	ŏ
			Magnetic image					3			
70336	TC		Magnetic image	10.69	10.69	XXX	0		0	0	0
70350	26	Α	X-ray head for teeth	0.60	0.60	XXX	0	0	0	0	0
70350	26	A	X-ray head for teeth	0.24	0.24	XXX	0	0	0	0	0
70350	TC		X-ray head for teeth	0.36	0.36	XXX	0	0	0	0	0
70355		Α	Panoramic x-ray	0.82	0.82	XXX	0	0	0	0	0
70355	26	Α	Panoramic x-ray	0.27	0.27	XXX	0	0	0	0	0
70355	TC	Α	Panoramic x-ray	0.54	0.54	XXX	0	0	0	0	0
70360			X-ray exam of neck	0.64	0.64	XXX	0	0	0	0	0
70360	26		X-ray exam of neck	0.24	0.24	XXX	Õ	Ŏ	Ŏ	Ŏ	Ŏ
70360	TC		•	0.40	0.40	XXX	0	Ö	0	0	0
	IC		X-ray exam of neck								
70370	0.0		Throat x-ray	1.69	1.69	XXX	0	0	0	0	0
70370	26	Α	Throat x-ray	0.45	0.45	XXX	0	0	0	0	0
70370	TC	Α	Throat x-ray	1.24	1.24	XXX	0	0	0	0	0
70371			Speech evaluation	3.17	3.17	XXX	0	0	0	0	0
70371	26	Α	Speech evaluation	1.16	1.16	XXX	0	0	0	0	0
70371	TC		Speech evaluation	2.00	2.00	XXX	0	0	0	0	0
70373	_		Contrast x-ray	2.31	2.31	XXX	Ŏ	Õ	Ō	Ō	Ŏ
70373	26		Contrast x-ray	0.61	0.61	XXX	0	ŏ	Ö	0	ŏ
70373	TC		Contrast x-ray	1.70	1.70	XXX	0	ŏ	0	0	0
10313	10	71	Commust Array	1.70	1.70	ллл	U	U	J	U	U

# FEES FOR MEDICAL SERVICES 5221.4030

70380		Α	X-ray exam of salivary	0.88	0.88	XXX	0	0	0	0	0
70380	26	Α		0.24	0.24	XXX	0	0	0	0	0
70380	TC	Α	X-ray exam of salivary	0.64	0.64	XXX	0	0	0	0	0
70390			X-ray exam of salivary	2.23	2.23	XXX	0	Ó	Ó	0	0
70390		A	X-ray exam of salivary	0.53	0.53	XXX	0	0	Ō	0	Ō
70390			X-ray exam of salivary	1.70	1.70	XXX	Õ	Ŏ	Ŏ	Ŏ	Ŏ
70450			CAT scan of head	5.68	5.68	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
70450		A		1.17	1.17	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70450		Α	CAT scan of head	4.51	4.51	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70460			Contrast CAT scan	6.95	6.95	XXX	ő	ő	ŏ	ŏ	0
70460		A	Contrast CAT scan	1.55	1.55	XXX	ő	0	Ö	Ö	0
70460		Â	Contrast CAT scan	5.40	5.40	XXX	0	Ö	0	0	0
70400		A	Contrast CAT scan	8.49	8.49	XXX	0	0	0	0	0
70470			Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
70470			Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70470		A		6.27	6.27	XXX	0	0	0	0	
			CAT scan of skull CAT scan of skull	1.76	1.76	XXX	0	0	0	0	0
70480											0
70480			CAT scan of skull	4.51	4.51	XXX	0	0	0	0	0
70481		A	Contrast CAT scan	7.29	7.29	XXX	0	0	0	0	0
70481		A	Contrast CAT scan	1.89	1.89	XXX	0	0	0	0	0
70481			Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70482		A	Contrast CAT scan	8.74	8.74	XXX	0	0	0	0	0
70482			Contrast CAT scan	1.99	1.99	XXX	0	0	0	0	0
70482			Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70486			CAT scan of face	6.07	6.07	XXX	0	0	0	0	0
70486			CAT scan of face	1.56	1.56	XXX	0	0	0	0	0
70486		Α	CAT scan of face	4.51	4.51	XXX	0	0	0	0	0
70487		Α	Contrast CAT scan	7.18	7.18	XXX	0	0	0	0	0
70487		Α	Contrast CAT scan	1.78	1.78	XXX	0	0	0	0	0
70487			Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70488		Α	Contrast CAT scan	8.70	8.70	XXX	0	0	0	0	0
70488		Α	Contrast CAT scan	1.95	1.95	XXX	0	0	0	0	0
70488	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70490		Α	CAT scan of neck	6.27	6.27	XXX	0	0	0	0	0
70490	26	Α	CAT scan of neck	1.76	1.76	XXX	0	0	0	0	0
70490	TC	Α	CAT scan of neck	4.51	4.51	XXX	0	0	0	0	0
70491		Α	Contrast CAT scan	7.29	7.29	XXX	0	0	0	0	0
70491	26	Α	Contrast CAT scan	1.89	1.89	XXX	0	0	0	0	0
70491	TC	Α	Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70492		A	Contrast CAT scan	8.74	8.74	XXX	0	0	0	0	0
70492		A	Contrast CAT scan	1.99	1.99	XXX	0	0	0	0	0
70492			Contrast CAT scan	6.75	6.75	XXX	Ō	Ō	Ō	Ō	Õ
70540	_	Α		12.72	12.72	XXX	Ŏ	Ŏ	Ŏ	Õ	Õ
70540			Magnetic image	2.04	2.04	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
70540			Magnetic image	10.69	10.69	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70541		R	Magnetic image	13.02	13.02	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70541		R	Magnetic image	2.34	2.34	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70541		R	Magnetic image	10.69	10.69	XXX	ŏ	ő	0	Ö	ŏ
70551		A	Magnetic image	12.72	12.72	XXX	0	Ö	0	0	ő
70551				2.04	2.04	XXX	0	Ö	0	0	
		A	Magnetic image				_				0
70551		A	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
70552		A	Magnetic image	15.28	15.28	XXX	0	0	0	0	0
70552		A	Magnetic image	2.45	2.45	XXX	0	0	0	0	0
70552		A	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
70553		A	Magnetic image	27.00	27.00	XXX	0	0	0	0	0
70553		A	Magnetic image	3.26	3.26	XXX	0	0	0	0	0
70553	TC	A	Magnetic image	23.73	23.73	XXX	0	0	0	0	0

(2) Diagnostic	radiology,	chest:
----------------	------------	--------

71010		Α	Chest x-ray	0.70	0.70	XXX	0	0	0	0	0
71010	26	Α	Chest x-ray	0.25	0.25	XXX	0	0	0	0	0
71010	TC	Α	Chest x-ray	0.45	0.45	XXX	0	0	0	0	0
71015		Α	X-ray exam of chest	0.79	0.79	XXX	0	0	0	0	0
71015	26	A	X-ray exam of chest	0.29	0.29	XXX	ŏ	0	0	0	ŏ
							-				
71015	TC	A	X-ray exam of chest	0.50	0.50	XXX	0	0	0	0	0
71020		Α	Chest x-ray	0.89	0.89	XXX	0	0	0	0	0
71020	26	Α	Chest x-ray	0.30	0.30	XXX	0	0	0	0	0
71020	TC	Α	Chest x-ray	0.59	0.59	XXX	0	0	0	0	0
71021		Α	Chest x-ray	1.08	1.08	XXX	0	0	0	0	0
71021	26	Α	Chest x-ray	0.37	0.37	XXX	0	0	0	0	0
71021	TC	Α	Chest x-ray	0.70	0.70	XXX	0	0	0	0	0
71022		A	Chest x-ray	1.13	1.13	XXX	0	0	0	0	0
71022	26	A	Chest x-ray	0.43	0.43	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
71022	TC	A	Chest x-ray	0.70	0.70	XXX	ő	0	ő	ŏ	0
	10										
71023	26	A	Chest x-ray	1.28	1.28	XXX	0	0	0	0	0
71023	26	A	Chest x-ray	0.53	0.53	XXX	0	0	0	0	0
71023	TC	A	Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71030		Α	Chest x-ray	1.18	1.18	XXX	0	0	0	0	0
71030	26	Α	Chest x-ray	0.43	0.43	XXX	0	0	0	0	0
71030	TC	Α	Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71034		Α	Chest x-ray	2.01	2.01	XXX	0	0	0	0	0
71034	26	Α	Chest x-ray	0.64	0.64	XXX	0	0	0	0	0
71034	TC	A	Chest x-ray	1.37	1.37	XXX	Ŏ	Ŏ	Ō	Ŏ	Ŏ
71035	•	A	Chest x-ray	0.75	0.75	XXX	Ö	0	ŏ	ŏ	ŏ
71035	26	A	Chest x-ray	0.25	0.75	XXX	Ö	0	ŏ	0	0
71035	TC	A		0.50	0.50	XXX	0	0	0	0	Ö
	10		Chest x-ray				-	_	0	0	
71036	26	A	X-ray guidance	2.26	2.26	XXX	0	0			0
71036	26	A	X-ray guidance	0.75	0.75	XXX	0	0	0	0	0
71036	TC	A	X-ray guidance	1.50	1.50	XXX	0	0	0	0	0
71038		Α	X-ray guidance	2.36	2.36	XXX	0	0	0	0	0
71038	26	Α	X-ray guidance	0.75	0.75	XXX	0	0	0	0	0
71038	TC	Α	X-ray guidance	1.61	1.61	XXX	0	0	0	0	0
71040		Α	Contrast x-ray	2.20	2.20	XXX	0	0	0	0	0
71040	26	Α	Contrast x-ray	0.81	0.81	XXX	0	0	0	0	0
71040	TC	Α	Contrast x-ray	1.39	1.39	XXX	0	0	0	0	0
71060		Α	Contrast x-ray	3.13	3.13	XXX	0	2	0	0	0
71060	26	A	Contrast x-ray	1.03	1.03	XXX	0	2	0	0	0
71060	TC	A	Contrast x-ray	2.11	2.11	XXX	ŏ	2	ŏ	ŏ	Ŏ
71090		A	X-ray and pacemaker	2.36	2.36	XXX	Ö	Õ	Ö	ŏ	Ö
71090	26	A	X-ray and pacemaker	0.75	0.75	XXX	0	ő	0	0	0
							0	0	0	0	0
71090	TC	A	X-ray and pacemaker	1.61	1.61	XXX	-		_		-
71100	26		X-ray exam of ribs	0.85	0.85	XXX	0	0	0	0	0
71100	26	A	X-ray exam of ribs	0.31	0.31	XXX	0	0	0	0	0
71100	TC		X-ray exam of ribs	0.54	0.54	XXX	0	0	0	0	0
71101			X-ray exam of ribs	1.02	1.02	XXX	0	0	0	0	0
71101	26	Α	X-ray exam of ribs	0.38	0.38	XXX	0	0	0	0	0
71101	TC	Α	X-ray exam of ribs	0.64	0.64	XXX	0	0	0	0	0
71110		Α	X-ray exam of ribs	1.13	1.13	XXX	0	2	0	0	0
71110	26	Α	X-ray exam of ribs	0.38	0.38	XXX	0	2	0	0	0
71110	TC		X-ray exam of ribs	0.75	0.75	XXX	0	2	0	0	0
71111		A	X-ray exam of ribs	1.30	1.30	XXX	Õ	2	Ŏ	Ŏ	Õ
71111	26	A	X-ray exam of ribs	0.45	0.45	XXX	ŏ	2	ŏ	ŏ	Ö
71111	TC		X-ray exam of ribs	0.45	0.85	XXX	0	2	0	0	0
71120	10		X-ray exam of sternum	0.89	0.89	XXX	0	0	0	0	0
/1120		11	12 ray exam of sternam	0.03	0.05	$\Lambda \Lambda \Lambda$	J	J	J	J	v

71120	26	Α	X-ray exam of sternum	0.27	0.27	XXX	0	0	0	0	0
71120	TC	Α	X-ray exam of sternum	0.62	0.62	XXX	0	0	0	0	0
71130			X-ray exam of sternum	0.97	0.97	XXX	0	0	0	0	0
71130	26	Α	X-ray exam of sternum	0.30	0.30	XXX	0	0	0	0	0
71130	TC	Α	X-ray exam of sternum	0.67	0.67	XXX	0	0	0	0	0
71250		Α	CAT scan of chest	7.23	7.23	XXX	0	0	0	0	0
71250	26	Α	CAT scan of chest	1.59	1.59	XXX	0	0	0	0	0
71250	TC	Α	CAT scan of chest	5.64	5.64	XXX	0	0	0	0	0
71260		Α	Contrast CAT scan	8.45	8.45	XXX	0	0	0	0	0
71.260	26	Α	Contrast CAT scan	1.70	1.70	XXX	0	0	0	0	0
71260	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
71270		Α	Contrast CAT scan	10.32	10.32	XXX	0	0	0	0	0
71270	26	Α	Contrast CAT scan	1.89	1.89	XXX	0	0	0	0	0
71270	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
71550		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
71550	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
71550	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
71555		R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
71555	26	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
71555	TC	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9

# (3) Diagnostic radiology, spine and pelvis:

72010		Α	X-ray exam of spine	1.60	1.60	XXX	0	0	0	0	0
72010	26	Α	X-ray exam of spine	0.62	0.62	XXX	0	0	0	0	0
72010	TC	Α	X-ray exam of spine	0.98	0.98	XXX	0	0	0	0	0
72020		Α	X-ray exam of spine	0.61	0.61	XXX	0	0	0	0	0
72020	26	Α	X-ray exam of spine	0.21	0.21	XXX	0	0	0	0	0
72020	TC	Α	X-ray exam of spine	0.40	0.40	XXX	0	0	0	0	0
72040		Α	X-ray exam of neck	0.87	0.87	XXX	0	0	0	0	0
72040	26	Α	X-ray exam of neck	0.30	0.30	XXX	0	0	0	0	0
72040	TC	Α	X-ray exam of neck	0.57	0.57	XXX	0	0	0	0	0
72050		Α	X-ray exam of neck	1.28	1.28	XXX	0	0	0	0	0
72050	26	Α	X-ray exam of neck	0.43	0.43	XXX	0	0	0	0	0
72050	TC	Α	X-ray exam of neck	0.85	0.85	XXX	0	0	0	0	0
72052		Α	X-ray exam of neck	1.58	1.58	XXX	0	0	0	0	0
72052	26	Α	X-ray exam of neck	0.50	0.50	XXX	0	0	0	0	0
72052	TC	Α	X-ray exam of neck	1.08	1.08	XXX	0	0	0	0	0
72069		Α	X-ray exam, thoracolumbar	0.77	0.77	XXX	0	0	0	0	0
72069	26	Α	X-ray exam, thoracolumbar	0.30	0.30	XXX	0	0	0	0	0
72069	TC	Α	X-ray exam, thoracolumbar	0.47	0.47	XXX	0	0	0	0	0
72070		Α	X-ray exam of thoracic	0.92	0.92	XXX	0	0	0	0	0
72070	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72070	TC	Α	X-ray exam of thoracic	0.62	0.62	XXX	0	0	0	0	0
72072		Α	X-ray exam of thoracic	1.01	1.01	XXX	0	0	0	0	0
72072	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72072	TC	Α	X-ray exam of thoracic	0.70	0.70	XXX	0	0	0	0	0
72074		Α	X-ray exam of thoracic	1.18	1.18	XXX	0	0	0	0	0
72074	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72074	TC	Α	X-ray exam of thoracic	0.87	0.87	XXX	0	0	0	0	0
72080		Α	X-ray exam, thoracolumbar	0.94	0.94	XXX	0	0	0	0	0
72080	26	Α	X-ray exam, thoracolumbar	0.30	0.30	XXX	0	0	0	0	0
72080	TC	Α	X-ray exam, thoracolumbar	0.64	0.64	XXX	0	0	0	0	0
72090		Α	X-ray exam, scoliosis	1.03	1.03	XXX	0	0	0	0	0
72090	26	Α	X-ray exam, scoliosis	0.39	0.39	XXX	0	0	0	0	0
72090	TC	Α	X-ray exam, scoliosis	0.64	0.64	XXX	0	0	0	0	0
			•								

72100		Α	X-ray exam of lumbar	0.94	0.94	XXX	0	0	0	0	0
72100	26		X-ray exam of lumbar	0.30	0.30	XXX	0	0	0	0	0
72100	TC		X-ray exam of lumbar	0.64	0.64	XXX	0	0	0	0	0
72110			X-ray exam of lumbar	1.30	1.30	XXX	Ō	Õ	Õ	Õ	Õ
72110	26		X-ray exam of lumbar	0.43	0.43	XXX	ŏ	Õ	Ŏ	Ŏ	Ŏ
72110	TC		X-ray exam of lumbar	0.87	0.87	XXX	0	ő	ő	ŏ	ő
72110	10		X-ray exam of lumbar	1.63	1.63	XXX	0	0	0	0	0
	26								_		
72114	26 TC	A	X-ray exam of lumbar	0.50	0.50	XXX	0	0	0	0	0
72114	TC		X-ray exam of lumbar	1.13	1.13	XXX	0	0	0	0	0
72120	2.		X-ray exam of lumbar	1.16	1.16	XXX	0	0	0	0	0
72120	26		X-ray exam of lumbar	0.30	0.30	XXX	0	0	0	0	0
72120	TC		X-ray exam of lumbar	0.85	0.85	XXX	0	0	0	0	0
72125		Α	+	7.23	7.23	XXX	0	0	0	0	0
72125	26	Α		1.59	1.59	XXX	0	0	0	0	0
72125	TC	Α	CAT scan of neck	5.64	5.64	XXX	0	0	0	0	0
72126		Α	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72126	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72126	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72127		Α	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72127	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72127	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	Ō	0	Õ
72128		Ā	CAT scan of thoracic	7.23	7.23	XXX	ŏ	ŏ	Ŏ	ŏ	Ŏ
72128	26	A		1.59	1.59	XXX	ő	ŏ	ŏ	ŏ	ŏ
72128	TC	A	CAT scan of thoracic	5.64	5.64	XXX	0	0	0	0	ő
72129	10	A	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72129	26	A	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
	TC						-				
72129	IC	A	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72130	26	A		10.17	10.17	XXX	0	0	0	0	0
72130	26 TC	A		1.74	1.74	XXX	0	0	0	0	0
72130	TC		Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72131	•	A		7.23	7.23	XXX	0	0	0	0	0
72131	26		CAT scan of low back	1.59	1.59	XXX	0	0	0	0	0
72131	TC	Α		5.64	5.64	XXX	0	0	0	0	0
72132		A	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72132	26		Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72132	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72133		Α	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72133	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72133	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72141		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
72141	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
72141	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
72142			Magnetic image	15.47	15.47	XXX	0	0	0	0	0
72142	26		Magnetic image	2.65	2.65	XXX	0	0	0	0	0
72142	TC	Α	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
72146		Ā	Magnetic image	14.07	14.07	XXX	Ō	ō	Ŏ	Ŏ	Ŏ
72146	26		Magnetic image	2.21	2.21	XXX	0	ŏ	ŏ	Õ	ŏ
72146	TC	A	Magnetic image	11.86	11.86	XXX	ŏ	ŏ	ŏ	ŏ	ő
72147	10	À	Magnetic image	15.47	15.47	XXX	ŏ	ŏ	ŏ	ő	ŏ
72147	26	A	Magnetic image	2.65	2.65	XXX	0	0	0	0	0
72147	TC			12.82	12.82	XXX	0	0	0	0	0
	IC	A	Magnetic image								
72148	26	A	Magnetic image	13.90	13.90	XXX	0	0	0	0	0
72148	26 TC	A	Magnetic image	2.04	2.04	XXX	0	0	0	0	0
72148	TC	A	Magnetic image	11.86	11.86	XXX	0	0	0	0	0
72149	01	A	Magnetic image	15.28	15.28	XXX	0	0	0	0	0
72149	26	A	Magnetic image	2.45	2.45	XXX	0	0	0	0	0
72149	TC	A	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
72156		Α	Magnetic image	27.27	27.27	XXX	0	0	0	0	0

72156	26	Α	Magnetic image	3.54	3.54	XXX	0	0	0	0	0
72156	TC	Α	Magnetic image	23.73	23.73	XXX	0	0	0	0	0
72157		Α	Magnetic image	27.27	27.27	XXX	0	0	0	0	0
72157	26	Α	Magnetic image	3.54	3.54	XXX	0	0	0	0	0
72157	TC	Α	Magnetic image	23.73	23.73	XXX	0	0	0	0	0
72158		Α	Magnetic image	27.00	27.00	XXX	0	0	0	0	0
72158	26	Α	Magnetic image	3.26	3.26	XXX	0	0	0	0	0
72158	TC	Α	Magnetic image	23.73	23.73	XXX	0	0	0	0	0
72159		N	Magnetic image	0.00	0.00	XXX	9	9	9	9.	9
72159	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72159	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72170		Α	X-ray exam of pelvis	0.73	0.73	XXX	0	0	0	0	0
72170	26	Α	X-ray exam of pelvis	0.23	0.23	XXX	0	0	0	0	0
72170	TC	Α	X-ray exam of pelvis	0.50	0.50	XXX	0	0	0	0	0
72190		A	X-ray exam of pelvis	0.93	0.93	XXX	0	0	0	0	0
72190	26		X-ray exam of pelvis	0.29	0.29	XXX	0	0	0	0	0
72190	TC		X-ray exam of pelvis	0.64	0.64	XXX	0	0	0	0	0
72192	20		CAT scan of pelvis	7.13	7.13	XXX	0	0	0	0	0
72192	26		CAT scan of pelvis	1.49	1.49	XXX	0	0	0	0	0
72192	TC	A	CAT scan of pelvis	5.64	5.64	XXX	0	0	0	0	0
72193	26	A	Contrast CAT scan	8.11	8.11	XXX	0	0	0	0	0
72193	26 TC		Contrast CAT scan	1.59	1.59	XXX	0	0	0	0	0
72193	TC		Contrast CAT scan	6.52	6.52	XXX	0	0	0	0	0
72194	26	A	Contrast CAT scan	9.75	9.75	XXX	0	0 0	0	0	0 0
72194	26 TC		Contrast CAT scan	1.66 8.09	1.66	XXX XXX	0	0	0	0	0
72194 72196	iC		Contrast CAT scan	12.89	8.09 12.89	XXX	0	0	0	0	0
72196	26	A A	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
72196	TC	A	Magnetic image Magnetic image	10.69	10.69	XXX	0	0	0	0	0
72198	ıc	Ñ	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72198	26	N	Magnetic image	0.00	0.00	XXX	9	ģ	9	9	9
72198	TC		Magnetic image	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
72200	10		X-ray exam of sacroiliac	0.74	0.74	XXX	ó	Ó	Ó	Ó	ó
72200	26	A	X-ray exam of sacroiliac	0.24	0.24	XXX	Ŏ	Õ	Ŏ	ŏ	Ŏ
72200	TČ	Α	X-ray exam of sacroiliac	0.50	0.50	XXX	ŏ	Õ	0	Ŏ	Õ
72202		A	X-ray exam of sacroiliac	0.86	0.86	XXX	Ŏ	Ŏ	Ō	Ŏ	Ŏ
72202	26		X-ray exam of sacroiliac	0.26	0.26	XXX	Ŏ	Ō	Ō	Ō	Ō
72202	TC	Α	X-ray exam of sacroiliac	0.59	0.59	XXX	0	0	0	0	0
72220		Α	X-ray exam of tailbone	0.78	0.78	XXX	0	0	0	0	0
72220	26	Α	X-ray exam of tailbone	0.24	0.24	XXX	0	0	0	0	0
72220	TC		X-ray exam of tailbone	0.54	0.54	XXX	0	0	0	0	0
72240		Α	Contrast x-ray	5.78	5.78	XXX	0	0	0	0	0
72240	26	Α	Contrast x-ray	1.26	1.26	XXX	0	0	0	0	0
72240		Α	Contrast x-ray	4.53	4.53	XXX	0	0	0	0	0
72255		Α	Contrast x-ray	5.39	5.39	XXX	0	0	0	0	0
72255	26	Α	Contrast x-ray	1.26	1.26	XXX	0	0	0	0	0
72255	TC	Α	Contrast x-ray	4.13	4.13	XXX	0	0	0	0	0
72265		Α	Contrast x-ray	5.04	5.04	XXX	0	0	0	0	0
72265	26	Α	Contrast x-ray	1.15	1.15	XXX	0	0	0	0	0
72265	TC	Α	Contrast x-ray	3.89	3.89	XXX	0	0	0	0	0
72270		Α	Contrast x-ray	7.64	7.64	XXX	0	0	0	0	0
72270	26	Α	Contrast x-ray	1.83	1.83	XXX	0	0	0	0	0
72270	TC	Α	Contrast x-ray	5.82	5.82	XXX	0	0	0	0	0
72285		Α	X-ray of neck	9.15	9.15	XXX	0	0	0	0	0
72285	26		X-ray of neck	1.15	1.15	XXX	0	0	0	0	0
72285	TC	Α	X-ray of neck	7.99	7.99	XXX	0	0	0	0	0
72295		Α	X-ray of lower back	8.64	8.64	XXX	0	0	0	0	0
72295	26	Α	X-ray of lower back	1.15	1.15	XXX	0	0	0	0	0

72295	TC	A	X-ray of lower back	7.49	7.49	XXX	0	0	0	0	0
(4) Dia	agnos	tic	radiology, upper extremities:								
73000		Α	X-ray exam of clavicle	0.72	0.72	XXX	0	3	0	0	0
73000	26		X-ray exam of clavicle	0.22	0.22	XXX	0	3	0	0	0
73000	TC		X-ray exam of clavicle	0.50	0.50	XXX	0	3	0	0	0
73010		Α	X-ray exam of scapula	0.74	0.74	XXX	0	3	0	0	0
73010	26	Α	X-ray exam of scapula	0.24	0.24	XXX	0	3	0	0	0
73010	TC	Α	X-ray exam of scapula	0.50	0.50	XXX	0	3	0	0	0
73020			X-ray exam of shoulder	0.66	0.66	XXX	0	3	0	0	0
73020	26	Α	X-ray exam of shoulder	0.21	0.21	XXX	0	3	0	0	0
73020	TC	Α	X-ray exam of shoulder	0.45	0.45	XXX	0	3	0	0	0
73030			X-ray exam of shoulder	0.79	0.79	XXX	0	3	0	0	0
73030	26		X-ray exam of shoulder	0.25	0.25	XXX	0	3	0	0	0
73030	TC	Α	X-ray exam of shoulder	0.54	0.54	XXX	0	3	0	0	0
73040		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73040	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73040	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73050		Α	X-ray exam of shoulder	0.91	0.91	XXX	0	2	0	0	0
73050	26	Α	X-ray exam of shoulder	0.27	0.27	XXX	0	2	0	0	0
73050	TC	Α	X-ray exam of shoulder	0.64	0.64	XXX	0	2	0	0	0
73060		Α	X-ray exam of humerus	0.78	0.78	XXX	0	3	0	0	0
73060	26	Α	X-ray exam of humerus	0.24	0.24	XXX	0	3	0	0	0
73060	TC	Α	X-ray exam of humerus	0.54	0.54	XXX	0	3	0	0	0
73070		Α	X-ray exam of elbow	0.71	0.71	XXX	0	3	0	0	0
73070	26	Α	X-ray exam of elbow	0.21	0.21	XXX	0	3	0	0	0
73070	TC	Α	X-ray exam of elbow	0.50	0.50	XXX	0	3	0	0	0
73080		Α	X-ray exam of elbow	0.78	0.78	XXX	0	3	0	0	0
73080	26	Α	X-ray exam of elbow	0.24	0.24	XXX	0	3	0	0	0
73080	TC	Α	X-ray exam of elbow	0.54	0.54	XXX	0	3	0	0	0
73085		A	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73085	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73085	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73090		A	X-ray exam of forearm	0.72	0.72	XXX	0	3	0	0	0
73090	26		X-ray exam of forearm	0.22	0.22	XXX	0	3	0	0	0
73090	TC	A	X-ray exam of forearm	0.50	0.50	XXX	0	3	0	0	0
73092			X-ray exam of infant	0.69	0.69	XXX	0	3	0	0	0
73092	26	A	X-ray exam of infant	0.22	0.22	XXX	0	3	0	0	0
73092	TC	Α	X-ray exam of infant	0.47	0.47	XXX	0	3	0	0	0
73100	26	A	X-ray exam of wrist	0.69	0.69	XXX	0	3	0	0	0
73100	26 TC		X-ray exam of wrist	0.22	0.22	XXX	0	3	0	0	0
73100	TC		X-ray exam of wrist	0.47	0.47	XXX	0	3	0	0	0
73110	26		X-ray exam of wrist	0.75 0.24	0.75	XXX	$0 \\ 0$	3 3	0	$0 \\ 0$	0 0
73110	26 TC	A	X-ray exam of wrist	0.24	0.24 0.51	XXX XXX	0	3	0	0	0
73110 73115	TC	A	X-ray exam of wrist	2.26	2.26	XXX	0	3	0	0	0
73115	26		Contrast x-ray Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73115			Contrast x-ray	1.50	1.50	XXX	0	3	0	0	Ö
73113	10		X-ray exam of hand	0.69	0.69	XXX	Ö	3	0	0	ő
73120	26		X-ray exam of hand	0.09	0.09	XXX	0	3	0	0	0
73120	TC		X-ray exam of hand	0.47	0.22	XXX	0	3	0	Ö	0
73120		A	X-ray exam of hand	0.75	0.75	XXX	ő	3	0	ŏ	0
73130	26		X-ray exam of hand	0.73	0.73	XXX	0	3	0	ő	Ö
73130			X-ray exam of hand	0.51	0.51	XXX	ő	3	ő	ŏ	ŏ
73140		A	X-ray exam of fingers	0.58	0.58	XXX	ŏ	3	Õ	ŏ	ŏ
							-	-	_	_	-

73140	26	Α	X-ray exam of fingers	0.18	0.18	XXX	0	3	0	0	0
73140	TC	Α	X-ray exam of fingers	0.40	0.40	XXX	0	3	0	0	0
73200		Α	CAT scan of arm	6.23	6.23	XXX	0	3	0	0	0
73200	26	Α	CAT scan of arm	1.49	1.49	XXX	0	3	0	0	0
73200	TC	Α	CAT scan of arm	4.73	4.73	XXX	0	3	0	0	0
73201		Α	Contrast CAT scan	7.23	7.23	XXX	0	3	0	0	0
73201	26	Α	Contrast CAT scan	1.59	1.59	XXX	0	3	0	0	0
73201	TC	Α	Contrast CAT scan	5.64	5.64	XXX	0	3	0	0	0
73202		Α	Contrast CAT scan	8.75	8.75	XXX	0	3	0	0	0
73202	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	3	0	0	0
73202	TC	Α	Contrast CAT scan	7.09	7.09	XXX	0	3	0	0	0
73220		Α	Magnetic image	12.72	12.72	XXX	0	3	0	0	0
73220	26	Α	Magnetic image	2.04	2.04	XXX	0	3	0	0	0
73220	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73221		Α	Magnetic image	12.48	12.48	XXX	0	3	0	0	0
73221	26	Α	Magnetic image	1.79	1.79	XXX	0	3	0	0	0
73221	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73225		N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
73225	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
73225	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9

# (5) Diagnostic radiology, lower extremities:

73500		Α	X-ray exam of hip	0.69	0.69	XXX	0	0	0	0	0
73500	26	Α	X-ray exam of hip	0.24	0.24	XXX	0	0	0	0	0
73500	TC		X-ray exam of hip	0.45	0.45	XXX	0	0	0	0	0
73510		Α		0.84	0.84	XXX	0	0	0	0	0
73510	26	Α	X-ray exam of hip	0.29	0.29	XXX	0	0	0	0	0
73510	TC	Α	X-ray exam of hip	0.54	0.54	XXX	0	0	0	0	0
73520		Α	X-ray exam of hip	1.00	1.00	XXX	0	2	0	0	0
73520	26	Α	X-ray exam of hip	0.36	0.36	XXX	0	2	0	0	0
73520	TC	Α	X-ray exam of hip	0.64	0.64	XXX	0	2	0	0	0
73525		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73525	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73525	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73530		Α	X-ray exam of hip	0.90	0.90	XXX	0	3	0	0	0
73530	26	Α	X-ray exam of hip	0.40	0.40	XXX	0	3	0	0	0
73530	TC	Α	X-ray exam of hip	0.50	0.50	XXX	0	3	0	0	0
73540		Α	X-ray exam of pelvis	0.83	0.83	XXX	0	0	0	0	0
73540	26	Α	X-ray exam of pelvis	0.28	0.28	XXX	0	0	0	0	0
73540	TC	Α	X-ray exam of pelvis	0.54	0.54	XXX	0	0	0	0	0
73550		Α	X-ray exam of thigh	0.78	0.78	XXX	0	3	0	0	0
73550	26	Α	X-ray exam of thigh	0.24	0.24	XXX	0	3	0	0	0
73550	TC	Α	X-ray exam of thigh	0.54	0.54	XXX	0	3	0	0	0
73560		Α	X-ray exam of knee	0.73	0.73	XXX	0	3	0	0	0
73560	26	Α	X-ray exam of knee	0.23	0.23	XXX	0	3	0	0	0
73560	TC	Α	X-ray exam of knee	0.50	0.50	XXX	0	3	0	0	0
73562		Α	X-ray exam of knee	0.80	0.80	XXX	0	3	0	0	0
73562	26	Α	X-ray exam of knee	0.26	0.26	XXX	0	3	0	0	0
73562	TC	Α	X-ray exam of knee	0.54	0.54	XXX	0	3	0	0	0
73564		Α	X-ray exam of knee	0.90	0.90	XXX	0	3	0	0	0
73564	26	Α	X-ray exam of knee	0.31	0.31	XXX	0	3	0	0	0
73564	TC	Α	X-ray exam of knee	0.59	0.59	XXX	0	3	0	0	0
73565		Α	X-ray exam of knee	0.70	0.70	XXX	0	2	0	0	0
73565	26	Α	X-ray exam of knee	0.23	0.23	XXX	0	2	0	0	0
73565	TC	Α	X-ray exam of knee	0.47	0.47	XXX	0	2	0	0	0

73580		Α	Contrast x-ray	3.26	3.26	XXX	0	3	0	0	0
73580	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73580	TC		Contrast x-ray	2.51	2.51	XXX	0	3	0	0	0
73590		Α	X-ray exam of calf	0.73	0.73	XXX	0	3	0	0	0
73590	26	A	X-ray exam of calf	0.23	0.23	XXX	0	3	0	0	0
73590	TC	A	X-ray exam of calf	0.50	0.50	XXX	Õ	3	0	ŏ	Õ
73592	- 0	A	X-ray exam of calf	0.69	0.69	XXX	Õ	3	Õ	Õ	0
73592	26	A	X-ray exam of calf	0.22	0.22	XXX	ŏ	3	Õ	ő	ŏ
73592	TC		X-ray exam of calf	0.47	0.47	XXX	ő	3	ŏ	ŏ	ŏ
73600	10	A	X-ray exam of ankle	0.69	0.69	XXX	ŏ	3	ŏ	ő	ŏ
73600	26	A	X-ray exam of ankle	0.22	0.22	XXX	0	3	ő	ŏ	ŏ
73600	TC	A	X-ray exam of ankle	0.47	0.47	XXX	0	3	0	ő	ŏ
73610	10	A	X-ray exam of ankle	0.75	0.75	XXX	0	3	ő	0	ő
73610	26	A	X-ray exam of ankle	0.73	0.73	XXX	0	3	0	0	0
73610	TC	A		0.24	0.24	XXX	0	3	0	0	0
73615	10	A	X-ray exam of ankle	2.76	2.76	XXX	0	3	0	0	0
73615	26	A	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73615	TC	A	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
	IC		Contrast x-ray	0.69	0.69	XXX	0	3	0	0	0
73620	26	A	X-ray exam of foot	0.09	0.09	XXX	0	3	0	0	0
73620	26 TC	A	X-ray exam of foot				0	3			
73620	TC	A	X-ray exam of foot	0.47	0.47	XXX	_	3	0	0	0
73630	26	A	X-ray exam of foot	0.75	0.75	XXX	0		0	0	0
73630	26 TC	A	X-ray exam of foot	0.24	0.24	XXX	0	3	0	0	0
73630	TC	A	X-ray exam of foot	0.51	0.51	XXX	0	3	0	0	0
73650	26	A	X-ray exam of heel	0.67	0.67	XXX	0	3	0	0	0
73650	26	Α	X-ray exam of heel	0.22	0.22	XXX	0	3	0	0	0
73650	TC		X-ray exam of heel	0.45	0.45	XXX	0	3	0	0	0
73660	0.0	A	X-ray exam of toes	0.58	0.58	XXX	0	3	0	0	0
73660	26	Α	X-ray exam of toes	0.18	0.18	XXX	0	3	0	0	0
73660	TC		X-ray exam of toes	0.40	0.40	XXX	0	3	0	0	0
73700	2.0	A	CAT scan of leg	6.23	6.23	XXX	0	2	0	0	0
73700	26	A	CAT scan of leg	1.49	1.49	XXX	0	2	0	0	0
73700	TC	A	CAT scan of leg	4.73	4.73	XXX	0	2	0	0	0
73701	•	A	Contrast CAT scan	7.23	7.23	XXX	0	2	0	0	0
73701	26	Α	Contrast CAT scan	1.59	1.59	XXX	0	2	0	0	0
73701	TC		Contrast CAT scan	5.64	5.64	XXX	0	2	0	0	0
73702		Α	Contrast CAT scan	8.75	8.75	XXX	0	2	0	0	0
73702	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	2	0	0	0
73702	TC	Α	Contrast CAT scan	7.09	7.09	XXX	0	2	0	0	0
73720		Α	Magnetic image	12.72	12.72	XXX	0	2	0	0	0
73720	26	Α	Magnetic image	2.04	2.04	XXX	0	2	0	0	0
73720	TC		Magnetic image	10.69	10.69	XXX	0	2	0	0	0
73721	2.		Magnetic image	12.48	12.48	XXX	0	3	0	0	0
73721	26		Magnetic image	1.79	1.79	XXX	0	3	0	0	0
73721	TC		Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73725			Magnetic image	13.03	13.03	XXX	0	2	0	0	0
73725	26		Magnetic image	2.34	2.34	XXX	0	2	0	0	0
73725	TC	R	Magnetic image	10.69	10.69	XXX	0	2	0	0	0
(6) Dia	ignos	tic 1	radiology, abdomen:								
74000		Λ	Y-ray evam of abdoman	0.75	0.75	XXX	0	Ω	0	0	n
74000	26	A	X-ray exam of abdomen X-ray exam of abdomen	0.75	0.75	XXX	0	0	0	0	0
74000			X-ray exam of abdomen	0.23	0.23	XXX	0	0	0	0	0
74010	10		X-ray exam of abdomen	0.30	0.87	XXX	0	0	0	ő	ő
74010	26		X-ray exam of abdomen	0.33	0.33	XXX	ő	ŏ	ŏ	ő	ŏ

74010 26 A X-ray exam of abdomen

0.33

0.33

XXX 0

74010	TC	Α	X-ray exam of abdomen	0.54	0.54	XXX	0	0	0	0	0
74020		Α	X-ray exam of abdomen	0.97	0.97	XXX	0	0	0	0	0
74020	26	Α	X-ray exam of abdomen	0.38	0.38	XXX	0	0	0	0	0
74020	TC	Α	X-ray exam of abdomen	0.59	0.59	XXX	0	0	0	0	0
74022		Α	X-ray exam series	1.15	1.15	XXX	0	0	0	0	0
74022	26	Α	X-ray exam series	0.45	0.45	XXX	0	0	0	0	0
74022	TC	Α	X-ray exam series	0.70	0.70	XXX	0	0	0	0	0
74150		Α	CAT scan of abdomen	7.03	7.03	XXX	0	0	0	0	0
74150	26	Α	CAT scan of abdomen	1.63	1.63	XXX	0	0	0	0	0
74150	TC	Α	CAT scan of abdomen	5.40	5.40	XXX	0	0	0	0	0
74160		Α	Contrast CAT scan	8.27	8.27	XXX	0	0	0	0	0
74160	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
74160	TC	Α	Contrast CAT scan	6.52	6.52	XXX	0	0	0	0	0
74170		Α	Contrast CAT scan	10.02	10.02	XXX	0	0	0	0	0
74170	26	Α	Contrast CAT scan	1.92	1.92	XXX	0	0	0	0	0
74170	TC	Α	Contrast CAT scan	8.09	8.09	XXX	0	0	0	0	0
74181		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
74181	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
74181	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
74185		R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74185	26	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74185	TC	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74190		Α	X-ray exam of peritoneum	1.81	1.81	XXX	0	0	0	0	0
74190	26	Α	X-ray exam of peritoneum	0.57	0.57	XXX	0	0	0	0	0
74190	TC	Α	X-ray exam of peritoneum	1.24	1.24	XXX	0	0	0	0	0

# (7) Diagnostic radiology, gastrointestinal tract:

74210		Α	Contrast x-ray	1.62	1.62	XXX	0	0	0	0	0
74210	26	Α	Contrast x-ray	0.49	0.49	XXX	0	0	0	0	0
74210	TC	Α	Contrast x-ray	1.13	1.13	XXX	0	0	0	0	0
74220		Α	Contrast x-ray	1.77	1.77	XXX	0	0	0	0	0
74220	26	Α	Contrast x-ray	0.64	0.64	XXX	0	0	0	0	0
74220	TC	Α	Contrast x-ray	1.13	1.13	XXX	0	0	0	0	0
74230		Α	Cinema x-ray of throat	1.99	1.99	XXX	0	0	0	0	0
74230	26	Α	Cinema x-ray of throat	0.74	0.74	XXX	0	0	0	0	0
74230	TC	Α	Cinema x-ray of throat	1.24	1.24	XXX	0	0	0	0	0
74235		Α	Remove obstruction	4.14	4.14	XXX	0	0	0	0	0
74235	26	Α	Remove obstruction	1.63	1.63	XXX	0	0	0	0	0
74235	TC	Α	Remove obstruction	2.51	2.51	XXX	0	0	0	0	0
74240		Α	X-ray exam of upper	2.36	2.36	XXX	0	0	0	0	0
74240	26	Α	X-ray exam of upper	0.96	0.96	XXX	0	0	0	0	0
74240	TC	Α	X-ray exam of upper	1.39	1.39	XXX	0	0	0	0	0
74241		Α	X-ray exam of upper	2.38	2.38	XXX	0	0	0	0	0
74241	26	Α	X-ray exam of upper	0.96	0.96	XXX	0	0	0	0	0
74241	TC	Α	X-ray exam of upper	1.42	1.42	XXX	0	0	0	0	0
74245		Α	X-ray exam of upper	3.53	3.53	XXX	0	0	0	0	0
74245	26	Α	X-ray exam of upper	1.26	1.26	XXX	0	0	0	0	0
74245	TC	Α	X-ray exam of upper	2.28	2.28	XXX	0	0	0	0	0
74246		Α	Contrast x-ray	2.53	2.53	XXX	0	0	0	0	0
74246	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74246	TC	Α	Contrast x-ray	1.57	1.57	XXX	0	0	0	0	0
74247		Α	Contrast x-ray	2.57	2.57	XXX	0	0	0	0	0
74247	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74247	TC	Α	Contrast x-ray	1.61	1.61	XXX	0	0	0	0	0
74249		Α	Contrast x-ray	3.71	3.71	XXX	0	0	0	0	0

74249	26	Α	Contrast x-ray	1.26	1.26	XXX	0	0	0	0	0
74249	TC	Α	Contrast x-ray	2.45	2.45	XXX	0	0	0	0	0
74250		Α	X-ray exam of small bowel	1.89	1.89	XXX	0	0	0	0	0
74250	26	Α	X-ray exam of small bowel	0.65	0.65	XXX	0	0	0	0	0
74250	TC	Α	X-ray exam of small bowel	1.24	1.24	XXX	Ō	0	Ō	Ō	Ō
74251	••	A	X-ray exam of small bowel	2.09	2.09	XXX	ŏ	ő	Õ	ŏ	ő
74251	26	A	X-ray exam of small bowel	0.85	0.85	XXX	ŏ	ŏ	0	ŏ	ŏ
74251	TC	A	X-ray exam of small bowel	1.24	1.24	XXX	0	0	0	0	0
74260	10	A	X-ray exam of small bowel	2.11	2.11	XXX	0	0	0	0	0
74260	26	A	X-ray exam of small bowel	0.69	0.69	XXX	0	0	0	0	0
74260	TC	A		1.42	1.42	XXX	0	0	0	0	0
74270	IC	A	X-ray exam of small bowel Contrast x-ray	2.59	2.59	XXX	0	0	0	0	0
74270	26	A		0.96	0.96	XXX	0	0	0	0	0
	TC		Contrast v. roy	1.63	1.63		_	0	0		
74270 74280	IC	A A	Contrast x-ray	3.51	3.51	XXX XXX	0	0	0	0	$0 \\ 0$
74280	26		Contrast x-ray				-				
		A	Contrast x-ray	1.37	1.37	XXX	0	0	0	0	0
74280	TC	A	Contrast x-ray	2.13	2.13	XXX	0	0	0	0	0
74283	20	A	Contrast x-ray	5.23	5.23	XXX	0	0	0	0	0
74283	26 TC	A	Contrast x-ray	2.78	2.78	XXX	0	0	0	0	0
74283	TC	A	Contrast x-ray	2.45	2.45	XXX	0	0	0	0	0
74290	26	A	Contrast x-ray	1.15	1.15	XXX	0	0	0	0	0
74290	26	A	Contrast x-ray	0.45	0.45	XXX	0	0	0	0	0
74290	TC		Contrast x-ray	0.70	0.70	XXX	0	0	0	0	0
74291	•	A	Contrast x-rays	0.68	0.68	XXX	0	0	0	0	0
74291	26	A	Contrast x-rays	0.27	0.27	XXX	0	0	0	0	0
74291	TC	A	Contrast x-rays	0.40	0.40	XXX	0	0	0	0	0
74300	•	Ċ	X-ray bile duct	0.00	0.00	XXX	0	0	0	0	0
74300	26	A	X-ray bile duct	0.50	0.50	XXX	0	0	0	0	0
74300	TC	C	X-ray bile duct	0.00	0.00	XXX	0	0	0	0	0
74301	26	Ç	Additional x-ray	0.00	0.00	XXX	0	0	0	0	0
74301	26 TC	A	Additional x-ray	0.29	0.29	XXX	0	0	0	0	0
74301	TC	C	Additional x-ray	0.00	0.00	XXX	0	0	0	0	0
74305	26	A	X-ray bile duct	1.33	1.33	XXX	0	0	0	0	0
74305	26 TC	A	X-ray bile duct	0.58	0.58	XXX	0	0	0	0	0
74305	TC	A	X-ray bile duct	0.75	0.75	XXX	0	0	0	0	0
74320	0.0	A	Contrast x-ray	3.76	3.76	XXX	0	0	0	0	0
74320	26	A	Contrast x-ray	0.75	0.75	XXX	0	0	0	0	0
74320	TC	A	Contrast x-ray	3.00	3.00	XXX	0	0	0	0	0
74327	26	A	X-ray bile duct	2.66	2.66	XXX	0	0	0	0	0
74327	26 TC	A	X-ray bile duct	0.97	0.97	XXX	0	0	0	0	0
74327	TC	A	X-ray bile duct	1.68	1.68	XXX	0	0	0	0	0
74328	26	A	X-ray bile duct	3.97	3.97	XXX	0	0	0	0	0
74328	26 TC		X-ray bile duct	0.97	0.97	XXX	0	0	0	0	0
74328	TC		X-ray bile duct	3.00	3.00	XXX	0	0	0	0	0
74329	26		X-ray pancreas	3.97	3.97	XXX	0	0	0	0	0
74329	26 TC		X-ray pancreas	0.97	0.97	XXX	0	0	0	0	0
74329	TC	A	X-ray pancreas	3.00	3.00	XXX	0	0	0	0	0
74330	26		X-ray bile duct/pancreas	4.16	4.16	XXX	0	0	0	0	0
74330	26		X-ray bile duct/pancreas	1.15	1.15	XXX	0	0	0	0	0
74330	TC		X-ray bile duct/pancreas	3.00	3.00	XXX	0	0	0	0	0
74340	2.		X-ray guide	3.26	3.26	XXX	0	0	0	0	0
74340	26	A	X-ray guide	0.75	0.75	XXX	0	0	0	0	0
74340	TC	A	X-ray guide	2.51	2.51	XXX	0	0	0	0	0
74350	0.1	A	X-ray guide	4.06	4.06	XXX	0	0	0	0	0
74350	26 TC	A	X-ray guide	1.06	1.06	XXX	0	0	0	0	0
74350	TC		X-ray guide	3.00	3.00	XXX	0	0	0	0	0
74355	01		X-ray guide	3.56	3.56	XXX	0	0	0	0	0
74355	26	A	X-ray guide	1.06	1.06	XXX	0	0	0	0	0

# (8) Diagnostic radiology, urinary tract:

74400		Α	Contrast x-ray	2.28	2.28	XXX	0	0	0	0	0
74400	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74400	TC	Α	Contrast x-ray	1.61	1.61	XXX	0	0	0	0	0
74405		Α	Contrast x-ray	2.57	2.57	XXX	0	0	0	0	0
74405	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74405	TC	Α	Contrast x-ray	1.90	1.90	XXX	0	0	0	0	0
74410		Α	Contrast x-ray	2.54	2.54	XXX	0	0	0	0	0
74410	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74410	TC	Α	Contrast x-ray	1.86	1.86	XXX	0	0	0	0	0
74415		Α	Contrast x-ray	2.70	2.70	XXX	0	0	0	0	0
74415	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74415	TC	Α	Contrast x-ray	2.02	2.02	XXX	0	0	0	0	0
74420		Α	Contrast x-ray	3.00	3.00	XXX	0	0	0	0	0
74420	26	A	Contrast x-ray	0.49	0.49	XXX	0	Õ	Õ	Ŏ	Ō
74420	TC	A	Contrast x-ray	2.51	2.51	XXX	Õ	Ŏ	Ö	Ō	Ō
74425		Α	Contrast x-ray	1.73	1.73	XXX	0	Õ	Ŏ	Õ	Ō
74425	26	A	Contrast x-ray	0.49	0.49	XXX	Õ	Ŏ	Ŏ	Ŏ	Ŏ
74425	TC	Α	Contrast x-ray	1.24	1.24	XXX	0	Õ	ŏ	ŏ	Ŏ
74430	•	A	Contrast x-ray	1.45	1.45	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74430	26	A	Contrast x-ray	0.45	0.45	XXX	0	Ö	ŏ	0	0
74430	TC	A	Contrast x-ray	1.00	1.00	XXX	0	Õ	ő	0	ŏ
74440	10	A	X-ray exam of male	1.61	1.61	XXX	ŏ	Ö	0	0	0
74440	26	A	X-ray exam of male	0.53	0.53	XXX	ŏ	ő	0	0	0
74440	TC	A	X-ray exam of male	1.08	1.08	XXX	0	ő	0	0	0
74445	10	A		2.64	2.64	XXX	0	0	0	0	0
74445	26		X-ray exam of penis	1.56	1.56	XXX	0	0	0	0	0
74445	TC		X-ray exam of penis	1.08	1.08	XXX	0	0	0	0	0
	IC	A	X-ray exam of penis	1.85	1.85	XXX	0	0	0	0	0
74450	26		X-ray exam urethro		0.46	XXX	0	0		0	0
74450	26 TC	A	X-ray exam urethro	0.46 1.39	1.39	XXX		0	0 0	0	0
74450	TC	A	X-ray exam urethro				0				
74455	26	A	X-ray exam urethro	1.96	1.96	XXX XXX	0	0	0	0	0
74455	26 TC	A	X-ray exam urethro	0.46	0.46		0	0	0	0	0
74455	TC	A	X-ray exam urethro	1.50	1.50	XXX	0	0	0	0	0
74470	0.0	A	X-ray exam of kidney	1.95	1.95	XXX	0	0	0	0	0
74470	26	A	X-ray exam of kidney	0.75	0.75	XXX	0	0	0	0	0
74470	TC	A	X-ray exam of kidney	1.19	1.19	XXX	0	0	0	0	0
74475		Α	X-ray control catheter	4.64	4.64	XXX	0	0	0	0	0
74475	26	Α	X-ray control catheter	0.75	0.75	XXX	0	0	0	0	0
74475	TC	Α	X-ray control catheter	3.89	3.89	XXX	0	0	0	0	0
74480		A	X-ray control catheter	4.64	4.64	XXX	0	0	0	0	0
74480	26	Α	X-ray control catheter	0.75	0.75	XXX	0	0	0	0	0
74480	TC	Α	X-ray control catheter	3.89	3.89	XXX	0	0	0	0	0
74485		Α	X-ray guide, GU dilation	3.76	3.76	XXX	0	0	0	0	0
74485	26	Α	X-ray guide, GU dilation	0.75	0.75	XXX	0	0	0	0	0
74485	TC	Α	X-ray guide, GU dilation	3.00	3.00	XXX	0	0	0	0	0

(9) Diagnostic	radiology	gynecological	and	obstetrical:
() Diagnostic	radiology,	<b>Byllecological</b>	und	obstoti icui.

74710		Α	X-ray measurement	1.48	1.48	XXX	0	0	0	0	0
74710	26	Α	X-ray measurement	0.47	0.47	XXX	0	0	0	0	0
74710	TC	Α	X-ray measurement	1.00	1.00	XXX	0	0	0	0	0
74740		Α	X-ray of uterus, oviducts	1.77	1.77	XXX	0	0	0	0	0
74740	26	Α	X-ray of uterus, oviducts	0.53	0.53	XXX	0	0	0	0	0
74740	TC	Α	X-ray of uterus, oviducts	1.24	1.24	XXX	0	0	0	0	0
74742		Α	X-ray of fallopian tube	3.82	3.82	XXX	0	0	0	0	0
74742	26	Α	X-ray of fallopian tube	0.82	0.82	XXX	0	0	0	0	0
74742	TC	Α	X-ray of fallopian tube	3.00	3.00	XXX	0	0	0	0	0
74775		Α	X-ray exam of perineum	2.26	2.26	XXX	0	0	0	0	0
74775	26	Α	X-ray exam of perineum	0.87	0.87	XXX	0	0	0	0	0
74775	TC	Α	X-ray exam of perineum	1.39	1.39	XXX	0	0	0	0	0

# (10) Diagnostic radiology, heart:

75552		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
75552	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
75552	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
75553		Α	Magnetic image	13.26	13.26	XXX	0	0	0	0	0
75553	26	Α	Magnetic image	2.57	2.57	XXX	0	0	0	0	0
75553	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
75554		Α	Cardiac MRI/function	13.10	13.10	XXX	0	0	0	0	0
75554	26	Α	Cardiac MRI/function	2.42	2.42	XXX	0	0	0	0	0
75554	TC	Α	Cardiac MRI/function	10.69	10.69	XXX	0	0	0	0	0
75555		Α	Cardiac MRI/limited	13.02	13.02	XXX	0	0	0	0	0
75555	26	Α	Cardiac MRI/limited	2.34	2.34	XXX	0	0	0	0	0
75555	TC	Α	Cardiac MRI/limited	10.69	10.69	XXX	0	0	0	0	0
75556		N	Cardiac MRI/flow mapping	0.00	0.00	XXX	9	9	9	9	9

# (11) Diagnostic radiology, aorta and arteries:

75600		Α	Contrast x-ray	12.69	12.69	XXX	0	0	0	0	0
75600	26	Α	_	0.67	0.67	XXX	0	0	0	0	0
75600	TC	Α	Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
75605		Α	Contrast x-ray	13.58	13.58	XXX	0	0	0	0	0
75605	26	Α	Contrast x-ray	1.56	1.56	XXX	0	0	0	0	0
75605	TC	Α	Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
75625		Α	Contrast x-ray	13.58	13.58	XXX	0	0	0	0	0
75625	26	Α	Contrast x-ray	1.56	1.56	XXX	0	0	0	0	0
75625	TC	Α	Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
75630		Α	X-ray of aorta	14.75	14.75	XXX	0	0	0	0	0
75630	26	Α	X-ray of aorta	2.23	2.23	XXX	0	0	0	0	0
75630	TC	Α	X-ray of aorta	12.52	12.52	XXX	0	0	0	0	0
75650		Α	Artery x-ray	14.06	14.06	XXX	0	0	0	0	0
75650	26	Α	Artery x-ray	2.05	2.05	XXX	0	0	0	0	0
75650	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75658		Α	X-ray exam, arm arteries	13.81	13.81	XXX	0	0	0	0	0
75658	26	Α	X-ray exam, arm arteries	1.80	1.80	XXX	0	0	0	0	0
75658	TC	Α	X-ray exam, arm arteries	12.01	12.01	XXX	0	0	0	0	0
75660		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75660	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75660	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75662		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0

# FEES FOR MEDICAL SERVICES 5221.4030

75662	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75662	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75665		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75665	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75665	TC		Artery x-ray	12.01	12.01	XXX	Ŏ	Ö	Ō	Ō	0
75671	10	A		14.30	14.30	XXX	ŏ	2	ő	Ö	Ö
	26		Artery x-ray	2.28	2.28		Ö	2	0	0	0
75671	26		Artery x-ray			XXX					
75671	TC		Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75676		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75676	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75676	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75680		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75680	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75680	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75685		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75685	26	A	Artery x-ray	1.80	1.80	XXX	Ö	Ŏ	Õ	Õ	0
75685	TC	A	Artery x-ray	12.01	12.01	XXX	ŏ	ŏ	ŏ	Õ	Ö
75705	10			15.02	15.02	XXX	0	0	ő	ő	ő
	20	A	Artery x-ray								
75705	26	A	Artery x-ray	3.01	3.01	XXX	0	0	0	0	0
75705	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75710		A	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75710	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75710	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75716		Α	Artery x-ray	13.81	13.81	XXX	0	2	0	0	0
75716	26	Α	Artery x-ray	1.80	1.80	XXX	0	2	0	0	0
75716	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75722		A	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75722	26	A	Artery x-ray	1.56	1.56	XXX	Ŏ	Õ	Ō	0	0
75722	TC	A	Artery x-ray	12.01	12.01	XXX	0	Ŏ	Ŏ	Ŏ	Ŏ
75724	10	A		14.06	14.06	XXX	ŏ	2	ŏ	ő	ŏ
	26		Artery x-ray	2.05	2.05	XXX	0	2	ő	0	0
75724	26 TC	A	Artery x-ray								
75724	TC	A	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75726	•	A	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75726	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75726	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75731		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75731	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75731	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75733		Α	Artery x-ray	13.81	13.81	XXX	0	2	0	0	0
75733	26	Α	Artery x-ray	1.80	1.80	XXX	0	2	0	0	0
75733	TC	A	Artery x-ray	12.01	12.01	XXX	Õ	2	Ō	Ō	0
75736			Artery x-ray	13.58	13.58	XXX	Ō	ō	Ŏ	Õ	Õ
75736	26		Artery x-ray	1.56	1.56	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
				12.01	12.01	XXX	0	ŏ	Ö	ŏ	0
75736	IC		Artery x-ray			VVV					
75741	•		Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75741	26		Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75741	TC		Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75743		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75743	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75743	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75746			Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75746	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75746	TC		Artery x-ray	12.01	12.01	XXX	Ŏ	Ŏ	Ŏ	Ō	0
75756	•		Artery x-ray	13.58	13.58	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
	26			1.56	1.56	XXX	0	0	0	0	0
75756	26 TC		Artery x-ray			XXX	0		0	0	
75756	TC		Artery x-ray	12.01	12.01			0			0
75774	0.0		Artery x-ray	12.51	12.51	XXX	0	0	0	0	0
75774	26	Α	Artery x-ray	0.49	0.49	XXX	0	0	0	0	0

75774 75790 75790 75790	TC 26 TC	A A	Artery x-ray Visualize A-V shunt Visualize A-V shunt Visualize A-V shunt	12.01 3.83 2.54 1.30	12.01 3.83 2.54 1.30	XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
(12) D	iagno	stic	radiology, veins and lymphatic	cs:							
75801 75801 75803 75803 75803 75803 75805 75805 75805	26 TC 26 TC 26 TC	A A A A A A	Lymph vessel x-ray	6.29 1.12 5.17 6.77 1.60 5.17 6.94 1.12 5.82	6.29 1.12 5.17 6.77 1.60 5.17 6.94 1.12 5.82	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	0 0 0 2 2 2 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
75807 75807 75807 75809 75809 75809 75810	26 TC 26 TC	A A A	Lymph vessel x-ray Lymph vessel x-ray Lymph vessel x-ray Lymph vessel x-ray Nonvascular shunt Nonvascular shunt Nonvascular shunt Vein x-ray	7.42 1.60 5.82 1.38 0.63 0.75 13.58	7.42 1.60 5.82 1.38 0.63 0.75 13.58	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	2 2 2 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
75810 75810 75820 75820 75820 75822 75822	26 TC 26	A A A A	Vein x-ray Vein x-ray, arm	1.56 12.01 1.87 0.97 0.90 2.87 1.45	1.56 12.01 1.87 0.97 0.90 2.87 1.45	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	0 0 0 0 0 2 2	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
75822 75825 75825 75825 75827 75827 75827	TC 26 TC 26 TC	Α	Vein x-ray, arm Vein x-ray, trunk Vein x-ray, trunk Vein x-ray, trunk Vein x-ray, chest Vein x-ray, chest Vein x-ray, chest Vein x-ray, chest	1.41 13.58 1.56 12.01 13.58 1.56 12.01	1.41 13.58 1.56 12.01 13.58 1.56 12.01	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	2 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0
75831 75831 75831 75833 75833 75833 75840	26 TC 26 TC	A A A A	Vein x-ray, kidney Vein x-ray, adrenal	13.58 1.56 12.01 14.06 2.05 12.01 13.58	13.58 1.56 12.01 14.06 2.05 12.01 13.58	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	0 0 0 2 2 2 2	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
75840 75840 75842 75842 75842 75860 75860	26 TC 26 TC 26	A A A	Vein x-ray, adrenal Vein x-ray, neck Vein x-ray, neck	1.56 12.01 14.06 2.05 12.01 13.58 1.56	1.56 12.01 14.06 2.05 12.01 13.58 1.56	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	0 0 2 2 2 2 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
75860 75870 75870 75870 75872	TC 26 TC	Α	Vein x-ray, neck Vein x-ray, skull Vein x-ray, skull Vein x-ray, skull Vein x-ray, skull	12.01 13.58 1.56 12.01 13.58	12.01 13.58 1.56 12.01 13.58	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0

# FEES FOR MEDICAL SERVICES 5221.4030

75872	26	Α	Vein x-ray, skull	1.56	1.56	XXX	0	0	0	0	0
75872	TC	Α	Vein x-ray, skull	12.01	12.01	XXX	0	0	0	0	0
75880		Α	Vein x-ray, eye	1.87	1.87	XXX	0	0	0	0	0
75880	26	Α	Vein x-ray, eye	0.97	0.97	XXX	0	0	0	0	0
75880	TC		Vein x-ray, eye	0.90	0.90	XXX	0	0	0	0	0
75885			Vein x-ray, liver	14.00	14.00	XXX	0	0	0	0	0
75885	26		Vein x-ray, liver	1.98	1.98	XXX	0	0	0	0	0
75885	TC		Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75887			Vein x-ray, liver	14.00	14.00	XXX	0	0	0	0	0
75887	26		Vein x-ray, liver	1.98	1.98	XXX	0	0	0	0	0
75887	TC		Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75889			Vein x-ray, liver	13.58	13.58	XXX	0	0	0	0	0
75889	26		Vein x-ray, liver	1.56	1.56	XXX	0	0	0	0	0
75889	TC		Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75891			Vein x-ray, liver	13.58	13.58	XXX	0	0	0	0	0
75891	26		Vein x-ray, liver	1.56	1.56	XXX	0	0	0	0	0
75891	TC		Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75893			Venous sampling	12.77	12.77	XXX	0	0	0	0	0
75893	26		Venous sampling	0.75	0.75	XXX	0	0	0	0	0
75893	TC		Venous sampling	12.01	12.01	XXX	0	0	0	0	0
			. •								

# (13) Diagnostic radiology, transcatheter procedures:

75894		Α	X-ray, transcatheter	24.81	24.81	XXX	0	0	0	0	0
75894	26	Α	X-ray, transcatheter	1.80	1.80	XXX	0	0	0	0	0
75894	TC	Α	X-ray, transcatheter	23.01	23.01	XXX	0	0	0	0	0
75896		Α	X-ray, transcatheter	21.81	21.81	XXX	0	0	0	0	0
75896	26	Α	X-ray, transcatheter	1.80	1.80	XXX	0	0	0	0	0
75896	TC	Α	X-ray, transcatheter	20.01	20.01	XXX	0	0	0	0	0
75898		Α	Follow-up angiogram	3.28	3.28	XXX	0	0	0	0	0
75898	26	Α	Follow-up angiogram	2.27	2.27	XXX	0	0	0	0	0
75898	TC	Α	Follow-up angiogram	1.00	1.00	XXX	0	0	0	0	0
75900		Α	Arterial catheter	20.69	20.69	XXX	0	0	0	0	0
75900	26	Α	Arterial catheter	0.68	0.68	XXX	0	0	0	0	0
75900	TC	Α	Arterial catheter	20.00	20.00	XXX	0	0	0	0	0
75940		Α	X-ray placement	12.77	12.77	XXX	0	0	0	0	0
75940	26	Α	X-ray placement	0.75	0.75	XXX	0	0	0	0	0
75940	TC	Α	X-ray placement	12.01	12.01	XXX	0	0	0	0	0
75945		Α	Intravascular ultrasound	4.95	4.95	XXX	0	0	0	0	0
75945	26	Α	Intravascular ultrasound	0.59	0.59	XXX	0	0	0	0	0
75945	TC	Α	Intravascular ultrasound	4.36	4.36	XXX	0	0	0	0	0
75946		Α	Intravascular ultrasound	2.78	2.78	XXX	0	0	0	0	0
75946	26	Α	Intravascular ultrasound	0.59	0.59	XXX	0	0	0	0	0
75946	TC	Α	Intravascular ultrasound	2.18	2.18	XXX	0	0	0	0	0
75960		Α	Transcatheter, stent	15.34	15.34	XXX	0	0	0	0	0
75960	26	Α	Transcatheter, stent	1.13	1.13	XXX	0	0	0	0	0
75960	TC	Α	Transcatheter, stent	14.20	14.20	XXX	0	0	0	0	0
75961		Α	Retrieval	15.86	15.86	XXX	0	0	0	0	0
75961	26	Α	Retrieval	5.85	5.85	XXX	0	0	0	0	0
75961	TC	Α	Retrieval	10.01	10.01	XXX	0	0	0	0	0
75962		Α	Repair arterial	15.76	15.76	XXX	0	0	0	0	0
75962	26	Α	Repair arterial	0.75	0.75	XXX	0	0	0	0	0
75962	TC	Α	Repair arterial	15.01	15.01	XXX	0	0	0	0	0
75964		Α	Repair artery balloon	8.50	8.50	XXX	0	0	0	0	0
75964	26	Α	Repair artery balloon	0.49	0.49	XXX	0	0	0	0	0
75964	TC	Α	Repair artery balloon	8.00	8.00	XXX	0	0	0	0	0
			•								

75966		Α	Repair arterial	16.81	16.81	XXX	0	0	0	0	0
75966	26	Α	Repair arterial	1.80	1.80	XXX	0	0	0	0	0
75966	TC	Α	Repair arterial	15.01	15.01	XXX	0	0	0	0	0
75968		Α	Repair artery balloon	8.50	8.50	XXX	0	0	0	0	0
75968	26	Α	Repair artery balloon	0.49	0.49	XXX	0	0	0	0	0
75968	TC	Α	Repair artery balloon	8.00	8.00	XXX	0	0	0	0	0
75970		Α	Vascular biopsy	12.16	12.16	XXX	0	0	0	0	0
75970	26	Α	Vascular biopsy	1.15	1.15	XXX	0	0	0	0	0
75970	TC	Α	Vascular biopsy	11.01	11.01	XXX	0	0	0	0	0
75978		Α	Repair venous balloon	15.98	15.98	XXX	0	0	0	0	0
75978	26	Α	L	0.98	0.98	XXX	0	0	0	0	0
75978	TC	Α	Repair venous balloon	15.01	15.01	XXX	0	0	0	0	0
75980		Α	Contrast x-ray	7.15	7.15	XXX	0	0	0	0	0
75980	26		Contrast x-ray	1.98	1.98	XXX	0	0	0	0	0
75980	TC		Contrast x-ray	5.17	5.17	XXX	0	0	0	0	0
75982		Α	Contrast x-ray	7.80	7.80	XXX	0	0	0	0	0
75982	26	Α	,	1.98	1.98	XXX	0	0	0	0	0
75982	TC	A	Contrast x-ray	5.82	5.82	XXX	0	0	0	0	0
75984			X-ray control catheter	2.86	2.86	XXX	0	0	0	0	0
75984	26	Α	X-ray control catheter	1.00	1.00	XXX	0	0	0	0	0
75984	TC		X-ray control catheter	1.86	1.86	XXX	0	0	0	0	0
75989			Abscess drainage	4.63	4.63	XXX	0	0	0	0	0
75989	26		Abscess drainage	1.63	1.63	XXX	0	0	0	0	0
75989	TC	Α	Abscess drainage	3.00	3.00	XXX	0	0	0	0	0

# (14) Diagnostic radiology, transluminal atherectomy:

75992		Α	Atherectomy, x-ray	15.76	15.76	XXX	0	0	0	0	0
75992	26	Α	Atherectomy, x-ray	0.75	0.75	XXX	0	0	0	0	0
75992	TC	Α	Atherectomy, x-ray	15.01	15.01	XXX	0	0	0	0	0
75993		Α	Atherectomy, x-ray	8.50	8.50	XXX	0	0	0	0	0
75993	26	Α	Atherectomy, x-ray	0.49	0.49	XXX	0	0	0	0	0
75993	TC	Α	Atherectomy, x-ray	8.00	8.00	XXX	0	0	0	0	0
75994		Α	Atherectomy, x-ray	16.81	16.81	XXX	0	0	0	0	0
75994	26	Α	Atherectomy, x-ray	1.80	1.80	XXX	0	0	0	0	0
75994	TC	Α		15.01	15.01	XXX	0	0	0	0	0
75995		Α	Atherectomy, x-ray	16.81	16.81	XXX	0	0	0	0	0
75995	26	Α	Atherectomy, x-ray	1.80	1.80	XXX	0	0	0	0	0
75995	TC	Α	Atherectomy, x-ray	15.01	15.01	XXX	0	0	0	0	0
75996		Α	Atherectomy, x-ray	8.50	8.50	XXX	0	0	0	0	0
75996	26	Α	Atherectomy, x-ray	0.49	0.49	XXX	0	0	0	0	0
75996	TC	Α	Atherectomy, x-ray	8.00	8.00	XXX	0	0	0	0	0

# (15) Diagnostic radiology, other procedures:

76010	26	Α	X-ray, nose to rectum	0.25	0.25	XXX	0	0	0	0	0
76010	TC	Α	X-ray, nose to rectum	0.50	0.50	XXX	0	0	0	0	0
76020		Α	X-ray, bone age	0.76	0.76	XXX	0	0	0	0	0
76020	26	Α	X-ray, bone age	0.26	0.26	XXX	0	0	0	0	0
76020	TC	Α	X-ray, bone age	0.50	0.50	XXX	0	0	0	0	0
76040		Α	X-ray, bone length	1.13	1.13	XXX	0	0	0	0	0
76040	26	Α	X-ray, bone length	0.38	0.38	XXX	0	0	0	0	0
76040	TC	Α	X-ray, bone length	0.75	0.75	XXX	0	0	0	0	0
76061		Α	X-ray, bone survey	1.57	1.57	XXX	0	0	0	0	0
76061	26	Α	X-ray, bone survey	0.62	0.62	XXX	0	0	0	0	0
76061	TC	Α	X-ray, bone survey	0.95	0.95	XXX	0	0	0	0	0
76062		Α	X-ray, bone survey	2.13	2.13	XXX	0	0	0	0	0
76062	26	Α	X-ray, bone survey	0.75	0.75	XXX	0	0	0	0	0
76062	TC	Α	X-ray, bone survey	1.37	1.37	XXX	0	0	0	0	0
76065		Α	X-ray, bone, infant	1.09	1.09	XXX	0	0	0	0	0
76065	26	Α	X-ray, bone, infant	0.39	0.39	XXX	0	0	0	0	0
76065	TC	Α	X-ray, bone, infant	0.70	0.70	XXX	0	0	0	0	0
76066		Α	Joint survey	1.49	1.49	XXX	0	0	0	0	0
76066	26	Α	Joint survey	0.43	0.43	XXX	0	0	0	0	0
76066	TC	Α	Joint survey	1.06	1.06	XXX	0	0	0	0	0
76070		I	CT scan, bone density	3.17	3.17	XXX	0	0	0	0	0
76070	26	I	CT scan, bone density	0.35	0.35	XXX	0	0	0	0	0
76070	TC	I	CT scan, bone density	2.81	2.81	XXX	0	0	0	0	0
76075		Α	Dual energy x-ray	3.35	3.35	XXX	0	0	0	0	0
76075	26	Α	Dual energy x-ray	0.40	0.40	XXX	0	0	0	0	0
76075	TC	Α	Dual energy x-ray	2.95	2.95	XXX	0	0	0	0	0
76076		Α	Dual energy x-ray	1.03	1.03	XXX	0	0	0	0	0
76076	26	Α	Dual energy x-ray	0.31	0.31	XXX	0	0	0	0	0
76076	TC	Α	Dual energy x-ray	0.72	0.72	XXX	0	0	0	0	0
76078		Α	Photodensitometry	1.01	1.01	XXX	0	0	0	0	0
76078	26	A	Photodensitometry	0.29	0.29	XXX	0	0	0	0	0
76078	TC	A	Photodensitometry	0.72	0.72	XXX	0	0	0	0	0
76080	24	A	X-ray exam of fistula	1.76	1.76	XXX	0	0	0	0	0
76080	26	A	X-ray exam of fistula	0.75	0.75	XXX	0	0	0	0	0
76080	TC	Ą	X-ray exam of fistula	1.00	1.00	XXX	0	0	0	0	0
76086	0.0	A	X-ray of mammary	3.01	3.01	XXX	0	0	0	0	0
76086	26 TC	A	X-ray of mammary	0.50	0.50	XXX	0	0	0	0	0
76086	TC	A	X-ray of mammary	2.51	2.51	XXX	0	0	0	0	0
76088	26	A	X-ray of mammary	4.11	4.11	XXX	0	0	0	0	0
76088	26 TC	A	X-ray of mammary	0.62	0.62	XXX	0	0	0	0	0
76088	TC	A	X-ray of mammary	3.49	3.49	XXX	0	0 0	0	$0 \\ 0$	0
76090	26	A	Mammogram, one	1.66	1.66 0.65	XXX	0	0	0	0	0
76090	26 TC	A	Mammogram, one	0.65	1.00	XXX	0	0	0	0	0
76090 76091	TC	A	Mammogram, one	1.00 2.06	2.06	XXX	0	2	0	0	0
	26	A	Mammogram, both	0.82	0.82		0	2	_	0	
76091 76091	26 TC	A	Mammogram, both	1.24	1.24	XXX XXX	0	2	0	0	0
76091	IC	A X	Mammogram, both	0.00	0.00	XXX	9	9	9	9	9
76092		A	Mammogram, screening	19.04	19.04	XXX	0	0	0	0	0
76093	26	A	Magnetic image	2.24	2.24	XXX	0	0	0	0	0
76093			Magnetic image	16.81	16.81	XXX	0	0	0	0	0
	TC	A	Magnetic image	25.03	25.03	XXX	0	2	0	0	
76094	26	A	Magnetic image				_	2	0	0	0
76094 76094	26 TC	A	Magnetic image Magnetic image	2.24 22.80	2.24 22.80	XXX XXX	0	2	0	0	$0 \\ 0$
76094	TC	A A	Stereotactic breast	9.02	9.02	XXX	0	0	0	0	0
76095	26	A	Stereotactic breast	2.19	2.19	XXX	0	0	0	0	
76095	TC		Stereotactic breast	6.83	6.83	XXX	0	0	0	0	0
76095	ıC	A		2.02	2.02	XXX	0	0	0	0	0
70070		Α.	A-ray of fiecule	2.02	2.02	ΛΛΛ	U	U	U	U	U

76096	26	Α	X-ray of needle	0.78	0.78	XXX	0	0	0	0	0
76096	TC	Α	X-ray of needle	1.24	1.24	XXX	0	0	0	0	0
76098		Α	X-ray exam, breast	0.62	0.62	XXX	0	0	0	0	0
76098	26	Α	X-ray exam, breast	0.22	0.22	XXX	0	0	0	0	0
76098	TC		X-ray exam, breast	0.40	0.40	XXX	0	0	0	0	0
76100		Α	X-ray exam, body section	2.00	2.00	XXX	0	0	0	0	0
76100	26	Α	X-ray exam, body section	0.81	0.81	XXX	0	0	0	0	0
76100	TC	Α	X-ray exam, body section	1.19	1.19	XXX	0	0	0	0	0
76101			Complex body section	2.16	2.16	XXX	0	0	0	0	0
76101	26	Α	Complex body section	0.81	0.81	XXX	0	0	0	0	0
76101	TC	Α	Complex body section	1.35	1.35	XXX	0	0	0	0	0
76102		Α	Complex body section	2.46	2.46	XXX	0	2	0	0	0
76102	26	Α		0.81	0.81	XXX	0	2	0	0	0
76102	TC		Complex body section	1.65	1.65	XXX	0	2	0	0	0
76120		Α		1.53	1.53	XXX	0	0	0	0	0
76120	26	Α	Cinematic x-ray	0.53	0.53	XXX	0	0	0	0	0
76120	TC	Α	Cinematic x-ray	1.00	1.00	XXX	0	0	0	0	0
76125			Cinematic x-ray	1.12	1.12	XXX	0	0	0	0	0
76125	26		Cinematic x-ray	0.37	0.37	XXX	0	0	0	0	0
76125	TC		Cinematic x-ray	0.75	0.75	XXX	0	0	0	0	0
76140		I	X-ray consultation	0.00	0.00	XXX	9	9	9	9	9
76150		Α	X-ray exam, dry	0.40	0.40	XXX	0	0	0	0	0
76350		C	Special x-ray	0.00	0.00	XXX	0	0	0	0	0
76355		Α	CAT scan for localization	9.53	9.53	XXX	0	0	0	0	0
76355	26	Α	CAT scan for localization	1.65	1.65	XXX	0	0	0	0	0
76355	TC	Α	CAT scan for localization	7.87	7.87	XXX	0	0	0	0	0
76360		Α	CAT scan for needle	9.45	9.45	XXX	0	0	0	0	0
76360	26	Α	CAT scan for needle	1.58	1.58	XXX	0	0	0	0	0
76360	TC		CAT scan for needle	7.87	7.87	XXX	0	0	0	0	0
76365			CAT scan for cyst	9.45	9.45	XXX	0	0	0	0	0
76365	26	Α	CAT scan for cyst	1.58	1.58	XXX	0	0	0	0	0
76365	TC		CAT scan for cyst	7.87	7.87	XXX	0	0	0	0	0
76370			CAT scan for therapy	3.99	3.99	XXX	0	0	0	0	0
76370	26		CAT scan for therapy	1.17	1.17	XXX	0	0	0	0	0
76370	TC		CAT scan for therapy	2.81	2.81	XXX	0	0	0	0	0
76375		Α	3-dimensional/holograph	3.59	3.59	XXX	0	0	0	0	0
76375	26		3-dimensional/holograph	0.22	0.22	XXX	0	0	0	0	0
76375	TC	Α	3-dimensional/holograph	3.37	3.37	XXX	0	0	0	0	0
76380		A		4.70	4.70	XXX	0	0	0	0	0
76380	26	A		1.35	1.35	XXX	0	0	0	0	0
76380	TC	Α	CAT scan follow-up	3.34	3.34	XXX	0	0	0	0	0

# (16) Diagnostic radiology, other procedures:

76390		Α	Magnetic spectroscopy	12.65	12.65	XXX	0	0	0	0	0
76390	26	Α	Magnetic spectroscopy	1.96	1.96	XXX	0	0	0	0	0
76390	TC	Α	Magnetic spectroscopy	10.69	10.69	XXX	0	0	0	0	0
76400		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
76400	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
76400	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
76499		C	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0
76499	26	C	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0
76499	TC	C	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0

# (17) Diagnostic ultrasound, head and neck:

76506		Α	Echo exam of head	2.23	2.23	XXX	0	0	0	0	0
76506	26	Α	Echo exam of head	0.87	0.87	XXX	0	0	0	0	0
76506	TC	Α	Echo exam of head	1.35	1.35	XXX	0	0	0	0	0
76511		Α	Echo exam of eye	2.31	2.31	XXX	0	3	0	0	0
76511	26		Echo exam of eye	1.12	1.12	XXX	0	3	0	0	0
76511	TC	Α	Echo exam of eye	1.19	1.19	XXX	0	3	0	0	0
76512		Α	Echo exam of eye	2.37	2.37	XXX	0	3	0	0	0
76512	26	Α	Echo exam of eye	0.92	0.92	XXX	0	3	0	0	0
76512	TC	Α	Echo exam of eye	1.46	1.46	XXX	0	3	0	0	0
76513		Α	Echo exam of eye	2.37	2.37	XXX	0	3	0	0	0
76513	26	Α	Echo exam of eye	0.92	0.92	XXX	0	3	0	0	0
76513	TC	Α	Echo exam of eye	1.46	1.46	XXX	0	3	0	0	0
76516		Α	Echo exam of eye	1.95	1.95	XXX	0	2	0	0	0
76516	26		Echo exam of eye	0.75	0.75	XXX	0	2	0	0	0
76516	TC	Α	Echo exam of eye	1.19	1.19	XXX	0	2	0	0	0
76519			Echo exam of eye	1.95	1.95	XXX	0	2	0	0	0
76519	26		Echo exam of eye	0.75	0.75	XXX	0	3	0	0	0
76519	TC	Α	Echo exam of eye	1.19	1.19	XXX	0	2	0	0	0
76529		Α	Echo exam of eye	2.10	2.10	XXX	0	3	0	0	0
76529	26		Echo exam of eye	0.79	0.79	XXX	0	3	0	0	0
76529	TC	Α	Echo exam of eye	1.31	1.31	XXX	0	3	0	0	0
76536		A	Echo exam of head, neck	2.14	2.14	XXX	0	0	0	0	0
76536	26	Α	Echo exam of head, neck	0.78	0.78	XXX	0	0	0	0	0
76536	TC	Α	Echo exam of head, neck	1.35	1.35	XXX	0	0	0	0	0

# (18) Diagnostic ultrasound, chest:

76604		Α	Echo exam of chest	2.01	2.01	XXX	0	0	0	0	0
76604	26	Α	Echo exam of chest	0.77	0.77	XXX	0	0	0	0	0
76604	TC	Α	Echo exam of chest	1.24	1.24	XXX	0	0	0	0	0
76645		Α	Echo exam of breasts	1.76	1.76	XXX	0	2	0	0	0
76645	26	Α	Echo exam of breasts	0.75	0.75	XXX	0	2	0	0	0
76645	TC	Α	Echo exam of breasts	1.00	1.00	XXX	0	2	0	0	0

# (19) Diagnostic ultrasound, abdomen and retroperitoneum:

76700		Α	Echo exam of abdomen	3.00	3.00	XXX	0	0	0	0	0
76700	26	Α	Echo exam of abdomen	1.12	1.12	XXX	0	0	0	0	0
76700	TC	Α	Echo exam of abdomen	1.88	1.88	XXX	0	0	0	0	0
76705		Α	Echo exam of abdomen	2.17	2.17	XXX	0	0	0	0	0
76705	26	Α	Echo exam of abdomen	0.82	0.82	XXX	0	0	0	0	0
76705	TC	Α	Echo exam of abdomen	1.35	1.35	XXX	0	0	0	0	0
76770		Α	Echo exam of abdomen	2.91	2.91	XXX	0	0	0	0	0
76770	26	Α	Echo exam of abdomen	1.03	1.03	XXX	0	0	0	0	0
76770	TC	Α	Echo exam of abdomen	1.88	1.88	XXX	0	0	0	0	0
76775		Α	Echo exam of abdomen	2.16	2.16	XXX	0	0	0	0	0
76775	26	Α	Echo exam of abdomen	0.81	0.81	XXX	0	0	0	0	0
76775	TC	Α	Echo exam of abdomen	1.35	1.35	XXX	0	0	0	0	0
76778		Α	Echo exam of kidney	2.91	2.91	XXX	0	0	0	0	0
76778	26	Α	Echo exam of kidney	1.03	1.03	XXX	0	0	0	0	0
76778	TC	Α	Echo exam of kidney	1.88	1.88	XXX	0	0	0	0	0

(20) D	iagno	stic	ultrasound, spinal canal:								
76800 76800	26	Α	Echo exam of spinal canal Echo exam of spinal canal	2.91 1.55	2.91 1.55	XXX XXX	0	0	0	0	0
76800	TC	Α	Echo exam of spinal canal	1.35	1.35	XXX	0	0	0	0	0
(21) D	iagno	stic	ultrasound, pelvis:								
76805			Echo of pregnant uterus	3.38	3.38	XXX	0	0	0	0	0
76805	26	A	Echo of pregnant uterus	1.37	1.37	XXX	0	0	0	0	0
76805	TC		Echo of pregnant uterus	2.00	2.00	XXX	0	0	0	0	0
76810	24		Echo of pregnant uterus	6.71	6.71	XXX	0	0	0	0	0
76810	26	A	Echo of pregnant uterus	2.71	2.71	XXX	0	0	0	0	0
76810	TC		Echo of pregnant uterus	4.00	4.00	XXX	0	0	0	0	0
76815			Echo of pregnant uterus	2.26	2.26	XXX	0	0	0	0	0
76815	26		Echo of pregnant uterus	0.90	0.90	XXX	0	0	0	0	0
76815	TC		Echo of pregnant uterus	1.35	1.35	XXX	0	0	0	0	0
76816			Echo exam follow-up	1.85	1.85	XXX	0	0	0	0	0
76816	26		Echo exam follow-up	0.79	0.79	XXX	0	0	0	0	0
76816	TC		Echo exam follow-up	1.06	1.06	XXX	0	0	0	0	0
76818			Fetal biophysical profile	2.61	2.61	XXX	0	0	0	0	0
76818	26	A	Fetal biophysical profile	1.06	1.06	XXX	0	0	0	0	0
76818	TC	A	Fetal biophysical profile	1.54	1.54	XXX	0	0	0	0	0
76825			Echo exam of fetus	3.76	3.76	XXX	0	0	0	0	0
76825	26	Α	Echo exam of fetus	1.88	1.88	XXX	0	0	0	0	0
76825	TC	Α	Echo exam of fetus	1.88	1.88	XXX	0	0	0	0	0
76826			Echo exam of fetus	2.11	2.11	XXX	0	0	0	0	0
76826	26		Echo exam of fetus	1.44	1.44	XXX	0	0	0	0	0
76826	TC		Echo exam of fetus	0.67	0.67	XXX	0	0	0	0	0
76827			Echo exam of fetus	2.83	2.83	XXX	0	0	0	0	0
76827	26		Echo exam of fetus	1.17	1.17	XXX	0	0	0	0	0
76827	TC	Α	Echo exam of fetus	1.66	1.66	XXX	0	0	0	0	0
76828		Α	Echo exam of fetus	1.86	1.86	XXX	0	0	0	0	0
76828	26		Echo exam of fetus	0.79	0.79	XXX	0	0	0	0	0
76828	TC		Echo exam of fetus	1.07	1.07	XXX	0	0	0	0	0
76830		Α	Echo exam, transvaginal	2.42	2.42	XXX	0	0	0	0	0
76830	26	Α	Echo exam, transvaginal	0.96	0.96	XXX	0	0	0	0	0
76830	TC	Α	Echo exam, transvaginal	1.46	1.46	XXX	0	0	0	0	0
76831		Α	Echo exam of uterus	2.45	2.45	XXX	0	0	0	0	0
76831	26	Α	Echo exam of uterus	0.99	0.99	XXX	0	0	0	0	0
76831	TC	Α	Echo exam of uterus	1.46	1.46	XXX	0	0	0	0	0
76856		Α	Echo exam of pelvis	2.42	2.42	XXX	0	0	0	0	0
76856	26		Echo exam of pelvis	0.96	0.96	XXX	0	0	0	0	0
76856	TC		Echo exam of pelvis	1.46	1.46	XXX	0	0	0	0	0
76857			Echo exam of pelvis	1.53	1.53	XXX	0	0	0	0	0
76857	26		Echo exam of pelvis	0.53	0.53	XXX	0	0	0	0	0
76857	TC	Α	Echo exam of pelvis	1.00	1.00	XXX	0	0	0	0	0
(22) D	iagno	stic	ultrasound, genitalia:								
76870		Α	Echo exam of scrotum	2.34	2.34	XXX	0	0	0	0	0
76870	26		Echo exam of scrotum	0.88	0.88	XXX	0	0	0	0	0
76870	TC	Α	Echo exam of scrotum	1.46	1.46	XXX	0	0	0	0	0
76872		Α	Echo exam of transrectal	2.42	2.42	XXX	0	0	0	0	0
76872	26	Α	Echo exam of transrectal	0.96	0.96	XXX	0	0	0	0	0
76872	TC	Α	Echo exam of transrectal	1.46	1.46	XXX	0	0	0	0	0

# (23) Diagnostic ultrasound, extremities:

76880		Α	Echo exam of extremity	2.17	2.17	XXX	0	0	0	0	0
76880	26	Α	Echo exam of extremity	0.82	0.82	XXX	0	0	0	0	0
76880	TC	Α	Echo exam of extremity	1.35	1.35	XXX	0	0	0	0	0
76885		Α	Echo exam of infant	2.46	2.46	XXX	0	0	0	0	0
76885	26	Α	Echo exam of infant	1.01	1.01	XXX	0	0	0	0	0
76885	TC	Α	Echo exam of infant	1.46	1.46	XXX	0	0	0	0	0
76886		Α	Echo exam of infant	2.20	2.20	XXX	0	0	0	0	0
76886	26	Α	Echo exam of infant	0.85	0.85	XXX	0	0	0	0	0
76886	TC	Α	Echo exam of infant	1.35	1.35	XXX	0	0	0	0	0

# (24) Diagnostic ultrasound, ultrasonic guidance procedures:

76930		Α	Echo guide, pericardium	2.39	2.39	XXX	0	0	0	0	0
76930	26	Α	Echo guide, pericardium	0.94	0.94	XXX	0	0	0	0	0
76930	TC	Α	Echo guide, pericardium	1.46	1.46	XXX	0	0	0	0	0
76932		Α	Echo guide, biopsy	2.39	2.39	XXX	0	0	0	0	0
76932	26	Α	Echo guide, biopsy	0.94	0.94	XXX	0	0	0	0	0
76932	TC	Α	Echo guide, biopsy	1.46	1.46	XXX	0	0	0	0	0
76934		Α	Echo guide, puncture	2.39	2.39	XXX	0	0	0	0	0
76934	26	Α	Echo guide, puncture	0.94	0.94	XXX	0	0	0	0	0
76934	TC	Α	Echo guide, puncture	1.46	1.46	XXX	0	0	0	0	0
76936		Α	Echo guide, repair	9.06	9.06	XXX	0	0	0	0	0
76936	26	Α	Echo guide, repair	3.06	3.06	XXX	0	0	0	0	0
76936	TC	Α	Echo guide, repair	6.01	6.01	XXX	0	0	0	0	0
76938		Α	Echo exam, cyst	2.39	2.39	XXX	0	0	0	0	0
76938	26	Α	Echo exam, cyst	0.94	0.94	XXX	0	0	0	0	0
76938	TC	Α	Echo exam, cyst	1.46	1.46	XXX	0	0	0	0	0
76941		Α	Echo guide, fetal	3.32	3.32	XXX	0	0	0	0	0
76941	26	Α	Echo guide, fetal	1.86	1.86	XXX	0	0	0	0	0
76941	TC	Α	Echo guide, fetal	1.46	1.46	XXX	0	0	0	0	0
76942		Α	Echo guide, fetal	2.39	2.39	XXX	0	0	0	0	0
76942	26	Α	Echo guide, fetal	0.94	0.94	XXX	0	0	0	0	0
76942	TC	Α	Echo guide, fetal	1.46	1.46	XXX	0	0	0	0	0
76945		Α	Echo guide, villus	2.71	2.71	XXX	0	0	0	0	0
76945	26	Α	Echo guide, villus	1.25	1.25	XXX	0	0	0	0	0
76945	TC	Α	Echo guide, villus	1.46	1.46	XXX	0	0	0	0	0
76946		Α	Echo guide, amniocentesis	1.98	1.98	XXX	0	0	0	0	0
76946	26	Α	Echo guide, amniocentesis	0.53	0.53	XXX	0	0	0	0	0
76946	TC	Α	Echo guide, amniocentesis	1.46	1.46	XXX	0	0	0	0	0
76948		Α	Echo guide, ova	1.98	1.98	XXX	0	0	0	0	0
76948	26	Α	Echo guide, ova	0.53	0.53	XXX	0	0	0	0	0
76948	TC	Α	Echo guide, ova	1.46	1.46	XXX	0	0	0	0	0
76950		Α	Echo guide radiotherapy	2.05	2.05	XXX	0	0	0	0	0
76950	26	Α	Echo guide radiotherapy	0.81	0.81	XXX	0	0	0	0	0
76950	TC	Α	Echo guide radiotherapy	1.24	1.24	XXX	0	0	0	0	0
76960		Α	Echo guide radiotherapy	2.05	2.05	XXX	0	0	0	0	0
76960	26	Α	Echo guide radiotherapy	0.81	0.81	XXX	0	0	0	0	0
76960	TC	Α	Echo guide radiotherapy	1.24	1.24	XXX	0	0	0	0	0
76965		Α	Echo guide radiotherapy	8.05	8.05	XXX	0	0	0	0	0
76965	26	Α	Echo guide radiotherapy	2.74	2.74	XXX	0	0	.0	0	0
76965	TC	Α	Echo guide radiotherapy	5.31	5.31	XXX	0	0	0	0	0

## (25) Diagnostic ultrasound, other procedures:

76970		Α	Ultrasound follow-up	1.56	1.56	XXX	0	0	0	0	0
76970	26	Α	Ultrasound follow-up	0.55	0.55	XXX	0	0	0	0	0
76970	TC	Α	Ultrasound follow-up	1.00	1.00	XXX	0	0	0	0	0
76975		Α	GI endoscopic ultrasound	2.55	2.55	XXX	0	0	0	0	0
76975			GI endoscopic ultrasound	1.09	1.09	XXX	0	0	0	0	0
76975	TC	Α	GI endoscopic ultrasound	1.46	1.46	XXX	0	0	0	0	0
76986		Α	Echo exam at surgery	4.15	4.15	XXX	0	0	0	0	0
76986	26	Α	Echo exam at surgery	1.65	1.65	XXX	0	0	0	0	0
76986	TC	Α	Echo exam at surgery	2.51	2.51	XXX	0	0	0	0	0
76999		C	Echo exam procedure	0.00	0.00	XXX	0	0	0	0	0
76999	26	C	Echo exam procedure	0.00	0.00	XXX	0	0	0	0	0
76999	TC	C	Echo exam procedure	0.00	0.00	XXX	0	0	0	0	0

## (26) Radiation oncology, clinical treatment planning:

77261		Α	Radiation therapy	1.91	1.91	XXX	0	0	0	0	0
77262		Α	Radiation therapy	2.90	2.90	XXX	0	0	0	0	0
77263		Α	Radiation therapy	4.31	4.31	XXX	0	0	0	0	0
77280		Α	Set radiation therapy	4.29	4.29	XXX	0	0	0	0	0
77280	26	Α	Set radiation therapy	0.97	0.97	XXX	0	0	0	0	0
77280	TC	Α	Set radiation therapy	3.31	3.31	XXX	0	0	0	0	0
77285		Α	Set radiation therapy	6.75	6.75	XXX	0	0	0	0	0
77285	26	Α	Set radiation therapy	1.44	1.44	XXX	0	0	0	0	0
77285	TC	Α	Set radiation therapy	5.32	5.32	XXX	0	0	0	0	0
77290		Α	Set radiation therapy	8.36	8.36	XXX	0	0	0	0	0
77290	26	Α	Set radiation therapy	2.15	2.15	XXX	0	0	0	0	0
77290	TC	Α	Set radiation therapy	6.20	6.20	XXX	0	0	0	0	0
77295		Α	Set radiation therapy	32.92	32.92	XXX	0	0	0	0	0
77295	26	Α	Set radiation therapy	6.27	6.27	XXX	0	0	0	0	0
77295	TC	Α	Set radiation therapy	26.65	26.65	XXX	0	0	0	0	0
77299		C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77299	26	$\mathbf{C}$	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77299	TC	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0

# (27) Radiation oncology, medical radiation physics, dosimetry, treatment devices, and special services:

77300		Α	Radiation therapy	2.14	2.14	XXX	0	0	0	0	0
77300	26	Α	Radiation therapy	0.86	0.86	XXX	0	0	0	0	0
77300	TC	Α	Radiation therapy	1.28	1.28	XXX	0	0	0	0	0
77305		Α	Radiation therapy	2.75	2.75	XXX	0	0	0	0	0
77305	26	Α	Radiation therapy	0.97	0.97	XXX	0	0	0	0	0
77305	TC	Α	Radiation therapy	1.78	1.78	XXX	0	0	0	0	0
77310		Α	Radiation therapy	3.66	3.66	XXX	0	0	0	0	0
77310	26	Α	Radiation therapy	1.44	1.44	XXX	0	0	0	0	0
77310	TC	Α	Radiation therapy	2.23	2.23	XXX	0	0	0	0	0
77315		Α	Radiation therapy	4.69	4.69	XXX	0	0	0	0	0
77315	26	Α	Radiation therapy	2.15	2.15	XXX	0	0	0	0	0
77315	TC	Α	Radiation therapy	2.54	2.54	XXX	0	0	0	0	0
77321		Α	Radiation therapy	5.16	5.16	XXX	0	0	0	0	0
77321	26	Α	Radiation therapy	1.31	1.31	XXX	0	0	0	0	0
77321	TC	Α	Radiation therapy	3.85	3.85	XXX	0	0	0	0	0
77326		Α	Radiation therapy	3.54	3.54	XXX	0	0	0	0	0
77326	26	Α	Radiation therapy	1.28	1.28	XXX	0	0	0	0	0
77326	TC	Α	Radiation therapy	2.26	2.26	XXX	0	0	0	0	0

77327		Α	Radiation therapy	5.22	5.22	XXX	0	0	0	0	0
77327	26	Α	Radiation therapy	1.91	1.91	XXX	0	0	0	0	0
77327	TC	Α	Radiation therapy	3.31	3.31	XXX	0	0	0	0	0
77328		Α	Radiation therapy	7.61	7.61	XXX	0	0	0	0	0
77328	26	Α	Radiation therapy	2.87	2.87	XXX	0	0	0	0	0
77328	TC	Α	Radiation therapy	4.73	4.73	XXX	0	0	0	0	0
77331		Α	Special radiation	1.68	1.68	XXX	0	0	0	0	0
77331	26	Α	Special radiation	1.20	1.20	XXX	0	0	0	0	0
77331	TC	Α	Special radiation	0.48	0.48	XXX	0	0	0	0	0
77332		Α	Radiation treatment	2.03	2.03	XXX	0	0	0	0	0
77332	26	Α	Radiation treatment	0.75	0.75	XXX	0	0	0	0	0
77332	TC	Α	Radiation treatment	1.28	1.28	XXX	0	0	0	0	0
77333		Α	Radiation treatment	2.98	2.98	XXX	0	0	0	0	0
77333	26	Α	Radiation treatment	1.16	1.16	XXX	0	0	0	0	0
77333	TC	Α	Radiation treatment	1.81	1.81	XXX	0	0	0	0	0
77334		Α	Radiation treatment	4.79	4.79	XXX	0	0	0	0	0
77334	26	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77334	TC	Α	Radiation treatment	3.10	3.10	XXX	0	0	0	0	0
77336		Α	Radiation physics	2.84	2.84	XXX	0	0	0	0	0
77370		Α	Radiation physics	3.33	3.33	XXX	0	0	0	0	0
77399		C	External radiation	0.00	0.00	XXX	0	0	0	0	0
77399	26	C	External radiation	0.00	0.00	XXX	0	0	0	0	0
77399	TC	C	External radiation	0.00	0.00	XXX	0	0	0	0	0

# (28) Radiation oncology, radiation treatment delivery:

77401	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77402	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77403	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77404	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77406	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77407	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77408	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77409	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77411	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77412	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77413	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77414	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77416	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77417	Α	Radiology port films	0.56	0.56	XXX	0	0	0	0	0

# (29) Radiation oncology, clinical treatment management:

77419		Α	Weekly radiation	4.95	4.95	XXX	0	0	0	0	0
77420		Α		2.22	2.22	XXX	0	0	0	0	0
77425		Α	Weekly radiation	3.37	3.37	XXX	0	0	0	0	0
77430		Α	Weekly radiation	4.95	4.95	XXX	0	0	0	0	0
77431		Α	Radiation therapy	2.49	2.49	XXX	0	0	0	0	0
77432		Α	Stereotactic radiation	12.19	12.19	XXX	0	0	0	0	0
77470		Α	Special radiation	13.50	13.50	XXX	0	0	0	0	0
77470	26	Α	Special radiation	2.87	2.87	XXX	0	0	0	0	0
77470	TC	Α	Special radiation	10.62	10.62	XXX	0	0	0	0	0
77499		C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77499	26	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77499	TC	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0

(30) R	adiat	ion	oncology, hyperthermia:								
77600		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77600	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
77600	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	Ō	0	Ŏ	Ö	Õ
77605		R	Hyperthermia treatment	6.75	6.75	ZZZ	0	Õ	ŏ	Ŏ	Õ
77605	26		Hyperthermia treatment	2.87	2.87	ZZZ	ő	Õ	ŏ	ŏ	ŏ
77605	TC		Hyperthermia treatment	3.88	3.88	ZZZ	0	0	0	ő	ő
77610	10	R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	Ö	Õ
77610	26		Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	Ö	0
77610	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	Õ	Ö	0	Ö	0
77615	10	R	Hyperthermia treatment	6.75	6.75	ZZZ	0	0	0	0	0
77615	26	R	Hyperthermia treatment	2.87	2.87	ZZZ	0	0	0	0	0
77615	TC	R	Hyperthermia treatment	3.88	3.88	ZZZ	0	0	0	0	0
77015	ic	I	Trypermerma treatment	3.00	5.00	LLL	U	U	U	U	U
(31) R	adiat	ion	oncology, clinical intracavitary	hyperth	ermia:						
77620		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77620	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	ő	ŏ	ŏ	Ö	ŏ
77620	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	ŏ	Ö	0	Õ	ő
77020	10	1	Tryportine tima treatment	2.70	2.70		U	U	U	U	U
(32) R	adiat	ion	oncology, clinical brachytherap	oy:							
77750		Α	Infuse radioelement	7.87	7.87	090	0	0	0	0	0
77750	26		Infuse radioelement	6.60	6.60	090	0	0	0	0	0
77750	TC		Infuse radioelement	1.27	1.27	090	0	0	0	0	0
77761			Radioelement application	7.52	7.52	090	0	0	0	0	0
77761	26		Radioelement application	5.12	5.12	090	0	0	0	0	0
77761	TC		Radioelement application	2.40	2.40	090	0	0	0	0	0
77762			Radioelement application	11.14	11.14	090	0	0	0	0	0
77762	26		Radioelement application	7.69	7.69	090	0	0	0	0	0
77762	TC		Radioelement application	3.44	3.44	090	0	0	0	0	0
77763	•		Radioelement application	15.80	15.80	090	0	0	0	0	0
77763	26 TC		Radioelement application	11.51	11.51	090	0	0	0	0	0
77763	TC		Radioelement application	4.28	4.28	090	0	0	0	0	0
77776	26		Radioelement application	8.50	8.50	XXX	0	0	0	0	0
77776 77776	26 TC	A	Radioelement application	6.42 2.08	6.42 2.08	XXX XXX	$0 \\ 0$	0 0	0	2 0	0
77777	10		Radioelement application	2.06 14.11	14.11	090	0	0	0	0	0
77777	26	A	Radioelement application	10.06	10.06	090	0	0	0	2	0
77777			Radioelement application Radioelement application	4.05	4.05	090	0	0	0	0	ŏ
77778	10	A	Radioelement application	19.95	19.95	090	0	0	0	Ö	0
77778	26	A	Radioelement application	15.06	15.06	090	0	0	0	2	ő
77778	TC		Radioelement application	4.89	4.89	090	0	ő	0	õ	0
77781	10		High intensity	21.59	21.59	090	0	ő	0	0	0
77781	26	A	High intensity	2.23	2.23	090	0	0	0	0	ő
77781	TC	A	High intensity	9.36	9.36	090	0	0	0	Ö	0
77782		A	High intensity	22.72	22.72	090	0	ő	0	0	0
77782	26		High intensity	3.36	3.36	090	0	ŏ	0	0	0
77782	TC		High intensity	19.36	19.36	090	0	0	0	0	0
77783		A	High intensity	24.37	24.37	090	0	0	0	ŏ	0
77783	26		High intensity	5.01	5.01	090	0	ő	ő	0	0
77783	TC		High intensity	19.36	19.36	090	Ö	ő	0	0	0
				17.50	17.50	370	•	J	J	9	3

77784		Α	High intensity	26.91	26.91	090	0	0	0	0	0
77784	26	Α	High intensity	7.55	7.55	090	0	0	0	0	0
77784	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0
77789		A	Radioelement application	1.93	1.93	090	0	0	0	0	0
77789	26	A	Radioelement application	1.50	1.50	090	0	0	Ō	Ō	Õ
77789	TC	A	Radioelement application	0.43	0.43	090	Ö	ŏ	ŏ	ŏ	Ŏ
77790	10	A	Radioelement handling	1.92	1.92	XXX	ŏ	ŏ	ŏ	ő	ő
	26			1.44		XXX	ő	0	0	0	0
77790		A	Radioelement handling		1.44						
77790	TC	A	Radioelement handling	0.48	0.48	XXX	0	0	0	0	0
77799	0.0	C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
77799	26	Č	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
77799	TC	C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
(33) N	uclea	r m	edicine, diagnostic:								
78000		Α	Thyroid, single	1.19	1.19	XXX	0	0	0	0	0
78000	26	A	Thyroid, single	0.26	0.26	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78000	TC	A	Thyroid, single	0.92	0.92	XXX	0	ő	ő	0	Ö
78000	IC	A	Thyroid, multiple	1.60	1.60	XXX	0	0	0	0	0
	26									-	
78001	26 TC	A	Thyroid, multiple	0.36	0.36	XXX	0	0	0	0	0
78001	TC	A	Thyroid, multiple	1.24	1.24	XXX	0	0	0	0	0
78003	0.0	A	Thyroid, suppression	1.38	1.38	XXX	0	0	0	0	0
78003	26	A	Thyroid, suppression	0.46	0.46	XXX	0	0	0	0	0
78003	TC	Α	Thyroid, suppression	0.92	0.92	XXX	0	0	0	0	0
78006		Α	Thyroid imaging	2.95	2.95	XXX	0	0	0	0	0
78006	26	Α	Thyroid imaging	0.67	0.67	XXX	0	0	0	0	0
78006	TC	Α	Thyroid imaging	2.28	2.28	XXX	0	0	0	0	0
78007		Α	Thyroid imaging	3.15	3.15	XXX	0	0	0	0	0
78007	26	Α	Thyroid imaging	0.69	0.69	XXX	0	0	0	0	0
78007	TC	Α	Thyroid imaging	2.45	2.45	XXX	0	0	0	0	0
78010		Α	Thyroid imaging	2.27	2.27	XXX	0	0	0	0	0
78010	26	Α	Thyroid imaging	0.53	0.53	XXX	0	0	0	0	0
78010	TC	Α	Thyroid imaging	1.73	1.73	XXX	0	0	0	0	0
78011		Α	Thyroid imaging	2.92	2.92	XXX	0	0	0	0	0
78011	26	Α	Thyroid imaging	0.63	0.63	XXX	Õ	Õ	Ŏ	Ō	Ŏ
78011	TČ	A	Thyroid imaging	2.29	2.29	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78015	10	A	Thyroid metastases image	3.39	3.39	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78015	26	A	Thyroid metastases image  Thyroid metastases image	0.94	0.94	XXX	ŏ	0	0	0	0
78015	TC	A	Thyroid metastases image  Thyroid metastases image	2.45	2.45	XXX	ő	ő	Ö	0	0
	ıc					XXX		Ö	0	Ö	0
78016	26	A	Thyroid metastases image	4.47	4.47		0	0		0	
78016	26 TC	A	Thyroid metastases image	1.14	1.14	XXX	0	-	0	-	0
78016	TC		Thyroid metasteses image	3.32	3.32	XXX	0	0	0	0	0
78017		A	Thyroid metasteses image	4.75	4.75	XXX	0	0	0	0	0
78017	26	A	Thyroid metasteses image	1.20	1.20	XXX	0	0	0	0	0
78017	TC		Thyroid metasteses image	3.55	3.55	XXX	0	0	0	0	0
78018		Α	Thyroid metasteses image	6.49	6.49	XXX	0	0	0	0	0
78018	26	Α	Thyroid, met imaging	1.31	1.31	XXX	0	0	0	0	0
78018	TC	Α	Thyroid, met imaging	5.18	5.18	XXX	0	0	0	0	0
78070		Α	Parathyroid nuclear	2.72	2.72	XXX	0	0	0	0	0
78070	26	Α	Parathyroid nuclear	0.99	0.99	XXX	0	0	0	0	0
78070	TC	Α	Parathyroid nuclear	1.73	1.73	XXX	0	0	0	0	0
78075	_	A		6.20	6.20	XXX	0	0	0	0	0
78075	26	A	Adrenal nuclear	1.03	1.03	XXX	Ŏ	Ŏ	Ŏ	ŏ	ŏ
78075	TC	A	Adrenal nuclear	5.18	5.18	XXX	Õ	Ŏ	Õ	ŏ	ŏ
78099		Ĉ	Endocrine, nuclear	0.00	0.00	XXX	0	Ö	0	ŏ	0
78099	26	č	Endocrine, nuclear	0.00	0.00	XXX	0	0	0	0	0
10077	40	$\sim$	Endocinio, nuclear	0.00	0.00	$\Lambda\Lambda\Lambda$	U	J	U	U	U

78099	TC	$\mathbf{C}$	Endocrine, nuclear	0.00	0.00	XXX	0	0	0	0	0
(0.4) NI							.•				
(34) N	uclea	r m	edicine, hematopoietic, reticulo	endothe	lial and	lympha	itic s	syste	m:		
78102		Α	Bone marrow imaging	2.71	2.71	XXX	0	0	0	0	0
78102	26	A	Bone marrow imaging	0.76	0.76	XXX	ő	ŏ	ŏ	ŏ	Õ
78102	TC		Bone marrow imaging	1.95	1.95	XXX	Ŏ	Õ	ŏ	ŏ	Ŏ
78103			Bone marrow imaging	4.06	4.06	XXX	ō	Ō	Õ	Õ	Õ
78103	26		Bone marrow imaging	1.04	1.04	XXX	0	0	0	0	0
78103	TC	Α	Bone marrow imaging	3.02	3.02	XXX	0	0	0	0	0
78104		Α	Bone marrow imaging	5.00	5.00	XXX	0	0	0	0	0
78104	26	Α	Bone marrow imaging	1.11	1.11	XXX	0	0	0	0	0
78104	TC	Α	Bone marrow imaging	3.89	3.89	XXX	0	0	0	0	0
78110		Α	Plasma volume	1.17	1.17	XXX	0	0	0	0	0
78110	26	Α	Plasma volume	0.26	0.26	XXX	0	0	0	0	0
78110	TC	Α	Plasma volume	0.90	0.90	XXX	0	0	0	0	0
78111		Α	Plasma volume	2.76	2.76	XXX	0	0	0	0	0
78111	26	Α	Plasma volume	0.31	0.31	XXX	0	0	0	0	0
78111	TC	Α	Plasma volume	2.45	2.45	XXX	0	0	0	0	0
78120		Α	Red cell mass, single	1.98	1.98	XXX	0	0	0	0	0
78120	26	Α	Red cell mass, single	0.33	0.33	XXX	0	0	0	0	0
78120	TC		Red cell mass, single	1.65	1.65	XXX	0	0	0	0	0
78121			Red cell mass, multiple	3.22	3.22	XXX	0	0	0	0	0
78121	26	Α	Red cell mass, multiple	0.45	0.45	XXX	0	0	0	0	0
78121	TC	Α	Red cell mass, multiple	2.77	2.77	XXX	0	0	0	0	0
78122		Α	Whole blood volume	5.01	5.01	XXX	0	0	0	0	0
78122	26	Α	Whole blood volume	0.62	0.62	XXX	0	0	0	0	0
78122	TC	A	Whole blood volume	4.40	4.40	XXX	0	0	0	0	0
78130		Α	Red cell survival	3.57	3.57	XXX	0	0	0	0	0
78130	26	A	Red cell survival	0.85	0.85	XXX	0	0	0	0	0
78130	TC	A	Red cell survival	2.72	2.72	XXX	0	0	0	0	0
78135	•	A	Red cell survival	5.53	5.53	XXX	0	0	0	0	0
78135	26	A	Red cell survival	0.88	0.88	XXX	0	0	0	0	0
78135	TC	A	Red cell survival	4.65	4.65	XXX	0	0	0	0	0
78140		A	Red cell sequestration	4.60	4.60	XXX	0	0	0	0	0
78140	26 TC	A	Red cell sequestration	0.85	0.85	XXX	0	0	0	0	0
78140	TC	A	Red cell sequestration	3.75	3.75	XXX	0	0	0	0	0
78160	26	A	Plasma iron turnover	3.95	3.95	XXX	0	0	0	0	0
78160	26 TC	A	Plasma iron turnover	0.46	0.46 3.49	XXX	$0 \\ 0$	$0 \\ 0$	0	0	0 0
78160	TC	A	Plasma iron turnover	3.49 3.67	3.49	XXX XXX	0	0	0	0	0
78162	26	A	Iron absorption				_		_	_	
78162	26 TC	A	Iron absorption	0.62 3.05	0.62 3.05	XXX XXX	0	0	0	0	0
78162 78170	TC	A A	Iron absorption Red cell iron use	5.63	5.63	XXX	0	0	0	0	0
78170	26	A	Red cell iron use	0.56	0.56	XXX	0	0	0	0	0
78170	TC	A	Red cell iron use	5.06	5.06	XXX	0	0	0	0	0
78170	ıc	Ĉ	Total body iron	0.00	0.00	XXX	0	0	0	0	0
78172	26	A	Total body iron	0.74	0.74	XXX	Ö	0	0	0	0
78172	TC	Ĉ	Total body iron	0.00	0.00	XXX	0	0	0	0	0
78185	10	A	Spleen imaging	2.81	2.81	XXX	0	0	ő	0	0
78185	26	A	Spleen imaging	0.55	0.55	XXX	0	0	0	0	0
78185	TC	A	Spleen imaging	2.26	2.26	XXX	0	0	0	0	0
78190	10	A	Platelet survival	6.95	6.95	XXX	0	0	0	0	0
78190	26	A	Platelet survival	1.49	1.49	XXX	0	0	0	0	0
78190	TC	A	Platelet survival	5.46	5.46	XXX	0	0	0	0	0
78191		A	Platelet survival	7.84	7.84	XXX	0	0	ŏ	0	ő
		-					-	-	-	-	-

# FEES FOR MEDICAL SERVICES 5221.4030

78191	26	Α	Platelet survival	0.85	0.85	XXX	0	0	0	0	0
78191	TC	Α	Platelet survival	6.99	6.99	XXX	0	0	0	0	0
78195		Α	Lymph system imaging	5.31	5.31	XXX	0	0	0	0	0
78195	26	Α	Lymph system imaging	1.43	1.43	XXX	0	0	0	0	0
			Lymph system imaging	3.89	3.89	XXX	0	0	0	0	0
78199		C	Blood/lymph, nuclear	0.00	0.00	XXX	0	0	0	0	0
78199	26	C	Blood/lymph, nuclear	0.00	0.00	XXX	0	0	0	0	0
78199	TC	C	Blood/lymph, nuclear	0.00	0.00	XXX	0	0	0	0	0

# (35) Nuclear medicine, gastrointestinal system:

											_
78201			Liver imaging	2.86	2.86	XXX	0	0	0	0	0
78201	26		Liver imaging	0.60	0.60	XXX	0	0	0	0	0
78201	TC		Liver imaging	2.26	2.26	XXX	0	0	0	0	0
78202			Liver imaging	3.46	3.46	XXX	0	0	0	0	0
78202	26		Liver imaging	0.71	0.71	XXX	0	0	0	0	0
78202	TC	Α	Liver imaging	2.75	2.75	XXX	0	0	0	0	0
78205		Α	Liver imaging	6.63	6.63	XXX	0	0	0	0	0
78205	26	Α	Liver imaging	0.99	0.99	XXX	0	0	0	0	0
78205	TC	Α	Liver imaging	5.64	5.64	XXX	0	0	0	0	0
78215		Α	Liver and spleen imaging	3.47	3.47	XXX	0	0	0	0	0
78215	26		Liver and spleen imaging	0.67	0.67	XXX	0	0	0	0	0
78215	TC		Liver and spleen imaging	2.80	2.80	XXX	0	0	0	0	0
78216			Liver and spleen imaging	4.11	4.11	XXX	0	0	0	0	0
78216	26		Liver and spleen imaging	0.79	0.79	XXX	0	0	0	0	0
78216	TC		Liver and spleen imaging	3.32	3.32	XXX	0	0	0	0	0
78220			Liver function study	4.22	4.22	XXX	0	0	0	0	0
78220	26		Liver function study	0.67	0.67	XXX	0	0	0	0	Ō
78220	TC		Liver function study	3.55	3.55	XXX	0	0	0	0	0
78223			Hepatobiliary imaging	4.66	4.66	XXX	Ō	Ŏ	Ō	Ō	Ō
78223	26		Hepatobiliary imaging	1.16	1.16	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
78223	TC		Hepatobiliary imaging	3.49	3.49	XXX	ŏ	Õ	ŏ	Õ	ŏ
78230	10	A	Salivary gland imaging	2.70	2.70	XXX	ŏ	Õ	Õ	Õ	ŏ
78230	26	A	Salivary gland imaging	0.63	0.63	XXX	ŏ	ŏ	Ö	0	ő
78230	TC	A	Salivary gland imaging	2.08	2.08	XXX	Ö	ŏ	ŏ	0	0
78231	10	A		3.75	3.75	XXX	0	0	0	0	0
78231	26	A	Serial salivary imaging	0.73	0.73	XXX	Ö	ő	0	0	0
78231	TC	Â	Serial salivary imaging	3.02	3.02	XXX	0	0	0	0	0
78232	10	Â	Salivary gland study	4.03	4.03	XXX	0	0	0	0	0
78232	26	A	Salivary gland study	0.66	0.66	XXX	0	0	0	0	0
78232	TC	A	Salivary gland study	3.37	3.37	XXX	0	0	0	0	0
78258	iC	A		3.78	3.78	XXX	0	-	0	0	0
78258	26		Esophageal motion				_	0	_	-	
	26 TC	A	Esophageal motion	1.03	1.03	XXX	0	0	0	0	0
78258	TC	A	Esophageal motion	2.75	2.75	XXX	0	0	0	0	0
78261	26	A	Gastric mucosa imaging	4.88	4.88	XXX	0	0	0	0	0
78261	26 TC	A	Gastric mucosa imaging	0.96	0.96	XXX	0	0	0	0	0
78261	TC	A	Gastric mucosa imaging	3.91	3.91	XXX	0	0	0	0	0
78262	•	A	Gastroesophageal study	5.00	5.00	XXX	0	0	0	0	0
78262	26	A	Gastroesophageal study	0.94	0.94	XXX	0	0	0	0	0
78262	TC	Α	Gastroesophageal study	4.06	4.06	XXX	0	0	0	0	0
78264		A	Gastric emptying study	5.02	5.02	XXX	0	0	0	0	0
78264	26	Α	Gastric emptying study	1.08	1.08	XXX	0	0	0	0	0
78264	TC	A		3.93	3.93	XXX	0	0	0	0	0
78270		Α	Vitamin B-12 absorption	1.76	1.76	XXX	0	0	0	0	0
78270	26	Α	Vitamin B-12 absorption	0.28	0.28	XXX	0	0	0	0	0
78270	TC	Α	Vitamin B-12 absorption	1.48	1.48	XXX	0	0	0	0	0

								_	_	~	_
78271		Α	Vitamin B-12 absorption	1.86	1.86	XXX	0	0	0	0	0
78271	26	Α	Vitamin B-12 absorption	0.28	0.28	XXX	0	0	0	0	0
78271	TC	Α	Vitamin B-12 absorption	1 <i>.</i> 57	1.57	XXX	0	0	0	0	0
78272		Α	Vitamin B-12 absorption	2.60	2.60	XXX	0	0	0	0	0
78272	26	Α	Vitamin B-12 absorption	0.38	0.38	XXX	0	0	0	0	0
78272	TC		Vitamin B-12 absorption	2.22	2.22	XXX	0	0	0	0	0
78278		A	Acute GI blood loss	6.02	6.02	XXX	0	0	0	0	0
78278	26	A	Acute GI blood loss	1.37	1.37	XXX	0	0	0	0	0
78278	TC	Α	Acute GI blood loss	4.65	4.65	XXX	0	0	0	0	0
78282		C	GI protein loss	0.00	0.00	XXX	0	0	0	0	0
78282	26	Α		0.53	0.53	XXX	0	0	0	0	0
78282	TC	C	GI protein loss	0.00	0.00	XXX	0	0	0	0	0
78290		Α	•	3.84	3.84	XXX	0	0	0	0	0
78290	26	Α	Meckel's divert exam	0.94	0.94	XXX	0	0	0	0	0
78290	TC	Α	Meckel's divert exam	2.90	2.90	XXX	0	0	0	0	0
78291		Α	Shunt patency test	4.13	4.13	XXX	0	0	0	0	0
78291	26	Α	Shunt patency test	1.21	1.21	XXX	0	0	0	0	0
78291	TC	Α		2.92	2.92	XXX	0	0	0	0	0
78299		C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
78299	26	C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
78299	TC	Č	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
		_					-	-	-	-	-

# (36) Nuclear medicine, musculoskeletal system:

•	78300		Α	Bone imaging, limited	3.24	3.24	XXX	0	0	0	0	0
-	78300	26	Α	Bone imaging, limited	0.87	0.87	XXX	0	0	0	0	0
•	78300	TC	Α	Bone imaging, limited	2.38	2.38	XXX	0	0	0	0	0
-	78305		Α	Bone imaging, multiple	4.65	4.65	XXX	0	0	0	0	0
-	78305	26	Α	Bone imaging, multiple	1.15	1.15	XXX	0	0	0	0	0
-	78305	TC	Α	Bone imaging, multiple	3.49	3.49	XXX	0	0	0	0	0
•	78306		Α	Bone imaging, whole body	5.27	5.27	XXX	2	0	0	0	0
6	78306	26	Α	Bone imaging, whole body	1.19	1.19	XXX	2	0	0	0	0
7	78306	TC	Α	Bone imaging, whole body	4.07	4.07	XXX	2	0	0	0	0
-	78315		Α	Bone imaging, three	5.95	5.95	XXX	0	0	0	0	0
	78315	26	Α	Bone imaging, three	1.40	1.40	XXX	0	0	0	0	0
•	78315	TC	A	Bone imaging, three	4.56	4.56	XXX	0	0	0	0	0
-	78320		Α	Bone imaging	7.06	7.06	XXX	2	0	0	0	0
-	78320	26	Α	Bone imaging	1.43	1.43	XXX	2	0	0	0	0
	78320	TC	Α	Bone imaging	5.64	5.64	XXX	2	0	0	0	0
-	78350		Α	Bone mineral, study	1.03	1.03	XXX	0	0	0	0	0
-	78350	26	Α	Bone mineral, study	0.31	0.31	XXX	0	0	0	0	0
7	78350	TC	Α	Bone mineral, study	0.72	0.72	XXX	0	0	0	0	0
-	78351		N	Bone mineral, dual	0.00	0.00	XXX	9	9	9	9	9
-	78399		C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
7	78399	26	C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
7	78399	TC	C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
				•								

# (37) Nuclear medicine, cardiovascular system:

78414		C	Nonimaging heart	0.00	0.00	XXX	0	0	0	0	0
78414	26	Α	Nonimaging heart	0.62	0.62	XXX	0	0	0	0	0
78414	TC	C	Nonimaging heart	0.00	0.00	XXX	0	0	0	0	0
			Cardiac shunt imaging	3.24	3.24	XXX	0	0	0	0	0
78428	26	Α	Cardiac shunt imaging	1.08	1.08	XXX	0	0	0	0	0
78428	TC	Α	Cardiac shunt imaging	2.15	2.15	XXX	0	0	0	0	0

78445		Α	Vascular flow imaging	2.47	2.47	XXX	0	0	0	0	0
78445	26	Α	Vascular flow imaging	0.70	0.70	XXX	0	0	0	0	0
78445	TC	Α	Vascular flow imaging	1.77	1.77	XXX	0	0	0	0	0
78455		Α	Venous thrombosis study	4.81	4.81	XXX	0	0	0	0	0
78455	26	Α	Venous thrombosis study	1.01	1.01	XXX	0	0	0	0	0
78455	TC	Α	Venous thrombosis study	3.80	3.80	XXX	0	0	0	0	0
78457		Α	Venous thrombosis imaging	3.60	3.60	XXX	0	0	0	0	0
78457	26	Α	Venous thrombosis imaging	1.06	1.06	XXX	0	0	0	0	0
78457	TC	Α	Venous thrombosis imaging	2.54	2.54	XXX	0	0	0	0	0
78458		Α	Venous thrombosis imaging	5.07	5.07	XXX	0	2	0	0	0
78458	26	Α	Venous thrombosis imaging	1.24	1.24	XXX	0	2	0	0	0
78458	TC	Α	Venous thrombosis imaging	3.83	3.83	XXX	0	2	0	0	0
78459		Ī	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78459	26	I	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78459	TC	I	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78460		A	Heart muscle blood	3.45	3.45	XXX	0	0	0	0	0
78460	26	A	Heart muscle blood	1.19	1.19	XXX	0	0	0	0	0
78460	TC	A	Heart muscle blood	2.26	2.26	XXX	0	0	0	0	0
78461	•	A	Heart muscle blood	6.19	6.19	XXX	0	0	0	0	0
78461	26		Heart muscle blood	1.68	1.68	XXX	0	0	0	0	0
78461	TC	A	Heart muscle blood	4.51	4.51	XXX	0	0	0	0	0
78464	•	A	Heart image	8.24	8.24	XXX	0	0	0	0	0
78464	26		Heart image	1.49	1.49	XXX	0	0	0	0	0
78464	TC		Heart image	6.75	6.75	XXX	0	0	0	0	0
78465	26		Heart image	3.25	3.25	XXX	0	0	0	0	0
78465	26 TC		Heart image	2.01	2.01	XXX	0	0	0	0	0
78465	TC		Heart image	1.24	1.24	XXX	0	0	0	0	0
78466 78466	26		Heart infarct image	3.47 0.96	3.47 0.96	XXX XXX	0	0	0	0	$0 \\ 0$
	TC		Heart infarct image	2.51	2.51	XXX	0	0	0	0	0
78466 78468	10	A	Heart infarct image	4.59	4.59	XXX	0	0	0	0	0
78468	26		Heart infarct image Heart infarct image	1.10	1.10	XXX	0	0	0	0	ő
78468	TC		Heart infarct image	3.49	3.49	XXX	0	0	ő	0	0
78469	10		Heart infarct image	6.25	6.25	XXX	0	0	ő	0	0
78469	26		Heart infarct image	1.26	1.26	XXX	ŏ	0	0	0	ŏ
78469	TC	Â	Heart infarct image	4.99	4.99	XXX	0	ő	ő	0	0
78472	10	A	Gated heart	6.61	6.61	XXX	0	0	ő	0	0
78472	26	A	Gated heart	1.35	1.35	XXX	0	ő	ŏ	ő	0
78472	TC	A	Gated heart	5.26	5.26	XXX	ő	ŏ	ŏ	0	Ö
78473	10	A	Gated heart, multiple	9.89	9.89	XXX	ő	ő	ő	0	0
78473	26	A	Gated heart, multiple	2.02	2.02	XXX	ŏ	ŏ	0	ŏ	Õ
78473	TC	A	Gated heart, multiple	7.87	7.87	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78478		Α	Heart wall motion	2.34	2.34	XXX	Õ	Ŏ	Ŏ	ŏ	Ŏ
78478	26		Heart wall motion	0.86	0.86	XXX	Ŏ	Ŏ	Ō	Ŏ	0
78478	TC		Heart wall motion	1.48	1.48	XXX	Õ	Õ	Ŏ	Ŏ	Ŏ
78480			Heart function	2.34	2.34	XXX	Ŏ	Ō	Ō	0	0
78480	26		Heart function	0.86	0.86	XXX	Õ	Ō	0	Ō	0
78480			Heart function	1.48	1.48	XXX	0	0	0	0	0
78481			Heart first pass	6.34	6.34	XXX	0	0	0	0	0
78481	26		Heart first pass	1.35	1.35	XXX	0	0	0	0	0
78481	TC		Heart first pass	4.99	4.99	XXX	ŏ	Ō	0	Ŏ	0
78483	_		Heart first pass	9.52	9.52	XXX	Ŏ	0	0	0	0
78483	26		Heart first pass	2.02	2.02	XXX	0	0	0	0	0
78483			Heart first pass	7.50	7.50	XXX	0	0	0	0	0
78491		I	Heart image	0.00	0.00	XXX	9	9	9	9	9
78491	26	I	Heart image	0.00	0.00	XXX	9	9	9	9	9
78491	TC	I	Heart image	0.00	0.00	XXX	9	9	9	9	9
78492		I	Heart image	0.00	0.00	XXX	9	9	9	9	9

# **MINNESOTA RULES 2003**

702

				~
5221.4030	FEES	FOR.	MEDICAL	SERVICES

26 TC 26 TC	I I C C C	Heart image Heart image Cardiovascular procedure Cardiovascular procedure Cardiovascular procedure	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX	9 9 0 0 0	9 9 0 0 0	9 9 0 0 0	9 9 0 0 0	9 9 0 0 0
uclea	r m	edicine, respiratory system:								
26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Lung perfusion imaging Lung v/Q imaging Aerosol lung imaging Vent imaging, 1 breath Vent imaging, 1 breath Vent imaging, 1 pulse Vent imaging, 1 pulse Vent imaging, 1 pulse Vent imaging, multiple Vent imaging, multiple Vent imaging, multiple Vent imaging, multiple Lung differential Lung differential	4.30 1.03 3.27 4.42 1.37 3.05 6.87 1.49 5.37 3.03 0.55 2.47 3.35 0.67 2.67 3.27 0.55 2.72 3.97 0.67 3.29 5.50 0.74 4.75 8.49 1.74 6.75 0.00 0.00 0.00	4.30 1.03 3.27 4.42 1.37 3.05 6.87 1.49 5.37 3.03 0.55 2.47 3.27 0.55 2.72 3.97 0.67 3.29 5.50 0.74 4.75 8.49 1.74 6.75 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX					
uclea	r m	edicine, nervous system:								
26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Brain imaging Brain imaging Brain ltd imaging Brain ltd imaging Brain ltd imaging Brain imaging	3.36 0.61 2.75 3.96 0.72 3.24 3.98 0.74 3.24 4.57 0.88 3.69 7.93 1.68	3.36 0.61 2.75 3.96 0.72 3.24 3.98 0.74 3.24 4.57 0.88 3.69 7.93 1.68	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
	TC 26 TC 27 TC 26	TC I C 26 C C C C C C C C C C C C C C C C C	TC I Heart image C Cardiovascular procedure C Cardiovascular procedure TC C Cardiovascular procedure TC C Cardiovascular procedure TC C Cardiovascular procedure  Luclear medicine, respiratory system:  A Lung perfusion imaging C A Lung perfusion imaging TC A Lung perfusion imaging A Lung V/Q imaging TC A Lung V/Q imaging A Lung V/Q imaging TC A Lung V/Q imaging A Lung V/Q imaging A Aerosol lung imaging TC A Lung V/Q imaging TC A Aerosol lung imaging TC A Vent imaging, 1 breath TC A Vent imaging, 1 breath TC A Vent imaging, 1 pulse TC A Vent imaging, 1 pulse TC A Vent imaging, 1 pulse TC A Vent imaging, multiple TC A Company imaging TC A Expiratory, nuclear TC C Respiratory, nuclear TC A Brain imaging	TC I Heart image C Cardiovascular procedure C Cardiovascular procedure C Cardiovascular procedure TC C Cardiovascular procedure C Cardiovascular procedure C Cardiovascular procedure O.00  Luclear medicine, respiratory system:  A Lung perfusion imaging A Lung perfusion imaging C A Lung perfusion imaging A Lung V/Q imaging A Lung V/Q imaging A Lung V/Q imaging C A Aerosol lung imaging C A Vent imaging, 1 breath C A Vent imaging, 1 breath C A Vent imaging, 1 pulse C A Vent imaging, multiple C A Lung differential C Respiratory, nuclear	TC I Heart image         0.00         0.00           C Cardiovascular procedure         0.00         0.00           TC C Cardiovascular procedure         0.00         0.00           TC C Cardiovascular procedure         0.00         0.00           uclear medicine, respiratory system:           A Lung perfusion imaging         4.30         4.30           26 A Lung perfusion imaging         3.27         3.27           A Lung V/Q imaging         4.42         4.42           26 A Lung V/Q imaging         1.37         1.37           TC A Lung V/Q imaging         3.05         3.05           A Lung V/Q imaging         5.37         5.37           A Lung V/Q imaging         1.49         1.49           TC A Lung V/Q imaging         3.03         3.03           26 A Lung V/Q imaging         5.37         5.37           A Aerosol lung imaging         3.03         3.03           26 A Aerosol lung imaging         2.67         2.67           A Aerosol lung imaging         3.25         3.25           A Vent imaging, 1 breath         3.27         3.27           TC A Vent imaging, 1 breath         3.27         3.27           TC A Vent imaging, 1 pulse         3.69         3.69 <td>TC I Heart image         0.00         0.00         XXX           C Cardiovascular procedure         0.00         0.00         XXX           TC C Cardiovascular procedure         0.00         0.00         XXX           TC C Cardiovascular procedure         0.00         0.00         XXX           uclear medicine, respiratory system:         a. Lung perfusion imaging         4.30         XXX           26 A Lung perfusion imaging         1.03         1.03         XXX           A Lung V/Q imaging         4.42         4.42         XXX           A Lung V/Q imaging         1.37         1.37         XXX           TC A Lung V/Q imaging         3.05         3.05         XXX           A Lung V/Q imaging         6.87         6.87         XXX           A Lung V/Q imaging         5.37         5.37         XXX           A Acrosol lung imaging         0.55         0.55         XXX           A Aerosol lung imaging         0.55         0.55         XXX           A Aerosol lung imaging         0.67         0.67         XXX           A Aerosol lung imaging         0.67         0.67         XXX           A Aerosol lung imaging         0.67         0.67         XXX           A Ve</td> <td>TC         I Heart image         0.00         0.00         XXX         9           C Cardiovascular procedure         0.00         0.00         XXX         0           TC         C Cardiovascular procedure         0.00         0.00         XXX         0           uclear medicine, respiratory system:         a. Lung perfusion imaging         4.30         4.30         XXX         0           26 A Lung perfusion imaging         1.03         1.03         XXX         0           26 A Lung Perfusion imaging         3.27         3.27         XXX         0           26 A Lung V/Q imaging         1.37         1.37         XXX         0           26 A Lung V/Q imaging         1.37         1.37         XXX         0           26 A Lung V/Q imaging         1.49         1.49         XXX         0           26 A Lung V/Q imaging         5.37         5.37         XXX         0           A Acrosol lung imaging         3.03         3.03         XXX         0           A Acrosol lung imaging         3.03         3.03         XXX         0           TC A Acrosol lung imaging         3.5         3.5         XXX         0           TC A Vent imaging, 1 breath         3.27</td> <td>TC I Heart image</td> <td>TC I Heart image C C Cardiovascular procedure C C Cardiovascular procedure C C Cardiovascular procedure C C C C C C C C C C C C C C C C C C C</td> <td>TC I Heart image C Cardiovascular procedure C Cardiovascular procedure C C C C C C C C C C C C C C C C C C C</td>	TC I Heart image         0.00         0.00         XXX           C Cardiovascular procedure         0.00         0.00         XXX           TC C Cardiovascular procedure         0.00         0.00         XXX           TC C Cardiovascular procedure         0.00         0.00         XXX           uclear medicine, respiratory system:         a. Lung perfusion imaging         4.30         XXX           26 A Lung perfusion imaging         1.03         1.03         XXX           A Lung V/Q imaging         4.42         4.42         XXX           A Lung V/Q imaging         1.37         1.37         XXX           TC A Lung V/Q imaging         3.05         3.05         XXX           A Lung V/Q imaging         6.87         6.87         XXX           A Lung V/Q imaging         5.37         5.37         XXX           A Acrosol lung imaging         0.55         0.55         XXX           A Aerosol lung imaging         0.55         0.55         XXX           A Aerosol lung imaging         0.67         0.67         XXX           A Aerosol lung imaging         0.67         0.67         XXX           A Aerosol lung imaging         0.67         0.67         XXX           A Ve	TC         I Heart image         0.00         0.00         XXX         9           C Cardiovascular procedure         0.00         0.00         XXX         0           TC         C Cardiovascular procedure         0.00         0.00         XXX         0           uclear medicine, respiratory system:         a. Lung perfusion imaging         4.30         4.30         XXX         0           26 A Lung perfusion imaging         1.03         1.03         XXX         0           26 A Lung Perfusion imaging         3.27         3.27         XXX         0           26 A Lung V/Q imaging         1.37         1.37         XXX         0           26 A Lung V/Q imaging         1.37         1.37         XXX         0           26 A Lung V/Q imaging         1.49         1.49         XXX         0           26 A Lung V/Q imaging         5.37         5.37         XXX         0           A Acrosol lung imaging         3.03         3.03         XXX         0           A Acrosol lung imaging         3.03         3.03         XXX         0           TC A Acrosol lung imaging         3.5         3.5         XXX         0           TC A Vent imaging, 1 breath         3.27	TC I Heart image	TC I Heart image C C Cardiovascular procedure C C Cardiovascular procedure C C Cardiovascular procedure C C C C C C C C C C C C C C C C C C C	TC I Heart image C Cardiovascular procedure C Cardiovascular procedure C C C C C C C C C C C C C C C C C C C

Copyright @ 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

# FEES FOR MEDICAL SERVICES 5221.4030

								_			
78607	7 TC	Α	Brain imaging	6.25	6.25	XXX	0	0	0	0	0
78608		N	Brain imaging	0.00	0.00	XXX	9	9	9	9	9
78609		N	Brain imaging	0.00	0.00	XXX	9	9	9	9	9
78610		A	Brain flow imaging	1.92	1.92	XXX	Ó	Ó	Ó	Ó	Ó
78610		A	Brain flow imaging	0.42	0.42	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78610			Brain flow imaging	1.50	1.50	XXX	ŏ	ŏ	ŏ	Ö	ŏ
78615		A	Cerebral blood flow	4.25	4.25	XXX	Õ	ŏ	ő	Ŏ	ŏ
78615		A	Cerebral blood flow	0.58	0.58	XXX	ŏ	ŏ	ŏ	Õ	ŏ
78615		A	•	3.67	3.67	XXX	ő	ŏ	ő	ŏ	Ŏ
78630			Cerebrospinal fluid flow	5.75	5.75	XXX	ŏ	ő	ŏ	ŏ	Ö
78630		A	Cerebrospinal fluid flow	0.94	0.94	XXX	ŏ	ŏ	ő	0	Ö
78630		A		4.81	4.81	XXX	ŏ	ő	ő	ő	Ö
78635		A	CSF ventriculography	3.27	3.27	XXX	ŏ	Õ	ŏ	Ŏ	Ŏ
78635		A		0.85	0.85	XXX	ŏ	ŏ	Õ	Ŏ	ŏ
78635			CSF ventriculography	2.43	2.43	XXX	ŏ	ő	ŏ	ŏ	Ŏ
78645		A	CSF shunt evaluation	4.07	4.07	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78645		A		0.79	0.79	XXX	ŏ	ŏ	ŏ	Õ	ŏ
78645		A		3.27	3.27	XXX	Ŏ	Õ	Õ	ŏ	ŏ
78647		A	Cerebrospinal	6.88	6.88	XXX	ŏ	Õ	ŏ	ŏ	Ö
78647		A	Cerebrospinal	1.25	1.25	XXX	Ŏ	Õ	Õ	Ŏ	Ŏ
78647		A		5.64	5.64	XXX	ŏ	Õ	ŏ	ŏ	ŏ
78650		A	CSF leakage imaging	5.27	5.27	XXX	ŏ	0	Õ	ŏ	ŏ
78650		A	CSF leakage imaging	0.85	0.85	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
78650		A	CSF leakage imaging	4.42	4.42	XXX	Ŏ	Õ	Ŏ	Õ	Ŏ
78660		A	Nuclear exam	2.77	2.77	XXX	0	0	0	0	0
78660		A	Nuclear exam	0.74	0.74	XXX	0	0	0	0	0
78660	_		Nuclear exam	2.02	2.02	XXX	0	0	0	0	0
78699		C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
78699		Č	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
78699		Ċ	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
			Parameter Parame								
(40)	Nuclea	r m	edicine, genitourinary syster	n:							
78700	)	Α	Kidney imaging	3.52	3.52	XXX	0	0	0	0	0

78700		Α	Kidney imaging	3.52	3.52	XXX	0	0	0	0	0
78700	26	Α	Kidney imaging	0.62	0.62	XXX	0	0	0	0	0
78700	TC	Α	Kidney imaging	2.90	2.90	XXX	0	0	0	0	0
78701		Α	Kidney imaging	4.06	4.06	XXX	0	0	0	0	0
78701	26	Α	Kidney imaging	0.67	0.67	XXX	0	0	0	0	0
78701	TC	Α	Kidney imaging	3.39	3.39	XXX	0	0	0	0	0
78704		Α	Imaging renogram	4.80	4.80	XXX	0	0	0	0	0
78704	26	Α	Imaging renogram	1.03	1.03	XXX	0	0	0	0	0
78704	TC	Α	Imaging renogram	3.77	3.77	XXX	0	0	0	0	0
78707		Α	Kidney flow and function	5.57	5.57	XXX	0	0	0	0	0
78707	26		Kidney flow and function	1.31	1.31	XXX	0	0	0	0	0
78707	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78708		Α	Kidney flow and function	5.80	5.80	XXX	0	0	0	0	0
78708	26	Α	Kidney flow and function	1.54	1.54	XXX	0	0	0	0	0
78708	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78709		Α	Kidney flow and function	5.98	5.98	XXX	0	0	0	0	0
78709	26	Α	Kidney flow and function	1.72	1.72	XXX	0	0	0	0	0
78709	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78710		Α	Kidney imaging	6.55	6.55	XXX	0	0	0	0	0
78710	26	Α	Kidney imaging	0.92	0.92	XXX	0	0	0	0	0
78710	TC	Α	Kidney imaging	5.64	5.64	XXX	0	0	0	0	0
78715		Α	Renal vascular	1.92	1.92	XXX	0	0	0	0	0
78715	26	Α	Renal vascular	0.42	0.42	XXX	0	0	0	0	0

=0=4.5	<b>T</b>		<b>.</b>	4 70	4.50	373737	_	_	_	_	^
78715	TC		Renal vascular	1.50	1.50	XXX	0	0	0	0	0
78725		Α	Kidney function study	2.23	2.23	XXX	0	0	0	0	0
78725	26	Α	Kidney function study	0.53	0.53	XXX	0	0	0	0	0
78725	TC	Α	Kidney function study	1.70	1.70	XXX	0	0	0	0	0
78726		D	Kidney function	4.02	4.02	XXX	0	0	0	0	0
78726	26	D	Kidney function	1.20	1.20	XXX	0	0	0	0	0
78726	TC	D	Kidney function	2.82	2.82	XXX	0	0	0	0	0
78727		D	Kidney transplant	5.18	5.18	XXX	0	0	0	0	0
78727	26	D	Kidney transplant	1.37	1.37	XXX	0	0	0	0	0
78727	TC	D	Kidney transplant	3.80	3.80	XXX	0	0	0	0	0
78730		Α	Urinary bladder study	1.88	1.88	XXX	0	0	0	0	0
78730	26	Α	Urinary bladder study	0.49	0.49	XXX	0	0	0	0	0
78730	TC	Α	Urinary bladder study	1.39	1.39	XXX	0	0	0	0	0
78740		Α	Ureteral reflux study	2.81	2.81	XXX	0	0	0	0	0
78740	26	Α	Ureteral reflux study	0.79	0.79	XXX	0	0	0	0	0
78740	TC	Α	Ureteral reflux study	2.02	2.02	XXX	0	0	0	0	0
78760		Α	Testicular imaging	3.47	3.47	XXX	0	0	0	0	0
78760	26	Α	Testicular imaging	0.91	0.91	XXX	0	0	0	0	0
78760	TC	Α	Testicular imaging	2.56	2.56	XXX	0	0	0	0	0
78761		Α	Testicular imaging	4.04	4.04	XXX	0	0	0	0	0
78761	26	Α	Testicular imaging	0.99	0.99	XXX	0	0	0	0	0
78761	TC	Α	Testicular imaging	3.05	3.05	XXX	0	0	0	0	0
78799		C	Genitourinary, nuclear	0.00	0.00	XXX	0	0	0	0	0
78799	26	C	Genitourinary, nuclear	0.00	0.00	XXX	0	0	0	0	0
78799	TC	Č	Genitourinary, nuclear	0.00	0.00	XXX	0	0	0	Ŏ	Ŏ
			· · · · · · · · · · · · · · · · · · ·								

# (41) Nuclear medicine, other procedures:

78800		Α	Tumor imaging	4.15	4.15	XXX	0	0	0	0	0
78800	26	Α	Tumor imaging	0.91	0.91	XXX	0	0	0	0	0
78800	TC	Α	Tumor imaging	3.24	3.24	XXX	0	0	0	0	0
78801		Α	Tumor imaging	5.13	5.13	XXX	0	0	0	0	0
78801	26	Α	Tumor imaging	1.09	1.09	XXX	0	0	0	0	0
78801	TC	Α	Tumor imaging	4.04	4.04	XXX	0	0	0	0	0
78802		Α	Tumor imaging	6.47	6.47	XXX	2	0	0	0	0
78802	26	Α	Tumor imaging	1.19	1.19	XXX	2	0	0	0	0
78802	TC	Α	Tumor imaging	5.28	5.28	XXX	2	0	0	0	0
78803		Α	Tumor imaging	7.74	7.74	XXX	2	0	0	0	0
78803	26	Α	Tumor imaging	1.49	1.49	XXX	2	0	0	0	0
78803	TC	Α	Tumor imaging	6.25	6.25	XXX	2	0	0	0	0
78805		Α	Abscess imaging	4.25	4.25	XXX	0	0	0	0	0
78805	26	Α	Abscess imaging	1.01	1.01	XXX	0	0	0	0	0
78805	TC	Α	Abscess imaging	3.24	3.24	XXX	0	0	0	0	0
78806		Α	Abscess imaging	7.32	7.32	XXX	2	0	0	0	0
78806	26	Α	Abscess imaging	1.18	1.18	XXX	2	0	0	0	0
78806	TC	Α	Abscess imaging	6.14	6.14	XXX	2	0	0	0	0
78807		Α	Nuclear localization	7.74	7.74	XXX	2	0	0	0	0
78807	26	A	Nuclear localization	1.49	1.49	XXX	2	0	0	0	0
78807	TC	Α	Nuclear localization	6.25	6.25	XXX	2	0	0	0	0
78810		N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78810	26	N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78810	TC	N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78890		В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
78890	26	В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
78890	TC	В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
78891		В	Nuclear medicine data	0.00	0.00	XXX	9	9	9	9	9

# **MINNESOTA RULES 2003**

705				FOR MEDICAL SERVICES			ES	5221.4030				
78891 78891 78990 78999 78999	26 TC 26		Nuclear medicine data Nuclear medicine data Provide diagnostic Nuclear diagnostic Nuclear diagnostic	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	XXX XXX XXX XXX	9 9 9 0	9 9 9 0 0	9 9 9 0 0	9 9 9 0 0	9 9 9 0 0	
78999	TC	С	Nuclear diagnostic	0.00	0.00	XXX	0	0	0	0	0	
(42) Nuclear medicine, therapeutic:												
79000		Α	Initial hyperthyroidism	4.9	9 4.99	XXX	0	0	0	0	0	
79000	26	Α	Initial hyperthyroidism	2.4		XXX	0	0	0	0	0	
79000	TC	Α	Initial hyperthyroidism	2.5		XXX	0	0	0	0	0	
79001		Α	Repeat hyperthyroidism	2.6		XXX	0	0	0	0	0	
79001	26	Α	Repeat hyperthyroidism	1.4		XXX	0	0	0	0	0	
79001	TC	Α	Repeat hyperthyroidism	1.2		XXX	0	0	0	0	0	
79020		Α	Thyroid ablation	5.0		XXX	0	0	0	0	0	
79020	26	Α	Thyroid ablation	2.49		XXX	0	0	0	0	0	
79020	TC	Α	Thyroid ablation	2.5		XXX	0	0	0	0	0	
79030		Α	Thyroid ablation	5.4		XXX	0	0	0	0	0	
79030	26	Α	Thyroid ablation	2.89		XXX	0	0	0	0	0	
79030	TC	Α	Thyroid ablation	2.5		XXX	0	0	0	0	0	
79035		Ą	Thyroid metastases	5.9	5.98	XXX	0	0	0	0	0	
79035	26	A	Thyroid metastases	3.4		XXX	0	0	0	0	0	
79035	TC	Ą	Thyroid metastases	2.5		XXX	0	0	0	0	0	
79100	26		Hematopoetic nuclear	4.3		XXX	0	0	0	0	0	
79100	26 TC		Hematopoetic nuclear	1.8		XXX	0	0	0	0	0	
79100	TC		Hematopoetic nuclear	2.5 5.2		XXX XXX	0 0	0	0	0	0	
79200 79200	26		Intracavitary nuclear	2.7		XXX	0	0	0	0	0	
79200	TC	A	Intracavitary nuclear	2.7		XXX	0	0	0	0	0	
79300	10	Ĉ	Intracavitary nuclear Interstitial nuclear	0.0		XXX	Ö	0	0	0	0	
79300	26	A	Interstitial nuclear	2.20		XXX	0	0	0	ő	ő	
79300	TC		Interstitial nuclear	0.0		XXX	0	ő	0	0	0	
79400	10	_	Nonhematologic nuclear	5.2		XXX	0	ŏ	0	0	ő	
79400	26	Â	Nonhematologic nuclear	2.6		XXX	ŏ	ŏ	ő	0	ŏ	
79400	TC	A	Nonhematologic nuclear	2.5		XXX	ŏ	ŏ	ŏ	ŏ	ŏ	
79420	•	Ċ	Intravascular nuclear	0.0		XXX	ŏ	ŏ	ŏ	ŏ	ŏ	
79420	26	Ă	Intravascular nuclear	2.0		XXX	Ŏ	Õ	Ŏ	Ŏ	Ŏ	
79420	TC	C	Intravascular nuclear	0.0		XXX	Ō	0	Õ	Õ	Õ	
79440		Ā	Nuclear joint therapy	5.2		XXX	0	0	0	0	0	
79440	26		Nuclear joint therapy	2.7		XXX	0	0	0	0	0	
79440-			Nuclear joint therapy	2.5		XXX	0	0	0	0	0	
79900		C	Provide therapy	0.0	0.00	XXX	0	0	0	0	0	
79999		С	Nuclear medicine	0.0	0.00	XXX	0	0	0	0	0	
79999	26	C	Nuclear medicine	0.0	0.00	XXX	0	0	0	0	0	
79999	TC	C	Nuclear medicine	0.0	0.00	XXX	0	0	0	0	0	
<ul><li>G. For codes 80000 through 89999, see part 5221.4040.</li><li>H. Procedure code numbers 90700 to 99199 relate to medical services.</li></ul>												
1	2	3	4	5	6	7	8	9	10	11	12	
(1) Immunization injections:												
` '			-									
90281 90283		I	Human ig, intramuscular Human ig, intravenous	0.0		XXX XXX	9 9	9 9	9 9	9 9	9 9	

706

### 5221.4030 FEES FOR MEDICAL SERVICES

90287 90288 90291 90384	I I I	Botulinum antitoxin Botulism ig, intravenous Cmv ig, intravenous Rh ig, full-dose	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	XXX XXX XXX XXX	9 9 9	9 9 9	9 9 9	9 9 9	9 9 9
90386 90399	I I	Rh ig, intravenous Immune globulin	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9 9	9 9	9 9	9 9	9 9
90700	E	DTaP immunization	0.00	0.00	XXX	9	9	9	9	9
90701	E	DTP immunization	0.00	0.00	XXX	9	9	9	9	9
90702	E	DT immunization	0.00	0.00	XXX	9	9	9	9	9
90703	E	Tetanus immunization	0.00	0.00	XXX	9	9	9	9	9
90704	E	Mumps immunization	0.00	0.00	XXX	9	9	9	9	9
90705	E	Measles immunization	0.00	0.00	XXX	9	9	9	9	9
90706	E	Rubella immunization	0.00	0.00	XXX	9	9	9	9	9
90707	E	MMR virus immunization	0.00	0.00	XXX	9	9	9	9	9
90708	E	Measles and rubella	0.00	0.00	XXX	9	9	9	9	9
90709	E	Rubella and mumps	0.00	0.00	XXX	9	9	9	9	9
90710	E	Combined vaccine	0.00	0.00	XXX	9	9	9	9	9
90711	E	Combined vaccine	0.00	0.00	XXX	9	9	9	9	9
90712	E	Oral poliovirus vaccine	0.00	0.00	XXX	9	9	9	9	9
90713	E	Poliomyelitis vaccine	0.00	0.00	XXX	9	9	9	9	9
90714	E	Typhoid immunization	0.00	0.00	XXX	9	9	9	9	9
90716	E	Chicken pox vaccine	0.00	0.00	XXX	9	9	9	9	9
90717	E	Yellow fever immunization	0.00	0.00	XXX	9	9	9	9	9
90718	E	Td immunization	0.00	0.00	XXX	9	9	9	9	9
90719	E	Diphtheria immunization	0.00	0.00	XXX	9	9	9	9	9
90720	E	DTP/HIB vaccine	0.00	0.00	XXX	9	9	9	9	9
90721	E	DTaP/HIB vaccine	0.00	0.00	XXX	9	9	9	9	9
90724	X	Influenza immunization	0.00	0.00	XXX	9	9	9	9	9
90725	E	Cholera immunization	0.00	0.00	XXX	9	9	9	9	9
90726	E	Rabies immunization	0.00	0.00	XXX	9	9	9	9	9
90727	E	Plague immunization	0.00	0.00	XXX	9	9	9	9	9
90728	E	BCG immunization	0.00	0.00	XXX	9	9	9	9	9
90730	E	Hepatitis A vaccine	0.00	0.00	XXX	9	9	9	9	9
90732	X	Pneumococcal immunization	0.00	0.00	XXX	9	9	9	9	9
90733	E	Meningococcal vaccine	0.00	0.00	XXX	9	9	9	9	9
90735	E	Encephalitis vaccine	0.00	0.00	XXX	9	9	9	9	9
90737	Ē	Influenza B immunization	0.00	0.00	XXX	9	9	9	9	9
90741	E	Passive immunization	0.00	0.00	XXX	9	9	9	9	9
90742	E	Special passive	0.00	0.00	XXX	9	9	9	9	9
90744	X	Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90745	X	Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90746	X	Hepatitis B vaccine	0.00	0.00	XXX	9	_	9	9	9
90747		Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90748		Hepatitis B/HIB vaccine	0.00	$0.00 \\ 0.00$	XXX	9 0	9 0	9 0	9 0	9
90749	С	Immunization procedure	0.00	0.00	<b>AAA</b>	U	U	U	U	U
(2) Therape	utic	or diagnostic infusions:								
90780	Α	IV infusion for therapy	1.07	1.07	XXX	0	0	0	0	0
90781		IV infusion, additional	0.53	0.53	XXX	0	0	0	0	0
		,								
(3) Therape	utic	or diagnostic injections:								
90782	T	Injection (SC)	0.10	0.10	XXX	0	0	0	0	0
90783	T	Injection (IA)	0.39	0.39	XXX	0	0	0	0	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

707				ES FOR MEDICAL SERVICES			ES	5221.4030			
90784	Т	Injection (IV)		0.46	0.46	XXX	0	0	0	0	0
90788	Ť	Injection of antibiotic		0.11	0.11	XXX	0	Õ	Õ	0	0
90799	Ĉ	Therapeutic/diagnostic		0.00		XXX	0	0	0	0	Õ
, , , ,	_							Ĭ	•		J
(4) Psychiat	ry,	diagnostic or evaluative	intervi	ew proc	edures:						
90801	Α	Diagnostic interview		3.24	3.24	XXX	0	0	0	0	0
90802	A	Interactive interview		3.13	3.13	XXX	0	0	0	0	0
(5) Psychiat	ry,	therapeutic procedures,	office (	or othe	r outpatie	nt facili	ity:				
90804	Λ	Psychotherapy. office		1.37	1.37	xxx	0	0	0	0	0
90805	A	Psychotherapy, office		1.70		XXX	0	0	0	0	0
90806	Α	Psychotherapy, office		2.14		XXX	0	ŏ	0	0	0
90807	A	Psychotherapy, office		2.38		XXX	ŏ	ŏ	0	Ö	Ö
90808	A	Psychotherapy, office		3.60		XXX	0	Õ	Õ	Õ	ŏ
90809	Α	Psychotherapy, office		3.96	3.96	XXX	0	0	0	0	Ŏ
90810		Interactive, office		1.70		XXX	0	0	0	0	0
90811	Α	Interactive, office		2.05	2.05	XXX	0	0	0	0	0
90812	Α	Interactive, office		2.31	2.31	XXX	0	0	0	0	0
90813	Α	Interactive, office		2.57	2.57	XXX	0	0	0	0	0
90814	Α	Interactive, office		3.32	3.32	XXX	0	0	0	0	0
90815	A	Interactive, office		3.70	3.70	XXX	0	0	0	0	0
(6) Psychiat care facility		therapeutic procedures,	inpatie	nt hosp	pital, part	ial hosp	ital,	or	resi	dent	tial
90816	Α	Psychotherapy, hospita	1	1.49	1.49	XXX	0	0	0	0	0
90817	A	Psychotherapy, hospita		1.86	1.86	XXX	Õ	Õ	ŏ	0	0
90818	Α	Psychotherapy, hospita		2.33	2.33	XXX	0	0	0	0	0
90819	Α	Psychotherapy, hospita		2.60	2.60	XXX	0	0	0	0	0
90820	D	Diagnostic interview		3.13	3.13	XXX	0	0	0	0	0
90821	Α	Psychotherapy, hospita	1	3.90	3.90	XXX	0	0	0	0	0
90822	Α	Psychotherapy, hospita	1	4.30	4.30	XXX	0	0	0	0	0
90823	Α	Interactive, hospital		1.83	1.83	XXX	0	0	0	0	0
90824	Α	Interactive, hospital		2.23		XXX	0	0	0	0	0
90825	D	Evaluation of therapy		1.20		XXX	9	9	9	9	9
90826	A	Interactive, hospital		2.51	2.51	XXX	0	0	0	0	0
90827		Interactive, hospital		2.81	2.81	XXX	0	0	0	0	0
90828		Interactive, hospital		3.63		XXX	0	0	0	0	0
90829		Interactive, hospital		4.07		XXX	0	0	0	0	0
90835	D	Special interview		3.10		XXX	0	0	0	0	0
90841	D	Psychotherapy		0.00		XXX	9	9	9	9	9
90842	D	Psychotherapy		3.94		XXX	0	0	0	0	0
90843	D	Psychotherapy		1.70		XXX	0	0	0	0	0
90844	D	Psychotherapy		2.38	2.38	XXX	0	0	0	0	0
(7) Psychiat	ry,	therapeutic procedures,	other p	osychot	herapy:						
90845	Α	Psychoanalysis		2.05	2.05	xxx	0	0	0	0	0

5221.4030	FE	ES FOR MEDICAL SERVICE	S						7	708
90846 90847 90849 90853 90855 90857	R R A	Group psychotherapy Individual psychotherapy	2.30 2.61 0.80 0.80 2.57 0.73	2.30 2.61 0.80 0.80 2.57 0.73	XXX XXX XXX XXX XXX XXX	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
(8) Psychia	try,	therapeutic procedures, other so	ervices o	r proce	dures:					
90862 90865 90870 90871 90875 90876 90880 90882 90885 90887 90889	A A N N A	Medication management Narcosynthesis Electroconvulsive therapy Electroconvulsive therapy Psychophysiology therapy Psychophysiology therapy Hypnotherapy Environmental management Psychiatric evaluation Consultation Prepare report Psychiatric service	1.25 3.10 2.28 3.34 1.09 1.72 2.64 0.00 0.00 0.00 0.00	1.25 3.10 2.28 3.34 1.09 1.72 2.64 0.00 0.00 0.00 0.00 0.00	XXX XXX 000 000 XXX XXX XXX XXX XXX XXX	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9
(9) Biofeed	lbac	k:								
90901 90911		Biofeedback training Biofeedback, perineal	1.35 2.05	1.35 2.05	000 000	0	0	0	0	0
(10) Dialys	is, e	nd stage renal disease services:								
90918 90919 90920 90921 90922 90923 90924 90925	A A A A A	ESRD related services	2.34 9.95 8.79 6.25 0.41 0.33 0.29 0.21	2.34 9.95 8.79 6.25 0.41 0.33 0.29 0.21	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(11) Dialys	is, h	emodialysis:								
90935 90937	A A	Hemodialysis, one Hemodialysis, repeated	2.46 4.26	2.46 4.26	000 000	0 0	0	0 0	0	0
(12) Dialys	is, m	niscellaneous procedures:								
90945 90947 90989 90993 90997 90999	A X X A	Dialysis, one evaluation Dialysis, repeated Dialysis training Dialysis training Hemoperfusion Dialysis procedure	2.43 4.06 0.00 0.00 3.71 0.00	2.43 4.06 0.00 0.00 3.71 0.00	000 000 XXX XXX 000 XXX	0 0 9 9 0	0 0 9 9 0	0 0 9 9 0	0 0 9 9 0	0 0 9 9 0

Copyright @ 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

### (13) Gastroenterology:

91000		Α	Esophageal intubation	1.33	1.33	000	0	0	0	0	0
91000	26	Α	Esophageal intubation	1.26	1.26	000	0	0	0	0	0
91000	TC	Α	Esophageal intubation	0.07	0.07	000	0	0	0	0	0
91010		Α	Esophagus motility study	3.32	3.32	000	0	0	0	0	0
91010	26		Esophagus motility study	2.53	2.53	000	0	0	0	0	0
91010	TC		Esophagus motility study	0.79	0.79	000	0	0	0	0	0
91011		A	Esophagus motility study	4.00	4.00	000	0	0	0	0	0
91011	26		Esophagus motility study	3.02	3.02	000	0	0	0	0	0
91011	TC		Esophagus motility study	0.99	0.99	000	Ŏ	Õ	Ŏ	Õ	Ŏ
91012		A	Esophagus motility study	4.07	4.07	000	0	Ŏ	Ŏ	Ŏ	ŏ
91012	26	A	Esophagus motility study	2.96	2.96	000	0	ŏ	ŏ	Ŏ	ŏ
91012	TC	A	Esophagus motility study	1.11	1.11	000	Ŏ	Õ	ŏ	ŏ	ŏ
91020		A	Gastric motility studies	3.64	3.64	000	ŏ	Õ	ŏ	Õ	ŏ
91020	26		Gastric motility studies	2.90	2.90	000	Ŏ	Ŏ	ŏ	ŏ	Õ
91020	TČ		Gastric motility studies	0.74	0.74	000	Õ	Õ	0	Õ	Ŏ
91030		A	Acid perfusion test	1.39	1.39	000	Ŏ	Õ	Ŏ	Ŏ	ŏ
91030	26	A	Acid perfusion test	1.18	1.18	000	0	Ö	ŏ	ŏ	ŏ
91030	TC	A	Acid perfusion test	0.21	0.21	000	ŏ	ŏ	ŏ	ŏ	ŏ
91032			Esophagus, acid reflux	3.08	3.08	000	Õ	Õ	ŏ	ŏ	ŏ
91032	26	A	Esophagus, acid reflux	2.36	2.36	000	0	ŏ	Õ	ŏ	Ö
91032	TC		Esophagus, acid reflux	0.72	0.72	000	0	Õ	ŏ	ŏ	ŏ
91033	10		Prolonged recording	3.94	3.94	000	ŏ	0	ŏ	ŏ	ŏ
91033	26	A	Prolonged recording	2.64	2.64	000	ŏ	ŏ	ŏ	ŏ	ŏ
91033	TC	A	Prolonged recording	1.30	1.30	000	0	ŏ	Ö	ŏ	ŏ
91052	10	A		1.55	1.55	000	ŏ	ŏ	ŏ	ŏ	ŏ
91052	26	A	and the second s	1.22	1.22	000	ŏ	ŏ	Õ	Õ	ŏ
91052	TC		Gastric analysis test	0.33	0.33	000	ŏ	ŏ	ŏ	ŏ	ŏ
91055	10		Gastric intubation	1.66	1.66	000	ő	ŏ	ŏ	ŏ	ŏ
91055	26	A	Gastric intubation	1.37	1.37	000	ŏ	0	ŏ	ŏ	ŏ
91055	TC		Gastric intubation	0.29	0.29	000	ŏ	ŏ	ŏ	ŏ	ŏ
91060	10		Gastric saline load test	1.13	1.13	000	0	ő	ŏ	ŏ	ŏ
91060	26	A	Gastric saline load test	0.91	0.91	000	ŏ	ŏ	ŏ	ŏ	ŏ
91060	TC		Gastric saline load test	0.21	0.21	000	ŏ	ŏ	ŏ	ŏ	ŏ
91065	10		Breath hydrogen test	0.75	0.75	000	0	ŏ	ŏ	ŏ	ŏ
91065	26	A	Breath hydrogen test	0.41	0.41	000	ŏ	ŏ	Õ	Õ	ŏ
91065	TC	A	Breath hydrogen test	0.34	0.34	000	ŏ	0	ŏ	ŏ	ŏ
91100	10	A	Pass intestine	1.55	1.55	000	0	ŏ	ŏ	ŏ	ŏ
91105		A	Gastric intubation	0.75	0.75	000	ŏ	ŏ	ŏ	ŏ	ŏ
91122		A	Anal pressure	3.40	3.40	000	ŏ	ŏ	ŏ	ŏ	ŏ
91122	26	A	Anal pressure	2.70	2.70	000	ő	ŏ	ő	ŏ	ŏ
91122	TC	A	Anal pressure	0.70	0.70	000	ŏ	ŏ	ő	ŏ	ő
91299	10	Ĉ	Gastroenterology	0.00	0.00	XXX	ő	Ö	0	ŏ	0
91299	26	č	Gastroenterology	0.00	0.00	XXX	ő	0	Ö	0	ő
91299	TC	č	Gastroenterology	0.00	0.00	XXX	0	0	0	0	0
71277	10		Gustioenterology	0.00	0.00	1011	U	U	U	U	v

### (14) Ophthalmology, general services:

92002	Α	Eye exam, new patient	1.28	1.05	XXX	0	2	0	0	0
92004	Α	Eye exam, new patient	2.08	1.80	XXX	0	2	0	0	0
92012	Α	Established patient	1.04	0.83	XXX	0	2	0	0	0
92014	Α	Established patient	1.53	1.27	XXX	0	2	0	0	0

	/ a - \	_				•
- 1	115	11)	nhtha	lmoloov.	special	services:
٠,	1.	$\cdot$	pnua	ппогоду	, speciai	SCI VICCS.

92015		N	Refraction	0.00	0.00	XXX	9	9	9	9	9
92018		Α	Eye exam and evaluation	1.84	1.84	XXX	0	0	0	0	0
92019		Α	Eye exam and treatment	1.66	1.43	XXX	0	0	0	0	0
92020		Α	Special eye evaluation	0.62	0.48	XXX	0	2	0	0	0
92060		Α	Special eye evaluation	1.01	1.01	XXX	0	2	0	0	0
92060	26	Α	1	0.83	0.83	XXX	0	2	0	0	0
92060	TC	Α	Special eye evaluation	0.18	0.18	XXX	0	2	0	0	0
92065		Α	Orthoptic/pleoptic train	0.69	0.69	XXX	0	2	0	0	0
92065	26	Α	Orthoptic/pleoptic train	0.53	0.53	XXX	0	2	0	0	0
92065	TC	Α	Orthoptic/pleoptic train	0.15	0.15	XXX	0	2	0	0	0
92070		Α	Fitting of contact lens	1.83	1.25	XXX	0	3	0	0	0
92081		Α	Visual field examination	0.64	0.64	XXX	0	2	0	0	0
92081	26	Α	Visual field examination	0.50	0.50	XXX	0	2	0	0	0
92081	TC	Α	Visual field examination	0.14	0.14	XXX	0	2	0	0	0
92082		Α	Visual field examination	0.88	0.88	XXX	0	2	0	0	0
92082	26	Α	Visual field examination	0.69	0.69	XXX	0	2	0	0	0
92082	TC	Α	Visual field examination	0.19	0.19	XXX	0	2	0	0	0
92083		Α	Visual field examination	1.28	1.28	XXX	0	2	0	0	0
92083	26	Α	Visual field examination	1.00	1.00	XXX	0	2	0	0	0
92083	TC	Α	Visual field examination	0.28	0.28	XXX	0	2	0	0	0
92100		Α	Serial tonometry	1.08	0.96	XXX	0	2	0	0	0
92120		Α	Tonography	1.05	0.90	XXX	0	2	0	0	0
92130		Α	Water provocation	1.22	0.98	XXX	0	2	0	0	0
92140		Α	Glaucoma provocation	0.75	0.60	XXX	0	2	0	0	0

### (16) Ophthalmology, ophthalmoscopy:

92225		Α	Special eye examination	0.79	0.57	XXX	0	3	0	0	0
92226		Α	Special eye examination	0.70	0.50	XXX	0	3	0	0	0
92230		Α	Eye exam with report	1.23	0.90	XXX	0	3	0	0	0
92235		Α	Eye exam with report	2.31	2.31	XXX	0	3	0	0	0
92235	26	Α	Eye exam with report	1.32	1.32	XXX	0	3	0	0	0
92235	TC	Α	Eye exam with report	0.99	0.99	XXX	0	3	0	0	0
92240		Α	ICG angiography	2.57	2.57	XXX	0	3	0	0	0
92240	26		ICG angiography	1.59	1.59	XXX	0	3	0	0	0
92240	TC	Α	ICG angiography	0.99	0.99	XXX	0	3	0	0	0
92250		Α	Eye exam with report	0.82	0.82	XXX	0	2	0	0	0
92250	26	Α	Eye exam with report	0.65	0.65	XXX	0	2	0	0	0
92250	TC	Α	Eye exam with report	0.17	0.17	XXX	0	2	0	0	0
92260		Α	Ophthalmoscopy	0.72	0.46	XXX	0	2	0	0	0

### (17) Ophthalmology, other specialized services:

92265		Α	Eye muscle evaluation	1.03	1.03	XXX	0	2	0	0	0
92265	26	Α	Eye muscle evaluation	0.80	0.80	XXX	0	2	0	0	0
92265	TC	Α	Eye muscle evaluation	0.22	0.22	XXX	0	2	0	0	0
92270		Α	Electro-oculography	1.41	1.41	XXX	0	2	0	0	0
92270	26		Electro-oculography	1.11	1.11	XXX	0	2	0	0	0
92270	TC	Α	Electro-oculography	0.30	0.30	XXX	0	2	0	0	0
92275		Α	Electroretinography	1.81	1.81	XXX	0	2	0	0	0
92275	26	Α	Electroretinography	1.43	1.43	XXX	0	2	0	0	0
92275	TC	A	Electroretinography	0.39	0.39	XXX	0	2	0	0	0
92283			Color vision examination	0.44	0.44	XXX	0	2	0	0	0

711	FEES	FOR M	IEDICAI	L SERV	<b>ICES</b>	522	1.40	30
92283 TC A 92284 A 92284 TC A 92285 A 92285 A 92285 TC A 92286 A 92286 A	Color vision examination Color vision examination Dark adaptation exam Dark adaptation exam Dark adaptation exam Eye photography Eye photography Eye photography Internal eye photography	0.32 0.12 0.66 0.49 0.17 0.47 0.36 0.11 1.82 1.43 0.39 2.25	0.32 0.12 0.66 0.49 0.17 0.47 0.36 0.11 1.82 1.43 0.39 1.51	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
(18) Ophthalm	ology, contact lens services:							
92311 A 92312 A	Contact lens fitting Contact lens fitting Contact lens fitting Contact lens fitting Prescription Prescription Prescription Prescription Prescription Modify contact lens Replace contact lens	0.00 1.87 2.28 1.70 0.00 1.06 1.56 0.80 0.37 1.54	0.00 1.43 1.72 1.28 0.00 0.74 1.10 0.61 0.37 1.54	XXX XXX XXX XXX XXX XXX XXX XXX XXX	9 9 0 0 0 2 0 0 9 9 0 0 0 2 0 0 0 0	9 0 0 0 9 0 0 0 0	9 0 0 0 9 0 0 0 0	9 0 0 0 9 0 0 0 0
(19) Ophthalm	ology, ocular prosthetics, artific	cial eye:						
92330 A 92335 A	Fitting, artificial eye Fitting, artificial eye	2.12 2.37	1.58 1.42	XXX XXX	$\begin{array}{ccc} 0 & 0 \\ 0 & 0 \end{array}$	0 0	0 0	0 0
(20) Ophthalm	ology, spectacle services:							
92340 N 92341 N 92342 N 92352 B 92353 B 92354 B 92355 B 92358 B 92370 N 92371 B	Fitting spectacles Fitting spectacles Fitting spectacles Special spectacles Special spectacles Special spectacles Special spectacles Special spectacles Eye prosthesis Repair and adjustment Repair and adjustment	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9
(21) Ophthalm	ology, supply of materials:							
92390 N 92391 N 92392 I 92393 I 92395 I 92396 I	Supply of spectacles Supply of contact lenses Supply of low vision aids Supply of artificial eye Supply of spectacles Supply of contact lenses	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX	9 9 9 9 9 9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9

(22)	Onhthalmology	other procedures:
(ZZ	i Odninaimology.	other procedures:

92499		C	Eye service or procedure	0.00	0.00	XXX	0	0	0	0	0
92499	26	C	Eye service or procedure	0.00	0.00	XXX	0	0	0	0	0
92499	TC	C	Eye service or procedure	0.00	0.00	XXX	0	0	0	0	0

#### (23) Special otorhinolaryngologic services:

92502	Α	Ear and throat exam	2.52	2.52	000	0	0	0	0	0
92504	Α	Ear microscopy	0.43	0.30	XXX	0	0	0	0	0
92506	Α	Speech and hearing	1.31	1.06	XXX	0	0	0	0	0
92507	Α	Speech and hearing	0.81	0.65	XXX	0	0	0	0	0
92508	Α	Speech and hearing	0.42	0.33	XXX	0	0	0	0	0
92510	Α	Rehab for ear	2.76	2.10	XXX	0	0	0	0	0
92511	Α	Nasopharyngoscopy	1.63	1.22	000	0	0	0	0	0
92512	Α	Nasal function studies	0.98	0.75	XXX	0	0	0	0	0
92516	Α	Facial nerve function	0.79	0.60	XXX	0	0	0	0	0
92520	Α	Laryngeal function	1.23	0.97	XXX	0	0	0	0	0
92525	Α	Oral function evaluation	2.41	1.92	XXX	0	0	0	0	0
92526	Α	Oral function treatment	0.98	0.75	XXX	0	0	0	0	0

(24) Special otorhinolaryngologic services, vestibular function tests, with observation and evaluation by physician, without electrical recording:

92531	В	Spontaneous nystagmus	0.00	0.00	XXX	9	9	9	9	9
92532	В	Positional nystagmus	0.00	0.00	XXX	9	9	9	9	9
92533	В	Caloric vestibular test	0.00	0.00	XXX	9	9	9	9	9
92534	В	Optokinetic nystagmus	0.00	0.00	XXX	9	9	9	9	9

(25) Special otorhinolaryngologic services, vestibular function tests, with recording, and medical diagnostic evaluation:

92541		Α	Spontaneous nystagmus	1.05	1.05	XXX	0	0	0	0	0
92541	26	Α	Spontaneous nystagmus	0.83	0.83	XXX	0	0	0	0	0
92541	TC	Α	Spontaneous nystagmus	0.22	0.22	XXX	0	0	0	0	0
92542		Α	Positional nystagmus test	0.93	0.93	XXX	0	0	0	0	0
92542	26	Α	Positional nystagmus test	0.67	0.67	XXX	0	0	0	0	0
92542	TC	Α	Positional nystagmus test	0.26	0.26	XXX	0	0	0	0	0
92543		Α	Caloric vestibular test	0.30	0.30	XXX	0	9	0	0	0
92543	26	Α	Caloric vestibular test	0.20	0.20	XXX	0	9	0	0	0
92543	TC	Α	Caloric vestibular test	0.10	0.10	XXX	0	9	0	0	0
92544		Α	Optokinetic nystagmus	0.72	0.72	XXX	0	0	0	0	0
92544	26	Α	Optokinetic nystagmus	0.51	0.51	XXX	0	0	0	0	0
92544	TC	Α	Optokinetic nystagmus	0.20	0.20	XXX	0	0	0	0	0
92545		Α	Oscillating tracking test	0.62	0.62	XXX	0	0	0	0	0
92545	26	Α	Oscillating tracking test	0.41	0.41	XXX	0	0	0	0	0
92545	TC	Α	Oscillating tracking test	0.20	0.20	XXX	0	0	0	0	0
92546		Α	Sinusoidal rotation	0.80	0.80	XXX	0	0	0	0	0
92546	26	Α	Sinusoidal rotation	0.57	0.57	XXX	0	0	0	0	0
92546	TC	Α	Sinusoidal rotation	0.23	0.23	XXX	0	0	0	0	0
92547		Α	Supplemental electrodes	0.55	0.55	XXX	0	0	0	0	0

92548		Α	Posturography	2.35	2.35	XXX	0	0	0	0	0
92548	26	Α	Posturography	0.92	0.92	XXX	0	0	0	0	0
92548	TC	Α	Posturography	1.43	1.43	XXX	0	0	0	0	0

(26) Special otorhinolaryngologic services, audiologic function tests with medical diagnostic evaluation:

Ū											
92551		N	Pure tone hearing	0.00	0.00	XXX	9	9	9	9	9
92552			Pure tone audiometry	0.43	0.43	XXX	0	2	0	0	0
92553		Α	Audiometry, air and bone	0.65	0.65	XXX	0	2	0	0	0
92555		Α	Speech threshold	0.37	0.37	XXX	0	2	0	0	0
92556		Α	Speech audiometry	0.55	0.55	XXX	0	2	0	0	0
92557		Α	Comprehensive hearing	1.16	1.16	XXX	0	2	0	0	0
92559		N	Group audiometry	0.00	0.00	XXX	9	9	9	9	9
92560		N	Bekesy audiometry	0.00	0.00	XXX	9	9	9	9	9
92561		Α	Bekesy audiometry	0.70	0.70	XXX	0	2	0	0	0
92562		Α	Loudness balance test	0.40	0.40	XXX	0	2	0	0	0
92563		Α	Tone decay test	0.37	0.37	XXX	0	2	0	0	0
92564		Α	SISI hearing test	0.46	0.46	XXX	0	2	0	0	0
92565		Α	Stenger test, pure tone	0.39	0.21	XXX	0	2	0	0	0
92567		Α	Tympanometry	0.52	0.52	XXX	0	2	0	0	0
92568		Α	Acoustic reflex testing	0.37	0.37	XXX	0	2	0	0	0
92569		Α	Acoustic reflex decay	0.40	0.40	XXX	0	2	0	0	0
92571		Α	Filtered speech test	0.38	0.20	XXX	0	2	0	0	0
92572		Α	Staggered spondaic test	0.08	80.0	XXX	0	2	0	0	0
92573		Α	Lombard test	0.34	0.34	XXX	0	2	0	0	0
92575			Sensorineural acuity test	0.30	0.16	XXX	0	2	0	0	0
92576			Synthetic sentence test	0.43	0.23	XXX	0	2	0	0	0
92577		Α	Stenger test, speech	0.70	0.37	XXX	0	2	0	0	0
92579		Α	Visual audiometry	0.71	0.71	XXX	0	2	0	0	0
92582			Conditioning play	0.71	0.37	XXX	0	2	0	0	0
92583			Select picture audiometry	0.87	0.87	XXX	0	2	0	0	0
92584			Electrocochleography	2.42	2.42	XXX	0	2	0	0	0
92585			Auditory evoked	3.76	3.76	XXX	0	2	0	0	0
92585	26		Auditory evoked	1.97	1.97	XXX	0	2	0	0	0
92585	TC		Auditory evoked	1.79	1.79	XXX	0	2	0	0	0
92587			Evoked auditory emissions	1.49	1.49	XXX	0	2	0	0	0
92587	26		Evoked auditory emissions	0.23	0.23	XXX	0	2	0	0	0
92587	TC		Evoked auditory emissions	1.26	1.26	XXX	0	2	0	0	0
92588		Α		2.06	2.06	XXX	0	2	0	0	0
92588	26		Evoked auditory emissions	0.63	0.63	XXX	0	2	0	0	0
92588	TC		Evoked auditory emissions	1.43	1.43	XXX	0	2	0	0	0
92589			Auditory function test	0.53	0.53	XXX	0	2	0	0	0
92590			Hearing aid examination	0.00	0.00	XXX	9	9	9	9	9
92591		N	Hearing aid examination	0.00	0.00	XXX	9	9	9	9	9
92592		N	Hearing aid check	0.00	0.00	XXX	9	9	9	9	9
92593		N	Hearing aid check	0.00	0.00	XXX	9	9	9	9	9
92594		N	Electroacoustic test	0.00	0.00	XXX	9	9	9	9	9
92595		N	Electroacoustic test	0.00	0.00	XXX	9	9	9	9	9
92596		A	Ear protector	0.57	0.57	XXX	0	2	0	0	0
92597		A	Oral speech device	2.26	2.26	XXX	0	0	0	0	0
92598		A	Modify oral speech	1.57	1.57	XXX	0	0	0	0	0

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(27) S <sub>I</sub>	oecial	loto	orhinolaryngologic services, oth	ier proce	dures:						
92599		С	ENT service or procedure	0.00	0.00	XXX	0	0	0	0	0
92599	26	č	ENT service or procedure	0.00	0.00	XXX	0	0	0	0	0
92599	TC	č	ENT service or procedure	0.00	0.00	XXX	ő	ő	ő	0	0
,23,,,	•	Č	Elvi service of procedure	0.00	0.00	7001	Ü	Ū	Ü	Ū	Ü
(28) C	ardio	vas	cular, therapeutic services:								
92950		Α	Heart/lung resuscitation	5.74	5.74	000	0	0	0	0	0
92953			Temporary pacing	0.53	0.53	000	0	0	0	0	0
92960			Heart electrocodes	3.95	3.95	000	0	0	0	0	0
92970		Α	,	6.77	6.77	000	0	0	0	0	0
92971			Cardioassist, external	2.72	2.72	000	0	0	0	0	0
92975			Dissolve clot	12.33	12.33	000	2	0	0	0	0
92977			Dissolve clot	7.72	7.72	XXX ZZZ	0	0	0	0	0
92978 92978	26		Ultrasound, heart Ultrasound, heart	7.06 2.70	7.06 2.70	ZZZ	0	0	0	0	0 0
92978	TC		Ultrasound, heart	4.36	4.36	ZZZ	0	0	0	0	0
92979	10		Ultrasound, heart	4.34	4.34	ZZZ	0	0	0	ő	ő
92979	26		Ultrasound, heart	2.16	2.16	ZZZ	0	0	0	ŏ	ŏ
92979	TČ		Ultrasound, heart	2.18	2.18	ZZZ	ŏ	ŏ	ŏ	ŏ	ŏ
92980			Insert intracoronary	29.91	29.91	000	2	Ŏ	Ŏ	ŏ	Ŏ
92981			Insert intracoronary	8.46	8.46	ZZZ	0	0	0	0	0
92982		Α	Coronary artery	22.31	22.31	000	2	0	0	0	0
92984			Coronary artery	6.10	6.10	ZZZ	0	0	0	0	0
92986			Revision of aortic valve	31.92	31.92	090	2	0	0	0	0
92987			Revision of mitral valve	32.89	32.89	090	2	0	0	0	0
92990			Revision of pulmonary	25.40	25.40	090	2	0	0	0	0
92992			Revision of heart	0.00	0.00	090	2	0	2	0	0
92993		Ç	Revision of heart	0.00	0.00	090	2	0	2	0	0
92995 92996			Coronary atherectomy	24.50 6.67	24.50 6.67	000 ZZZ	0	0	0	0 0	0 0
92997			Coronary atherectomy Pulmonary artery balloon	24.32	24.32	000	2	0	0	ő	0
92998		A	Pulmonary artery balloon	9.36	9.36	ZZZ	$\tilde{0}$	0	0	0	0
(20) C	ardio	vaco	cular, cardiography:								
(2)) (	ai dio	v usv	cular, caralography.								
93000			Electrocardiogram	0.75	0.75	XXX	0	0	0	0	0
93005			Electrocardiogram	0.43	0.43	XXX	0	0	0	0	0
93010		A	Electrocardiogram	0.31	0.31	XXX	0	0	0	0	0
93012		A	Transmission of rhythm	2.29 0.89	2.29	XXX	0	0	0	0	0
93014 93015		A	Report on transmission Stress test	3.02	0.89 3.02	XXX XXX	0	0	0	0 0	0
93016			Stress test	0.80	0.80	XXX	0	0	0	0	ő
93017			Stress test	1.61	1.61	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
93018		A	Stress test	0.61	0.61	XXX	Ŏ	Õ	Ŏ	Ŏ	Ŏ
93024			Cardiac drug	3.47	3.47	XXX	0	0	0	0	0
93024	26		Cardiac drug	2.39	2.39	XXX	0	0	0	0	0
93024	TC		Cardiac drug	1.08	1.08	XXX	0	0	0	0	0
93040			Rhythm ECG with leads	0.41	0.41	XXX	0	0	0	0	0
93041		A	Rhythm ECG, tracing only	0.14	0.14	XXX	0	0	0	0	0
93042 93224		A	Rhythm ECG, report only ECG monitor/report	0.27 4.34	0.27 4.34	XXX XXX	0	0 0	0	0	0
93224			ECG monitor/report ECG monitor/recording	1.19	1.19	XXX	0	0	0	0	0
93226		A	ECG monitor/report	2.10	2.10	XXX	0	Ö	0	0	0
93227			ECG monitor/review	1.06	1.06	XXX	ŏ	ŏ	ő	ŏ	ŏ
93230			ECG monitor/report	4.61	4.61	XXX	Ō	Ō	Õ	Ŏ	Ŏ
			<del>-</del>								

•		
	FEES FOR MEDICAL SERVICES	5221.4030

		FCC manitan/manadina		1 16	1 16	vvv	Λ	Λ	Λ	Λ	0
						$\lambda \lambda \lambda$	U	U	U	U	U
	Α	ECG monitor/report		2.08	2.08	XXX	0	0	0	0	0
	Α	ECG monitor/review		1.07	1.07	XXX	0	0	0	0	0
	Α	ECG monitor/report		3.43	3.43	XXX	0	0	0	0	0
	Α	ECG monitor/report		2.51	2.51	XXX	0	0	0	0	0
	Α	ECG monitor/review		0.92	0.92	XXX	0	0	0	0	0
	Α	ECG record/review		4.37	4.37	XXX	0	0	0	0	0
	Α	ECG recording		1.19	1.19	XXX	0	0	0	0	0
	Α	ECG monitoring		2.29	2.29	XXX	0	0	0	0	0
	Α	ECG review		0.89	0.89	XXX	0	0	0	0	0
	Α	ECG, signal-averaged		1.66	1.66	XXX	0	0	0	0	0
26	Α	ECG, signal-averaged		0.53	0.53	XXX	0	0	0	0	0
TC	Α	ECG, signal-averaged		1.13	1.13	XXX	0	0	0	0	0
		A A A A A A A A A A A A A A A A A A A	A ECG monitor/review A ECG monitor/report A ECG monitor/report A ECG monitor/review A ECG record/review A ECG recording A ECG monitoring A ECG review A ECG, signal-averaged 26 A ECG, signal-averaged	A ECG monitor/report A ECG monitor/review A ECG monitor/report A ECG monitor/report A ECG monitor/review A ECG record/review A ECG recording A ECG monitoring A ECG review A ECG, signal-averaged 26 A ECG, signal-averaged	A ECG monitor/report 2.08 A ECG monitor/review 1.07 A ECG monitor/report 3.43 A ECG monitor/report 2.51 A ECG monitor/review 0.92 A ECG record/review 4.37 A ECG recording 1.19 A ECG monitoring 2.29 A ECG review 0.89 A ECG, signal-averaged 1.66 26 A ECG, signal-averaged 0.53	A ECG monitor/report 2.08 2.08 A ECG monitor/review 1.07 1.07 A ECG monitor/report 3.43 3.43 A ECG monitor/report 2.51 2.51 A ECG monitor/review 0.92 0.92 A ECG record/review 4.37 4.37 A ECG recording 1.19 1.19 A ECG monitoring 2.29 2.29 A ECG review 0.89 0.89 A ECG, signal-averaged 1.66 1.66 26 A ECG, signal-averaged 0.53 0.53	A ECG monitor/report 2.08 2.08 XXX A ECG monitor/review 1.07 1.07 XXX A ECG monitor/report 3.43 3.43 XXX A ECG monitor/report 2.51 2.51 XXX A ECG monitor/review 0.92 0.92 XXX A ECG record/review 4.37 4.37 XXX A ECG recording 1.19 1.19 XXX A ECG monitoring 2.29 2.29 XXX A ECG review 0.89 0.89 XXX A ECG, signal-averaged 1.66 1.66 XXX 26 A ECG, signal-averaged 0.53 0.53 XXX	A ECG monitor/report 2.08 2.08 XXX 0 A ECG monitor/review 1.07 1.07 XXX 0 A ECG monitor/report 3.43 3.43 XXX 0 A ECG monitor/report 2.51 2.51 XXX 0 A ECG monitor/review 0.92 0.92 XXX 0 A ECG record/review 4.37 4.37 XXX 0 A ECG recording 1.19 1.19 XXX 0 A ECG monitoring 2.29 2.29 XXX 0 A ECG review 0.89 0.89 XXX 0 A ECG, signal-averaged 1.66 1.66 XXX 0 26 A ECG, signal-averaged 0.53 0.53 XXX 0	A ECG monitor/report 2.08 2.08 XXX 0 0 A ECG monitor/review 1.07 1.07 XXX 0 0 A ECG monitor/report 3.43 3.43 XXX 0 0 A ECG monitor/report 2.51 2.51 XXX 0 0 A ECG monitor/review 0.92 0.92 XXX 0 0 A ECG record/review 4.37 4.37 XXX 0 0 A ECG recording 1.19 1.19 XXX 0 0 A ECG monitoring 2.29 2.29 XXX 0 0 A ECG review 0.89 0.89 XXX 0 0 A ECG, signal-averaged 1.66 1.66 XXX 0 0 26 A ECG, signal-averaged 0.53 0.53 XXX 0 0	A ECG monitor/report 2.08 2.08 XXX 0 0 0 0 A ECG monitor/report 3.43 3.43 XXX 0 0 0 0 A ECG monitor/report 2.51 2.51 XXX 0 0 0 A ECG monitor/report 2.51 2.51 XXX 0 0 0 A ECG monitor/review 0.92 0.92 XXX 0 0 0 A ECG record/review 4.37 4.37 XXX 0 0 0 A ECG recording 1.19 1.19 XXX 0 0 0 A ECG monitoring 2.29 2.29 XXX 0 0 0 A ECG review 0.89 0.89 XXX 0 0 0 A ECG, signal-averaged 1.66 1.66 XXX 0 0 0 26 A ECG, signal-averaged 0.53 0.53 XXX 0 0	A ECG monitor/report A ECG monitor/review A ECG monitor/review A ECG monitor/report A ECG monitor/review A ECG monitor/review A ECG record/review A ECG record/review A ECG record/review A ECG recording A ECG recording A ECG monitoring A ECG review A ECG re

### (30) Cardiovascular, echocardiography:

715

93303		Α	Echo, transthoracic	5.90	5.90	XXX	0	0	0	0	0
93303	26	Α	Echo, transthoracic	2.20	2.20	XXX	0	0	0	0	0
93303	TC	Α	Echo, transthoracic	3.70	3.70	XXX	0	0	0	0	0
93304		Α	Echo, transthoracic	3.23	3.23	XXX	0	0	0	0	0
93304	26	Α	Echo, transthoracic	1.37	1.37	XXX	0	0	0	0	0
93304	TC	Α	Echo, transthoracic	1.86	1.86	XXX	0	0	0	0	0
93307		Α	Echo exam of heart	5.55	5.55	XXX	0	0	0	0	0
93307	26	Α	Echo exam of heart	1.85	1.85	XXX	0	0	0	0	0
93307	TC	Α	Echo exam of heart	3.70	3.70	XXX	0	0	0	0	0
93308		Α	Echo exam of heart	2.93	2.93	XXX	0	0	0	0	0
93308	26	Α	Echo exam of heart	1.07	1.07	XXX	0	0	0	0	0
93308	TC	Α	Echo exam of heart	1.86	1.86	XXX	0	0	0	0	0
93312		Α	Echo, transesophageal	7.03	7.03	XXX	0	0	0	0	0
93312	26	Α	Echo, transesophageal	3.37	3.37	XXX	0	0	0	0	0
93312	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93313		Α	Echo, transesophageal	1.54	1.54	XXX	0	0	0	0	0
93314		Α	Echo, transesophageal	5.47	5.47	XXX	0	0	0	0	0
93314	26	Α	Echo, transesophageal	1.82	1.82	XXX	0	0	0	0	0
93314	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93315		Α	Echo, transesophageal	7.55	7.55	XXX	0	0	0	0	0
93315	26	Α	Echo, transesophageal	3.89	3.89	XXX	0	0	0	0	0
93315	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93316		Α	Echo, transesophageal	1.54	1.54	XXX	0	0	0	0	0
93317		Α	Echo, transesophageal	6.00	6.00	XXX	0	0	0	0	0
93317	26	Α	Echo, transesophageal	2.34	2.34	XXX	0	0	0	0	0
93317	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93320		Α	Doppler echo exam	2.42	2.42	ZZZ	0	0	0	0	0
93320	26	Α	Doppler echo exam	0.78	0.78	ZZZ	0	0	0	0	0
93320	TC	Α	Doppler echo exam	1.65	1.65	ZZZ	0	0	0	0	0
93321		Α	Doppler echo exam	1.38	1.38	ZZZ	0	0	0	0	0
93321	26	Α	Doppler echo exam	0.31	0.31	ZZZ	0	0	0	0	0
93321	TC	Α	Doppler echo exam	1.07	1.07	ZZZ	0	0	0	0	0
93325		A	Doppler color flow	2.91	2.91	ZZZ	0	0	0	0	0
93325	26	A	Doppler color flow	0.11	0.11	ZZZ	0	0	0	0	0
93325	TC	Α	Doppler color flow	2.80	2.80	ZZZ	0	0	0	0	0
93350		Α	Echo, transthoracic	3.29	3.29	XXX	0	0	0	0	0
93350	26	Α	Echo, transthoracic	1.59	1.59	XXX	0	0	0	0	0
93350	TC	Α	Echo, transthoracic	1.70	1.70	XXX	0	0	0	0	0

### (31) Cardiovascular, cardiac catheterization:

								_	_		_
93501		Α	Right heart catheter	22.36	22.36	000	2	0	0	0	0
93501	26	Α	Right heart catheter	6.14	6.14	000	2	0	0	0	0
93501	TC	Α	Right heart catheter	16.22	16.22	000	0	0	0	0	0
93503		Α	Insert/place catheter	5.13	5.13	000	0	0	0	0	0
93505		Α	Biopsy of heart	8.98	8.98	000	2	Ō	Ō	Ŏ	Ŏ
93505	26	Α	Biopsy of heart	7.06	7.06	000	2	ŏ	Ö	ŏ	ŏ
93505	TC	A	Biopsy of heart	1.92	1.92	000	õ	ŏ	ŏ	ŏ	ő
	IC										
93508	20	Α	Catheter placement	18.55	18.55	000	2	0	0	0	0
93508	26	A	Catheter placement	6.53	6.53	000	2	0	0	0	0
93508	TC	Α	Catheter placement	12.01	12.01	000	0	0	0	0	0
93510		Α	Left heart catheter	42.49	42.49	000	2	0	0	0	0
93510	26	Α	Left heart catheter	7.01	7.01	000	2	0	0	0	0
93510	TC	Α	Left heart catheter	35.47	35.47	000	0	0	0	0	0
93511		Α	Left heart catheter	41.74	41.74	000	2	0	0	0	0
93511	26	Α	Left heart catheter	7.21	7.21	000	2	0	0	0	0
93511	TC	Α	Left heart catheter	34.53	34.53	000	0	0	0	0	0
93514		Α	Left heart catheter	45.54	45.54	000	2	0	0	Ŏ	Ŏ
93514	26	A	Left heart catheter	11.00	11.00	000	$\bar{2}$	ŏ	ŏ	ŏ	0
93514	TC	A	Left heart catheter	34.53	34.53	000	0	ő	ŏ	ŏ	0
93524	10	A	Left heart catheter	56.11	56.11	000	2	ő	ŏ	0	0
93524	26	A	Left heart catheter	10.99	10.99	000	2	0	0	ő	0
								_			
93524	TC	A	Left heart catheter	45.12	45.12	000	0	0	0	0	0
93526	00	A	Right and left catheter	57.28	57.28	000	2	0	0	0	0
93526	26	A	Right and left catheter	10.92	10.92	000	2	0	0	0	0
93526	TC	A	Right and left catheter	46.36	46.36	000	0	0	0	0	0
93527		Α	Right and left catheter	58.90	58.90	000	2	0	0	0	0
93527	26	Α	Right and left catheter	13.78	13.78	000	2	0	0	0	0
93527	TC	Α	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93528		Α	Right and left catheter	57.75	57.75	000	2	0	0	0	0
93528	26	Α	Right and left catheter	12.63	12.63	000	2	0	0	0	0
93528	TC	Α	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93529		Α	Right and left catheter	52.43	52.43	000	2	0	0	0	0
93529	26	Α	Right and left catheter	7.31	7.31	000	2	0	0	0	0
93529	TC	Α	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93530		A	Right heart catheter	23.74	23.74	000	2	0	0	0	Ō
93530	26	A	Right heart catheter	7.51	7.51	000	2	Ŏ	Ŏ	Ö	ŏ
93530	TC	A	Right heart catheter	16.22	16.22	000	ō	ŏ	Ŏ	Ŏ	ŏ
93531		A	Right and left catheter	59.42	59.42	000	2	ŏ	ŏ	ŏ	ŏ
93531	26	A	Right and left catheter	13.06	13.06	000	2	Ö	Ö	ŏ	ŏ
93531	TC	A	Right and left catheter	46.36	46.36	000	ō	0	ő	0	ŏ
93532	10	A	Right and left catheter	61.37	61.37	000	2	0	0	0	0
93532	26	A	Right and left catheter	16.25	16.25	000	2	0	0	0	0
93532						000		_	_		-
	TC	A	Right and left catheter	45.12	45.12		0	0	0	0	0
93533	26	A	Right and left catheter	54.16	54.16	000	2	0	0	0	0
93533	26 TC	A	Right and left catheter	9.03	9.03	000	2	0	0	0	0
93533	TC	A	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93536		Α	Insert circulation	9.95	9.95	000	2	0	0	0	0
93539		Α	Injection, cardiac	1.32	0.90	000	0	0	0	0	0
93540		Α	Injection, cardiac	1.35	0.95	000	0	0	0	0	0
93541		Α	Injection for lung	0.66	0.66	000	0	0	0	0	0
93542		Α	Injection for heart	0.66	0.66	000	0	0	0	0	0
93543		Α	Injection for heart	0.87	0.63	000	0	0	0	0	0
93544		Α	Injection for aorta	0.84	0.56	000	0	0	0	0	0
93545		Α	Injection for coronary	0.92	0.92	000	0	0	0	0	0
93555		Α	Imaging, cardiac	7.00	7.00	XXX	0	0	0	0	0

93555	26	Α	Imaging, cardiac	1.02	1.02	XXX	0	0	0	0	0
93555	TC	Α	Imaging, cardiac	5.99	5.99	XXX	0	0	0	0	0
93556		Α	Imaging, cardiac	10.66	10.66	XXX	0	0	0	0	0
93556	26	Α	Imaging, cardiac	1.23	1.23	XXX	0	0	0	0	0
93556	TC	Α	Imaging, cardiac	9.43	9.43	XXX	0	0	0	0	0
93561		Α	Cardiac output	1.56	1.56	000	0	0	0	0	0
93561	26	Α	Cardiac output	1.03	1.03	000	0	0	0	0	0
93561	TC	Α	Cardiac output	0.52	0.52	000	0	0	0	0	0
93562		Α	Cardiac output	0.66	0.66	000	0	0	0	0	0
93562	26	Α	Cardiac output	0.35	0.35	000	0	0	0	0	0
93562	TC	Α	Cardiac output	0.31	0.31	000	0	0	0	0	0

### (32) Cardiovascular, intracardiac eletrophysiological procedures:

93600		Α	Bundle of His recording	6.18	6.18	000	0	0	0	0	0
93600	26	Α	Bundle of His recording	4.31	4.31	000	0	0	0	0	0
93600	TC	Α	Bundle of His recording	1.87	1.87	000	0	0	0	0	0
93602		Α	Intra-atrial recording	4.78	4.78	000	0	0	0	0	0
93602	26	Α	Intra-atrial recording	3.71	3.71	000	0	0	0	0	0
93602	TC	Α	Intra-atrial recording	1.07	1.07	000	0	0	0	0	0
93603		Α	Right ventricular	5.74	5.74	000	0	0	0	0	0
93603	26	Α	Right ventricular	4.13	4.13	000	0	0	0	0	0
93603	TC	Α	Right ventricular	1.61	1.61	000	0	0	0	0	0
93607		Α	Left ventricular	6.62	6.62	000	0	0	0	0	0
93607	26	Α	Left ventricular	5.19	5.19	000	0	0	0	0	0
93607	TC	Α	Left ventricular	1.43	1.43	000	0	0	0	0	0
93609		Α	Mapping of tachycardia	15.61	15.61	000	0	0	0	0	0
93609	26	Α	Mapping of tachycardia	13.01	13.01	000	0	0	0	0	0
93609	TC	Α	Mapping of tachycardia	2.61	2.61	000	0	0	0	0	0
93610		Α	Intra-atrial pacing	6.37	6.37	000	0	0	0	0	0
93610	26	Α	Intra-atrial pacing	5.07	5.07	000	0	0	0	0	0
93610	TC	Α	Intra-atrial pacing	1.30	1.30	000	0	0	0	0	0
93612		Α	Intraventricular pacing	6.65	6.65	000	0	0	0	0	0
93612	26	Α	Intraventricular pacing	5.10	5.10	000	0	0	0	0	0
93612	TC	Α	Intraventricular pacing	1.55	1.55	000	0	0	0	0	0
93615		A	Esophageal recording	1.55	1.55	000	0	0	0	0	0
93615	26	Α	Esophageal recording	1.25	1.25	000	0	0	0	0	0
93615	TC	Α	Esophageal recording	0.30	0.30	000	0	0	0	0	0
93616		Α	Esophageal recording	3.01	3.01	000	0	0	0	0	0
93616	26	A	Esophageal recording	2.71	2.71	000	Ō	0	0	0	0
93616	TC	A	Esophageal recording	0.30	0.30	000	0	0	0	0	0
93618		Α	Heart rhythm pacing	12.45	12.45	000	0	0	Õ	Õ	0
93618	26	A	Heart rhythm pacing	8.64	8.64	000	0	0	Ō	Ō	Õ
93618	TC	A	Heart rhythm pacing	3.81	3.81	000	0	0	0	Ŏ	0
93619		A	Electrophysiologic	22.28	22.28	000	0	0	0	0	0
93619	26	A	Electrophysiologic	14.90	14.90	000	Ō	Õ	Ŏ	Ŏ	Õ
93619	TC	A	Electrophysiologic	7.39	7.39	000	Õ	0	Ō	0	Õ
93620		A	Electrophysiologic	31.94	31.94	000	0	0	Õ	Õ	Ō
93620	26	A	Electrophysiologic	23.36	23.36	000	ŏ	Ŏ	ŏ	ŏ	Õ
93620	TC	A	Electrophysiologic	8.58	8.58	000	Ŏ	ŏ	ŏ	ŏ	Õ
93621	••	C	Electrophysiologic	0.00	0.00	000	ŏ	ŏ	ŏ	ŏ	Õ
93621	26	Ă	Electrophysiologic	25.56	25.56	000	ŏ	ŏ	ŏ	ŏ	ő
93621	TC	Ĉ	Electrophysiologic	0.00	0.00	000	ŏ	ŏ	ŏ	ŏ	ő
93622	10	č	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93622	26	Ă	Electrophysiologic	25.69	25.69	000	0	0	0	0	0
93622	TC	Ĉ	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
72022	10	C	Lieurophysiologic	0.00	0.00	000	U	U	v	U	U

00/00		~	0.1 1.1		0.00	000	_	^	^	_	_
93623		С	Stimulation and pacing	0.00	0.00	000	0	0	0	0	0
93623	26	Α	Stimulation and pacing	5.38	5.38	000	0	0	0	0	0
93623	TC	C	Stimulation and pacing	0.00	0.00	000	0	0	0	0	0
93624		Α	Electrophysiologic	9.27	9.27	000	0	0	0	0	0
93624	26	Α	Electrophysiologic	7.37	7.37	000	0	0	0	0	0
93624	TC	Α	Electrophysiologic	1.90	1.90	000	0	0	0	0	0
93631		Α	Heart pacing and mapping	18.88	18.88	000	0	0	0	0	0
93631	26	Α	Heart pacing and mapping	12.83	12.83	000	0	0	0	0	0
93631	TC	Α	Heart pacing and mapping	6.05	6.05	000	0	0	0	0	0
93640		Α	Evaluate heart device	14.14	14.14	000	0	0	0	0	0
93640	26	Α	Evaluate heart device	7.27	7.27	000	0	0	0	0	0
93640	TC	A	Evaluate heart device	6.87	6.87	000	0	0	0	0	0
93641		Α	Electrophysiologic	18.89	18.89	000	0	0	0	0	0
93641	26	Α	Electrophysiologic	12.02	12.02	000	0	0	0	0	0
93641	TC	Α	Electrophysiologic	6.87	6.87	000	0	0	0	0	0
93642		Α	Electrophysiologic	16.84	16.84	000	0	0	0	0	0
93642	26	Α	Electrophysiologic	9.97	9.97	000	0	0	0	0	0
93642	TC	Α	Electrophysiologic	6.87	6.87	000	0	0	0	0	0
93650		Α	Ablate heart	21.45	21.45	000	0	0	0	0	0
93651		Α	Ablate heart	32.71	32.71	000	0	0	0	0	0
93652		Α	Ablate heart	34.01	34.01	000	0	0	0	0	0
93660		C	Tilt table evaluation	0.00	0.00	000	0	0	0	0	0
93660	26	Α	Tilt table evaluation	3.20	3.20	000	0	0	0	0	0
93660	TC	C	Tilt table evaluation	0.00	0.00	000	0	0	0	0	0

### (33) Cardiovascular, other vascular studies:

93720		Α	Body plethysmography	1.07	1.04	XXX	0	0	0	0	0
93721		Α	Plethysmography	0.69	0.36	XXX	0	0	0	0	0
93722		Α	Plethysmography	0.38	0.35	XXX	0	0	0	0	0
93724		Α	Analyze pacemaker	11.15	11.15	000	0	0	0	0	0
93724	26	Α	Analyze pacemaker	7.34	7.34	000	0	0	0	0	0
93724	TC	Α	Analyze pacemaker	3.81	3.81	000	0	0	0	0	0
93731		Α	Analyze pacemaker	1.21	1.21	XXX	0	0	0	0	0
93731	26	Α	Analyze pacemaker	0.73	0.73	XXX	0	0	0	0	0
93731	TC	Α	Analyze pacemaker	0.48	0.48	XXX	0	0	0	0	0
93732		Α	Analyze pacemaker	1.76	1.76	XXX	0	0	0	0	0
93732	26	Α	Analyze pacemaker	1.26	1.26	XXX	0	0	0	0	0
93732	TC	Α	Analyze pacemaker	0.50	0.50	XXX	0	0	0	0	0
93733		Α	Telephone analysis	1.05	1.05	XXX	0	0	0	0	0
93733	26	Α	Telephone analysis	0.35	0.35	XXX	0	0	0	0	0
93733	TC	Α	Telephone analysis	0.70	0.70	XXX	0	0	0	0	0
93734		Α	Analyze pacemaker	1.00	1.00	XXX	0	0	0	0	0
93734	26	Α	Analyze pacemaker	0.66	0.66	XXX	0	0	0	0	0
93734	TC	Α	Analyze pacemaker	0.34	0.34	XXX	0	0	0	0	0
93735		Α	Analyze pacemaker	1.54	1.54	XXX	0	0	0	0	0
93735	26	Α	Analyze pacemaker	1.11	1.11	XXX	0	0	0	0	0
93735	TC	Α	Analyze pacemaker	0.43	0.43	XXX	0	0	0	0	0
93736		Α	Telephone analysis	0.93	0.93	XXX	0	0	0	0	0
93736	26	Α	Telephone analysis	0.32	0.32	XXX	0	0	0	0	0
93736	TC	Α	Telephone analysis	0.61	0.61	XXX	0	0	0	0	0
93737		Α	Analyze cardio/defib	1.16	1.16	XXX	0	0	0	0	0
93737	26	Α	Analyze cardio/defib	0.68	0.68	XXX	0	0	0	0	0
93737	TC	Α	Analyze cardio/defib	0.48	0.48	XXX	0	0	0	0	0
93738		Α	Analyze cardio/defib	1.72	1.72	XXX	0	0	0	0	0
93738	26	Α	Analyze cardio/defib	1.23	1.23	XXX	0	0	0	0	0
			-								

FEES FOR MEDICAL SERVICES 5221.4030

0

0

0

0

9

9

0

0

0

9

9

9

9

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

719

93922		Α	Extremity study	1.66	1.66	XXX	0	2	0	0	0
93922	26	Α	Extremity study	0.52	0.52	XXX	0	2	0	0	0
93922	TC	Α	Extremity study	1.14	1.14	XXX	0	2	0	0	0
93923		Α	Extremity study	3.09	3.09	XXX	0	2	0	0	0
93923	26	Α	Extremity study	0.94	0.94	XXX	0	2	0	0	0
93923	TC	Α	Extremity study	2.15	2.15	XXX	0	2	0	0	0
93924		Α	Extremity study	3.38	3.38	XXX	0	2	0	0	0
93924	26	Α	Extremity study	1.04	1.04	XXX	0	2	0	0	0
93924	TC	Α	Extremity study	2.34	2.34	XXX	0	2	0	0	0
93925		Α	Lower extremity study	4.59	4.59	XXX	0	2	0	0	0
93925	26	Α	Lower extremity study	0.93	0.93	XXX	0	2	0	0	0

		WIII VI LEGO I II	KCLI	20 20						
5221.4030 l	FE	ES FOR MEDICAL SERVICE	S						7	20
93925 TC	٨	Lower extremity study	3.67	2 67	XXX	0	2	Λ	Λ	0
93925		Lower extremity study  Lower extremity study	3.07	3.67 3.07	XXX	0	Õ	0	0	0
		Lower extremity study	0.62	0.62	XXX	0	0	0	0	0
		Lower extremity study	2.45	2.45	XXX	0	0	0	0	0
93930		Upper extremity study	4.71	4.71	XXX	0	2	0	0	0
93930 26		Upper extremity study	0.82	0.82	XXX	0	2	0	0	0
		Upper extremity study	3.89	3.89	XXX	0	2	0	0	0
93931		Upper extremity study	3.14	3.14	XXX	0	0	0	0	0
		Upper extremity study	0.55	0.55	XXX	0	0	0	0	0
93931 TC	A	Upper extremity study	2.59	2.59	XXX	0	0	0	0	0
(37) Noninva	asi	ve vascular diagnostic studies, e	xtremity	venous	studies:					
93965	Α	Extremity study	1.80	1.80	XXX	0	2	0	0	0
		Extremity study	0.73	0.73	XXX	ŏ	2	ŏ	ŏ	ŏ
		Extremity study  Extremity study	1.08	1.08	XXX	0	2	0	Ö	0
93970		Extremity study	5.08	5.08	XXX	0	2	0	0	0
				1.03	XXX		2			
		Extremity study	1.03			0	2	0	0	0
		Extremity study	4.05	4.05	XXX	0	2	0	0	0
		Extremity study	3.39	3.39	XXX	0	0	0	0	0
		Extremity study	0.69	0.69	XXX	0	0	0	0	0
93971 TC	Α	Extremity study	2.70	2.70	XXX	0	0	0	0	0
, ,		ve vascular diagnostic studies, vi		•	le vascul	lar s	tudi 0		٥	0
		Vascular study	6.67	6.67	XXX	0	0	0	0	0
		Vascular study	2.07	2.07		0		0	0	0
		Vascular study	4.60	4.60	XXX		0	0	0	0
93976	A	· · · · · · · · · · · · · · · · · · ·	4.46	4.46	XXX	0	0	0	0	0
		Vascular study	1.39	1.39	XXX	0	0	0	0	0
		Vascular study	3.08	3.08	XXX	0	0	0	0	0
		Vascular study	4.77	4.77	XXX	0	0	0	0	0
	A		0.99	0.99	XXX	0	0	0	0	0
	Ā		3.78	3.78	XXX	0	0	0	0	0
93979	Ă	Vascular study	3.18	3.18	XXX	0	0	0	0	0
	Ă	Vascular study	0.67	0.67	XXX	0	0	0	0	0
		Vascular study	2.51	2.51	XXX	0	0	0	0	0
		Penile vascular study	5.39	5.39	XXX	0	0	0	0	0
		Penile vascular study	1.97	1.97	XXX	0	0	0	0	0
		Penile vascular study	3.43	3.43	XXX	0	0	0	0	0
		Penile vascular study	3.97	3.97	XXX	0	0	0	0	0
		Penile vascular study	0.80	0.80	XXX	0	0	0	0	0
93981 TC	Α	Penile vascular study	3.16	3.16	XXX	0	0	0	0	0
(39) Noninva	asiv	ve vascular diagnostic studies, ex	xtremity	arterial	-venous	stu	dies	:		
93990	Α	Doppler flow test	2.87	2.87	XXX	0	0	0	0	0
		Doppler flow test	0.42	0.42	XXX	0	0	ő	0	0
		Doppler flow test	2.45	2.45	XXX	0	0	0	0	0
)3//U IC	. 1	Doppior now test	2.43	2.73	MM	J	J	J	J	J
(40) Pulmon	ary	r:								

94010

A Breathing capacity  $0.84 \quad 0.84 \quad XXX \quad 0 \quad 0 \quad 0 \quad 0$ 

94010	26	Α	Breathing capacity	0.44	0.44	XXX	0	0	0	0	0
94010	TC	Α	Breathing capacity	0.40	0.40	XXX	0	0	0	0	0
94060		Α	Bronchospasm evaluation	1.52	1.52	XXX	0	0	0	0	0
94060	26	Α	Bronchospasm evaluation	0.63	0.63	XXX	0	0	0	0	0
94060	TC	Α	Bronchospasm evaluation	0.89	0.89	XXX	0	0	0	0	0
94070		Α	Bronchospasm evaluation	2.33	2.33	XXX	0	0	0	0	0
94070	26	Α	Bronchospasm evaluation	0.93	0.93	XXX	0	0	0	0	0
94070	TC	Α	Bronchospasm evaluation	1.40	1.40	XXX	0	0	0	0	0
94150		В	Vital capacity	0.00	0.00	XXX	9	9	9	9	9
94150	26	В	Vital capacity	0.00	0.00	XXX	9	9	9	9	9
94150	TC	В	Vital capacity	0.00	0.00	XXX	9	9	9	9	9
94200		Α	Lung function	0.46	0.46	XXX	0	0	0	0	0
94200	26	Α	Lung function	0.22	0.22	XXX	0	0	0	0	0
94200	TC	Α	Lung function	0.24	0.24	XXX	0	0	0	0	0
94240		Α	Residual lung capacity	1.12	1.12	XXX	0	0	0	0	0
94240	26		Residual lung capacity	0.47	0.47	XXX	0	0	0	0	0
94240	TC		Residual lung capacity	0.66	0.66	XXX	0	0	0	0	0
94250			Expired gas collection	0.35	0.35	XXX	0	0	0	0	0
94250	26		Expired gas collection	0.22	0.22	XXX	0	0	0	0	0
94250	TC	Α	Expired gas collection	0.13	0.13	XXX	0	0	0	0	0
94260		Α	Thoracic gas volume	0.79	0.79	XXX	0	0	0	0	0
94260	26	A	Thoracic gas volume	0.26	0.26	XXX	0	0	0	0	0
94260	TC	A	Thoracic gas volume	0.52	0.52	XXX	0	0	0	0	0
94350			Lung nitrogen	0.97	0.97	XXX	0	0	0	0	0
94350	26	A	Lung nitrogen	0.44	0.44	XXX	0	0	0	0	0
94350	TC	A	Lung nitrogen	0.52	0.52	XXX	0	0	0	0	0
94360	0.0	A	Measure airflow	1.35	1.35	XXX	0	0	0	0	0
94360	26	A	Measure airflow	0.43	0.43	XXX	0	0	0	0	0
94360	TC		Measure airflow	0.92	0.92	XXX	0	0	0	0	0
94370	26		Breath airway closing	0.64	0.64	XXX	0	0	0	0	0
94370	26 TC		Breath airway closing	0.38	0.38	XXX	0	0	0	0	0
94370	TC		Breath airway closing	0.26	0.26	XXX	0	0	0	0	0
94375	26		Respiratory flow	0.95 0.49	0.95 0.49	XXX XXX	0	0 0	0 0	0 0	$0 \\ 0$
94375	TC	A A	Respiratory flow	0.49	0.49	XXX	0	0	0	0	0
94375 94400	10	A	Respiratory flow	1.21	1.21	XXX	0	0	0	0	0
94400	26	A	CO <sub>2</sub> breathing response CO <sub>2</sub> breathing response	0.89	0.89	XXX	0	0	0	0	0
94400	TC	A		0.32	0.32	XXX	0	0	0	0	0
94450	10	A	CO <sub>2</sub> breathing response	0.52	0.52	XXX	0	0	0	0	ő
94450	26	A	Hypoxia response Hypoxia response	0.53	0.56	XXX	0	0	ŏ	0	0
94450	TC	A	Hypoxia response	0.37	0.01	XXX	0	0	0	0	ő
94620	ic	A	Pulmonary stress testing	2.86	2.86	XXX	0	0	0	0	0
94620	26		Pulmonary stress testing	1.50	1.50	XXX	0	Ö	ŏ	0	ő
94620	TC		Pulmonary stress testing	1.36	1.36	XXX	0	0	Ö	0	ő
94640	10	A	Airway inhalation	0.39	0.39	XXX	ő	ŏ	ő	0	ŏ
94642		Ĉ	Aerosol inhalation	0.00	0.00	XXX	ő	0	Ö	0	Ö
94650		-	Pressure breathing	0.37	0.37	XXX	ŏ	ő	ŏ	0	ŏ
94651			Pressure breathing	0.36	0.36	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
94652		A	Pressure breathing	0.44	0.44	XXX	ŏ	ŏ	ŏ	0	ŏ
94656		A	Initial ventilation	2.27	2.27	XXX	ŏ	Ŏ	ŏ	ŏ	ŏ
94657			Subsequent ventilation	1.38	1.38	XXX	ŏ	ŏ	ŏ	Ö	ŏ
94660		A	Positive airway pressure	1.41	1.41	XXX	Õ	ŏ	ŏ	ŏ	ŏ
94662		A	Negative pressure	0.99	0.99	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
94664		Â	Aerosol or vapor	0.51	0.51	XXX	0	ő	ő	ŏ	ŏ
94665			Aerosol or vapor	0.47	0.47	XXX	Õ	ŏ	ŏ	ŏ	ŏ
94667			Chest wall manipulation	0.56	0.56	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
94668		A	Chest wall manipulation	0.34	0.34	XXX	Õ	ŏ	ŏ	ŏ	ŏ
94680			Exhaled air analysis	1.04	1.04	XXX	ŏ	Õ	ŏ	ŏ	ŏ
, , , , , ,		•		1.0			-	•	~	_	-

94680	26	Α	Exhaled air analysis	0.53	0.53	XXX	0	0	0	0	0
94680	TC	Α	Exhaled air analysis	0.51	0.51	XXX	0	0	0	0	0
94681		Α	Exhaled air analysis	1.76	1.76	XXX	0	0	0	0	0
94681	26	Α	Exhaled air analysis	0.42	0.42	XXX	0	0	0	0	0
94681	TC	Α	Exhaled air analysis	1.35	1.35	XXX	0	0	0	0	0
94690		Α	Exhaled air analysis	0.63	0.63	XXX	0	0	0	0	0
94690	26	Α	Exhaled air analysis	0.11	0.11	XXX	0	0	0	0	0
94690	TC	Α	Exhaled air analysis	0.51	0.51	XXX	0	0	0	0	0
94720		Α	Carbon monoxide diffusion	1.28	1.28	XXX	0	0	0	0	0
94720	26	Α	Carbon monoxide diffusion	0.47	0.47	XXX	0	0	0	. 0	0
94720	TC	Α	Carbon monoxide diffusion	0.81	0.81	XXX	0	0	0	0	0
94725		Α	Membrane diffusion	2.09	2.09	XXX	0	0	0	0	0
94725	26	Α	Membrane diffusion	0.42	0.42	XXX	0	0	0	0	0
94725	TC	Α	Membrane diffusion	1.68	1.68	XXX	0	0	0	0	0
94750		Α	Pulmonary compliance	1.01	1.01	XXX	0	0	0	0	0
94750	26	Α	Pulmonary compliance	0.46	0.46	XXX	0	0	0	0	0
94750	TC	Α	Pulmonary compliance	0.55	0.55	XXX	0	0	0	0	0
94760		Α	Measure blood oxygen	0.25	0.25	XXX	0	0	0	0	0
94761		Α	Measure blood oxygen	0.65	0.65	XXX	0	0	0	0	0
94762		Α	Measure blood oxygen	1.10	1.10	XXX	0	0	0	0	0
94770		Α	Exhaled carbon dioxide	0.58	0.58	XXX	0	0	0	0	0
94770	26	Α	Exhaled carbon dioxide	0.26	0.26	XXX	0	0	0	0	0
94770	TC	Α	Exhaled carbon dioxide	0.32	0.32	XXX	0	0	0	0	0
94772		C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94772	26	C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94772	TC	C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94799		C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
94799	26	C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
94799	TC	C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
(41) Al	llergy	an	d clinical immunology, allergy	testing:							

Α	Allergy skin testing	0.09	0.09	XXX	0	0	0	0	0
Α	Sensitivity skin test	0.25	0.19	XXX	0	0	0	0	0
Α		0.25	0.19	XXX	0	0	0	0	0
Α		0.14	0.14	XXX	0	0	0	0	0
Α	Skin end point	0.14	0.14	XXX	0	0	0	0	0
Α	Allergy skin test	0.22	0.22	XXX	0	0	0	0	0
Α	Allergy patch test	0.19	0.19	XXX	0	0	0	0	0
Α	Photo patch test	0.24	0.24	XXX	0	0	0	0	0
Α	Photosensitivity	0.17	0.09	XXX	0	0	0	0	0
Α	Eye allergy test	0.33	0.33	XXX	0	0	0	0	0
Α		0.19	0.10	XXX	0	0	0	0	0
Α	Bronchial allergy test	2.11	2.11	XXX	0	0	0	0	0
Α	Bronchial allergy test	2.70	2.70	XXX	0	0	0	0	0
Α	Ingestion challenge test	2.78	1.82	XXX	0	0	0	0	0
Α	Provocative testing	0.24	0.24	XXX	0	0	0	0	0
	A A A A A A A A A A A A A A A A A A A	A Sensitivity skin test A Sensitivity skin test A Allergy skin test A Skin end point A Allergy skin test A Allergy patch test A Photo patch test A Photosensitivity A Eye allergy test A Nose allergy test A Bronchial allergy test A Bronchial allergy test A Ingestion challenge test	A Sensitivity skin test 0.25 A Sensitivity skin test 0.25 A Allergy skin test 0.14 A Skin end point 0.14 A Allergy skin test 0.22 A Allergy skin test 0.22 A Allergy patch test 0.19 A Photo patch test 0.24 A Photosensitivity 0.17 A Eye allergy test 0.33 A Nose allergy test 0.19 A Bronchial allergy test 2.11 A Bronchial allergy test 2.70 A Ingestion challenge test 2.78	A Sensitivity skin test 0.25 0.19 A Sensitivity skin test 0.25 0.19 A Allergy skin test 0.14 0.14 A Skin end point 0.14 0.14 A Allergy skin test 0.22 0.22 A Allergy patch test 0.19 0.19 A Photo patch test 0.24 0.24 A Photosensitivity 0.17 0.09 A Eye allergy test 0.33 0.33 A Nose allergy test 0.19 0.10 A Bronchial allergy test 2.11 2.11 A Bronchial allergy test 2.70 2.70 A Ingestion challenge test 2.78 1.82	A Sensitivity skin test 0.25 0.19 XXX A Sensitivity skin test 0.25 0.19 XXX A Allergy skin test 0.14 0.14 XXX A Skin end point 0.14 0.14 XXX A Allergy skin test 0.22 0.22 XXX A Allergy patch test 0.19 0.19 XXX A Photo patch test 0.24 0.24 XXX A Photosensitivity 0.17 0.09 XXX A Eye allergy test 0.33 0.33 XXX A Nose allergy test 0.19 0.10 XXX A Bronchial allergy test 2.11 2.11 XXX A Bronchial allergy test 2.70 2.70 XXX A Ingestion challenge test 2.78 1.82 XXX	A Sensitivity skin test     A Sensitivity skin test     A Sensitivity skin test     A Allergy skin test     A Allergy skin test     A Skin end point     A Allergy skin test     A Allergy skin test     A Allergy skin test     A Allergy patch test     A Allergy patch test     A Photo patch test     A Photosensitivity     A Photosensitivity     A Photosensitivity     A Nose allergy test     A Bronchial allergy test     A Bronchial allergy test     A Bronchial allergy test     A Ingestion challenge test     C.25     C.19     XXX     O     A SXX     O     C.22     C.22     XXX     O     C.24     C.25     C.27     C.27	A Sensitivity skin test 0.25 0.19 XXX 0 0 A Sensitivity skin test 0.25 0.19 XXX 0 0 A Allergy skin test 0.14 0.14 XXX 0 0 A Skin end point 0.14 0.14 XXX 0 0 A Allergy skin test 0.22 0.22 XXX 0 0 A Allergy patch test 0.19 0.19 XXX 0 0 A Photo patch test 0.24 0.24 XXX 0 0 A Photosensitivity 0.17 0.09 XXX 0 0 A Eye allergy test 0.33 0.33 XXX 0 0 A Nose allergy test 0.19 0.10 XXX 0 0 A Bronchial allergy test 2.11 2.11 XXX 0 0 A Bronchial allergy test 2.70 2.70 XXX 0 0 A Ingestion challenge test 2.78 1.82 XXX 0 0	A Sensitivity skin test	A Sensitivity skin test 0.25 0.19 XXX 0 0 0 0 0 A Sensitivity skin test 0.25 0.19 XXX 0 0 0 0 0 A Allergy skin test 0.14 0.14 XXX 0 0 0 0 0 A Skin end point 0.14 0.14 XXX 0 0 0 0 0 A Allergy skin test 0.22 0.22 XXX 0 0 0 0 0 A Allergy patch test 0.19 0.19 XXX 0 0 0 0 A Photo patch test 0.24 0.24 XXX 0 0 0 0 0 A Photosensitivity 0.17 0.09 XXX 0 0 0 0 A Photosensitivity 0.17 0.09 XXX 0 0 0 0 A Eye allergy test 0.33 0.33 XXX 0 0 0 0 0 A Nose allergy test 0.19 0.10 XXX 0 0 0 0 A Bronchial allergy test 0.19 0.10 XXX 0 0 0 0 A Bronchial allergy test 0.19 0.10 XXX 0 0 0 0 A Bronchial allergy test 0.19 0.10 XXX 0 0 0 0 0 A Ingestion challenge test 0.70 2.70 XXX 0 0 0 0 0

### (42) Allergy and clinical immunology, allergen immunotherapy:

05115	A	T	0.37	0.27	000	Λ	Λ	Λ	Λ	Λ
95115	A	Immunotherapy	0.57	0.37	000	U	U	U	U	U
95117	Α	Immunotherapy	0.47	0.47	000	0	0	0	0	0
95120	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95125	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95130	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9

_	~	
•	,	-

95131 95132 95133 95134 95144 95145	I I I A A	Immunotherapy Immunotherapy Immunotherapy Immunotherapy Antigen therapy Antigen therapy	0.00 0.00 0.00 0.00 0.19 0.40	0.00 0.00 0.00 0.00 0.12 0.24	XXX XXX XXX XXX 000 000	9 9 9 9 0	9 9 9 9 0	9 9 9 9 0	9 9 9 9 0	9 9 9 9 0
95146	Α	Antigen therapy	0.66	0.37	000	0	0	0	0	0
95147	Α	Antigen therapy	0.95	0.51	000	0	0	0	0	0
95148	Α	Antigen therapy	0.95	0.51	000	0	0	0	0	0
95149	Α	Antigen therapy	1.17	0.62	000	0	0	0	0	0
95165	Α	Antigen therapy	0.16	0.11	000	0	0	0	0	0
95170	Α	Antigen therapy	0.41	0.24	000	0	0	0	0	0
95180	Α	Rapid desensitization	1.97	1.90	000	0	0	0	0	0
95199	C	Allergy immunology	0.00	0.00	000	0	0	0	0	0

### (43) Neurology and neuromuscular procedures, sleep testing:

95805		Α	Multiple sleep latency	7.28	7.28	XXX	0	0	0	0	0
95805	26	Α	Multiple sleep latency	2.29	2.29	XXX	0	0	0	0	0
95805	TC	Α	Multiple sleep latency	4.99	4.99	XXX	0	0	0	0	0
95806		Α	Sleep study, unattended	8.75	8.15	XXX	0	0	0	0	0
95806	26	Α	Sleep study, unattended	3.98	3.38	XXX	0	0	0	0	0
95806	TC	Α	Sleep study, unattended	4.77	4.77	XXX	0	0	0	0	0
95807		Α	Sleep study, attended	9.73	9.73	XXX	0	0	0	0	0
95807	26	Α	Sleep study, attended	3.38	3.38	XXX	0	0	0	0	0
95807	TC	Α	Sleep study, attended	6.35	6.35	XXX	0	0	0	0	0
95808		Α	Polysomnography	11.23	11.23	XXX	0	0	0	0	0
95808	26	Α	Polysomnography	4.88	4.88	XXX	0	0	0	0	0
95808	TC	Α	Polysomnography	6.35	6.35	XXX	0	0	0	0	0
95810		Α	Polysomnography	12.03	12.03	XXX	0	0	0	0	0
95810	26	Α	Polysomnography	5.68	5.68	XXX	0	0	0	0	0
95810	TC	Α	Polysomnography	6.35	6.35	XXX	0	0	0	0	0
95811		Α	Polysomnography	12.71	12.71	XXX	0	0	0	0	0
95811	26	Α	Polysomnography	6.04	6.04	XXX	0	0	0	0	0
95811	TC	Α	Polysomnography	6.67	6.67	XXX	0	0	0	0	0
95812		Α	Electroencephalogram	2.85	2.85	XXX	0	0	0	0	0
95812	26	Α	Electroencephalogram	1.49	1.49	XXX	0	0	0	0	0
95812	TC	Α	Electroencephalogram	1.36	1.36	XXX	0	0	0	0	0
95813		Α	Electroencephalogram	3.44	3.44	XXX	0	0	0	0	0
95813	26	Α	Electroencephalogram	2.08	2.08	XXX	0	0	0	0	0
95813	TC	Α	Electroencephalogram	1.36	1.36	XXX	0	0	0	0	0
95816		Α	Electroencephalogram	2.54	2.54	XXX	0	0	0	0	0
95816	26	Α	Electroencephalogram	1.27	1.27	XXX	0	0	0	0	0
95816	TC	Α	Electroencephalogram	1.27	1.27	XXX	0	0	0	0	0
95819		Α	Electroencephalogram	2.80	2.80	XXX	0	0	0	0	0
95819	26	Α	Electroencephalogram	1.49	1.49	XXX	0	0	0	0	0
95819	TC	Α	Electroencephalogram	1.31	1.31	XXX	0	0	0	0	0
95822		Α	Sleep EEG	3.28	3.28	XXX	0	0	0	0	0
95822	26	Α	Sleep EEG	1.54	1.54	XXX	0	0	0	0	0
95822	TC	Α	Sleep EEG	1.74	1.74	XXX	0	0	0	0	0
95824		Α	Cerebral death EEG	1.66	1.66	XXX	0	0	0	0	0
95824	26	Α	Cerebral death EEG	1.25	1.25	XXX	0	0	0	0	0
95824	TC	Α	Cerebral death EEG	0.40	0.40	XXX	0	0	0	0	0
95827		Α	Night sleep EEG	4.07	4.07	XXX	0	0	0	0	0
95827	26	Α	Night sleep EEG	1.87	1.87	XXX	0	0	0	0	0
95827	TC	Α	Night sleep EEG	2.20	2.20	XXX	0	0	0	0	0
	_		<b>U</b> 1								

95829		Α	Electrocorticogram	6.24	6.24	XXX	0	0	0	0	0
95829	26		Electrocorticogram	6.09	6.09	XXX	0	0	0	0	0
95829	TC		Electrocorticogram	0.15	0.15	XXX	0	0	0	0	0
95830			Insert electrodes	2.34	2.34	XXX	0	0	0	0	0
95831			Limb muscle test	0.55	0.41	XXX	Õ	Õ	Ō	ō	Ō
95832		A	Hand muscle test	0.52	0.40	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
95833			Body muscle test	0.82	0.64	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
95834			Body muscle test	1.17	0.87	XXX	ŏ	0	0	Ö	0
95851		Â		0.39	0.27	XXX	0	0	0	0	0
			Range of motion				0	0			
95852		A	Range of motion	0.26	0.18	XXX	_	_	0	0	0
95857		A	Tensilon test	0.99	0.74	XXX	0	0	0	0	0
95858	26	A	Tensilon test, recording	2.45	2.45	XXX	0	0	0	0	0
95858	26 TC	A	Tensilon test, recording	2.06	2.06	XXX	0	0	0	0	0
95858	TC	A	Tensilon test, recording	0.39	0.39	XXX	0	0	0	0	0
95860		Α	Muscle test, one	1.97	1.97	XXX	0	0	0	0	0
95860	26	Α	Muscle test, one	1.61	1.61	XXX	0	0	0	0	0
95860	TC	Α	Muscle test, one	0.36	0.36	XXX	0	0	0	0	0
95861		Α	Muscle test, two	3.39	3.39	XXX	0	0	0	0	0
95861	26	Α	Muscle test, two	2.68	2.68	XXX	0	0	0	0	0
95861	TC	Α	Muscle test, two	0.71	0.71	XXX	0	0	0	0	0
95863		Α	Muscle test, three	4.02	4.02	XXX	0	0	0	0	0
95863	26	Α	Muscle test, three	3.12	3.12	XXX	0	0	0	0	0
95863	TC		Muscle test, three	0.90	0.90	XXX	0	0	0	0	0
95864		Α	Muscle test, four	5.29	5.29	XXX	0	0	0	0	0
95864	26	A	Muscle test, four	3.57	3.57	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
95864	TČ	A	Muscle test, four	1.71	1.71	XXX	Ŏ	Õ	ŏ	ŏ	ŏ
95867		A	Muscle test, head	1.86	1.86	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
95867	26	A	Muscle test, head	1.31	1.31	XXX	ŏ	ŏ	ŏ	Ö	ŏ
95867	TC	A	Muscle test, head	0.55	0.55	XXX	Ö	ŏ	ő	ő	ő
95868	10	A	Muscle test, head	3.01	3.01	XXX	ŏ	2	ŏ	0	ő
95868	26		Muscle test, head	2.34	2.34	XXX	0	2	ŏ	0	0
95868	TC	A	Muscle test, head	0.67	0.67	XXX	0	2	ő	0	0
95869	10	A	Muscle test, thoracic	0.88	0.88	XXX	0	0	0	0	0
95869	26	A		0.67	0.67	XXX	0	0	0	0	0
	TC	A	Muscle test, thoracic	0.07	0.07	XXX	0	0	0	0	0
95869	IC		Muscle test, thoracic				0				
95870	26	A	Nonparaspinal muscle test	0.88	0.88	XXX	_	0	0	0	0
95870	26	A	Nonparaspinal muscle test	0.67	0.67	XXX	0	0	0	0	0
95870	TC	Α	Nonparaspinal muscle test	0.20	0.20	XXX	0	0	0	0	0
95872	24	A	Nonparaspinal muscle test	2.63	2.63	XXX	0	0	0	0	0
95872	26	A	Nonparaspinal muscle test	2.05	2.05	XXX	0	0	0	0	0
95872	TC	A	Nonparaspinal muscle test	0.58	0.58	XXX	0	0	0	0	0
95875		A	Limb exercise	1.85	1.85	XXX	0	0	0	0	0
95875	26		Limb exercise	1.45	1.45	XXX	0	0	0	0	0
95875	TC	Α	Limb exercise	0.40	0.40	XXX	0	0	0	0	0
95900		Α	Motor nerve conduction	1.01	1.01	XXX	0	0	0	0	0
95900	26	Α	Motor nerve conduction	0.74	0.74	XXX	0	0	0	0	0
95900	TC	Α	Motor nerve conduction	0.27	0.27	XXX	0	0	0	0	0
95903		Α	Motor nerve conduction	1.14	1.14	XXX	0	0	0	0	0
95903	26	Α	Motor nerve conduction	0.90	0.90	XXX	0	0	0	0	0
95903	TC	Α	Motor nerve conduction	0.24	0.24	XXX	0	0	0	0	0
95904		Α	Sensory nerve conduction	0.87	0.87	XXX	0	0	0	0	0
95904	26	Α	Sensory nerve conduction	0.65	0.65	XXX	0	0	0	0	0
95904	TC	Α	Sensory nerve conduction	0.21	0.21	XXX	0	0	0	0	0
95920			Intraoperative testing	4.60	4.60	XXX	0	0	0	0	0
95920	26		Intraoperative testing	3.36	3.36	XXX	Ŏ	ŏ	ŏ	ŏ	Ö
95920	TC		Intraoperative testing	1.24	1.24	XXX	Ö	ŏ	ŏ	ŏ	ő
95921			Autonomic nervous system	1.50	1.50	XXX	0	Ö	ŏ	0	Ö
95921	26		Autonomic nervous system	1.14	1.14	XXX	0	0	0	0	0
73741	20	7.1	A tatolionne nervous system	1.17	1.17	71/1/1	J	U	J	U	U

95921	TC	Α	Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95922		Α	Autonomic nervous system	1.58	1.58	XXX	0	0	0	0	0
95922	26	Α	Autonomic nervous system	1.22	1.22	XXX	0	0	0	0	0
95922	TC		Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95923			Autonomic nervous system	1.50	1.50	XXX	0	Ō	Ō	Ō	0
95923	26		Autonomic nervous system	1.14	1.14	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
95923	TC		Autonomic nervous system	0.36	0.36	XXX	ő	ŏ	ŏ	ŏ	ŏ
95925	10	A	Somatosensory study	2.02	2.02	XXX	ŏ	2	0	ŏ	ŏ
95925	26	A	Somatosensory study	1.14	1.14	XXX	ŏ	2	ŏ	ŏ	ŏ
95925	TC		Somatosensory study	0.88	0.88	XXX	ŏ	2	0	0	ő
95926	IC	A		2.02	2.02	XXX	ŏ	2	0	0	ő
95926	26	A	Somatosensory study Somatosensory study	1.14	1.14	XXX	0	2	0	0	0
95926	TC	A		0.88	0.88	XXX	0	2	0	0	Ö
95927	iC	A	Somatosensory study	2.02	2.02	XXX	ŏ	õ	0	0	0
95927	26		Somatosensory study	1.14	1.14	XXX	0	0	0	0	
			Somatosensory study			XXX	0	0	0		0
95927	TC	A	Somatosensory study	0.88	0.88		0	2	-	0	0
95930	26		Visual evoked potential	1.15	1.15	XXX			0	0	0
95930	26 TC	A	Visual evoked potential	0.90	0.90	XXX	0	2	0	0	0
95930	TC	A	Visual evoked potential	0.25	0.25	XXX	0	2	0	0	0
95933	24	A	Blink reflex test	1.80	1.80	XXX	0	0	0	0	0
95933	26	A	Blink reflex test	1.04	1.04	XXX	0	0	0	0	0
95933	TC		Blink reflex test	0.76	0.76	XXX	0	0	0	0	0
95934	2.		H-reflex study	1.01	1.01	XXX	0	1	0	0	0
95934	26		H-reflex study	0.81	0.81	XXX	0	1	0	0	0
95934	TC		H-reflex study	0.20	0.20	XXX	0	1	0	0	0
95936			H-reflex study	1.05	1.05	XXX	0	1	0	0	0
95936	26		H-reflex study	0.84	0.84	XXX	0	1	0	0	0
95936	TC	Α	H-reflex study	0.20	0.20	XXX	0	1	0	0	0
95937			Neuromuscular junction	1.37	1.37	XXX	0	0	0	0	0
95937	26		Neuromuscular junction	1.05	1.05	XXX	0	0	0	0	0
95937	TC		Neuromuscular junction	0.33	0.33	XXX	0	0	0	0	0
95950		Α	Ambulatory EEG	8.70	8.70	XXX	0	0	0	0	0
95950	26	A	Ambulatory EEG	2.59	2.59	XXX	0	0	0	0	0
95950	TC		Ambulatory EEG	6.11	6.11	XXX	0	0	0	0	0
95951			EEG monitoring	14.33	14.33	XXX	0	0	0	0	0
95951	26		EEG monitoring	6.96	6.96	XXX	0	0	0	0	0
95951	TC		EEG monitoring	7.37	7.37	XXX	0	0	0	0	0
95953			EEG monitoring	10.13	10.13	XXX	0	0	0	0	0
95953	26		EEG monitoring	4.02	4.02	XXX	0	0	0	0	0
95953	TC		EEG monitoring	6.11	6.11	XXX	0	0	0	0	0
95954		Α	EEG monitoring	4.62	4.62	XXX	0	0	0	0	0
95954	26		EEG monitoring	4.15	4.15	XXX	0	0	0	0	0
95954	TC	Α	EEG monitoring	0.47	0.47		0	0	0	0	0
95955		Α	EEG during surgery	3.88	3.88	XXX	0	0	0	0	0
95955	26	Α	EEG during surgery	1.97	1.97	XXX	0	0	0	0	0
95955	TC	Α	EEG during surgery	1.91	1.91	XXX	0	0	0	0	0
95956		Α	EEG monitoring	10.42	10.42	XXX	0	0	0	0	0
95956	26	Α	EEG monitoring	4.31	4.31	XXX	0	0	0	0	0
95956	TC	Α	EEG monitoring	6.11	6.11	XXX	0	0	0	0	0
95957		Α	EEG digital analysis	4.07	4.07	XXX	0	0	0	0	0
95957	26	Α	EEG digital analysis	2.43	2.43	XXX	0	0	0	0	0
95957	TC	Α	EEG digital analysis	1.64	1.64	XXX	0	0	0	0	0
95958		A	EEG monitoring	8.87	8.87	XXX	0	Õ	Õ	Ŏ	0
95958	26	Α	EEG monitoring	7.19	7.19	XXX	Ŏ	Õ	ŏ	ŏ	ŏ
95958	TC	A	EEG monitoring	1.68	1.68	XXX	ő	ő	ŏ	ŏ	ŏ
95961	- 0	A	Electrode stimulation	5.39	5.39	XXX	ő	Õ	0	ŏ	ŏ
95961	26	A	Electrode stimulation	4.14	4.14	XXX	ő	ŏ	ŏ	ő	Õ
95961	TC		Electrode stimulation	1.24	1.24	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
		-					_	J	_	_	-

MINICESO IN ROLLS 2003										
5221.40	30 FE	ES FOR MEDICAL SERVICE	S						7	726
95962	Α	Electrode stimulation	5.60	5.60	XXX	0	0	0	0	0
95962	26 A	Electrode stimulation	4.36	4.36	XXX	0	0	0	0	0
95962	TC A	Electrode stimulation	1.24	1.24	XXX	0	0	0	0	0
95999	С	Neurological procedure	0.00	0.00	XXX	0	0	0	0	0
		<b>5</b> 1								
(44) Ce	entral ne	ervous system assessments/tests:								
96100	Α	Psychological testing	1.73	1.73	XXX	0	0	0	0	0
96105	Α	Assessment of aphasia	1.73	1.73	XXX	0	0	0	0	0
96110	С	Developmental testing	0.00	0.00	XXX	0	0	0	0	0
96111	Α	Developmental testing	1.73	1.73	XXX	0	0	0	0	0
96115	Α	Neurobehavioral status	1.73	1.73	XXX	0	0	0	0	0
96117	Α	Neuropsychological test	1.73	1.73	XXX	0	0	0	0	0
(45) Cł	nemothe	rapy administration:								
96400	Α	Chemotherapy	0.13	0.13	XXX	0	0	0	0	0
96405	Α	Intralesional chemo	0.86	0.67	000	2	0	1	0	0
96406	Α	Intralesional chemo	1.29	1.02	000	2	0	1	0	0
96408	Α	Chemotherapy, push	0.92	0.92	XXX	0	0	0	0	0
96410	Α	Chemotherapy, infusion	1.47	1.47	XXX	0	0	0	0	0
96412	Α	Chemotherapy, infusion	1.11	1.11	XXX	0	0	0	0	0
96414	A	Chemotherapy, infusion	1.28	1.28	XXX	0	0	0	0	0
96420		Chemotherapy, push	1.20	1.20	XXX	0	0	0	0	0
96422		Chemotherapy, infusion	1.18	1.18	XXX	0	0	0	0	0
96423	A	Chemotherapy, infusion	0.46	0.46	XXX	0	0	0	0	0
96425	A	Chemotherapy, infusion	1.36	1.36	XXX	0	0	0	$0 \\ 0$	0
96440 96445	A	Chemotherapy	2.97 2.99	2.97 2.52	000 000	0	0	0	0	$0 \\ 0$
96450	A A	Chemotherapy Chemotherapy	2.59	2.32	000	0	0	0	0	0
96520	Â	Pump refilling	0.85	0.85	XXX	0	0	0	0	0
96530	A	Pump refilling	1.01	1.01	XXX	0	0	0	0	ő
96542	A	Chemotherapy injection	2.41	1.89	XXX	0	ŏ	ŏ	ŏ	ŏ
96545	В	Provide chemotherapy	0.00	0.00	XXX	9	9	9	9	9
96549	Č	Chemotherapy procedure	0.00	0.00	XXX	Ó	Ô	0	0	0
(46) Sp	ecial de	rmatological procedures:								
96900	Α	Ultraviolet light	0.38	0.38	XXX	0	0	0	0	0
96902	В	Trichogram	0.00	0.00	XXX	9	9	9	9	ğ
96910		Photochemotherapy	0.55	0.55	XXX	Ó	Ó	Ó	Ó	0
96912		Photochemotherapy	0.64	0.64	XXX	0	0	0	0	0
96913		Photochemotherapy	1.30	1.30	XXX	0	0	0	0	0
96999	С	Dermatological procedure	0.00	0.00	XXX	0	0	0	0	0
(47) Os	steopath	ic manipulative treatment:								
98925	А	Osteopathic manipulation	0.66	0.66	000	0	0	0	0	0
98926	A	Osteopathic manipulation	0.00	0.99	000	0	0	Ö	ŏ	ŏ
98927		Osteopathic manipulation	1.17	1.17	000	ŏ	Ö	ŏ	ŏ	ŏ
98928		Osteopathic manipulation	1.36	1.36	000	ŏ	0	Ö	ŏ	0
98929		Osteopathic manipulation	1.47	1.47	000	Õ	0	0	0	0
		-								

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(48) Special services and reports, miscellaneous serv
---

99000	В	Specimen handling	0.00	0.00	XXX	9	9	9	9	9
99001	В	Specimen handling	0.00	0.00	XXX	9	9	9	9	9
99002	В	Device handling	0.00	0.00	XXX	9	9	9	9	9
99024	В	Postoperative follow-up	0.00	0.00	XXX	9	9	9	9	9
99025	В	Initial surgical	0.00	0.00	XXX	9	9	9	9	9
99050	В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99052	В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99054	В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99056	В	Non-office medical	0.00	0.00	XXX	9	9	9	9	9
99058	В	Office emergency	0.00	0.00	XXX	9	9	9	9	9
99070	В	Special supplies	0.00	0.00	XXX	9	9	9	9	9
99071	В	Patient education	0.00	0.00	XXX	9	9	9	9	9
99075	N	Medical testimony	0.00	0.00	XXX	9	9	9	9	9
99078	В	Group health education	0.00	0.00	XXX	9	9	9	9	9
99080	В	Special reports	0.00	0.00	XXX	9	9	9	9	9
99082	C	Unusual travel	0.00	0.00	XXX	0	0	0	0	0
99090	В	Computer data analysis	0.00	0.00	XXX	9	9	9	9	9
(49) Qua	lifying	circumstances for anesthesia:								
99100	В	Special anesthesia	0.00	0.00	XXX	9	9	9	9	9
99116	В	Anesthesia	0.00	0.00	XXX	9	9	9	9	9
99135	В	Special anesthesia	0.00	0.00	XXX	9	9	9	9	9
99140	В	Emergency anesthesia	0.00	0.00	XXX	9	9	9	9	9
(50) Seda	ition v	vith or without analgesia:								
99141	В	Sedation	0.00	0.00	XXX	9	9	9	9	9

99141	B Sedation	0.00	0.00	XXX	9	9	9	9	9
99142	B Sedation, oral	0.00	0.00	XXX	9	9	9	9	9

### (51) Other services:

									_	
99175	Α	Induction of vomiting	1.34	1.34	XXX	0	0	0	0	0
99183	Α	Hyperbaric oxygen therapy	3.80	3.80	XXX	0	0	0	0	0
99185	Α	Regional hypothermia	0.61	0.61	XXX	0	0	0	0	0
99186	Α	Total body hypothermia	1.93	1.93	XXX	0	0	0	0	0
99190	X	Special pump	0.00	0.00	XXX	9	9	9	9	9
99191	X	Special pump	0.00	0.00	XXX	9	9	9	9	9
99192	X	Special pump	0.00	0.00	XXX	9	9	9	9	9
99195	Α	Phlebotomy	0.42	0.42	XXX	0	0	0	0	0
99199	С	Special service	0.00	0.00	XXX	0	0	0	0	0

ment se			cedure code numbers 99201 t	o 99449 ı	elate to	o evalua	tion	an	d m	ana	ge-
1	2	3	4	5	6	7	8	9	10	11	12
(1) Off	ice or	ot	her outpatient services, new p	atient:	<del></del>		_				
99201		Α	Office/outpatient visit	0.84	0.61	XXX	0	0	0	0	0
99202			Office/outpatient visit	1.32	1.04	XXX	0	0	0	0	0
99203		Α	Office/outpatient visit	1.82	1.50	XXX	0	0	0	0	0
99204			Office/outpatient visit	2.71	2.24	XXX	0	0	0	0	0
99205		Α	Office/outpatient visit	3.40	2.88	XXX	0	0	0	0	0
(2) Off	ice or	ot	her outpatient services, establ	ished pati	ent:						
99211		Α	Office/outpatient visit	0.37	0.26	XXX	0	0	0	0	0
99212		Α	Office/outpatient visit	0.73	0.55	XXX	0	0	0	0	0
99213		Α	Office/outpatient visit	1.04	0.81	XXX	0	0	0	0	0
99214		Α	Office/outpatient visit	1.57	1.26	XXX	0	0	0	0	0
99215		A	Office/outpatient visit	2.48	2.01	XXX	0	0	0	0	0
(3) Hos	spital	ob	servation services:								
99217		Α	Observation care	1.69	1.69	XXX	0	0	0	0	0
99218			Observation care	1.85	1.85	XXX	0	0	0	0	0
99219			Observation care	3.01	3.01	XXX	0	0	0	0	0
99220		Α	Observation care	3.87	3.87	XXX	0	0	0	0	0
(4) Hos	spital	inp	patient services, initial hospital	care, nev	w or est	ablished	l pa	tien	t:		
99221		Α	Initial hospital care	1.84	1.84	XXX	0	0	0	0	0
99222		Α	Initial hospital care	3.00	3.00	XXX	0	0	0	0	0
99223			Initial hospital care	3.85	3.85	XXX	0	0	0	0	0
(5) Hos	spital	inp	patient services, subsequent ho	spital car	e:						
99231		Α	Subsequent hospital care	0.96	0.96	XXX	0	0	0	0	0
99232		A	Subsequent hospital care	1.42	1.42	XXX	0	-	0		
99233		Α	Subsequent hospital care	1.98	1.98	XXX	0	0	0	0	0
(6) Obs	servat	ion	or inpatient services:								
99234		Α	Observation, hospital	3.01	3.01	XXX	0	0	0	0	0
99235		Α	Observation, hospital	4.17	4.17	XXX	0	0	0	0	0
99236		Α	Observation, hospital	5.03	5.03	XXX	0	0	0	0	0
99238			Hospital discharge day	1.68	1.68	XXX	0	0	0	0	0
99239			Hospital discharge day	2.10	2.10	XXX	0	0	0	0	0
(7) Cor	sulta	tio	ns, office or other inpatient co	nsultation	ns, new	or estab	lish	ed j	patio	ent:	
99241		Δ	Initial office consult	1.24	0.93	XXX	0	0	0	0	0
99241			Initial office consult	1.24	1.59	XXX	0	0	0	0	0
,, <u>.</u> ,.		- •		2.70			•	,	J	J	•

729	FEES FOR MEDICAL SERVICES 5221.403								30
99244 A	Initial office consult Initial office consult Initial office consult	2.55 3.59 4.83	2.09 3.00 4.02	XXX XXX XXX	0	0 0 0	0 0 0	0 0 0	0 0 0
(8) Consultation	ons, initial inpatient consultation	ns, new o	or establ	ished pa	atient	:			
99252 A 99253 A 99254 A	Initial inpatient consult Initial inpatient consult Initial inpatient consult Initial inpatient consult Initial inpatient consult	1.29 1.98 2.63 3.62 4.91	1.29 1.98 2.63 3.62 4.91	XXX XXX XXX XXX XXX	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
(9) Consultation	ons, follow-up inpatient consulta	ations, es	stablishe	d patier	ıt:				
99262 A	Follow-up inpatient Follow-up inpatient Follow-up inpatient	0.72 1.24 1.82	0.72 1.24 1.82	XXX XXX XXX	0	0 0 0	0 0 0	0 0 0	0 0 0
(10) Confirmat	ory consultations:								
99272 A 99273 A 99274 A	Confirmatory consultation Confirmatory consultation Confirmatory consultation Confirmatory consultation Confirmatory consultation	1.01 1.50 2.13 2.81 3.87	0.73 1.16 1.63 2.22 3.87	XXX XXX XXX XXX XXX	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0
(11) Emergenc	y department services:								
99282 A 99283 A	Emergency room visit Direct advanced support	0.58 0.88 1.62 2.48 3.91 0.00	0.58 0.88 1.62 2.48 3.91 0.00	XXX XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0 0 9	0 0 0 0 0 9	0 0 0 0 0 9	0 0 0 0 0 9
(12) Critical ca	re services:								
99291 A 99292 A	Critical care, first hour Critical care, additional	5.07 2.45	5.07 2.45	XXX XXX		0	0	0	0
(13) Neonatal	intensive care:								
99296 A	Neonatal critical care Neonatal critical care Neonatal critical care	20.29 10.06 5.03	20.29 10.06 5.03	XXX XXX XXX	0	0 0 0	0 0 0	0 0 0	0 0 0
(14) Comprehe	ensive nursing facility assessmen	nts, new	or establ	lished p	atien	t:			
99302 A	Nursing facility care Nursing facility care Nursing facility care	1.54 1.97 2.78	1.54 1.97 2.78	XXX XXX XXX	0	0 0 0	0 0 0	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$

730

(15) Subsequent	nursing facility care	new or established patient:
(13) Subschacill	mursing racinty care.	. Hew of established patient.

5221.4030 FEES FOR MEDICAL SERVICES

99311	A Nursing facility care	0.89	0.89	XXX	0	0	0	0	0
99312	A Nursing facility care	1.32	1.32	XXX	0	0	0	0	0
99313	A Nursing facility care	1.76	1.76	XXX	0	0	0	0	0
99315	A Discharge	1.54	1.54	XXX	0	0	0	0	0
99316	A Discharge	1.88	1.88	XXX	0	0	0	0	0

### (16) Domiciliary, rest home, or custodial care, new or established patient:

99321	A Rest home visit	1.02	1.02	XXX	0	0	0	0	0
99322	A Rest home visit	1.44	1.44	XXX	0	0	0	0	0
99323	A Rest home visit	1.90	1.90	XXX	0	0	0	0	0
99331	A Rest home visit	0.83	0.83	XXX	0	0	0	0	0
99332	A Rest home visit	1.09	1.09	XXX	0	0	0	0	0
99333	A Rest home visit	1.34	1.34	XXX	0	0	0	0	0

#### (17) Home services, new or established patient:

99341	A Home visit	1.46	1.46	XXX	0	0	0	0	0
99342	A Home visit	1.99	1.99	XXX	0	0	0	0	0
99343	A Home visit	2.84	2.84	XXX	0	0	0	0	0
99344	A Home visit	3.62	3.62	XXX	0	0	0	0	0
99345	A Home visit	4.31	4.31	XXX	0	0	0	0	0
99347	A Home visit	1.15	1.15	XXX	0	0	0	0	0
99348	A Home visit	1.68	1.68	XXX	0	0	0	0	0
99349	A Home visit	2.45	2.45	XXX	0	0	0	0	0
99350	A Home visit	3.52	3.52	XXX	0	0	0	0	0
99351	D Home visit	1.21	1.21	XXX	0	0	0	0	0
99352	D Home visit	1.55	1.55	XXX	0	0	0	0	0
99353	D Home visit	1.96	1.96	XXX	0	0	0	0	0

#### (18) Prolonged services with direct patient contact, office or other outpatient:

99354	Α	Prolonged service	2.38	2.01	XXX	0	0	0	0	0
99355	Α	Prolonged service	2.38	2.01	XXX	0	0	0	0	0

#### (19) Prolonged services with direct patient contact, inpatient:

99356	Α	Prolonged service	2.42	2.42	XXX	0	0	0	0	0
99357	Α	Prolonged service	2.42	2.42	XXX	0	0	0	0	0

#### (20) Prolonged services without direct patient contact:

99358	В	Prolonged service	0.00	0.00	XXX	9	9	9	9	9
99359	В	Prolonged service	0.00	0.00	XXX	9	9	9	9	9

#### FEES FOR MEDICAL SERVICES 5221.4030

(21) Prolor	(21) Prolonged services, physician standby:												
99360	X	Physician standby	0.00	0.00	XXX	9	9	9	9	9			
(22) Case r	nana	agement services:											
99361	В	Physician/team conference	0.00	0.00	XXX	9	9	9	9	9			
99362	В	Physician/team conference	0.00	0.00	XXX	9	9	9	9	9			
99371	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9			
99372	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9			
99373	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9			
(23) Care p	olan	oversight services:											
99374	В	Home health care	0.00	0.00	XXX	9	9	9	9	9			
99375	Ā	Home health care	2.09	2.09	XXX	Ó	Ó	0	0	0			
99376	D	Care plan oversight	0.00	0.00	XXX	9	9	9	9	9			
99377	В	Hospice care supervision	0.00	0.00	XXX	9	9	9	9	9			
99378	Ã	Hospice care supervision	2.09	2.09	XXX	0	0	0	0	0			
99379	В	Nursing facility care	0.00	0.00	XXX	9	9	9	9	9			
99380	В	Nursing facility care	0.00	0.00	XXX	9	9	9	9	9			
(24) Prevei	ntive	medicine services:											
00201	N.T	Dravantina visit	0.00	0.00	vvv	0	0	0	0	0			
99381	N	Preventive visit Preventive visit	0.00	$0.00 \\ 0.00$	XXX XXX	9 9	9 9	9 9	9 9	9			
99382 99383	N N	Preventive visit	$0.00 \\ 0.00$	0.00	XXX	9	9	9	9	9			
99384	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99385	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99386	N	Preventive visit	0.00	0.00	XXX	9	ģ	9	9	9			
99387	N	Preventive visit	0.00	0.00	XXX	ģ	ģ	9	ģ	9			
99391	N	Preventive visit	0.00	0.00	XXX	ģ	ģ	9	ģ	9			
99392	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99393	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99394	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99395	Ν	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99396	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99397	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9			
99401	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9			
99402	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9			
99403	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9			
99404	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9			
99411	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9			
99412		Preventive counseling	0.00	0.00	XXX	9	9	9	9	9			
99420	N	Health risk assessment	0.00	0.00	XXX	9	9	9	9	9			
99429	N	Unlisted preventive	0.00	0.00	XXX	9	9	9	9	9			
(25) Newb	orn (	care:											
99431	Δ	Normal newborn care	2.28	2.28	XXX	0	0	0	0	0			
99431		Normal newborn care	2.45	2.45	XXX	0	0	0	ŏ	0			
99433	A		1.20	1.20	XXX	ŏ	ŏ	ŏ	ő	ő			
2 - · <del>- •</del>					· — <del>-</del>	-	-	-	-	-			

5221.4030 F	EES FOR MEDICAL SERVICE	ES						•	732
99436 A	A Newborn discharge day A Attendance, birth A Newborn resuscitation	2.91 2.91 5.70	2.91 2.91 5.70	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
(26) Special e	valuation and management serv	ices:							
99455 I	N Life/disability R Disability examination R Disability examination	0.00 0.00 0.00	0.00 0.00 0.00	XXX XXX XXX	9 0 0	9 0 0	9 0 0	9 0 0	9 0 0
(27) Other ev	aluation and management service	es:							
99499 (	Unlisted E/M service	0.00	0.00	XXX	0	0	0	0	0
J. Pr and supplies.	rocedure code numbers A0021	to R0076	relate	to misc	ellaı	neo	us s	ervi	ces
1 2 3	3 4	5	6	7	8	9	10	11	12
A0040 X A0050 X	Outside state ambulance Air ambulance service Helicopter ambulance Water ambulance service Noninterested escort Interested escort Nonemergency transport	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	99999999999999999	9999999999999999	9999999999999999	9999999999999999	999999999999999
A0300	BLS nonemergency BLS emergency ALS nonemergency ALS nonemergency ALS emergency ALS emergency BLS nonemergency BLS nonemergency ALS nonemergency ALS nonemergency ALS nonemergency ALS nonemergency ALS nonemergency ALS nonemergency	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	99999999999	99999999999	99999999999	99999999999	99999999999

A0342	X	BLS emergency	0.00	0.00	XXX	9	9	9	9	9
A0344	X	ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0346	X	ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0348		ALS emergency	0.00	0.00	XXX	9	9	9	9	ģ
A0350		ALS emergency, special	0.00	0.00	XXX	9	9	9	ģ	9
A0360		BLS nonemergency	0.00	0.00	XXX	ģ	9	9	ģ	ģ
A0362	X	BLS emergency	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
A0364		ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0366	X		0.00	0.00	XXX	9	9	9	9	9
		ALS nonemergency, special			XXX	9	9	9	9	9
A0368	X	ALS emergency	0.00	0.00	XXX	9	9	9	9	9
A0370	X	ALS emergency, special	0.00	0.00	XXX	9	9	9	9	9
A0380		BLS mileage	0.00	0.00			9	9		9
A0382		BLS routine supplies	0.00	0.00	XXX	9			9	
A0384	X	BLS defibrillator	0.00	0.00	XXX	9	9	9	9	9
A0390	X	ALS mileage	0.00	0.00	XXX	9	9	9	9	9
A0392	X	ALS defibrillator	0.00	0.00	XXX	9	9	9	9	9
A0394	X	ALS IV drug therapy	0.00	0.00	XXX	9	9	9	9	9
A0396	X	ALS esophageal intubation	0.00	0.00	XXX	9	9	9	9	9
A0398	X	ALS routine supplies	0.00	0.00	XXX	9	9	9	9	9
A0420	X	Ambulance waiting	0.00	0.00	XXX	9	9	9	9	9
A0422	X	Ambulance, life support	0.00	0.00	XXX	9	9	9	9	9
A0424	X	Extra attendant	0.00	0.00	XXX	9	9	9	9	9
A0888	N	Noncovered mileage	0.00	0.00	XXX	9	9	9	9	9
A0999	X	Unlisted ambulance	0.00	0.00	XXX	9	9	9	9	9
A4206	I	1 cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4207	I	2 cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4208	I	3 cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4209	I	5 + cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4210	N	Nonneedle injection	0.00	0.00	XXX	9	9	9	9	9
A4211	P	Supplies, self-injection	0.00	0.00	XXX	9	9	9	9	9
A4212	P	Noncoring needle	0.00	0.00	XXX	9	9	9	9	9
A4213	I	20 + cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4214	P	30 cc saline or water	0.00	0.00	XXX	9	9	9	9	9
A4215	I	Sterile needles	0.00	0.00	XXX	9	9	9	9	9
A4220	P	Infusion pump refill	0.00	0.00	XXX	9	9	9	9	9
A4221	X	Maintenance drug infusion	0.00	0.00	XXX	9	9	9	9	9
A4222	X	Drug infusion pump	0.00	0.00	XXX	9	9	9	9	9
A4230	N	Infusion for insulin pump	0.00	0.00	XXX	9	9	9	9	9
A4231	N	Infusion for insulin pump	0.00	0.00	XXX	9	9	9	9	9
A4232	N	Syringe with needle	0.00	0.00	XXX	ģ	9	9	9	9
A4244	Ï	Alcohol or peroxide	0.00	0.00	XXX	ģ	ģ	ģ	9	9
A4245	Î	Alcohol wipes	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
A4246	Î	Betadine or pHisoHex	0.00	0.00	XXX	ģ	ģ	9	ģ	9
A4247	Ì	Betadine or iodine	0.00	0.00	XXX	9	9	ģ	9	9
A4250	N	Urine test, Reagent	0.00	0.00	XXX	9	ģ	9	9	9
A4253	P	Blood glucose or Reagent	0.00	0.00	XXX	9	9	9	9	9
A4254	X		0.00	0.00	XXX	9	9	9	9	9
		Battery, glucose monitor					9	9	9	9
A4255	X	Platforms, glucose	0.00	0.00	XXX	9	9	9		
A4256	P	Calibrator solution	0.00	0.00	XXX	9			9	9
A4258	P	Lancet device, each	0.00	0.00	XXX	9	9	9	9	9
A4259	P	Lancets, per box of 100	0.00	0.00	XXX	9	9	9	9	9
A4260	N	Levonorgestrel (Norplant)	0.00	0.00	XXX	9	9	9	9	9
A4262	В	Temporary tear duct	0.00	0.00	XXX	9	9	9	9	9
A4263	A	Permanent tear duct	0.92	0.92	XXX	9	9	9	9	9
A4265	P	Paraffin, per pound	0.00	0.00	XXX	9	9	9	9	9
A4270	В	Disposable endoscope	0.00	0.00	XXX	9	9	9	9	9
A4300	A	Catheter implant vascular	0.92	0.92	XXX	9	9	9	9	9
A4301	P	Implantable access total	0.00	0.00	XXX	9	9	9	9	9

_	_	_	_	_	1/3/3/	00:0	00:0	9,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		000177
6	6	6	6	6	XXX	00.0	00.0	Below knee stocking	N	V4500
6	6	6	6	6	XXX	00.0	00.0	Thigh length stocking	N	5644A
6	6	6	6	6	XXX	00.0	00.0	Above knee stocking	N	9677₹
6	6	6	6	6	XXX	00.0	00.0	Tracheostoma filter	X	1844A
6	6	6	6	6	XXX	00.0	00.0	Vabra aspirator	ď	08₺₺∀
6	6	6	6	6	XXX	00.0	00.0	Gravlee jet washer	ď	0∠₽₽ <b>∀</b>
6	6	6	6	6	XXX	00.0	00.0	Nonelastic exterior	d	\$9₩¥
6	6	6	6	6	XXX	00.0	00.0	Abdominal dressing	X	7944V
6	6	6	6	6	XXX	00.0	00.0	Elastic compression	ď	09₺₺₩
6	6	6	6	6	XXX	00.0	00.0	Adhesive remover	d	$\forall \forall \forall \forall $
6	6	6	6	6	XXX	00.0	00.0	Tape, all types	d	<i>₽</i> \$₽₽₩
6	6	6	6	6	XXX	00.0	00.0	Ostomy miscellaneous	ď	7442I
	6	6	6	6	XXX	00.0	00.0	Ostomy ring, each	ď	₩
6			-					Lubricant, per ounce		
6	6	6	6	6	XXX	00.0	00.0		ď	A4402
6	6	6	6	6	XXX	00.0	00.0	Jes noisegirri ymoseO	d	00₽₽¥
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, cone	ď	66€⊅∀
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, each	ď	86£\$A
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, each	ď	<b>∠6€</b> ₽₩
6	6	6	6	6	XXX	00.0	00.0	Ostomy filter, each	$\tilde{\mathbf{X}}$	89£†¥
6	6	6	6	6	XXX	00.0	00.0	Ostomy belt, each	ď	49€₽
	6	6	6	6	XXX	00.0	00.0	Ostomy adhesive remover	X	
6		_	_							A4365
6	6	6	6	6	XXX	00.0	00.0	Ostomy, catheter adhesive	ď	4364A
6	6	6	6	6	XXX	00.0	00.0	Liquid skin barrier	ď	£9£\$A
6	6	6	6	6	XXX	00.0	00.0	Solid skin barrier	ď	79€₽₩
6	6	6	6	6	XXX	00.0	00.0	Ostomy faceplate, each	ď	19 <b>£</b> †∀
6	6	6	6	6	XXX	00.0	00.0	Urinary suspensory	ď	65£₽¥
6	6	6	6	6	XXX	00.0	00.0	Urinary leg bag	ď	85E4A
6	6	6	6	6	XXX	00.0	00.0	Bedside drainage bag	đ	LSEPY
6	6	6	6	6	XXX	00.0	00.0	External urethral clamp	ď	9 <b>5</b> 54 <b>Y</b>
6	6	6	6	6	XXX	00.0	00.0	Bladder irrigation	ď	A4355
	6			6	XXX	00.0	00.0	Catheter insertion	ď	
6		6	6					Intermittent catheter		A4354
6	6	6	6	6	XXX	00.0	00.0		X	8254A
6	6	6	6	6	XXX	00.0	00.0	Coude urinary catheter	ď	A4352
6	6	6	6	6	XXX	00.0	00.0	Straight urinary catheter	d	12E4A
6	6	6	6	6	XXX	00.0	00.0	Male external catheter	ď	∠₽ξ₽∀
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	d	9⊅£⊅∀
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	74344
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	0454A
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	8££\$¥
6	6	6	6	6	XXX	00.0	00.0	Incontinence supply	ď	A4335
					XXX	00.0	00.0	Stool collection pouch	ď	
6	6	6	6	6				External catheter starter		0££₽¥
6	6	6	6	6	XXX	00.0	00.0		q	62£₽¥
6	6	6	6	6	XXX	00.0	00.0	Feminine urinary collect	ď	84328
6	6	6	6	6	XXX	00.0	00.0	Feminine urinary collect	ď	¥₹357
6	6	6	6	6	XXX	00.0	00.0	Male external catheter	ď	97£₽∀
6	6	6	6	6	XXX	00.0	0.00	Saline irrigation	d	£2£4A
6	6	6	6	6	XXX	00.0	00.0	Irrigation syringe, each	d	A4322
6	6	6	6	6	XXX	00.0	00.0	Catheter, therapeutic	X	A4321
	6	6	6	6	XXX	00.0	00.0	Irrigation tray	ď	V4350
6								3-way catheter with bag		
6	6	6	6	6	XXX	00.0	00.0		q	9154A
6	6	6	6	6	XXX	00.0	00.0	2-way catheter with bag	d	S154A
6	6	6	6	6	XXX	00.0	00.0	2-way catheter with bag	d	4431¢
6	6	6	6	6	XXX	00.0	00.0	3-way catheter, no bag	ď	£154A
6	6	6	6	6	XXX	00.0	00.0	2-way catheter, no bag	ď	7154A
6	6	6	6	6	XXX	00.0	00.0	Catheter without bag	ď	1154A
6	6	6	6	6	XXX	00.0	00.0	Insert tray without bag	ď	01£₽¥
6	6	6	6	6	XXX	00.0	00.0	Drug delivery system	ď	90£4¥
6	6	6	6	6	XXX	00.0	00.0	Drug delivery system	ď	50£4A
υ	υ	υ	υ	υ	ллл	UU U	00 0	motorn mouilab aud	a	30EV V

A4510	N	Full length stocking	0.00	0.00	XXX	9	9	9	9	9
A4550	A	Surgical trays	0.92	0.92	XXX	9	9	9	9	9
A4554	N	Disposable underpads	0.00	0.00	XXX	9	9	9	9	9
A4556	P	Electrodes	0.00	0.00	XXX	9	9	9	9	9
A4557	P	Lead wires	0.00	0.00	XXX	9	9	9	9	9
A4558	P	Conductive paste or gel	0.00	0.00	XXX	9	9	9	9	9
A4560	X	Pessary	0.00	0.00	XXX	9	9	9	9	9
A4565	X	Slings	0.00	0.00	XXX	9	9	9	9	9
A4570	X	Splint	0.00	0.00	XXX	9	9	9	9	9
A4572	X	Rib belt	0.00	0.00	XXX	9	9	9	9	9
A4575	N	Hyperbaric oxygen chamber	0.00	0.00	XXX	9	9	9	9	9
A4580	X	Cast supplies	0.00	0.00	XXX	9	9	9	9	9
A4590	X	Special casting material	0.00	0.00	XXX	9	9	9	9	9
A4595	X	TENS supplies, 2 lead	0.00	0.00	XXX	9	9	9	9	9
A4611		Heavy duty battery	0.00	0.00	XXX	9	9	9	9	9
A4612	X	Battery cables	0.00	0.00	XXX	9	9	9	9	9
A4613		Battery charger	0.00	0.00	XXX	9	9	9	9	9
A4615		Cannula, nasal	0.00	0.00	XXX	9	9	9	9	9
A4616	X	Tubing (oxygen), per foot	0.00	0.00	XXX	9	9	9	9	9
A4617	X	Mouth piece	0.00	0.00	XXX	9	9	9	9	9
A4618	X	Breathing circuits	0.00	0.00	XXX	9	9	9	9	9
A4619		Face tent	0.00	0.00	XXX	9	9	9	9	9
A4620		Variable mask	0.00	0.00	XXX	9	9	9	9	9
A4621	X	Tracheotomy mask	0.00	0.00	XXX	9	9	9	9	9
A4622	X	Tracheostomy tube	0.00	0.00	XXX	9	9	ģ	9	9
A4623	X	Tracheostomy, inner	0.00	0.00	XXX	ģ	9	ģ	9	9
A4624	X	Tracheal suction	0.00	0.00	XXX	9	9	ģ	9	9
A4625	X	Tracheostomy care kit	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
A4626	X	Tracheostomy cleaning	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
A4627	N	Spacer, bag or reservoir	0.00	0.00	XXX	9	9	ģ	ģ	9
A4628		Oropharyngeal suction	0.00	0.00	XXX	ģ	ģ	9	9	9
A4629	X	Tracheostomy care kit	0.00	0.00	XXX	ģ	9	9	9	9
A4630	X	Replacement battery, TENS	0.00	0.00	XXX	9	9	9	9	9
A4631		Wheelchair batteries	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
A4635		Underarm crutch pad	0.00	0.00	XXX	9	9	9	9	9
A4636		Handgrip, cane or crutch	0.00	0.00	XXX	9	9	9	9	9
			0.00	0.00	XXX	9	9	9	9	9
A4637	X	Replace cane, crutch tip			XXX	9	9	9	9	9
A4640	X	Alternating pressure pad	0.00	0.00		9	9	9	9	9
A4641	E	Diagnostic imaging	0.00	0.00	XXX	-				9
A4642	Е	Satumomab pendetide	0.00	0.00	XXX	9	9	9	9	9
A4643	E	High dose contrast	0.00	0.00	XXX	9	9	9	9	9
A4644	E	Osmolar contrast, 100-199	0.00	0.00	XXX	9				
A4645	E	Osmolar contrast, 200-299	0.00	0.00	XXX	9	9	9	9	9
A4646	E	Osmolar contrast, 300-399	0.00	0.00	XXX	9	9	9	9	9
A4647	В	Paramagnetic contrast	0.00	0.00	XXX	9	9	9	9	9
A4649	P	Surgical supplies	0.00	0.00	XXX	9	9	9	9	9
A4650		Centrifuge	0.00	0.00	XXX	9	9	9	9	9
A4655		Needles and syringes	0.00	0.00	XXX	9	9	9	9	9
A4660	X	Blood pressure apparatus	0.00	0.00	XXX	9	9	9	9	9
A4663	X	Blood pressure cuff	0.00	0.00	XXX	9	9	9	9	9
A4670	N	Automatic blood pressure	0.00	0.00	XXX	9	9	9	9	9
A4680		Activated carbon filters	0.00	0.00	XXX	9	9	9	9	9
<b>A</b> 4690	X	Dialyzers	0.00	0.00	XXX	9	9	9	9	9
A4700	X	Standard dialysis	0.00	0.00	XXX	9	9	9	9	9 9
A4705	X		0.00	0.00	XXX	9	9	9	9	9
A4712	X	Sterile water	0.00	0.00	XXX	9	9	9	9	9
A4714	X	Treated water	0.00	0.00	XXX	9	9	9	9	9
A4730	X	Fistula cannulation	0.00	0.00	XXX	9	9	9	9	9

A4735	X	Local/topical anesthetics	0.00	0.00	XXX	9	9	9	9	9
A4740	X	Shunt accessories	0.00	0.00	XXX	9	9	9	9	9
A4750	X	Arterial or venous tubing	0.00	0.00	XXX	9	9	9	9	9
A4755		Arterial, venous tubing	0.00	0.00	XXX	9	9	9	9	9
A4760	X	Standard testing solution	0.00	0.00	XXX	9	9	9	9	9
A4765			0.00	0.00	XXX	9	9	9	9	9
A4770		Blood testing supplies	0.00	0.00	XXX	9	9	9	9	9
A4771	X	Blood clotting	0.00	0.00	XXX	9	9	9	9	9
A4772	X	Dextrostick or glucose	0.00	0.00	XXX	ģ	9	ģ	9	ģ
A4773		Hemostix	0.00	0.00	XXX	9	9	9	9	9
A4774		Ammonia test paper	0.00	0.00	XXX	9	ģ	9	ģ	9
A4780	X	Sterilizing agent	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
A4790	X	Cleansing agents	0.00	0.00	XXX	ģ	9	ģ	ģ	9
A4800	X	Heparin and antidote	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
A4820		Hemodialysis supplies	0.00	0.00	XXX	9	ģ	ģ	9	9
A4850	X	Rubber tipped hemostats	0.00	0.00	XXX	ģ	ģ	9	9	ģ
A4860	X	Disposable catheter caps	0.00	0.00	XXX	9	9	9	9	ģ
A4870	X	Plumbing, electrical work	0.00	0.00	XXX	ģ	9	9	9	9
A4880		Water storage tanks	0.00	0.00	XXX	ģ	9	ģ	9	9
A4890	R	Contracts, repair	0.00	0.00	XXX	0	0	0	0	0
A4900	X		0.00	0.00	XXX	9	9	9	9	9
A4901	X	CAPD supply kit CCPD supply kit	0.00	0.00	XXX	9	9	9	9	9
A4905		IPD supply kit	0.00	0.00	XXX	9	9	9	9	9
A4910	X		0.00			9	9	9	9	9
A4910 A4912		Nonmedical supplies Gomco drain bottle		$0.00 \\ 0.00$	XXX	9	9	9	9	9
A4912 A4913			0.00 0.00		XXX	9	9	9	9	
		Miscellaneous supplies		0.00	XXX		9	9		9
A4914	X	Preparation kits	0.00	0.00	XXX	9		9	9	
·A4918	X	Venous pressure clamps	0.00	0.00	XXX	9	9 9	9	9	9
A4919	X	Dialyzer holder	0.00	0.00	XXX	9	9	9	9	9 9
A4920 A4921		Harvard pressure clamp	0.00	0.00	XXX	9	9	9	9 9	9
	X X	Measuring cylinder	0.00	0.00	XXX	9	9	9	9	9
A4927 A5051	P	Gloves	0.00	0.00	XXX	9	9	9	9	9
		Closed ostomy pouch	0.00	0.00	XXX		9	9	9	9
A5052	P P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5053 A5054	r P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	
		Closed ostomy pouch	0.00	0.00	XXX					9
A5055	P	Stoma cap	0.00	0.00	XXX	9	9	9 9	9	9
A5061	P	Drainable ostomy pouch	0.00	0.00	XXX	9	9		9	9
A5062	P	Drainable ostomy pouch	0.00	0.00	XXX	9	9	9 9	9	9
A5063	P	Drainable ostomy pouch	0.00	0.00	XXX		9		9	9
A5064 A5065	I I	Drainable ostomy pouch	0.00	0.00	XXX	9 9	9 9	9 9	9 9	9
		Drainable ostomy pouch	0.00	0.00	XXX XXX		9			
A5071		Urinary pouch, barrier	0.00	0.00				9	9	9
A5072	P	Urinary pouch, no barrier	0.00	0.00	XXX	9	9	9	9	9
A5073	P	Urinary pouch, flange	0.00	0.00	XXX	9	9	9	9	9
A5074	I	Urinary pouch, faceplate	0.00	0.00	XXX	9	9	9	9	9
A5075	I	Urinary pouch, faceplate	0.00	0.00	XXX	9	9	9	9	9
A5081	P	Continent stoma	0.00	0.00	XXX	9	9	9	9	9
A5082	P	Continent stoma	0.00	0.00	XXX	9	9	9	9	9
A5093	P	Ostomy accessory	0.00	0.00	XXX	9	9	9	9	9
A5102	P	Bedside drainage bottle	0.00	0.00	XXX	9	9	9	9	9
A5105	P	Urinary suspensory	0.00	0.00	XXX	9	9	9	9	9
A5112	P	Urinary leg bag	0.00	0.00	XXX	9	9	9	9	9
A5113	P	Latex leg strap	0.00	0.00	XXX	9	9	9	9	9
A5114	P	Foam or fabric leg strap	0.00	0.00	XXX	9	9	9	9	9
A5119	P	Skin barrier, wipes	0.00	0.00	XXX	9	9	9	9	9
A5121	P	Skin barrier, solid	0.00	0.00	XXX	9	9	9	9	9
A5122	P	Skin barrier, solid	0.00	0.00	XXX	9	9	9	9	9

A5123	P	Skin barrier with flange	0.00	0.00	XXX	9	9	9	9	9
A5126	P	Adhesive, disc/foam pad	0.00	0.00	XXX	9	9	9	9	9
A5131	P	Appliance cleaner	0.00	0.00	XXX	9	9	9	9	9
A5149	P	Incontinence, ostomy	0.00	0.00	XXX	9	9	9	9	ģ
A5500	X	Diabetic, shoe fitting	0.00	0.00	XXX	9	9	9	9	9
A5501	X	Diabetic, custom shoe	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
A5502		Diabetic, shoe	0.00	0.00	XXX	9	ģ	9	9	9
A5502 A5503	X		0.00	0.00	XXX	9	9	9	9	9
		Diabetic, shoe	0.00		XXX	9	9	9	9	9
A5504	X	Diabetic, shoe		$0.00 \\ 0.00$		9	9	9	9	9
A5505	X	Diabetic, shoe	0.00		XXX					
A5506		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5507	X	Diabetic, modification	0.00	0.00	XXX	9	9	9	9	9
A6020	P	Collagen dressing	0.00	0.00	XXX	9	9	9	9	9
A6025	I	Silicone gel sheet	0.00	0.00	XXX	9	9	9	9	9
A6154	P	Wound pouch, each	0.00	0.00	XXX	9	9	9	9	9
A6196	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6197	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6198	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
<b>A</b> 6199	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6203	P	Composite dressing	0.00	0.00	XXX	9	9	9	9	9
A6204	P	Composite dressing	0.00	0.00	XXX	9	9	9	9	9
A6205	P	Composite dressing	0.00	0.00	XXX	9	9	9	9	9
A6206	P	Contact layer LT=16	0.00	0.00	XXX	9	9	9	9	9
A6207	P	Contact layer GT=16	0.00	0.00	XXX	9	9	9	9	9
A6208	P	Contact layer GT=48	0.00	0.00	XXX	9	9	9	9	9
A6209	P	Foam dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6210	P	Foam dressing GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6211	P	Foam dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6212	P	Foam dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6213	P	Foam dressing GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6214	P	Foam dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6215	P	Foam dressing	0.00	0.00	XXX	9	9	9	9	9
A6216	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6217	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6218	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6219	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6220	P	Gauze GT=16 LT=48	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
A6221	P	Gauze GT=10 ET=10	0.00	0.00	XXX	ģ	ģ	9	ģ	ý
A6222	P	Gauze LT=16	0.00	0.00	XXX	ý	ģ	9	9	9
A6223	P	Gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6224	P	Gauze GT=48	0.00	0.00	XXX	9	9	9	9	9
A6228	P	Gauze LT=16	0.00	0.00	XXX	9	ģ	9	9	9
			0.00	0.00			9	-		-
A6229	P	Gauze GT=16 LT=48			XXX XXX	9	9	9	9 9	9 9
A6230	P	Gauze GT=48	0.00	0.00		9		9		
A6234	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6235	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6236	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6237	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6238	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6239	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6240	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6241	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6242	P	Hydrogel dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6243	P	Hydrogel dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6244	P	Hydrogel dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6245	P	Hydrogel dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6246	P	Hydrogel dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6247	P	Hydrogel dressing GT=48	0.00	0.00	XXX	9	9	9	9	9

A6248	P	Hydrogel dressing gel	0.00	0.00	XXX	9	9	9	9	9
A6250	P	Skin seal protectants	0.00	0.00	XXX	9	9	9	9	9
A6251	P	Absorptive dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6252	P	Absorptive dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6253	P	Absorptive dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6254	P	Absorptive dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6255	P	Absorptive dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6256	P	Absorptive dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6257	P	Transparent film	0.00	0.00	XXX	9	9	9	9	9
A6258	P	Transparent film	0.00	0.00	XXX	9	9	9	9	9
A6259	P	Transparent film	0.00	0.00	XXX	9	9	9	9	9
A6260	P	Wound cleansers	0.00	0.00	XXX	9	9	9	9	9
A6261	P	Wound filler, gel, paste	0.00	0.00	XXX	9	9	9	9	9
A6262	P	Wound filler, dry	0.00	0.00	XXX	9	9	9	9	9
A6263	P	Nonsterile elastic gauze	0.00	0.00	XXX	9	9	9	9	9
A6264	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6265	P	Tape, 18 square inches	0.00	0.00	XXX	9	9	9	9	9
A6266	P	Impregnated gauze	0.00	0.00	XXX	9	9	9	9	9
A6402	P	Sterile gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6403	P	Sterile gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6404	P	Sterile gauze GT=48	0.00	0.00	XXX	9	9	9	9	9
A6405	P	Sterile elastic gauze	0.00	0.00	XXX	9	9	9	9	9
A6406	P	Sterile nonelastic gauze	0.00	0.00	XXX	9	9	9	9	9
A9150	Ε	Nonprescription drugs	0.00	0.00	XXX	9	9	9	9	9
A9160	N	Podiatrist, noncovered	0.00	0.00	XXX	9	9	9	9	9
A9170	N	Chiropractor, noncovered	0.00	0.00	XXX	9	9	9	9	9
A9190	N	Personal comfort item	0.00	0.00	XXX	9	9	9	9	9
A9270	N	Noncovered item	0.00	0.00	XXX	9	9	9	9	9
A9300	N	Exercise equipment	0.00	0.00	XXX	9	9	9	9	9
A9500	E	Technetium tc 99 m	0.00	0.00	XXX	9	9	9	9	9
A9502	X	Technetium tc 99 m	0.00	0.00	XXX	9	9	9	9	9
A9503	Ε	Technetium tc 99 m	0.00	0.00	XXX	9	9	9	9	9
A9505	Ε	Thallous chloride Tl 201	0.00	0.00	XXX	9	9	9	9	9
A9600	X	Strontium-89 chloride	0.00	0.00	XXX	9	9	9	9	9

### (2) [Repealed, 25 SR 1142]

### (3) Miscellaneous G codes:

G0002 G0004 G0005 G0006 G0007 G0008 G0009 G0010 G0015 G0016 G0025 G0026 G0027	A A A A X X X A A A X X X	Temporary urinalysis ECG, transmission ECG, 24 hour recording ECG, transmission ECG, physician review Administer flu vaccine Administer pneumococcal Administer hepatitis B Post symptom ECG Post symptom ECG Collagen skin test kit Fecal leukocyte exam Semen analysis	1.14 7.89 1.19 5.82 0.89 0.00 0.00 5.82 0.89 0.92 0.00 0.00	1.14 7.89 1.19 5.82 0.89 0.00 0.00 5.82 0.89 0.92 0.00 0.00	000 XXX XXX XXX XXX XXX XXX XXX XXX XXX	2000099900999	0 0 0 0 0 0 9 9 9 0 0 9 9 9	1 0 0 0 0 9 9 9 0 0 9 9 9	0 0 0 0 0 9 9 9 0 0 9 9 9	0 0 0 0 0 9 9 9 0 0 9 9 9
G0026	$\mathbf{X}$	Fecal leukocyte exam	0.00	0.00	XXX	9	9	9	9	9
G0027 G0030	X C	Semen analysis PET imaging	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9 0	9 0	9 0	9 0	9 0
G0030 26 G0030 TC	A C	PET imaging PET imaging	1.86 0.00	1.86 0.00	XXX XXX	0	0	0 0	0	0 0
G0031 G0031 26		PET imaging PET imaging	0.00 2.38	0.00 2.38	XXX XXX	0	0	0	0	0
G0031 TC	C	PET imaging	0.00	0.00	XXX	0	0	0	0	0

G0032		C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0032	26	Α	PET following SPECT	1.86	1.86	XXX	0	0	0	0	0
G0032	TC	C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0033		C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0033	26	Ā	PET following SPECT	2.38	2.38	XXX	0	0	0	0	0
G0033	TC	C	PET following SPECT	0.00	0.00	XXX	Ō	0	Ō	Ō	0
G0034		Č	PET following SPECT	0.00	0.00	XXX	0	0	Õ	0	0
G0034	26	Ă	PET following SPECT	1.86	1.86	XXX	ŏ	Õ	ŏ	ŏ	ŏ
G0034	TČ	C	PET following SPECT	0.00	0.00	XXX	ŏ	ŏ	ŏ	Ŏ	Ŏ
G0035		Č	PET following SPECT	0.00	0.00	XXX	Ŏ	Ŏ	ŏ	ŏ	Ŏ
G0035	26	Ă	PET following SPECT	2.38	2.38	XXX	Ŏ	Ŏ	Ŏ	ŏ	Ŏ
G0035		C	PET following SPECT	0.00	0.00	XXX	Ŏ	Õ	Ö	Ŏ	0
G0036		Ċ	PET following coronary	0.00	0.00	XXX	0	0	0	0	0
G0036	26	Ā	PET following coronary	1.86	1.86	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
G0036	TC	C	PET following coronary	0.00	0.00	XXX	Õ	Ŏ	Ö	Ö	Ŏ
G0037		Č	PET following coronary	0.00	0.00	XXX	Ŏ	Ō	Ŏ	Ŏ	Õ
G0037	26	Ă	PET following coronary	2.38	2.38	XXX	Õ	Ŏ	ŏ	ŏ	ŏ
G0037	TC	Ċ	PET following coronary	0.00	0.00	XXX	ŏ	Ŏ	ŏ	ŏ	ŏ
G0038		č	PET following myocardial	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	Õ
G0038	26	Ă	PET following myocardial	1.86	1.86	XXX	ŏ	ŏ	Ö	ŏ	ŏ
G0038	TČ	Ĉ	PET following myocardial	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
G0039		č	PET following myocardial	0.00	0.00	XXX	ŏ	Ŏ	ŏ	ŏ	ŏ
G0039	26	Ă	PET following myocardial	2.38	2.38	XXX	ŏ	Ö	ŏ	ŏ	ő
G0039	TC	Ċ	PET following myocardial	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
G0040		Č	PET following stress	0.00	0.00	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Õ
G0040	26	Ā	PET following stress	1.86	1.86	XXX	Ŏ	Õ	Ŏ	Õ	Õ
G0040	TC	C	PET following stress	0.00	0.00	XXX	Ō	Ŏ	Ŏ	Õ	Õ
G0041		Č	PET following stress	0.00	0.00	XXX	Õ	Ŏ	ŏ	Ö	ŏ
G0041	26	Ă	PET following stress	2.38	2.38	XXX	ŏ	Ŏ	ŏ	ŏ	ŏ
G0041	TC	C	PET following stress	0.00	0.00	XXX	Ŏ	Ŏ	Ö	Ŏ	Ŏ
G0042		Č	PET follow ventriculogram	0.00	0.00	XXX	Ŏ	Ŏ	Ō	Õ	Õ
G0042	26	A	PET follow ventriculogram	1.86	1.86	XXX	0	0	0	0	0
G0042	TC	C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	Ó
G0043		Č	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0043	26	A	PET follow ventriculogram	2.38	2.38	XXX	0	0	0	0	0
G0043	TC	C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0044		Č	PET following rest	0.00	0.00	XXX	Õ	0	Ŏ	Ō	Ŏ
G0044	26	Ă	PET following rest	1.86	1.86	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
G0044	TC	C	PET following rest	0.00	0.00	XXX	0	0	0	0	Ŏ
G0045		Č	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0045	26	Ā	PET following rest	2.38	2.38	XXX	0	0	0	0	0
G0045	TC	C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0046		Č	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0046	26	Ā	PET following stress	1.86	1.86	XXX	0	0	0	0	0
G0046	TC	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0047		Ċ	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0047	26	Ā	PET following stress	2.38	2.38	XXX	0	0	0	0	0
G0047	TC	С	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0050		Α	Measure residual urine	0.81	0.81	XXX	0	0	0	0	0
G0051		D	Destroy benign, malignant	0.92	0.72	010	2	0	1	0	0
G0052		D	Destroy lesions	0.29	0.23	ZZZ	0	0	1	0	0
G0053		D	Destroy lesions	5.05	3.97	010	2	0	1	0	0
G0058		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0059		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0060		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0062		D	Peripheral bone	1.03	1.03	XXX	0	0	0	0	0
	26	D	Peripheral bone	0.31	0.31	XXX	0	0	0	0	0
G0062		D	Peripheral bone	0.72	0.72	XXX	0	0	0	0	0
			<del>-</del>								

740

#### 5221.4030 FEES FOR MEDICAL SERVICES

G0063	D	Central bone density	3.35	3.35	XXX	0	0	0	0	0
G0063 26	Ď	Central bone density	0.40	0.40	XXX	ŏ	ŏ	ŏ	Ö	ŏ
G0063 TC	Ď	Central bone density	2.95	2.95	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
G0064	D	Care plan oversight	2.09	2.09	XXX	ŏ	ŏ	ŏ	0	ŏ
G0065	Ď	Care plan oversight	2.09	2.09	XXX	ŏ	0	Ŏ	ŏ	Ŏ
G0066	Ď	Care plan oversight	0.00	0.00	XXX	9	9	9	9	ğ
G0071	Ď	Psychotherapy	1.37	1.37	XXX	Ó	Ó	Ó	Ó	Ó
G0072	Ď	Psychotherapy	1.70	1.70	XXX	ŏ	ŏ	Ŏ	ŏ	ŏ
G0073	Ď	Psychotherapy	2.14	2.14	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
G0074	Ď	Psychotherapy	2.38	2.38	XXX	0	ŏ	ŏ	ő	ŏ
G0075	Ď	Psychotherapy	3.60	3.60	XXX	0	ŏ	ŏ	Õ	ŏ
G0076	Ď	Psychotherapy	3.96	3.96	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
G0077	Ď	Psychotherapy	1.70	1.70	XXX	ő	ŏ	ŏ	Õ	ŏ
G0078	Ď	Psychotherapy	2.05	2.05	XXX	ŏ	ŏ	Ö	ő	ŏ
G0079	Ď	Psychotherapy	2.31	2.31	XXX	ŏ	ŏ	ŏ	ő	ŏ
G0080	Ď	Psychotherapy	2.57	2.57	XXX	ő	ŏ	ŏ	0	ŏ
G0081	D	Psychotherapy	3.32	3.32	XXX	ő	ŏ	ŏ	Ö	ŏ
G0082	Ď	Psychotherapy	3.70	3.70	XXX	ő	ŏ	ŏ	0	ŏ
G0083	Ď	Psychotherapy	1.49	1.49	XXX	ő	ŏ	Ö	ŏ	ŏ
G0084	Ď	Psychotherapy	1.86	1.86	XXX	0	ŏ	ő	ŏ	ŏ
G0085	Ď	Psychotherapy	2.33	2.33	XXX	0	ŏ	ő	Ö	ŏ
G0086	Ď	Psychotherapy	2.60	2.60	XXX	0	ŏ	0	0	ő
G0087	D	Psychotherapy	3.90	3.90	XXX	0	ŏ	0	0	0
G0088	Ď	Psychotherapy	4.30	4.30	XXX	0	0	0	0	Ö
G0089	D	Psychotherapy	1.83	1.83	XXX	0	0	0	0	Ö
G0090	Ď	Psychotherapy	2.23	2.23	XXX	0	0	0	0	0
G0090 G0091	D	Psychotherapy	2.51	2.51	XXX	0	0	0	0	0
G0091 G0092	D	Psychotherapy	2.81	2.81	XXX	0	0	0	0	0
G0092 G0093	D	Psychotherapy	3.63	3.63	XXX	0	0	0	0	0
G0093 G0094	Ď	Psychotherapy	4.07	4.07	XXX	0	0	0	0	0
G0100	D	HIV-1, viral load	0.00	0.00	XXX	9	9	9	9	9
G0100	A	CA screen, pelvis	0.69	0.69	XXX	ó	ó	ó	ó	ó
G0101 G0104	A	CA screen, flexible	2.13	1.45	000	2	ő	1	0	0
G0105	A	Colorectal screen	7.56	7.51	000	2	0	1	0	ő
G0105 G0106	A	Colon CA screen	3.51	3.51	XXX	õ	0	0	0	0
G0106 26	A	Colon CA screen	1.37	1.37	XXX	0	ő	0	0	Ö
G0106 TC	A	Colon CA screen	2.13	2.13	XXX	0	0	0	0	0
G0100 TC	X	CA screen, fecal	0.00	0.00	XXX	9	9	9	9	9
G0107 G0110	R	Nett pulm-rehab	1.09	1.09	XXX	0	0	0	0	0
G0110 G0111	R	Nett pulm-rehab	0.45	0.45	XXX	0	ő	0	0	Ö
G0111	R	Nett, nutrition	2.55	2.55	XXX	0	ő	0	0	ŏ
G0112		Nett, nutrition	1.96	1.96	XXX	0	0	0	0	ŏ
G0113 G0114		Nett, psychosocial	1.49	1.49	XXX	ő	0	0	0	ŏ
G0115	R	Nett, psychological	1.49	1.49	XXX	0	0	ő	0	ŏ
G0116	R	Nett, psychosocial	1.37	1.37	XXX	0	0	0	0	ŏ
G0120	A	Colon CA screen	3.51	3.51	XXX	0	0	0	0	ŏ
G0120 26	A	Colon CA screen	1.37	1.37	XXX	0	0	0	0	ŏ
G0120 TC	A	Colon CA screen	2.13	2.13	XXX	0	0	0	0	ŏ
G0120 TC	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0121	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0122 26	N	Colon CA screen	0.00	0.00	XXX	9	ģ	ģ	9	9
G0122 TC			0.00	0.00	XXX	ģ	9	ģ	ģ	ģ
30122 10	• •		0.00	0.00						_
(4) Miscellaneous J codes:										
( ) Miscona		200 00000								
	_		0.00			_	_	_	_	_

Copyright @ 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

 $0.00\\0.00$ 

E Tetracycline injectionE Adenosine injection

J0120 J0150

J0170	Е	Adrenalin, epinephrine	0.00	0.00	XXX	9	9	9	9	9
J0190	Ē	Biperiden injection	0.00	0.00	XXX	9	9	9	9	9
J0205	Ē	Alglucerase injection	0.00	0.00	XXX	9	9	9	9	9
J0207	Ē	Amifostine	0.00	0.00	XXX	ģ	ģ	9	ģ	9
J0210	Ē	Methyldopate HCL	0.00	0.00	XXX	ģ	9	ģ	ģ	9
J0256	Ē	Alpha 1, protein	0.00	0.00	XXX	ģ	9	ģ	ģ	ģ
J0230 J0270	Ē	Alprostadil	0.00	0.00	XXX	9	9	9	9	9
J0270 J0280	Ē		0.00	0.00	XXX	9	9	9	9	9
		Aminophylline			XXX	9	9	9	9	9
J0290	E	Ampicillin sodium	0.00	0.00	XXX	9	9	9	9	
J0295	E	Ampicillin sodium	0.00	0.00						9
J0300	E	Amobarbital	0.00	0.00	XXX	9	9	9	9	9
J0330	E	Succinylcholine chloride	0.00	0.00	XXX	9	9	9	9	9
J0340	E	Nandrolone phenpropionate	0.00	0.00	XXX	9	9	9	9	9
J0350	Ē	Anistreplase injection	0.00	0.00	XXX	9	9	9	9	9
J0360	E	Hydralazine HCL	0.00	0.00	XXX	9	9	9	9	9
J0380	E	Metaraminol injection	0.00	0.00	XXX	9	9	9	9	9
J0390	E	Chloroquine injection	0.00	0.00	XXX	9	9	9	9	9
J0400	E	Trimethaphan injection	0.00	0.00	XXX	9	9	9	9	9
J0460	E	Atropine sulfate	0.00	0.00	XXX	9	9	9	9	9
J0470	Е	Dimercaprol injection	0.00	0.00	XXX	9	9	9	9	9
J0475	Е	Baclofen	0.00	0.00	XXX	9	9	9	9	9
J0500	E	Dicyclomine injection	0.00	0.00	XXX	9	9	9	9	9
J0510	Е	Benzquinamide injection	0.00	0.00	XXX	9	9	9	9	9
J0515	Ε	Benztropine injection	0.00	0.00	XXX	9	9	9	9	9
J0520	Е	Bethanechol chloride	0.00	0.00	XXX	9	9	9	9	9
J0530	Е	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0540	E	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0550	Е	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0560	Ē	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0570	Ē	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0580	Ē	Penicillin G benzathine	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J0585	Ē	Botulinum toxin	0.00	0.00	XXX	9	ģ	9	ģ	9
J0590	Ē	Ethylnorepinephrine HCL	0.00	0.00	XXX	9	9	9	9	9
J0600	$\tilde{\mathbf{E}}$	Edetate calcium disodium	0.00	0.00	XXX	ģ	9	ģ	ģ	9
J0610	Ē	Calcium gluconate	0.00	0.00	XXX	9	ģ	ģ	9	ģ
J0620	Ē	Calcium glycerophosphate	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
J0630	Ĕ	Calcitonin salmon	0.00	0.00	XXX	9	ģ	9	ģ	9
J0635	Ē	Calcitriol injection	0.00	0.00	XXX	9	9	9	9	9
J0640	Ē	Leucovorin calcium	0.00	0.00	XXX	9	9	9	9	9
J0670							9	9	9	9
	E	Mepivacaine injection	0.00	0.00	XXX	9		9		9
J0690	E	Cefazolin sodium	0.00	0.00	XXX	9	9	9	9	9
J0694	E	Cefoxitin sodium	0.00	0.00	XXX		-			
J0695	E	Cefonicid sodium	0.00	0.00	XXX	9	9	9	9	9
J0696	E	Ceftriaxone sodium	0.00	0.00	XXX	9	9	9	9	9
J0697	E	Sterile cefuroxime sodium	0.00	0.00	XXX	9	9	9	9	9
J0698	Ē	Cefotaxime sodium	0.00	0.00	XXX	9	9	9	9	9
J0702	E	Betamethasone acetate	0.00	0.00	XXX	9	9	9	9	9
J0704	Ε	Betamethasone sodium	0.00	0.00	XXX	9	9	9	9	9
J0710	Е	Cephapirin sodium	0.00	0.00	XXX	9	9	9	9	9
J0713	E	Ceftazidime injection	0.00	0.00	XXX	9	9	9	9	9
J0715	E	Ceftizoxime sodium	0.00	0.00	XXX	9	9	9	9	9
J0720	Ε	Chloramphenicol	0.00	0.00	XXX	9	9	9	9	9
J0725	$\mathbf{E}$	Chorionic gonadotropin	0.00	0.00	XXX	9	9	9	9	9
J0730	Е	Chlorpheniramine maleate	0.00	0.00	XXX	9	9	9	9	9
J0735	E	Clonidine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J0740	E	Cidofovir injection	0.00	0.00	XXX	9	9	9	9	9
J0743	Ē	Cilastatin sodium	0.00	0.00	XXX	9	9	9	9	9
J0745	Ē	Codeine phosphate	0.00	0.00	XXX	9	9	9	9	9
-	_	.1					-	-	-	-

#### 5221.4030 FEES FOR MEDICAL SERVICES

J0760	Е	Colchicine injection	0.00	0.00	XXX	9	9	9	9	9
J0770	Ε	Colistimethate sodium	0.00	0.00	XXX	9	9	9	9	9
J0780	Ε	Prochlorperazine	0.00	0.00	XXX	9	9	9	9	9
J0800	E	Corticotropin	0.00	0.00	XXX	9	9	9	9	9
J0810	Ε	Cortisone injection	0.00	0.00	XXX	9	9	9	9	9
J0835	Ε	Cosyntropin injection	0.00	0.00	XXX	9	9	9	9	9
J0850	E	Cytomegalovirus	0.00	0.00	XXX	9	9	9	9	9
J0895	Ε	Deferoxamine mesylate	0.00	0.00	XXX	9	9	9	9	9
J0900	Е	Testosterone enanthate	0.00	0.00	XXX	9	9	9	9	9
J0945	E	Brompheniramine maleate	0.00	0.00	XXX	9	9	9	9	9
J0970	Ε	Estradiol valerate	0.00	0.00	XXX	9	9	9	9	9
J1000	Ε	Depo-estradiol cypionate	0.00	0.00	XXX	9	9	9	9	9
J1020	E	Methylprednisolone	0.00	0.00	XXX	9	9	9	9	9
J1030	Ε	Methylprednisolone	0.00	0.00	XXX	9	9	9	9	9
J1040	Е	Methylprednisolone	0.00	0.00	XXX	9	9	9	9	9
J1050	Е	Medroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1055	N	Medroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1060	Е	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1070	Ē	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1080	Ē	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1090	Ē	Testosterone cypionate	0.00	0.00	XXX	9	9	9	9	9
J1095	Ē	Dexamethasone injection	0.00	0.00	XXX	9	9	ģ	9	9
J1100	Ē	Dexamethasone acetate	0.00	0.00	XXX	ģ	9	9	9	9
J1110	Ĕ	Dihydroergotamine	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
J1120	Ē	Acetazolamide sodium	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
J1160	Ē	Digoxin injection	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
J1165	Ē	Phenytoin sodium	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
J1170	Ë	Hydromorphone injection	0.00	0.00	XXX	9	9	9	9	9
J1180	Ē	Dyphylline injection	0.00	0.00	XXX	ģ	9	9	9	9
J1190	Ē	Dexrazoxane HCL	0.00	0.00	XXX	9	9	9	9	ģ
J1200	E	Diphenhydramine HCL	0.00	0.00	XXX	9	9	9	9	9
J1205	Ē	Chlorothiazide sodium	0.00	0.00	XXX	9	ģ	9	9	ģ
J1203	Ē	Dimethyl sulfoxide	0.00	0.00	XXX	ģ	ģ	ģ	9	9
J1230	Ē	Methadone injection	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
J1240	Ē	Dimenhydrinate	0.00	0.00	XXX	ģ	9	ģ	9	9
J1245	Ē	Dipyridamole	0.00	0.00	XXX	9	9	9	9	ģ
J1250	Ē	Dobutamine injection	0.00	0.00	XXX	9	9	9	ģ	ģ
J1320	E	Amitriptyline injection	0.00	0.00	XXX	9	9	9	9	9
J1325	E	Epoprostenol	0.00	0.00	XXX	9	9	9	9	9
J1323	E	Ergonovine maleate	0.00	0.00	XXX	9	9	9	9	9
J1362	Ē	Erythromycin gluceptate	0.00	0.00	XXX	9	9	9	9	9
J1364	Ē	Erythromycin lactobionate	0.00	0.00	XXX	9	9	ģ	9	9
J1380	Ē	Estradiol valerate	0.00	0.00	XXX	g	9	9	á	9
J1390	E	Estradiol valerate	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
J1410	Ē	Estradioi valerate  Estrogen conjugated	0.00	0.00	XXX	9	ģ	9	ģ	9
J1435	E	Estrone injection	0.00	0.00	XXX	9	9	9	9	9
J1435 J1436	E	Etidronate disodium	0.00	0.00	XXX	9	9	9	9	9
J1440	E	Filgrastim	0.00	0.00	XXX	9	9	9	9	9
J1440 J1441	Ē	Filgrastim	0.00	0.00	XXX	9	9	9	9	9
	Ē		0.00	0.00	XXX	9	9	9	9	9
J1455		Foscarnet sodium				9	9	9	9	9
J1460	E	Gamma globulin	0.00	0.00	XXX	-	9	9	9	9
J1470	Ē	Gamma globulin	0.00	0.00	XXX XXX	9	9	9	9	9
J1480	E	Gamma globulin	0.00	0.00		9				
J1490	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1500	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1510	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1520	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9 9	9
J1530	Е	Gamma globulin	0.00	0.00	XXX	9	y	y	9	9

J1540	Е	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1550	Е	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1560	É	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1561	Е	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1562	Е	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1565	E	RSV-ivig	0.00	0.00	XXX	9	9	9	9	9
J1570	E	Ganciclovir sodium	0.00	0.00	XXX	9	9	9	9	9
J1580	Е	Garamycin, gentamicin	0.00	0.00	XXX	9	9	9	9	9
J1600	E	Gold sodium thiomalate	0.00	0.00	XXX	9	9	9	9	9
J1610	Ε	Glucagon hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1620	E	Gonadorelin hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1625	D	Granisetron hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1626	E	Granisetron hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J1630	E	Haloperidol injection	0.00	0.00	XXX	9	9	9	9	9
J1631	E	Haloperidol decanoate	0.00	0.00	XXX	9	9	9	9	9
J1642	E	Heparin sodium injection	0.00	0.00	XXX	9	9	9	9	9
J1644	E	Heparin sodium injection	0.00	0.00	XXX	9	9	9	9	9
J1645	E	Dalteparin sodium	0.00	0.00	XXX	9	9	9	9	9
J1650	Ε	Enoxaparin sodium	0.00	0.00	XXX	9	9	9	9	9
J1670	Ε	Tetanus immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1690	Ē	Prednisolone tebutate	0.00	0.00	XXX	9	9	9	9	9
J1700	Ē	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1710	Ē	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1720	Ē	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1730	Ē	Diazoxide injection	0.00	0.00	XXX	9	9	9	9	9
J1739	Ē	Hydroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1741	Ē	Hydroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1742	Ē	Ibutilide fumar	0.00	0.00	XXX	9	ģ	9	9	9
J1760	Ē	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1770	E	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1780	Ē	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1785	Ē	Imiglucerase injection	0.00	0.00	XXX	9	9	9	9	9
J1790	Ē	Droperidol injection	0.00	0.00	XXX	9	9	9	9	9
J1800	Ē	Propranolol injection	0.00	0.00	XXX	9	9	9	9	9
J1810	Ē	Droperidol and fentanyl	0.00	0.00	XXX	9	9	9	9	9
J1820	Ē	Insulin injection	0.00	0.00	XXX	9	9	9	9	9
J1825	Ē	Interferon beta	0.00	0.00	XXX	9	9	9	9	9
J1830	Ĕ	Interferon beta	0.00	0.00	XXX	ģ	9	9	9	9
J1840	Ē	Kanamycin sulfate	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
J1850	Ē	Kanamycin sulfate	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J1885	Ē	Ketorolac tromethamine	0.00	0.00	XXX	9	ģ	9	9	9
J1890	Ē	Cephalothin sodium	0.00	0.00	XXX	ģ	9	9	ý	ý
J1910	Ē	Kutapressin injection	0.00	0.00	XXX	ģ	9	9	9	ģ
J1930	Ē	Propiomazine injection	0.00	0.00	XXX	ģ	ģ	ģ	ý	ģ
J1940	Ē	Furosemide injection	0.00	0.00	XXX	9	9	9	9	9
J1950	Ē	Leuprolide acetate	0.00	0.00	XXX	9	9	9	9	9
J1955	Ē	Levocarnitine injection	0.00	0.00	XXX	9	9	9	9	9
J1960	Ē	Levorphanol tartrate	0.00	0.00	XXX	9	9	9	9	9
J1900 J1970	E		0.00	0.00	XXX	9	9	9	9	9
	E	Methotrimeprazine	0.00	0.00	XXX	9	9	9	9	9
J1980	E	Hyoscyamine sulfate					9	9	9	9
J1990		Chlordiazepoxide HCL	0.00	0.00	XXX	9	9	9	9	9
J2000	E	Lidocaine injection	0.00	0.00	XXX	9				9
J2010	E	Lincomycin injection	0.00	0.00	XXX	9	9	9	9	9
J2060	E	Lorazepam injection	0.00	0.00	XXX	9	9	9	9	9
J2150	E	Mannitol injection	0.00	0.00	XXX	9	9	9	9	9
J2175	E	Meperidine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2180	E	Meperidine, promethazine	0.00	0.00	XXX	9	9	9	9	9
J2210	E	Methylergonovine	0.00	0.00	XXX	9	9	9	9	9

### 5221.4030 FEES FOR MEDICAL SERVICES

J2240	E	Metocurine iodine	0.00	0.00	XXX	9	9	9	9	9
J2250	E	Midazolam hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2260	E	Milrinone injection	0.00	0.00	XXX	9	9	9	9	9
J2270	Ε	Morphine sulfate	0.00	0.00	XXX	9	9	9	9	9
J2275	E	Morphine sulfate	0.00	0.00	XXX	9	9	9	9	9
J2300	E	Nalbuphine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2310	E	Naloxone hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2320	Ē	Nandrolone decanoate	0.00	0.00	XXX	9	ģ	9	9	9
J2321	Ē	Nandrolone decanoate	0.00	0.00	XXX	ģ	ģ	9	9	ģ
J2322	Ē	Nandrolone decanoate	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J2330	Ē	Thiothixene injection	0.00	0.00	XXX	9	9	9	ģ	9
J2350 J2350	E	Niacinamide, niacin	0.00	0.00	XXX	9	9	9	9	9
J2360	E		0.00	0.00	XXX	9	9	9	9	9
	E	Orphenadrine citrate				9	9	9	9	9
J2370		Phenylephrine HCL	0.00	0.00	XXX XXX					
J2400	E	Chloroprocaine HCL	0.00	0.00		9	9	9	9	9
J2405	E	Ondansetron HCL	0.00	0.00	XXX	9	9	9	9	9
J2410	E	Oxymorphone HCL	0.00	0.00	XXX	9	9	9	9	9
J2430	E	Pamidronate disodium	0.00	0.00	XXX	9	9	9	9	9
J2440	E	Papaverine HCL	0.00	0.00	XXX	9	9	9	9	9
J2460	E	Oxytetracycline HCL	0.00	0.00	XXX	9	9	9	9	9
J2480	Ε	Hydrochlorides	0.00	0.00	XXX	9	9	9	9	9
J2510	Ε	Penicillin G procaine	0.00	0.00	XXX	9	9	9	9	9
J2512	E	Pentagastrin injection	0.00	0.00	XXX	9	9	9	9	9
J2515	E	Pentobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2540	Ε	Penicillin G potassium	0.00	0.00	XXX	9	9	9	9	9
J2545	Ε	Pentamidine isethionate	0.00	0.00	XXX	9	9	9	9	9
J2550	Е	Promethazine HCL	0.00	0.00	XXX	9	9	9	9	9
J2560	Ē	Phenobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2590	E	Oxytocin injection	0.00	0.00	XXX	9	9	9	9	9
J2597	E	Desmopressin acetate	0.00	0.00	XXX	9	9	9	9	9
J2640	Ē	Prednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2650	E	Prednisolone acetate	0.00	0.00	XXX	9	9	9	9	9
J2670	E	Tolazoline HCL	0.00	0.00	XXX	9	9	9	9	9
J2675	Ē	Progesterone injection	0.00	0.00	XXX	9	9	9	9	9
J2680	Ē	Fluphenazine decanoate	0.00	0.00	XXX	9	9	9	9	9
J2690	Ē	Procainamide HCL	0.00	0.00	XXX	ģ	9	ģ	9	9
J2700	Ē	Oxacillin sodium	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
J2710	Ē	Neostigmine methylsulfate	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
J2720	Ē	Protamine sulfate	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J2725	Ē	Protirelin	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J2730	Ē	Pralidoxime chloride	0.00	0.00	XXX	ģ	ģ	9	ģ	ģ
J2760	Ē	Phentolamine mesylate	0.00	0.00	XXX	9	ģ	9	9	ģ
J2765	Ē	Metoclopramide HCL	0.00	0.00	XXX	9	ģ	9	g	9
J2790	Ē	Rho D immune globulin	0.00	0.00	XXX	9	9	ģ	9	9
J2800	Ē	Methocarbamol injection	0.00	0.00	XXX	9	9	9	9	9
J2810	Ē	Theophylline injection	0.00	0.00	XXX	9	9	9	9	9
J2820	Ē	Sargramostim injection	0.00	0.00	XXX	9	9	9	9	9
J2860	E	Secobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2910	E				XXX	9	9	9	9	
		Aurothioglucose	0.00	0.00				9	9	9
J2912	E	Sodium chloride	0.00	0.00	XXX	9	9			9
J2920	E	Methylprednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2930	E	Methylprednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2950	E	Promazine HCL injection	0.00	0.00	XXX	9	9	9	9	9
J2970	E	Methicillin sodium	0.00	0.00	XXX	9	9	9	9	9
J2995	Ē	Streptokinase injection	0.00	0.00	XXX	9	9	9	9	9
J2996	Ē	Alteplase recombinant	0.00	0.00	XXX	9	9	9	9	9
J3000	E	Streptomycin injection	0.00	0.00	XXX	9	9	9	9	9
J3005	D	Strontium-89 chloride	0.00	0.00	XXX	9	9	9	9	9

## FEES FOR MEDICAL SERVICES 5221.4030

J3010	E	Fentanyl citrate	0.00	0.00	XXX	9	9	9	9	9
J3030	E	Sumatriptan succinate	0.00	0.00	XXX	9	9	9	9	9
J3070	E	Pentazocine HCL	0.00	0.00	XXX	9	9	9	9	9
J3080	Ē	Chlorprothixene	0.00	0.00	XXX	9	ģ	9	9	9
J3105	Ē	Terbutaline sulfate	0.00	0.00	XXX	9	9	9	9	9
J3120	Ĕ	Testosterone enanthate	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J3130	Ē	Testosterone enanthate	0.00	0.00	XXX	9	ģ	9	ý	ģ
J3140	Ē	Testosterone suspension	0.00	0.00	XXX	9	9	9	9	9
J3150	E		0.00	0.00	XXX	9	9	9	9	9
J3230	Ē	Testosterone propionate	0.00	0.00	XXX	9	9	9	9	9
		Chlorpromazine HCL			XXX	9	9	9	9	9
J3240	E E	Thyrotropin injection	0.00	0.00	XXX		9	9	9	9
J3250		Trimethobenzamide HCL	0.00	0.00		9	9	9		
J3260	E	Tobramycin sulfate	0.00	0.00	XXX	9			9	9
J3265	E	Torasemide injection	0.00	0.00	XXX	9	9	9	9	9
J3270	E	Imipramine HCL	0.00	0.00	XXX	9	9	9	9	9
J3280	E	Thiethylperazine maleate	0.00	0.00	XXX	9	9	9	9	9
J3301	E	Triamcinolone acetonide	0.00	0.00	XXX	9	9	9	9	9
J3302	E	Triamcinolone diacetate	0.00	0.00	XXX	9	9	9	9	9
J3303	E	Triamcinolone	0.00	0.00	XXX	9	9	9	9	9
J3305	Ε	Trimetrexate injection	0.00	0.00	XXX	9	9	9	9	9
J3310	E	Perphenazine injection	0.00	0.00	XXX	9	9	9	9	9
J3320	Ε	Spectinomycin	0.00	0.00	XXX	9	9	9	9	9
J3350	E	Urea injection	0.00	0.00	XXX	9	9	9	9	9
J3360	$\mathbf{E}$	Diazepam injection	0.00	0.00	XXX	9	9	9	9	9
J3364	E	Urokinase	0.00	0.00	XXX	9	9	9	9	9
J3365	E	Urokinase	0.00	0.00	XXX	9	9	9	9	9
J3370	R	Vancomycin HCL	0.00	0.00	XXX	0	0	0	0	0
J3390	Е	Methoxamine injection	0.00	0.00	XXX	9	9	9	9	9
J3400	Ε	Triflupromazine HCL	0.00	0.00	XXX	9	9	9	9	9
J3410	E	Hydroxyzine HCL	0.00	0.00	XXX	9	9	9	9	9
J3420	E	Vitamin B-12 injection	0.00	0.00	XXX	9	9	9	9	9
J3430	E	Phytoadione (Vitamin K)	0.00	0.00	XXX	9	9	9	9	9
J3450	Ē	Mephentermine sulfate	0.00	0.00	XXX	9	9	9	9	ģ
J3470	$\tilde{\mathbf{E}}$	Hyaluronidase	0.00	0.00	XXX	9	9	9	9	9
J3475	Ē	Magnesium sulfate	0.00	0.00	XXX	9	9	9	9	9
J3480	Ē	Potassium chloride	0.00	0.00	XXX	9	9	ģ	9	9
J3490	Ē	Unclassified drugs	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J3520	Ñ	Edetate disodium	0.00	0.00	XXX	9	ģ	ģ	ģ	ģ
J3530	Ë	Nasal vaccine inhalation	0.00	0.00	XXX	ģ	9	9	9	9
J3535	N	Metered dose inhaler	0.00	0.00	XXX	9	9	9	9	9
J3570	N		0.00	0.00	XXX	9	9	9	9	9
J7030	E	Laetrile, amygdalin Normal saline solution	0.00	0.00	XXX	9	9	9	9	9
					XXX	9	9	9	9	9
J7040		Normal saline, sterile	0.00	0.00						
J7042	E	5% dextrose/normal	0.00	0.00	XXX	9	9	9	9	9
J7050	E	Normal saline solution	0.00	0.00	XXX	9	9	9	9	9
J7051	E	Sterile saline or water	0.00	0.00	XXX	9	9	9	9	9
J7060	E	5% dextrose/water	0.00	0.00	XXX	9	9	9	9	9
J7070	Ē	D5W infusion	0.00	0.00	XXX	9	9	9	9	9
J7100	Ē	Dextran 40 infusion	0.00	0.00	XXX	9	9	9	9	9
J7110	E	Dextran 75 infusion	0.00	0.00	XXX	9	9	9	9	9
J7120	Ε	Ringers lactate infusion	0.00	0.00	XXX	9	9	9	9	9
<b>J7</b> 130	Ε	Hypertonic saline	0.00	0.00	XXX	9	9	9	9	9
J7190	X	Factor VIII, human	0.00	0.00	XXX	9	9	9	9	9
J7191	X	Factor VIII, porcine	0.00	0.00	XXX	9	9	9	9	9
J7192	X	Factor VIII, recombinant	0.00	0.00	XXX	9	9	9	9	9
<b>J7</b> 194	X	Factor IX, complex	0.00	0.00	XXX	9	9	9	9	9
J7196	X	Other hemophilia clotting	0.00	0.00	XXX	9	9	9	9	9
J7197	X	Antithrombin III, human	0.00	0.00	XXX	9	9	9	9	9

## 5221.4030 FEES FOR MEDICAL SERVICES

J7300	N	Intrauterine copper	0.00	0.00	XXX	9	9	9	9	9
J7310	E	Ganciclovir, long-acting	0.00	0.00	XXX	9	9	9	9	9
J7500	X	Azathioprine, oral tab	0.00	0.00	XXX	9	9	9	9	9
J7501	X	Azathioprine, parenteral	0.00	0.00	XXX	9	9	9	9	9
J7503	X	Cyclosporine, parenteral	0.00	0.00	XXX	9	9	9	9	9
J7504		Lymphocyte immune	0.00	0.00	XXX	ģ	9	ģ	ģ	9
J7505	X	Monoclonal antibodies	0.00	0.00	XXX	ý	ģ	ģ	ģ	9
J7506		Prednisone, oral	0.00	0.00	XXX	ģ	9	9	9	ģ
J7507	Ē	Tacrolimus, oral	0.00	0.00	XXX	9	9	9	9	9
J7508	Ē		0.00	0.00	XXX	9	9	9	9	9
	X	Tacrolimus, oral	0.00	0.00	XXX	9	9	9	9	9
J7509 J7510		Methylprednisolone oral			XXX	9	9	9	9	9
	X	Prednisolone oral	0.00	0.00		9	9	9		9
J7599	X	Immunosuppressive drug	0.00	0.00	XXX			9	9	
J7610	E	Acetylcysteine, 10%	0.00	0.00	XXX	9	9		9	9
J7615	E	Acetylcysteine, 20%	0.00	0.00	XXX	9	9	9	9	9
J7620	E	Albuterol sulfate, .083%	0.00	0.00	XXX	9	9	9	9	9
J7625	E	Albuterol sulfate, .5%	0.00	0.00	XXX	9	9	9	9	9
J7627	Ε	Bitolterol mesylate, .2%	0.00	0.00	XXX	9	9	9	9	9
J7630	E	Cromolyn sodium	0.00	0.00	XXX	9	9	9	9	9
J7640	Ė	Epinephrine, 2.25%	0.00	0.00	XXX	9	9	9	9	9
J7645	E	Ipratropium bromide, .02%	0.00	0.00	XXX	9	9	9	9	9
J7650	E	Isoetharine HCL, .1%	0.00	0.00	XXX	9	9	9	9	9
J7651	Е	Isoetharine HCL, .125%	0.00	0.00	XXX	9	9	9	9	9
J7652	$\mathbf{E}$	Isoetharine HCL, .167%	0.00	0.00	XXX	9	9	9	9	9
J7653	E	Isoetharine HCL, .2%	0.00	0.00	XXX	9	9	9	9	9
J7654	Е	Isoetharine HCL, .25%	0.00	0.00	XXX	9	9	9	9	9
J7655	Е	Isoetharine HCL, 1.0%	0.00	0.00	XXX	9	9	9	9	9
J7660	Ε	Isoproterenol HCL, .5%	0.00	0.00	XXX	9	9	9	9	9
J7665	Ē	Isoproterenol HCL, 1.0%	0.00	0.00	XXX	9	9	9	9	9
J7670	E	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7672	Е	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7675	Ē	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7699	E	Inhalation solution	0.00	0.00	XXX	9	9	9	9	9
J7799	E	Noninhalation drugs	0.00	0.00	XXX	9	9	9	9	9
J8499	N	Oral prescription drugs	0.00	0.00	XXX	9	9	9	9	9
J8530	E	Cyclophosphamide, oral	0.00	0.00	XXX	9	9	9	9	9
J8560	Ē	Etoposide, oral	0.00	0.00	XXX	9	9	9	9	9
J8600	Ē	Melphalan, oral	0.00	0.00	XXX	9	9	9	9	9
J8610	Ē	Methotrexate, oral	0.00	0.00	XXX	ģ	ģ	ģ	9	9
J8999	Ē	Oral prescription drugs	0.00	0.00	XXX	ģ	ģ	9	9	9
J9000	Ē	Doxorubic HCL	0.00	0.00	XXX	9	9	9	9	9
J9015	$\tilde{E}$	Aldesleukin	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J9020		Asparaginase	0.00	0.00	XXX	ģ	9	ģ	9	9
J9031	Ē	BCG (intravesical)	0.00	0.00	XXX	ģ	ģ	ģ	ģ	9
J9040	$\tilde{\mathbf{E}}$	Bleomycin sulfate	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
J9045	Ē	Carboplatin	0.00	0.00	XXX	ģ	9	9	ģ	9
J9050	Ē	Carmustine	0.00	0.00	XXX	9	9	ģ	ģ	9
J9060	Ē	Cisplatin	0.00	0.00	XXX	9	9	9	ģ	9
J9062	Ē	Cisplatin	0.00	0.00	XXX	9	ģ	9	9	9
J9065	Ĕ	Cladribine	0.00	0.00	XXX	ģ	9	9	ģ	9
J9070	E	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9080	Ē	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9090	E	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9090 J9091	E		0.00	0.00	XXX	9	9	9	9	9
	E	Cyclophosphamide		0.00	XXX	9	9	9	9	9
J9092		Cyclophosphamide	0.00				9	9	9	9
J9093	E E	Cyclophosphamide	0.00	0.00	XXX XXX	9 9		9	9	9
J9094		Cyclophosphamide	0.00	0.00		9	9 9	9	9	9
J9095	E	Cyclophosphamide	0.00	0.00	XXX	7	9	y	7	y

0	0	0	0	0	XXX	82.0	47.0	Foot care hygiene	G	M0101
6	6	6	6	6	XXX	00.0	00.0	Intragastric hypothermia	N	M0100
6	6	6	6	6	XXX	00.0	00.0	Prolotherapy	N	9700M
6	6	6	6	6	XXX	00.0	00.0	Cellular therapy	N	SLOOM
ŏ	ŏ	ŏ	ŏ	ŏ	XXX	42.0	42.0	Visit, drugs	A	7900W
Ů	·	Ŭ	•	Ŭ	181818	,,,	,,,		•	,,,,,,,
								ns M codes:	aneo	(5) Miscella
6	6	6	6	6	XXX	00.0	00.0	Chemotherapy drug	E	19999
6	6	6	6	6	XXX	00.0	00.0	Porfimer sodium	E	19600
6	6	6	6	6	XXX	00.0	00.0	Vinorelbine tartrate	Ē	19390
6	6	6	6	6	XXX	00.0	00.0	Vincristine sulfate	E	19380
6	6	6	6	6	XXX	00.0	00.0	Vincristine sulfate	Ē	27591
6	6	6	6	6	XXX	00.0	00.0	Vincristine sulfate	E	07591
	6		6	6	XXX	00.0	00.0	Vinblastine sulfate	E	02201
6		6			XXX			Topotecan Vinhlosting sulfete	д Е	19350
6	6	6	6	6		00.0	00.0	Thiotepa		
6	6	6	6	6	XXX	00.0	00.0	Streptozocin	E	16340
6	6	6	6	6	XXX	00.0	00.0		E	19320
6	6	6	6	6	XXX	00.0	00.0	Mitoxantrone HCL	E	19293
6	6	6	6	6	XXX	00.0	00.00	Mitomycin	Ε	19291
6	6	6	6	6	XXX	00.0	00.0	Mitomycin	E	19290
6	6	6	6	6	XXX	00.0	00.0	Mitomycin	Е	19280
6	6	6	6	6	XXX	00.0	00.0	Plicamycin	E	0729 <b>t</b>
6	6	6	6	6	XXX	00.0	00.0	Pentostatin	$\mathbf{E}$	19268
6	6	6	6	6	XXX	00.0	00.0	Pegaspargase	$\mathbf{E}$	99 <b>76</b> ſ
6	6	6	6	6	XXX	00.0	00.0	Paclitaxel	Е	3926s
6	6	6	6	6	XXX	00.0	00.0	Methotrexate sodium	$\mathbf{E}$	19260
6	6	6	6	6	XXX	00.0	00.0	Methotrexate sodium	$\mathbf{E}$	19250
6	6	6	6	6	XXX	00.0	00.0	Melphalan HCL	$\mathbf{E}$	19245
6	6	6	6	6	XXX	00.0	00.0	Mechlorethamine HCL	${f E}$	19230
6	6	6	6	6	XXX	00.0	00.0	Leuprolide acetate	$\mathbf E$	81 <b>2</b> 6f
6	6	6	6	6	XXX	00.0	00.0	Leuprolide acetate	$\mathbf{E}$	7129l
6	6	6	6	6	XXX	00.0	00.0	Interferon, gamma 1-B	$\mathbf{E}$	91261
6	6	6	6	6	XXX	00.0	00.0	Interferon, alfa-N3	$\mathbf{E}$	19215
6	6	6	6	6	XXX	00.0	00.0	Interferon, alfa-2B	$\mathbf{E}$	19214
6	6	6	6	6	XXX	00.0	00.0	As-sila, alfa-2A	E	19213
6	6	6	6	6	XXX	00.0	00.0	Idarubicin HCL	$\mathbf{E}$	11261
6	6	6	6	6	XXX	00.0	00.0	Mesna	$\mathbf{E}$	19209
6	6	6	6	6	XXX	00.0	00.0	Itosfamide	$\mathbf{E}$	3926f
6	6	6	6	6	XXX	00.0	00.0	trinotecan	Е	19206
6	6	6	6	6	XXX	00.0	00.0	Goserelin acetate implant	. E	19202
6	6	6	6	6	XXX	00.0	00.0	Gemcitabine HCL	E	19201
6	6	6	6	6	XXX	00.0	00.0	Floxuridine	Ē	19200
6	6	6	6	6	XXX	00.0	00.0	Fluorouracil	Ē	19190
6	6	6	6	6	XXX	00.0	00.0	Fludarabine phosphate	E	19185
6	6	6	6	6	XXX	00.0	00.0	Etoposide	E	19182
6	6	6	6	6	XXX	00.0	00.0	Etoposide	Ë	19191
6	6	6	6	6	XXX	00.0	00.0	Docetaxel	E	0719 <b>t</b>
6	6	6	6	6	XXX	00.0	00.0	Diethylstilbestrol	Ē	\$916 <b>1</b>
6	6	6	6	6	XXX	00.0	00.0	Daunorubicin HCL	Ē	19150
6	6	6	6	6	XXX	00.0	00.0	Dacarbasine Deurgenbiein HCI	E	19140
6	6	6		6	XXX	00.0	00.0	Dacarbazine	E E	19130
	-		6		XXX	00.0	00.0	Dactinomycin	E E	19120
6	6	6	6	6				Cytarabine Dastinomysin		
6	6	6	6	6	XXX	00.0	00.0	Cytarabine Cytarabine	E	19110
6	6	6	6	6	XXX	00.0	00.0	Cyclophosphamide Cytarabine	E	19100
6	6	6	6	6	XXX	00.0	00.0		E	7909T
6	6	6	6	6	XXX	00.0	00.0	Cyclophosphamide	Е	19096

#### 5221.4030 FEES FOR MEDICAL SERVICES

		***	0.00	0.00	3/3/3/	_		^	_	_
M0300	N	IV chelation therapy	0.00	0.00	XXX	9	9	9	9	9
M0301	N	Fabric wrapping	0.00	0.00	XXX	9	9	9	9	9
M0302	N	Assess cardiac output	0.00	0.00	XXX	9	9	9	9	9
(6) Miscella	anec	ous P codes:								
P2028	Х	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2028	X	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2028	X	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2029	X	Congo red blood	0.00	0.00	XXX	9	9	9	9	9
P2033	X	Blood thymol turbidity	0.00	0.00	XXX	9	9	9	9	9
P2038	X	Blood mucoprote	0.00	0.00	XXX	9	9	9	9	9
P7001	1	Culture bacteria	0.00	0.00	XXX	9	9	9	9	9
P9010	Ē	Whole blood transfusion	0.00	0.00	XXX	9	9	9	9	9
P9011	E	Blood, split unit	0.00	0.00	XXX	9	9	9	9	9
P9012	E	Cryoprecipitate	0.00	0.00	XXX	9	9	9	9	9
P9013	Ε	Fibrinogen unit	0.00	0.00	XXX	9	9	9	9	9
P9014	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
P9015	E	RH immune globulin	0.00	0.00	XXX	9	9	9	9	9
P9016	E	Leukocyte poor blood	0.00	0.00	XXX	9	9	9	9	9
P9017	E	One donor, fresh frozen	0.00	0.00	XXX	9	9	9	9	9
P9018	E	Plasma protein fraction	0.00	0.00	XXX	9	9	9	9	9
P9019	E	Platelet concentrate	0.00	0.00	XXX	9	9	9	9	9
P9020	E	Platelet rich plasma	0.00	0.00	XXX	9	9	9	9	9
P9021	Ē	Red blood cells	0.00	0.00	XXX	9	9	9	9	9
P9022	E	Washed red blood cells	0.00	0.00	XXX	9	9	9	9	9
(7) Miscella		nus O godas:								
(/) 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	anec	ous Q codes.								
. ,			0.00	0.00	XXX	Q	0	Q	Q	Q
Q0034	X	Administer flu vaccine	0.00	0.00	XXX	9	9	9	9	9
Q0034 Q0035	X A	Administer flu vaccine Cardiokymography	0.65	0.65	XXX	0	0	0	0	0
Q0034 Q0035 Q0035 26	X A A	Administer flu vaccine Cardiokymography Cardiokymography	0.65 0.28	0.65 0.28	XXX XXX	0 0	$0 \\ 0$	$0 \\ 0$	$\begin{array}{c} 0 \\ 0 \end{array}$	$0 \\ 0$
Q0034 Q0035 Q0035 26 Q0035 TC	X A A	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography	0.65 0.28 0.37	0.65 0.28 0.37	XXX XXX XXX	0 0 0	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	0 0 0	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	0 0 0
Q0034 Q0035 Q0035 26 Q0035 TC Q0068	X A A A	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis	0.65 0.28 0.37 2.83	0.65 0.28 0.37 2.83	XXX XXX XXX 000	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091	X A A A A	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening	0.65 0.28 0.37 2.83 0.62	0.65 0.28 0.37 2.83 0.62	XXX XXX XXX 000 XXX	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092	X A A A A A	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray	0.65 0.28 0.37 2.83 0.62 0.30	0.65 0.28 0.37 2.83 0.62 0.30	XXX XXX XXX 000 XXX XXX	0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132	X A A A A	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee	0.65 0.28 0.37 2.83 0.62	0.65 0.28 0.37 2.83 0.62 0.30 0.00	XXX XXX XXX 000 XXX XXX XXX	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0 0 0
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092	X A A A A A X	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha	0.65 0.28 0.37 2.83 0.62 0.30 0.00	0.65 0.28 0.37 2.83 0.62 0.30	XXX XXX XXX 000 XXX XXX	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136	X A A A A X X	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00	XXX XXX 000 XXX XXX XXX XXX	0 0 0 0 0 0 0 9	0 0 0 0 0 0 0 9	0 0 0 0 0 0 9 9	0 0 0 0 0 0 9 9	0 0 0 0 0 0 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144	X A A A A X X N	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156	X A A A A A X X N X	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5%	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00	XXX XXX 000 XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9	0 0 0 0 0 0 9 9 9 9	0 0 0 0 0 0 9 9 9 9	0 0 0 0 0 0 9 9 9 9	0 0 0 0 0 0 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920	X A A A A A X X N X X D E	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25%	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00	XXX XXX 000 XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158	X A A A A A X X N X X D E E	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9	0 0 0 0 0 0 0 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922	X A A A A A A X X N X X D E E E	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT Epoetin with HCT Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923	X A A A A A A X X N X X D E E E E	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT Epoetin with HCT Epoetin with HCT Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924	X A A A A A A X X N X X D E E E E	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT Epoetin with HCT Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925	X A A A A A A X X N X X D E E E E E	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9926	XAAAAAXXNXXDEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9926 Q9927	XAAAAAXXNXXDEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 26 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9925 Q9926 Q9927 Q9928	XAAAAAXXNXXDEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999
Q0034 Q0035 Q0035 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9925 Q9926 Q9927 Q9928 Q9929	XAAAAAXXNXXDEEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999
Q0034 Q0035 Q0035 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9925 Q9926 Q9927 Q9928 Q9929 Q9930	XAAAAAXXNXXDEEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999
Q0034 Q0035 Q0035 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9925 Q9926 Q9927 Q9928 Q9929 Q9930 Q9931	XAAAAAXXNXXDEEEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999
Q0034 Q0035 Q0035 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9925 Q9926 Q9927 Q9928 Q9929 Q9930 Q9931 Q9932	XAAAAAXXNXXDEEEEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Q0034 Q0035 Q0035 Q0035 TC Q0068 Q0091 Q0092 Q0132 Q0136 Q0144 Q0156 Q0157 Q0158 Q9920 Q9921 Q9922 Q9923 Q9924 Q9925 Q9925 Q9926 Q9927 Q9928 Q9929 Q9930 Q9931	XAAAAAXXNXXDEEEEEEEEE	Administer flu vaccine Cardiokymography Cardiokymography Cardiokymography Plasmapheresis Obtaining screening Set up portable x-ray Dispensing fee Non ESRD epoetin alpha Azithromycin dihydrate Human albumin 5% Human albumin, 25% Combined hib & hep B Epoetin with HCT	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.65 0.28 0.37 2.83 0.62 0.30 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX 000 XXX XXX XXX XXX XXX	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000999999999999999999999999999999999

749		FEI	ES FOR M	<b>MEDICA</b>	L SERV	/ICE	S	522	21.40	030
Q9935 Q9936 Q9937 Q9938 Q9939 Q9940	E E E E E	Epoetin with HCT	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9
(8) Mis	cellane	ous R codes:								
R0070 R0075 R0076	C C	Transport portable x-ray	0.00 0.00 0.00	0.00 0.00 0.00	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
and sup		ocedure codes S0009 to S999	99 relate to	additio	nal miso	ellan	ec	us a	artic	les
1	2 3	4	5	6	7	8	9	10	11	12
\$0009 \$0010 \$0011 \$0012 \$0014 \$0016 \$0017 \$0020 \$0021 \$0023 \$0024 \$0028 \$0029 \$0030		Injection, butorphanol Injection, somatrem Injection, somtropin Butorphanol tartrate Tacrine hydrochloride Injection, amikacin Injection, aminocaproic Injection, bupivaicaine Injection, ceftoperazone Injection, cimetidine Injection, ciprofloxacin Injection, famotidine Injection, fluconazole Injection, metronidazole Injection, nafcillin	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	999999999999999999999999999999999999999	99999999999999	9999999999999	99999999999999	999999999999999999999999999999999999999
\$0034 \$0039 \$0040 \$0071 \$0072 \$0073 \$0074 \$0077 \$0078 \$0080 \$0081 \$0090 \$0096		Injection, ofloxacin Injection, sulfamethoxa. Injection, ticarcillin Injection, acyclovir Injection, amikacin Injection, aztreonam Injection, cefotetan Injection, clindamycin Injection, fosphenytoin Injection, pentamidine Injection, piperacillin Sildenafil citrate, 25 mg Injection, itraconazole Injection, ibutilide	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	9 9 9 9 9 9 9 9 9 9 9	9999999999999	999999999999	9999999999999	999999999999
\$0098 \$0601 \$0605 \$0610 \$0612 \$0620 \$0621	I I I I I I	Injection, sodium ferric Screening proctoscopy Digital rectal exam Annual gynecological Annual gynecological Routine ophthalmological Routine ophthalmological	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX	9 9 9 9 9	9 9 9 9 9 9 9	9 9 9 9 9	9 9 9 9 9 9	9 9 9 9 9

## 5221.4030 FEES FOR MEDICAL SERVICES

S0800	I	Laser in situ	0.00	0.00	XXX	9	9	9	9	9
S0810	Ι	Photorefractive (PRK)	0.00	0.00	XXX	9	9	9	9	9
S2050	I	Donor enterectomy, prep	0.00	0.00	XXX	9	9	9	9	9
S2052	Ī	Transplant intestine	0.00	0.00	XXX	9	9	9	9	9
S2053	Î	Transplant intestine	0.00	0.00	XXX	ģ	9	9	9	9
	İ		0.00	0.00	XXX	9	ģ	9	9	9
S2054		Transplant visceral					9	9	9	9
S2055	I	Harvesting of donor	0.00	0.00	XXX	9				
S2109	Ī	Autologous chondrocyte	0.00	0.00	XXX	9	9	9	9	9
S2190	I	Subcutaneous implantation	0.00	0.00	XXX	9	9	9	9	9
S2204	I	Transmyocardial laser	0.00	0.00	XXX	9	9	9	9	9
S2205	I	Minimally invasive direct	0.00	0.00	XXX	9	9	9	9	9
S2206	I	Minimally invasive direct	0.00	0.00	XXX	9	9	9	9	9
S2207	I	Minimally invasive direct	0.00	0.00	XXX	9	9	9	9	9
S2208	Ī	Minimally invasive direct	0.00	0.00	XXX	9	9	9	9	9
S2209	Î	Minimally invasive direct	0.00	0.00	XXX	9	ģ	ģ	9	9
S2207 S2210	İ		0.00	0.00	XXX	ģ	9	ģ	9	ģ
		Cryosurgical ablation			XXX	9	9	9	9	9
S2300	Ī	Arthroscopy shoulder	0.00	0.00						9
S2350	Ĩ	Diskectomy, anterior	0.00	0.00	XXX	9	9	9	9	
S2351	Ī	Diskectomy, anterior	0.00	0.00	XXX	9	9	9	9	9
S3645	I	HIV-1 antibody testing	0.00	0.00	XXX	9	9	9	9	9
S3650	Ι	Saliva test, hormone	0.00	0.00	XXX	9	9	9	9	9
S3652	I	Saliva test, hormone	0.00	0.00	XXX	9	9	9	9	9
S8035	I	Magnetic source imaging	0.00	0.00	XXX	9	9	9	9	9
S8040	I	Topographic brain	0.00	0.00	XXX	9	9	9	9	9
S8048	I	Isolated limb perfusion	0.00	0.00	XXX	9	9	9	9	9
S8049	Î	Intraoperative radiation	0.00	0.00	XXX	9	9	9	9	9
S8060	Ī	Supply of contrast	0.00	0.00	XXX	ģ	ģ	9	ģ	9
S8092	Ì	Electron beam computed	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
	I		0.00	0.00	XXX	9	9	9	9	9
\$8095		Wig, medical				9	9	9	9	9
S8096	I	Portable peak flow	0.00	0.00	XXX					
S8110	Į	Peak expiratory flow	0.00	0.00	XXX	9	9	9	9	9
S8200	Ī	Chest compression vest	0.00	0.00	XXX	9	9	9	9	9
S8205	I	Chest compression	0.00	0.00	XXX	9	9	9	9	9
S8260	I	Oral orthotic sleep apnea	0.00	0.00	XXX	9	9	9	9	9
S8300	I	Sacral nerve	0.00	0.00	XXX	9	9	9	9	9
S8950	Ι	Complex lymphedema	0.00	0.00	XXX	9	9	9	9	9
S9001	Ι	Home uterine monitor	0.00	0.00	XXX	9	9	9	9	9
S9022	I	Digital subtraction	0.00	0.00	XXX	9	9	9	9	9
S9023	I	Xenon regional cerebral	0.00	0.00	XXX	9	9	9	9	9
S9024	Ī	Paranasal sinus	0.00	0.00	XXX	9	9	9	9	9
S9033	Ī	Gait analysis	0.00	0.00	XXX	9	9	9	9	9
S9055	Î	Procuren or other factor	0.00	0.00	XXX	9	9	9	9	9
S9056	İ	Coma stimulation	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ģ
S9075	Ì		0.00	0.00	XXX	ģ	9	ģ	9	ģ
		Smoking cessation	0.00	0.00	XXX	9	9	9	9	9
S9085	I	Meniscal allograft								
S9122	I	Home health aide	0.00	0.00	XXX	9	9	9	9	9
S9123	Ī	Nursing care in home	0.00	0.00	XXX	9	9	9	9	9
S9124	I	Nursing care in home	0.00	0.00	XXX	9	9	9	9	9
S9125	I	Respite care in home	0.00	0.00	XXX	9	9	9	9	9
S9126	I	Hospice care in home	0.00	0.00	XXX	9	9	9	9	9
S9127	I	Social work visit	0.00	0.00	XXX	9	9	9	9	9
S9128	I	Speech therapy	0.00	0.00	XXX	9	9	9	9	9
S9129	I	Occupational therapy	0.00	0.00	XXX	9	9	9	9	9
S9140	Ī	Diabetic management	0.00	0.00	XXX	9	9	9	9	9
S9141	İ	Diabetic management	0.00	0.00	XXX	ģ	9	ģ	ģ	ģ
S9455	Ī	Diabetic management	0.00	0.00	XXX	9	9	9	9	ģ
	Ī		0.00	0.00	XXX	9	9	9	9	9
S9460		Diabetic management					9	9	9	9
S9465	I	Diabetic management	0.00	0.00	XXX	9	y	9	y	y

750

S9470	I	Nutritional counseling	0.00	0.00	XXX	9	9	9	9	9
S9472	I	Cardiac rehabilitation	0.00	0.00	XXX	9	9	9	9	9
S9473	I	Pulmonary rehabilitation	0.00	0.00	XXX	9	9	9	9	9
S9474	I	Enterostomal therapy	0.00	0.00	XXX	9	9	9	9	9
S9475	I	Ambulatory setting	0.00	0.00	XXX	9	9	9	9	9
S9480	I	Intensive outpatient	0.00	0.00	XXX	9	9	9	9	9
S9485	I	Crisis intervention	0.00	0.00	XXX	9	9	9	9	9
S9524	I	Nursing services home IV	0.00	0.00	XXX	9	9	9	9	9
S9527	I	Insertion of catheter	0.00	0.00	XXX	9	9	9	9	9
S9528	I	Insertion of catheter	0.00	0.00	XXX	9	9	9	9	9
S9543	I	Administer medication	0.00	0.00	XXX	9	9	9	9	9
S9990	I	Services, clinical trial	0.00	0.00	XXX	9	9	9	9	9
S9991	I	Services phase III	0.00	0.00	XXX	9	9	9	9	9
S9992	I	Transportation costs	0.00	0.00	XXX	9	9	9	9	9
S9994	I	Lodging costs	0.00	0.00	XXX	9	9	9	9	9
S9996	I	Meals	0.00	0.00	XXX	9	9	9	9	9
S9999	I	Sales tax	0.00	0.00	XXX	9	9	9	9	9

L. Procedure codes V2020 to V5299 relate to miscellaneous vision and hearing services and supplies.

1	2	3	4	5	6	7	8	9	10	11	12
V2020	_	x	Vision services, frames	0.00	0.00	XXX	9	9	9	9	9
V2025		N	Eyeglasses, deluxe frame	0.00	0.00	XXX	9	9	9	9	9
V2100		X	Single vision sphere	0.00	0.00	XXX	9	ģ	9	ģ	9
V2101		X	Single vision sphere	0.00	0.00	XXX	ģ	ģ	ģ	ģ	ý
V2102		X	Single vision sphere	0.00	0.00	XXX	ģ	9	9	9	9
V2103		X	Spherocylinder	0.00	0.00	XXX	9	9	9	ģ	9
V2104		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2105		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2106		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2107		$\mathbf{X}$	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2108		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2109		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2110		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2111		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2112		$\mathbf{X}$	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2113		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2114		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2115		X	Lenticular lens	0.00	0.00	XXX	9	9	9	9	9
V2116		X	Nonaspheric lens	0.00	0.00	XXX	9	9	9	9	9
V2117		X	Aspheric lens	0.00	0.00	XXX	9	9	9	9	9
V2118		X	Aniseikonic lens	0.00	0.00	XXX	9	9	9	9	9
V2199		X	Single vision lens	0.00	0.00	XXX	9	9	9	9	9
V2200		X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2201		X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2202		X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2203		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2204		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2205		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2206		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2207		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2208		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9

6	6	6	6	6	XXX	00.0	00.0	Polish artificial eye	X	<b>Λ</b> Σ9Σ <b>∢</b>
6	6	6	6	6	XXX	00.0	00.0	Prosthetic eye, plastic	X	V2623
6	6	-		6	XXX	00.0	00.0	Telescope, other compound	X	V2673
_	- 2	6	6	-		00.0		Single lens vision aids		
6	6	6	6	6	XXX		00.0		X	V2610
6	6	6	6	6	XXX	00.0	00.0	Hand-held low vision aids	X	V2600
6	6	6	6	6	XXX	00.0	00.0	Contact lens, other type	X	47599
6	6	6	6	6	XXX	00.0	00.0	Contact lens, scleral	X	V2531
6	6	6	6	6	XXX	00.0	00.0	Contact lens, scleral	X	V2530
6	6	6	6	6	XXX	00.0	00.0	Contact lens hydrophilic	X	$\Lambda$ 5253
6	6	6	6	6	XXX	00.0	00.0	Contact lens hydrophilic	X	$\Lambda$ 5255
6	6	6	6	6	XXX	00.0	00.0	Contact lens hydrophilic	X	<b>17221</b>
6	6	6	6	6	XXX	00.0	00.0	Contact lens hydrophilic	d	V2520
6	6	6	6	6	XXX	00.0	00.0	Gas permeable contact	X	V2513
6	6	6	6	6	XXX	00.0	00.0	Gas permeable contact	X	<b>V2512</b>
6	6	6	6	6	XXX	00.0	00.0	Gas permeable contact	X	V2511
6	6	6	6	6	XXX	00.0	00.0	Gas permeable contact	X	V2510
6	6	6	6	6	XXX	00.0	00.0	Contact lens, PMMA	X	V2503
6	6	6	6	6	XXX	00.0	00.0	Contact lens, PMMA	X	V2502
6	6	6	6	6	XXX	00.0	00.0	Contact lens, PMMA	x	10527
6	6	6	6	6	XXX	00.0	00.0	Contact lens, PMMA	X	V2501
6	6	6	6	6	XXX	00.0	00.0	Variable asphericity lens	x	6672V
		-						Variable asphericity lens	_	
6	6	6	6	6	XXX	00.0	00.0		X	V2430
6	6	6	6	6	XXX	00.0	00.0	Variable asphericity lens	X	V2410
6	6	6	6	6	XXX	00.0	00.0	Specialty trifocal lens	X	Λ5366
6	6	6	6	6	XXX	00.0	00.0	Trifocal add lens	X	V2320
6	6	6	6	6	XXX	00.0	00.0	Trifocal SEG lens	X	V2319
6	6	6	6	6	XXX	00.0	00.0	Aniseikonic lens	X	V2318
6	6	6	6	6	XXX	00.0	00.0	Lenticular lens	X	7231 <i>7</i>
6	6	6	6	6	XXX	00.0	00.0	Lenticular lens	X	75316
6	6	6	6	6	XXX	00.0	00.0	Lenticular lens	X	7231 <i>2</i>
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	7231¢
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	VZ313
6	6	6	6	6	XXX	00.0	0.00	Trifocal spherocylinder	X	<b>V2312</b>
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V2311
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V2310
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	Λ5306
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V2308
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	72307
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V2306
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V2305
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V2304
6	6	6	6	6	XXX	00.0	00.0	Trifocal spherocylinder	X	V230A
6	6	6	6	6	XXX	00.0	00.0	Sphere trifocal	X	V2302
-	-	_	-	-		00.0				
6	6	6	6	6	XXX		00.0	Sphere trifocal	X	V2301
6	6	6	6	6	XXX	00.0	00.0	Sphere trifocal	X	Λ5300
6	6	6	6	6	XXX	00.0	00.0	Specialty bifocal lens	X	Λ5599
6	6	6	6	6	XXX	00.0	00.0	Bifocal add lens	X	V2220
6	6	6	6	6	XXX	00.0	00.0	Bifocal SEG lens	X	V2219
6	6	6	6	6	XXX	00.0	00.0	Aniseikonic lens	X	V2218
6	6	6	6	6	XXX	00.0	00.0	Lenticular lens	X	$\Lambda$ 551 $\lambda$
6	6	6	6	6	XXX	00.0	00.0	Lenticular lens	X	$\Lambda$ 551 $\theta$
6	6	6	6	6	XXX	00.0	00.0	Lenticular lens	X	$\Lambda$ 5512
6	6	6	6	6	XXX	00.0	00.0	Bifocal spherocylinder	X	<b>V221</b> 4
6	6	6	6	6	XXX	00.0	00.0	Bifocal spherocylinder	X	<b>V2213</b>
6	6	6	6	6	XXX	00.0	00.0	Bitocal spherocylinder	X	V2212
6	6	6	6	6	XXX	00.0	00.0	Bitocal spherocylinder	X	V2211
6	6	6	6	6	XXX	00.0	00.0	Bifocal spherocylinder	X	V2210
6	6	6	6	6	XXX	00.0	00.0	Bifocal spherocylinder	X	V2210
U	U	U	U	U	ллл	UU U	000	Poblatic and an incolid	Λ	00001

History: 18 SR 1472; 20 SR 530; 25 SR 1142

E8:94I Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; R Hearing service 0 0 0 0 XXX 00.0 00.0 6675A 0 Bicros dispensing ree 6 6 XXX 00.0 00.0 **N2540** 6 6 6 Glasses bicros 6 6 6 6 6 XXX 00.0 00.0 N **VS230** Behind ear bicros 6 6 6 6 6 XXX 00.0 00.0 N **A2550** In ear bicros 6 6 6 6 6 XXX 00.0 N **V5210** 00.0 Cros dispensing tee 6 6 6 6 6 XXX 00.0 00.0N **A2500** Classes cros 6 6 6 6 6 XXX 00.0 00.0 N 061SA **Repluq est ctos** 6 6 6 6 XXX 00.0 00.0N **V5180** 6 In ear cros 6 6 6 XXX 00.0 00.0 N OLISA 6 6 Binaural dispensing tee N 6 6 6 6 6 XXX 00.0 00.00915V Glasses binaural 6 6 6 6 6 00.0 N XXX 00.0OSISA Behind ear binaural 6 6 6 6 6 XXX 00.000.0N V5140 00.0 In ear binaural 6 6 6 6 XXX 00.0N **V5130** 6 Body-worn binaural 6 6 6 6 XXX 00.0 00.0 N **N2150** 6 Bilateral dispensing tee 6 6 6 6 6 XXX 00.0 00.0 OIISA Body-worn bilateral 6 6 6 6 6 XXX 00.000.0N V5100 6 6 6 00.0 Hearing aid fee 6 6 XXX 00.0 N 060SA 6 6 Glasses, bone conduction 6 6 6 N 080SA XXX 00.000.0Glasses, air conduction 6 6 6 6 6 XXX 00.0 00.0 N 020SAHearing aid behind ear 6 6 6 6 6 XXX 00.0 00.0 N 09051 Hearing aid in ear XXX 6 6 6 6 6 00.000.0 N **N2020** Body-worn hearing aid 6 6 6 6 6 XXX 00.0 00.0 N 0205V Body-worn hearing aid 6 6 6 6 6 XXX 00.0 00.0 N V5030 Contormity evaluation 6 6 6 6 00.0 6 XXX 00.0 $\Lambda$ 2050 Hearing aid repair 6 6 6 6 6 XXX 00.0 00.0 TIOSA 6 00.0 Hearing aid titting 6 6 6 6 XXX 00.0 N 11057 Assess for hearing aid 6 6 6 6 6 XXX 00.0 00.0N 01057 Hearing screening 6 6 6 6 6 XXX 00.000.0N 800SV Miscellaneous vision 6 6 6 6 6 XXX 00.000.0 X 66LZA 6 6 6 6 6 XXX 00.0 00.0 Corneal tissue X **S8LZA** Progressive lens 6 6 6 6 6 XXX 00.0 00.0X 18727 Oversize lens X 6 6 6 6 6 XXX 00.0 00.0 V2780 Occluder lens 6 6 6 6 XXX 00.0 00.0 X 6  $\Lambda$ 5770 6 6 6 6 6 XXX 00.0 00.0Scratch resistant coating X 09LZA UV lens X 6 6 6 6 6 XXX 00.000.0SSLZA Anti-reflective coating 6 6 6 6 XXX 00.0 00.0 X  $\Lambda SL20$ 6 Tint, photochromatic 6 6 6 00.0 X  $\Lambda 5744$ 6 6 XXX 00.0Non-rose tint, glass 6 6 6 6 6 00.0 X V2743XXX 00.0 Rose tint, glass X 6 6 6 6 6 XXX 00.0 00.0 72742 Non-rose tint, plastic 6 6 6 6 6 XXX 00.0 00.0X It/ZA Rose tint, plastic 6 X 6 6 6 XXX 00.0 00.0 $\Lambda 5740$ 6 6 6 6 6 6 XXX 00.0 00.0 Special base curve X **V2730** Fresnell prism X 6 6 6 6 6 XXX 00.0 00.0 8172V 6 6 6 00.0 Prism X 6 6 XXX 00.0SILZA Glass/plastic slab X 6 6 6 6 6 XXX 00.000.0V27106 6 6 6 00.0 00.0 Balance lens X  $\Lambda 5 \lambda 00$ 6 XXX XXX 00.0 Posterior chamber lens X **V2632** 6 6 6 6 6 00.0 Itis supported lens 6 6 6 6 6 XXX 00.0 00.0 X **1292V** 

XXX

XXX

XXX

XXX

XXX

XXX

00.0

00.0

00.0

00.0

00.0

00.0

00.0

00.0

00.0

00.0

00.0

00.0

6 6 6

6 6

6 6 6 6 6

6 6 6 6

6 6 6 6

> 6 6 6 6

6 6

6

6

6

6 6 V2630

 $\Lambda$ 5629

**V2628** 

**LZ9ZA** 

**75626** 

**V2625** 

Anterior chamber lens

Fabrication and fitting

Prosthetic eye, other

Reduce artificial eye

Enlarge artificial eye

Scieral cover shell

X

X

X

X

X

X

#### 5221.4032 PROFESSIONAL/TECHNICAL COMPONENTS FOR MEDICAL/SURGI-CAL SERVICES.

Subpart 1. General. Fees for certain services which are a combination of professional and technical care shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other providers. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. Services subject to this distinction are identified in part 5221.4030, subpart 2b, by modifiers appearing in column 2 alongside the service codes. Modifier TC indicates relative RVUs for the technical component of the service and modifier 26 indicates RVUs for the professional component of the service. The maximum fee for either component of the service is calculated using the RVUs for the component provided and the formula in part 5221.4020.

- Subp. 2. Separate billing for both components. If the professional component is split from the technical component and both are billed separately, the total cost for both cannot exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 3. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated for the complete service by using the RVUs corresponding to the service code listed without a modifier in part 5221.4030, subpart 2b, and the formula in part 5221.4020.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221.4033 OUTPATIENT LIMITATION FOR MEDICAL/SURGICAL FACILITY FEE.

- Subpart 1. No facility fee. Procedures whose codes are listed in subpart 2b are predominantly performed in office settings and, therefore, no additional facility fees are payable when the procedure is performed by the employee's treating health care provider, unless it is an emergency or medically necessary to perform the procedure in a nonoffice setting or after normal office hours. This part does not preclude payment of a facility fee where the employee is treated by emergency room or urgent care staff.
- Subp. 1a. Payment of facility fee. Except where the facility fee is precluded from payment in subpart 1, fees for ambulatory surgical center and hospital outpatient surgical center are paid in accordance with part 5221.0500, subpart 2.
- A. Services and supplies included in facility fee. The services in subitems (1) to (8) are included in the facility fee. There may be no separate payment for these services and supplies:
  - (1) nursing, technician, and related services;
  - (2) use of the facilities where the surgical procedures are performed;
- (3) drugs, biologicals, surgical dressings, supplies, splints, casts, appliances, and equipment directly related to the provision of surgical procedures;
- (4) diagnostic or therapeutic services or items directly related to the provision of a surgical procedure;
  - (5) administrative, record keeping, and housekeeping items and services;
  - (6) materials for anesthesia;
  - (7) intraocular lenses (IOLs); and
  - (8) supervision of the services of an anesthetist by the operating surgeon.

#### FEES FOR MEDICAL SERVICES 5221.4033

- B. Services and supplies in subitems (1) to (7) are paid separately from the facility fee:
  - (1) physician services;
- (2) laboratory, X-ray, or diagnostic procedures, other than those directly related to performance of the surgical procedure;
  - (3) prosthetic devices, except IOLs;
  - (4) ambulance services;
  - (5) leg, arm, back, and neck braces and artificial limbs; and
- (6) durable medical equipment for use in the patient's home or takehome supplies; and
  - (7) anesthetist services.
  - Subp. 2a. [Repealed, 25 SR 1142]
  - Subp. 2b. Procedure codes subject to limitation.

CPT/HCPCS	
Procedure	
Code	CPT/HCPCS Description
10040	Acne surgery
10060	Drainage of skin abscess
10061	Drainage of skin abscess
10080	Drainage of pilonidal cyst
10081	Drainage of pilonidal cyst
10120	Remove foreign body
10121	Remove foreign body
10140	Drainage of hematoma/fluid
10160	Puncture drainage of lesion
11000	Surgical cleansing of skin
11001	Additional cleansing of skin
11040	Surgical cleansing, abrasion
11041	Surgical cleansing of skin
11050	Trim skin lesion
11051	Trim 2 to 4 skin lesions
11052	Trim over 4 skin lesions
11100	Biopsy of skin lesion
11101	Biopsy, each added lesion
11200	Removal of skin tags
11201	Removal of added skin tags
11300	Shave skin lesion
11301	Shave skin lesion
11302	Shave skin lesion
11303	Shave skin lesion
11305	Shave skin lesion
11306	Shave skin lesion
11307	Shave skin lesion
11308	Shave skin lesion
11310	Shave skin lesion
11311	Shave skin lesion
11312	Shave skin lesion
11313	Shave skin lesion
11400	Removal of skin lesion
11401	Removal of skin lesion
11402	Removal of skin lesion
11403	Removal of skin lesion
11420	Removal of skin lesion
11421	Removal of skin lesion
11422	Removal of skin lesion
11423	Removal of skin lesion

### 5221.4033 FEES FOR MEDICAL SERVICES

11440	Removal of skin lesion
	Removal of skin lesion
11441	
11442	Removal of skin lesion
11443	Removal of skin lesion
11600	Removal of skin lesion
11601	Removal of skin lesion
11602	Removal of skin lesion
11603	Removal of skin lesion
11620	Removal of skin lesion
11621	Removal of skin lesion
11622	Removal of skin lesion
11623	Removal of skin lesion
	Removal of skin lesion
11640	
11641	Removal of skin lesion
11642	Removal of skin lesion
11643	Removal of skin lesion
11730	Removal of nail plate
11731	Removal of second nail plate
11732	Remove additional nail plate
11740	Drain blood from under nail
11750	Removal of nail bed
11752	Remove nail bed/finger tip
11760	Reconstruction of nail bed
11762	Reconstruction of nail bed
11765	Excision of nail fold, toe
11900	Injection into skin lesions
11901	Added skin lesion injections
12031	Layer closure of wound(s)
12032	Layer closure of wound(s)
12041	Layer closure of wound(s)
12042	Layer closure of wound(s)
12051	Layer closure of wound(s)
12052	Layer closure of wound(s)
15780	Abrasion treatment of skin
15781	Abrasion treatment of skin
15782	Abrasion treatment of skin
15783	Abrasion treatment of skin
15786	Abrasion treatment of lesion
15787	Abrasion, added skin lesions
15851	Removal of sutures
15852	Dressing change, not for burn
16000	Initial treatment of burn(s)
16010	Treatment of burn(s)
16020	Treatment of burn(s)
16025	Treatment of burn(s)
17000	Destroy benign/premal lesion
17001	Destruction of additional lesions
17002	Destruction of additional lesions
17010	Destruction of skin lesion(s)
17100	Destruction of skin lesion
17101	Destruction of second lesion
17102	Destruction of additional lesions
17104	Destruction of skin lesions
17105	Destruction of skin lesions
17106	Destruction of skin lesions
17107	Destruction of skin lesions
17110	Destruction of skin lesions
17200	Electrocautery of skin tags
	, ,

17201	Electrocautery added lesions
17250	Chemical cautery, tissue
17260	Destruction of skin lesions
17261	Destruction of skin lesions
17262	Destruction of skin lesions
17263	Destruction of skin lesions
17264	Destruction of skin lesions
17266	Destruction of skin lesions
17270	Destruction of skin lesions
17271	Destruction of skin lesions
17272	Destruction of skin lesions
17273	Destruction of skin lesions
17274	Destruction of skin lesions
	Destruction of skin lesions
17276	
17280	Destruction of skin lesions
17281	Destruction of skin lesions
17282	Destruction of skin lesions
17283	Destruction of skin lesions
17284	Destruction of skin lesions
17286	Destruction of skin lesions
17304	Chemosurgery of skin lesion
17305	Second stage chemosurgery
17306	Third stage chemosurgery
17307	Follow-up skin lesion therapy
17310	Extensive skin chemosurgery
17340	Cryotherapy of skin
17360	Skin peel therapy
19000	Drainage of breast lesion
19001	Drain added breast lesion
20000	Incision of abscess
20500	Injection of sinus tract
20520	Removal of foreign body
20550	Inject tendon/ligament/cyst
20600	Drain/inject joint/bursa
20605	Drain/inject joint/bursa
20610	Drain/inject joint/bursa
	Treatment of bone cyst
20615	
20974	Electrical bone stimulation
21029	Contour of face bone lesion
21030	Removal of face bone lesion
21031	Remove exostosis, mandible
21032	Remove exostosis, maxilla
21079	Prepare face/oral prosthesis
21080	Prepare face/oral prosthesis
21081	Prepare face/oral prosthesis
21082	Prepare face/oral prosthesis
21083	Prepare face/oral prosthesis
21084	Prepare face/oral prosthesis
21085	Prepare face/oral prosthesis
21086	Prepare face/oral prosthesis
21087	Prepare face/oral prosthesis
21088	Prepare face/oral prosthesis
21089	Prepare face/oral prosthesis
21110	Interdental fixation
23031	Drain shoulder bursa
24200	Removal of arm foreign body
24650	Treat radius fracture
25500	Treat fracture of radius
<b>たつついひ</b>	Treat tracture or radius

### 5221.4033 FEES FOR MEDICAL SERVICES

25530	Treat fracture of ulna
25600	Treat fracture radius/ulna
25622	Treat wrist bone fracture
25630	Treat wrist bone fracture
25650	Repair wrist bone fracture
26010	Drainage of finger abscess
26600	Treat metacarpal fracture
26720	Treat finger fracture, each
26725	Treat finger fracture, each
26740	Treat finger fracture, each
28001	Drainage of bursa of foot
28010	Incision of toe tendon
28011	Incision of toe tendons
28022	Exploration of a foot joint
28024	Exploration of a toe joint
28052	Biopsy of foot joint lining
28108	Removal of toe lesions
28124	Partial removal of toe
28126	Partial removal of toe
28153	Partial removal of toe
28160	Partial removal of toe
28190	Removal of foot foreign body
28220	Release of foot tendon
28230	Incision of foot tendon(s)
28232	Incision of toe tendon
28234	Incision of foot tendon
28270	Release of foot contracture
28272	Release of toe joint, each
28430	Treatment of ankle fracture
28450	Treat midfoot fracture, each
28455	Treat midfoot fracture, each
28470	Treat metatarsal fracture
28475	Treat metatarsal fracture
28490	Treat big toe fracture
28495	Treat big toe fracture
28510	Treatment of toe fracture
28515	Treatment of toe fracture
28530	Treat sesamoid bone fracture
28540	Treat foot dislocation
28570	Treat foot dislocation
28600	Treat foot dislocation
28630	Treat toe dislocation
29015	Application of body cast
29020	Application of body cast
29025	Application of body cast
29035	Application of body cast
29049	Application of shoulder cast
29065	Application of long arm cast
29075	Application of forearm cast
29085	Apply hand/wrist cast
29105	Apply long arm splint
29125	Apply forearm splint
29126	Apply forearm splint
29130	Application of finger splint
29131	Application of finger splint
29200	Strapping of chest
29220	Strapping of low back
29260	Strapping of elbow or wrist

## FEES FOR MEDICAL SERVICES 5221.4033

29280	Strapping of hand or finger
	Application of long log cost
29345	Application of long leg cast
29355	Application of long leg cast
29358	Apply long leg cast brace
	Application of long log cast
29365	Application of long leg cast
29405	Apply short leg cast
29425	Apply short leg cast
29435	Apply short leg cast
29440	Addition of walker to cast
29450	Application of leg cast
29515	Application lower leg splint
29520	Strapping of hip
29530	Strapping of knee
29540	Strapping of ankle
29550	Strapping of toes
29580	Application of paste boot
29590	Application of foot splint
29700	Removal/revision of cast
29705	Removal/revision of cast
29710	Removal/revision of cast
29715	Removal/revision of cast
29720	Repair of body cast
	Windowing of cast
29730	
29740	Wedging of cast
29750	Wedging of clubfoot cast
29850	Knee arthroscopy/surgery
30000	Drainage of nose lesion
30020	Drainage of nose lesion
30100	Intranasal biopsy
30110	Removal of nose polyp(s)
30200	Injection treatment of nose
30210	Nasal sinus therapy
30220	Insert nasal septal button
30300	Remove nasal foreign body
30901	Control of nosebleed
31000	Irrigation maxillary sinus
31002	Irrigation sphenoid sinus
31505	
	Diagnostic laryngoscopy
31575	Diagnostic laryngoscopy
31579	Diagnostic laryngoscopy
36000	Place needle in vein
36400	Drawing blood
36405	Drawing blood
36406	Drawing blood
36410	Drawing blood
	Drawing blood
36430	Blood transfusion service
36450	Exchange transfusion service
36470	Injection therapy of vein
36471	Injection therapy of veins
36510	Insertion of catheter, vein
40490	Biopsy of lip
40800	Drainage of mouth lesion
40804	Removal foreign body, mouth
40808	Biopsy of mouth lesion
40810	Excision of mouth lesion
40812	Excise/repair mouth lesion
	•
41100	Biopsy of tongue
41108	Biopsy of floor of mouth
	• •

### 5221.4033 FEES FOR MEDICAL SERVICES

41825	Excision of gum lesion
41826	Excision of gum lesion
	Diagram and of mouth
42100	Biopsy roof of mouth
42330	Removal of salivary stone
42400	Biopsy of salivary gland
42650	Dilation of salivary duct
42660	Dilation of salivary duct
42800	Biopsy of throat
45300	Proctosigmoidoscopy
45303	Proctosigmoidoscopy
45330	
	Sigmoidoscopy, diagnostic
45520	Treatment of rectal prolapse
46083	Incise external hemorrhoid
46221	Ligation of hemorrhoid(s)
46230	Removal of anal tabs
46320	Removal of hemorrhoid clot
46500	Injection into hemorrhoids
46600	Diagnostic anoscopy
46604	Anoscopy and dilation
46606	Anoscopy and biopsy
46614	Anoscopy, control bleeding
46615	Anoscopy
46900	Destruction, anal lesion(s)
46910	Destruction, anal lesion(s)
46916	Cryosurgery, anal lesion(s)
46917	Laser surgery, anal lesion(s)
46934	Destruction of hemorrhoids
46935	Destruction of hemorrhoids
46936	Destruction of hemorrhoids
46940	Treatment of anal fissure
46942	Treatment of anal fissure
46945	Ligation of hemorrhoids
46946	Ligation of hemorrhoids
51700	Irrigation of bladder
51705	Change of bladder tube
51720	Treatment of bladder lesion
52265	Cystoscopy and treatment
53270	Removal of urethra gland
53600	Dilate urethra stricture
53601	Dilate urethra stricture
53620	Dilate urethra stricture
53621	Dilate urethra stricture
53660	Dilate drethra stricture  Dilation of urethra
53661	Dilation of urethra
53670	Insert urinary catheter
54050	Destruction, penis lesion(s)
54055	Destruction, penis lesion(s)
54056	Cryosurgery, penis lesion(s)
54200	Treatment of penis lesion
54230	Prepare penis study
54235	Penile injection
55000	Drainage of hydrocele
55250	Removal of sperm duct(s)
	Desires of alarma alarma
56420	Drainage of gland abscess
56501	Destruction, vulva lesion(s)
56606	Biopsy of vulva/perineum
57061	Destruction, vagina lesion(s)
57100	Biopsy of vagina
	- <del>-</del>

## 761 FEES FOR MEDICAL SERVICES 5221.4033

57150	Treat vagina infection
57160	Insertion of pessary
57170	Fitting of diaphragm/cap
57452	Examination of vagina
57454	Vagina examination and biopsy
57460	LEEP procedure
57500	Biopsy of cervix
57505	Endocervical curettage
57510	Cauterization of cervix
57511	Cryocautery of cervix
58100	Biopsy of uterus lining
58301	Remove intrauterine device
59200	Insert cervical dilator
59300	Episiotomy or vaginal repair
59425	
59425	Antepartum care only
	Antepartum care only
59430	Care after delivery
60100	Biopsy of thyroid
61001	Remove cranial cavity fluid
63690	Analysis of neuroreceiver
63691	Analysis of neuroreceiver
64400	Injection for nerve block
64405	Injection for nerve block
64408	Injection for nerve block
64412	Injection for nerve block
64413	Injection for nerve block
64418	Injection for nerve block
64435	Injection for nerve block
64440	Injection for nerve block
64441	Injection for nerve block
64445	Injection for nerve block
64450	Injection for nerve block
64505	Injection for nerve block
64508	Injection for nerve block
64550	Apply neurostimulator
64553	Implant neuroelectrodes
64555	Implant neuroelectrodes
64560	Implant neuroelectrodes
64565	Implant neuroelectrodes
64612	Destroy nerve, face muscle
64613	Destroy nerve, spine muscle
65205	Remove foreign body from eye
65210	Remove foreign body from eye
65220	Remove foreign body from eye
65222	Remove foreign body from eye
65286	Repair of eye wound
65430	Corneal smear
65435	Curette/treat cornea
65436	Curette/treat cornea
65600	Revision of cornea
65772	Correction of astigmatism
65855	Laser surgery of eye
65860	Incise inner eye adhesions
66761	Revision of iris
66770	Removal of inner eye lesion
67145	Treatment of retina
67210	Treatment of retinal lesion
67228	Treatment of retinal lesion

Copyright © 2003 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

### 5221.4033 FEES FOR MEDICAL SERVICES

67345	Destroy nerve of eye muscle
67505	Inject/treat eye socket
67515	Inject/treat eye socket
67700	Drainage of eyelid abscess
67710	
	Incision of eyelid
67800	Remove eyelid lesion
67801	Remove eyelid lesions
67805	Remove eyelid lesions
67810	Biopsy of eyelid
67820	Revise eyelashes
67825	Revise eyelashes
67840	Remove eyelid lesion
67850	Treat eyelid lesion
67915	Repair eyelid defect
67922	Repair eyelid defect
67930	Repair eyelid wound
67938	Remove eyelid foreign body
68020	Incise/drain eyelid lining
68040	Treatment of eyelid lesions
68100	Biopsy of eyelid lining
68110	Remove eyelid lining lesion
68135	Remove eyelid lining lesion
68200	Treat eyelid by injection
68400	Incise/drain tear gland
68420	Incise/drain tear sac
68440	Incise tear duct opening
68530	Clearance of tear duct
68705	Revise tear duct opening
68760	Close tear duct opening
68761	Close tear duct opening
68770	Close tear system fistula
68840	Explore/irrigate tear ducts
69000	Drain external ear lesion
69005	Drain external ear lesion
69020	Drain outer ear canal lesion
69100	Biopsy of external ear
69105	Biopsy of external ear canal
69200	• •
	Clear outer ear canal
69210 69220	Remove impacted ear wax
	Clean out mastoid cavity
69222	Clean out mastoid cavity
69400	Inflate middle ear canal
69401	Inflate middle ear canal
69405	Catheterize middle ear canal
69410	Inset middle ear baffle
69420	Incision of eardrum
69433	Create eardrum opening
69540	Remove ear lesion
69610	Repair of eardrum
92002	Eye exam, new patient
92004	Eye exam, new patient
92012	Eye exam, established patient
92014	Eye exam and treatment
92019	Eye exam and treatment
92020	Special eye evaluation
92070	Fitting of contact lens
92100	Serial tonometry exam(s)
92120	Tonography and eye evaluation
	· · · · -

763

## FEES FOR MEDICAL SERVICES 5221.4033

92130	Water provocation tonography
92140	Glaucoma provocative tests
92225	Special eye exam, initial
92226	
	Special eye exam, subsequent
92230	Eye exam with photos
92260	Ophthalmoscopy/dynamometry
92287	Internal eye photography
92311	Contact lens fitting
92312	Contact lens fitting
	Contact lens fitting
92313	
92315	Prescription of contact lens
92316	Prescription of contact lens
92317	Prescription of contact lens
92330	Fitting of artificial eye
92335	Fitting of artificial eye
92352	Special spectacles fitting
92353	Special spectacles fitting
92354	Special spectacles fitting
92371	Repair and adjust spectacles
92504	Ear microscopy examination
92506	Speech and hearing evaluation
92507	Speech/hearing therapy
92508	Speech/hearing therapy
92511	Nasopharyngoscopy
92512	Nasal function studies
92516	Facial nerve function test
92520	Laryngeal function studies
92565	
	Stenger test, pure tone
92571	Filtered speech hearing test
92575	Sensorineural acuity test
92576	Synthetic sentence test
92577	Stenger test, speech
92582	Conditioning play audiometry
93721	Plethysmography tracing
93797	Cardiac rehab
93798	Cardiac rehab/monitor
95010	Sensitivity skin tests
95015	Sensitivity skin tests
95056	Photosensitivity tests
95065	Nose allergy test
95075	Ingestion challenge test
95144	Antigen therapy services
95145	Antigen therapy services
95146	Antigen therapy services
95147	Antigen therapy services
95148	Antigen therapy services
95149	Antigen therapy services
95165	
	Antigen therapy services
95170	Antigen therapy services
95180	Rapid desensitization
95831	Limb muscle testing, manual
95832	Hand muscle testing, manual
95833	Body muscle testing, manual
95834	Body muscle testing, manual
95851	Range of motion measurements
95852	Range of motion measurements
95857	Tensilon test
96405	Intralesional chemotherapy administration
30 <del>4</del> 03	meratesional chemometapy aunimistration

#### 5221.4033 FEES FOR MEDICAL SERVICES

96406	Intralesional chemotherapy administration
96445	Chemotherapy, intracavitary
96450	Chemotherapy, into central nervous system
96542	Chemotherapy injection
98940	Chiropractor manip of spine
98941	Chiropractor manip of spine
98942	Chiropractor manip of spine
98943	Chiropractor manip extra spinal
99201	Office/outpatient visit, new
99202	Office/outpatient visit, new
99203	Office/outpatient visit, new
99204	Office/outpatient visit, new
99205	Office/outpatient visit, new
99211	Office/outpatient visit, established
99212	Office/outpatient visit, established
99213	Office/outpatient visit, established
99214	Office/outpatient visit, established
99215	Office/outpatient visit, established
99241	Office consultation
99242	Office consultation
99243	Office consultation
99244	Office consultation
99245	Office consultation
99271	Confirmatory consultation
99272	Confirmatory consultation
99273	Confirmatory consultation
99274	Confirmatory consultation
99354	Prolonged service, office
99355	Prolonged service, office
M0101	Foot care hygiene

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

**5221.4034** [Repealed, 25 SR 1142]

#### 5221.4035 FEE ADJUSTMENTS FOR MEDICAL/SURGICAL SERVICES.

Subpart 1. **Definition of a global surgical package.** Coding and payment for all surgical procedures is based on a global surgical package as indicated in column 7 of parts 5221.4030 to 5221.4060 and as described in part 5221.4020, subpart 2, item G. The RVU listed for each procedure includes preoperative, postoperative, and intraoperative work related to the given surgical procedure as specified in this part. Column 7 of parts 5221.4030 to 5221.4060 provides the postoperative periods that apply to each surgical procedure.

To determine the global period for surgeries with a 090 global period, include the day immediately before the day of surgery, the day of surgery, and the 90 days immediately following the day of surgery.

EXAMPLE: Date of surgery, January 5; preoperative period, January 4; last day of global period, April 5.

To determine the global period for procedures with a 010 global period, count the day of surgery and the appropriate number of days immediately following the date of surgery.

EXAMPLE: Date of surgery, January 5; last day of global period, January 15.

The global period for procedures with a 000 global period include only the services provided on the day of surgery.

Physicians who perform the surgery and furnish all of the usual preoperative and postoperative work are paid for the global package according to the appropriate CPT code and any appropriate modifiers for the surgical procedure only. Payment for services in the global surgical package are based on the total RVUs listed in columns 5 and 6. Physicians are not paid separately for visits or other services that are included in the global package.

Other subparts may effect coding and payment for services for which a global period applies. Subpart 2 further defines services included in the global surgical package. Subpart 3 further defines services not included in the global surgical package. Subpart 4 governs coding and payment adjustment for physicians furnishing less than the full global package. Subpart 5 specifies additional coding and payment requirements for multiple surgeries. Subpart 6 specifies additional coding and payment requirements for bilateral procedures. Subpart 7 specifies additional coding and payment requirements for assistant-at-surgery. Subpart 8 specifies additional coding and payment requirements for cosurgeons. Subpart 9 specifies additional coding and payment requirements for team surgery.

Subp. 2. Components of a global surgical package. The global surgical package includes coding and payment instructions for the following services related to the surgery when furnished by the physician who performs the surgery. The services included in the global surgical package may be furnished in any setting, for example, in hospitals, ambulatory surgical centers, outpatient hospital surgical centers, and physicians' offices. Visits to a patient in an intensive care or critical care unit are also included if made by the surgeon. However, certain critical care services identified by CPT codes 99291 and 99292 are payable separately as specified in subpart 3, item L. Included in the global surgical package are:

#### A. preoperative visits as follows:

- (1) preoperative visits beginning with the day before the day of surgery for procedures with a global period of 090 days except that the evaluation and management service to determine the need for surgery is separately coded and paid in accordance with subpart 3, item A, subitem (1), even if the evaluation and management service is the day before or the day of surgery; and
- (2) preoperative visits the day of surgery for procedures with a global period of 000 or 010 days unless a significant separately identifiable evaluation and management service is performed as described in subpart 3, item A, subitem (2);
- B. intraoperative services which include services that are normally a usual and necessary part of a surgical procedure;
- C. all additional medical or surgical services required of the surgeon during the postoperative period of the surgery because of complications which do not require additional trips to the operating room. Subpart 3, item G, governs services for postoperative complications which require a return trip to the operating room;
- D. postoperative visits which include follow-up visits during the global period of the surgery that are related to recovery from the surgery;
  - E. postsurgical pain management by the surgeon;
  - F. supplies, except for those noted in subpart 3, item I; and
- G. miscellaneous services such as dressing changes; local incisional care; removal of operative pack; removal of cutaneous sutures and staples, lines, wires, tubes, drains, casts, and splints; insertion, irrigation and removal of urinary catheters, routine peripheral intravenous lines, nasogastric and rectal tubes, and changes and removal of tracheostomy tubes.
- Subp. 3. Services not included in global surgical package. The services listed in items A to O are not included in the global surgical package. These services may be coded and paid for separately. Physicians must use appropriate modifiers as set forth in this subpart.

#### 5221.4035 FEES FOR MEDICAL SERVICES

- A. The initial consultation or evaluation of the problem by the surgeon to determine the need for a surgical procedure is coded and paid as specified in subitems (1) and (2):
- (1) for services with a global period of 090 days, a separate payment is allowed for the appropriate level of evaluation and management service. This circumstance must be coded by adding CPT modifier 57 to the appropriate level of evaluation and management service; or
- (2) for services with a global period of 000 or 010, and endoscopies, the initial consultation or evaluation services by the same physician on the same day as the procedure, are included in the payment for the procedure, unless a significant, separately identifiable service is also performed. For example, an evaluation and management service on the same day could be properly billed in addition to suturing a scalp wound if a full neurological examination is made for a patient with head trauma. Payment for an evaluation and management service is not appropriate if the physician only identified the need for sutures and confirmed allergy and immunization status. The physician must document in the medical record that the patient's condition required a significant, separately identifiable evaluation and management service above and beyond the usual preoperative and postoperative care associated with the procedure or service that was performed. This circumstance must be coded by adding CPT modifier 25 to the appropriate level of evaluation and management service.
- B. Services of other physicians are not included in the global surgical package and are separately coded and paid as follows:
- (1) preoperative physical examination and postdischarge services of a physician other than the surgeon are coded by the appropriate evaluation and management code and are paid separately. No modifiers are necessary;
- (2) physicians who provide follow-up services for procedures with a global period of 000 or 010 that were initially performed in emergency departments may charge the appropriate level of office visit code and are paid separately. The physician who performs the emergency room service codes for the surgical procedure without a modifier;
- (3) if the services of a physician other than the surgeon are required during a postoperative period for an underlying condition or medical complication, the other physician codes the appropriate evaluation and management service and is paid separately. No modifiers are necessary. An example is a cardiologist who manages underlying cardiovascular conditions of a patient; and
- (4) where the surgeon and another physician or physicians agree to transfer care otherwise included in the global period, coding and payment are governed by subpart 4.
- C. Visits unrelated to the diagnosis for which the surgical procedure is performed, unless the visits occur due to complications of the surgery, are not included in the global surgical package and are separately payable. Physicians must use the following modifiers if appropriate:
- (1) CPT modifier 79 identifies an unrelated procedure by the same physician during a postoperative period. The physician must document that the performance of a procedure during a postoperative period was unrelated to the original procedure; and
- (2) CPT modifier 24 identifies an unrelated evaluation and management service by the same physician during a postoperative period. This circumstance must be coded by adding CPT modifier 24 to the appropriate level of evaluation and management service. The physician must document that an evaluation and management service was performed during the postoperative period of an unrelated procedure. An ICD-9-CM code that clearly indicates that the reason for the encounter was unrelated to the surgery is acceptable documentation.
- D. Treatment for the underlying condition or an added course of treatment which is not part of normal recovery from surgery is not included in the global surgical

package and is separately payable. Complications from the surgical procedure are governed by item G and subpart 2, item C.

- E. Diagnostic tests and procedures, including diagnostic radiological procedures and diagnostic biopsies, are not included in the global surgical package and are separately coded and payable. If a diagnostic biopsy with a ten-day global period precedes a major surgery on the same day or in the ten-day period, the major surgery is payable separately.
- F. Clearly distinct surgical procedures during the postoperative period which are not reoperations for complications (reoperations for complications are governed by item G) are not included in the global surgical package and are separately payable. This includes procedures done in two or more parts for which the decision to stage the procedure is made prospectively or at the time of the first procedure. Examples of this are procedures to diagnose and treat epilepsy, codes 61533, 61534-61536, 61539, 61541, and 61543, which may be performed in succession within 90 days of each other.

CPT modifier 58 must be used to code for staged or related surgical procedures done during the global period of the first procedure. The global period for the staged or subsequent procedures is separate from the global period for the proceeding procedure.

G. Treatment for postoperative complications which requires a return trip to the operating room is not included in the global surgical package and is separately coded and paid as specified in this item. This additional procedure is referred to as a reoperation.

"Operating room," for this purpose, is defined as a place of service specifically equipped and staffed for the sole purpose of performing procedures. Operating room includes a cardiac catheterization suite, laser suite, and endoscopy suite. It does not include a patient's room, minor treatment room, recovery room, or intensive care unit, unless the patient's condition was so critical there would be insufficient time for transportation to an operating room.

- (1) When coding for treatment for postoperative complications for services with a global period of 090 or 010 days which requires a return trip to the operating room, as defined in this item, physicians must code the CPT code that describes the procedures performed during the return trip as follows:
- (a) Some reoperations have been assigned separate, distinct reoperation CPT procedure codes and RVUs. The maximum fee for these procedures is calculated using the RVUs for the coded reoperation and the formula in part 5221,4020.
- (b) Reoperations which have not been assigned separate, distinct reoperation CPT codes and RVUs must be identified on the bill with the CPT procedure code that describes the procedure or treatment for the complication plus CPT modifier 78 which indicates a return to the operating room for a related procedure during the global period. The CPT procedure code may be the one used for the original procedure when the identical procedure is repeated or another CPT procedure code which describes the actual procedure or service performed. The reoperation is paid at 76 percent of the total RVU listed for the reoperation procedure. The maximum fee for a reoperation without a separate distinct reoperation CPT procedure code is calculated according to the following formula:

Maximum fee =  $.76 \times (total RVUs for the reoperation) \times (conversion factor)$ 

(c) When no CPT code exists to describe the treatment for complications, use an unlisted surgical procedure code plus CPT modifier 78 which indicates a return to the operating room for a related procedure during the global period. The reoperation is paid at 38 percent of the total RVU listed for the original procedure. The maximum fee for a reoperation for a procedure identified by an unlisted CPT procedure code is calculated according to the following formula:

Maximum fee =  $.38 \times (total \text{ RVUs for the original procedure}) \times (conversion factor)$ 

#### 5221.4035 FEES FOR MEDICAL SERVICES

- (2) When coding for treatment for postoperative complications for a procedure with a 000 global period, physicians must use CPT modifier 78 which indicates a return trip to the operating room for a related procedure during the postoperative global period. The full value for the repeat procedure is paid according to the formula in part 5221.4020.
- (3) If additional procedures are performed during the same operative session as the original surgery to treat complications which occurred during the original surgery, the additional procedures are coded and paid as multiple surgeries as specified in subpart 5. Only surgeries that require a return to the operating room due to complications from the original surgery are coded and paid as specified in subitems (1) and (2).
- (4) If the patient is returned to the operating room after the initial operative session and during the postoperative global surgery period of the original surgery, for one or more additional procedures as a result of complications from the original surgery, each procedure required to treat the complications from the original surgery is paid as specified in subitem (1) or (2).

The multiple surgery rules under subpart 5 do not also apply. The original operation session and the reoperation session are separate and distinct surgical sessions. The reoperation is not considered a multiple surgery, as described in subpart 5, of the original operation. If during the reoperation session multiple surgeries are performed, the additional surgeries are not governed by the multiple surgery payment rules in subpart 5 but are governed by subitems (1) and (2).

- (5) If the patient is returned to the operating room during the postoperative global surgery period of the original surgery, not on the same day of the original surgery, for bilateral procedures that are required as a result of complications from the original surgery, subitems (1) to (4) apply. The bilateral rules in part 5221.4020, subpart 2, item I, do not apply.
- H. If a less extensive procedure fails, and a more extensive procedure is required, the second procedure is coded and paid separately.
- I. For surgical services listed in this item that are performed in a physician's office, separate payment may be made for a surgical tray (CPT code A4550): 19101, 19120, 19125, 19126, 20200, 20205, 20220, 20225, 20240, 25111, 28290, 28292, 28293, 28294, 28296, 28297, 28298, 28299, 32000, 36533, 37609, 38500, 43200, 43202, 43220, 43226, 43234, 43235, 43239, 43245, 43247, 43249, 43250, 43251, 43458, 45378, 45379, 45380, 45382, 45383, 45384, 45385, 49080, 49081, 52005, 52007, 52010, 52204, 52214, 52224, 52234, 52235, 52240, 52250, 52260, 52270, 52275, 52276, 52277, 52282, 52283, 52290, 52300, 52301, 52305, 52310, 52315, 57520, 57522, 58120, 62270, 68761, 85095, 85102, 95028, 96440, 96445, 96450, and G0105.
  - J. Splints, casting, and take-home supplies are coded and paid separately.
- K. Immunosuppressive therapy for organ transplants is coded and paid separately.
- L. Critical care services (CPT codes 99291 and 99292) unrelated to the surgery, where a seriously injured or burned patient is critically ill and requires constant attendance of the physician, provided during a global surgical period, are coded and paid separately.
- M. Except as provided in part 5221.0410, subpart 7, item A, the physician may separately bill a reasonable amount for supplementary reports and services directly related to the employee's ability to return to work, fitness for job offers, and opinions as to whether or not the condition was related to a work-related injury. Coding and payment for these services is governed by parts 5221.0410, subpart 7; 5221.0420, subpart 3; and 5221.0500, subpart 2.
- N. The global surgical package does not apply, and separate coding and payment is allowed, for an initial service that meets both of the conditions in subitems (1) and (2):

- (1) the service is for initial care only to afford comfort to a patient or to stabilize or protect a fracture, dislocation, or other injury; and
- (2) subsequent restorative treatment, such as surgical repair or reduction of a fracture or joint dislocation, is expected to be performed by a physician other than the physician rendering the initial care only.
- O. Surgeries for which services performed are significantly greater or more complex than usually required must be coded with CPT modifier 22 added to the CPT code for the procedure. Additional requirements for use of this modifier are as follows:
- (1) This modifier may only be used where circumstances create a more complex procedure such as congenital or developmental disorders of the anatomy, multiple fractures of the same long bone, coexisting disease, when there has been previous surgery on the same body part or where there is a significant amount of scar tissue.
- (2) This modifier may only be reported with procedure codes that have a global period of 000, 010, or 090 days.
  - (3) Physicians must provide:
- (a) a concise statement about how the service is significantly more complex than usually required; and
  - (b) an operative report with the claim.
- (4) The maximum fee for a surgical procedure that has satisfied all of the requirements for use of CPT modifier 22 is up to 125 percent of the total RVU for that CPT code listed in subpart 2b.
- (5) CPT modifier 22 is not used to report additional procedures that are performed during the same operative session as the original surgery to treat complications which occurred during the original surgery. Additional procedures to treat complications which occurred during surgery are governed by subpart 5.
- Subp. 4. Physicians furnishing less than full global package. There are occasions when more than one physician provides services included in the global surgical package. It may be the case that the physician who performs the surgical procedure does not furnish the follow-up care. Payment for the postoperative, postdischarge care is split between two or more physicians where the physicians agree on the transfer of care. Coding and payment requirements for physicians furnishing less than the full global package are:
- A. When more than one physician furnishes services that are included in the global surgical package, the sum of the amount allowed for all physicians may not exceed what would have been paid if a single physician provides all services.
- B. Where physicians agree on the transfer of care during the global period, they must add the appropriate CPT modifier to the surgical procedure code:
  - (1) CPT modifier 54 for surgical care only; or
  - (2) CPT modifier 55 for postoperative management only.
- C. Physicians who share postoperative management with another physician must submit additional information showing when they assumed and relinquished responsibility for the postoperative care. If the physician who performed the surgery relinquishes care at the time of discharge, the physician need only show the date of surgery when billing with CPT modifier 54.

However, if the surgeon also cares for the patient for some period following discharge, the surgeon must show the date of surgery and the date on which postoperative care was relinquished to another physician. The physician providing the remaining postoperative care must show the date care was assumed.

D. If a surgeon performs a procedure with a global period of 010 or 090 days, and cares for the patient until time of discharge from a hospital or ambulatory surgical center, the maximum fee for this surgeon's services is paid at 87 percent of the total RVU and calculated according to the following formula:

Maximum fee =  $.87 \times (total RUVs \times CF)$ 

#### 5221.4035 FEES FOR MEDICAL SERVICES

Modifier 54 is used to identify these services.

E. If a health care provider who did not perform the surgery assumes surgical follow-up care of a patient after discharge from the hospital or ambulatory surgical center, then the maximum fee for this practitioner's services is paid at 13 percent of the total RVU and is calculated according to the following formula:

Maximum fee =  $.13 \times (total RVUs \times CF)$ 

CPT modifier 55 is used to identify these services.

- F. If several health care providers furnish postoperative care, the maximum fee for the postoperative period is divided among the practitioners based on the number of days for which each health care provider was primarily responsible for care of the patient. CPT modifier 55 (for postoperative management only) is used to identify postoperative services furnished by more than one provider.
- G. If the providers have agreed to a payment distribution of the global fee that differs from the distributions set forth in items D to F, then payments will be made accordingly, if the agreed-upon distribution is documented and explained on the bill for the procedure and is not prohibited by Minnesota Statutes, section 147.091, subdivision 1, paragraph (p).
- Subp. 5. Coding and payment for multiple surgeries and procedures. Part 5221.4020, subpart 2, item H, and column 8 in parts 5221.4030 to 5221.4060, describe codes subject to the multiple procedures payment restrictions. Multiple surgeries are separate surgeries performed by a single physician on the same patient at the same operative session or on the same day for which separate payment may be allowed.
- A. The coding requirements in subitems (1) and (2) apply to multiple surgeries that have an indicator of 2 or 3 in column 8 by the same physician on the same day as specified in items D and E:
- (1) the surgical procedure with the highest RVU is reported without the multiple procedures CPT modifier 51;
- (2) the additional surgical procedures performed are reported with CPT modifier 51.
- B. There may be instances in which two or more physicians each perform distinctly different, unrelated surgeries on the same patient on the same day, for example, in some multiple trauma cases. When this occurs, CPT modifier 51 is not used and the multiple procedure payment reductions do not apply unless one of the surgeons individually performs multiple surgeries.
- C. If any of the multiple surgeries are bilateral or cosurgeries, first determine the allowed amount for the procedure as specified in subpart 6 or 8, next rank this amount with the remaining procedures, and finally, apply the appropriate multiple surgery payment reductions as specified in items D and E.
- D. For procedures with an indicator of 2 in column 8, if the procedures are reported on the same day as another procedure with an indicator of 2, the maximum fee for the procedure with the highest RVU is paid at 100 percent of the listed RVU and the maximum fee for each additional procedure with an indicator of 2 is paid at 50 percent of the listed RVU.
- E. For procedures with an indicator of 3 in column 8, the multiple endoscopy payment rules apply if the procedure is billed with another endoscopy in the same family (i.e., another endoscopy that has the same base procedure). For purposes of this item, the term "endoscopy" also includes arthroscopy procedures. If an endoscopy procedure is performed on the same day as another endoscopy procedure within the same family, the payment for the procedure with the highest RVU is 100 percent of the maximum allowed fee and the maximum allowed fee for every other procedure in that family is reduced by the value of the endobase code for that family of procedures. No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day.

#### **77**1

## FEES FOR MEDICAL SERVICES 5221.4035

Endobase CPT Code	CPT Procedure Codes in the same family
29815	29819, 29820, 29821, 29822, 29823, 29825, 29826
29830	29834, 29835, 29836, 29837, 29838
29840	29843, 29844, 29845, 29846, 29847
29860	29861, 29862, 29863
29870	29871, 29874, 29875, 29876, 29877, 29879, 29880, 29881, 29882, 29883, 29884, 29885, 29886, 29887
31505	31510, 31511, 31512, 31513
31525	31527, 31528, 31529, 31530, 31535, 31540, 31560, 31570
31526	31531, 31536, 31541, 31561, 31571
31575	31576, 31577, 31578, 31579
31622	31625, 31628, 31629, 31630, 31631, 31635, 31640, 31641, 31645
43200	43202, 43204, 43205, 43215, 43216, 43217, 43219, 43220, 43226, 43227, 43228
43235	43239, 43241, 43243, 43244, 43245, 43246, 43247, 43249, 43250, 43251, 43255, 43258, 43259
43260	43261, 43262, 43263, 43264, 43265, 43267, 43268, 43269, 43271, 43272
44360	44361, 44363, 44364, 44365, 44366, 44369, 44372, 44373
44376	44377, 44378
44388	44389, 44390, 44391, 44392, 44393, 44394
45300	45303, 45305, 45307, 45308, 45309, 45315, 45317, 45320, 45321
45330	45331, 45332, 45333, 45334, 45337, 45338, 45339
45378	45379, 45380, 45382, 45383, 45384, 45385
46600	46604, 46606, 46608, 46610, 46611, 46612, 46614, 46615
47552	47553, 47554, 47555, 47556
50551	50555, 50557, 50559, 50561
50570	50572, 50574, 50575, 50576, 50578, 50580
50951	50953, 50955, 50957, 50959, 50961
50970	50974, 50976

#### 5221.4035 FEES FOR MEDICAL SERVICES

52000	52007, 52010, 52204, 52214, 52224, 52250, 52260, 52265, 52270, 52275, 52276, 52277, 52281, 52282, 52283, 52285, 52290, 52300, 52301, 52305, 52310, 52315, 52317, 52318
52005	52320, 52325, 52327, 52330, 52332, 52334
52335	52336, 52337, 52338, 52339
56300	56301, 56302, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56311, 56314, 56343, 56344
56350	56351, 56352, 56353, 56354, 56355, 56356
57452	57454, 57460

The following examples illustrate various applications of the endoscopy and multiple procedure payment rule.

Example 1. Endobase procedure plus one other procedure in that family.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
52000 endobase code	\$100	0.00	No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day
52214 (same family as endobase code)	\$200	\$200	Pay 100 percent for the procedure with the highest RVU
		\$200	Total amount paid is \$200 \$0 (for 52000) + \$200 (for 52214) = \$200

Example 2. Endobase procedure plus two or more procedures in the same endoscopy family. The endoscopy pricing rule applies.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
52000 endobase code	\$100	\$0	No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day

#### FEES FOR MEDICAL SERVICES 5221.4035

52214 (same family as endobase code)	\$200	\$200	Pay 100 percent of the procedure with the highest RVU
52204 (same family as endobase code)	\$150	\$50	Pay the difference between the next highest valued endoscopy code and the base endoscopy code \$150 - \$100 = \$50
		\$250	Total amount paid is \$250 \$200 (for 52214) + \$50 (for 52204) + \$0 (for 52000) = \$250

Example 3. Two unrelated endoscopy procedures. The multiple surgery rule as depicted by indicator 2 applies.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
45378 endobase code	\$150	\$150	Pay 100 percent of the procedure with the highest RVU with an indicator of 2
43217 endobase code	\$75	\$37.50	Pay 50 percent of all other procedures with an indicator of 2
		\$187.50	Total amount paid is \$187.50 \$150 (for 45378) + \$37.50 (for 43217) = \$187.50

Example 4. Two unrelated series of endoscopy procedures. The endoscopy pricing rule is applied first, within each family of endoscopy codes. The multiple surgery pricing rule as depicted by indicator 2 is then applied. The codes in the series with the highest total value are allowed at 100 percent of the calculated maximum value. The codes in the series with the lower total value are allowed at 50 percent of total allowed calculated maximum value.

Example 5. Endoscopy procedures billed with other surgery procedures. All procedures subject to the multiple surgery pricing rule are ranked from highest to lowest to determine which codes, or groups of codes, are allowed at 100 percent or 50 percent of the their calculated maximum value. If two or more of the billed codes belong to the same endoscopy family, the endoscopy pricing rule is applied first, and the total value of the endoscopy series is used in the array.

F. For procedures with an indicator of 4, special rules for multiple procedures are specified in parts 5221.4051 and 5221.4061.

- G. For procedures with an indicator of 0 or 9, no payment rules for multiple or endoscopy procedures apply.
- Subp. 6. Coding and payment for bilateral surgeries and procedures. Part 5221.4020, subpart 2, item I, and column 9 in parts 5221.4030 to 5221.4060 describe codes subject to the bilateral procedures payment restrictions. Bilateral surgeries are procedures performed on both sides of the body during the same operative session or on the same day.
- A. For procedures with an indicator of 0, 3, or 9 in column 9, no bilateral payment provisions apply. For procedures with an indicator of 0, the bilateral adjustment is inappropriate because of physiology or anatomy or because the code description specifically states that it is a unilateral procedure and there is an existing code for the bilateral procedure. Services with an indicator of 3 are generally radiology procedures or other diagnostic tests which are not subject to bilateral payment adjustments. For procedures with an indicator of 9, the concept of bilateral surgeries does not apply.
- B. For procedures with an indicator of 1 in column 9, if the procedures are billed as bilateral procedures, the allowed payment is 150 percent of the maximum amount allowed for a single procedure. The bilateral adjustment is applied before any multiple procedure rules as specified in subpart 5, item C, or cosurgery as specified in subpart 8, are applied.
- C. For procedures with an indicator of 2, no further bilateral adjustments apply because the RVUs are already based on the procedure being performed as a bilateral procedure.
- Subp. 7. Coding and payment for assistant-at-surgery. Part 5221.4020, subpart 2, item J, and column 10 in parts 5221.4030 to 5221.4060 describe codes subject to the assistant-at-surgery payment restrictions. An assistant-at-surgery must use the appropriate CPT or HCPCS modifier in accordance with their provider type. Payment for a physician assistant-at-surgery is not allowed when payment is made for cosurgeons or team surgeons for the same procedures. For procedures with an indicator of 0 (where medical necessity is established) or 2 in column 10 the maximum fee for an assistant-at-surgery is as follows:
- A. For a physician who is an assistant-at-surgery, 16 percent of the global surgery fee is paid. This is paid in addition to the global fee paid to the surgeon.
- B. If the assistant surgery service is performed by a provider who is not a physician, but who has advanced training to act as an assistant-at-surgery consistent with their scope of practice, 13.6 percent of the global surgery fee is paid. This is paid in addition to the global fee paid to the surgeon.
- Subp. 8. Coding and payment for cosurgeons. Part 5221.4020, subpart 2, item K, and column 11 in parts 5221.4030 to 5221.4060 describe codes subject to the cosurgeon's payment adjustments. Under some circumstances, the individual skills of two or more surgeons are required to perform surgery on the same patient during the same operative session. This may be required because of the complex nature of the procedures or the patient's condition. It is cosurgery if two surgeons, each in a different specialty, are required to perform a specific procedure, for example, heart transplant. Cosurgery also refers to surgical procedures involving two surgeons performing the parts of the procedure simultaneously, for example, bilateral knee replacement. In these cases, the additional physicians are not acting as assistants-at-surgery.
- A. If cosurgeons are required to do a procedure, each surgeon codes for the procedure with CPT modifier 62 which indicate two surgeons.
- B. For procedures with an indicator of 1, where necessity of cosurgeons is established, or 2 in column 11, the amount paid for the procedure is 125 percent of the global fee, divided equally between the two surgeons. If the cosurgeons have agreed to a different payment distribution, payments will be made accordingly, if the agreed-upon distribution is documented and explained on the bill for the procedure, and is not prohibited by Minnesota Statutes, section 147.091, subdivision 1, paragraph (p).

- C. For procedures with an indicator of 0 or 9 in column 11, either cosurgeons are not allowed or the concept of cosurgery does not apply and cosurgery fee adjustments do not apply.
- D. If surgeons of different specialties are each performing a distinctly different procedure with specific CPT codes, cosurgery fee adjustments do not apply even if the procedures are performed through the same incision. If one of the surgeons performs multiple procedures, the multiple procedure rules in subpart 5 apply to that surgeon's services.
- Subp. 9. Coding and payment for team surgery. Part 5221.4020, subpart 2, item L, and column 12 in parts 5221.4030 to 5221.4060 govern application of the team surgery concept.
- A. If a team of surgeons, that is, more than two surgeons of different specialties, is required to perform a specific procedure, each surgeon bills for the procedure with the CPT modifier 66 which indicates a surgical team.
- B. For procedures with an indicator of 1, where necessity of a team is established, or 2 in column 12, the amount paid for the procedure is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b
- C. For procedures with an indicator of 0 or 9 in column 12, either team surgery is not allowed or the concept of team surgery does not apply.
- Subp. 10. Unbundling surgical services. Where several component services which have different CPT codes may be described in one more comprehensive CPT code, only the single CPT code most accurately and comprehensively describing the procedure performed or service rendered may be reported. Intraoperative services, incidental surgeries, or components of more major surgeries are not separately billable or payable.

For example, an anterior arthrodesis of the lumbar spine using the anterior interbody technique may be performed by two surgeons. One of the surgeons may perform opening or the approach for the anterior arthrodesis while a different surgeon performs the arthrodesis. In this instance, the surgeons are acting as cosurgeons performing different components of a major surgery. The opening or approach is not a separately billable or payable procedure. Both surgeons must code this service using the anterior arthrodesis code and are paid for the procedure as cosurgeons as specified in subpart 8.

**Statutory Authority:** MS s 176.135; 176.1351; 176.136; 176.83

History: 25 SR 1142

#### 5221.4040 PATHOLOGY AND LABORATORY PROCEDURE CODES.

Subpart 1. Key to abbreviations and terms. For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of pathology and laboratory procedure codes.

2	3	4	5	6	7	8	9	10	11	12
-	Α	7 Clinical chemistry tests	0.71	0.71	xxx		0		0	
			0.45	0.45	XXX	ŏ	ŏ	ŏ	ő	ŏ
			1.28	1.28	XXX	0	0	0	0	0
			0.21	0.21	XXX	0	0	0	0	0
	Α	Urinalysis, no microscopy	0.12	0.12	XXX	0	0	0	0	0
	Α	Assay blood creatinine	0.08	0.08	XXX	0	0	0	0	0
	Α	Assay body fluid	0.34	0.34	XXX	0	0	0	0	0
	2	A A A A A	A 7 Clinical chemistry tests A Lab pathology consult A Lab pathology consult A Urinalysis with microscopy A Urinalysis, no microscopy A Assay blood creatinine A Assay body fluid	A 7 Clinical chemistry tests 0.71 A Lab pathology consult 0.45 A Lab pathology consult 1.28 A Urinalysis with microscopy 0.21 A Urinalysis, no microscopy 0.12 A Assay blood creatinine 0.08	A 7 Clinical chemistry tests 0.71 0.71 A Lab pathology consult 0.45 0.45 A Lab pathology consult 1.28 1.28 A Urinalysis with microscopy 0.21 0.21 A Urinalysis, no microscopy 0.12 0.12 A Assay blood creatinine 0.08 0.08	A 7 Clinical chemistry tests 0.71 0.71 XXX A Lab pathology consult 0.45 0.45 XXX A Lab pathology consult 1.28 1.28 XXX A Urinalysis with microscopy 0.21 0.21 XXX A Urinalysis, no microscopy 0.12 0.12 XXX A Assay blood creatinine 0.08 0.08 XXX	A 7 Clinical chemistry tests 0.71 0.71 XXX 0 A Lab pathology consult 0.45 0.45 XXX 0 A Lab pathology consult 1.28 1.28 XXX 0 A Urinalysis with microscopy 0.21 0.21 XXX 0 A Urinalysis, no microscopy 0.12 0.12 XXX 0 A Assay blood creatinine 0.08 0.08 XXX 0	A 7 Clinical chemistry tests 0.71 0.71 XXX 0 0 A Lab pathology consult 0.45 0.45 XXX 0 0 A Lab pathology consult 1.28 1.28 XXX 0 0 A Urinalysis with microscopy 0.21 0.21 XXX 0 0 A Urinalysis, no microscopy 0.12 0.12 XXX 0 0 A Assay blood creatinine 0.08 0.08 XXX 0 0	A 7 Clinical chemistry tests 0.71 0.71 XXX 0 0 0 0 A Lab pathology consult 0.45 0.45 XXX 0 0 0 0 A Lab pathology consult 1.28 1.28 XXX 0 0 0 A Urinalysis with microscopy 0.21 0.21 XXX 0 0 0 A Urinalysis, no microscopy 0.12 0.12 XXX 0 0 0 A Assay blood creatinine 0.08 0.08 XXX 0 0 0	A 7 Clinical chemistry tests 0.71 0.71 XXX 0 0 0 0 0 A Lab pathology consult 0.45 0.45 XXX 0 0 0 0 0 A Urinalysis with microscopy 0.21 0.21 XXX 0 0 0 0 A Urinalysis, no microscopy 0.12 0.12 XXX 0 0 0 0 A A Assay blood creatinine 0.08 0.08 XXX 0 0 0 0

### 5221.4040 FEES FOR MEDICAL SERVICES

84132	Α	Assay blood potassium	0.21	0.21	XXX	0	0	0	0	0
84295	Α	Assay blood sodium	0.27	0.27	XXX	0	0	0	0	0
85007	Α	Differential WBC count	0.25	0.25	XXX	0	0	0	0	0
85014	Α	Hematocrit	0.14	0.14	XXX	0	0	0	0	0
85018	Α	Hemoglobin	0.16	0.16	XXX	0	0	0	0	0
85021	Α	Automated hemogram	0.22	0.22	XXX	0	0	0	0	0
85022	Α	Automated hemogram	0.38	0.38	XXX	0	0	0	0	0
85023	Α	Automated hemogram	0.48	0.48	XXX	0	0	0	0	0
85024	A	Automated hemogram	0.41	0.41	XXX	0	0	0	0	0
85025		Automated hemogram	0.59	0.59	XXX	0	0	0	0	0
85031		Manual hemogram	0.43	0.43	XXX	0	0	0	0	0
85048	A	White blood cell	0.15	0.15	XXX	0	0	0	0	0
85060	A	Blood smear interpretation	0.53	0.53	XXX	0	0	0	0	0
85095	A	Bone marrow aspiration	1.38	1.38	XXX	0	0	0	0	0
85097		Bone marrow interpretation	1.12	1.12	XXX	0	Õ	Ō	0	0
85105	A	Bone marrow, interpretation	0.86	0.86	XXX	Õ	Ŏ	Õ	0	Õ
85610		Prothrombin time	0.24	0.24	XXX	Ŏ	Ŏ	Ŏ	Õ	Õ
85651		RBC sedimentation	0.16	0.16	XXX	Ŏ	Ŏ	ŏ	Ŏ	Ŏ
85730	A	Thromboplastin	0.33	0.33	XXX	Ŏ	ŏ	Ŏ	ŏ	ŏ
86077	Α	Physician blood bank	0.96	0.96	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
86078	A	Physician blood bank	1.00	1.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
86079	A	Physician blood bank	0.99	0.99	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
86490	A	Coccidioidomycosis	0.24	0.24	XXX	ŏ	ŏ	ő	ő	ŏ
86510	A	Histoplasmosis	0.25	0.25	XXX	ŏ	ő	ŏ	0	ő
86580	A	TB intradermal	0.20	0.20	XXX	ŏ	ŏ	ŏ	0	ŏ
86585	A	TB tine test	0.26	0.16	XXX	ő	Ö	0	0	0
87040	A	Blood culture	0.10	0.10	XXX	ŏ	0	0	0	Õ
87070	A	Culture specimen	0.63	0.33	XXX	0	0	Ö	0	0
88104	A	Cytopathology	0.80	0.80	XXX	ő	Ö	ő	0	ő
88106	A	Cytopathology	0.74	0.74	XXX	ŏ	Ö	ő	0	ő
88107	A	Cytopathology	0.74	0.74	XXX	ŏ	ő	ő	0	Õ
88108	A		0.82	0.82	XXX	ŏ	ő	ŏ	ŏ	ŏ
88125		Forensic cytopathology	0.29	0.29	XXX	ŏ	ŏ	ő	ő	ŏ
88141	A	Cervical cytopathology	0.59	0.59	XXX	ŏ	ŏ	ŏ	0	ŏ
88160	A	Cytopathology, smears	0.66	0.66	XXX	ŏ	ŏ	ő	0	ŏ
88161	A	Cytopathology, smears	0.71	0.71	XXX	ŏ	ŏ	Ö	ŏ	ŏ
88162	A	Cytopathology, smears	1.24	1.24	XXX	0	0	0	0	ő
88170		Fine needle aspiration	1.80	1.80	XXX	ő	0	ő	0	ŏ
88171		Fine needle aspiration	2.09	2.09	XXX	ŏ	0	0	0	0
88172		Evaluation of specimen(s)	1.05	1.05	XXX	ŏ	ő	ő	Ö	ŏ
88173	A	Interpretation and report	1.78	1.78	XXX	ŏ	ő	ŏ	ő	ŏ
88180	A	Cell marker study	0.55	0.55	XXX	ŏ	ŏ	ŏ	ŏ	ő
88182		Cell marker study	1.33	1.33	XXX	ŏ	ŏ	ŏ	ő	ŏ
88300	Α	Surgical pathology	0.23	0.23	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
88302	A	Tissue examination	0.44	0.44	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
88304	A	Tissue examination	0.64	0.64	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
88305	A	Tissue examination	1.44	1.44	XXX	0	ŏ	ő	0	ő
88307	A	Tissue examination	2.49	2.49	XXX	0	0	0	0	0
88309	A	Tissue examination	3.34	3.34	XXX	0	ő	0	0	Õ
88311	A	Decalcify tissue	0.36	0.36	XXX	0	ő	0	0	Õ
88312	A	Special stains	0.62	0.62	XXX	0	0	0	0	0
88313	A	Special stains	0.36	0.36	XXX	0	0	0	0	0
	A		0.86	0.86	XXX	0	0	0	0	0
88314 88318	A	Histochemical staining Chemical histochemistry	0.50	0.50	XXX	0	0	0	0	0
88319	A	Enzyme histochemistry	0.32	0.32	XXX	0	0	0	0	0
88321	A	Microslide consultation	1.33	1.33	XXX	0	0	0	0	0
88323	A	Microslide consultation	1.63	1.63	XXX	0	0	0	0	0
						0	0	0	0	0
88325	Α	Comprehensive report	2.08	2.08	XXX	U	U	U	U	U

88329	Α	Pathology consultation	0.82	0.82	XXX	0	0	0	0	0
88331	Α	Pathology consultation	1.83	1.83	XXX	0	0	0	0	0
88332	Α	Pathology consultation	0.92	0.92	XXX	0	0	0	0	0
88342	Α	Immunocytochemistry	1.18	1.18	XXX	0	0	0	0	0
88346	Α	Immunofluorescent study	1.14	1.14	XXX	0	0	0	0	0
88347	Α	Immunofluorescent study	1.01	1.01	XXX	0	0	0	0	0
88348	Α	Electron microscopy	3.06	3.06	XXX	0	0	0	0	0
88349	Α	Electron microscopy	1.88	1.88	XXX	0	0	0	0	0
88355	Α	Analysis, skeletal	2.87	2.87	XXX	0	0	0	0	0
88356	Α	Analysis, nerve	4.52	4.52	XXX	0	0	0	0	0
88358	Α	Analysis, tumor	4.08	4.08	XXX	0	0	0	0	0
88362	Α	Nerve teasing preparations	3.29	3.29	XXX	0	0	0	0	0
88365	Α	Tissue hybridization	1.33	1.33	XXX	0	0	0	0	0
89100	Α	Sample intestine	0.81	0.81	XXX	0	0	0	0	0
89105	Α	Sample intestine	0.71	0.71	XXX	0	0	0	0	0
89130	Α	Sample stomach	0.69	0.69	XXX	0	0	0	0	0
89132	Α	Sample stomach	0.31	0.31	XXX	0	0	0	0	0
89135	Α	Sample stomach	1.09	1.09	XXX	0	0	0	0	0
89136	Α	Sample stomach	0.35	0.35	XXX	0	0	0	0	0
89140	Α	Sample stomach	1.40	1.40	XXX	0	0	0	0	0
89141	Α	Sample stomach	1.26	1.26	XXX	0	0	0	0	0
89350	Α	Sputum specimen	0.33	0.33	XXX	0	0	0	0	0
89360	Α	Collect sweat	0.36	0.36	XXX	0	0	0	0	0

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 20 SR 1163; 25 SR 1142

# 5221.4041 FEE ADJUSTMENTS FOR PROFESSIONAL/TECHNICAL COMPONENTS FOR PATHOLOGY/LABORATORY SERVICES.

Subpart 1. General. Fees for pathology and laboratory services shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other practitioners. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. The maximum fee for the professional component of the service is calculated according to the following formula:

Maximum fee = .75 x (total RVUs x CF). The billing code for the professional component of the service is the specific procedure code plus the modifier 26. The maximum fee for the technical component of the service is calculated according to the following formula: Maximum fee = .25 x (total RVUs x CF). The billing code for the technical component of the service is the specific procedure code plus the modifier TC.

- Subp. 2. Services provided to hospital inpatients. The maximum fee for a service rendered by a provider to an employee while hospitalized as an inpatient is that calculated for the professional component of the service only. Charges for the technical component of the service for an inpatient may be included in the separate billing by hospital and are limited by Minnesota Statutes, section 176.136, subdivision 1b.
- Subp. 3. Separate billing for each component. If the professional component is split from the technical component and both are billed separately, the total cost for both shall not exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.

## 5221.4041 FEES FOR MEDICAL SERVICES

- Subp. 4. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated according to the formula in part 5221.4020.
- Subp. 5. Services performed in an independent laboratory. The maximum fee for physician pathology services performed in an independent laboratory is that calculated for the complete service, using the RVUs corresponding to the service code listed without a modifier in part 5221.4040, subpart 2b, and the formula in part 5221.4020.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.4050 PHYSICAL MEDICINE AND REHABILITATION PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of physical medicine and rehabilitation procedure codes.

1	2	3	4	5	6	7	8	9	10	11	12

A. Procedure codes 97001 to 97004 relate to physical and occupational therapy evaluation and reevaluation procedure codes.

97001	Α	PT evaluation	1.29	1.29	XXX	0	0	0	0	0
97002	Α	PT reevaluation	0.51	0.51	XXX	0	0	0	0	0
97003	Α	OT evaluation	1.29	1.29	XXX	0	0	0	0	0
97004	Α	OT reevaluation	0.51	0.51	XXX	0	0	0	0	0

B. Procedure codes 97010 to 97799 relate to physical medicine and rehabilitation procedure codes.

97010	В	Hot or cold packs	0.00	0.00	XXX	9	9	9	9	9
97012	Α	Mechanical traction	0.37	0.37	XXX	4	0	0	0	0
97014	Α	Electrical stimulation	0.32	0.32	XXX	4	0	0	0	0
97016	Α	Vasopneumatic devices	0.36	0.36	XXX	4	0	0	0	0
97018	Α	Paraffin bath therapy	0.26	0.26	XXX	4	0	0	0	0
97020	Α	Microwave therapy	0.22	0.22	XXX	4	0	0	0	0
97022	Α	Whirlpool therapy	0.30	0.30	XXX	4	0	0	0	0
97024	Α	Diathermy treatment	0.23	0.23	XXX	4	0	0	0	0
97026	Α	Infrared therapy	0.22	0.22	XXX	4	0	0	0	0
97028	Α	Ultraviolet therapy	0.23	0.23	XXX	4	0	0	0	0
97032	Α	Electrical stimulation	0.32	0.32	XXX	4	0	0	0	0
97033	Α	Electric current	0.33	0.33	XXX	4	0	0	0	0
97034	Α	Contrast bath therapy	0.25	0.25	XXX	4	0	0	0	0
97035	Α	Ultrasound therapy	0.26	0.26	XXX	4	0	0	0	0
97036	Α	Hydrotherapy	0.41	0.41	XXX	4	0	0	0	0
97039	Α	Unlisted therapy service	0.37	0.37	XXX	4	0	0	0	0
97110	Α	Therapeutic exercises	0.47	0.47	XXX	0	0	0	0	0
97112	Α	Neuromuscular reeducation	0.47	0.47	XXX	0	0	0	0	0
97113	Α	Aquatic therapy	0.52	0.52	XXX	0	0	0	0	0
97116	Α	Gait training therapy	0.41	0.41	XXX	0	0	0	0	0
97124	Α	Massage therapy	0.37	0.37	XXX	0	0	0	0	0
97139	Α	Unlisted phys. med. service	0.31	0.31	XXX	0	0	0	0	0
97140	Α	Manual therapy	0.53	0.41	XXX	0	0	0	0	0

97150	Α	Group therapy procedure	0.39	0.39	XXX	0	0	0	0	0
97504	Α	Orthotic training	0.48	0.48	XXX	0	0	0	0	0
97520	Α	Prosthetic training	0.49	0.49	XXX	0	0	0	0	0
97530	Α	Therapeutic activities	0.50	0.50	XXX	0	0	0	0	0
97535	Α	Self care/home management	0.51	0.51	XXX	0	0	0	0	0
97537	Α	Community/work training	0.51	0.51	XXX	0	0	0	0	0
97542	Α	Wheelchair management	0.35	0.35	XXX	0	0	0	0	0
97545	R	Work hardening	0.00	0.00	XXX	0	0	0	0	0
97546	R	Work hardening	0.00	0.00	XXX	0	0	0	0	0
97703	Α	Prosthetic checkout	0.36	0.36	XXX	0	0	0	0	0
97750	Α	Physical performance test	0.57	0.57	XXX	0	0	0	0	0
97770	Α	Cognitive skills	0.60	0.60	XXX	0	0	0	0	0
97780	N	Acupuncture, no stimulus	0.00	0.00	XXX	9	9	9	9	9
97781	N	Acupuncture with stimulus	0.00	0.00	XXX	9	9	9	9	9
97799	C	Physical medicine	0.00	0.00	XXX	0	0	0	0	0

C. Procedure codes V5336 to V5364 relate to miscellaneous physical medicine procedure codes.

V5336	N	Repair communication device	0.00	0.00	XXX	9	9	9	9	9
V5362	R	Speech screening	0.00	0.00	XXX	0	0	0	0	0
V5363	R	Language screening	0.00	0.00	XXX	0	0	0	0	0
V5364	R	Dysphagia screening	0.00	0.00	XXX	0	0	0	0	0

Subp. 3. Additional payment instructions. The instructions and examples in items A to D are in addition to CPT code descriptions found in the CPT manual. Additional instructions include both general instructions for a group of codes as well as specific instructions for an individual specific code.

# A. Supervised modalities.

- (1) Additional general instructions for supervised modality codes 97010 to 97028. All supervised modalities refer to one or more areas. For example, if diathermy is applied to the cervical and low back on the same day, the charge would be one unit. If the diathermy and electrical stimulation are applied to the low back, the charge would be one unit of diathermy and one unit of electrical stimulation.
  - (2) Additional specific instructions for supervised modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97014	Electrical stimulation	Unattended electrical stimulation includes muscle stimulation, low volt therapy, sine wave therapy, stimulation of peripheral nerve, galvanic, and unattended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.

# B. Constant attendance modalities.

(1) Additional general instructions for constant attendance modality codes 97032 to 97039. The application of a constant attendance modality is to one or more areas. Where the CPT manual specifies a specific time frame, count only the actual treatment time, and do not count setup, preparation of the area, cleanup, or

# 5221.4050 FEES FOR MEDICAL SERVICES

documentation time. For example, with ultrasound treatment for two areas, the shoulder and elbow, if total treatment time for both areas is less than 15 minutes, one unit of ultrasound is appropriate. All units billed require supporting documentation.

(2) Additional specific instructions for constant attendance modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97032	Electrical stimulation	Electrical stimulation (manual) includes attended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.
97033	Electric current	RVU includes the use of disposable or reusable electrodes.
97546.	C. Additional specific	instructions for therapeutic procedure codes 97110 to
CPT Code	CPT Description	Specific Instructions and Examples
97110	Therapeutic exercises	Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises.
97112	Neuromuscular reeducation	Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais.
97113	Aquatic therapy	This code applies to any water-based exercise program such as Hubbard Tank or pools.
97140	Manual therapy	In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this code also includes, but is not limited to: myofascial release, joint mobilization and manipulation, manual lymphatic drainage, manual traction, soft tissue mobilization and manipulation, trigger point therapy, acupressure, muscle stimulation - manual (nonelectrical), and transverse friction massage. This code is not paid when reported with any of the osteopathic manipulative treatment (OMT) (98925-98929) or chiropractic manipulative treatment (CMT) (98940-98943) codes on the same regions(s)/body

781

part on the same day. This code may be paid when reported with CMT or OMT codes only if used on a different region(s)/ body part on the same day and must be accompanied by CPT modifier 59 which identifies a distinct procedural service.

97150 Group therapeutic

Therapeutic procedure(s) for a group is used when two or more patients are present for the same type of service such as instruction in body mechanics training, or group exercises when participants are doing same type exercises, etc. There is no time definition for this code. Providers may charge only one unit, regardless of size of group, number of areas treated, or length of time involved.

97504 Orthotic training

This code applies to fabrication, instruction in use, fitting, and care and precautions of the orthotic.

97530 Therapeutic activities

This code is used for treatment promoting functional use of a muscle, muscle group, or body part. This code is not to be used for PROM, active assistive ROM, manual stretch, or manual therapy. Examples for use of code: A patient has had rotator cuff repair. When treatment incorporates functional motion of reaching to increase range of motion and strength, 97530 should be used. A patient has a herniated disc. When treatment incorporates instruction in body mechanics and positioning and simulated activities to improve functional performance, 97530 should be used.

97537 Community/ work

Community/work reintegration training includes jobsite analysis.

97545 Work hardening/conditioning

Work hardening/conditioning units are for the initial two hours each visit. Codes 97545 and 97546 refer to services provided within a work hardening or work conditioning program described in part part 5221.6500, subpart 2, item D.

97546 Work hardening/ conditioning Work hardening/conditioning additional units are for each additional hour each visit. Refers to time beyond initial two hours of work conditioning or work hardening.

D. Additional specific instructions and examples for other physical medicine activities.

# 5221.4050 FEES FOR MEDICAL SERVICES

CPT Code	CPT Description	Specific Instructions and Examples
97750	Physical performance	Physical performance test or measurement includes isokinetic strength testing, comprehensive muscle strength or joint range of motion testing, or functional capacity evaluations.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 20 SR 858; 25 SR 1142

# 5221.4051 FEE ADJUSTMENTS FOR PHYSICAL MEDICINE AND REHABILITATION SERVICES.

Maximum fees for the physical medicine and rehabilitation modalities in the following list are determined according to the following payment schedule when more than one modality on the list is provided to the same patient on the same day: 100 percent of the fee calculated according to the formula in part 5221.4020 for the modality with the highest RVU and 75 percent of the fee calculated according to the formula in part 5221.4020 for each additional modality. All modalities after the first modality with the highest RVU shall be coded by adding modifier 51 to the applicable procedure code.

97012 97014 97016 97018 97020 97022 97024 97026 97028 97032 97033 97034	Mechanical traction therapy Electric stimulation therapy Vasopneumatic device therapy Paraffin bath therapy Microwave therapy Whirlpool therapy Diathermy treatment Infrared therapy Ultraviolet therapy Electrical stimulation Electric current Contrast bath therapy
	Contrast bath therapy
97035 97036 97039	Ultrasound therapy Hydrotherapy Liplisted therapy service
71037	Unlisted therapy service

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

# 5221.4060 CHIROPRACTIC PROCEDURE CODES.

Subpart 1. Key to abbreviations and terms. For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of chiropractic procedure codes.

1	2	3	4			5	6	7	8	9	10	11	12
codes.	A.	Procedure	code numbers	72010	to	73610	relate	to r	adiolo	ogy	pro	cedı	ıre
72010 72010	26	A X-ray e A X-ray e	exam of spine exam of spine			).86 ).33	0.86 0.33	XXX XXX	0 2	0	0	0	0

72010	TC	Α	X-ray exam of spine	0.53	0.53	XXX	0	0	0	0	0
72020		Α	X-ray exam of spine	0.33	0.33	XXX	0	0	0	0	0
72020	26	Α	X-ray exam of spine	0.11	0.11	XXX	0	0	0	0	0
72020	TC		X-ray exam of spine	0.22	0.22	XXX	0	0	0	0	0
72040			X-ray exam of neck	0.47	0.47	XXX	0	0	0	0	0
72040	26		X-ray exam of neck	0.16	0.16	XXX	0	0	Ō	0	0
72040	TC		X-ray exam of neck	0.31	0.31	XXX	Ŏ	0	Ŏ	0	Ŏ
72050		A	X-ray exam of neck	0.69	0.69	XXX	Ö	Ö	Ö	0	Ö
72050	26	A	X-ray exam of neck	0.23	0.23	XXX	Õ	Ö	Õ	0	0
72050	TC	A	X-ray exam of neck	0.46	0.46	XXX	0	0	0	0	0
72052	10	A	X-ray exam of neck	0.46	0.86	XXX	0	0	0	0	0
72052	26	A	X-ray exam of neck	0.27	0.27	XXX	0	ő	0	0	0
72052	TC		X-ray exam of neck	0.59	0.59	XXX	0	0	0	0	0
72070	10	A	X-ray exam of thoracic	0.50	0.50	XXX	0	0	0	0	0
72070	26	A		0.16	0.16	XXX	0	0	0	0	0
72070	TC		X-ray exam of thoracic			XXX	0	0	0	0	
	ıc	A	X-ray exam of thoracic	0.34	0.34						0
72074	26	A	X-ray exam of thoracic	0.64	0.64	XXX	0	0	0	0	0
72074	26 TC	A	X-ray exam of thoracic	0.16	0.16	XXX	0	0	0	0	0
72074	TC	A	X-ray exam of thoracic	0.47	0.47	XXX	0	0	0	0	0
72080	26	A	X-ray exam of thoracic	0.51	0.51	XXX	0	0	0	0	0
72080	26	_	X-ray exam of thoracic	0.16	0.16	XXX	0	0	0	0	0
72080	TC	Α	X-ray exam of thoracic	0.35	0.35	XXX	0	0	0	0	0
72090		A	X-ray exam of thoracic	0.56	0.56	XXX	0	0	0	0	0
72090	26	A	X-ray exam of thoracic	0.21	0.21	XXX	0	0	0	0	0
72090	TC		X-ray exam of thoracic	0.35	0.35	XXX	0	0	0	0	0
72100		Α	X-ray exam of lumbosacral	0.51	0.51	XXX	0	0	0	0	0
72100	26	Α	X-ray exam of lumbosacral	0.16	0.16	XXX	0	0	0	0	0
72100	TC	Α		0.35	0.35	XXX	0	0	0	0	0
72110		Α	X-ray exam of lumbosacral	0.70	0.70	XXX	0	0	0	0	0
72110	26	Α	X-ray exam of lumbosacral	0.23	0.23	XXX	0	0	0	0	0
72110	TC	A	X-ray exam of lumbosacral	0.47	0.47	XXX	0	0	0	0	0
72114		Α	X-ray exam of lumbosacral	0.88	0.88	XXX	0	0	0	0	0
72114	26	Α	X-ray exam of lumbosacral	0.27	0.27	XXX	0	0	0	0	0
72114	TC	Α	X-ray exam of lumbosacral	0.61	0.61	XXX	0	0	0	0	0
72120		Α	X-ray exam of lumbosacral	0.63	0.63	XXX	0	0	0	0	0
72120	26	Α	X-ray exam of lumbosacral	0.16	0.16	XXX	0	0	0	0	0
72120	TC	Α	X-ray exam of lumbosacral	0.46	0.46	XXX	0	0	0	0	0
72170		Α	X-ray exam of pelvis	0.39	0.39	XXX	0	0	0	0	0
72170	26	Α	X-ray exam of pelvis	0.12	0.12	XXX	0	0	0	0	0
72170	TC	Α	X-ray exam of pelvis	0.27	0.27	XXX	0	0	0	0	0
72190			X-ray exam of pelvis	0.50	0.50	XXX	0	0	0	0	0
72190	26	Α	X-ray exam of pelvis	0.16	0.16	XXX	0	0	0	0	0
72190	TC	Α	X-ray exam of pelvis	0.35	0.35	XXX	0	0	0	0	0
73020			X-ray exam of shoulder	0.36	0.36	XXX	0	3	0	0	0
73020	26		X-ray exam of shoulder	0.11	0.11	XXX	0	3	0	0	0
73020	TC		X-ray exam of shoulder	0.24	0.24	XXX	0	3	0	0	0
73030			X-ray exam of shoulder	0.43	0.43	XXX	0	3	0	0	0
73030	26	Α		0.13	0.13	XXX	0	3	0	0	0
73030	TC		X-ray exam of shoulder	0.29	0.29	XXX	0	3	0	0	0
73070	_ •		X-ray exam of elbow	0.38	0.38	XXX	Ö	3	ŏ	ŏ	Ö
73070	26		X-ray exam of elbow	0.11	0.11	XXX	0	3	ŏ	Ö	0
73070	TC		X-ray exam of elbow	0.27	0.27	XXX	0	3	0	0	Ö
73100	- 0		X-ray exam of wrist	0.27	0.27	XXX	0	3	0	0	0
73100	26		X-ray exam of wrist	0.12	0.12	XXX	0	3	0	0	0
12100	20	<b>~</b>	A-ruy Chain Or Wilst	0.14	0.12	$\Lambda\Lambda\Lambda$	U	J	U	U	U

73100	TC	Α	X-ray exam of wrist	0.25	0.25	XXX	0	3	0	0	0
73500		Α	X-ray exam of hip	0.37	0.37	XXX	0	0	0	0	0
73500	26	Α	X-ray exam of hip	0.13	0.13	XXX	0	0	0	0	0
73500	TC	Α	X-ray exam of hip	0.24	0.24	XXX	0	0	0	0	0
73562		Α	X-ray exam of knee	0.43	0.43	XXX	0	3	0	0	0
73562	26	Α	X-ray exam of knee	0.14	0.14	XXX	0	3	0	0	0
73562	TC	Α	X-ray exam of knee	0.29	0.29	XXX	0	3	0	0	0
73610		Α	X-ray exam of ankle	0.40	0.40	XXX	0	3	0	0	0
73610	26	Α	X-ray exam of ankle	0.13	0.13	XXX	0	3	0	0	0
73610	TC	Α	X-ray exam of ankle	0.28	0.28	XXX	0	3	0	0	0

 $\,$  B. Procedure code numbers 81000 and 81002 relate to pathology and laboratory procedure codes.

81000	X Urinalysis, nonautomated	0.12	0.12	XXX	9	9	9	9	9
81002	X Urinalysis, nonautomated	0.07	0.07	XXX	9	9	9	9	9

C. Procedure code numbers 97010 to 97799 relate to physical medicine and rehabilitation procedure codes.

97010	В	Hot or cold packs	0.00	0.00	XXX	9	9	9	9	9
97012	Α	Mechanical traction	0.23	0.23	XXX	4	0	0	0	0
97014	Α	Electric stimulation	0.20	0.20	XXX	4	0	0	0	0
97016	Α	Vasopneumatic devices	0.23	0.23	XXX	4	0	0	0	0
97018	Α	Paraffin bath therapy	0.16	0.16	XXX	4	0	0	0	0
97020	Α	Microwave therapy	0.14	0.14	XXX	4	0	0	0	0
97022	Α	Whirlpool therapy	0.19	0.19	XXX	4	0	0	0	0
97024	Α	Diathermy treatment	0.15	0.15	XXX	4	0	0	0	0
97026	Α	Infrared therapy	0.13	0.13	XXX	4	0	0	0	0
97028	Α	Ultraviolet therapy	0.14	0.14	XXX	4	0	0	0	0
97032	Α	Electrical stimulation	0.20	0.20	XXX	4	0	0	0	0
97033	Α	Electric current	0.21	0.21	XXX	4	0	0	0	0
97034	Α	Contrast bath therapy	0.16	0.16	XXX	4	0	0	0	0
97035	Α	Ultrasound therapy	0.16	0.16	XXX	4	0	0	0	0
97036	Α	Hydrotherapy	0.25	0.25	XXX	4	0	0	0	0
97039	Α	Unlisted therapy service	0.23	0.23	XXX	4	0	0	0	0
97110	Α	Therapeutic exercises	0.29	0.29	XXX	0	0	0	0	0
97112	Α	Neuromuscular reeducation	0.29	0.29	XXX	0	0	0	0	0
97113	Α	Aquatic therapy	0.33	0.33	XXX	0	0	0	0	0
97116	Α	Gait training therapy	0.26	0.26	XXX	0	0	0	0	0
97124	Α	Massage therapy	0.23	0.23	XXX	0	0	0	0	0
97139	Α	Unlisted phys. med. service	0.19	0.19	XXX	0	0	0	0	0
97140	Α	Manual therapy	0.33	0.26	XXX	0	0	0	0	0
97150	Α	Group therapy procedure	0.24	0.24	XXX	0	0	0	0	0
97504	Α	Orthotic training	0.30	0.30	XXX	0	0	0	0	0
97520	Α	Prosthetic training	0.31	0.31	XXX	0	0	0	0	0
97530	Α	Therapeutic activities	0.31	0.31	XXX	0	0	0	0	0
97535	Α	Self care/home management	0.32	0.32	XXX	0	0	0	0	0
97537	Α	Community/work training	0.32	0.32	XXX	0	0	0	0	0
97542	Α	Wheelchair management	0.22	0.22	XXX	0	0	0	0	0
97545	R	Work hardening/conditioning	0.00	0.00	XXX	0	0	0	0	0
97546	R	Work hardening/conditioning	0.00	0.00	XXX	0	0	0	0	0
97703	Α	Prosthetic checkout	0.23	0.23	XXX	0	0	0	0	0
97750	Α	Physical performance test	0.36	0.36	XXX	0	0	0	0	0
97770	Α	Cognitive skill	0.37	0.37	XXX	0	0	0	0	0

97780	N	Acupuncture, no stimulus	0.00	0.00	XXX	9	9	9	9	9
97781	N	Acupuncture with stimulus	0.00	0.00	XXX	9	9	9	9	9
97799	C	Physical medicine	0.00	0.00	XXX	0	0	0	0	0

FEES FOR MEDICAL SERVICES 5221.4060

D. Procedure code numbers 98940 to 98943 relate to chiropractic manipulative treatment codes.

98940	Α	Chiropractic manipulation	0.38	0.30	XXX	0	0	0	0	0
98941	Α	Chiropractic manipulation	0.47	0.40	XXX	0	0	0	0	0
98942	Α	Chiropractic manipulation	0.58	0.51	XXX	0	0	0	0	0
98943	Α	Chiropractic manipulation	0.35	0.35	XXX	4	0	0	0	0

E. Procedure code numbers 99201 to 99213 relate to evaluation and management services codes.

99201	Α	Office/outpatient	0.45	0.33	XXX	0	0	0	0	0
99202	Α	Office/outpatient	0.71	0.56	XXX	0	0	0	0	0
99203	Α	Office/outpatient	0.98	0.81	XXX	0	0	0	0	0
99211	Α	Office/outpatient	0.20	0.14	XXX	0	0	0	0	0
99212	Α	Office/outpatient	0.39	0.30	XXX	0	0	0	0	0
99213	Α	Office/outpatient	0.56	0.44	XXX	0	0	0	0	0

F. Procedure code number 99199 relates to miscellaneous procedures.

99199 C Special service 0.00 0.00 XXX 0 0 0 0

Subp. 3. Select chiropractic procedure code descriptions, instructions, and examples. The following instructions and examples are in addition to CPT code descriptions found in the CPT manual. Additional instructions include both general instructions for a group of codes as well as specific instructions for an individual specific code.

A. Supervised modalities.

(1) Additional general instructions for supervised modality codes 97010 to 97028. All supervised modalities refer to one or more areas. For example, if diathermy is applied to the cervical and low back on the same day, the charge would be one unit. If the diathermy and electrical stimulation are applied to the low back, the charge would be one unit of diathermy and one unit of electrical stimulation.

(2) Additional specific instructions for supervised modalities.

**CPT** 

785

Code CPT Description Specific Instructions and Examples

97014 Electrical Unattended electrical stimulation includes muscle stimulation, low volt

includes muscle stimulation, low volt therapy, sine wave therapy, stimulation of peripheral nerve, galvanic, and unattended clinical application of TENS. RVU includes the use of disposable or

reusable electrodes.

## B. Constant attendance modalities.

(1) Additional general instructions for constant attendance modality codes 97032 to 97039. The application of a constant attendance modality is to one or

# 5221.4060 FEES FOR MEDICAL SERVICES

more areas. Where the CPT manual specifies a time frame, count only the actual treatment time, and do not count setup, preparation of the area, cleanup, or documentation time. For example, with ultrasound treatment for two areas, the shoulder and elbow, if total treatment time for both areas is less than 15 minutes, one unit of ultrasound is appropriate. All units billed require supporting documentation.

(2) Additional specific instructions for constant attendance modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97032	Electrical stimulation	Electrical stimulation (manual) includes attended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.
97033	Electric current	RVU includes the use of disposable or reusable electrodes.
97546.	C. Additional specific	instructions for therapeutic procedure codes 97110 to
CPT Code	CPT Description	Specific Instructions and Examples
97110	Therapeutic exercises	Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises.
97112	Neuromuscular reeducation	Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais.
97113	Aquatic therapy	This code applies to any water-based exercise program such as Hubbard Tank or pools.
97140	Manual therapy	In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this code also includes, but is not limited to: myofascial release, joint mobilization and manipulation, manual lymphatic drainage, manual traction, soft tissue mobilization and manipulation, trigger point therapy, acupressure, muscle stimulation - manual (nonelectrical), and transverse friction massage. This code is not paid when reported with any of the osteopathic manipulative treatment (OMT) (98925-

# FEES FOR MEDICAL SERVICES 5221.4060

-98929) or chiropractic manipulative treatment (CMT) (98940-98943) codes on the same region(s)/body part on the same day. This code may be paid when reported with CMT or OMT codes only if used on a different region(s)/body part on the same day and must be accompanied by CPT modifier 59 which identifies a distinct procedural service.

97150 Group therapeutic

Therapeutic procedure(s) for a group is used when two or more patients are present for the same type of service such as instruction in body mechanics training, or group exercises when participants are doing same type exercises, etc. There is no time definition for this code. Providers may charge only one unit, regardless of size of group, number of areas treated, or length of time involved.

97504 Orthotic training

This code applies to fabrication, instruction in use, fitting, and care and precautions of the orthotic.

97530 Therapeutic activities

This code is used for treatment promoting functional use of a muscle, muscle group, or body part. This code is not to be used for PROM, active assistive ROM, manual stretch, or manual therapy. Examples for use of code: A patient has had rotator cuff repair. When treatment incorporates functional motion of reaching to increase range of motion and strength, 97530 should be used. A patient has a herniated disc. When treatment incorporates instruction in body mechanics and positioning and simulated activities to improve functional performance, 97530 should used.

97537 Community/ work Community/work reintegration training includes jobsite analysis.

97545 Work hardening/conditioning

Work hardening/conditioning units are for the initial two hours each visit. Codes 97545 and 97546 refer to services provided within a work hardening or work conditioning program described in part 5221.6500, subpart 2, item D.

97546 Work hardening/ conditioning Work hardening/conditioning additional units are for each additional hour each visit. Refers to time beyond initial two hours of work conditioning or work hardening.

## 5221.4060 FEES FOR MEDICAL SERVICES

performance

D. Additional specific instructions and examples for other physical medicine activities.

**CPT** 

Code CPT Description Specific Instructions and Examples

97750 Physical Physical performance test or measurement

includes isokinetic strength testing, comprehensive muscle strength or joint range of motion testing, or functional

capacity evaluations.

# Subp. 4. Evaluation and management services coding and reporting.

- A. Evaluation and management services may be coded and paid separately from the chiropractic manipulative therapy services described by CPT codes 98940 to 98943 only if the condition requires a significant, separately identifiable evaluation and management service above and beyond the usual preservice, intraservice, and postservice work associated with the manipulative procedure, as described in subitems (1) to (3). When performing the evaluation and management service on the same day as a spinal or extraspinal manipulation, the evaluation and management code must be coded using the CPT modifier 25.
  - (1) Preservice work for CPT codes 98940 to 98943 includes the following:
    - (a) documentation and chart review;
    - (b) imaging review;
    - (c) test interpretation and care planning; and
- (d) premanipulation procedures which include a brief evaluation of the current problem, including components of a review of symptoms, and a focused exam of the current problem and related areas.
- (2) Intraservice work for CPT codes 98940 to 98943 includes the following:
  - (a) manipulation; and
  - (b) postmanipulation assessment and procedures.
  - (3) Postservice work for CPT codes 98940 to 98943 includes the follow-

ing:

- (a) chart documentation, including documentation of appropriate subjective and objective assessments as well as the procedural components of patient visit; and
- (b) if necessary, arrange for further services and coordination of patient care. This may include telephone or written communications with other health care providers, family members, employers, medical case manager for a managed care organization certified under Minnesota Statutes, section 176.1351, or insurers regarding the coordination of patient care or consultation services.
- B. Circumstances in which a separate evaluation and management service is appropriate under item A include the following:
  - (1) if there is a new injury;
  - (2) if there is an exacerbation of a previous injury; or
  - (3) if there is an unanticipated change in condition.
- C. A reexamination in the following circumstances may be coded and paid as a separate evaluation and management service if the reexamination is above and beyond the usual preservice, intraservice, and postservice work associated with the manipulative procedure as described in item A, subitems (1) to (3):

# FEES FOR MEDICAL SERVICES 5221.4062

- (1) in preparation for a requested report other than a report of work ability;
  - (2) if requested to render an opinion about a job offer;
  - (3) when a job search is initiated;
- (4) to review the patient's condition after a period of treatment by another health care provider; or
- (5) to evaluate the patient's condition in anticipation of a change in the treatment plan.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 22 SR 500; 25 SR 1142

# 5221.4061 FEE ADJUSTMENTS FOR CHIROPRACTIC SERVICES.

Subpart 1. **Multiple modalities.** Maximum fees for the chiropractic modalities in the following list are determined according to the following payment schedule when more than one modality on the list is provided to the same patient on the same day: 100 percent of the fee calculated according to the formula in part 5221.4020 for the modality with the highest relative value and 75 percent of the fee calculated according to the formula in part 5221.4020 for each additional modality. All modalities after the first modality with the highest relative value, shall be coded by adding modifier 51 to the applicable modality code.

97012	Mechanical traction therapy
97014	Electrical stimulation therapy
97016	Vasopneumatic device therapy
97018	Paraffin bath therapy
97020	Microwave therapy
97022	Whirlpool therapy
97024	Diathermy treatment
97026	Infrared therapy
97028	Ultraviolet therapy
97032	Electrical stimulation
97033	Electric current
97034	Contrast bath therapy
97035	Ultrasound therapy
97036	Hydro therapy
97039	Unlisted therapy service

Subp. 2. Extraspinal code. If the extraspinal code (98943) is used in conjunction with any of the spinal chiropractic manipulative treatment (CMT) codes (98940 to 98942) on the same day, the extraspinal code must be coded with CPT modifier 51. The CPT modifier 51 reduces the RVU of 98943 when used in conjunction with any of the CMT codes (98940 to 98942) on the same day by 50 percent.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

# 5221.4062 PROFESSIONAL/TECHNICAL COMPONENTS FOR CHIROPRACTIC SERVICES.

Subpart 1. General. Fees for certain services which are a combination of professional and technical care shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the

procedure, and consultation with other providers. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. Services subject to this distinction are identified in part 5221.4060, subpart 2b, by modifiers appearing in column 2 next to the service codes. Modifier TC indicates relative RVUs for the technical component of the service and modifier 26 indicates RVUs for the professional component of the service. The maximum fee for either component of the service is calculated using the RVUs for the component provided and the formula in part 5221.4020.

- Subp. 2. Separate billing for both components. If the professional component is split from the technical component and both are billed separately, the total cost for both cannot exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 3. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated for the complete service by using the RVUs corresponding to the service code listed without a modifier in part 5221.4060, subpart 2b, and the formula in part 5221.4020.

**Statutory Authority:** MS s 176.135; 176.1351; 176.136; 176.83

History: 25 SR 1142

# 5221.4070 PHARMACY.

Subpart 1. Substitution of generically equivalent drugs. A generically equivalent drug as defined in Minnesota Statutes, section 151.21, subdivision 2, must be dispensed in place of the ordered drug if:

- A. the generically equivalent drug is approved by the United States Food and Drug Administration and is also determined as therapeutically equivalent by the United States Food and Drug Administration;
- B. in the professional judgment of the pharmacist, the substituted drug is therapeutically equivalent to the ordered drug; and
- C. the charge for the substituted generically equivalent drug is less than the charge for the drug originally ordered.

However, a substitution shall not be made if the ordering provider has written in his or her own handwriting "Dispense as written" or "DAW" on the prescription, as provided in the Minnesota Drug Selection Act, Minnesota Statutes, section 151.21. The dispensing provider must notify the recipient and the payer when a generically equivalent drug is dispensed. The notice to the recipient may be given orally or by appropriate labeling on the medication's container. The notice to the payer must be in writing on a claim form prescribed in part 5221.0700, subpart 2.

Subp. 2. **Procedure code.** The procedure code for a medication is the current HCPCS code which correctly describes the medication as provided or the prescription number. Procedure codes are not required for nonprescription medications.

# Subp. 3. Maximum fee.

- A. The employer's liability for compensable prescription medications provided for outpatient use by a large hospital, clinic, or an independent pharmacy shall be limited to the sum of the average wholesale price (AWP) of the medication on the date the medication was dispensed, and a professional dispensing fee of \$5.14 per medication.
- B. The employer's liability for compensable nonprescription medications shall be the lower of the actual retail price of the medication or the sum of the average wholesale price (AWP) of the medication, on the date the medication was dispensed, and a professional dispensing fee of \$5.14 per medication.
- C. The employer's liability for compensable prescription medications provided for inpatient use, including an inpatient who is being discharged, by a large hospital is

limited to 85 percent of the usual and customary charge according to part 5221.0500, subpart 2, item D.

D. The employer's liability for compensable prescription medications provided by a small hospital is paid at 100 percent of the usual and customary fee according to part 5221.0500, subpart 2, item C.

**Statutory Authority:** MS s 175.171; 176.101; 176.135; 176.1351; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

#### 5221,6010 AUTHORITY.

Parts 5221.6010 to 5221.8900 are adopted under the authority of Minnesota Statutes, sections 176.83, subdivisions 1, 3, 4, and 5, and 176.103, subdivision 2.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

#### 5221.6020 PURPOSE AND APPLICATION.

Subpart 1. **Purpose.** Parts 5221.6010 to 5221.6600 establish parameters for reasonably required treatment of employees with compensable workers' compensation injuries to prevent excessive services under Minnesota Statutes, sections 176.135 and 176.136, subdivision 2. Parts 5221.6010 to 5221.6600 do not affect any determination of liability for an injury under Minnesota Statutes, chapter 176, and are not intended to expand or restrict a health care provider's scope of practice under any other statute.

Subp. 2. Application. All treatment must be medically necessary as defined in part 5221.6040, subpart 10. In the absence of a specific parameter, any applicable general parameters govern. A departure from a parameter that limits the duration or type of treatment may be appropriate in any one of the circumstances specified in part 5221.6050, subpart 8. Parts 5221.6010 to 5221.6600 apply to all treatment provided after January 4, 1995, regardless of the date of injury. All limitations on the duration of a specific treatment modality or type of modality begin with the first time the modality is initiated after January 4, 1995. However, consideration may be given to treatment initiated under the emergency rules (parts 5221.6050 to 5221.6500 [Emergency]). Parts 5221.6010 to 5221.6600 do not apply to treatment of an injury after an insurer has denied liability for the injury. However, in such cases the rules do apply to treatment initiated after liability has been established. References to days and weeks in parts 5221.6050 to 5221.6600 mean calendar days and weeks unless specified otherwise.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

### 5221.6030 INCORPORATION BY REFERENCE.

The ICD-9-CM diagnostic codes referenced in parts 5221.6010 to 5221.6600 are contained in the fourth edition of the International Classification of Diseases, Clinical Modification, 9th Revision, 1994, and corresponding annual updates. This document is subject to annual revisions and is incorporated by reference. It is published by the United States Department of Health and Human Services, Centers for Medicare and Medicaid Services, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402. It is available through the Minitex interlibrary loan system.

**Statutory Authority:** MS s 176.103; 176.83 **History:** 19 SR 1412: L 2002 c 277 s 32

#### **5221.6040 DEFINITIONS.**

Subpart 1. **Scope.** The terms used in parts 5221.6010 to 5221.6600 have the meanings given them in this part.

Subp. 2. Active treatment. "Active treatment" means treatment specified in parts 5221.6200, subpart 4; 5221.6205, subpart 4; 5221.6210, subpart 4; 5221.6300, subpart 4;

# 5221.6040 FEES FOR MEDICAL SERVICES

- and 5221.6305, subpart 2, item C, which requires active patient participation in a therapeutic program to increase flexibility, strength, endurance, or awareness of proper body mechanics.
- Subp. 3. Chronic pain syndrome. "Chronic pain syndrome" means any set of verbal or nonverbal behaviors that:
  - A. involve the complaint of enduring pain;
  - B. differ significantly from the patient's preinjury behavior;
  - C. have not responded to previous appropriate treatment;
- D. are not consistent with a known organic syndrome which has remained untreated; and
  - E. interfere with physical, psychological, social, or vocational functioning.
- Subp. 4. Condition. A patient's "condition" means the symptoms, physical signs, clinical findings, and functional status that characterize the complaint, illness, or injury related to a current claim for compensation.
  - Subp. 5. Emergency treatment. "Emergency treatment" means treatment that is:
- A. required for the immediate diagnosis and treatment of a medical condition that, if not immediately diagnosed and treated, could lead to serious physical or mental disability or death; or
  - B. immediately necessary to alleviate severe pain.

Emergency treatment includes treatment delivered in response to symptoms that may or may not represent an actual emergency but that is necessary to determine whether an emergency exists.

- Subp. 6. Etiology. "Etiology" means the anatomic alteration, physiologic dysfunction, or other biological or psychological abnormality which is considered a cause of the patient's condition.
- Subp. 7. Functional status. "Functional status" means the ability of an individual to engage in activities of daily living and other social, recreational, and vocational activities.
- Subp. 8. Initial nonsurgical management or treatment. "Initial nonsurgical management or treatment" is initial treatment provided after an injury that includes passive treatment, active treatment, injections, and durable medical equipment under parts 5221.6200, subparts 3, 4, 5, and 8; 5221.6205, subparts 3, 4, 5, and 8; 5221.6210, subparts 3, 4, 5, and 8; 5221.6300, subparts 3, 4, 5, and 8; and 5221.6305, subpart 2. Scheduled and nonscheduled medication may be a part of initial nonsurgical treatment. Initial nonsurgical management does not include surgery or chronic management modalities under part 5221.6600.
- Subp. 9. Medical imaging procedures. A "medical imaging procedure" is a technique, process, or technology used to create a visual image of the body or its function. Medical imaging includes, but is not limited to: X-rays, tomography, angiography, venography, myelography, computed tomography (CT) scanning, magnetic resonance imaging (MRI) scanning, ultrasound imaging, nuclear isotope imaging, PET scanning, and thermography.
- Subp. 10. Medically necessary treatment. "Medically necessary treatment" means those health services for a compensable injury that are reasonable and necessary for the diagnosis and cure or significant relief of a condition consistent with any applicable treatment parameter in parts 5221.6050 to 5221.6600. Where parts 5221.6050 to 5221.6600 do not govern, the treatment must be reasonable and necessary for the diagnosis or cure and significant relief of a condition consistent with the current accepted standards of practice within the scope of the provider's license or certification.
- Subp. 11. Neurologic deficit. "Neurologic deficit" means a loss of function secondary to involvement of the central or peripheral nervous system. This may include, but is not limited to, motor loss; spasticity; loss of reflex; radicular or anatomic

sensory loss; loss of bowel, bladder, or erectile function; impairment of special senses, including vision, hearing, taste, or smell; or deficits in cognitive or memory function.

- A. "Static neurologic deficit" means any neurologic deficit that has remained the same by history or noted by repeated examination since onset.
- B. "Progressive neurologic deficit" means any neurologic deficit that has become worse by history or noted by repeated examination since onset.
- Subp. 12. **Passive treatment.** "Passive treatment" is any treatment modality specified in parts 5221.6200, subpart 3; 5221.6205, subpart 3; 5221.6210, subpart 3; 5221.6300, subpart 3; and 5221.6305, subpart 2, item B. Passive treatment modalities include bedrest; thermal treatment; traction; acupuncture; electrical muscle stimulation; braces; manual and mechanical therapy; massage; and adjustments.
- Subp. 13. Therapeutic injection. "Therapeutic injection" is any injection modality specified in parts 5221.6200, subpart 5; 5221.6205, subpart 5; 5221.6210, subpart 5; 5221.6300, subpart 5; and 5221.6305, subpart 2, item A. Therapeutic injections include trigger point injections, sacroiliac injections, facet joint injections, facet nerve blocks, nerve root blocks, epidural injections, soft tissue injections, peripheral nerve blocks, injections for peripheral nerve entrapment, and sympathetic blocks.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

# 5221.6050 GENERAL TREATMENT PARAMETERS; EXCESSIVE TREATMENT; PRIOR NOTIFICATION.

Subpart 1. General.

A. All treatment must be medically necessary treatment, as defined in part 5221.6040, subpart 10. The health care provider must evaluate the medical necessity of all treatment under item B on an ongoing basis.

Parts 5221.6050 to 5221.6600 do not require or permit any more frequent examinations than would normally be required for the condition being treated, but do require ongoing evaluation of the patient that is medically necessary, consistent with accepted medical practice.

- B. The health care provider must evaluate at each visit whether initial nonsurgical treatment for the low back, cervical, thoracic, and upper extremity conditions specified in parts 5221.6200, 5221.6205, 5221.6210, and 5221.6300, is effective according to subitems (1) to (3). No later than any applicable treatment response time in parts 5221.6200 to 5221.6300, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in subitems (1) to (3):
- (1) the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- (2) the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- (3) the employee's functional status, especially vocational activities, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

Except as otherwise provided under parts 5221.6200, subpart 3, item B; 5221.6205, subpart 3, item B; 5221.6210, subpart 3, item B; and 5221.6300, subpart 3, item B, if there is not progressive improvement in at least two of subitems (1) to (3), the modality must be discontinued or significantly modified, or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider who ordered the treatment.

## 5221.6050 FEES FOR MEDICAL SERVICES

- C. The health care provider must use the least intensive setting appropriate and must assist the employee in becoming independent in the employee's own care to the extent possible so that prolonged or repeated use of health care providers and medical facilities is minimized.
- Subp. 2. **Documentation.** A health care provider must maintain an appropriate record, as defined in part 5221.0100, subpart 1a, of any treatment provided to a patient.
- Subp. 3. Nonoperative treatment. Health care providers shall provide a trial of nonoperative treatment before offering or performing surgical treatment unless the treatment for the condition requires immediate surgery, unless an emergency situation exists, or unless the accepted standard of initial treatment for the condition is surgery.
- Subp. 4. Chemical dependency. The health care provider shall maintain diligence to detect incipient or actual chemical dependency to any medication prescribed for treatment of the employee's condition. In cases of incipient or actual dependency, the health care provider shall refer the employee for appropriate evaluation and treatment of the dependency.
- Subp. 5. Referrals between health care providers. The primary health care provider directing the course of treatment shall make timely and appropriate referrals for consultation for opinion or for the transfer of care if the primary health care provider does not have any reasonable alternative treatment to offer and there is a reasonable likelihood that the consultant may offer or recommend a reasonable alternative treatment plan. This subpart does not prohibit a referral for consultation in other circumstances based on accepted medical practice and the patient's condition.
- A. Referrals from consulting health care provider. If the consultant has reasonable belief that another consultation is appropriate, that consultant must coordinate further referral with the original treating health care provider unless the consultant has been approved as the employee's treating health care provider. The consultant is under no obligation to provide or recommend treatment or further referral, if in the consultant's opinion, all reasonable and necessary treatment has been rendered. The consultant shall in this situation refer the employee back to the original treating health care provider for further follow-up.
- B. Information sent to consultant. When a referring health care provider arranges for consultation or transfer of care, except in cases of emergency, the referring health care provider shall, with patient authorization, summarize for the consultant orally or in writing the conditions of injury, the working diagnosis, the treatment to date, the patient's response to treatment, all relevant laboratory and medical imaging studies, return to work considerations, and any other information relevant to the consultation. In addition, the referring health care provider shall make available to the consultant, with patient authorization, a copy of all medical records relevant to the employee's injury.
- Subp. 6. Communication between health care providers and consideration of prior care.
- A. Information requested by new health care provider. Upon accepting for treatment a patient with a workers' compensation injury, the health care provider shall ask the patient if treatment has been previously given for the injury by another health care provider. If the patient reports that treatment has been previously given for the injury by another health care provider and if the medical records for the injury have not been transferred, the new health care provider shall request authorization from the employee for relevant medical records. Upon receipt of the employee authorization, the new health care provider shall request relevant medical records from the previous health care providers. Upon receipt of the request for medical records and employee authorization, the previous health care providers shall provide the records within seven working days.
- B. Treatment by prior health care provider. If the employee has reported that care for an injury has been previously given:

- (1) Where a previous health care provider has performed diagnostic imaging, a health care provider may not repeat the imaging or perform alternate diagnostic imaging for the same condition except as permitted in part 5221.6100.
- (2) When a therapeutic modality employed by a health care provider was no longer improving the employee's condition under subpart 1, item B, or has been used for the maximum duration allowed under parts 5221.6050 to 5221.6600, another health care provider may not employ the same modality at any time thereafter to treat the same injury except if one of the departures applies under subpart 8, after surgery, or for treatment of reflex sympathetic dystrophy under part 5221.6305.
- (3) It is also inappropriate for two health care providers to use the same treatment modality concurrently.
- C. Employee refusal. An employee's refusal to provide authorization for release of medical records does not justify repeat treatment or diagnostic testing. An insurer is not liable for repeat diagnostic testing or other duplicative treatment prohibited by this subpart.
- Subp. 7. Determinations of excessive treatment; notice of denial to health care providers and employee; expedited processing of medical requests.
- A. In addition to services deemed excessive under part 5221.0500 and Minnesota Statutes, section 176.136, subdivision 2, treatment is excessive if:
- (1) the treatment is inconsistent with an applicable parameter or other rule in parts 5221.6050 to 5221.6600; or
- (2) the treatment is consistent with the parameters in parts 5221.6050 to 5221.6600, but is not medically necessary treatment.
- B. If the insurer denies payment for treatment that departs from a parameter under parts 5221.6050 to 5221.6600, the insurer must provide the employee and health care provider with written notice of the reason for the denial and that the treatment rules permit departure from the parameters in specified circumstances. If the insurer denies authorization for proposed treatment after prior notification has been given under subpart 9, the insurer must provide the employee and health care provider in writing with notice of the reason why the information given by the health care provider does not support the proposed treatment and notice of the right to review of the denial under subpart 9, item C. The insurer may not deny payment for a program of chronic management that the insurer has previously authorized for an employee, either in writing or by routine payment for services, without providing the employee and the employee's health care provider with at least 30 days' notice of intent to apply any of the chronic management parameters in part 5221.6600 to future treatment. The notice must include the specific parameters that will be applied in future determinations of compensability by the insurer.
- C. If the insurer denies authorization or payment for treatment governed by parts 5221.6050 to 5221.6600, the health care provider or the employee may request a determination from the commissioner or compensation judge by filing a medical request or petition under chapter 5220 and Minnesota Statutes, sections 176.106, 176.2615, and 176.305. The medical request may not be filed before completion of the managed care plan's dispute resolution process, if applicable. If the health care provider has notified the insurer of proposed treatment requiring prior notification under subpart 9, the health care provider or employee must describe or attach a copy of the notification, and any response from the insurer, to the medical request filed with the department. The insurer may, but is not required to, file a medical response where the insurer's response to prior notification under subpart 9 has been attached to the medical request. If the insurer elects to file a medical response in such cases, it must be received within ten working days of the date the medical request was filed with the department. The commissioner or compensation judge may issue a decision based on written submissions no earlier than ten working days after receipt of the medical request, unless a medical response has been filed sooner.

## 5221.6050 FEES FOR MEDICAL SERVICES

- D. A determination of the compensability of medical treatment under Minnesota Statutes, chapter 176, must include consideration of the following factors:
- (1) whether a treatment parameter or other rule in parts 5221.6050 to 5221.6600 applies to the etiology or diagnosis for the condition;
- (2) if a specific or general parameter applies, whether the treatment is consistent with the treatment parameter and whether the treatment was medically necessary as defined in part 5221.6040, subpart 10; and
- (3) whether a departure from the applicable parameter is or was necessary because of any of the factors in subpart 8.
- Subp. 8. **Departures from parameters.** A departure from a parameter that limits the duration or type of treatment in parts 5221.6050 to 5221.6600 may be appropriate in any one of the circumstances specified in items A to E. The health care provider must provide prior notification of the departure as required by subpart 9.
  - A. Where there is a documented medical complication.
- B. Where previous treatment did not meet the accepted standard of practice and the requirements of parts 5221.6050 to 5221.6600 for the health care provider who ordered the treatment.
- C. Where the treatment is necessary to assist the employee in the initial return to work where the employee's work activities place stress on the part of the body affected by the work injury. The health care provider must document in the medical record the specific work activities that place stress on the affected body part, the details of the treatment plan and treatment delivered on each visit, the employee's response to the treatment, and efforts to promote employee independence in the employee's own care to the extent possible so that prolonged or repeated use of health care providers and medical facilities is minimized.
- D. Where the treatment continues to meet two of the following three criteria, as documented in the medical record:
- (1) the employee's subjective complaints of pain are progressively improving as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- (2) the employee's objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- (3) the employee's functional status, especially vocational activity, is objectively improving as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.
- E. Where there is an incapacitating exacerbation of the employee's condition. However, additional treatment for the incapacitating exacerbation may not exceed, and must comply with, the parameters in parts 5221.6050 to 5221.6600.
- Subp. 9. Prior notification; health care provider and insurer responsibilities. Prior notification is the responsibility of the health care provider who wants to provide the treatment in item A. Prior notification need not be given in any case where emergency treatment is required.
- A. The health care provider must notify the insurer of proposed treatment in subitems (1) to (4) at least seven working days before the treatment is initiated, except as otherwise provided in subitem (4):
- (1) for chronic management modalities where prior notification is required under part 5221.6600;
- (2) for durable medical equipment requiring prior notification in parts 5221.6200, subpart 8; 5221.6205, subpart 8; 5221.6210, subpart 8; and 5221.6300, subpart 8;
- (3) for any nonemergency inpatient hospitalization or nonemergency inpatient surgery. A surgery or hospitalization is considered inpatient if the patient spends at least one night in the facility; and

- (4) for treatment that departs from a parameter limiting the duration or type of treatment in parts 5221.6050 to 5221.6600. The health care provider must notify the insurer within two business days after initiation of treatment if the departure from a parameter is for an incapacitating exacerbation or an emergency.
- B. The health care provider's prior notification required by item A may be made orally, or in writing, and shall provide the following information, when relevant:
  - (1) the diagnosis;
- (2) when giving prior notification for chronic management modalities, durable medical equipment, or inpatient hospitalization or surgery required by item A, subitems (1) to (3), whether the proposed treatment is consistent with the applicable treatment parameter; and
- (3) when giving prior notification for treatment that departs from a treatment parameter, or notification of treatment for an incapacitating exacerbation or emergency, the basis for departure from any applicable treatment parameter specified in subpart 8; the treatment plan, including the nature and anticipated length of the proposed treatment; and the anticipated effect of treatment on the employee's condition.
- C. The insurer must provide a toll-free facsimile and telephone number for health care providers to provide prior notification. The insurer must respond orally or in writing to the requesting health care provider's prior notification of proposed treatment in item A within seven working days of receipt of the request. Within the seven days, the insurer must either approve the request, deny authorization, request additional information, request that the employee obtain a second opinion, or request an examination by the employer's physician. A denial must include notice to the employee and health care provider of the reason why the information given by the health care provider in item B does not support the treatment proposed, along with notice of the right to review of the denial under subitem (3).
- (1) If the health care provider does not receive a response from the insurer within the seven working days, authorization is deemed to have been given.
- (2) If the insurer authorizes the treatment, the insurer may not later deny payment for the treatment authorized.
- (3) If the insurer denies authorization, the health care provider or employee may orally or in writing request that the insurer review its denial of authorization.

The insurer's review of its denial must be made by a currently licensed registered nurse, medical doctor, doctor of osteopathy, doctor of chiropractic, or a person credentialed by a program approved by the commissioner of Labor and Industry. The insurer may also delegate the review to a certified managed care plan under subpart 10. In lieu of or in addition to the insurer's review under this subitem, the insurer may request an examination of the employee under subitem (4), (5), or (6) and the requirements of those subitems apply to the proposed treatment. Unless an examination of the employee is requested under subitem (4), (5), or (6), the insurer's determination following review must be communicated orally or in writing to the requester within seven working days of receipt of the request for review.

Instead of requesting a review, or if the insurer maintains its denial after the review, the health care provider or the employee may file with the commissioner a medical request or a petition for authorization of the treatment under subpart 7, item C, or except as specified in subitem (4), (5), or (6), may proceed with the proposed treatment subject to a later determination of compensability by the commissioner or compensation judge.

(4) If the insurer requests an examination of the employee by the employer's physician, the health care provider may elect to provide the treatment subject to a determination of compensability by the commissioner or compensation judge under subpart 7, item B. However, the health care provider may not provide nonemergency surgery where the insurer has requested an examination for surgery

except as provided in subitems (5) and (6), and may not provide continued passive care modalities where prior approval by the insurer, commissioner, or compensation judge is required under parts 5221.6200, subpart 3, item B, subitem (2); 5221.6205, subpart 3, item B, subitem (2); 5221.6300, subpart 3, item B, subitem (2).

- (5) If prior notification of surgery is required under item A, subitem (3), the insurer may require that the employee obtain a second opinion from a physician of the employee's choice under Minnesota Statutes, section 176.135, subdivision 1a. If within seven working days of the prior notification the insurer notifies the employee and health care provider that a second opinion is required, the health care provider may not perform the nonemergency surgery until the employee provides the second opinion to the insurer. Except as otherwise provided in parts 5221.6200, subpart 6, items B and C; 5221.6205, subpart 6, items B and C; 5221.6300, subpart 6, item B; and 5221.6305, subpart 3, item B, if the insurer denies authorization within seven working days of receiving the second opinion, the health care provider may elect to perform the surgery, subject to a determination of compensability by the commissioner or compensation judge under subpart 7.
- (6) In any case where prior notification of proposed surgery is required, the insurer may elect to obtain an examination of the employee by the employer's physician under Minnesota Statutes, section 176.155, sometimes referred to as an "independent medical examination." If the insurer notifies the employee and health care provider of the examination within seven working days of the provider's notification, the proposed nonemergency surgery may not be provided pending the examination. However, after 45 days following the insurer's request for an examination, the health care provider may elect to proceed with the surgery, subject to a determination of compensability by the commissioner or compensation judge under subpart 7.
- (7) The insurer's request for additional information must be directed to the requesting health care provider and must specify the additional information required that is necessary to respond to the health care provider's notification of proposed treatment. The proposed treatment may not be given until the provider provides reasonable additional information. Once the additional information has been received, the insurer must respond within seven working days according to subitems (1) to (6).
- Subp. 10. Certified managed care plans. The insurer may delegate responsibility for the notices required in subpart 7, item B, and the response to prior notification under subpart 9, to the certified managed care plan with which the insurer has contracted to manage the employee's medical treatment under Minnesota Statutes, section 176.135, subdivision 1f. Alternatively, the managed care plan may act as an intermediary between the treating health care provider and the insurer. In either case, the notices and time periods in subparts 7, 8, and 9 also apply to the managed care plan. Where the insurer has delegated responsibility to the managed care plan, the insurer may not later deny treatment authorized by the plan.
- Subp. 11. Outcome studies. The commissioner shall perform outcome studies on the treatment modalities in parts 5221.6200 to 5221.6600. The modalities to be studied shall be selected in consultation with the Workers' Compensation Medical Services Review Board. The commissioner may require health care providers who use these modalities to prospectively gather and report outcome information on patients treated, with necessary consent of the employee. The health care providers shall report the outcome information on the modalities in parts 5221.6200 to 5221.6600 on a form prescribed by the commissioner, which may include:
  - A. the name of the health care provider;
- B. the name of the patient, date of injury, date of birth, gender, and, with patient permission, level of education and social security number;
- C. the name of the workers' compensation insurer and managed care plan, if any;
  - D. the pretreatment and posttreatment employment status;

- E. the nature of treatment given before and after the treatment being studied for the same condition;
- F. the diagnosis, symptoms, physical findings, and functional status before and after the treatment being studied for the same condition; and
  - G. the presence or absence of preexisting or concurrent conditions.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

## 5221.6100 PARAMETERS FOR MEDICAL IMAGING.

- Subpart 1. General principles. All medical imaging must comply with items A to E. Except for emergency evaluation of significant trauma, a health care provider must document in the medical record an appropriate history and physical examination, along with a review of any existing medical records and laboratory or imaging studies regarding the patient's condition, before ordering any imaging study.
- A. Effective imaging. A health care provider should initially order the single most effective imaging study for diagnosing the suspected etiology of a patient's condition. No concurrent or additional imaging studies should be ordered until the results of the first study are known and reviewed by the treating health care provider. If the first imaging study is negative, no additional imaging is indicated except for repeat and alternative imaging allowed under items D and E.
- B. Appropriate imaging. Imaging solely to rule out a diagnosis not seriously being considered as the etiology of the patient's condition is not indicated.
- C. Routine imaging. Imaging on a routine basis is not indicated unless the information from the study is necessary to develop a treatment plan.
- D. Repeat imaging. Repeat imaging, of the same views of the same body part with the same imaging modality is not indicated except as follows:
  - (1) to diagnose a suspected fracture or suspected dislocation;
- (2) to monitor a therapy or treatment which is known to result in a change in imaging findings and imaging of these changes are necessary to determine the efficacy of the therapy or treatment; repeat imaging is not appropriate solely to determine the efficacy of physical therapy or chiropractic treatment;
  - (3) to follow up a surgical procedure;
- (4) to diagnose a change in the patient's condition marked by new or altered physical findings;
- (5) to evaluate a new episode of injury or exacerbation which in itself would warrant an imaging study; or
- (6) when the treating health care provider and a radiologist from a different practice have reviewed a previous imaging study and agree that it is a technically inadequate study.
  - E. Alternative imaging.
- (1) Persistence of a patient's subjective complaint or failure of the condition to respond to treatment are not legitimate indications for repeat imaging. In this instance an alternative imaging study may be indicated if another etiology of the patient's condition is suspected because of the failure of the condition to improve.
- (2) Alternative imaging is not allowed to follow up negative findings unless there has been a change in the suspected etiology and the first imaging study is not an appropriate evaluation for the suspected etiology.
- (3) Alternative imaging is allowed to follow up abnormal but inconclusive findings in another imaging study. An inconclusive finding is one that does not provide an adequate basis for accurate diagnosis.
- Subp. 2. Specific imaging procedures for low back pain. Except for the emergency evaluation of significant trauma, a health care provider must document in the medical record an appropriate history and physical examination, along with a review of any

# 5221.6100 FEES FOR MEDICAL SERVICES

existing medical records and laboratory or imaging studies regarding the patient's condition, before ordering any imaging study of the low back.

- A. Computed tomography (CT) scanning is indicated any time that one of the following conditions is met:
  - (1) when cauda equina syndrome is suspected;
  - (2) for evaluation of progressive neurologic deficit; or
- (3) when bony lesion is suspected on the basis of other tests or imaging procedures.

Except as specified in subitems (1) to (3), CT scanning is not indicated in the first eight weeks after an injury.

Computed tomography scanning is indicated after eight weeks if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.

- B. Magnetic resonance imaging (MRI) scanning is indicated any time that one of the following conditions is met:
  - (1) when cauda equina syndrome is suspected;
  - (2) for evaluation of progressive neurologic deficit;
- (3) when previous spinal surgery has been performed and there is a need to differentiate scar due to previous surgery from disc herniation, tumor, or hemorrhage; or
  - (4) suspected discitis.

Except as specified in subitems (1) to (4), MRI scanning is not indicated in the first eight weeks after an injury.

Magnetic resonance imaging scanning is indicated after eight weeks if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.

- C. Myelography is indicated in the following circumstances:
- (1) may be substituted for otherwise indicated CT scanning or MRI scanning in accordance with items A and B, if those imaging modalities are not locally available;
- (2) in addition to CT scanning or MRI scanning, if there are progressive neurologic deficits or changes and CT scanning or MRI scanning has been negative; or
- (3) for preoperative evaluation in cases of surgical intervention, but only if CT scanning or MRI scanning have failed to provide a definite preoperative diagnosis.
- D. Computed tomography myelography is indicated in the following circumstances:
- (1) the patient's condition is predominantly sciatica, and there has been previous spinal surgery, and tumor is suspected;
- (2) the patient's condition is predominantly sciatica and there has been previous spinal surgery and MRI scanning is equivocal;
- (3) when spinal stenosis is suspected and the CT or MRI scanning is equivocal;
- (4) in addition to CT scanning or MRI scanning, if there are progressive neurologic symptoms or changes and CT scanning or MRI scanning has been negative; or
- (5) for preoperative evaluation in cases of surgical intervention, but only if CT scanning or MRI scanning have failed to provide a definite preoperative diagnosis.

- E. Intravenous enhanced CT scanning is indicated only if there has been previous spinal surgery, and the imaging study is being used to differentiate scar due to previous surgery from disc herniation or tumor, but only if intrathecal contrast for CT-myelography is contraindicated and MRI scanning is not available or is also contraindicated.
  - F. Gadolinium enhanced MRI scanning is indicated when:
- (1) there has been previous spinal surgery, and the imaging study is being used to differentiate scar due to previous surgery from disc herniation or tumor;
  - (2) hemorrhage is suspected;
  - (3) tumor or vascular malformation is suspected;
  - (4) infection or inflammatory disease is suspected; or
  - (5) unenhanced MRI scanning was equivocal.
  - G. Discography is indicated when:
    - (1) all of the following are present:
      - (a) back pain is the predominant complaint;
      - (b) the patient has failed to improve with initial nonsurgical manage-

ment;

- (c) other imaging has not established a diagnosis; and
- (d) lumbar fusion surgery is being considered as a therapy; or
- (2) there has been previous spinal surgery, and pseudoarthrosis, recurrent disc herniation, annular tear, or internal disc disruption is suspected.
  - H. Computed tomography discography is indicated when:
- (1) sciatica is the predominant complaint and lateral disc herniation is suspected; or
- (2) if appropriately performed discography is equivocal or paradoxical, with a normal X-ray pattern but a positive pain response, and an annular tear or intraannular injection is suspected.
- I. Nuclear isotope imaging (including technicium, indium, and gallium scans) are not indicated unless tumor, stress fracture, infection, avascular necrosis, or inflammatory lesion is suspected on the basis of history, physical examination findings, laboratory studies, or the results of other imaging studies.
- J. Thermography is not indicated for the diagnosis of any of the clinical categories of low back conditions in part 5221.6200, subpart 1, item A.
- K. Anterior-posterior (AP) and lateral X-rays of the lumbosacral spine are limited by subitems (1) and (2).
  - (1) They are indicated in the following circumstances:
- (a) when there is a history of significant acute trauma as the precipitating event of the patient's condition, and fracture, dislocation, or fracture dislocation is suspected;
- (b) when the history, signs, symptoms, or laboratory studies indicate possible tumor, infection, or inflammatory lesion;
  - (c) for postoperative follow-up of lumbar fusion surgery;
  - (d) when the patient is more than 50 years of age;
- (e) before beginning a course of treatment with spinal adjustment or manipulation; or
- (f) eight weeks after an injury if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.
  - (2) They are not indicated in the following circumstances:
    - (a) to verify progress during initial nonsurgical treatment; or
    - (b) to evaluate a successful initial nonsurgical treatment program.

# 5221.6100 FEES FOR MEDICAL SERVICES

- L. Oblique X-rays of the lumbosacral spine are limited by subitems (1) and (2).
  - (1) They are indicated in the following circumstances:
- (a) to follow up abnormalities detected on anterior-posterior or lateral X-ray;
  - (b) for postoperative follow-up of lumbar fusion surgery; or
- (c) to follow up spondylolysis or spondylolisthesis not adequately diagnosed by other indicated imaging procedures.
- (2) They are not indicated as part of a package of X-rays including anterior-posterior and lateral X-rays of the lumbosacral spine.
- M. Electronic X-ray analysis of plain radiographs and diagnostic ultrasound of the lumbar spine are not indicated for diagnosis of any of the low back conditions in part 5221.6200, subpart 1, item A.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

#### 5221.6200 LOW BACK PAIN.

Subpart 1. Diagnostic procedures for treatment of low back injury. A health care provider shall determine the nature of the condition before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating distal to the knee, or pain conforming to a dermatomal distribution and accompanied by anatomically congruent motor weakness or reflex changes. This part does not apply to fractures of the lumbar spine, or back pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional low back pain, includes referred pain to the leg above the knee unless it conforms to an L2, L3, or L4 dermatomal distribution and is accompanied by anatomically congruent motor weakness or reflex changes. Regional low back pain includes the diagnoses of lumbar, lumbosacral, or sacroiliac: strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, spondylosis, and other diagnoses for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the lumbar spine or sacroiliac joints and which effects the lumbosacral region, with or without referral to the buttocks and/or leg above the knee, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721, 721.3, 721.5 to 721.90, 722, 722.3, 722.32, 722.5, 722.51, 722.52, 722.6, 722.9, 722.90, 722.93, 724.2, 724.5, 724.6, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.2 to 739.4, 756.1 to 756.19, 847.2 to 847.9, 922.3, 926.1, 926.11, and 926.12.
- (2) Radicular pain, with or without regional low back pain, with static or no neurologic deficit. This includes the diagnoses of sciatica; lumbar or lumbosacral radiculopathy, radiculitis or neuritis; displacement or herniation of intervertebral disc with myelopathy, radiculopathy, radiculitis or neuritis; spinal stenosis with myelopathy, radiculopathy, radiculitis or neuritis; and any other diagnoses for pain in the leg below the knee believed to originate with irritation of a nerve root in the lumbar spine, including, but not limited to, the ICD-9-CM codes 721.4, 721.42, 721.91, 722.1, 722.10, 722.2, 722.7, 722.73, 724.0, 724.00, 724.02, 724.09, 724.3, 724.4, and 724.9. In these cases, neurologic findings on history and physical examination are either absent or do not show progressive deterioration.
- (3) Radicular pain, with or without regional low back pain, with progressive neurologic deficit. This includes the same diagnoses as subitem (2), however, this category applies when there is a history of progressive deterioration in the neurologic symptoms and physical findings which include worsening sensory loss, increasing muscle weakness, or progressive reflex changes.

- (4) Cauda equina syndrome, which is a syndrome characterized by anesthesia in the buttocks, genitalia, or thigh and accompanied by disturbed bowel and bladder function, ICD-9-CM codes 344.6, 344.60, and 344.61.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional low back pain, radicular pain, or cauda equina syndrome, except in any of the following circumstances:
- (1) when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis;
  - (2) to evaluate potential adverse side effects of medications; or
  - (3) as part of a preoperative evaluation.

Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

- C. Medical imaging evaluation of the lumbosacral spine must be based on the findings of the history and physical examination and cannot be ordered before the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with all of the standards in part 5221.6100, subparts 1 and 2. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are always inappropriate for regional low back pain as defined in item A, subitem (1). EMG and nerve conduction studies may be an appropriate diagnostic tool for radicular pain and cauda equina syndrome as defined in item A, subitems (2) to (4), after the first three weeks of radicular symptoms. Repeat EMG and nerve conduction studies for radicular pain and cauda equina syndrome are not indicated unless a new neurologic symptom or finding has developed which in itself would warrant electrodiagnostic testing. Failure to improve with treatment is not an indication for repeat testing.
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
  - (1) surface electromyography or surface paraspinal electromyography;
  - (2) thermography;
  - (3) plethysmography;
  - (4) electronic X-ray analysis of plain radiographs;
  - (5) diagnostic ultrasound of the lumbar spine; or
  - (6) somatosensory evoked potentials (SSEP) and motor evoked potentials

(MEP).

- F. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing may be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit with a physician, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychosocial evaluations may be indicated for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?

# 5221.6200 FEES FOR MEDICAL SERVICES

- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve injection, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain before surgery and to diagnose conditions which fail to respond to initial nonsurgical management.
- (2) These injections are invasive and when done as diagnostic procedures only, are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not indicated during the period of initial nonsurgical management.
- (2) After the period of initial nonsurgical management functional capacity assessment or evaluation is indicated in either of the following circumstances:
  - (a) activity restrictions and capabilities must be identified; or
  - (b) there is a question about the patient's ability to do a specific job.
- (3) A functional capacity evaluation is not appropriate to establish baseline performance before treatment, or for subsequent assessments, to evaluate change during or after treatment.
- (4) Only one completed functional capacity evaluation is indicated per injury.
- J. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with accepted medical practice.

# Subp. 2. General treatment parameters for low back pain.

- A. All medical care for low back pain, appropriately assigned to a clinical category in subpart 1, item A, is determined by the clinical category to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 13, as follows:
  - (1) subpart 11 governs regional low back pain;

- (2) subpart 12 governs radicular pain with no or static neurologic deficits; and
- (3) subpart 13 governs cauda equina syndrome and radicular pain with progressive neurologic deficits.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed, the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with low back problems, except patients with progressive neurologic deficit or cauda equina syndrome under subpart 1, item A, subitems (3) and (4), must be given initial nonsurgical management which may include active treatment modalities, passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical treatment begins with the first active, passive, medication, durable medical equipment, or injection modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 13, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with radicular pain with progressive neurological deficit, or cauda equina syndrome may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy in a clinical setting with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical care.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 13, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date.
- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

## Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:

#### 5221,6200 FEES FOR MEDICAL SERVICES

- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care:
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.

- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
- (a) time for patient education and training, one to three sessions; and
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

#### F. Mechanical traction:

- (1) Treatment given in a clinical setting:
  - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
  - (a) time for patient education and training, one session; and
- (b) patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
  - I. Phoresis includes iontophoresis and phonophoresis:
    - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (3) maximum treatment is nine sessions of either iontophoresis or phonophoresis, or combination, to any one site, with a maximum duration of 12 weeks for all treatment.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Spinal braces and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
  - (1) time for treatment response, three days;
- (2) treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and

#### 5221.6200 FEES FOR MEDICAL SERVICES

- (3) maximum continuous duration, three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities can extend past the 12-week limitation on passive treatment modalities so long as the maximum duration for the active modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the lumbosacral spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment, this shall not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter.

- Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.
- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks, and should decrease in frequency thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program, and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, up to three visits for instruction and monitoring; and
- (b) there is no limit on the duration or frequency of exercise at home.
- Subp. 5. Therapeutic injections. Injection modalities are indicated as set forth in items A to C. Use of injections can extend past the 12-week limit on passive treatment modalities so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections, including injections of trigger points, facet joints, facet nerves, sacroiliac joints, sympathetic nerves, epidurals, nerve roots, and peripheral

nerves. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.

- (1) Trigger point injections:
  - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week to any one site if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections to different sites are reimbursable per patient visit; and
  - (c) maximum treatment, four injections to any one site.
  - (2) Sacroiliac joint injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first injection. Only two injections are reimbursable per patient visit; and
  - (c) maximum treatment, two injections to any one site.
  - (3) Facet joint or nerve injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks to any one site if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. No more than three injections to different sites are reimbursable per patient visit; and
  - (c) maximum treatment, three injections to any one site.
  - (4) Nerve root blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first injection. Only three injections to different sites are reimbursable per patient visit; and
  - (c) maximum treatment, two injections to any one site.
  - (5) Epidural injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
  - (c) maximum treatment, three injections.
- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
  - (1) time for treatment response, within one week;
  - (2) maximum treatment frequency, may repeat once for any site; and
  - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of low back problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures and arthrodesis. Surgery may only be performed if it also meets the specific parameters specified in subparts 11 to 13 and part 5221.6500. The health care provider must provide prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative

# 5221.6200 FEES FOR MEDICAL SERVICES

period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:

- (1) eight weeks following lumbar decompression or implantation of a dorsal column stimulator or morphine pump; or
  - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 13 and part 5221.6500, and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if a second opinion is requested by the insurer.
- C. The following surgical therapies have very limited application and require a second opinion that confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation that indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, and is not a candidate for any other surgical therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, and is not a candidate for any other surgical therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of low back pain must be provided according to the parameters of part 5221.6600.
- Subp. 8. Durable medical equipment. Durable medical equipment is indicated only in the situations specified in items A to D. The health care provider must provide prior notification as required in items B and C according to part 5221.6050, subpart 9.
- A. Lumbar braces, corsets, or supports are indicated as specified in subpart 3, item K.
- B. For patients using electrical stimulation or mechanical traction devices at home, the device and any required supplies are indicated within the parameters of subpart 3, items E and F. Prior notification must be provided to the insurer for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonsurgical care or during reevaluation and surgical therapy. Prior notification must be provided to the insurer for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate use of that facility instead of authorizing purchase of the equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for low back conditions:
  - (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments;
  - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.

or

- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and must evaluate whether initial nonsurgical treatment is effective according to items A to C. No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:
- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of the injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive imitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified, or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional low back pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonscheduled medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and that the most cost-effective regimen is used.

# Subp. 11. Specific treatment parameters for regional low back pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional low back pain under subpart 1, item A, subitem (1).
- (1) The passive, active, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management, depending on the severity of the condition.
- (2) The only therapeutic injections indicated for patients with regional back pain are trigger point injections, facet joint injections, facet nerve injections, sacroiliac joint injections, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical treatment must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as otherwise specified in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical

care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.

- (1) Surgical evaluation, if indicated, may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100. Medical imaging studies which do not meet these parameters are not indicated.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and physical findings.
- (6) The only surgical procedures indicated for patients with regional low back pain only are decompression of a lumbar nerve root or lumbar arthrodesis, with or without instrumentation, which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, items A and C. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated; their use must meet the parameters of subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery, it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of part 5221.6050, subpart 9, for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated, or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management according to the parameters of part 5221.6600.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management which must be provided according to the parameters of part 5221.6600.
- Subp. 12. Specific treatment parameters for radicular pain, with or without regional low back pain, with no or static neurologic deficits.

A. Initial nonsurgical treatment is appropriate for all patients with radicular pain, with or without regional low back pain, with no or static neurologic deficits under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks, and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional low back pain, therapeutic facet joint injections, facet nerve injections, trigger point injections, and sacroiliac injections may also be indicated.

- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It must be provided within the parameters of subpart 11, item B.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered, the patient refused surgical therapy, or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional back pain, with static neurologic deficits must meet all of the parameters of part 5221.6600.
- Subp. 13. Specific treatment parameters for cauda equina syndrome and for radicular pain, with or without regional low back pain, with progressive neurologic deficits.
- A. Patients with cauda equina syndrome or with radicular pain, with or without regional low back pain, with progressive neurologic deficits may require immediate or emergency surgical evaluation at any time during the course of the overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any initial nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, except that surgical evaluation and surgical therapy may begin at any time.
- B. If the health care provider decides to proceed with a course of initial nonsurgical care for a patient with radicular pain with progressive neurologic changes, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional back pain, with foot drop or progressive neurologic changes at first presentation must meet the parameters of part 5221.6600.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

#### 5221.6205 NECK PAIN.

Subpart 1. Diagnostic procedures for treatment of neck injury. A health care provider shall determine the nature of the condition before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating distal to the shoulder. This part does not apply to fractures of the cervical spine or cervical pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional neck pain includes referred pain to the shoulder and upper back. Regional neck pain includes the diagnoses of cervical strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, and other diagnoses for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the cervical spine and which affects the cervical region, with or without referral to the upper back

or shoulder, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721 to 721.0, 721.5 to 721.90, 722.3 to 722.30, 722.4, 722.6, 722.9 to 722.91, 723 to 723.3, 723.5 to 723.9, 724.5, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.1, 756.1 to 756.19, 847 to 847.0, 920, 922.3, 925, and 926.1 to 926.12.

- (2) Radicular pain, with or without regional neck pain, with no or static neurologic deficit. This includes the diagnoses of brachialgia; cervical radiculopathy, radiculitis, or neuritis; displacement or herniation of intervertebral disc with radiculopathy, radiculitis, or neuritis; spinal stenosis with radiculopathy, radiculitis, or neuritis; and other diagnoses for pain in the arm distal to the shoulder believed to originate with irritation of a nerve root in the cervical spine, including, but not limited to, the ICD-9-CM codes 721.1, 721.91, 722 to 722.0, 722.2, 722.7 to 722.71, 723.4, and 724 to 724.00. In these cases neurologic findings on history and examination are either absent or do not show progressive deterioration.
- (3) Radicular pain, with or without regional neck pain, with progressive neurologic deficit, which includes the same diagnoses as subitem (2); however, in these cases there is a history of progressive deterioration in the neurologic symptoms and physical findings, including worsening sensory loss, increasing muscle weakness, and progressive reflex changes.
- (4) Cervical compressive myelopathy, with or without radicular pain, is a condition characterized by weakness and spasticity in one or both legs and associated with any of the following: exaggerated reflexes, an extensor plantar response, bowel or bladder dysfunction, sensory ataxia, or bilateral sensory changes.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional neck pain, or radicular pain, except:
- (1) when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis;
  - (2) to evaluate potential adverse side effects of medications; or
  - (3) as part of a preoperative evaluation.

Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

- C. Medical imaging evaluation of the cervical spine must be based on the findings of the history and physical examination and cannot be ordered prior to the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are always inappropriate for the regional neck pain diagnoses in item A, subitem (1). EMG and nerve conduction studies may be an appropriate diagnostic tool for radicular pain and myelopathy diagnoses in item A, subitems (2) to (4), after the first three weeks of radicular or myelopathy symptoms. Repeat EMG and nerve conduction studies for radicular pain and myelopathy are not indicated unless a new neurologic symptom or finding has developed which in itself would warrant electrodiagnostic testing. Failure to improve with treatment is not an indication for repeat testing.
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
  - (1) surface electromyography or surface paraspinal electromyography;
  - (2) thermography;
  - (3) plethysmography;
  - (4) electronic X-ray analysis of plain radiographs;
  - (5) diagnostic ultrasound of the spine; or

- (6) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).
- F. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing can be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychological evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors, such as those in subitems (1) to (6), likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve block, epidural differential spinal block, nerve block, and nerve root block
- (1) These procedures are used to localize the source of pain prior to surgery and to diagnose conditions which fail to respond to initial nonsurgical management
- (2) These blocks and injections are invasive and when done as diagnostic procedures only, are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not necessarily limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine a patient's physical capacities in general or to determine and report work tolerance for a specific job, task, or work activity.

## 5221.6205 FEES FOR MEDICAL SERVICES

- (1) Functional capacity assessment or evaluation is not reimbursable during the period of initial nonoperative care.
- (2) Functional capacity assessment or evaluation is reimbursable in either of the following circumstances:
- (a) permanent activity restrictions and capabilities must be identified; or
  - (b) there is a question about the patient's ability to do a specific job.
- J. Consultations with other health care providers may be initiated at any time by the treating health care provider, consistent with accepted medical practice.

## Subp. 2. General treatment parameters for neck pain.

- A. All medical care for neck pain appropriately assigned to a clinical category in subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 14, as follows:
  - (1) subpart 11 governs regional neck pain;
  - (2) subpart 12 governs radicular pain with static neurologic deficits;
  - (3) subpart 13 governs radicular pain with progressive neurologic deficits;

and

(4) subpart 14 governs myelopathy.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with neck problems, except patients with radicular pain with progressive neurological deficit, or myelopathy under subpart 1, item A, subitems (3) and (4), must be given initial nonsurgical care which may include both active and passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical management begins with the first passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonoperative care is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice, and subparts 6 and 11 to 14, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with radicular pain with progressive neurological deficit, or myelopathy may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical management.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 14, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date.

- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

## Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care:
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating modalities and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and

## 5221.6205 FEES FOR MEDICAL SERVICES

- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

#### F. Mechanical traction:

and

- (1) Treatment given in a clinical setting:
  - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting, but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
  - (a) time for patient education and training, one session; and
- (b) a patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and

- (3) maximum treatment duration, 12 weeks.
- I. Phoresis includes iontophoresis and phonophoresis:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Cervical collars, spinal braces, and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
  - (1) time for treatment response, three days;
- (2) treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, up to three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limitation on passive treatment modalities, so long as the maximum duration for the active modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the cervical spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment, it must not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter. Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks, decreasing in frequency thereafter; and
  - (b) maximum duration, 12 weeks.

## 5221.6205 FEES FOR MEDICAL SERVICES

- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program, and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, up to three visits for instruction and monitoring; and
- (b) there is no limit on the duration or frequency of exercise at home.
- Subp. 5. Therapeutic injections. Injection modalities are indicated as set forth in items A to C. Use of injections may extend past the 12-week limit on passive treatment modalities, so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections include trigger points injections, facet joint injections, facet nerve blocks, sympathetic nerve blocks, epidurals, nerve root blocks, and peripheral nerve blocks. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
  - (1) Trigger point injections:
    - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. Only three injections are reimbursable per patient visit; and
  - (c) maximum treatment, four injections to any one site.
  - (2) Facet joint injections or facet nerve blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection or block. If subsequent injections or blocks demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections or blocks should be discontinued. Only three injections or blocks are reimbursable per patient visit; and
  - (c) maximum treatment, three injections or blocks to any one site.
  - (3) Nerve root blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection no sooner than two weeks after the previous injection if a positive response to the first injection. No more than three blocks are reimbursable per patient visit; and
  - (c) maximum treatment, two blocks to any one site.
  - (4) Epidural injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
  - (c) maximum treatment, three injections.
- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
  - (1) time for treatment response, within one week;
  - (2) maximum treatment frequency, may repeat once for any site; and
  - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of neck problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures and arthrodesis. Surgery may only be performed if it meets the specific parameters of subparts 11 to 14 and part

- 5221.6500. The health care provider must provide prior notification for nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following decompression or implantation of a dorsal column stimulator or morphine pump; or
  - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 14 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if requested by the insurer.
- C. The following surgical therapies have very limited application and require a second opinion which confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of neck disorders must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only as specified in items A to D. The health care provider must provide prior notification as required in items B and C according to part 5221.6050, subpart 9.
- A. Cervical collars, braces, or supports and home cervical traction devices may be indicated within the parameters of subpart 3, items F and K.
- B. For patients using electrical stimulation at home, the device and any required supplies are indicated within the parameters of subpart 3, item E. Prior notification must be given for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonoperative care or during reevaluation and surgical therapy. Prior notification must be given to the insurer before purchase of the home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate the use of that facility instead of authorizing purchase of equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for neck pain conditions:

## 5221.6205 FEES FOR MEDICAL SERVICES

- (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments; or
  - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and shall evaluate whether initial nonsurgical management is effective according to items A to C.

No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality has resulted in progressive improvement as specified in items A to C:

- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional working under the direction of the treating health care provider but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional neck pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonnarcotic medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

## Subp. 11. Specific treatment parameters for regional neck pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional neck pain under subpart 1, item A, subitem (1).
- (1) The active, passive, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management depending on the severity of the condition.
- (2) The only therapeutic injections indicated for patients with regional neck pain are trigger point injections, facet joint injections, facet nerve blocks, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical treatment must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as otherwise provided in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not

indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.

- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation if indicated may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100, subpart 1.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and physical findings.
- (6) The only surgical procedure indicated for patients with regional neck pain only is cervical arthrodesis, with or without instrumentation, which must meet the parameters of subpart 6. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery, it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of part 5221.6050, subpart 9, for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated or if the patient does not wish to proceed with surgical therapy, then the patient is a candidate for chronic management.
- C. If the patient continues with symptoms and objective physical findings after surgery has been rendered or the patient refuses surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to part 5221.6600.
- Subp. 12. Specific treatment parameters for radicular pain, with or without regional neck pain, with no or static neurologic deficits.
- A. Initial nonsurgical treatment is appropriate for all patients with radicular pain, with or without regional neck pain, with no or static neurologic deficits under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional neck pain, therapeutic facet joint injections, facet nerve blocks, and trigger point injections may also be indicated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical

care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It must be provided within the parameters of subpart 11, item B, with the following modifications: the only surgical procedures indicated for patients with radicular pain are decompression of a cervical nerve root which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, item B, and cervical arthrodesis, with or without instrumentation. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered, the patient refused surgical therapy, or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional neck pain, with static neurologic changes must meet all of the parameters of part 5221.6600.

# Subp. 13. Specific treatment parameters for radicular pain, with or without regional neck pain, with progressive neurologic changes.

- A. Patients with radicular pain, with or without regional neck pain, with progressive neurologic deficits may require immediate or emergency evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:
  - (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with radicular pain are decompression of a cervical nerve root which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, item B, or cervical arthrodesis, with or without instrumentation. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with radicular pain with progressive neurologic changes, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional neck pain, with progressive neurologic changes at first presentation must meet all of the parameters of part 5221.6600.

## Subp. 14. Specific treatment parameters for myelopathy.

A. Patients with myelopathy may require emergency surgical evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:

- (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with myelopathy are anterior or posterior decompression of the spinal cord, or cervical arthrodesis with or without instrumentation. For patients with failed back surgery, dorsal column

stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.

B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with myelopathy, it must follow the parameters of subpart 12, item A.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with myelopathy must meet all of the parameters of part 5221.6600.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

#### 5221.6210 THORACIC BACK PAIN.

Subpart 1. Diagnostic procedures for treatment of thoracic back injury. A health care provider shall determine the nature of the condition before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the consistency appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating in a dermatomal distribution around the chest or abdomen. This part does not apply to fractures of the thoracic spine or thoracic back pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional thoracic back pain includes the diagnoses of thoracic strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, and any other diagnosis for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the thoracic spine and which effects the thoracic region, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721 to 721.0, 721.5 to 721.90, 722.3 to 722.30, 722.4, 722.6, 722.9 to 722.91, 723 to 723.3, 723.5 to 723.9, 724.5, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.1, 756.1 to 756.19, 847 to 847.0, 920, 922.3, 925, and 926.1 to 926.12.
- (2) Radicular pain, with or without regional thoracic back pain, includes the diagnoses of thoracic radiculopathy, radiculitis, or neuritis; displacement or herniation of intervertebral disc with radiculopathy, radiculitis, or neuritis; spinal stenosis with radiculopathy, radiculitis, or neuritis; and any other diagnoses for pain believed to originate with irritation of a nerve root in the thoracic spine, including, but not limited to, the ICD-9-CM codes 721.1, 721.91, 722 to 722.0, 722.2, 722.7 to 722.71, 723.4, and 724 to 724.00.
- (3) Thoracic compressive myelopathy, with or without radicular pain, is a condition characterized by weakness and spasticity in one or both legs and associated with any of the following: exaggerated reflexes, an extensor plantar response, bowel or bladder dysfunction, sensory ataxia, or bilateral sensory changes.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional thoracic back pain, or radicular pain, except when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis, or side effects of medications. Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications. Laboratory tests may also be ordered as part of a preoperative evaluation.
- C. Medical imaging evaluation of the thoracic spine must be based on the findings of the history and physical examination and cannot be ordered prior to the health care provider's clinical evaluation of the patient. Medical imaging may not be

## 5221.6210 FEES FOR MEDICAL SERVICES

performed as a routine procedure and must comply with all of the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.

- D. EMG and nerve conduction studies are always inappropriate for regional thoracic back pain and radicular pain under item A, subitems (1) to (3).
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
  - (1) surface electromyography or surface paraspinal EMG;
  - (2) thermography;

occupational therapy evaluation or treatment.

(MEP).

- (3) plethysmography;
- (4) electronic X-ray analysis of plain radiographs;
- (5) diagnostic ultrasound of the spine; or
- (6) somatosensory evoked potentials (SSEP) and motor evoked potentials
- F. Computerized range of motion or strength measuring tests are not reimbursable during the period of initial nonsurgical care, but may be reimbursable during a period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonoperative care computerized range of motion or strength testing can be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit, chiropractic evaluation or treatment, or physical or
- G. Personality or psychological evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors, such as those listed in subitems (1) to (6), likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve block, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain prior to surgery and to diagnose conditions which fail to respond to initial nonoperative care.
- (2) These blocks and injections are invasive and when done as diagnostic procedures only are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.

- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the guidelines of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not reimbursable during the period of initial nonoperative care.
- (2) Functional capacity assessment or evaluation is reimbursable in either of the following circumstances:
- (a) permanent activity restrictions and capabilities must be identified; or
  - (b) there is a question about the patient's ability to do a specific job.
- J. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with standard medical practice.

## Subp. 2. General treatment parameters for thoracic back pain.

- A. All medical care for thoracic back pain, appropriately assigned to a category of subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 13, as follows:
  - (1) subpart 11 governs regional thoracic back pain;
  - (2) subpart 12 governs radicular pain; and
  - (3) subpart 13 governs myelopathy.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in items C to F, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with thoracic back problems, except patients with myelopathy under subpart 1, item A, subitem (3), must be given initial nonoperative care which may include active and passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical treatment begins with the first clinical passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 13, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.

#### 5221.6210 FEES FOR MEDICAL SERVICES

- (a) Patients with myelopathy may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical care.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 13, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date in light of new clinical information.
- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may also include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

## Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care;
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.

- D. Thermal treatment includes all superficial and deep heating modalities and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
- (a) maximum time for patient education and training, up to three sessions; and
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

#### F. Mechanical traction:

and

- (1) Treatment given in a clinical setting:
  - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
  - (a) maximum time for patient education and training, one session;
- (b) a patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:

#### 5221.6210 FEES FOR MEDICAL SERVICES

- (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
  - I. Phoresis includes iontophoresis and phonophoresis:
    - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Spinal braces and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
  - (1) time for treatment response, three days;
- (2) maximum treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limit on passive treatment modalities, so long as the maximum durations for the active treatment modalities are not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, back, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the thoracic spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment this shall not be the primary focus of the exercise program.

Exercises shall be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance shall be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care,

after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter. Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks and should decrease with time thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, one to three visits for instruction and monitoring; and
- (b) there is no limit on the duration and frequency of exercise at home.
- Subp. 5. Therapeutic injections. Injection modalities are indicated as set forth in items A to C. Use of injections may extend past the 12-week limit on passive treatment modalities, so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections include trigger points injections, facet joint injections, facet nerve blocks, sympathetic nerve blocks, epidurals, nerve root blocks, and peripheral nerve blocks. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
  - (1) Trigger point injections:
    - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections are reimbursable per patient visit; and
  - (c) maximum treatment, four injections to any one site.
  - (2) Facet joint injections or facet nerve blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection or block. If subsequent injections or blocks demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections or blocks should be discontinued. Only three injections or blocks are reimbursable per patient visit; and
  - (c) maximum treatment, three injections or blocks to any one site.
  - (3) Nerve root blocks:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first block. Only three injections are reimbursable per patient visit; and
  - (c) maximum treatment, two blocks to any one site.
  - (4) Epidural injections:
    - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
  - (c) maximum treatment, three injections.

## 5221.6210 FEES FOR MEDICAL SERVICES

- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
  - (1) time for treatment response, within one week;
  - (2) optimum treatment frequency, may repeat once for any site; and
  - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of thoracic back problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures. Surgery may only be performed if it meets the specific parameters of subparts 11 to 13 and part 5221.6500. The health care provider must provide prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following decompression or implantation of a dorsal column stimulator or morphine pump; or
  - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 13 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if a second opinion is requested by the insurer.
- C. The surgical therapies in subitems (1) and (2) have very limited application and require a second opinion which confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation which indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, and is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, and is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of thoracic back pain must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in certain specific situations, as specified in items A to D. The health care provider must provide the insurer with prior notification as required by items B and C, according to part 5221.6050, subpart 9.
- A. Braces or supports may be indicated within the parameters of subpart 3, item K.
- B. For patients using electrical stimulation or mechanical traction devices at home, the device and any required supplies are indicated within the parameters of subpart 3, items E and F. Prior notification of the insurer is required for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonoperative care or during reevaluation and surgical therapy. Prior notification of the insurer is required for the purchase of home exercise equipment. The insurer may decide which

brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate the use of that facility instead of authorizing purchase of equipment for home use.

- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for thoracic back pain conditions:
  - (1) whirlpools, Jacuzzis, hot tubs, special bath or shower attachments; or
  - (2) beds, waterbeds, mattresses, chairs, recliners, or loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and must evaluate whether initial nonsurgical management is effective according to items A to C. No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:
- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional working under the direction of the treating health care provider but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional thoracic back pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonnarcotic medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

## Subp. 11. Specific treatment parameters for regional thoracic back pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional thoracic back pain under subpart 1, item A, subitem (1).
- (1) The active, passive, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used

#### 5221.6210 FEES FOR MEDICAL SERVICES

in sequence or simultaneously during the period of initial nonsurgical management, depending on the severity of the condition.

- (2) The only therapeutic injections indicated for patients with regional thoracic back pain are trigger point injections, facet joint injections, facet nerve blocks, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical management must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as provided in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and objective physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgical therapy does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100. Medical imaging studies which do not meet these parameters are not indicated.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and objective physical findings.
- (6) The only surgical procedure indicated for patients with regional thoracic back pain only is thoracic arthrodesis with or without instrumentation, which must meet the parameters of subpart 6, and part 5221.6500, subpart 2, item C. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of parts 5221.6010 to 5221.6500 for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management.
- C. If the patient continues with symptoms and objective physical findings after surgery has been rendered or the patient refuses surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the

regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to the parameters of part 5221.6600.

## Subp. 12. Specific treatment parameters for radicular pain.

- A. Initial nonsurgical treatment is appropriate for all patients with radicular pain under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional thoracic back pain, therapeutic facet joint injections, facet nerve blocks, and trigger point injections may also be indicated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It shall be provided within the parameters of subpart 11, item B, with the following modifications: the only surgical procedures indicated for patients with radicular pain are decompression or arthrodesis. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refused surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional thoracic back pain, must meet all of the parameters of part 5221.6600.

## Subp. 13. Specific treatment parameters for myelopathy.

- A. Patients with myelopathy may require emergency surgical evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:
  - (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with myelopathy are decompression and arthrodesis. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with myelopathy, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with myelopathy must meet all of the parameters of part 5221.6600.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

## 5221.6300 UPPER EXTREMITY DISORDERS.

Subpart 1. Diagnostic procedures for treatment of upper extremity disorders (UED). A health care provider shall determine the nature of an upper extremity disorder before initiating treatment.

#### 5221.6300 FEES FOR MEDICAL SERVICES

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must at each visit assign the patient to the appropriate clinical category according to subitems (1) to (6). The diagnosis must be documented in the medical record. Patients may have multiple disorders requiring assignment to more than one clinical category. This part does not apply to upper extremity conditions due to a visceral, vascular, infectious, immunological, metabolic, endocrine, systemic neurologic, or neoplastic disease process, fractures, lacerations, amputations, or sprains or strains with complete tissue disruption.
- (1) Epicondylitis. This clinical category includes medial epicondylitis and lateral epicondylitis, ICD-9-CM codes 726.31 and 726.32.
- (2) Tendonitis of the forearm, wrist, and hand. This clinical category encompasses any inflammation, pain, tenderness, or dysfunction or irritation of a tendon, tendon sheath, tendon insertion, or musculotendinous junction in the upper extremity at or distal to the elbow due to mechanical injury or irritation, including, but not limited to, the diagnoses of tendonitis, tenosynovitis, tendovaginitis, peritendinitis, extensor tendinitis, de Quervain's syndrome, intersection syndrome, flexor tendinitis, and trigger digit, including, but not limited to, ICD-9-CM codes 726.4, 726.5, 726.8, 726.9, 726.90, 727, 727.00, 727.00, 727.03, 727.04, 727.05, and 727.2.
- (3) Nerve entrapment syndromes. This clinical category encompasses any compression or entrapment of the radial, ulnar, or median nerves, or any of their branches, including, but not limited to, carpal tunnel syndrome, pronator syndrome, anterior interosseous syndrome, cubital tunnel syndrome, Guyon's canal syndrome, radial tunnel syndrome, posterior interosseous syndrome, and Wartenburg's syndrome, including, but not limited to, ICD-9-CM codes 354, 354.0, 354.1, 354.2, 354.3, 354.8, and 354.9.
- (4) Muscle pain syndromes. This clinical category encompasses any painful condition of any of the muscles of the upper extremity, including the muscles responsible for movement of the shoulder and scapula, characterized by pain and stiffness, including, but not limited to, the diagnoses of chronic nontraumatic muscle strain, repetitive strain injury, cervicobrachial syndrome, tension neck syndrome, overuse syndrome, myofascial pain syndrome, myofasciitis, nonspecific myalgia, fibrositis, fibromyalgia, and fibromyositis, including, but not limited to, ICD-9-CM codes 723.3, 729.0, 729.1, 729.5, 840, 840.3, 840.5, 840.6, 840.8, 840.9, 841, 841.8, 841.9, and 842.
- (5) Shoulder impingement syndromes, including tendonitis, bursitis, and related conditions. This clinical category encompasses any inflammation, pain, tenderness, dysfunction, or irritation of a tendon, tendon insertion, tendon sheath, musculotendinous junction, or bursa in the shoulder due to mechanical injury or irritation, including, but not limited to, the diagnoses of impingement syndrome, supraspinatus tendonitis, infraspinatus tendonitis, calcific tendonitis, bicipital tendonitis, subacromial bursitis, subcoracoid bursitis, subdeltoid bursitis, and rotator cuff tendinitis, including, but not limited to, ICD-9-CM codes 726.1 to 726.2, 726.9, 726.90, 727 to 727.01, 727.2, 727.3, 840, 840.4, 840.6, 840.8, and 840.9.
- (6) Traumatic sprains or strains of the upper extremity. This clinical category encompasses an instantaneous or acute injury, as a result of a single precipitating event to the ligaments or the muscles of the upper extremity including, without limitation, ICD-9-CM codes 840 to 842.19. Injuries to muscles as a result of repetitive use, or occurring gradually over time without a single precipitating trauma, are considered muscle pain syndromes under subitem (4). Injuries with complete tissue disruption are not subject to this parameter.
- B. Certain laboratory tests may be indicated in the evaluation of a patient with upper extremity disorder to rule out infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders such as rheumatoid arthritis, or side effects of medications. Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

- C. Medical imaging evaluation of upper extremity disorders must be based on the findings of the history and physical examination and cannot be ordered before the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are only appropriate for nerve entrapment disorders and recurrent nerve entrapment after surgery.
- E. The following diagnostic procedures or tests are not indicated for diagnosis of upper extremity disorders:
  - (1) surface electromyography;
  - (2) thermography; or
- (3) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).
- F. The following diagnostic procedures or tests are considered adjuncts to the physical examination and are not reimbursed separately from the office visit:
  - (1) vibrometry;
  - (2) neurometry;
  - (3) Semmes-Weinstein monofilament testing; or
  - (4) algometry.
- G. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing can be performed but must be done in conjunction with and are not reimbursed separately from an office visit with a physician, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- H. Personality or psychosocial evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate initial nonsurgical care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
  - I. Diagnostic analgesic blocks or injection studies.
- (1) These procedures are used to localize the source of pain and to diagnose conditions which fail to respond to appropriate initial nonsurgical management.
- (2) Selection of patients, choice of procedure, and localization of the site of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.

## 5221.6300 FEES FOR MEDICAL SERVICES

- (3) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- J. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the required information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not indicated during the first 12 weeks of initial nonsurgical treatment.
- (2) Functional capacity assessment or evaluation is indicated after the first 12 weeks of care in either of the following circumstances:
  - (a) activity restrictions and capabilities must be identified; or
- (b) there is a question about the patient's ability to return to do a specific job.
- (3) A functional capacity evaluation is not appropriate to establish baseline performance before treatment, or for subsequent assessments, to evaluate change during or after treatment.
- (4) Only one completed functional capacity evaluation is indicated per injury.
- K. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with accepted medical practice.

## Subp. 2. General treatment parameters for upper extremity disorders.

- A. All medical care for upper extremity disorders, appropriately assigned to a category of subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 16 as follows:
  - (1) subpart 11 governs epicondylitis;
  - (2) subpart 12 governs tendonitis of the forearm, wrist, and hand;
  - (3) subpart 13 governs upper extremity nerve entrapment syndromes;
  - (4) subpart 14 governs upper extremity muscle pain syndromes;
  - (5) subpart 15 governs shoulder impingement syndromes; and
- (6) subpart 16 governs traumatic sprains and strains of the upper extremity.

The health care provider must at each visit reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing and opinions, and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category and these changes must be recorded in the medical record. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury, unless the treatment or therapy is subsequently delivered to a different part of the body.

When treating more than one clinical category or body part for which the same treatment modality is appropriate, then the treatment modality should be applied simultaneously, if possible, to all indicated areas.

- B. In general, a course of treatment must be divided into three phases:
- (1) First, all patients with an upper extremity disorder must be given initial nonsurgical management, unless otherwise specified. Initial nonsurgical management may include any combination of the passive, active, injection, durable medical equipment, and medication treatment modalities listed in subparts 3, 4, 5, 8, and 10, appropriate to the clinical category. The period of initial nonsurgical treatment begins with the first passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 16, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy can be in addition to any received during the period of initial nonsurgical management.
- (b) Surgery must follow the parameters in subparts 6 and 11 to 16, and part 5221.6500.
- (c) A decision against surgery at this time does not preclude a decision for surgery made at a later date.
- (3) Third, for those patients who are not candidates for surgery or refuse surgery, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment is described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

## Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to H is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to H are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care;
  - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of

#### 5221.6300 FEES FOR MEDICAL SERVICES

the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.

- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (1) Treatment given in a clinical setting:
    - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (1) Treatment given in a clinical setting:

and

- (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device unsupervised for one month, at which time effectiveness of the treatment must be reevaluated by the provider before continuing home use of the device.
- F. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
  - G. Phoresis includes phonopheresis and iontophoresis:

- (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (3) maximum treatment duration is nine sessions of either iontophoresis or phonophoresis, or combination, to any one site, with a maximum duration of 12 weeks for all treatment.
- H. Manual therapy includes soft tissue and joint mobilization and therapeutic massage:
  - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
  - (3) maximum treatment duration, 12 weeks.
- I. Splints, braces, and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active motion exercises to avoid stiffness and prolonged disability:
  - (1) time for treatment response, ten days;
- (2) maximum treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, eight weeks. Prophylactic use is allowed indefinitely.
- J. Rest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Total restriction of use of an affected body part should not be prescribed for more than two weeks, unless rigid immobilization is required. In cases of rigid immobilization, active motion exercises at adjacent joints should begin no later than two weeks after application of the immobilization.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limitation on passive treatment modalities so long as the maximum treatment for the active treatment modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to upper extremity function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which include an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of a nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the upper extremity. While aerobic exercise may be performed as adjunctive treatment this must not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, or endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the testing sooner than two weeks after the initial evaluation and monthly thereafter.

#### 5221.6300 FEES FOR MEDICAL SERVICES

- Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.
- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, up to three times per week for three weeks. Should decrease with time thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting and may supplement or follow the period of supervised exercise.
- Subp. 5. Therapeutic injections. Therapeutic injections include injections of trigger points, sympathetic nerves, peripheral nerves, and soft tissues. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site. Use of injections may extend past the 12-week limitation on passive modalities, so long as the maximum treatment for injections in items A to C is not exceeded.

## A. Trigger point injections:

- (1) time for treatment response, within 30 minutes;
- (2) maximum treatment frequency, once per week to any one site if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, four injections to any one site over the course of treatment.
- B. Soft tissue injections include injections of a bursa, tendon, tendon sheath, ganglion, tendon insertion, ligament, or ligament insertion:
  - (1) time for treatment response, within one week;
- (2) maximum treatment frequency, once per month to any one site if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, three injections to any one site over the course of treatment.
  - C. Injections for median nerve entrapment at the carpal tunnel:
    - (1) time for treatment response, within one week;
- (2) maximum treatment frequency, can repeat injection in one month if a positive response to the first injection. Only three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, two injections to any one site over the course of treatment.
- Subp. 6. Surgery. Surgery may only be performed if it meets applicable parameters in subparts 11 to 16 and part 5221.6500.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from initiation of the first passive modality used, except bedrest or bracing, is as follows:

## FEES FOR MEDICAL SERVICES 5221.6300

- (1) for rotator cuff repair, acromioclavicular ligament repair, or any surgery for a clinical category in this part which requires joint reconstruction, 16 weeks; or
  - (2) for all other surgery for clinical categories in this part, eight weeks.

The health care provider must provide the insurer with prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.

- B. Repeat surgery must also meet the parameters of subparts 11 to 16 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if requested by the insurer.
- Subp. 7. Chronic management. Chronic management of upper extremity disorders must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in the situations specified in items A to D. The health care provider must provide the insurer with prior notification as required in items B and C and part 5221.6050, subpart 9.
- A. Splints, braces, straps, or supports may be indicated as specified in subpart 3, item I.
- B. For patients using an electrical stimulation device at home, the device and any required supplies are indicated within the parameters of subpart 3, item E. Prior notification of the insurer is required for purchase of the device or for use longer than one month. The insurer may provide the equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonsurgical care or during reevaluation and surgical therapy. Prior notification of the insurer is required for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment the insurer may mandate use of that facility instead of authorizing purchase of the equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for the upper extremity disorders specified in subparts 11 to 16:
- (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments; or
  - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary and whether initial nonsurgical treatment is effective according to items A to C.

No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:

A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;

#### 5221.6300 FEES FOR MEDICAL SERVICES

- B. the objective clinical findings are progressively improving as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items in items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. Therefore, these medications are not routinely indicated in the treatment of patients with upper extremity disorders. The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonscheduled medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

## Subp. 11. Specific treatment parameters for epicondylitis.

- A. Initial nonsurgical management is appropriate for all patients with epicondylitis and must be the first phase of treatment.
- (1) The passive, active, injection, durable medical equipment, and medication treatment modalities and procedures specified in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management depending on the severity of the condition. After the first week of treatment, initial nonsurgical care must at all times include active treatment modalities according to subpart 4.
- (2) Initial nonsurgical management must be provided in the least intensive setting consistent with quality health care practices.
- (3) Except as provided in subpart 3, use of passive treatment modalities in a clinic setting or requiring attendance by a health care provider for a period in excess of 12 weeks is not indicated.
- (4) Use of home-based treatment modalities with monitoring by the treating health care provider may continue for up to 12 months. At any time during this period the patient may be a candidate for chronic management if surgery is ruled out as an appropriate treatment.
- B. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. The purpose and goal of surgical evaluation is to determine whether surgery is indicated for the patient who has failed to recover with appropriate nonsurgical care or chronic management.
- (1) Surgical evaluation, if indicated, must begin no later than 12 months after beginning initial nonsurgical management.
- (2) Surgical evaluation may include the use of appropriate laboratory and electrodiagnostic testing within the parameters of subpart 1, if not already obtained during the initial evaluation. Repeat testing is not indicated unless there has been an objective change in the patient's condition which in itself would warrant further testing. Failure to improve with therapy does not, by itself, warrant further testing.

- (3) Plain films may be appropriate if there is a history of trauma, infection, or inflammatory disorder and are subject to the general parameters in part 5221.6100, subpart 1. Other medical imaging studies are not indicated.
- (4) Surgical evaluation may also include personality or psychological evaluation consistent with the parameters of subpart 1, item H.
- (5) Consultation with other health care providers is an important part of surgical evaluation of a patient who fails to recover with appropriate initial nonsurgical management. The need for consultation and the choice of consultant will be determined by the diagnostic findings and the patient's condition. Consultation is governed by part 5221.6050, subpart 6.
- (6) If surgery is indicated, it may not be performed until 12 months after initial nonsurgical management was begun except in a patient who has had resolution of symptoms with appropriate treatment followed by a recurrence with intractable pain. In this instance, a second surgical opinion must confirm the need for surgery sooner than 12 months after initial nonsurgical management was begun.
- (7) If surgery is not indicated, or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- C. If the patient continues with symptoms and objective physical findings after surgery or the patient refused surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to part 5221.6600.
- Subp. 12. Specific treatment parameters for tendonitis of forearm, wrist, and hand.
- A. Except as provided in item B, subitem (3), initial nonsurgical management is appropriate for all patients with tendonitis and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A.
- B. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).
- (1) For patients with a specific diagnosis of de Quervain's syndrome, surgical evaluation and surgical therapy, if indicated, may begin after only two months of initial nonsurgical management.
- (2) For patients with a specific diagnosis of trigger finger or trigger thumb, surgical evaluation and potential surgical therapy may begin after only one month of initial nonsurgical management.
- (3) For patients with a locked finger or thumb, surgery may be indicated immediately without any preceding nonsurgical management.
- C. If the patient continues with symptoms and objective physical findings after surgery, or the patient refused surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with tendonitis must meet all of the parameters of part 5221.6600.

#### Subp. 13. Specific treatment parameters for nerve entrapment syndromes.

A. Initial nonsurgical management is appropriate for all patients with nerve entrapment syndromes, except as specified in subitem (2), and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A, with the following modifications: nonsurgical management may be inappropriate for patients with advanced symptoms and signs of

## 5221.6300 FEES FOR MEDICAL SERVICES

nerve compression, such as abnormal two-point discrimination, motor weakness, or muscle atrophy, or for patients with symptoms of nerve entrapment due to acute trauma. In these cases, immediate surgical evaluation may be indicated.

- B. If the patient continues with symptoms and objective physical findings after 12 weeks of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).
- (1) Surgical evaluation may begin, and surgical therapy may be provided, if indicated, after 12 weeks of initial nonsurgical management, except where immediate surgical evaluation is indicated under item A.
- (2) Surgery is indicated if an EMG confirms the diagnosis, or if there has been temporary resolution of symptoms lasting at least seven days with local injection.
- (3) If there is neither a confirming EMG or appropriate response to local injection, or if surgery has been previously performed at the same site, surgery is not indicated unless a second opinion confirms the need for surgery.
- C. If the patient continues with symptoms and objective physical findings after all surgery, or the patient refused surgery therapy or the patient was not a candidate for surgery therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with nerve entrapment syndromes must meet all of the parameters of part 5221.6600.

## Subp. 14. Specific treatment parameters for muscle pain syndromes.

- A. Initial nonsurgical management is appropriate for all patients with muscle pain syndromes and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A.
  - B. Surgery is not indicated for the treatment of muscle pain syndrome.
- C. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with muscle pain syndrome must meet all of the parameters of part 5221.6600.

## Subp. 15. Specific treatment parameters for shoulder impingement syndromes.

- A. Initial nonsurgical management is appropriate for all patients with shoulder impingement syndromes without clinical evidence of rotator cuff tear and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A, except as follows:
- (1) continued nonsurgical management may be inappropriate, and early surgical evaluation may be indicated, for patients with:
  - (a) clinical findings of rotator cuff tear; or
  - (b) acute rupture of the proximal biceps tendon;
- (2) use of home-based treatment modalities with monitoring by the health care provider may continue for up to six months. At any time during this period the patient may be a candidate for chronic management if surgery is ruled out as an appropriate treatment.
- B. If the patient continues with symptoms and objective physical findings after six months of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).

- (1) Surgical evaluation must begin no later than six months after beginning initial nonsurgical management.
- (2) Diagnostic injection, arthrography, CT-arthrography, or MRI scanning may be indicated as part of the surgical evaluation.
- (3) The only surgical procedures indicated for patients with shoulder impingement syndrome and related conditions are rotator cuff repair, acromioplasty, excision of distal clavicle, excision of bursa, removal of adhesion, or repair of proximal biceps tendon, all of which must meet the parameters of part 5221.6500, subpart 3.
- C. If the patient continues with symptoms and objective physical findings after surgery, or the patient refused surgery or was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with shoulder impingement syndrome must meet the parameters of part 5221.6600.
- Subp. 16. Specific treatment parameters for traumatic sprains and strains of the upper extremity.
- A. Initial nonsurgical management must be the first phase of treatment for all patients with traumatic sprains and strains of the upper extremity without evidence of complete tissue disruption. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11.
- B. Surgery is not indicated for the treatment of traumatic sprains and strains, unless there is clinical evidence of complete tissue disruption. Patients with complete tissue disruption may need immediate surgery.
- C. If the patient continues with symptoms and objective physical findings after 12 weeks of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life, including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management must meet all of the parameters of part 5221.6600.

**Statutory Authority:** *MS s* 176.103; 176.83

History: 19 SR 1412

## 5221.6305 REFLEX SYMPATHETIC DYSTROPHY OF THE UPPER AND LOWER EXTREMITIES.

Subpart 1. Scope.

- A. This clinical category encompasses any condition of the upper or lower extremity characterized by concurrent presence in the involved extremity of five of the following conditions: edema; local skin color change of red or purple; osteoporosis in underlying bony structures demonstrated by radiograph; local dyshidrosis; local abnormality of skin temperature regulation; reduced passive range of motion in contiguous joints; local alteration of skin texture of smooth or shiny; or typical findings of reflex sympathetic dystrophy on bone scan. This clinical category includes, but is not limited to, the diagnoses of reflex sympathetic dystrophy, causalgia, Sudek's atrophy, algoneurodystrophy, and shoulder-hand syndrome, and including, but not limited to, ICD-9-CM codes 337.9, 354.4, and 733.7.
- B. Reflex sympathetic dystrophy occurs as a complication of another preceding injury. The treatment parameters of this part refer to the treatment of the body part affected by the reflex sympathetic dystrophy. The treatment for any condition not affected by reflex sympathetic dystrophy continues to be subject to whatever treatment parameters otherwise apply. Any treatment under this part for the reflex sympathetic dystrophy may be in addition to treatment received for the original condition.
- C. Thermography may be used in the diagnosis of reflex sympathetic dystrophy, but is considered an adjunct to physical examination and is not reimbursed separately from the office visit.
- Subp. 2. Initial nonsurgical management. Initial nonsurgical management is appropriate for all patients with reflex sympathetic dystrophy and must be the first

## 5221.6305 FEES FOR MEDICAL SERVICES

phase of treatment. Any course or program of initial nonsurgical management is limited to the modalities specified in items A to D.

- A. Therapeutic injection modalities. The only injections allowed for reflex sympathetic dystrophy are sympathetic block, intravenous infusion of steroids or sympatholytics, or epidural block.
- (1) Unless medically contraindicated, sympathetic blocks or the intravenous infusion of steroids or sympatholytics must be used if reflex sympathetic dystrophy has continued for four weeks and the employee remains disabled as a result of the reflex sympathetic dystrophy.
  - (a) Time for treatment response: within 30 minutes.
- (b) Maximum treatment frequency: can repeat an injection at a site if there was a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections must be discontinued. No more than three injections to different sites are reimbursable per patient visit.
- (c) Maximum treatment duration: may be continued as long as injections control symptoms and facilitate objective functional gains, if the period of improvement is progressively longer with each injection.
- (2) Epidural block may only be performed in patients who had an incomplete improvement with sympathetic block or intravenous infusion of steroids or sympatholytics.
- B. Only the passive treatment modalities set forth in subitems (1) to (4) are indicated. These passive treatment modalities in a clinical setting or requiring attendance by a health care provider are not indicated beyond 12 weeks from the first modality initiated for treatment of the reflex sympathetic dystrophy.
- (1) Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
  - (a) Treatment given in a clinical setting:
    - i. time for treatment response, two to four treatments;
- ii. maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- iii. maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies specified in this subpart.
- (b) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without professional assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- (2) Desensitizing procedures, such as stroking or friction massage, stress loading, and contrast baths:
  - (a) time for treatment response, three to five treatments;
- (b) maximum treatment frequency in a clinical setting, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration in a clinical setting, 12 weeks. Home use of desensitizing procedures may be prescribed at any time during the course of treatment.
- (3) Electrical stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
  - (a) Treatment given in a clinical setting:

- i, time for treatment response, two to four treatments:
- ii. maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- iii. maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (b) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
  - i. time for patient education and training, one to three sessions;

and

- ii. patient may use the electrical stimulation device unsupervised for one month, at which time effectiveness of the treatment must be reevaluated by the provider before continuing home use of the device.
- (4) Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
  - (a) time for treatment response, three to five sessions;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
  - (c) maximum treatment duration, 12 weeks.
- C. Active treatment includes supervised and unsupervised exercise. After the first week of treatment, initial nonsurgical management must include exercise. Exercise is essential for a return to normal activity and must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must be specifically aimed at the involved musculature. Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, or endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation, and monthly thereafter.
- (1) Supervised exercise. One goal of a supervised exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, up to five times per week for three weeks. Should decrease in frequency thereafter; and
  - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting and may supplement or follow the period of supervised exercise. Maximum duration is unlimited.
- D. Oral medications may be indicated in accordance with accepted medical practice.

## Subp. 3. Surgery.

- A. Surgical sympathectomy may only be performed in patients who had a sustained but incomplete improvement with sympathetic blocks by injection.
- B. Dorsal column stimulator or morphine pump may be indicated for a patient with neuropathic pain unresponsive to all other treatment modalities who is not a candidate for any other therapy and has had a favorable response to a trial screening period. Use of these devices is indicated only if a second opinion confirms that this treatment is indicated, and a personality or psychosocial evaluation indicates that the patient is likely to benefit from this treatment.
- Subp. 4. Chronic management. If the patient continues with symptoms and objective physical findings after surgery, or the patient refuses surgery, or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the

## 5221.6305 FEES FOR MEDICAL SERVICES

patient may be a candidate for chronic management. Any course or program of chronic management must satisfy all of the treatment parameters of part 5221.6600.

**Statutory Authority:** *MS s 176.103; 176.83* 

History: 19 SR 1412

# 5221.6400 INPATIENT HOSPITALIZATION PARAMETERS.

### Subpart 1. General principles.

- A. The health care provider must provide prior notification of inpatient hospital admission for nonemergency care according to part 5221.6050, subpart 9. Hospitalization is characterized as inpatient if the patient spends at least one night in the hospital.
- B. Treatment for emergency conditions, including incapacitating pain, should not be delayed to provide the insurer with prior notification. The admitting health care provider should notify the insurer within two business days following an emergency admission, or within two business days after the health care provider learns that it is a workers' compensation injury. The medical necessity for the emergency hospitalization is subject to retrospective review, based on the information available at the time of the emergency hospitalization.
- C. Unless the patient's condition requires special care, only ward or semiprivate accommodations are indicated. The admitting health care provider must document the special care needs.
- D. Admissions before the day of surgery are indicated only if they are medically necessary to stabilize the patient before surgery. Admission before the day of surgery to perform any or all of a preoperative work-up which could have been completed as an outpatient is not indicated.
- E. Inpatient hospitalization solely for physical therapy, bedrest, or administration of injectable drugs is indicated only if the treatment is otherwise indicated and the patient's condition makes the patient unable to perform the activities of daily life and participate in the patient's own treatment and self-care.
- F. Discharge from the hospital must be at the earliest possible date consistent with proper health care.
- G. If transfer to a convalescent center or nursing home is indicated, prior notification is required as provided for inpatient hospitalization.
- Subp. 2. Specific requirements for hospital admission of patients with low back pain. Hospitalization for low back pain is indicated in the circumstances in items A to D.
- A. When the patient experiences incapacitating pain as evidenced by inability to mobilize for activities of daily living, for example unable to ambulate to the bathroom, and in addition, the intensity of service during admission meets the criteria in subitems (1) and (2).
- (1) Physical therapy is necessary at least twice daily for assistance with mobility. Heat, cold, ultrasound, and massage therapy alone do not meet this criterion.
- (2) Muscle relaxants or narcotic analgesics are necessary intramuscularly or intravenously for a minimum of three injections in 24 hours. Need for parenteral analgesics is determined by:
  - (a) an inability to take oral medications or diet (N.P.O.); or
  - (b) an inability to achieve relief with aggressive oral analgesics.
- B. For surgery which is otherwise indicated according to part 5221.6500 and is appropriately scheduled as an inpatient procedure.
- C. For evaluation and treatment of cauda equina syndrome, according to part 5221.6200, subpart 13.

D. For evaluation and treatment of foot drop or progressive neurologic deficit, according to part 5221.6200, subpart 13.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

#### 5221.6500 PARAMETERS FOR SURGICAL PROCEDURES.

Subpart 1. General.

- A. The health care provider must provide prior notification according to part 5221.6050, subpart 9, before proceeding with any elective inpatient surgery.
- B. Emergency surgery may proceed without prior notification. The reasonableness and necessity for the emergency surgery is subject to retrospective review based on the information available at the time of the emergency surgery.
- Subp. 2. **Spinal surgery.** Initial nonsurgical, surgical, and chronic management parameters are also included in parts 5221.6200, low back pain; 5221.6205, neck pain; and 5221.6210, thoracic back pain.
- A. Surgical decompression of a lumbar nerve root or roots includes, but is not limited to, the following lumbar procedures: laminectomy, laminotomy, discectomy, microdiscectomy, percutaneous discectomy, or foraminotomy. When providing prior notification for decompression of multiple nerve roots, the procedure at each nerve root is subject independently to the requirements of subitems (1) to (3).
- (1) Diagnoses: surgical decompression of a lumbar nerve root may be performed for the following diagnoses:
- (a) intractable and incapacitating regional low back pain with positive nerve root tension signs and an imaging study showing displacement of lumbar intervertebral disc which impinges significantly on a nerve root or the thecal sac, ICD-9-CM code 722.10;
  - (b) sciatica, ICD-9-CM code 724.3; or
  - (c) lumbosacral radiculopathy or radiculitis, ICD-9-CM code 724.4.
- (2) Indications: both of the following conditions in units (a) and (b) must be satisfied to indicate that the surgery is reasonably required.
- (a) Response to nonsurgical care: the employee's condition includes one of the following:
- i. failure to improve with a minimum of eight weeks of initial nonsurgical care; or
  - ii. cauda equina syndrome, ICD-9-CM code 344.6, 344.60, or

344.61; or

- iii. progressive neurological deficits.
- (b) Clinical findings: the employee exhibits one of the findings of subunit i in combination with the test results of subunit ii or, in the case of diagnosis in subitem (1), unit (a), a second opinion confirms that decompression of the lumbar nerve root is the appropriate treatment for the patient's condition:
- i. subjective sensory symptoms in a dermatomal distribution which may include radiating pain, burning, numbness, tingling, or paresthesia, or objective clinical findings of nerve root specific motor deficit, including, but not limited to, foot drop or quadriceps weakness, reflex changes, or positive EMG; and
- ii. medical imaging test results that correlate with the level of nerve root involvement consistent with both the subjective and objective findings.
- (3) Repeat surgical decompression of a lumbar nerve root is not indicated at the same nerve root unless a second opinion, if requested by the insurer, confirms that surgery is indicated.
- B. Surgical decompression of a cervical nerve root. Surgical decompression of a cervical nerve root or roots includes, but is not limited to, the following cervical procedures: laminectomy, laminotomy, discectomy, foraminotomy with or without

#### 5221.6500 FEES FOR MEDICAL SERVICES

fusion. When providing prior notification for decompression of multiple nerve roots, the procedure at each nerve root is subject independently to the requirements of subitems (1) to (3).

- (1) Diagnoses: surgical decompression of a cervical nerve root may be performed for the following diagnoses:
- (a) displacement of cervical intervertebral disc, ICD-9-CM code 722.0, excluding fracture; or
- (b) cervical radiculopathy or radiculitis, ICD-9-CM code 723.4, excluding fracture.
- (2) Indications: the requirements in units (a) and (b) must be satisfied to indicate that surgery is reasonably required:
- (a) response to nonsurgical care, the employee's condition includes one of the following:
  - i. failure to improve with a minimum of eight weeks of initial
- nonsurgical care;
  ii. cervical compressive myelopathy; or
  - iii. progressive neurologic deficits;
- (b) clinical findings: the employee exhibits one of the findings of subunit i, in combination with the test results of subunit ii:
- i. subjective sensory symptoms in a dermatomal distribution which may include radiating pain, burning, numbness, tingling, or paresthesia, or objective clinical findings of nerve root specific motor deficit, reflex changes, or positive EMG; and
- ii. medical imaging test results that correlate with the level of nerve root involvement consistent with both the subjective and objective findings.
- (3) Second opinions: surgical decompression of a cervical nerve root is not indicated for the following conditions, unless a second opinion, if requested by the insurer, confirms that the surgery is indicated:
  - (a) repeat surgery at same level; or
  - (b) request for surgery at the C3-4 level.
  - C. Lumbar arthrodesis with or without instrumentation.
- (1) Indications: one of the following conditions must be satisfied to indicate that the surgery is reasonably required:
- (a) unstable lumbar vertebral fracture, ICD-9-CM codes 805.4, 805.5, 806.4, and 806.5; or
- (b) for a second or third surgery only, documented reextrusion or redisplacement of lumbar intervertebral disc, ICD-9-CM code 722.10, after previous successful disc surgery at the same level and new lumbar radiculopathy with or without incapacitating back pain, ICD-9-CM code 724.4. Documentation under this item must include an MRI or CT scan or a myelogram; or
- (c) traumatic spinal deformity including a history of compression (wedge) fracture or fractures, ICD-9-CM code 733.1, and demonstrated acquired kyphosis or scoliosis, ICD-9-CM codes 737.1, 737.10, 737.30, 737.41, and 737.43; or
- (d) incapacitating low back pain, ICD-9-CM code 724.2, for longer than three months, and one of the following conditions involving lumbar segments L-3 and below is present:
- i. for the first surgery only, degenerative disc disease, ICD-9-CM code 722.4, 722.5, 722.6, or 722.7, with postoperative documentation of instability created or found at the time of surgery, or positive discogram at one or two levels; or
  - ii. pseudoarthrosis, ICD-9-CM code 733.82:
  - iii. for the second or third surgery only, previously operated disc;

or

iv. spondylolisthesis.

- (2) Contraindications: lumbar arthrodesis is not indicated as the first primary surgical procedure for a new, acute lumbosacral disc herniation with unilateral radiating leg pain in a radicular pattern with or without neurological deficit.
- (3) Retrospective review: when lumbar arthrodesis is performed to correct instability created during a decompression, laminectomy, or discectomy, approval for the arthrodesis will be based on a retrospective review of the operative report.
- Subp. 3. Upper extremity surgery. Initial nonsurgical, surgical, and chronic management parameters for upper extremity disorders are found in part 5221.6300, subparts 1 to 16.

# A. Rotator cuff repair:

- (1) Diagnoses: rotator cuff surgery may be performed for the following diagnoses:
- (a) rotator cuff syndrome of the shoulder, ICD-9-CM code 726.1, and allied disorders: unspecified disorders of shoulder bursae and tendons, ICD-9-CM code 726.10, calcifying tendinitis of shoulder, ICD-9-CM code 726.11, bicipital tenosynovitis, ICD-9-CM code 726.12, and other specified disorders, ICD-9-CM code 726.19; or
  - (b) tear of rotator cuff, ICD-9-CM code 727.61.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), both of the following conditions must be satisfied to indicate that surgery is reasonably required:
- (a) response to nonsurgical care: the employee's condition has failed to improve with adequate initial nonsurgical treatment; and
  - (b) clinical findings: the employee exhibits:
    - i. severe shoulder pain and inability to elevate the shoulder; or
- ii. weak or absent abduction and tenderness over rotator cuff, or pain relief obtained with an injection of anesthetic for diagnostic or therapeutic trial; and
- iii. positive findings in arthrogram, MRI, or ultrasound, or positive findings on previous arthroscopy, if performed.

### B. Acromioplasty:

- (1) Diagnosis: acromioplasty may be performed for acromial impingement syndrome, ICD-9-CM codes 726.0 to 726.2.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), both of the following conditions must be satisfied for acromioplasty:
- (a) response to nonsurgical care: the employee's condition has failed to improve after adequate initial nonsurgical care; and
- (b) clinical findings: the employee exhibits pain with active elevation from 90 to 130 degrees and pain at night, and a positive impingement test.
  - C. Repair of acromioclavicular or costoclavicular ligaments:
- (1) Diagnosis: surgical repair of acromioclavicular or costoclavicular ligaments may be performed for acromioclavicular separation, ICD-9-CM codes 831.04 to 831.14.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), the requirements of units (a) and (b) must be satisfied for repair of acromioclavicular or costoclavicular ligaments:
  - (a) response to nonsurgical care: the employee's condition includes:
- i. failure to improve after at least a one-week trial period in a support brace; or
  - ii. separation cannot be reduced and held in a brace; or
  - iii. grade III separation has occurred; and

# 5221.6500 FEES FOR MEDICAL SERVICES

- (b) clinical findings: the employee exhibits localized pain at the acromioclavicular joint and prominent distal clavicle and radiographic evidence of separation at the acromioclavicular joint.
  - D. Excision of distal clavicle:
- (1) Diagnosis: excision of the distal clavicle may be performed for the following conditions:
  - (a) acromioclavicular separation, ICD-9-CM codes 831.01 to 831.14;
- (b) osteoarthrosis of the acromioclavicular joint, ICD-9-CM codes 715.11, 715.21, and 715.31; or
  - (c) shoulder impingement syndrome.
- (2) Criteria and indications: in addition to one of the diagnosis in subitem (1), the following conditions must be satisfied for excision of distal clavicle:
- (a) response to nonsurgical care: the employee's condition fails to improve with adequate initial nonsurgical care; and
  - (b) clinical findings: the employee exhibits:
- i. pain at the acromioclavicular joint, with aggravation of pain with motion of shoulder or carrying weight;
- ii. confirmation that separation of AC joint is unresolved and prominent distal clavicle, or pain relief obtained with an injection of anesthetic for diagnostic/therapeutic trial; and
- iii. separation at the acromioclavicular joint with weight-bearing films, or severe degenerative joint disease at the acromioclavicular joint noted on X-rays.
  - E. Repair of shoulder dislocation or subluxation (any procedure):
- (1) Diagnosis: surgical repair of a shoulder dislocation may be performed for the following diagnoses:
  - (a) recurrent dislocations, ICD-9-CM code 718.31;
  - (b) recurrent subluxations; or
  - (c) persistent instability following traumatic dislocation.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following clinical findings must exist for repair of a shoulder dislocation:
- (a) the employee exhibits a history of multiple dislocations or subluxations that inhibit activities of daily living; and
- (b) X-ray findings are consistent with multiple dislocations or subluxations.
  - F. Repair of proximal biceps tendon:

arm; and

- (1) Diagnosis: surgical repair of a proximal biceps tendon may be performed for proximal rupture of the biceps, ICD-9-CM code 727.62 or 840.8.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), both of the following conditions must be satisfied for repair of proximal biceps tendon:
- (a) the procedure may be done alone or in conjunction with another indicated repair of the rotator cuff; and
  - (b) clinical findings: the employee exhibits:
    - i. complaint of pain that does not resolve with attempt to use
      - ii. palpation of "bulge" in upper aspect of arm.
- G. Epicondylitis. Specific requirements for surgery for epicondylitis are included in part 5221.6300, subpart 11.
- H. Tendinitis. Specific requirements for surgery for tendinitis are included in part 5221.6300, subpart 12.

- I. Nerve entrapment syndromes. Specific requirements for nerve entrapment syndromes are included in part 5221.6300, subpart 13.
  - J. Muscle pain syndromes. Surgery is not indicated for muscle pain syndromes.
- K. Traumatic sprains and strains. Surgery is not indicated for the treatment of traumatic sprains and strains, unless there is clinical evidence of complete tissue disruption. Patients with complete tissue disruption may need immediate surgery.

# Subp. 4. Lower extremity surgery.

- A. Anterior cruciate ligament (ACL) reconstruction:
- (1) Diagnoses: surgical repair of the anterior cruciate ligament, including arthroscopic repair, may be performed for the following diagnoses:
- (a) old disruption of anterior cruciate ligament, ICD-9-CM code 717.83; or
  - (b) sprain of cruciate ligament of knee, ICD-9-CM code 844.2.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1) the conditions in units (a) to (c) must be satisfied for anterior cruciate ligament reconstruction. Pain alone is not an indication:
- (a) the employee gives a history of instability of the knee described as "buckling or giving way" with significant effusion at time of injury, or description of injury indicates a rotary twisting or hyperextension occurred;
- (b) there are objective clinical findings of positive Lachman's sign, positive pivot shift, and/or positive anterior drawer; and
- (c) there are positive diagnostic findings with arthrogram, MRI, or arthroscopy and there is no evidence of severe compartmental arthritis.
  - B. Patella tendon realignment or Maquet procedure:
- (1) Diagnosis: patella tendon realignment may be performed for dislocation of patella, open, ICD-9-CM code 836.3, or closed, ICD-9-CM code 836.4, or chronic residuals of dislocation.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), all of the following conditions must be satisfied for a patella tendon realignment:
- (a) the employee gives a history of rest pain as well as pain with patellofemoral movement, and recurrent effusion, or recurrent dislocation; and
- (b) there are objective clinical findings of patellar apprehension, synovitis, lateral tracking, or Q angle greater than 15 degrees.

# C. Knee joint replacement:

- (1) Diagnoses: knee joint replacement may be performed for degeneration of articular cartilage or meniscus of knee, ICD-9-CM codes 717.1 to 717.4.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), the following conditions must be satisfied for a knee joint replacement:
- (a) clinical findings: the employee exhibits limited range of motion, night pain in the joint or pain with weight-bearing, and no significant relief of pain with an adequate course of initial nonsurgical care; and
- (b) diagnostic findings: there is significant loss or erosion of cartilage to the bone, and positive findings of advanced arthritis and joint destruction with standing films, MRI, or arthroscopy.
  - D. Fusion; ankle, tarsal, metatarsal:
    - (1) Diagnoses: fusion may be performed for the following conditions:
- (a) malunion or nonunion of fracture of ankle, tarsal, or metatarsal, ICD-9-CM code 733.81 or 733.82; or
  - (b) traumatic arthritis (arthropathy), ICD-9-CM code 716.17.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following conditions must be satisfied for an ankle, tarsal, or metatarsal fusion:

### 5221.6500 FEES FOR MEDICAL SERVICES

- (a) initial nonsurgical care: the employee must have failed to improve with an adequate course of initial nonsurgical care which included:
- i. immobilization which may include casting, bracing, shoe modification, or other orthotics; and
  - ii. anti-inflammatory medications;
  - (b) clinical findings:
- i. the employee gives a history of pain which is aggravated by activity and weight-bearing, and relieved by xylocaine injection; and
- ii. there are objective findings on physical examination of malalignment or specific joint line tenderness, and decreased range of motion; and
- (c) diagnostic findings: there are medical imaging studies confirming the presence of:
  - i. loss of articular cartilage and joint space narrowing;
  - ii. bone deformity with hypertrophic spurring and sclerosis; or
  - iii. nonunion or malunion of a fracture.

# E. Lateral ligament ankle reconstruction:

- (1) Diagnoses: ankle reconstruction surgery involving the lateral ligaments may be performed for the following conditions:
  - (a) chronic ankle instability, ICD-9-CM code 718.87; or
  - (b) grade III sprain, ICD-9-CM codes 845.0 to 845.09.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following conditions must be satisfied for a lateral ligament ankle reconstruction:
- (a) initial nonsurgical care: the employee must have received an adequate course of initial nonsurgical care including, at least:
  - i. immobilization with support, cast, or ankle brace, followed by
  - ii. a physical rehabilitation program; and
  - (b) clinical findings:
    - i. the employee gives a history of ankle instability and swelling;

and

- ii. there is a positive anterior drawer sign on examination; or
- iii. there are positive stress X-rays identifying motion at ankle or subtalar joint with at least a 15 degree lateral opening at the ankle joint, or demonstrable subtalar movement, and negative to minimal arthritic joint changes on X-ray, or ligamentous injury is shown on MRI scan.
  - (3) Prosthetic ligaments: prosthetic ligaments are not indicated.
- (4) Implants: requests for any plastic implant must be confirmed by a second opinion.
- (5) Calcaneus osteotomy: requests for calcaneus osteotomies must be confirmed by a second opinion.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

## 5221.6600 CHRONIC MANAGEMENT.

Subpart 1. Scope. This part applies to chronic management of all types of physical injuries, even if the injury is not specifically governed by parts 5221.6200 to 5221.6500. If a patient continues with symptoms and physical findings after all appropriate initial nonsurgical and surgical treatment has been rendered, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. The purpose of chronic management is twofold: the patient should be made independent of health

care providers in the ongoing care of a chronic condition; and the patient should be returned to the highest functional status reasonably possible.

- A. Personality or psychological evaluation may be indicated for patients who are candidates for chronic management. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
  - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
  - (4) Is the patient chemically dependent?
  - (5) Are there any interpersonal conflicts interfering with recovery?
  - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
- B. Any of the chronic management modalities of subpart 2 may be used singly or in combination as part of a program of chronic management.
- C. No further passive treatment modalities or therapeutic injections are indicated, except as otherwise provided in parts 5221.6200, subpart 3, item B; 5221.6205, subpart 3, item B; and 5221.6300, subpart 3, item B.
- D. No further diagnostic evaluation is indicated unless there is the development of symptoms or physical findings which would in themselves warrant diagnostic evaluation.
- E. A program of chronic management must include appropriate means by which use of scheduled medications can be discontinued or severely limited.
- Subp. 2. Chronic management modalities. The health care provider must provide prior notification of the chronic management modalities in items B to F according to part 5221.6050, subpart 9. Prior notification is not required for home-based exercises in item A, unless durable medical equipment is prescribed for home use. The insurer may not deny payment for a program of chronic management that the insurer has previously authorized for an employee, either in writing or by routine payment for services, without providing the employee and the employee's health care provider with at least 30 days' notice of intent to apply any of the chronic management parameters in part 5221.6600 to future treatment. The notice must include the specific parameters that will be applied in future determinations of compensability by the insurer.
- A. Home-based exercise programs consist of aerobic conditioning, stretching and flexibility exercises, and strengthening exercises done by the patient on a regular basis at home without the need for supervision or attendance by a health care provider. Maximum effectiveness may require the use of certain durable medical equipment that may be prescribed and reimbursed within any applicable treatment parameters in parts 5221.6200 to 5221.6305.
- (1) Indications: exercise is necessary on a long-term basis to maintain function.
- (2) Requirements: the patient should receive specific instruction and training in the exercise program. Repetitions, durations, and frequencies of exercises must be specified. Any durable medical equipment needed must be prescribed in advance and the insurer must be given prior notification of proposed purchase.
  - (3) Treatment period, one to three visits for instruction and monitoring.

#### B. Health clubs:

- (1) Indications: the patient is deconditioned and requires a structured environment to perform prescribed exercises. The health care provider must document the reasons why reconditioning cannot be accomplished with a home-based program of exercise.
- (2) Requirements: the program must have specific prescribed exercises stated in objective terms, for example "30 minutes riding stationary bicycle three times per week." There must be a specific set of prescribed activities and a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a prescribed frequency of attendance and the patient must maintain adequate documentation of attendance. There must be a prescribed duration of attendance.
- (3) Treatment period, 13 weeks. Additional periods of treatment require additional prior notification of the insurer. Additional periods of treatment at a health club are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment. If the employer has an appropriate exercise facility on its premises the insurer may mandate use of that facility instead of providing a health club membership.
- C. Computerized exercise programs utilize computer controlled exercise equipment that allows for the isolation of specific muscle groups and the performance of graded exercise designed to increase strength, tone, flexibility, and range of motion. In combination with computerized range of motion or strength measuring tests, these programs allow for quantitative measurement of effort and progress.
- (1) Indications: the patient is deconditioned and requires a structured environment to accomplish rehabilitation goals. The health care provider must document the reasons why reconditioning cannot be accomplished with a home-based program of exercise.
- (2) Requirements: the program must have specific goals stated in objective terms, for example "improve strength of back extensors 50 percent." There must be a specific set of prescribed activities and a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a prescribed frequency and duration of attendance.
- (3) Treatment period, six weeks. Additional periods of treatment require additional prior notification of the insurer. Additional periods of treatment are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment.
- D. Work conditioning and work hardening programs are intensive, highly structured, job oriented, individualized treatment plans based on an assessment of the patient's work setting or job demands, and designed to maximize the patient's return to work. These programs must include real or simulated work activities. Work conditioning is designed to restore an individual's neuromusculoskeletal strength, endurance, movement, flexibility, and motor control, and cardiopulmonary function. Work conditioning uses physical conditioning and functional activities related to the individual's work. Services may be provided by one discipline of health care provider. Work hardening is designed to restore an individual's physical, behavioral, and vocational functions within an interdisciplinary model. Work hardening addresses the issues of productivity, safety, physical tolerances, and work behaviors. An interdisciplinary team includes professionals qualified to evaluate and treat behavioral, vocational, physical, and functional needs of the individual.
- (1) Indications: the patient is disabled from usual work and requires reconditioning for specific job tasks or activities and the reconditioning cannot be done on the job. The health care provider must document the reasons why work hardening cannot be accomplished through a structured return to work program. Work conditioning is indicated where only physical and functional needs are identified. Work

hardening is indicated where, in addition to physical and functional needs, behavioral and vocational needs are also identified that are not otherwise being addressed.

- (2) Requirements: the program must have specific goals stated in terms of work activities, for example "able to type for 30 minutes." There must be an individualized program of activities and the activities must be chosen to simulate required work activities or to enable the patient to participate in simulated work activities. There must be a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a set frequency and hours of attendance and the program must maintain adequate documentation of attendance. There must be a set duration of attendance. Activity restrictions must be identified at completion of the program.
- (3) Treatment period, six weeks. Additional periods of treatment require prior notification of the insurer. Additional periods of treatment at a work hardening program or work conditioning program are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment or unless there has been a change in the patient's targeted return to work job which necessitates a redesign of the program.
- E. Chronic pain management programs consist of multidisciplinary teams who provide coordinated, goal-oriented services to reduce pain disability, improve functional status, promote return to work, and decrease dependence on the health system of persons with chronic pain syndrome. Pain management programs must provide physical rehabilitation, education on pain, relaxation training, psychosocial counseling, medical evaluation, and, if indicated, chemical dependency evaluation. The program of treatment must be individualized and based on an organized evaluative process for screening and selecting patients. Treatment may be provided in an inpatient setting, outpatient setting, or both as appropriate.
- (1) Indications: the patient is diagnosed as having a chronic pain syndrome.
- (2) Requirements: an admission evaluation must be performed by a doctor, and a licensed mental health professional, each with at least two years experience in evaluation of chronic pain patients and chronic pain treatment, or one year of formal training in a pain fellowship program. The evaluation must confirm the diagnosis of chronic pain syndrome and a willingness and ability of the patient to benefit from a pain management program. There must be a specific set of prescribed activities and treatments, and a specific timetable of progression in those activities. There must be a set frequency and hours of attendance and the program must maintain adequate documentation of attendance. There must be a set duration of attendance.
- (3) Treatment period: for initial treatment, a maximum of 20 eight-hour days, though fewer or shorter days can be used, and a maximum duration of four weeks no matter how many or how long the days prescribed. For aftercare, a maximum of 12 sessions is allowed. Only one completed pain management program is indicated for an injury.
  - F. Individual or group psychological or psychiatric counseling.
- (1) Indications: a personality or psychosocial evaluation has revealed one or more of the problems listed in subpart 1, item A, which interfere with recovery from the physical injury, but the patient does not need or is not a candidate for a pain management program.
- (2) Requirements: there must be a specific set of goals based on the initial personality or psychosocial evaluation and a timetable for achieving those goals within the prescribed number of treatment or therapy sessions. There must be a prescribed frequency of attendance and the treating health care provider must maintain adequate documentation of attendance. There must be a prescribed duration of treatment.

### 5221.6600 FEES FOR MEDICAL SERVICES

(3) Treatment period: a maximum of 12 sessions. Only one completed program of individual or group psychological or psychiatric counseling is indicated for an injury.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412

# 5221.8900 DISCIPLINARY ACTION; PENALTIES.

Subpart 1. **Discipline.** A health care provider is subject to disciplinary action under Minnesota Statutes, section 176.103, for failure to comply with the requirements in parts 5221.6010 to 5221.6600 or the violation of any of the provisions of Minnesota Statutes, chapter 176, or other rules or orders issued pursuant thereto.

- Subp. 2. Complaints. Complaints about professional behavior or services of health care providers relating to noncompliance with established workers' compensation laws, rules, or orders shall be made in writing to the commissioner. The commissioner or a designee shall assist a person in filing a complaint, if necessary. A complaint may be submitted by any person who becomes aware of a violation, including designees of the commissioner, administrative law judges, and presiding officials at judicial proceedings.
- Subp. 3. Review and investigation. The commissioner shall investigate all complaints to determine whether there has been a violation of established workers' compensation laws, rules, or orders. The commissioner may refer a matter to another agency that has jurisdiction over the provider's license or conduct, or to an agency that has prosecuting authority in the event of suspected theft or fraud or to a peer review organization for an opinion. Absent suspected theft or fraud, providing treatment outside a parameter set forth in parts 5221.6020 to 5221.6500 shall not in itself result in a referral to a prosecuting authority.

If an investigation indicates that discipline may be warranted, the commissioner shall determine whether the violation involves inappropriate, unnecessary, or excessive treatment, or whether the violation involves other statutes or rules. The commissioner shall take appropriate action according to subpart 6, 7, or 8.

- Subp. 4. Cooperation with disciplinary proceedings. A health care provider who is the subject of a complaint investigated by the commissioner under Minnesota Statutes, section 176.103, shall cooperate fully with the investigation. Cooperation includes, but is not limited to, responding fully and promptly to any questions raised by the commissioner relating to the subject of the investigation and providing copies of records, reports, logs, data, and cost information as requested by the commissioner to assist in the investigation. The health care provider shall not charge for services but may charge for the cost of copies of medical records, at the rate set in part 5219.0300, subpart 2, for this investigation. Cooperation includes attending, in person, a meeting scheduled by the commissioner for the purposes of subpart 5. This subpart does not limit the health care provider's right to be represented by an attorney.
- Subp. 5. **In-person meeting.** When conferring with the parties to a complaint is deemed appropriate, the commissioner shall schedule a meeting for the purpose of clarification of issues, obtaining information, instructing parties to the complaint, or for the purpose of resolving disciplinary issues.
- Subp. 6. Resolution by instruction or written agreement. The commissioner may resolve a complaint through instruction of a provider, or may enter into stipulated consent agreements regarding discipline with a provider in lieu of initiating a contested case or medical services review board proceeding.

### Subp. 7. Inappropriate, unnecessary, or excessive treatment.

A. Except as otherwise provided in subparts 3 and 6, if the suspected violation involves a treatment standard set forth in parts 5221.6020 to 5221.6500 the commissioner must refer the health care provider to the medical services review board for review under Minnesota Statutes, section 176.103, subdivision 2, if:

- (1) the situation requires medical expertise in matters beyond the department's general scope;
- (2) wherever possible under Minnesota Statutes, chapter 176, a final determination has been made by a workers' compensation presiding official, or provider licensing or registration body that the medical treatment in issue was inappropriate, unnecessary, or excessive; and
- (3) a pattern of consistently providing inappropriate, unnecessary, or excessive services exists for three or more employees.
- B. Where the medical service review board's report to the commissioner indicates a violation of treatment standards or other inappropriate, unnecessary, or excessive treatment the commissioner shall order a sanction. Sanctions may include, but are not limited to, a warning; a fine of up to \$200 per violation; a restriction on providing treatment; requiring preauthorization by the board, the payor, or the commissioner for a plan of treatment; and suspension from receiving compensation for the provision of treatment.
- C. Within 30 days of receipt of the order of sanction, the health care provider may request in writing a review by the commissioner of the sanction in accordance with the procedure set forth in Minnesota Statutes, section 176.103, subdivision 2a. Within 30 days following receipt of the compensation judge's decision reviewing the sanction, a provider may petition the workers' compensation court of appeals for review according to the procedures in Minnesota Statutes, section 176.103, subdivision 2a.
- Subp. 8. Violations of statutes and rules other than those involving inappropriate, unnecessary, or excessive treatment. If the suspected violation warranting discipline involves a statute or rule other than treatment standards, the commissioner shall initiate a contested case hearing for disciplinary action under Minnesota Statutes, section 176.103, subdivision 3, paragraph (b), and the administrative procedure act in Minnesota Statutes, chapter 14.
- A. Upon petition of the commissioner and following receipt of the recommendation of the administrative law judge, the medical services review board may issue a fine of up to \$200 for each violation, or disqualify or suspend the health care provider from receiving payment for services, according to Minnesota Statutes, section 176.103, subdivision 3, paragraph (b).
- B. Within 30 days after service of the board's decision, a provider may petition the Workers' Compensation Court of Appeals for review according to Minnesota Statutes, section 176.421.
- Subp. 9. **Penalties.** In addition to disciplinary action under subparts 1 to 8, the commissioner may assess a penalty under part 5220.2810 if a health care provider fails to release existing written medical data according to Minnesota Statutes, section 176.138. A penalty may also be assessed under part 5220.2830 and Minnesota Statutes, section 176.231, subdivision 10, if a health care provider fails to provide reports required by part 5221.0410.

**Statutory Authority:** MS s 176.103; 176.83

History: 19 SR 1412