CHAPTER 5221

DEPARTMENT OF LABOR AND INDUSTRY FEES FOR MEDICAL SERVICES

5221.0100	DEFINITIONS.	5221.4041	FEE ADJUSTMENTS FOR
5221.0200	AUTHORITY.		PROFESSIONAL/TECHNICAL COMPONENTS
5221.0300	PURPOSE.		FOR PATHOLOGY/LABORATORY SERVICES.
5221.0400	SCOPE.	5221.4050	PHYSICAL MEDICINE AND
5221.0405	INCORPORATIONS BY REFERENCE.		REHABILITATION PROCEDURE CODES.
5221.0410		5221.4051	FEE ADJUSTMENTS FOR PHYSICAL
5221.0410	REQUIRED REPORTING AND FILING OF		MEDICINE AND REHABILITATION
	MEDICAL INFORMATION.		SERVICES.
5221.0420	HEALTH CARE PROVIDER PARTICIPATION	5221.4060	CHIROPRACTIC PROCEDURE CODES.
	WITH RETURN TO WORK PLANNING.	5221.4061	FEE ADJUSTMENTS FOR CHIROPRACTIC
5221.0430	CHANGE OF HEALTH CARE PROVIDER.	5001 4060	SERVICES.
5221.0500	EXCESSIVE CHARGES: LIMITATION OF	5221.4062	PROFESSIONAL/TECHNICAL COMPONENTS
	PAYER LIABILITY.	5221.4070	FOR CHIROPRACTIC SERVICES. PHARMACY.
5221.0600	PAYER RESPONSIBILITIES.	5221.6010	AUTHORITY.
5221.0650	DATA COLLECTION, RETENTION, AND	5221.6020	PURPOSE AND APPLICATION.
3221.0030	REPORTING REQUIREMENTS.	5221.6030	INCORPORATION BY REFERENCE.
5221 0700		5221.6040	DEFINITIONS.
5221.0700	PROVIDER RESPONSIBILITIES.	5221.6050	GENERAL TREATMENT PARAMETERS:
5221.4000	APPLICATION SCHEDULE; INSTRUCTIONS.	3221.0050	EXCESSIVE TREATMENT: PRIOR
5221.4010	EMPLOYER'S LIABILITY FOR SERVICES		NOTIFICATION.
	UNDER MEDICAL FEE SCHEDULE.	5221.6100	PARAMETERS FOR MEDICAL IMAGING.
5221.4020	DETERMINING FEE SCHEDULE PAYMENT	5221.6200	LOW BACK PAIN.
	LIMITS.	5221.6205	NECK PAIN.
5221.4030	MEDICAL/SURGICAL PROCEDURE CODES.	5221.6210	THORACIC BACK PAIN.
5221.4032	PROFESSIONAL/TECHNICAL COMPONENTS	5221.6300	UPPER EXTREMITY DISORDERS.
	FOR MEDICAL/SURGICAL SERVICES.	5221.6305	REFLEX SYMPATHETIC DYSTROPHY OF
5221.4033	OUTPATIENT LIMITATION FOR		THE UPPER AND LOWER EXTREMITIES.
022111000	MEDICAL/SURGICAL FACILITY FEE.	5221.6400	INPATIENT HOSPITALIZATION
5221.4035	FEE ADJUSTMENTS FOR		PARAMETERS.
3221.4033	MEDICAL/SURGICAL SERVICES.	5221.6500	PARAMETERS FOR SURGICAL
5221 4040		5001 6600	PROCEDURES.
5221.4040	PATHOLOGY AND LABORATORY	5221.6600	CHRONIC MANAGEMENT.
	PROCEDURE CODES.	5221.8900	DISCIPLINARY ACTION; PENALTIES.

5221.0100 DEFINITIONS.

Subpart 1. **Scope.** The following terms have the meanings given in this chapter unless the context clearly indicates a different meaning.

Subp. 1a. Ambulatory surgical center. "Ambulatory surgical center" means a distinct entity that operates exclusively for the purpose of providing surgical services to patients not requiring hospitalization and is accredited by Medicare or is an outpatient surgical center as defined in part 4675.0100, subpart 8, and licensed by the Minnesota Department of Health.

- Subp. 1b. Appropriate record. "Appropriate record" is a legible medical record or report which substantiates the nature and necessity of a service being billed and its relationship to the work injury.
- Subp. 2. Bill or billing. "Bill" or "billing" means a provider's statement of charges and services rendered for treatment of a work related injury.
- Subp. 3. Charge. "Charge" means the payment requested by a provider on a bill for a particular service. This chapter does not prohibit a provider from billing usual and customary charges which are in excess of the amount listed in the fee schedule.
- Subp. 4. Code. "Code" means the alphabetic, numeric, or alphanumeric symbol used to identify a specific health care service, place of service, or diagnosis as follows:
- A. "Billing code" means a procedure code as defined in item F plus any applicable modifiers as defined in subpart 10a. A billing code is used to identify a specific health care service, article, or supply for billing purposes.
- B. "CPT code" means a numeric code included in the Current Procedural Terminology Coding System manual, incorporated by reference in part 5221.0405, item D. A CPT code is used to identify a specific medical service, article, or supply.
- C. "HCPCS code" means a numeric or alphanumeric code included in the Centers for Medicare and Medicaid Services' Common Procedure Coding System. An

- HCPCS code is used to identify a specific medical service, article, or supply. HCPCS level I codes are the numeric CPT codes listed in the CPT manual, incorporated by reference in part 5221.0405, item D. HCPCS level II codes are alphanumeric codes created for national use. HCPCS level III codes are alphanumeric codes created for statewide use. HCPCS level II and level III codes are listed in the HCPCS manual, incorporated by reference in part 5221.0405, item E.
- D. "ICD-9-CM code" means a numeric code included in the International Classification of Diseases, Clinical Modification manual, incorporated by reference in part 5221.0405, item A. An ICD-9-CM code is used to identify a particular medical or chiropractic diagnosis.
- E. "Place of service code" means the code used to identify the type of facility and classification of service as inpatient or outpatient service on the HCFA 1500 claim form or the Uniform Billing Claim Form (UB-92 HCFA 1450), incorporated by reference in part 5221.0405, items B and C.
- F. "Procedure code" means a numeric or alphanumeric code used to identify a particular health care service. Procedure codes used in this chapter include CPT codes, HCPCS codes, revenue codes, dental codes, and prescription numbers.
- G. "Revenue code" means a numeric or alphanumeric code included in the UB-92 manual, incorporated by reference in part 5221.0405, item G. Revenue codes are used in institutional settings such as hospitals to identify an individual or group of medical services, articles, or supplies.
- Subp. 5. Commissioner. "Commissioner" means the commissioner of the Department of Labor and Industry.
- Subp. 6. Compensable injury. "Compensable injury" means an injury or condition for which a payer is liable under Minnesota Statutes, chapter 176.
- Subp. 6a. Conversion factor. "Conversion factor" means the dollar value of the maximum fee payable for one relative value unit of a compensable health care service delivered under Minnesota Statutes, chapter 176.
- Subp. 6b. **Division.** "Division" means the Workers' Compensation Division of the Department of Labor and Industry.
- Subp. 6c. Emergency care. "Emergency care" means those medical services that are required for the immediate diagnosis and treatment of medical conditions that, if not immediately diagnosed and treated, could lead to serious physical or mental disability or death, or that are immediately necessary to alleviate severe pain. Emergency treatment includes treatment delivered in response to symptoms that may or may not represent an actual emergency, but is necessary to determine whether an emergency exists.
 - Subp. 7. [Repealed, 18 SR 1472]
 - Subp. 8. [Repealed, 18 SR 1472]
- Subp. 9. **Injury.** "Injury" is as defined in Minnesota Statutes, section 176.011, subdivision 16 as a "personal injury."
- Subp. 10. Medical fee schedule. "Medical fee schedule" means the list of codes, service descriptions, and corresponding dollar amounts allowed under Minnesota Statutes, section 176.136, subdivisions 1 and 5, and parts 5221.4000 to 5221.4070.
- Subp. 10a. **Modifier.** "Modifier" means a two-digit number or two-letter symbol that is added to a procedure code to indicate that the service rendered differs in some material respect from the service as described in this chapter or in the CPT or HCPCS manual in effect on the date the service was rendered. Only those modifiers listed and described in the CPT or HCPCS manual in effect on the date the service was rendered may be used. Applicable modifiers must be used with a procedure code, even if the modifier has no effect on the payment level.
- Subp. 11. Payer. "Payer" refers to any entity responsible for payment and administration of workers' compensation claims under Minnesota Statutes, chapter 176.

5221.0100 FEES FOR MEDICAL SERVICES

Subp. 11a. **Physician.** "Physician" means a person who is authorized by law to practice the medical profession within the United States, is in good standing in the profession, and includes only those persons holding the degree D.O. (Doctor of Osteopathy) or M.D. (Doctor of Medicine), as defined in Minnesota Statutes, sections 176.011, subdivision 17, and 176.135, subdivision 2a.

Subp. 12. **Provider.** "Provider" is as defined in Minnesota Statutes, section 176.011, subdivision 24.

Subp. 13. [Repealed, 18 SR 1472]

Subp. 14. [Repealed, 18 SR 1472]

Subp. 14a. Relative value unit or RVU. "Relative value unit" or "RVU" means the numeric value assigned to a health care service or procedure to represent or quantify its worth, as compared to a standard service.

Subp. 15. Service or treatment. "Service" or "treatment" means any procedure, operation, consultation, supply, product, or other thing performed or provided for the purpose of curing or relieving an injured worker from the effects of a compensable injury under Minnesota Statutes, section 176.135, subdivision 1.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 15 SR 124; 18 SR 1472; 25 SR 1142; L 2002 c 277 s 32

5221.0200 AUTHORITY.

This chapter is adopted under the authority of Minnesota Statutes, sections 175.171; 176.101, subdivision 3e; 176.135, subdivisions 2 and 7; 176.136; 176.231; and 176.83.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 1472

5221.0300 PURPOSE.

This chapter is intended to prohibit health care providers treating employees with compensable injuries from receiving excessive reimbursement for their services. This chapter defines the payer's maximum liability for medical services, articles, and supplies. This chapter also governs health care provider communication with parties; required reporting of medical, disability, and billing information under Minnesota Statutes, chapter 176; change of health care provider; and criteria for determining, serving, and filing maximum medical improvement.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 1472

5221.0400 SCOPE.

The following are subject to this chapter: all entities responsible for payment and administration of medical claims compensable under Minnesota Statutes, chapter 176; providers of medical services or supplies for compensable injuries under Minnesota Statutes, section 176.135, subdivision 1; and employees as defined in Minnesota Statutes, section 176.011, subdivision 9. This chapter shall be applied in all relevant determinations made by compensation judges at the department and the Office of Administrative Hearings, and by the commissioner.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83 **History:** 9 SR 601; 13 SR 2609; 18 SR 2545

5221.0405 INCORPORATIONS BY REFERENCE.

The following documents are incorporated by reference to the extent cited in this chapter. Many of these documents may be accessed through the Internet by contacting the organization listed.

- A. The International Classification of Diseases, Clinical Modification, 9th revision, 1991 (ICD-9-CM). It is subject to frequent change. It is published by the United States Department of Health and Human Services, Centers for Medicare and Medicaid Services, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402. It is available through the Minitex interlibrary loan system.
- B. The Centers for Medicare and Medicaid Services claim form (HCFA-1500)(U2)(12-90), and any subsequent revisions. It is not subject to frequent change. It is developed by the United States Department of Health and Human Services, Centers for Medicare and Mediciad Services, and may be purchased through the Superintendent of Documents, United States Government Printing Office, Washington, D.C. 20402, telephone number (202) 512-1800. It is available through the Minitex interlibrary loan system.
- C. The Uniform Billing Claim form (UB-92, HCFA-1450) developed by the National Uniform Billing Committee, and any subsequent revisions. The Centers for Medicare and Medicaid Services determines the standards for printing this form. It is not subject to frequent change. It may be purchased from local commercial business office supply stores. It is available through the Minitex interlibrary loan system.
- D. The Physician's Current Procedural Terminology, (CPT manual) 4th edition, 1998, 1999, 2000, and any subsequent revisions. CPT codes are subject to frequent change. They are published by and may be purchased from the American Medical Association, Order Department: OP054196, P.O. Box 10950, Chicago, Illinois 60610. They are available through the Minitex interlibrary loan system.
- E. The alphanumeric HCFA Common Procedural Coding System (HCPCS manual), January 1998, 1999, and 2000 editions, and any subsequent revisions. It is subject to frequent change. It is published by the HCPCS subcommittee of Minnesota under the authority of the Centers for Medicare and Medicaid Services and may be purchased from Minnesota's Bookstore, (651) 297-3000 or (800) 657-3757. It is available through the Minitex interlibrary loan system.
- F. Minnesota Standards for the Use of the HCFA 1500 Claim Form, third edition effective October 1, 1998, as referenced in the August 31, 1998, edition of the State Register, and any subsequent revisions adopted by the Department of Health under Minnesota Statutes, sections 62J.52 and 62J.61. It is subject to frequent change. It is published by the Administrative Uniformity Committee in conjunction with the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It may be purchased from Minnesota's Bookstore, (651) 297-3000 or (800) 657-3757. It is available through the Minitex interlibrary loan system.
- G. The Manual for the Standards of Use of the UB-92 (HCFA 1450) form, 1994, and any subsequent revisions adopted by the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It is subject to frequent change. It is developed by the National Uniform Billing Committee and the Minnesota Uniform Billing Committee and published in conjunction with the Department of Health pursuant to Minnesota Statutes, sections 62J.52 and 62J.61. It may be purchased from the Minnesota Hospital and Health Care Partnership, (651) 641-1121. It is available through the Minitex interlibrary loan system.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142; L 2002 c 277 s 32

5221.0410 REQUIRED REPORTING AND FILING OF MEDICAL INFORMATION.

- Subpart 1. Scope. This part prescribes information the health care provider is required to submit to the employer, insurer, or commissioner. This part does not preclude any party or the commissioner from requesting supplementary reports from the health care provider under Minnesota Statutes, section 176.231, subdivision 4.
- Subp. 2. Health care provider report. Within ten days of receipt of a request for information on the prescribed health care provider report form from an employer,

5221.0410 FEES FOR MEDICAL SERVICES

insurer, or the commissioner, a health care provider must respond on the report form or in a narrative report that contains the same information requested on the form.

The health care provider's report form prescribed by the commissioner must include the information required by items A to M:

- A. information identifying the employee and employer, and insurer, if known;
- B. date of first examination for this injury or disease by the health care provider;
- C. diagnosis and appropriate ICD-9-CM diagnostic codes for the injury or disease;
 - D. history of the injury or disease as given by the employee;
 - E. the relationship of the injury or disease to employment activities;
- F. information regarding any preexisting or other conditions affecting the employee's disability;
- G. information about future treatment including, but not limited to, hospital admission, surgery, or referral to another doctor;
 - H. information regarding any surgery that has been performed;
- I. information regarding the employee's ability to work, any work restrictions, and dates of disability;
- J. information regarding the employee's permanent partial disability rating, in accordance with subpart 4;
- K. information regarding whether the employee is unable to return to former employment for medical reasons attributed to the injury;
- L. information regarding maximum medical improvement in accordance with subpart 3; and
- M. signature of health care provider, license or registration number, and identification information.
- Subp. 3. **Maximum medical improvement.** For injuries occurring on or after January 1, 1984, or upon request for earlier injuries, the health care provider must report to the self-insured employer or insurer, maximum medical improvement, when ascertainable, on the health care provider report form or in a narrative report. "Maximum medical improvement" is a medical and legal concept defined by Minnesota Statutes, section 176.011, subdivision 25.
- A. For purposes of subitems (1) and (2), "the employee's condition" includes the signs, symptoms, physical and clinical findings, and functional status that characterize the complaint, illness, or injury. "Functional status" means the ability of an individual to engage in activities of daily life and vocational activities. Except as otherwise provided in item B:
- (1) In determining maximum medical improvement, the following factors shall be considered by the health care provider as an indication that maximum medical improvement has been reached:
- (a) there has been no significant lasting improvement in the employee's condition, and significant recovery or lasting improvement is unlikely, even if there is ongoing treatment;
- (b) all diagnostic evaluations and treatment options that may reasonably be expected to improve or stabilize the employee's condition have been exhausted, or declined by the employee;
- (c) any further treatment is primarily for the purpose of maintaining the employee's current condition or is considered palliative in nature; and
- (d) any further treatment is primarily for the purpose of temporarily or intermittently relieving symptoms.
- (2) The following factors should be considered by the health care provider as an indication that maximum medical improvement has not been reached:

- (a) the employee's condition is significantly improving or likely to significantly improve, with or without additional treatment;
- (b) there are diagnostic evaluations that could be performed that have a reasonable probability of changing or adding to the treatment plan leading to significant improvement; or
- (c) there are treatment options that have not been applied that may reasonably be expected to significantly improve the employee's condition.
- B. This item applies to musculoskeletal injuries that fall within any category under parts 5223.0070, 5223.0080, 5223.0110 to 5223.0150, and 5223.0170 for dates of injury before July 1, 1993, and that fall within any category under parts 5223.0370 to 5223.0390 and 5223.0440 to 5223.0550 for dates of injury on or after July 1, 1993. When more than one year has elapsed since the date of a musculoskeletal injury that falls within any of the above categories, the only factors in determining maximum medical improvement shall be whether a decrease is anticipated in the employee's estimated permanent partial disability rating or a significant improvement is anticipated in the employee's work ability as documented on the report of work ability described in subpart 6. If medical reports show no decrease in the employee's estimated permanent partial disability or no significant improvement in the employee's work ability in any three-month period later than one year after the injury, the employee is presumed to have reached maximum medical improvement. This presumption can only be rebutted by a showing that a decrease in the employee's permanent partial disability rating or significant improvement in the work ability has occurred or is likely to occur beyond this three-month period. The medical reports relied upon as establishing maximum medical improvement under this item must be served on the employee in accordance with item C.

This item applies only to injuries of the musculoskeletal system, except where the injury is a spinal cord injury resulting in permanent paralysis, a head injury with loss of consciousness, or where surgery has been performed within the previous six months. In these cases, the factors listed in item A shall be used to determine maximum medical improvement.

- C. If the employer or insurer does not serve a notice of intention to discontinue benefits or a petition to discontinue benefits under Minnesota Statutes, section 176.238, at the same time a narrative maximum medical improvement report is served, then the report must be served with a cover letter containing the information in subitems (1) to (6). Serving the cover letter with the maximum medical improvement report does not replace the notice of intention to discontinue benefits or petition to discontinue benefits required by Minnesota Statutes, section 176.238. The cover letter must include:
- (1) information identifying the employee by name, social security number, and date of injury;
 - (2) information identifying the employer and insurer;
 - (3) the date the report was mailed to the employee;
- (4) a statement that the attached report indicates that in the opinion of the health care provider, the employee reached maximum medical improvement by the specified date or an explanation that the attached reports indicate the employee has reached maximum medical improvement under the circumstances specified in item B;
- (5) the definition of maximum medical improvement as defined by Minnesota Statutes, section 176.011, subdivision 25; and
- (6) the statement: "There may be an impact on your temporary total disability benefits. If we propose to stop your benefits, a notice of discontinuance of benefits will be sent to you first. If you have any questions concerning your benefits or maximum medical improvement, you may call the claims person at or the workers' compensation division at (specify telephone numbers)."

Subp. 4. **Permanent partial disability.** The health care provider must render an opinion of permanent partial disability when ascertainable, but no later than the date of maximum medical improvement. The rating must be reported on the health care provider report form or in a narrative report. In making a rating of permanent partial disability, the health care provider must specify any applicable category of the permanent partial disability schedule in effect for the employee's date of injury. If a zero rating is appropriate, this rating must also be reported.

The health care provider may refer the employee to another health care provider for an opinion of the employee's permanent partial disability rating if the primary health care provider feels unable to make the determination in complicated cases involving impairments to more than one body part or multiple citations under the permanent partial disability schedule. In such cases, the treating provider must be available for consultation with the evaluating provider, and must make all relevant medical records available, without charge to the payer. The evaluating provider is entitled to reimbursement from the payer for a consultation as limited by the medical fee schedule.

- Subp. 5. Required reporting to division. For those injuries that are required to be reported to the division under Minnesota Statutes, section 176.231, subdivision 1, the self-insured employer or insurer or third-party administrator shall file with the division the health care provider report form prescribed in subpart 2 or a narrative report that indicates that the employee has reached maximum medical improvement, or that indicates a preliminary or final permanent partial disability rating. The commissioner shall, by written request under Minnesota Statutes, section 176.231, subdivisions 3 and 7, require the filing of the health care provider report at additional times as necessary to monitor compliance with Minnesota Statutes, chapter 176, in accordance with Minnesota Statutes, sections 176.231, subdivision 6, and 176.251. All reports filed under this subpart must include the appropriate ICD-9-CM diagnostic codes for the injury or disease.
- Subp. 6. Report of work ability. Each primary health care provider as defined in part 5221.0430, subpart 1, must complete and submit to the employee a report of work ability. A health care provider providing service under the direction or prescription of another provider is not required to complete a report of work ability.
- A. For all work injuries, the primary health care provider must complete a report of work ability within ten days of a request by an insurer or at the intervals stated in subitems (1) to (3), unless there are no restrictions or the restrictions are permanent and have been so indicated in a report of work ability:
 - (1) every visit if visits are less frequent than once every two weeks;
- (2) every two weeks if visits are more frequent than once every two weeks, unless work restrictions change sooner; or
- (3) upon expiration of the ending or review date of the restriction specified in a previous report of work ability. Open-ended durations of disability or restriction may not be given.
- B. The report of work ability must be either on the form prescribed by the commissioner or in a report that contains the same information as the report of work ability. The report of work ability prescribed by the commissioner shall include:
- (1) information identifying the employee and employer, and insurer, if known;
 - (2) the date of the most recent examination;
- (3) information stating whether the employee is able to work without restrictions, able to work with restrictions, or unable to work;
- (4) work restrictions stated in functional terms, if the employee is able to work with restrictions;
- (5) the date any restriction of work activity is to begin and the anticipated ending or review date;

- (6) the date of the next scheduled visit;
- (7) the signature of the health care provider, license or registration number, and identification information; and
- (8) a notice to the employee that a copy of the report must be promptly provided to the employer or workers' compensation insurer and assigned qualified rehabilitation consultant.
- C. The report of work ability must be based on the health care provider's most recent evaluation of the employee's signs, symptoms, physical and clinical findings, and functional status.
- D. The report of work ability must be provided to the employee and a copy of the report must be placed in the employee's medical record. Promptly upon receipt, the employee shall submit the report of work ability to the employer or the insurer and the assigned qualified rehabilitation consultant. The commissioner shall, by written request under Minnesota Statutes, sections 176.102, subdivision 7, and 176.231, subdivisions 3 and 7, require the filing of a report of work ability when necessary to monitor compliance with Minnesota Statutes, chapter 176, in accordance with Minnesota Statutes, sections 176.231, subdivision 6, and 176.251.

Subp. 7. Payment and coding for required and supplementary reporting.

- A. No charge may be assessed for completion of a health care provider report or report of work ability required by subparts 2 and 6, or for a narrative or other report prepared in lieu of a health care provider report or report of work ability. If a provider itemizes this service on the billing form, the provider must use code 99080 (special reports) when reporting this service.
- B. A payer or other party may request supplementary reports from the health care provider for information not required in the health care provider report or the report of work ability. A provider may charge a reasonable amount for requested supplementary reports using code 99199 (unlisted special service or report). Payment for supplementary reports is not subject to the 85 percent payment limit as specified in part 5221.0500, subpart 2, item F.
- Subp. 8. Proper filing of documents with division. A health care provider report or narrative report required by the division under this part may be filed by facsimile or electronic transmission, if available at the division. Filing is completed at the time that the facsimile or electronic transmission is received by the commissioner. A report received after 4:30 p.m. shall be deemed received on the next open state business day. The filed facsimile or transmitted information has the same force and effect as the original. Where the quality of the document is at issue, the commissioner shall require the original document to be filed.

A narrative report filed with the division must, at the top of the first page, identify the employee by name, social security number, and date of injury. The name of the self-insured employer, insurer, and administrator if appropriate, must also be identified. The filer must identify the reason the report is submitted, and must highlight the corresponding pertinent sections of the report.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.0420 HEALTH CARE PROVIDER PARTICIPATION WITH RETURN TO WORK PLANNING.

Subpart 1. Cooperation with return to work planning. In addition to completing the required report of work ability under part 5221.0410, subpart 6, a health care provider must participate cooperatively in the planning of an injured employee's return to work by communicating with the employee, employer, insurer, rehabilitation providers, and the commissioner in accordance with this part. A health care provider must release the employee to return to work, with restrictions if necessary, at the earliest appropriate time.

If no qualified rehabilitation consultant has requested an opinion under subpart 2, item B, subitem (1), the health care provider must respond within ten calendar days of receipt of a request by the employee, employer, or insurer regarding whether the physical requirements of a proposed job are within the employee's medical restrictions or whether the health care provider requires further information. The health care provider may respond in writing, in person, or by telephone. The health care provider may require that the proposed job be described in writing. The provider may also agree to review a videotape of the job.

- Subp. 2. Communication with assigned qualified rehabilitation consultant. When an employee is receiving vocational rehabilitation services under Minnesota Statutes, section 176.102, the health care provider must communicate with the assigned qualified rehabilitation consultant as follows:
- A. A valid patient authorization is required for communication with the assigned qualified rehabilitation consultant. Under part 5220.1802, it is the assigned qualified rehabilitation consultant's responsibility to obtain the patient authorization and send it to the health care provider. Within ten calendar days of receipt of a request for information, the health care provider must respond to the assigned qualified rehabilitation consultant in person, by telephone, or in writing when any of the circumstances specified in item B occur. When an opinion about a proposed job is requested, the health care provider may require that the proposed job be described in writing. The provider may also agree to review a videotape of the job.
- B. The health care provider must respond to a request for communication from the assigned qualified rehabilitation consultant upon initial assignment of a qualified rehabilitation consultant. Thereafter, the health care provider must respond to a request no more than once in any 30-calendar day period, except that the provider must also respond to a request when any of the following occur:
- (1) when an opinion is requested regarding whether the physical requirements of a proposed job are within the employee's restrictions;
- (2) when there has been an unanticipated or substantial change in the employee's condition;
 - (3) when a job search is initiated; or
 - (4) when there has been a change in the employee's work status.
- Subp. 3. Reimbursement for services. A health care provider may not require prepayment for communication required by this part. The provider must bill the employer and insurer for the services rendered. Return to work services for communication directly with the employee alone must be included in the appropriate level of evaluation and management service. For a return to work service provided to anyone other than the employee, a provider may charge a reasonable amount under this part using code 99199 (unlisted special service or report). Payment for return to work services coded as 99199 under this subpart is not subject to the 85 percent payment limit as specified in part 5221.0500, subpart 2, item F.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.0430 CHANGE OF HEALTH CARE PROVIDER.

Subpart 1. **Primary health care provider.** The individual health care provider directing and coordinating medical care to the employee following the injury is the primary health care provider. If the employee receives medical care after the injury from a provider on two occasions, the provider is considered the primary health care provider if that individual directs and coordinates the course of medical care provided to the employee. The employee may have only one primary health care provider at a time. The selection of a provider by an employee covered by a certified managed care plan is governed by chapter 5218.

- Subp. 2. Change of health care provider. Following selection of a primary provider, the employee may change primary providers once within the first 60 days after initiation of medical treatment for the injury without the need for approval from the insurer, the department, or a workers' compensation judge. After the first 60 days following initiation of medical treatment for the injury, any further changes of primary provider must be approved by the insurer, the department, or a workers' compensation judge. However, at any time throughout the claim, transfer of medical care coordination due to conditions beyond the employee's control, such as retirement, death, cessation from practice of the primary provider, or a referral from the primary provider to another provider, does not require prior approval. If the employee is covered by a certified managed care plan, a change of providers is governed by chapter 5218, Minnesota Statutes, section 176.1351, subdivision 2, clause (11), and procedures under the plan.
- Subp. 3. Unauthorized change; prohibited payments. If the employee or health care provider fails to obtain approval of a change of provider before commencing treatment where required by this part, the insurer is not liable for the treatment rendered prior to approval unless the insurer has agreed to pay for the treatment. Treatment rendered before a change of provider is approved under this subpart is not inappropriate if the treatment was provided in an emergency situation and prior approval could not reasonably have been obtained.
- Subp. 4. Change of primary provider not approved. After the first 60 days following initiation of medical treatment for the injury, or after the employee has exercised the employee's right to change doctors once, the department, a certified managed care organization, or a compensation judge shall not approve a party's request to change primary providers, where:
- A. a significant reason underlying the request is an attempt to block reasonable treatment or to avoid acting on the provider's opinion concerning the employee's ability to return to work;
- B. the change is to develop litigation strategy rather than to pursue appropriate diagnosis and treatment;
 - C. the provider lacks the expertise to treat the employee for the injury;
- D. the travel distance to obtain treatment is an unnecessary expense and the same care is available at a more reasonable location;
 - E. at the time of the employee's request, no further treatment is needed; or
- F. for another reason, the request is not in the best interest of the employee and the employer.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.0500 EXCESSIVE CHARGES; LIMITATION OF PAYER LIABILITY.

- Subpart 1. Excessive health care provider charges. A billing charge for services, articles, or supplies provided to an employee with a compensable injury is excessive if any of the conditions in items A to I apply to the charge. A payer is not liable for a charge which meets any of these conditions.
- A. the charge wholly or partially duplicates another charge for the same service, article, or supply, such that the charge has been paid or will be paid in response to another billing; or
- B. the charge exceeds the provider's current usual and customary charge, as specified in subpart 2, item B, for the same or similar service, article, or supply in cases unrelated to workers' compensation injuries; or
- C. the charge is described by a billing code that does not accurately reflect the actual service provided; or
- D. the service does not comply with the treatment standards and requirements adopted under Minnesota Statutes, section 176.83, subdivision 5, concerning the

reasonableness and necessity, quality, coordination, level, duration, frequency, and cost of services; or

- E. the service was performed by a provider prohibited from receiving reimbursement under Minnesota Statutes, chapter 176, pursuant to Minnesota Statutes, sections 176.83, 176.103, 176.1351, and 256B.0644; or
- F. the service, article, or supply is not usual, customary, and reasonably required for the cure or relief of the effects of a compensable injury or is provided at a level, duration, or frequency that is excessive, based on accepted medical standards for quality health care and accepted rehabilitation standards under Minnesota Statutes, section 176.136, subdivision 2, clause (2); or
- G. the service, article, or supply was delivered in violation of the federal Medicare anti-kickback statutes and regulations as specified in part 5221.0700, subpart 1a; or
- H. where approval for a change of doctor is required by part 5221.0430 for the provider submitting the charge, and approval has not been obtained from the payer, commissioner, or compensation judge; or
- I. the service is outside the scope of practice of the particular provider or is not generally recognized within the particular profession of the provider as of therapeutic value for the specific injury or condition, under Minnesota Statutes, section 176.136, subdivision 2, clause (3).
- Subp. 2. Limitation of payer liability. A payer is not liable for health care charges which are excessive under subpart 1. If the charges are not excessive under subpart 1, a payer's liability for payment of charges is limited as provided in items A to F.
- A. If the medical fee schedule applies to the service according to part 5221.4000, subpart 3, the payer's liability shall be limited to the maximum amount allowed for any service, article, or supply in the medical fee schedule in effect on the date of the service, or the provider's usual and customary fee, whichever is lower.
- B. Except as provided in items C to F, if the maximum fee for service, article, or supply is not limited by parts 5221.4000 to 5221.4070, the payer's liability for payment shall be limited to 85 percent of the provider's usual and customary charge, or 85 percent of the prevailing charge for similar treatment, articles, or supplies furnished to an injured person when paid for by the injured person, whichever is lower.
- (1) A usual and customary charge under Minnesota Statutes, section 176.136, subdivision 1b, paragraphs (a) and (b), means the amount actually billed by the health care provider to all payers for the same service, whether under workers' compensation or not, and regardless of the amount actually reimbursed under a contract or government payment system.
- (2) A prevailing charge under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (b), is the 75th percentile of the usual and customary charges as defined in subitem (1) in the previous calendar year for each service, article, or supply if the database for the service meets all of the following criteria:
- (a) the database includes only Minnesota providers, with at least three different, identifiable providers of the same provider type, distinguished by whether the service is an inpatient hospital service, or an outpatient physician, pathology, laboratory, chiropractic, physical therapy or occupational therapy service, or provider of other similar service, article, or supply;
 - (b) there are at least 20 billings for the service, article, or supply; and
- (c) the standard deviation is less than or equal to 50 percent of the mean of the billings for each service in the data base or the value of the 75th percentile is not greater than or equal to three times the value of the 25th percentile of the billings.
- C. Under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (a), payment for services, articles, and supplies provided to an employee while an inpatient or outpatient at a hospital with 100 or fewer licensed beds shall be 100 percent of the usual and customary charge as defined in item B, unless the charge is determined by

the commissioner or compensation judge to be unreasonably excessive. The payer's liability for services provided by a nursing home that participates in the medical assistance program shall be the rate established by the commissioner of human services.

- D. Under Minnesota Statutes, section 176.136, subdivision 1b, paragraph (b), payment for services, articles, and supplies provided to an employee who is an inpatient at a hospital with more than 100 licensed beds shall be limited to 85 percent of the hospital's usual and customary charge as defined in item B, or 85 percent of the prevailing charge as defined in item B, whichever is lower. Outpatient charges for hospitals with more than 100 beds are limited by the maximum fees for any service set forth in parts 5221.4000 to 5221.4070. For hospitals with more than 100 beds, liability for outpatient charges that are not included in parts 5221.4000 to 5221.4070 is limited to 85 percent of the hospitals usual and customary, or prevailing charge, as described in item B. A hospital charge is considered an inpatient charge if the employee spent either the night before or the night after the service in the hospital, and there is an overnight room charge.
- E. Charges for cost of copies of medical records and postage are governed by parts 5219.0100 to 5219.0300 and are not subject to the 85 percent reimbursement limit specified in item B. Travel expenses incurred by an employee for compensable medical services shall be paid at the rate equal to the rate paid by the employer for ordinary business travel expenses, or the rate paid by the state of Minnesota under the commissioner's plan for employment-related travel, whichever is lower. Reimbursement for employee travel expenses is not subject to the 85 percent reimbursement limit specified in item B.
- F. Charges for supplementary reports that are not required reports under part 5221.0410, subpart 7, and charges for return to work services under part 5221.0420, subpart 3, are not subject to the 85 percent reimbursement limit specified in item B.
- Subp. 3. Collection of excessive charges. A provider may not collect or attempt to collect payment from an injured employee, or any other source, charges for a compensable injury which the payer has determined are excessive under subpart 1 or which exceed the maximum amount payable specified in subpart 2, unless payment is ordered by the commissioner, compensation judge, or Workers' Compensation Court of Appeals. Unless the provider or the employee has filed a claim for a determination of the amount payable with the commissioner, the health care provider must remove the charges from the billing statement. If a dispute exists as to whether an employee's injury is compensable under Minnesota Statutes, chapter 176, and the employee has general health insurance, payment of medical bills is governed by Minnesota Statutes, section 176.191, subdivision 3.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601: 13 SR 2609: 18 SR 1472: 25 SR 1142

5221.0550 [Repealed, 18 SR 1472]

5221.0600 PAYER RESPONSIBILITIES.

- Subpart 1. Compensability. This chapter does not require a payer to pay a charge for a service that is not for the treatment of a compensable injury or a charge that is the primary obligation of another payer.
- Subp. 2. **Determination of excessiveness.** Subject to a determination of the commissioner or compensation judge, the payer shall determine whether a charge or service is compensable by evaluating the charge and service according to the conditions of excessiveness and payer liability specified in part 5221.0500, subparts 1 and 2, and Minnesota Statutes, section 176.136, subdivision 2. If the payer determines that the provider has assigned an incorrect code for a service, the payer may determine the correct code for the service and evaluate liability for payment on the basis of the correct code.

- Subp. 3. **Determination of charges.** As soon as reasonably possible, and no later than 30 calendar days after receiving the bill, the payer shall:
 - (1) pay the charge or any portion of the charge that is not denied;
- (2) deny all or a portion of a charge on the basis that the injury is noncompensable; the charge is excessive or noncompensable under Minnesota Statutes, section 176.136, subdivision 2; or part 5221.0500, subparts 1 and 2; or the charges are not submitted on the appropriate billing form prescribed in part 5221.0700; or
- (3) request specific additional information to determine whether the charge or the condition is compensable. The payer shall make a determination as set forth in subitems (1) and (2) no later than 30 calendar days following receipt of the provider's response to the initial request for specific additional information.
- Subp. 4. **Notification.** Within 30 calendar days of receipt of the bill, the payer shall provide written notification to the employee and provider of denial of part or all of a charge, or of any request for additional information. Written notification shall include:
- A. the basis for denial of all or part of a charge that the payer has determined is not for a compensable injury under part 5221.0100, subpart 6;
- B. the basis for denial or reduction of each charge and the specific amounts being denied or reduced for each charge meeting the conditions of an excessive or noncompensable charge under part 5221.0500, subparts 1 and 2, or Minnesota Statutes, section 176.136, subdivision 2;
- C. denial of a charge for failure to submit it on the billing form prescribed in part 5221.0700, subpart 2; and
- D. a request for an appropriate record or the specific information requested to allow for proper determination of the bill under this part.

The payer shall specify the applicable rule, part, and subpart in this chapter supporting its denial or reduction of a charge. A general statement that a service or charge "exceeds the fee schedule or treatment parameters" is not adequate notification.

If payment is denied under item B, C, or D, the payer shall reconsider the charges in accordance with this rule as soon as reasonably possible, and no later than 30 calendar days after receipt of additional relevant information or documents. Notice of denial of part or all of a charge shall be given by the payer consistent with the guidelines in this subpart.

- Subp. 5. **Penalties.** Failure to comply with the requirements of this part may subject the payer to the penalties provided in Minnesota Statutes, sections 176.221, 176.225, and 176.194.
- Subp. 6. Collection of excessive payment. Any payment made to a provider which is determined to be wholly or partially excessive, according to the conditions prevailing at the time of payment, may be collected from the provider by the payer in the amount that the reimbursement was excessive. The payer must demand reimbursement of the excessive payment from the provider within one year of the payment.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

5221.0650 DATA COLLECTION, RETENTION, AND REPORTING REQUIRE-MENTS.

- Subpart 1. Scope. This part applies to workers' compensation insurers, self-insurers, group self-insurers, adjusters, and third-party administrators who act on behalf of an insurer, self-insurer, the assigned risk plan, and the Minnesota Insurance Guaranty Association.
- Subp. 2. Purpose. The purpose of this part is to establish procedures and requirements for reporting medical and related data regarding treatment of work-

related injuries. The data shall be provided in order for the department to monitor and evaluate medical services and supplies under Minnesota Statutes, chapter 176.

- Subp. 3. **Retention period.** Data described in subpart 4 shall be collected and stored by the parties listed in subpart 1, beginning July 1, 1994, for all medical services and supplies provided to an employee under Minnesota Statutes, chapter 176, for ten years from the date of injury, or four years from the date the claim is closed, whichever is later
- Subp. 4. Required data. The data in items A and B shall be collected and stored by the parties listed in subpart 1.
- A. Required data for professional services and supplies includes all elements required on the uniform billing form under part 5221.0700, subpart 2a, and:
 - (1) an indication of open or closed claim status;
- (2) an indication of whether the employee was incapacitated from performing labor or service for more than three calendar days under Minnesota Statutes, section 176.231, subdivision 1;
- (3) the amount of payments made for individual medical services, articles, and supplies; and
- (4) the name of the managed care plan if services were provided under contract with or referral by a certified workers' compensation managed care plan.
- B. Required data for inpatient and outpatient hospital services and supplies includes all elements required on the uniform billing form under part 5221.0700, subpart 2b, and:
 - (1) an indication of open or closed claim status;
- (2) an indication of whether the employee was incapacitated from performing labor or service for more than three calendar days under Minnesota Statutes, section 176.231, subdivision 1; and
- (3) the name of the managed care plan if services were provided under a contract with or referral by a certified managed care plan for workers' compensation.
- Subp. 5. Reporting requirements. The data in subpart 4 shall be periodically sampled according to the sampling specifications prescribed by the research design for a study initiated by the commissioner under Minnesota Statutes, sections 175.17, 175.171, 176.103, and 176.1351. The samples shall be reported within 90 days of the request of the commissioner. The requested data shall be provided without charge to the department by a mutually agreeable standard of information exchange such as hard copy, computerized form, or electronic data interchange.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.136; 176.231; 176.83

History: 18 SR 1472

5221,0700 PROVIDER RESPONSIBILITIES.

- Subpart 1. Usual charges. No provider shall submit a charge for a service which exceeds the amount which the provider charges for the same type of service in cases unrelated to workers' compensation injuries.
- Subp. 1a. Conflicts of interest. All health care providers subject to this chapter are bound by the federal Medicare antikickback statute in section 1128B(b) of the Social Security Act, United States Code, title 42, section 1320a-7b(b), and regulations adopted under it, pursuant to Minnesota Statutes, section 62J.23. Any medical services or supplies provided in violation of these provisions are not compensable under Minnesota Statutes, chapter 176.
- Subp. 2. Submission of information. Providers except for hospitals must supply with the bill a copy of an appropriate record that adequately documents the service and substantiates the nature and necessity of the service or charge. Hospitals must submit an appropriate record upon request by the payer. All charges billed after January 1, 1994, for workers' compensation health care services, articles, and supplies, except for

5221.0700 FEES FOR MEDICAL SERVICES

United States government facilities rendering health care services for veterans must be submitted to the payer on the forms prescribed in subparts 2a, 2b, and 2c, and in accordance with items A to D.

- A. Charges for services, articles, and supplies must be submitted to the payer directly by the health care provider actually furnishing the service, article, or supply. This includes but is not limited to the following:
- (1) diagnostic imaging, laboratory, or pathology testing not actually performed by the health care provider, or employee of the health care provider, who ordered the test;
- (2) equipment, supplies, and medication not ordinarily kept in stock by the hospital or other health care provider facility, purchased from a supplier for a specific employee;
- (3) services performed by a health care provider at a small or large hospital, as defined in part 5221.0500, subpart 2, items C and D, if the provider has an independent practice, except that a hospital may charge for services furnished by a provider who receives at least a base payment from the hospital, which is paid regardless of the number of patients seen; and
- (4) outpatient medications dispensed by a licensed pharmacy pursuant to an order written by a health care provider, as described in this subpart, including both prescription and nonprescription medications.
- B. Charges must be submitted to the payer in the manner required by subparts 2a, 2b, and 2c within 60 days from the date the health care provider knew the condition being treated was claimed by the employee as compensable under workers' compensation. Failure to submit charges within the 60 days is not a basis to deny payment, but is a basis for disciplinary action against the provider under Minnesota Statutes, section 176.103.
- C. When a provider orders a medication for an employee, the provider must also supply the employee with a document accurately describing the medication as ordered and including the words "workers' compensation," or the letters "W.C." on its face. This requirement applies to both prescription and nonprescription medications and may be fulfilled by a handwritten note on the provider's personalized stationary or prescription pad.
- D. This part does not limit the collection of other information the provider may be required to report under any other state or federal jurisdiction.
- Subp. 2a. Federal health care financing administration claim form HCFA 1500 form. Except as provided in subparts 2b and 2c, charges for all services, articles, and supplies that are provided for a claimed workers' compensation injury must be submitted to the payer on the HCFA 1500 form. Charges for dental services may be submitted on the dental claim form required by Minnesota Statutes, section 62J.52, subdivision 3. The HCFA 1500 form must be filled out in accordance with Minnesota Statutes, section 62J.52, and directions set forth in the "Minnesota Standards for the Use of the HCFA 1500 Claim Form" manual adopted by the Department of Health under Minnesota Statutes, section 62J.61.
- Subp. 2b. Uniform billing claim form UB-92 (HCFA 1450). Hospitals licensed under Minnesota Statutes, section 144.50, must submit itemized charges on the uniform billing claim form, UB-92, (HCFA 1450). The UB-92 form must be filled out according to Minnesota Statutes, section 62J.52, and the manual for the standards of use of the UB-92 form published by the Minnesota Hospital and Health Care Partnership.

When the UB-92 form provides only summary information, an itemized listing of all services and supplies provided during the inpatient hospitalization must be attached to the UB-92 form. The itemized list must include:

A. where a code is assigned to a service, the approved procedure codes and modifiers appropriate for the service, in accordance with subpart 3. Charges for supplies need not be coded, but a description and charge for specific articles and supplies must be itemized;

- B. the charge for each service;
- C. the number of units of each service provided; and
- D. the date each service was provided.
- Subp. 2c. **Submission of pharmacy charges.** Itemized charges for all hospital outpatient and independent pharmacy medications provided for a claimed workers' compensation injury must be submitted to the payer on a claim form which includes the following information:
- A. the workers' compensation file number (the employee's social security number), if provided by the employee;
 - B. the employee's name and address;
 - C. the insurer's name and address;
 - D. the date of the injury;
 - E. the name of the health care provider who ordered the medication;
- F. if the medication was provided under a contract with, or by referral from a managed care plan certified for workers' compensation by the commissioner of labor and industry under Minnesota Statutes, section 176.1351, the name of the managed care plan;
 - G. the name and quantity of each medication provided;
 - H. the prescription number for the medication;
 - I. the date the medication was provided;
 - J. the total charge for each medication provided; and
- K. the name, address, and telephone number of the pharmacy that provided the medication.

Subp. 3. Billing code.

A. The provider shall undertake professional judgment to assign the correct approved billing code, and any applicable modifiers, in the CPT, HCPCS, or UB-92 manual in effect on the date the service, article, or supply was rendered, using the appropriate provider group designation, and according to the instructions and guidelines in this chapter. No provider may use a billing code which is assigned a "D," "G," "H," or "I" status in part 5221.4030. Where several component services which have different CPT codes may be described in one more comprehensive CPT code, only the single CPT code most accurately describing the procedure performed or service rendered may be reported.

Dental procedures not included in CPT or HCPCS shall be coded using any standard dental coding system.

- B. The codes for services in parts 5221.4030 to 5221.4070 may be submitted with two-digit or two-letter suffixes called "modifiers" as defined in part 5221.0100, subpart 10a. Except as otherwise specifically provided in parts 5221.4000 to 5221.4070, the use of a modifier does not change the maximum fee to be calculated according to part 5221.4020.
 - C. Provider group designation.
- (1) General. The provision of services by all health care providers is limited and governed by each provider's scope of practice as stated in the applicable statute. A provider shall not perform a service which is outside that provider's scope of practice, nor shall a provider use a procedure code for a service which is outside that provider's scope of practice. Services delivered at the direction and under the supervision of a licensed health care provider listed in this item are considered incident to the services of the licensed provider and are coded as though provided directly by the licensed provider. Services delivered by support staff such as aides, assistants, or other unlicensed provider are incident to the services of a licensed provider only if the licensed provider directly responsible for the unlicensed provider is on the premises at the time the service is rendered. Hospital charges are governed by part 5221.0500,

- subpart 2, items C and D. Outpatient charges by hospitals with more than 100 licensed beds are subject to the maximum fees in parts 5221.4000 to 5221.4070.
- (2) Medical and surgical services. Procedure codes for medical and surgical services and supplies are listed in part 5221.4030. These include services delivered by the following types of providers or services provided incident to the services of the following types of providers: medical physicians, surgeons, osteopathic physicians, podiatrists, dentists, oral and maxillofacial surgeons, optometrists, opticians, speech pathologists, licensed psychologists, social workers, nurse practitioners, clinical nurse specialists, and physician's assistants.
- (3) Pathology and laboratory services. Procedure codes for services and supplies provided by a pathologist or by a technician under the supervision of a physician are listed in part 5221.4040.
- (4) Physical medicine and rehabilitation services. Procedure codes for services and supplies provided by a physician, an osteopathic physician, a physical therapist, an occupational therapist, a physical therapist assistant under the direction and supervision of a physical therapist, or a certified occupational therapy assistant under the direction and supervision of an occupational therapist, or provided incident to the services of a physician, an osteopathic physician, a physical therapist, or an occupational therapist are listed in part 5221.4050.
- (5) Chiropractic services. Procedure codes for services and supplies provided by a chiropractor or provided incident to a chiropractor's services are listed in part 5221.4060.
- (6) Pharmacy services. Procedure codes for medications provided pursuant to the order of a health care provider, are described in part 5221.4070.
- Subp. 4. Cooperation with payer. Pursuant to Minnesota Statutes, section 176.138, providers shall comply within seven working days with payers' proper written requests for copies of existing medical data concerning the services provided, the patient's condition, the plan of treatment, and other issues pertaining to the payer's determination of compensability or excessiveness.

Subp. 5. [Repealed, 18 SR 1472]

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 9 SR 601; 13 SR 2609; 18 SR 1472; 25 SR 1142

5221.0800 [Repealed, 18 SR 1472]

5221.0900 [Repealed, 13 SR 2609]

5221.1000 Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 18 SR 1472]

Subp. 5. [Repealed, 18 SR 1472]

Subp. 6. [Repealed, 18 SR 1472]

Subp. 7. [Renumbered 5221.0700, subpart 3, item C, subitems (1) to (20)]

5221.1100 [Repealed, 18 SR 1472]

5221.1200 [Repealed, 18 SR 1472]

5221.1210 [Repealed, 16 SR 622; 18 SR 1472]

5221.1215 [Repealed, 18 SR 1472]

5221.1220 [Repealed, 18 SR 1472]

FEES FOR MEDICAL SERVICES

5221.1300	[Repealed, 18 SR 1472]
5221.1400	[Repealed, 13 SR 2609]
5221.1410	[Repealed, 18 SR 1472]
5221.1450	[Repealed, 18 SR 1472]
5221.1500	[Repealed, 18 SR 1472]
5221.1600	MR 1987 [Repealed, 12 SR 662]
5221.1600	[Repealed, 18 SR 1472]
5221.1700	[Repealed, 13 SR 2609]
5221.1800	[Repealed, 18 SR 1472]
5221.1900	[Repealed, 18 SR 1472]
5221.1950	[Repealed, 18 SR 1472]
5221.2000	[Repealed, 18 SR 1472]
5221.2050	[Repealed, 18 SR 1472]
5221.2070	[Repealed, 18 SR 1472]
5221.2100	[Repealed, 18 SR 1472]
5221.2150	[Repealed, 18 SR 1472]
5221.2200	[Repealed, 18 SR 1472]
5221.2250	[Repealed, 18 SR 1472]
5221.2300	[Repealed, 18 SR 1472]
5221.2400	[Repealed, 18 SR 1472]
5221.2500	Subpart 1. [Repealed, 18 SR 1472]
-	2. [Repealed, 18 SR 1472]
-	3. [Repealed, 10 SR 765]4. [Repealed, 10 SR 765]
•	5. [Repealed, 10 SR 765]
•	6. [Repealed, 10 SR 765]
Subp.	7. [Repealed, 10 SR 765]
Subp.	8. [Repealed, 10 SR 765]
_	9. [Repealed, 10 SR 765]
•	10. [Repealed, 10 SR 765]
	Subpart 1. [Repealed, 18 SR 1472]
-	2. [Repealed by amendment, 13 SR 2609]
-	3. [Repealed, 10 SR 765]4. [Repealed, 10 SR 765]
-	5. [Repealed, 10 SR 765]
-	[Repealed, 18 SR 1472]
5221.2700	[Repealed, 14 SR 722]

5221.4000 FEES FOR MEDICAL SERVICES

5221.2750 [Repealed, 18 SR 1472]

5221.2800 Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. MR 1985 [Repealed, 10 SR 765]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 18 SR 1472]

5221.2900 [Repealed, 18 SR 1472]

5221.3000 Subpart 1. [Repealed, 18 SR 1472]

Subp. 2. [Repealed, 18 SR 1472]

Subp. 3. [Repealed, 10 SR 765]

Subp. 3. [Repealed, 18 SR 1472]

Subp. 4. [Repealed, 10 SR 765]

Subp. 5. [Repealed, 10 SR 765]

5221.3100 [Repealed, 14 SR 722]

5221.3150 [Repealed, 18 SR 1472]

5221.3155 [Repealed, 18 SR 1472]

5221.3160 [Repealed, 18 SR 1472]

5221.3200 [Repealed, 18 SR 1472]

5221.3300 [Repealed, 18 SR 1472]

5221.3310 [Repealed, 14 SR 722]

5221.3400 [Repealed, 13 SR 2609]

5221.3500 [Repealed, 18 SR 1472]

5221.4000 APPLICATION SCHEDULE; INSTRUCTIONS.

- Subpart 1. Contents. This part provides general guidelines for application of the relative value medical fee schedule. The medical fee schedule contains codes and descriptions of services, relative value units and additional descriptive information for each service, and the conversion factor.
- Subp. 2. Revisions. The current medical fee schedule is effective until annual revisions are adopted, except that the commissioner may revise the medical fee schedule at any time to improve the schedule's accuracy, fairness, or equity, or to simplify the administration of the schedule.
- Subp. 3. Applicability. The medical fee schedule applies to a charge for a particular health care service if:
- A. the medical service is compensable under Minnesota Statutes, section 176.135:
- B. the service conforms to a billing code listed in the CPT, HCPCS, or UB-92 manual in effect on the date the service was rendered; and
- C. the billing code for the service is listed under the appropriate provider group designation for the health care provider that rendered the service.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.4010 EMPLOYER'S LIABILITY FOR SERVICES UNDER MEDICAL FEE SCHEDULE.

Unless the maximum fee is adjusted under part 5221.4035, 5221.4041, 5221.4051, or 5221.4061, the employer's liability for services included in parts 5221.4030 to 5221.4060 is limited to 100 percent of the fee schedule amount calculated according to the formula in part 5221.4020 or the provider's usual and customary fee for the service, whichever is lower. The employer's liability for pharmacy services is as provided in part 5221.4070.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221,4020 DETERMINING FEE SCHEDULE PAYMENT LIMITS.

Subpart 1. Conversion factor.

A. Except as provided in parts 5221.4035, 5221.4041, 5221.4051, 5221.4061, and 5221.4070, the maximum fee in dollars for a health care service subject to the medical fee schedule is calculated according to the following formula:

maximum fee = relative value unit (RVU) x conversion factor (CF), rounded to the nearest cent, according to standard mathematical principles.

RVUs for all included services are listed in parts 5221.4030, 5221.4040, 5221.4050, and 5221.4060.

B. The conversion factor shall be updated annually, pursuant to Minnesota Statutes, section 176.136, subdivision 1a. The conversion factor for services included in parts 5221.4030 to 5221.4060 provided after October 1, 1993, is \$52.05. This initial conversion factor is annually adjusted as follows:

- (1) for dates of service from October 1, 1994, to September 30, 1995: \$52.91;
- (2) for dates of service from October 1, 1995, to September 30, 1996: \$54.31:
- (3) for dates of service from October 1, 1996, to September 30, 1997: \$56.35;
- (4) for dates of service from October 1, 1997, to September 30, 1998:
- \$59.47; (5) for dates of service from October 1, 1998, to September 30, 1999:
- \$62.27;
- (6) for dates of service from October 1, 1999, to September 30, 2000: \$66.14;
- (7) for dates of service from October 1, 2000, to September 30, 2001: \$69.04;
- (8) for dates of service from October 1, 2001, to September 30, 2002: \$73.13;
- (9) for dates of service from October 1, 2002, to September 30, 2003: \$75.18;
- (10) for dates of service from October 1, 2003, to September 30, 2004: \$75.18; and
 - (11) for dates of service from October 1, 2004, to September 30, 2005: \$76.31.

As a sample calculation, assume the RVU for a new patient office examination, nonfacility, by a physician, procedure code 99201, is 0.84 RVU. If the date of service was September 1, 2000, this RVU is multiplied by 66.14 (conversion factor effective October 1, 1999). The maximum fee under parts 5221.4030 to 5221.4070, excluding any applicable adjustment, would be equal to \$55.56 for the service.

- Subp. 2. **Key to abbreviations and terms and payment instructions.** Columns 1 to 12 found in parts 5221.4030, subpart 2b, 5221.4040, subpart 2b, 5221.4050, subpart 2b, and 5221.4060, subpart 2b, list indicators necessary to determine the maximum fee for the service. Further payment adjustments may apply as specified in this subpart.
- A. Column 1 identifies CPT/HCPCS code. This is the specific procedure code intended to identify the health care service described in column 4.
- B. Column 2 identifies when there is a technical/professional modifier. Column 2 contains a modifier if there is a technical component (TC) and a professional component (26) for the service. Parts 5221.4032 and 5221.4062 provide additional instructions for applying these modifiers. The technical/professional modifier for pathology/laboratory services is as described in part 5221.4041. Column 2 also contains a modifier "53" to identify a separate RVU for a procedure that has been terminated by the physician before completion.
- (1) 26 indicates professional component only codes. This indicator identifies codes that describe the physician work portion of selected services for which there is an associated code that describes the technical component of the service only.
- (2) TC indicates technical component only codes. This indicator identifies codes that describe the technical component, such as staff and equipment costs, of selected services for which there is an associated code that describes the professional component of the service only.
 - C. Column 3 identifies the status of the code.
- (1) "A" status indicates an active code. These services are separately paid under the medical fee schedule. The maximum fee for this service is calculated according to the formula in subpart 1 and as adjusted by other instructions in this subpart.
- (2) "B" status indicates a bundled code. Payment for covered services are always bundled into payment for other services. There is no separate payment for these services even if an RVU is listed. When these services are covered, payment for them is subsumed by the payment for the services to which they are incident. An example is a telephone call from a hospital nurse regarding care of a patient.
- (3) "C" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (4) "D" status indicates an invalid or deleted CPT or HCPCS code. Another CPT or HCPCS code must be used to describe the service. No payment is allowed for codes with a "D" status even if a positive RVU is listed.
- (5) "E" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- (6) "G" and "I" status indicates an invalid CPT or HCPCS code and "H" status indicates an invalid modifier code. Another code must be used to describe these services. No payment is allowed for codes with a "G," "H," or "I" status even if a positive RVU is listed.
- (7) "N" status indicates a code that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the liability for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
 - (8) "P" status indicates a bundled or excluded code.

- (a) If the item or service is covered as incident to a physician service and is provided on the same day as a physician service, payment for it is bundled into the payment for the physician service to which it is incident. An example is an elastic bandage furnished by a physician incident to physician service.
- (b) If the item or service is covered as other than incident to a physician service, such as colostomy supplies, it may be paid for separately. If the item or service is not provided incident to the services of a licensed provider, the maximum fee for the service is governed by any listed positive RVU or, if there is a zero RVU listed, by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- (9) "R" status indicates a coverage status that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- (10) "T" status indicates injections. There are RVUs listed for these services, but they are only paid if there are no other services payable under the fee schedule billed on the same date by the same provider. If any other services payable under the fee schedule are billed on the same date by the same provider, these services are bundled into the physician services for which payment is made. Payment for the injected material is separate from the injection services and is governed by part 5221.0500, subpart 2, items B to F.
- (11) "X" status indicates a code that is unique to the federal Medicare fee schedule. If the service is compensable for workers' compensation under Minnesota Statutes, section 176.135, the maximum fee for the service is governed by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b, if the code has an RVU of zero. If a positive RVU is listed, the liability for the service is limited to the listed RVU.
- D. Column 4 is an abbreviated CPT/HCPCS description. This is a short narrative description of the procedure code. A detailed description of the service appears in the CPT or HCPCS manual incorporated by reference in the applicable medical fee schedule.
- E. Column 5 lists the total RVUs for the service when the service is provided by a health care provider in the provider's office.
- F. Column 6 lists the total RVUs for the professional service when the service is provided by a health care provider in a facility such as a hospital or ambulatory surgical center.
- G. Column 7 indicates the application of the global surgery package. It provides time frames and other circumstances that apply to each surgical procedure. Part 5221.4035 provides additional factors affecting payment.
- (1) 000 indicates endoscopic or minor procedure with related preoperative and postoperative relative values on the day of the procedure only included in the RVU amount.
- (2) 010 indicates a procedure with preoperative relative values on the day of the procedure and postoperative relative values during a ten-day postoperative period included in the RVU amount.
- (3) 090 indicates major surgery with a one-day preoperative period and a 90-day postoperative period included in the RVU amount.
- (4) MMM indicates maternity codes. The usual global period does not apply.
- (5) XXX indicates the global surgery package concept does not apply to the code.
- (6) YYY indicates the global surgery package concept may apply. If the provider and payor cannot agree to a specified global period, the global period shall be

5221.4020 FEES FOR MEDICAL SERVICES

determined by the commissioner or compensation judge. For purposes of this subitem, the global period shall include normal, uncomplicated follow-up care for the procedure.

- (7) ZZZ indicates the code is related to a primary service and has the same global period as the primary service. However, it is considered an add-on code and is paid separately.
- H. Column 8 governs payment for multiple procedures. Symbols in column 8 indicate applicable payment adjustment rule for multiple procedures.
- (1) O indicates no payment adjustment rules for multiple procedures apply.
- (2) 2 indicates standard payment adjustment rules for multiple procedures apply as provided in part 5221.4035, subpart 5.
- (3) 3 indicates special rules for multiple endoscopic/arthroscopic procedures apply as provided in part 5221.4035, subpart 5, item E.
- (4) 4 indicates special rules for multiple procedures. See parts 5221.4051 and 5221.4061 for specific instructions.
 - (5) 9 indicates that the concept of multiple procedure does not apply.
- I. Column 9 governs payment for bilateral procedure. Symbols in column 9 indicate services subject to payment adjustment if they are bilateral procedures.
 - (1) 0 indicates that no payment adjustments apply to bilateral procedures.
 - (2) 1 indicates that bilateral payment adjustments apply.
 - (3) 2 indicates that no further bilateral payment adjustments apply.
 - (4) 3 indicates that no bilateral payment adjustments apply.
 - (5) 9 indicates that the concept of bilateral procedures does not apply.
- J. Column 10 governs payment for assistant-at-surgery. Symbols in column 10 indicate services when an assistant-at-surgery may be paid.
- (1) 0 indicates an assistant-at-surgery may not be paid unless supporting documentation is submitted to establish medical necessity, in which case payment is according to part 5221.4035, subpart 7.
 - (2) 1 indicates an assistant-at-surgery may not be paid.
- (3) 2 indicates that an assistant-at-surgery may be paid according to part 5221.4035, subpart 7.
 - (4) 9 indicates that the concept of assistant-at-surgery does not apply.
- K. Column 11 governs payment for cosurgeons. Symbols in column 11 indicate services for which two surgeons may be paid.
- (1) 0 indicates cosurgeons are not permitted for this procedure and no payment for a cosurgeon may be made.
- (2) 1 indicates cosurgeons may be paid, with supporting documentation establishing the medical necessity of two surgeons for the procedure. Where necessity is established, payment is according to part 5221.4035, subpart 8.
- (3) 2 indicates cosurgeons are paid according to part 5221.4035, subpart 8.
 - (4) 9 indicates that the concept of cosurgeons does not apply.
- L. Column 12 governs payment for team surgery. Symbols in column 12 indicate services for which team surgeons may be paid. Part 5221.4035, subpart 9, defines team surgery.
- (1) 0 indicates team surgeons are not permitted for this procedure and no payment may be made for team surgeons.
- (2) 1 indicates team surgeons may be paid, if supporting documentation establishes medical necessity of a team. The maximum fee for the service is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.

- (3) 2 indicates team surgeons are permitted. The maximum fee for the service is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
 - (4) 9 indicates that the concept of team surgery does not apply.
- Subp. 3. Supplies, separate billing allowed. Except as otherwise provided in subpart 2, charges for the following supplies provided during an evaluation and management service in the office may be billed separately and paid according to the assigned RVU or, if no positive RVU is assigned, the charges are limited by part 5221.0500, subpart 2:
 - A. surgical trays for services specified in part 5221.4035, subpart 3, item I;
 - B. injectable drugs and antigens;
- C. splints, casts, and other devices used in the treatment of fractures and dislocations;
- D. all take-home supplies provided by the health care provider or hospital, regardless of type;
- E. orthotic device used for the purpose of supporting a weak or deformed body member or restricting or eliminating motion in a diseased or injured part of the body. Braces meet this definition. Elastic stockings and bandages applied in the office do not meet this definition; and
- F. prosthetic devices which replace all or part of an internal body organ, or replace all or part of the function of a permanently inoperative or malfunctioning internal body organ. A foley catheter for a permanently incontinent patient meets this definition. A catheter used to obtain a urine specimen does not meet this definition.
- Subp. 4. Codes 99455 and 99456. The CPT manual describes two codes for "Work Related or Medical Disability Evaluation Services" (codes 99455 and 99456). These codes are used to report evaluations performed to establish baseline information prior to life or disability insurance certificates being issued. They are not to be used for reporting services for treatment or evaluation of a compensable work injury under parts 5221.0410 and 5221.0420 or Minnesota Statutes, chapter 176.

Statutory Authority: MS s 14.38; 14.388; 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 21 SR 420; 22 SR 500; 23 SR 595; 24 SR 302; 25 SR 730; 25 SR 1142; 26 SR 490; 27 SR 378; 28 SR 315; 29 SR 358

5221.4030 MEDICAL/SURGICAL PROCEDURE CODES.

- Subpart 1. Key to abbreviations and terms. For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.
 - Subp. 2. [Repealed, 20 SR 530]

1

2 3

- Subp. 2a. [Repealed, 25 SR 1142]
- Subp. 2b. List of medical/surgical procedure codes.

A. Procedure code numbers 10040 to 19499 relate to skin procedures.

6

7

8 9 10 11 12

			_							_
(1) Skin,	incisio	on and drainage:								
10040	Α	Acne surgery	1.40	1.24	010	2	0	1	0	0
10060	Α	Drainage of skin abscess	1.51	1.30	010	2	0	1	0	0
10061	Α	Drainage of skin abscess	2.83	2.52	010	2	0	1	0	0
10080		Drainage of pilondial	1.57	1.33	010	2	0	1	0	0
10081		Drainage of pilondial	3.38	2.85	010	2	0	1	0	0
10120		Remove foreign body	1.58	1.36	010	2	0	1	0	0

MINNESOTA RULES 2005

5221.4030 F	EES FOR MEDICAL SERVICE	ES						5	550
10140 A 10160 A	A Remove foreign body A Drainage of hematoma A Puncture drainage of cyst A Complex drainage, cyst	3.47 1.88 1.48 3.16	2.99 1.65 1.30 3.16	010 010 010 010	2 2 2 2	0 0 0 0	1 1 1 1	0 0 0 0	0 0 0 0
(2) Skin, excis	sion, debridement:								
11001	A Debride infected skin A Debride infected skin A Debride skin, foreign A Debride skin/muscle A Debride skin/muscle A Debride skin, partial A Debride skin, full A Debride skin/tissue A Debride tissue/muscle A Debride tissue/muscle	0.95 0.53 8.00 9.48 13.17 0.86 1.32 1.69 4.10 5.77	0.76 0.41 8.00 9.48 13.17 0.67 1.05 1.37 4.10 5.77	000 ZZZ 010 000 000 000 000 000 010 010	2 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 2 2 2 0 0 0 0	1 1 2 2 2 1 1 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
(3) Skin, parii	ng or cutting:								
11051 I 11052 I 11055 F 11056 F	Trim skin lesion Trim 2 to 4 skin lesions Trim over 4 skin lesions Trim skin lesion Trim 2 to 4 skin lesions Trim 2 to 4 skin lesions Trim over 4 skin lesions	0.76 1.11 1.20 0.50 0.70 0.74	0.59 0.87 1.00 0.38 0.53 0.60	000 000 000 000 000 000	2 2 2 2 2 2 2	0 0 0 0 0	1 1 1 1 1	0 0 0 0 0	0 0 0 0 0
(4) Skin, biop	sy:								
	A Biopsy of skin A Biopsy, each additional	1.25 0.66	1.00 0.52	000 ZZZ	2 0	0 0	1 1	0 0	0 0
(5) Skin, remo	oval of skin tags:								
	A Removal of skin tags A Removal of additional	1.14 0.44	0.93 0.36	010 ZZZ	2	0	1 1	0 0	0 0
(6) Skin, shav	ing of epidermal or dermal lesion	ıs:							
11301 A 11302 A 11303 A 11305 A 11306 A 11307 A 11308 A 11310 A 11311 A 11312 A	A Shave skin lesion	1.00 1.45 1.86 2.53 1.14 1.62 2.00 2.73 1.36 1.82 2.23 2.99	0.75 1.13 1.43 1.88 0.89 1.28 1.54 2.05 1.03 1.41 1.69 2.27	000 000 000 000 000 000 000 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 2 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0

Copyright @ 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(7) Skin, ex	cisio	on, benign lesions:								
11400	A	Removal of skin	1.37	1.11	010	2	0	1	0	0
11401	A	Removal of skin	1.88	1.56	010	2	ŏ	1	ŏ	Ŏ
11402	A	Removal of skin	2.37	1.94	010	2	Ŏ	1	Ŏ	Ŏ
11403		Removal of skin	2.94	2.38	010	$\bar{2}$	Ö	î	Ŏ	Ŏ
11404	A	Removal of skin	3.42	2.76	010	2	Ŏ	1	Ŏ	0
11406	A	Removal of skin	4.50	4.50	010	2	ŏ	1	ŏ	Ŏ
11420	Α	Removal of skin	1.49	1.24	010	2	0	1	0	0
11421	A	Removal of skin	2.11	1.77	010	2	0	1	0	0
11422	Α	Removal of skin	2.56	2.11	010	2	0	1	0	0
11423	Α	Removal of skin	3.32	2.69	010	2	0	1	0	0
11424	Α	Removal of skin	3.81	3.14	010	2	0	1	0	0
11426	Α	Removal of skin	5.36	5.36	010	2	0	1	0	0
11440	Α	Removal of skin	1.74	1.41	010	2	0	1	0	0
11441	Α	Removal of skin	2.33	1.92	010	2	0	1	0	0
11442	Α	Removal of skin	2.84	2.30	010	2	0	1	0	0
11443	Α	Removal of skin	3.74	3.04	010	2	0	1	0	0
11444	Α	Removal of skin	4.60	3.89	010	2	0	1	0	0
11446	Α	Removal of skin	5.89	5.04	010	2	0	1	0	0
11450	Α	Removal, sweat	5.31	5.31	090	2	0	1	0	0
11451	Α	Removal, sweat	6.64	6.64	090	2	0	0	0	0
11462	Α	Removal, sweat	4.81	4.81	090	2	0	0	0	0
11463	Α	Removal, sweat	5.71	5.71	090	2	0	0	0	0
11470	Α	Removal, sweat	5.88	5.88	090	2	0	1	0	0
11471	Α	Removal, sweat	6.64	6.64	090	2	0	0	0	0
11600 11601 11602 11603 11604 11606 11620	A A A A A	Removal of skin	2.43 3.16 3.74 4.42 4.99 6.39 2.58	1.88 2.49 2.86 3.34 3.74 6.39 1.93	010 010 010 010 010 010 010	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0
11621	A	Removal of skin Removal of skin	3.57 4.35	2.72 3.29	010 010	2	$0 \\ 0$	1 1	$0 \\ 0$	$0 \\ 0$
11622 11623	A A	Removal of skin	5.29	4.04	010	2	0	1	0	0
11623	A	Removal of skin	6.39	4.84	010	2	0	1	0	0
11626	Α	Removal of skin	7.48	7.48	010	$\bar{2}$	ŏ	ī	ŏ	ŏ
11640		Removal of skin	3.07	2.27	010	2	Õ	1	Ŏ	Ŏ
11641	Α	Removal of skin	4.33	3.32	010	2	0	1	0	0
11642	Α	Removal of skin	5.27	4.03	010	2	0	1	0	0
11643	Α	Removal of skin	6.24	4.79	010	2	0	1	0	0
11644	Α	Removal of skin	7.70	6.01	010	2	0	1	0	0
11646	Α	Removal of skin	9.91	9.91	010	2	0	1	0	0
(9) Nails:										
11719	R	Trim nails	0.34	0.16	000	2	0	1	0	0
11719	A	Debride nails, 1 to 5	0.54	0.16	000	0	0	1	0	0
11720	A	Debride nails, 6 or more	1.04	0.78	000	0	0	1	0	0
11.121		Desired hand, o or more		0.70	000	3	J		J	3

5221.4030 FEES FOR MEDICAL SERVICES

5221.4030	FE	ES FOR MEDICAL SERVIC	CES						5	52
11730 11731 11732 11740 11750 11752 11755 11760 11762 11765	A A A A A A A	Removal of nail Removal of second nail Removal of second nail Remove additional nail Drain blood from Removal of nail Remove nail bed Biopsy of nail unit Reconstruction Reconstruction Excision of skin of nail	1.48 1.04 0.77 0.73 3.82 5.35 2.21 2.38 5.24 1.15	1.27 0.79 0.65 0.55 2.81 3.98 2.21 1.93 4.00 0.90	000 ZZZ ZZZ 000 010 010 000 010 010	2 0 0 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 1 1 1 1 0 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
11770 11771	A A	Removal of pilondial Removal of pilondial	5.19 10.08	5.19 10.08	010 090	2	$0 \\ 0$	1 1	$\begin{array}{c} 0 \\ 0 \end{array}$	$0 \\ 0$
11772	A	Removal of pilondial	11.55	11.55	090	2	0	1	0	0
(10) Nails,	intro	oduction:								
11900	Α	Injection, intralesional	0.72	0.60	000	2	0	1	0	0
11901	Α	Added skin lesions	1.14	0.94	000	2	0	1	0	0
11920	R	Correct skin color	2.73	2.73	000	2	0	0	0	0
11921	R	Correct skin color	3.26	3.26	000	2	0	0	0	0
11922		Correct skin color	0.83	0.83	ZZZ	0	0	0	0	0
11950 11951	R R	Therapy, contour defects Therapy, contour defects	1.97 2.29	1.97 2.29	000 000	2	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$
11952	R	Therapy, contour defects	2.74	2.74	000	2	0	0	0	0
11954	R	Therapy, contour defects	2.89	2.89	000	2	ő	ő	ő	ŏ
11960	A	Insert tissue expander	16.53	16.53	090	2	0	1	ŏ	Ŏ
11970	Α	Replace tissue expander	14.80	14.80	090	2	0	1	0	0
11971	Α	Remove tissue expander	4.61	4.61	090	2	0	0	0	0
11975	N	Insert contraceptive	0.00	0.00	XXX	9	9	9	9	9
11976 11977	R N	Remove contraceptive Removal/reinsertion	3.02 0.00	3.02 0.00	XXX XXX	2 9	0 9	0 9	0 9	0 9
(11) Repai	r, sir	nple:								
12001	Α	Repair superficial	2.12	2.12	010	2	0	1	0	0
12002 12004	A	Repair superficial	2.49	2.49	010	2	0	1	0	0
12004	A	Repair superficial Repair superficial	3.19 4.09	3.19 4.09	010 010	2	0	1 1	$0 \\ 0$	$0 \\ 0$
12006		Repair superficial	5.16	5.16	010	2	ő	1	ő	ő
12007	Α	Repair superficial	5.58	5.58	010	2	Ŏ	1	ĭ	ŏ
12011	Α	Repair superficial	2.35	2.35	010	2	0	1	0	0
12013	A	Repair superficial	2.85	2.85	010	2	0	1	0	0
12014	A	Repair superficial	3.44	3.44	010	2	0	1	0	0
12015 12016		Repair superficial Repair superficial	4.54 5.86	4.54 5.86	010 010	2	$0 \\ 0$	1 1	0	$0 \\ 0$
12017	A	Repair superficial	7.69	7.69	010	2	0	0	0	ő
12018		Repair superficial	10.26	10.26	010	2	ŏ	2	ĭ	ŏ
12020	Α	Closure of split wound	3.63	3.63	010	2	0	1	0	0
12021	Α	Closure of split wound	2.33	2.03	010	2	0	1	0	0
(12) Repair	r, int	termediate:								
12031 12032		Layer closure of wounds Layer closure of wounds	2.69 3.31	2.34 2.80	010 010	2 2	0	1 1	0	0 0

12034	Α	Layer closure of wounds	4.15	4.15	010	2	0	1	0	0
12035	Α	Layer closure of wounds	5.10	5.10	010	2	0	1	0	0
12036	Α	Layer closure of wounds	6.12	6.12	010	2	0	1	0	0
12037		Layer closure of wounds	7.49	7.49	010	2	0	0	1	0
12041	Α	Layer closure of wounds	3.01	2.60	010	2	0	1	0	0
12042	A	Layer closure of wounds	3.68	3.12	010	$\bar{2}$	Ŏ	1	ŏ	0
12042	A	Layer closure of wounds	4.51	4.51	010	2	ŏ	1	0	ŏ
12044			5.49	5.49	010	2	0	1	0	0
	A	Layer closure of wounds				2			_	
12046		Layer closure of wounds	6.79	6.79	010		0	0	0	0
12047		Layer closure of wounds	8.41	8.41	010	2	0	2	1	0
12051	A	Layer closure of wounds	3.27	2.79	010	2	0	1	0	0
12052	Α	Layer closure of wounds	4.01	3.30	010	2	0	1	0	0
12053		Layer closure of wounds	4.63	4.63	010	2	0	1	0	0
12054	Α	Layer closure of wounds	5.79	5.79	010	2	0	1	0	0
12055	Α	Layer closure of wounds	7.36	7.36	010	2	0	1	0	0
12056	Α	Layer closure of wounds	9.62	9.62	010	2	0	0	0	0
12057	Α	Layer closure of wounds	11.06	11.06	010	2	0	2	1	0
(12) Domain		malow								
(13) Repair	, co	mpiex.								
13100	Α	Repair of wound	4.01	3.45	010	2	0	1	0	0
13101	A	Repair of wound	5.68	4.68	010	2	ŏ	1	ŏ	ŏ
13120	A	Repair of wound	4.39	3.74	010	2	ő	1	0	0
13121	A	Repair of wound	6.67	5.39	010	2	0	1	0	0
13121			5.48	4.52	010	2	0	1	0	0
	A	Repair of wound	10.06	7.85	010	2	0	1	0	0
13132	A	Repair of wound								
13150	A	Repair of wound	5.29	5.29	010	2	0	1	0	0
13151	Α	Repair of wound	6.60	5.42	010	2	0	1	0	0
13152	Α	Repair of wound	11.08	8.60	010	2	0	1	0	0
13160	Α	Late closure of wound	13.05	13.05	090	2	0	1	0	0
13300	Α	Repair of wound	10.77	10.77	010	2	0	1	0	0
(14) Repair	, ad	jacent tissue transfer or rearrai	ngement	:						
					,					
14000	Α	Rearrange skin tissue	8.85	7.20	090	2	0	1	0	0
14001	Α	Rearrange skin tissue	12.70	12.70	090	2	0	1	0	0
14020	Α	Rearrange skin tissue	10.99	10.99	090	2	0	1	0	0
14021	Α	Rearrange skin tissue	15.65	15.65	090	2	0	1	0	0
14040	Α	Rearrange skin tissue	14.04	10.77	090	2	0	1	0	0
14041	Α	Rearrange skin tissue	18.61	14.80	090	2	0	1	0	0
14060	Α	Rearrange skin tissue	15.78	15.78	090	2	0	1	0	0
14061	Α	Rearrange skin tissue	21.99	16.92	090	2	0	1	0	0
14300	Α	Rearrange skin tissue	22.62	22.62	090	2	0	1	0	0
14350	Α	Rearrange skin tissue	15.17	15.17	090	2	0	0	0	0
(15) Renair	· fre	ee skin grafts:								
(15) Repair	, 110	onii grano.								
15000	Α	Skin graft procedure	4.14	4.14	ZZZ	0	0	1	0	0
15050	Α	Skin pinch graft	5.80	5.80	090	2	0	1	0	0
15100	Α	Skin split graft	13.09	13.09	090	2	0	1	0	0
15101	Α	Skin split graft	3.28	3.28	ZZZ	0	0	1	0	0
15120	Α	Skin split graft	15.29	15.29	090	2	0	1	0	0
15121	Α	Skin split graft	5.53	5.53	ZZZ	0	0	1	1	0
15200	Α		11.66	11.66	090	2	0	1	0	0
		-								

5221.4030 FEES FOR MEDICAL SERVICES

15201		01. 6.11 6.	2.10	2.07				^	^	^
15201	A	8	3.10	2.87	ZZZ	0	0	0	0	0
15220	A	U	12.29	12.29	090	2	0	1	0	0
15221	Α		2.89	2.62	ZZZ	0	0	1	0	0
15240	Α	0	14.67	14.67	090	2	0	1	0	0
15241	Α	Skin full graft	4.31	3.99	ZZZ	0	0	1	0	0
15260	Α	Skin full graft	16.88	16.88	090	2	0	1	0	0
15261	Α	Skin full graft	5.11	4.72	ZZZ	0	0	1	0	0
15350		Skin homograft	6.27	6.27	090	2	0	1	0	0
15400	Α		6.36	6.36	090	2	Õ	1	Ŏ	Õ
10 .00	• •	J notorogram	0.00	0.00	0,0	_	Ŭ	•	Ü	Ů
(16) Repa	air fla	anc:								
(10) Rep	a11, 116	ips.								
15570	Α	Form skin pedicle	14.82	14.82	090	2	0	1	0	0
15572		Form skin pedicle	14.64	14.64	090	2	0	1	0	0
15574	Α		15.10	15.10	090	2	0	1	0	0
15576		Form skin pedicle	11.23	11.23	090	2	0	1	0	Õ
15580	Α	.	13.47	13.47	090	2	0	0	ŏ	ő
15600	A		4.64	4.25	090	2	ő	ő	ő	0
15610	A		5.36	5.21	090	2	0	0	0	0
15620	A	~ ~	6.47	6.26	090	2	0	1	0	0
15625		Skin graft procedure	4.19		090	2	0	0	0	0
				4.19						
15630	A	0 1	6.94	6.94	090	2	0	1	0	0
15650	A	.	8.34	8.34	090		0	0	0	0
15732		Muscle-skin graft	33.06	33.06	090	2	0	2	1	0
15734		Muscle-skin graft	36.30	36.30	090	2	0	2	1	0
15736		Muscle-skin graft	32.09	32.09	090	2	0	1	1	0
15738	Α	Muscle-skin graft	30.53	30.53	090	2	0	2	1	0
(17) Repa	air, ot	her flaps and grafts:								
15740	Α	Island pedicle	20.23	20.23	090	2	0	1	0	0
15750	Α	Neurovascular pedicle	23.03	23.03	090	2	0	2	0	0
15756	Α	Free muscle flap	63.99	63.99	090	2	0	2	2	0
15757		Free skin flap	63.99	63.99	090	2	0	2	2	0
15758			63.87	63.87	090	2	0	2	2	0
15760	Α	Composite skin	15.59	15.59	090	2	Õ	1	õ	Ŏ
15770	Α	Derma-fat-fascia	14.56	14.56	090	2	0	2	1	Ō
15775	R	Hair transplant	6.69	6.69	000	2	Õ	ō	Ō	ŏ
15776	_	Hair transplant	9.36	9.36	000		ŏ	ŏ	ŏ	ŏ
		1								
(18) Rens	air of	her procedures:								
(10) Rep	, Ot	nei procedures.								
15780	Α	Abrasion treatment	8.17	7.43	090	2	0	0	0	0
15781	Α	Abrasion treatment	8.26	6.44	090	2	0	1	0	0
15782	Α	Abrasion treatment	5.14	4.57	090	2	0	0	0	0
15783	Α	Abrasion treatment	5.79	4.89	090	2	0	0	0	Ō
15786	Α	Abrasion treatment	2.47	2.18	010	2	0	1	ŏ	Ŏ
15787	Α	Abrasion, additional	0.54	0.43	ZZZ	0	0	1	0	0
15788	R	Chemical peel	3.39	3.39	090	2	0	1	0	0
15789			5.96	5.96	090	2	0	1	0	0
		Chemical peel				2				
15792	R	Chemical peel	2.20	2.20	090		0	0	0	0
15793	A	1	3.91	3.91	090	2	0	0	0	0
15810	Α	Salabrasion	8.13	8.13	090	2	0	0	0	0

15811	Α	Salabrasion	8.91	8.91	090	2	0	0	0	0
15819	Α	Plastic surgery	16.73	16.73	090	2	0	0	0	0
15820	Α	Revision of lower eyelid	10.51	10.51	090	2	1	0	0	0
15821	Α	Revision of lower eyelid	11.64	11.64	090	2	1	0	0	0
15822	Α	Revision of upper eyelid	9.08	9.08	090	2	1	1	0	0
15823	Α	Revision of upper eyelid	14.18	14.18	090	2	1	1	0	0
15824	R	Removal of forehead	0.00	0.00	XXX	2	0	0	0	0
15825	R	Removal of neck	0.00	0.00	XXX	2	0	0	0	0
15826	R	Removal of brow	0.00	0.00	XXX	2	0	0	0	0
15828	R	Removal of face	0.00	0.00	XXX	2	0	0	0	0
15829	R	Removal of skin	0.00	0.00	XXX	2	0	0	0	0
15831	Α	Excise excessive skin	21.87	21.87	090	2	0	2	1	0
15832	Α	Excise excessive skin	19.26	19.26	090	2	0	2	1	0
15833	Α	Excise excessive skin	16.28	16.28	090	2	0	0	0	0
15834	Α	Excise excessive skin	17.46	17.46	090	2	0	0	0	0
15835	Α	Excise excessive skin	18.03	18.03	090	2	0	0	0	0
15836	Α	Excise excessive skin	14.69	14.69	090	2	0	0	0	0
15837	Α	Excise excessive skin	13.89	13.89	090	2	0	0	0	0
15838	Α	Excise excessive skin	12.56	12.56	090	2	0	0	0	0
15839	Α	Excise excessive skin	11.13	11.13	090	2	0	0	0	0
15840	Α	Graft for face	27.39	27.39	090	2	0	1	0	0
15841	Α	Graft for face	38.93	38.93	090	2	0	2	1	0
15842	Α	Graft for face	63.95	63.95	090	2	0	2	1	0
15845	Α	Skin and muscle	26.17	26.17	090	2	0	2	0	0
15850	В	Removal of sutures	0.00	0.00	XXX	9	9	9	9	9
15851	Α	Removal of sutures	1.09	0.94	000	2	0	1	0	0
15852	Α	Dressing change	1.24	1.03	000	2	0	1	0	0
15860	Α	Test for blood	3.21	3.21	000	2	0	0	0	0
15876	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15877	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15878	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0
15879	R	Suction assisted	0.00	0.00	XXX	2	0	0	0	0

(19) Repair, pressure ulcers:

15920	Α	Removal of tail	10.41	10.41	090	2	0	0	0	0
15922	Α	Removal of tail	15.42	15.42	090	2	0	2	1	0
15931	Α	Remove sacrum ulcer	11.52	11.52	090	2	0	1	0	0
15933	Α	Remove sacrum ulcer	17.32	17.32	090	2	0	0	0	0
15934	Α	Remove sacrum ulcer	19.55	19.55	090	2	0	1	0	0
15935	Α	Remove sacrum ulcer	25.34	25.34	090	2	0	2	1	0
15936	Α	Remove sacrum ulcer	22.29	22.29	090	2	0	1	1	0
15937	Α	Remove sacrum ulcer	27.38	27.38	090	2	0	2	1	0
15940	Α.	Remove ischial ulcer	12.31	12.31	090	2	0	1	0	0
15941	Α	Remove ischial ulcer	17.95	17.95	090	2	0	0	0	0
15944	Α	Remove ischial ulcer	20.35	20.35	090	2	0	0	0	0
15945	Α	Remove ischial ulcer	23.43	23.43	090	2	0	0	0	0
15946	Α	Remove ischial ulcer	37.41	37.41	090	2	0	2	1	0
15950	Α	Remove thigh ulcer	10.07	10.07	090	2	0	1	0	0
15951	Α	Remove thigh ulcer	17.99	17.99	090	2	0	0	1	0
15952	Α	Remove thigh ulcer	17.98	17.98	090	2	0	2	1	0
15953	Α	Remove thigh ulcer	21.27	21.27	090	2	0	1	1	0
15956	Α	Remove thigh ulcer	32.45	32.45	090	2	0	2	1	0
15958	Α	Remove thigh ulcer	32.58	32.58	090	2	0	2	1	0
15999	C	Remove ulcer	0.00	0.00	YYY	2	0	0	1	1

5221.4030 FEES FOR MEDICAL SERVICES

16000	Α	Initial treatment	1.16	0.99	000	2	0	1	. 0	0
16010	Α	Treatment of burn	1.12	0.96	000	2	0	1	0	0
16015	Α	Treatment of burn	4.31	4.31	000	2	0	1	0	0
16020	Α	Treatment of burn	1.07	0.91	000	2	0	1	0	0
16025	Α	Treatment of burn	2.14	1.92	000	2	0	1	0	0
16030	Α	Treatment of burn	2.43	2.43	000	2	0	1	0	0
16035	Α	Incision of burn	6.38	6.38	090	2	0	1	0	0
16040	Α	Burn wound excision	2.72	2.30	000	2	0	0	0	0
16041	Α	Burn wound excision	5.61	5.61	000	2	0	0	0	0
16042	Α	Burn wound excision	4.93	4.93	000	2	0	0	0	0

(21) Destruction, benign or premalignant lesions:

17000	Α	Destroy lesions	0.97	0.76	010	2	0	1	0	0
17001	D	Destroy lesions	0.37	0.28	ZZZ	0	0	1	0	0
17002	D	Destroy lesions	0.27	0.23	ZZZ	0	0	1	0	0
17003	Α	Destroy 2 to 14 lesions	0.27	0.20	ZZZ	0	0	1	0	0
17004	Α	Destroy 15 or more	4.82	3.73	010	0	0	1	0	0
17010	D	Destroy lesions	1.45	1.22	010	2	0	1	0	0
17100	D	Destroy lesions	0.88	0.70	010	2	0	1	0	0
17101	D	Destroy lesions	0.23	0.17	ZZZ	0	0	1	0	0
17102	D	Destroy lesions	0.18	0.14	ZZZ	0	0	1	0	0
17104	D	Destroy lesions	1.93	1.89	010	2	0	1	0	0
17105	D	Destroy lesions	1.03	0.88	010	2	0	1	0	0
17106	Α	Destroy lesions	6.13	5.20	090	2	0	1	0	0
17107	Α	Destroy lesions	12.10	10.32	090	2	0	1	0	0
17108	Α	Destroy lesions	21.37	21.37	090	2	0	0	0	0
17110	Α	Destroy lesions	0.99	0.80	010	2	0	1	0	0
17111	Α	Destroy lesions	1.44	1.15	010	2	0	1	0	0
17200	D	Electrocautery	1.00	0.80	010	2	0	1	0	0
17201	D	Electrocautery	0.50	0.42	ZZZ	0	0	1	0	0
17250	Α	Chemical cauterization	0.80	0.64	000	2	0	1	0	0

(22) Destruction, malignant lesions, any method:

17260	Α	Destroy lesions	1.97	1.43	010	2	0	1	0	0
17261	Α	Destroy lesions	2.47	1.80	010	2	0	1	0	0
17262	Α	Destroy lesions	3.28	2.40	010	2	0	1	0	0
17263	Α	Destroy lesions	3.91	2.83	010	2	0	1	0	0
17264	Α	Destroy lesions	4.41	3.16	010	2	0	1	0	0
17266	Α	Destroy lesions	5.40	3.90	010	2	0	1	0	0
17270	Α	Destroy lesions	2.56	1.91	010	2	0	1	0	0
17271	Α	Destroy lesions	3.13	2.29	010	2	0	1	0	0
17272	Α	Destroy lesions	3.84	2.77	010	2	0	1	0	0
17273	Α	Destroy lesions	4.49	3.24	010	2	0	1	0	0
17274	Α	Destroy lesions	5.63	4.08	010	2	0	1	0	0
17276	Α	Destroy lesions	6.48	4.83	010	2	0	1	0	0
17280	Α	Destroy lesions	2.74	1.94	010	2	0	1	0	0
17281	Α	Destroy lesions	3.68	2.67	010	2	0	1	0	0
17282	Α	Destroy lesions	4.46	3.22	010	2	0	1	0	0
17283	Α	Destroy lesions	5.46	4.00	010	2	0	1	0	0
17284	Α	Destroy lesions	6.49	4.79	010	2	0	1	0	0
17286	Α	Destroy lesions	8.53	6.45	010	2	0	1	0	0

(23) Destruc	ctio	n, Mohs' micrographic surgery	/:							
17304	Α	1st stage chemosurgery	10.95	9.01	000	0	0	1	0	0
17305	Α	2nd stage chemosurgery	4.86	3.77	000	0	0	1	0	0
17306	Α	3rd stage chemosurgery	4.00	3.32	000	0	0	1	0	0
17307	A	Follow-up skin, I to 5	4.07	3.36	000	0	Ŏ	1	0	Ŏ
17310	A	Extensive skin, over 5	0.99	0.93	000	Ŏ	Ŏ	1	Õ	Ŏ
11010		Esteribive outin, ever 5	0.75	0.25	000	J		•	Ū	Ü
(24) Destru	ctio	n, other procedures:								
17340	Α	Cryotherapy for acne	0.97	0.84	010	2	0	1	0	0
17360	Α	Skin peel therapy	1.57	1.44	010	2	0	1	0	0
17380	R	Hair removal	0.00	0.00	XXX	2	0	0	0	0
17999	С	Skin tissue procedure	0.00	0.00	YYY	2	0	0	1	1
(05) D										
(25) Breast,	inc	ision:								
19000	Α	Drainage of breast cyst	1.17	0.98	000	2	1	1	0	0
19001	A	Drain additional cyst	0.64	0.52	ZZZ	0	1	1	0	0
19020	Α	Incision of breast	4.75	4.75	090	2	1	1	0	0
19030	Α	Injection for breast	1.88	1.88	000	2	1	1	0	0
(26) Breast,	exc	rision:								
19100	Α	Biopsy of breast	1.84	1.53	000	2	1	1	0	0
19101	Α	Biopsy of breast	5.40	5.40	010	2	1	1	0	0
19110	Α	Nipple exploration	6.56	6.56	090	2	1	1	0	0
19112	Α	Excise breast duct	5.79	5.79	090	2	1	0	0	0
19120	Α	Removal of breast	8.18	8.18	090	2	1	1	0	0
19125	Α	Excision, breast lesion	8.63	8.63	090	2	1	1	1	0
19126	Α	Excision, additional	4.23	4.23	ZZZ	0	0	1	1	0
19140	Α	Removal of breast	9.31	9.31	090	2	1	1	0	0
19160	Α	Removal of breast	9.91	9.91	090	2	1	0	0	0
19162	Α	Removal of breast	22.42	22.42	090	2	1	2	1	0
19180	A	Removal of breast	14.05	14.05	090	2	1	2	1	0
19182	Α	Removal of breast	13.58	13.58	090	2	1	2	1	0
19200	A	Removal of breast	25.12	25.12	090	2	1	2	1	0
19220		Removal of breast	25.95	25.95	090	2	1	2	1	0
19240		Removal of breast	24.74	24.74	090	2	1	2	1	0
19260		Removal of chest tumor	19.47	19.47	090	2	0	2	1	0
19271		Revision of chest tumor	32.16	32.16	090	2	0	2	1	0
19272	Α	Extensive chest	33.15	33.15	090	2	0	2	1	0
(27) Breast,	int	roduction:								
10200		T)	4	1.60	000	_	_	_	_	^
19290		Place needle wire	1.62	1.62	000	2	1	1	2	0
19291	A	Place needle wire	0.84	0.84	ZZZ	0	0	0	2	0

5221.4030 FEES FOR MEDICAL SERVICES

(28) Br	east,	rep	pair and/or reconstruction:								
19316		Α	Suspension of breast	22.40	22.40	090	2	1	2	1	0
19318			Reduce large breast	29.66	29.66	090	$\bar{2}$	î	$\bar{2}$	1	Õ
19324			Enlarge breast	8.86	8.86	090	2	1	ō	ō	ŏ
19325		Α	Enlarge breast	13.96	13.96	090	2	1	0	0	0
19328		Α	Removal of breast	9.19	9.19	090	2	1	1	0	0
19330		Α	Removal of implant	11.05	11.05	090	2	1	1	0	0
19340		Α		13.60	13.60	ZZZ	0	1	1	1	0
19342			Delayed breast implant	21.73	21.73	090	2	1	0	1	0
19350			Breast reconstruction	15.70	15.70	090	2	1	1	0	0
19355			Correct inverted nipple	12.19	12.19	090	2	1	0	0	0
19357			Breast reconstruction	29.53	29.53	090	2	1	2	1	0
19361			Breast reconstruction	39.07	39.07	090	2	1	2	1	0
19364			Breast reconstruction	44.45	44.45	090	2	1	2	1	0
19366 19367			Breast reconstruction Breast reconstruction	36.91 44.94	36.91 44.94	090 090	2	1 1	2	1	0
19368			Breast reconstruction	51.02	51.02	090	2	1	2	1	0
19369			Breast reconstruction	48.65	48.65	090	2	1	2	1	0
19370			Surgery of breast	13.92	13.92	090	2	1	1	0	0
19371			Removal of breast	16.98	16.98	090	2	1	1	0	ő
19380			Breast reconstruction	17.00	17.00	090	2	1	1	ŏ	ŏ
19396		A	Design custom breast	3.66	3.66	000	2	1	Ō	ŏ	ŏ
(29) Br	east,	oth	ner procedures:								
19499		C	Breast surgery	0.00	0.00	YYY	2	1	0	1	1
D. December and a surface 20000 to 20000. The terror and last all all											
	D i	Dro	ocadura coda numbers 20000	to 20000	ralota	to muso	uloc	اما	atal	nro	.00
dures.	B. 1	Pro	ocedure code numbers 20000	to 29909	relate	to musc	ulos	kel	etal	pro	ce-
dures.	B. 1	Pro	ocedure code numbers 20000 4	to 29909 5	relate 6	to musc	ulos 8			pro	
1	2	3	4							-	
1 (1) Ger	2 neral,	3	4 cision:	5	6	7	8	9	10	11	12
1 (1) Ger 20000	2 neral,	3 ine	4 cision: Incision of abscess	2.79	2.38	7 010	2	9	10	11	12
1 (1) Ger	2 neral,	3	4 cision:	5	6	7	8	9	10	11	12
1 (1) Ger 20000 20005	2 neral,	ine A A	4 cision: Incision of abscess	2.79	2.38	7 010	2	9	10	11	12
1 (1) Ger 20000 20005	2 neral,	ine A A	dission: Incision of abscess Incision of deep abscess ound exploration, trauma:	2.79	2.38	7 010	2 2 2	9 0 0	10	11 0 0	12 — 0 0
1 (1) Ger 20000 20005 (2) Ger	2 neral,	ine A A	dision: Incision of abscess Incision of deep abscess	2.79 5.03	2.38 5.03	7 010 010	2 2 2	9	10	11	12
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102	2 neral,	ine A A A A A	d cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 1 0 0	10 1 1 1 2 2 2 2	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101	2 neral,	ine A A A A A	dission: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest	2.79 5.03 14.59 4.64	2.38 5.03	7 010 010 010	2 2 2	9 0 0	10	111	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102	2 neral,	ine A A A A A A	cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 1 0 0	10 1 1 1 2 2 2 2	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103	2 neral, neral,	ine AAAAAAAAAA	cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity	2.79 5.03 14.59 4.64 5.68	2.38 5.03 14.59 4.64 5.68	010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 1 0 0	10 1 1 1 2 2 2 2 0	111 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200	2 neral, neral,	ind AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity cision: Excise epiphyseal bar Muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64	2.38 5.03 14.59 4.64 5.68 7.64	010 010 010 010 010 010	2 2 2 2 2 2	9 0 0 0 1 0 0	10 1 1 1 2 2 2 2	111 0 0 0 0 0	12 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205	2 neral,	inc AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity cision: Excise epiphyseal bar Muscle biopsy Deep muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	7 010 010 010 010 010 010 010 000 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0	10 1 1 1 2 2 2 2 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205 20206	2 neral,	inc AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity cision: Excise epiphyseal bar Muscle biopsy Deep muscle biopsy Needle biopsy, muscle	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13 1.90	7 010 010 010 010 010 010 010 000 000 00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0	10 1 1 1 2 2 2 2 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0 0
1 (1) Ger 20000 20005 (2) Ger 20100 20101 20102 20103 (3) Ger 20150 20200 20205	2 neral,	ine AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	cision: Incision of abscess Incision of deep abscess ound exploration, trauma: Explore wound, neck Explore wound, chest Explore wound, abdomen Explore wound, extremity cision: Excise epiphyseal bar Muscle biopsy Deep muscle biopsy	2.79 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	2.38 5.03 14.59 4.64 5.68 7.64 25.53 2.51 4.13	7 010 010 010 010 010 010 010 000 000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0	10 1 1 1 2 2 2 2 0	111 0 0 0 0 0 0 0 0 0 0	12 0 0 0 0 0 0 0 0

MINNESOTA RULES 2005

559		FEE	s for	MEDICAL	SERVICES		ES 5221.4)30
20240 20245 20250 20251	A A A	Bone biopsy, excisional Bone biopsy, excisional Open bone biopsy Open bone biopsy	4.85 7.29 9.88 11.20	7.29 3 9.88	010 010 010 010	2 0 2 0 2 0 2 0	1 1	0 0 0 0	0 0 0 0
(4) General,	int	troduction or removal:							
20500 20501 20520 20525 20550 20600 20605 20610 20615 20650 20660 20661 20662 20663 20664 20665 20665 20670 20680 20690 20692 20693	A A A A A A A A A A A A A A A A A A A	Injection of sinus tract Injection of sinus tract Removal of foreign body Removal of foreign body Inject tendon/ligament Drain or inject joint Drain or inject joint Drain or inject joint Treatment of bone cyst Insert and removal Apply, remove Application of halo Application of halo Application of halo Halo brace application Removal of implant Removal of implant Apply bone fixation Apply bone fixation Adjust bone fixation	1.49 0.99 2.4 5.5 1.1 1.00 1.10 2.50 3.1 3.9 8.49 12.40 9.83 11.3 1.7 2.30 6.5 7.00 11.63	9 0.99 1 2.07 1 5.51 7 0.99 8 0.85 8 0.86 8 0.96 8 2.34 4 3.14 0 3.90 9 8.49 0 12.40 9 8.3 7 11.37 1 1.71 6 2.00 4 6.54 5 7.05 8 11.63 6 7.96	010 000 010 010 000 000 000 010 010 090 09	2 0 2 0 2 0 2 0 2 1 2 1 2 1 2 0 2 0 0 0 2 0 2 0 2 0 2 0 0 0 2 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
20694	A	Remove bone fixation	6.5	l 6.51	090	2 0	1	0	0
(5) General,	re	plantation:							
20802 20805 20808 20816 20822 20824 20827 20838	A A A A A A	Replantation, arm Replantation, forearm Replantation, hand Replantation, digit Replantation, digit Replantation, thumb Replantation, thumb Replantation, foot	77.19 94.10 116.60 57.98 47.92 57.98 49.38 77.43	5 94.16 0 116.60 3 57.98 4 47.94 8 57.98 3 49.38	090 090 090 090 090 090 090	2 1 2 1 2 1 2 0 2 0 2 1 2 1 2 1	2 2 2 2 2 2 2	1 1 1 1 1 1 1	0 0 0 0 0 0 0
(6) General,	gra	afts:							
20900 20902 20910 20912 20920 20922 20924 20926 20930 20931	A A A A A A A B A	Removal of bone Removal of bone Remove cartilage Remove cartilage Removal of fascia Removal of fascia Removal of tendon Removal of tissue Spinal bone allograft Spinal bone allograft	8.02 12.08 5.66 10.58 8.89 10.62 7.74 0.00 3.44	3 12.08 5.66 5.66 3 10.58 9 8.89 3 10.63 2 11.62 4 7.74 0 0.00	090 090 090 090 090 090 090 090 XXX ZZZ	2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 9 9	2 0 0 1 2 2 2 1 9	1 1 0 0 1 1 1 0 9	0 0 0 0 0 0 0 0 0

MINNESOTA RULES 2005

5221.4030 FEES FOR MEDICAL SERVICES									5	60
20936	В	Spinal bone autograft	0.00	0.00	XXX	9	9	9	9	9
20937		Spinal bone autograft	5.34	5.34	ZZZ	0	1	2	1	0
20938	A	Spinal bone autograft	5.78	5.78	ZZZ	0	1	2	1	0
(7) Genera	l, ot	her procedures:								
20950		Record fluid pressure	2.29	2.29	000	2	0	0	0	0
20955		Fibula bone graft	73.45	73.45	090	2	0	2	1	0
20956	Α	Iliac bone graft	64.53	64.53	090	2	0	2	1	0
20957	Α	Metatarsal bone graft	66.83	66.83	090	2	0	2	1	0
20962	Α	Other bone graft	64.53	64.53	090	2	0	2	1	. 0
20969	Α	Bone/skin graft	82.26	82.26	090	2	0	2	1	0
20970		Bone/skin graft	80.61	80.61	090	2	0	2	1	0
20972		Bone/skin graft	80.87	80.87	090	2	0	2	0	0
20973		Bone/skin graft	86.16	86.16	090	2	0	2	1	0
20974		Electrical, bone healing	4.16	2.51	000	0	0	1	0	0
20975	A		5.43	5.43	ZZZ	0	0	2	1	0
20999	С	Musculoskeletal	0.00	0.00	YYY	2	0	0	1	1
(8) Head, i	ncisi	ion:								
21010	A	Incision of jaw	19.61	19.61	090	2	1	0	.0	0
(9) Head, e	excis	ion:								
21015	Α	Resection of face	11.05	11.05	090	2	0	1	0	0
21025	Α	Excision of bone	13.34	11.34	090	2	0	1	0	0
21026	Α	Excision of face bone	7.59	6.07	090	2	0	1	0	0
21029	Α	Contour of face bone	15.62	11.52	090	2	0	0	0	0
21030	Α	Removal of face tumor	9.26	7.64	090	2	0	1	0	0
21031	Α	Remove exostosis	6.67	4.90	090	2	0	1	0	0
21032	Α	Remove exostosis	6.88	5.01	090	2	0	1	0	0
21034	Α	Removal of face tumor	21.91	21.91	090	2	0	2	1	0
21040	Α	Removal of jaw tumor	4.71	3.38	090	2	0	1	0	0
21041	Α	Removal of jaw tumor	11.93	9.15	090	2	0	1	0	0
21044		Removal of jaw tumor	20.60	20.60	090	2	0	2	1	0
21045		Extensive jaw resection	28.91 21.82	28.91 21.82	090 090	2	0 1	2	1 0	0 0
21050 21060		Removal of jaw Remove jaw joint	20.73	20.73	090	2	1	2	1	0
21070		Remove coronoidectomy	14.47	14.47	090	2	1	0	0	0
(10) Head,	intr	oduction or removal:								
21076	A	Prepare face/oral	27.19	20.06	010	2	0	0	0	0
21077	Α	Prepare face/oral	68.37	50.44	090	2	1	0	0	0
21079	Α	Prepare face/oral	48.50	35.01	090	2	0	1	0	0
21080		Prepare face/oral	54.49	39.33	090	2	0	1	0	0
21081	Α	Prepare face/oral	49.66	35.85	090	2	0	0	0	0
21082	Α	Prepare face/oral	42.28	31.19	090	2	0	0	0	0
21083	Α	Prepare face/oral	41.90	30.24	090	2	0	0	0	0
21084	A	Prepare face/oral	48.87	35.28	090	2	0	0	0	0
21085	Α	Prepare face/oral	18.23	13.45	010	2.	0	0	0	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

561	FEES	FOR	MEDICAL	SERVICES	5221.4030

21086	Α	Prepare face/oral	54.10	39.05	090	2	1	0	0	0
21087	Α	Prepare face/oral	50.48	37.25	090	2	0	0	0	0
21088	С	Prepare face/oral	0.00	0.00	090	0	0	0	0	0
21089	C	Prepare face/oral	0.00	0.00	090	0	0	1	0	0
21100	Α	Maxillofacial fixation	4.92	4.92	090	2	0	0	0	0
21110	Α	Interdental fixation	10.33	7.65	090	2	0	1	0	0
21116	Α	Injection, jaw joint	1.47	1.47	000	2	0	1	0	0

(11) Head, repair, revision, and/or reconstruction:

21120	Α	Reconstruction	8.17	8.17	090	2	0	1	1	0
21121	Α	Reconstruction	12.76	12.76	090	2	0	2	0	0
21122	Α	Reconstruction	14.16	14.16	090	2	0	2	0	0
21123	Α	Reconstruction	18.52	18.52	090	2	0	2	1	0
21125	Α	Augmentation	14.50	14.50	090	2	0	2	ō	0
21127	Α	Augmentation	18.24	18.24	090	2	Õ	2	1	Ŏ
21137	A	Reduction of forehead	16.24	16.24	090	2	ŏ	$\bar{2}$	õ	Ŏ
21138	A	Reduction of forehead	20.20	20.20	090	2	Ŏ	2	1	0
21139		Reduction of forehead	24.23	24.23	090	2	ŏ	$\bar{2}$	ī	Õ
21141	A	Reconstruct midface	31.21	31.21	090	$\bar{2}$	ŏ	$\bar{2}$	ī	0
21142	A	Reconstruct midface	32.37	32.37	090	2	ŏ	2	ī	ŏ
21143	A	Reconstruct midface	33.65	33.65	090	2	Ŏ	2	1	Õ
21145	A	Reconstruct midface	32.88	32.88	090	$\overline{2}$	ŏ	$\bar{2}$	ō	0
21146		Reconstruct midface	34.10	34.10	090	$\bar{2}$	ŏ	2 2	1	ŏ
21147	A	Reconstruct midface	35.64	35.64	090	$\frac{2}{2}$	ŏ	$\frac{1}{2}$	Ô	ŏ
21150	A	Reconstruct midface	41.94	41.94	090	$\bar{2}$	ŏ	2	ŏ	ŏ
21151	A	Reconstruct midface	47.00	47.00	090	2	ő	2	ŏ	0
21154		Reconstruct midface	50.53	50.53	090	2	0	2	1	0
21155	A	Reconstruct midface	57.15	57.15	090	2	ŏ	2	0	0
21159	A	Reconstruct midface	70.44	70.44	090	2	ŏ	2	1	0
21160	A	Reconstruct midface	77.16	77.16	090	2	0	2	0	0
21172	A	Reconstruct orbital rim	46.15	46.15	090	2	Ö	2	1	0
21172		Reconstruct orbital rim	55.22	55.22	090	2	0	2	0	0
21173	A	Reconstruct forehead	36.93	36.93	090	2	0	2	0	0
211/9	A	Reconstruct forehead	41.90	30.93 41.90	090	2	0	2	1	0
			16.31	16.31		2	0		0	0
21181	A	Contour cranial bones		53.58	090	2		0	_	0
21182	A	Reconstruct cranial bone	53.58		090		0		1	
21183	A		58.70	58.70	090	2	0	2	1	0
21184	A	Reconstruct cranial bone	63.63	63.63	090	2	0	2	0	0
21188	Α	Reconstruct midface	37.12	37.12	090	2	0	2	0	0
21193	A	Reconstruct lower jaw	28.25	28.25	090	2	2	2	1	0
21194	A	Reconstruct lower jaw	32.71	32.71	090	2	2	2	0	0
21195	Α	Reconstruct lower jaw	28.36	28.36	090	2	2	2	0	0
21196	Α	Reconstruct lower jaw	31.18	31.18	090	2	2	2	1	0
21198	Α	Reconstruct lower jaw	28.13	28.13	090	2	0	2	1	0
21206	Α	Reconstruct upper jaw	23.25	23.25	090	2	0	2	1	0
21208	Α	Augmentation of face	20.74	20.74	090	2	0	0	0	0
21209	Α	Reduction of face	10.95	10.95	090	2	0	2	0	0
21210	Α	Face bone graft	20.87	15.43	090	2	0	1	0	0
21215	Α	Lower jaw bone graft	22.01	16.28	090	2	0	1	1	0
21230	Α	Rib cartilage graft	20.73	20.73	090	2	0	0	0	0
21235	Α	Ear cartilage graft	13.84	13.84	090	2	0	1	0	0
21240	Α	Reconstruction	28.84	28.84	090	2	1	2	1	0
21242	Α	Reconstruction	26.76	26.76	090	2	1	2	1	0
21243	Α	Reconstruction	33.71	33.71	090	2	1	2	1	0
21244	Α	Reconstruction	24.44	24.44	090	2	0	2	1	0

21245	Α	Reconstruction	22.57	22.57	090	2	0	2	0	0
21246	Α	Reconstruction	20.42	20.42		2	Õ	$\bar{2}$	ŏ	ŏ
21247	A	Reconstruct lower jaw	45.84	45.84	090	2	ŏ	2	ĭ	ŏ
21248	A	Reconstruction	23.59	17.49	090	2	ő	1	0	ŏ
21249		Reconstruction	36.33	27.03	090	2	0	0	0	ő
21255	A	Reconstruct lower jaw	33.87	33.87	090	2	0	2	1	0
						2	0	2	1	0
21256	A	Reconstruction	32.80	32.80	090					
21260		Revise eye socket	33.46	33.46	090	2	0	2	1	0
21261	Α	Revise eye socket	46.67	46.67	090	2	0	2	1	0
21263		Revise eye socket	57.57	57.57	090	2	0	2	1	0
21267	Α	Revise eye socket	32.44	32.44	090	2	0	2	1	0
21268	Α	Revise eye socket	38.78	38.78	090	2	0	2	1	0
21270	Α	Augmentation, chin	19.34	19.34	090	2	0	2	1	0
21275	Α	Revise orbitofacial	19.54	19.54	090	2	0	2	1	0
21280	Α	Revision of eye	12.21	12.21	090	2	1	0	0	0
21282	Α	Revision of eye	7.31	7.31	090	2	1	1	0	0
21295	Α	Revision of jaw	2.39	2.39	090	2	0	0	0	0
21296		Revision of jaw	7.48	7.48	090	2	0	0	0	0
21270		Tetrision of jun	7.10	7.10	0,0	_	J		J	
(10) 114	. ۱۸ .									
(12) Head,	otne	er procedures:								
21299	C	Cranio/maxillofacial	0.00	0.00	YYY	2	0	0	1	1
(13) Head,	frac	ture and/or dislocation:								
21300	Α	Treatment of skull	1.60	1.48	000	2	0	0	0	0
21310	A	Treatment of nose	1.30	1.19	000	2	Õ	ĭ	Õ	ŏ
21315	A	Treatment of nose	3.23	3.09	010	2	Ŏ	1	Ŏ	Õ
21320	A	Treatment of nose	4.12	3.84	010	2	ŏ	ī	Ŏ	Õ
21325	Α	Repair of nose	7.66	7.66	090	2	ŏ	Õ	Ŏ	Ŏ
21330	A	Repair of nose	11.08	11.08	090	2	Ŏ	Ŏ	0	Ŏ
21335		Repair of nose	17.82	17.82	090	$\bar{2}$	Ŏ	1	Ŏ	Ŏ
21336	A	Repair nasal septal	9.43	9.43	090	2	ŏ	Ô	Ŏ	ŏ
21337	A	Repair nasal septal	5.38	5.38	090	$\bar{2}$	ŏ	0	Õ	Ö
21338	A	Repair nasoethmoid	11.07	11.07	090	2	ŏ	ŏ	ŏ	ŏ
21339	A	Repair nasoethmoid	14.58	14.58	090	$\bar{2}$	ŏ	2	ĭ	ŏ
21340	A	Repair of nose	18.96	18.96	090	$\bar{2}$	ŏ	$\bar{0}$	0	ŏ
21343	A	Repair of sinus	21.21	21.21	090	2	ŏ	2	1	ŏ
21344		Repair of sinus	27.36	27.36	090	$\frac{\overline{2}}{2}$	ŏ	2	2	ŏ
21345		Repair of nose	15.49	15.49	090	$\bar{2}$	ŏ	$\bar{0}$	0	ŏ
21346	A	Repair of nose	19.29	19.29	090	$\bar{2}$	ŏ	1	1	ŏ
21347		Repair of nose	22.28	22.28	090	2	ŏ	2	1	ŏ
21348	A	Repair of nose	27.33	27.33	090	2	ŏ	$\tilde{2}$	2	ŏ
21355	A	Repair cheek bone	5.02	5.02	010	2	0	õ	õ	ŏ
21356		Repair cheek bone	8.67	8.67	010	2	ő	ŏ	ŏ	ŏ
21360		Repair cheek bone	13.22	13.22	090	2	0	2	0	0
21365		Repair cheek bone	26.40	26.40	090	2	ő	2	1	0
21366		Repair cheek bone	29.10	29.10	090	2	0	2	2	0
21385		Repair eye socket	18.20	18.20	090	2	0	2	1	0
21386		Repair eye socket	17.77	17.77	090	2	0	2	0	0
21387			16.53	16.53	090	2	0	2	0	0
21390		Repair eye socket	20.71	20.71	090	2	0	2	1	0
21390		Repair eye socket	20.71	20.71	090	2	0	2	1	0
21393	A	Repair eye socket	21.57	2.85	090	2	0	0	0	0
21400		Treat eye socket	5.63	5.63	090	2	0	2	0	0
21401	Α	Repair eye socket	5.05	5.05	090	4	U	2	U	U

563	FEES	FOR M	IEDICAL	SERV	ЛCES	522	1.40	30
21406 A	Repair eye socket	11.80	11.80	090	2 (2	1	0
21407 A	Repair eye socket	15.10	15.10	090	2 (2	1	0
21408 A	Repair eye socket	19.99	19.99	090	2 (2	2	0
21421 A	Treat mouth roof	10.94	10.47	090	2 (0	0	0
21422 A	Repair mouth roof	17.05	17.05	090	2 (1	0
21423 A	Repair mouth roof	19.56	19.56	090	2 (2	0
21431 A	Treat craniofacial	12.61	12.61	090	2 (0	0
21432 A	Repair craniofacial	14.81	14.81	090	2 (0	0
21433 A	Repair craniofacial	41.52	41.52	090	2 (1	0
21435 A	Repair craniofacial	29.50	29.50	090	2 (0	0
21436 A	Repair craniofacial	40.75	40.75	090	2 (2	0
21440 A	Repair dental ridge	5.57	5.47	090	2 (0	0
21445 A	Repair dental ridge	11.09	10.91	090	2 (0	0
21450 A	Treat lower jaw	5.58	5.58	090	2 (0	0
21451 A	Treat lower jaw	10.46	10.01	090	2 (0	0
21452 A	Treat lower jaw	3.23	3.23	090	2 (0	0
21453 A	Treat lower jaw	11.75	11.22	090	2 (0	0
21454 A	Treat lower jaw	13.52	13.52	090	2 (1	0
21461 A	Repair lower jaw	16.66	16.66	090	2 (1	0
21462 A	Repair lower jaw	20.03	20.03	090	2 (1	0
21465 A	Repair lower jaw	19.51	19.51 31.18	090	2 (1 1	$0 \\ 0$
21470 A 21480 A	Repair lower jaw	31.18	1.25	090	2 1		0	0
77:22	Reset dislocation Reset dislocation	1.36 5.85	4.79	000 090	2 1		0	0
21485 A 21490 A	Repair dislocation	17.15	17.15	090	2 1	_	1	0
21493 A	Treat hyoid bone	2.69	2.58	090	2 (1	0
21494 A	Repair hyoid bone	13.31	13.31	090	2 (1	0
21495 A	Repair hyoid bone	10.10	10.10	090	2 (0	0
21497 A	Interdental wiring	7.55	7.55	090	2 (0	ő
21457	mordonar wiring	7.55	7.55	020	- `	, ,	Ū	Ů
(14) Head, oth	er procedures:							
21499 C	Head surgery procedure	0.00	0.00	YYY	2 (0	1	1
21477	ricad surgery procedure	0.00	0.00	1 1 1	- (, 0	•	-
(15) Neck and	thorax, incision:							
21501 A	Drain neck/chest	5.36	5.36	090	2 () 1	0	0
21502 A	Drain chest lesion	10.95	10.95	090	2 (0	0
21510 A		9.18	9.18	090	2		ő	ő
21310	Dramage of cone	7.10	5.10	0,0	- `	, 0	Ü	Ů
(16) Nools and	thorax avaision							
(16) Neck and	thorax, excision							
21550 A	Biopsy of neck	2.76	2.35	010	2 () 1	0	0
21555 A	Remove lesion, neck	5.63	5.63	090	2 () 1	0	0
21556 A	Remove lesion, neck	9.08	9.08	090	2 (1	0	0
21557 A	Remove tumor, neck	17.05	17.05	090	2 (2	1	0
21600 A		11.09	11.09	090	2 (1	0
21610 A	Partial removal	18.68	18.68	090	2 (0	0
21615 A	Removal of rib	19.83	19.83	090	2		1	0
21616 A	Removal of rib	18.77	18.77	090	2		0	0
21620 A	Partial removal	13.46	13.46	090	2 (_	1	0
21627 A	Sternal debridement	11.54	11.54	090	2 (0	0
21630 A	Extensive sternum	29.55	29.55	090	2 () 2	1	0

5221.4030 FEES FOR MEDICAL SERVICES									5	64
21632	A	Extensive sternum	28.84	28.84	090	2	0	2	1	0
(17) Neck	and	thorax, repair, revision, and/o	r reconstr	ruction:						
21700	Α	Revision of neck	9.91	9.91	090	2	0	2	0	0
21705	Α	Revision of neck	13.93	13.93	090	2	0	2	0	0
21720	Α	Revision of neck	9.15	9.15	090	2	0	2	0	0
21725	Α	Revision of neck	11.43	11.43	090	2	0	2	1	0
21740		Reconstruction	24.57	24.57	090	2	0	2	1	0
21750	A	Repair of sternum	17.65	17.65	090	2	0	2	1	0
(18) Neck	and	thorax, fracture and/or disloca	ation:		•					
21800	Α	Treat rib fracture	1.65	1.65	090	2	0	1	0	0
21805		Treat rib fracture	3.89	3.89	090	2	ŏ	Ô	Õ	ŏ
21810		Treat rib fracture	13.64	13.64	090	2	ŏ	2	0	ŏ
21820		Treat sternum fracture	2.57	2.57	090	2	0	1	Ŏ	Õ
21825		Repair sternum fracture	14.01	14.01	090	2	0	2	1	0
(19) Neck	and	thorax, other procedures:								
21899	C	Neck/chest surgery	0.00	0.00	YYY	2	0	0	1	1
(20) Back	and:	flank, excision:								
21920	Α	Biopsy soft tissue	2.69	2.31	010	2	0	1	0	0
21925		Biopsy soft tissue	6.14	6.14	090	2	0	1	0	0
21930		Remove lesion, back	7.44	7.44	090	2	0	1	0	0
21935	A	Remove tumor, back	23.39	23.39	090	2	0	1	1	0
(21) Spine,	exc.	ision:								
22100	Α	Remove part of vertebra	16.81	16.81	090	2	0	2	1	0
22101		Remove part of thoracic	17.40	17.40	090	2	0	2	1	0
22102		Remove part of lumbar	13.62	13.62	090	2	0	2	1	0
22103		Remove extra segment	4.48	4.48	ZZZ	0	0	2	1	0
22110		Remove part of lesion	21.86	21.86	090	2	0	2	1	0
22112		Remove part of thoracic	22.09	22.09	090	2	0	2	1	0
22114		Remove part of lumbar	19.28	19.28	090	2	0	2	1	0
22116	Α	Remove extra segment	4.44	4.44	ZZZ	0	0	2	1	0
(22) Spine,	oste	eotomy:								
22210	Α	Revision of neck	36.32	36.32	090	2	0	2	1	0
22212		Revision of thoracic	35.89	35.89	090	2	0	0	0	0
22214		Revision of lumbar	33.73	33.73	090	2	0	2	1	0
22216		Revise extra segment	10.87	10.87	ZZZ	0	1	2	1	0
22220		Revision of neck	36.92	36.92	090	2	0	2	1	0
22222 22224	A	Revision of thoracic	33.55	33.55	090	2	0	0	$0 \\ 1$	0
ZZZZ4	Α	Revision of lumbar	35.18	35.18	090	2	0	2	1	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

565			FEES	FOR	MEDICA	AL SERV	VIC	ES	522	1.40)30
22226	Α	Revise extra segment		10.8	7 10.87	ZZZ	0	1	2	1	0
(23) Spine, f	frac	cture and/or dislocation:									
22305 22310 22315 22325 22326 22327 22328	A A A A	Treat spine process Treat spine fracture Treat spine fracture Repair of spine Repair cervical Repair thoracic Repair each additional		4.25 5.18 13.82 25.39 34.68 34.13 8.83	5.18 2 13.82 9 25.39 3 34.68 3 34.13	090 090 090 090 090 090 ZZZ	2 2 2 2 2 2 0	0 0 0 0 0 0	1 1 1 2 2 2 2	0 0 0 1 1 1 1	0 0 0 0 0 0
(24) Spine, n	mai	nipulation:									
22505	Α	Manipulation of spine		3.00	3.06	010	2	0	1	0	0
(25) Spine, a	ant	erior or anterolateral app	proach	techn	ique:						
22548 22554 22556 22558 22585	A A A A	Neck spine fusion Neck spine fusion Thorax spine fusion Lumbar spine fusion Additional spine		47.53 37.98 44.23 41.53 10.73	37.98 1 44.21 7 41.57	090 090 090 090 ZZZ	2 2 2 2 0	0 0 0 0	2 2 2 2 2	2 2 2 2 2	0 0 0 0 0
(26) Spine, p	oos	terior, posterolateral or	lateral	transv	erse proc	ess techr	niqu	e:			
22595 22600 22610 22612	A A A A	Spine and skull Neck spine fusion Neck spine fusion Thorax spine fusion Lumbar spine fusion Spine fusion Lumbar spine fusion Spine fusion		41.33 40.34 33.65 33.06 40.86 11.8 38.4 10.00	4 40.34 3 33.63 3 33.08 40.80 1 11.81 7 38.47	090 090 090 090 090 090 ZZZ 090 ZZZ	2 2 2 2 2 0 2 0	0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0
(27) Spine, d	def	ormity:									
22802 22804 22808 22810 22812 22818	A A A A A	Fusion of spine Kyphectomy, 1-2 segme Kyphectomy, 3 or more		37.94 57.93 62.82 43.33 47.00 57.03 58.80 63.04	3 57.93 2 62.82 7 43.37 0 47.00 7 57.07 5 58.86	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 2 2	0 0 0 0 0 0 2 2
(28) Spine, e	exp	loration									
22830	A	Exploration of fusion		22.59	22.59	090	2	0	2	1	0

(29) Spine	, spir	nal instrumentation:								
22840 22841 22842 22843 22844 22845 22846 22847 22848 22849 22850 22851	A B A A A A A A A A A A A A A A A A A A	Insert spine fixation Reinsert spine fixation Remove spine fixation Apply spine prosthesis	17.70 0.00 18.66 21.25 25.96 16.88 19.62 21.79 11.49 29.25 18.33 12.85	17.70 0.00 18.66 21.25 25.96 16.88 19.62 21.79 11.49 29.25 18.33 12.85	ZZZ XXX ZZZ ZZZ ZZZ ZZZ ZZZ ZZZ 090 090 090 ZZZ	0 9 0 0 0 0 0 0 0 2 2	0 9 0 0 0 0 0 0 0 0	2 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 9 2 2 2 2 2 2 2 1 1 2	0 9 0 0 0 0 0 0 0 0 0
22852 22855		Remove spine fixation Remove spine fixation	18.51 21.63	18.51 21.63	090 090	2	0	2	1 1	$0 \\ 0$
(30) Spine	, oth	er procedures:								
22899	C	Spine surgery procedure	0.00	0.00	YYY	2	0	2	1	1
(31) Abdo	men,	excision:								
22900	Α	Remove abdominal tumor	8.52	8.52	090	2	0	2	1	0
(32) Abdo	men,	other procedures:								
(32) Abdo		other procedures: Abdomen surgery procedure	0.00	0.00	YYY	2	0	0	1	1
, ,	С	Abdomen surgery procedure	0.00	0.00	YYY	2	0	0	1	1
22999	C der,	Abdomen surgery procedure	0.00 7.35	0.00 7.35	YYY 090	2	0	2	1	1
22999 (33) Shoul 23000 23020	C der,	Abdomen surgery procedure incision: Remove deposits Release shoulder	7.35 15.73	7.35 15.73	090 090	2 2	0 1	2 2	1 0	0 0
22999 (33) Shoul 23000 23020 23030	C der,	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder	7.35 15.73 5.39	7.35 15.73 5.39	090 090 010	2 2 2	0 1 0	2 2 1	1 0 0	0 0 0
22999 (33) Shoul 23000 23020 23030 23031	C der,	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder	7.35 15.73 5.39 3.00	7.35 15.73 5.39 2.76	090 090 010 010	2 2 2 2	0 1 0 1	2 2 1 1	1 0 0 0	0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035	C der,	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Drain shoulder	7.35 15.73 5.39 3.00 14.40	7.35 15.73 5.39 2.76 14.40	090 090 010 010 090	2 2 2 2 2 2	0 1 0 1 1	2 2 1 1 2	1 0 0 0 0	0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040	C der,	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder	7.35 15.73 5.39 3.00 14.40 18.12	7.35 15.73 5.39 2.76 14.40 18.12	090 090 010 010 090 090	2 2 2 2 2 2 2	0 1 0 1 1	2 2 1 1 2 2	1 0 0 0 0	0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035	C der,	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Drain shoulder	7.35 15.73 5.39 3.00 14.40	7.35 15.73 5.39 2.76 14.40	090 090 010 010 090	2 2 2 2 2 2	0 1 0 1 1	2 2 1 1 2	1 0 0 0 0	0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul	C der, A A A A A A A A A A A A A A A A A A A	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision:	7.35 15.73 5.39 3.00 14.40 18.12 13.79	7.35 15.73 5.39 2.76 14.40 18.12 13.79	090 090 010 010 090 090	2 2 2 2 2 2 2 2	0 1 0 1 1	2 2 1 1 2 2	1 0 0 0 0	0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul	C der, A A A A A A A A A A A A A A A A A A A	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder Exploratory, shoulder Exploratory, shoulder	7.35 15.73 5.39 3.00 14.40 18.12 13.79	7.35 15.73 5.39 2.76 14.40 18.12 13.79	090 090 010 010 090 090 090	2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1	0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066	der, AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder	7.35 15.73 5.39 3.00 14.40 18.12 13.79	7.35 15.73 5.39 2.76 14.40 18.12 13.79	090 090 010 010 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1	0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066 23075	der, AAAAAA der, AAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder Removal of shoulder	7.35 15.73 5.39 3.00 14.40 18.12 13.79	7.35 15.73 5.39 2.76 14.40 18.12 13.79	090 090 010 010 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1 1	0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066 23075 23076	der, AAAAAA der, AAAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder Removal of shoulder Removal of shoulder	7.35 15.73 5.39 3.00 14.40 18.12 13.79 2.75 4.97 3.95 10.70	7.35 15.73 5.39 2.76 14.40 18.12 13.79 2.75 4.97 3.95 10.70	090 090 010 010 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1 1	0 0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066 23075 23076 23077	der, AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder Removal of shoulder Removal of shoulder Remove tumor	7.35 15.73 5.39 3.00 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50	7.35 15.73 5.39 2.76 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50	090 090 010 010 090 090 090 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1 1	0 0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066 23075 23076 23077 23100	der, AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder Removal of shoulder Removal of shoulder Remove tumor Biopsy of shoulder	7.35 15.73 5.39 3.00 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50 12.56	7.35 15.73 5.39 2.76 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50 12.56	090 090 010 010 090 090 090 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1 1	0 0 0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066 23075 23076 23077 23100 23101	der, AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder Removal of shoulder Removal of shoulder Remove tumor	7.35 15.73 5.39 3.00 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50	7.35 15.73 5.39 2.76 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50	090 090 010 010 090 090 090 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1 1	0 0 0 0 0 0 0 0
22999 (33) Shoul 23000 23020 23030 23031 23035 23040 23044 (34) Shoul 23065 23066 23075 23076 23077 23100	der, AAAAA der, AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Abdomen surgery procedure incision: Remove deposits Release shoulder Drain shoulder Drain shoulder Drain shoulder Exploratory, shoulder Exploratory, shoulder excision: Biopsy of shoulder Biopsy of shoulder Removal of shoulder Removal of shoulder Remove tumor Biopsy of shoulder Shoulder joint	7.35 15.73 5.39 3.00 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50 12.56 11.66	7.35 15.73 5.39 2.76 14.40 18.12 13.79 2.75 4.97 3.95 10.70 22.50 12.56 11.66	090 090 010 010 090 090 090 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 1 2 2 1	1 0 0 0 0 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

FEES FOR MEDICAL SERVICES 5221.4030

507		1228	1011		22					
23120	Α	Partial removal	11.32	11.32	090	2	0	2	1	0
23125	A	Removal collar bone	17.43	17.43	090	2	1	2	1	0
23130		Partial removal	14.29	14.29	090	$\bar{2}$	î	1	1	ŏ
		Removal of bone	10.68	10.68	090	2	1	1	0	0
23140									-	
23145	Α	Removal of bone	16.84	16.84	090	2	1	2	1	0
23146		Removal of bone	12.72	12.72	090	2	1	0	0	0
23150	Α	Removal of humerus	14.67	14.67	090	2	1	2	1	0
23155	Α	Removal of humerus	18.65	18.65	090	2	1	2	1	0
23156	Α	Removal of humerus	15.95	15.95	090	2	1	2	0	0
23170		Remove collar bone	11.30	11.30	090	2	1	1	Ō	0
23170		Remove shoulder	11.65	11.65	090	2	1	2	0	0
						2		2		
23174		Remove humerus	17.56	17.56	090		1		1	0
23180		Remove collar bone	12.27	12.27	090	2	1	1	1	0
23182	Α	Remove shoulder	14.37	14.37	090	2	1	2	0	0
23184	Α	Remove humerus	17.86	17.86	090	2	1	2	1	0
23190	Α	Partial removal	12.98	12.98	090	2	1	2	1	0
23195		Removal of humeral head	18.31	18.31	090	2	1	2	1	0
23200	A	Removal of collar bone	20.52	20.52	090	2	1	2	î	ŏ
						2	1	2		
23210		Removal of shoulder	20.82	20.82	090				1	0
23220		Partial removal	25.98	25.98	090	2	1	2	1	0
23221	Α	Partial removal	34.27	34.27	090	2	1	2	0	0
23222	Α	Partial removal	37.49	37.49	090	2	1	2	1	0
(35) Should	ler	introduction or removal:								
(55) 5110 410	.01,	mirodaction of remeval.								
23330	Α	Remove shoulder	2.25	1.98	010	2	1	0	0	0
23331	Α	Remove shoulder	9.09	9.09	090	2	1	0	0	0
23332	Α	Remove shoulder	20.80	20.80	090	2	1	2	1	0
23350	Α	Injection for shoulder	1.44	1.44	000	2	1	1	0	0
(36) Should	lor :	repair, revision, and/or reconst	ruction:							
(30) Silouic	161,	repair, revision, and/or reconsi	i uction.							
23395	Α	Muscle transfer	27.06	27.06	090	2	0	2	1	0
23397	Α	Muscle transfer	29.43	29.43	090	2	0	2	1	0
23400	A	Fixation of shoulder	22.72	22.72	090	2	1	2	1	0
23405	A	Incision of tendon	15.38	15.38	090	$\tilde{2}$	Ô	$\bar{2}$	ī	ŏ
23405	A		19.76	19.76	090	2	0	2	0	0
		Incision of tendons						2		
23410	A	Repair of tendon	22.83	22.83	090	2	0		1	0
23412	A	Repair of tendon	26.19	26.19	090	2	1	2	1	0
23415	Α	Release of shoulder	14.51	14.51	090	2	1	1	1	0
23420	Α	Repair of shoulder	27.50	27.50	090	2	1	2	1	0
23430	Α	Repair biceps tendon	16.81	16.81	090	2	1	2	1	0
23440	Α	Removal/transplant	17.08	17.08	090	2	1	2	1	0
23450	Α	Repair shoulder	25.61	25.61	090	2	1	2	1	0
23455	Α	Repair shoulder	29.45	29.45	090	2	1	2	1	0
23460	A	Repair shoulder	28.78	28.78	090	2	1	2	1	ŏ
	A		29.87	29.87	090	2	1	2	1	ŏ
23462		Repair shoulder				2	1	2		
23465	A	Repair shoulder	29.31	29.31	090			2	1	0
23466	A	Repair shoulder	29.49	29.49	090	2	1	2	1	0
23470	Α	Reconstruct shoulder	33.22	33.22	090	2	1	2	1	0
23472	Α	Reconstruct shoulder	36.03	36.03	090	2	1	2	1	0
23480	Α	Revision of collar bone	17.08	17.08	090	2	1	1	1	0
23485	Α	Revision of collar bone	24.19	24.19	090	2	1	2	1	0
23490	Α	Reinforce clavicle	20.85	20.85	090	2	1	2	0	0
23491	A	Reinforce shoulder	26.33	26.33	090	$\bar{2}$	ĺ.	$\bar{2}$	1	ŏ
	4 1	TOTAL BILOUISE	~0.00	~0.00	370	_	.4.	~	•	3

(37) Should	er,	fracture and/or dislocation:								
23500	Α	Treat clavicle	3.60	3.60	090	2	1	1	0	0
23505	Α	Treat clavicle	6.04	6.04	090	2	1	1	0	0
23515	Α	Repair clavicle	14.04	14.04	090	2	1	2	1	0
23520	Α	Treat clavicle	3.40	3.40	090	2	1	ō	0	Õ
23525	A	Treat clavicle	5.33	5.33	090	2	1	Ŏ	Õ	Õ
23530	A	Repair clavicle	13.49	13.49	090	2	1	2	ŏ	0
23532	Α	Repair clavicle	14.91	14.91	090	2	1	$\bar{2}$	ŏ	Õ
23540	Α	Treat clavicle	3.63	3.63	090	$\bar{2}$	1	1	Ö	ŏ
23545	Α	Treat clavicle	5.02	5.02	090	2	1	Ō	ŏ	ŏ
23550	A	Repair clavicle	15.07	15.07	090	$\bar{2}$	1	2	1	ŏ
23552	Α	Repair clavicle	15.36	15.36	090	$\tilde{2}$	1	$\bar{2}$	1	ŏ
23570	A	Treat shoulder bone	3.80	3.80	090	$\bar{2}$	1	1	Ô	ŏ
23575	A	Treat shoulder bone	6.58	6.58	090	2	î	0	ŏ	ŏ
23585	A	Repair scapula	16.28	16.28	090	2	1	2	1	ő
23600	Α	Treat humerus fixation	5.70	5.70	090	2	1	1	Ô	ŏ
23605	A	Treat humerus fixation	9.44	9.44	090	$\bar{2}$	1	1	Õ	0
23615	A	Repair humerus	19.41	19.41	090	2	1	2	1	ő
23616	A	Repair humerus	42.82	42.82	090	$\frac{1}{2}$	1	2	2	Õ
23620	A	Treat humerus	5.21	3.71	090	2	1	1	õ	ŏ
23625	A	Treat humerus	7.59	7.59	090	2	1	1	Õ	ŏ
23630	A	Repair humerus	15.26	15.26	090	$\bar{2}$	ī	2	1	ŏ
23650	A	Treat shoulder	5.24	5.24	090	2	1	1	Ô	ŏ
23655	Α	Treat shoulder	7.22	7.22	090	$\bar{2}$	1	1	ő	ŏ
23660	A	Repair shoulder	15.53	15.53	090	$\bar{2}$	1	2	1	ŏ
23665	A	Treat dislocation	7.58	7.58	090	$\frac{1}{2}$	1	1	0	ŏ
23670	Α	Repair dislocation	16.59	16.59	090	2	1	2	ĭ	ŏ
23675	Α	Treat dislocation	9.62	9.62	090	2	1	1	Õ	ŏ
23680	Α	Repair dislocation	21.00	21.00	090	$\bar{2}$	1	2	1	ŏ
						_	_		_	
(38) Should	er,	manipulation:								
23700	Α	Fixation of shoulder	4.49	4.49	010	2	0	1	0	0
(39) Should	er,	arthrodesis:								
23800	Α	Fusion of shoulder	29.35	29.35	090	2	1	2	1	0
23802		Fusion of shoulder	29.90	29.90	090	2	0	2	1	0
				23130	0,0	_	Ū	_	-	
(40) Should	er,	amputation:								
22000		A 4-4:	21.27	21.27		2	0	2	0	0
23900		Amputation of arm	31.37	31.37	090	2	0	2	0	0
23920		Amputation of shoulder	28.04	28.04	090	2	0	2	$\frac{1}{0}$	0
23921	A	Amputation	9.52	9.52	090	2	U	1	U	0
(41) Should	er,	other procedures:								
23929	C	Shoulder surgery	0.00	0.00	YYY	2	0	2	1	1
407 LJ		Shoulder surgery	0.00	0.00	111	_	J	4	.1.	1

FEES FOR MEDICAL SERVICES 5221.4030

(42) Humerus	s a	and elbow, incision:								
23930	Δ	Drainage of arm	4.36	4.36	010	2	1	1	0	0
	A	Drainage of arm	2.41	2.05	010	2	1	1	ő	0
	A	Drain arm/elbow	10.49	10.49	090	2	î	Ô	ŏ	ő
		Exploratory elbow	12.26	12.26	090	2	î	ő	1	ŏ
	A	Release elbow joint	15.99	15.99	090	2	1	2	2	ŏ
24000		Release cloow joint	13.77	13.77	020	_	•	-	-	Ū
(43) Humeru	s a	and elbow, excision:								
24065	A	Biopsy arm or elbow	2.71	2.32	010	2	1	1	0	0
	Α	Biopsy arm or elbow	7.57	7.57	090	2	1	1	0	0
24075	Α	Remove arm or elbow	5.66	5.66	090	2	1	1	0	0
24076	Α	Remove arm or elbow	9.64	9.64	090	2	1	1	0	0
24077	Α	Remove tumor	21.16	21.16	090	2	1	2	1	0
24100 A	A	Biopsy elbow joint	8.94	8.94	090	2	1	2	1	0
24101	A	Explore/treat elbow	12.85	12.85	090	2	1	2	0	0
	A	Remove elbow joint	16.82	16.82	090	2	1	2	1	0
		Removal of elbow	7.27	7.27	090	2	1	1	0	0
	A	Remove humerus	14.81	14.81	090	2	1	1	1	0
	A	Remove/graft bone	16.89	16.89	090	2	1	2	1	0
_	A	Remove/graft bone	20.92	20.92	090	2	1	2	0	0
		Remove elbow lesion	12.39	12.39	090	2	1	0	0	0
	A	Remove/graft bone	13.09	13.09	090	2	1 1	2	$\frac{1}{0}$	$0 \\ 0$
	A A	Remove/graft bone Removal of radial head	15.36 12.76	15.36 12.76	090 090	2	1	1	1	0
		Removal of arm	17.91	17.91	090	2	1	2	0	0
		Remove radius bone	16.24	16.24	090	2	1	1	0	0
	A	Remove elbow bone	14.06	14.06	090	2	1	2	0	0
	A	Partial removal	17.60	17.60	090	2	1	2	0	0
		Partial removal	13.61	13.61	090	2	î	1	1	ŏ
		Partial removal	13.83	13.83	090	$\bar{2}$	1	ī	1	ŏ
	A	Radical resection	26.24	26.24	090	2	1	2	1	Õ
	A	Extensive humerus	26.88	26.88	090	2	1	2	1	0
24151	Α	Extensive humerus	28.67	28.67	090	2	1	2	1	0
24152	Α	Extensive radius	16.34	16.34	090	2	1	2	1	0
24153	Α	Extensive radius	21.50	21.50	090	2	1	0	0	0
24155	A	Removal of elbow	21.98	21.98	090	2	1	2	1	0
(44) Humeru	ıs a	and elbow, introduction or rem	oval:							
24160	A	Remove elbow joint	12.22	12.22	090	2	1	1	1	0
		Remove radial head	11.49	11.49	090	$\bar{2}$	1	1	1	ő
		Removal of arm	2.17	1.90	010	2	1	Ō	0	Õ
24201	Α	Removal of arm	7.37	7.37	090	2	1	1	0	0
24220	A	Injection for elbow	1.71	1.71	000	2	1	0	0	0
(45) Humeru	ıs a	and elbow, repair, revision, and	l/or reco	nstruction	n:					
24301	Λ	Muscle/tendon transfer	17 57	17 57	በዐባ	2	Λ	2	1	Λ
		Muscle/tendon transfer	17.57	17.57	090	2	0	2 0	1 0	0
	A	Arm tendon lengthening	9.90	9.90	090	2		0	0	0
	A	Revision of arm	8.54	8.54	090	2	0	2		0
24320	A	Repair of arm tenoplasty	19.18	19.18	090	2	U	2	1	0

Α	Revision of arm	17.95	17.95	090	2	1	2	0	0
Α	Revision of arm	19.83	19.83	090	2	1	2	0	0
Α	Repair of biceps	14.55	14.55	090	2	1	2	1	0
Α	Repair tendon/muscle	14.55	14.55	090	2	1	2	1	0
Α	Repair of rupture	20.64	20.64	090	2	1	2	1	0
Α	Repair of tennis elbow	9.23	9.23	090	2	1	0	0	0
Α	Repair of tennis elbow	10.18	10.18	090	_	1	0	0	0
Α		11.85	11.85	090	_	1	_	1	0
Α		11.82		090		_	_	0	0
Α	Revision of tennis elbow	13.75	13.75	090	_	1	0	0	0
Α	Reconstruct elbow	25.67	25.67	090		-		1	0
Α	Reconstruct elbow	26.57	26.57	090	_	1	_	1	0
Α	Reconstruct elbow	26.74			_	_		•	0
Α		38.71	38.71		_		_	0	0
Α		15.54	15.54		_	_	_	1	0
Α	Reconstruct radial head	18.98	18.98	090	_	_	_	1	0
Α		18.94	18.94	090	_	_	_	1	0
Α		28.15	28.15	090		_		1	0
Α	Revision of humerus	25.19						1	0
Α	Repair of humerus	26.53			_	_	_	1	0
Α	<u> -</u>				_				0
Α					_	_		-	0
Α					_	_	0	-	0
Α	Reinforce humerus	21.73	21.73	090	2	1	2	1	0
	A A A A A A A A A A A A A A A A A A A	A Repair of biceps A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Reconstruct elbow A Reconstruct elbow A Reconstruct elbow A Reconstruct radial head A Reconstruct radial head A Revision of humerus A Revision of humerus A Repair of humerus A Repair of humerus A Revision of elbow A Decompression of forearm	A Revision of arm A Repair of biceps A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Reconstruct radial head A Reconstruct radial head A Revision of humerus A Revision of humerus A Revision of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Revision of elbow A Revision of forearm 13.53	A Revision of arm 19.83 19.83 A Repair of biceps 14.55 14.55 A Repair tendon/muscle 14.55 14.55 A Repair of rupture 20.64 20.64 A Repair of tennis elbow 9.23 9.23 A Repair of tennis elbow 10.18 10.18 A Repair of tennis elbow 11.85 11.85 A Revision of tennis elbow 13.75 13.75 A Reconstruct elbow 25.67 25.67 A Reconstruct elbow 26.57 26.57 A Reconstruct elbow 26.74 20.40 A Replace elbow joint 38.71 38.71 A Reconstruct radial head 15.54 15.54 A Revision of humerus 18.98 18.98 A Revision of humerus 28.15 28.15 A Repair of humerus 26.53 26.53 A Repair of humerus 27.52 27.52 A Revision of elbow 16.30 16.30 A Decompression of forearm 13.53 13.53	A Revision of arm A Repair of biceps A Repair tendon/muscle A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Revision of tennis elbow A Reconstruct radial head A Reconstruct radial head A Revision of humerus A Revision of humerus A Revision of humerus A Revision of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Revision of elbow A Revision of elbow A Revision of forearm 13.53 13.53 090	A Revision of arm A Repair of biceps A Repair tendon/muscle A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Reconstruct radial head A Reconstruct radial head A Revision of humerus A Revision of humerus A Revision of humerus A Revision of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Revision of elbow A Revision of elbow A Revision of elbow A Revision of forearm 13.53 13.53 090 2	A Revision of arm A Repair of biceps A Repair tendon/muscle A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Reconstruct radial head A Reconstruct radial head A Revision of humerus A Revision of humerus A Revision of humerus A Revision of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Revision of elbow A Revision of elbow A Revision of forearm 13.53 13.53 090 2 1 14.55 14.55 090 2 1 18.55 18.55 090 2 1 2 1 2 1 3 2 1 4 2 1 4 2 1 4 2 1 5 2 1 5 2 1 6 3 2 6 6 5 3 2 6 6 5 3 2 6 6 5 3 2 6 6 5 3 2 6 6 5 3 2 6 6 5 3 2 6 7 5 9 7 9 7 2 7 5 2 7 8 7 7 8 7 9 9 7 2 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	A Revision of arm A Repair of biceps A Repair tendon/muscle A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Reconstruct radial head A Reconstruct radial head A Revision of humerus A Revision of humerus A Revision of humerus A Revision of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Repair of humerus A Revision of elbow A Revision of elbow A Revision of elbow A Revision of elbow A Revision of forearm 13.53 13.53 090 2 1 2 1 2 1 2 1 3 2 4 2 4 3 1 3 2 4 1 3 2 5 1 3 3 3 5 1 3 3 3	A Revision of arm A Repair of biceps A Repair tendon/muscle A Repair tendon/muscle A Repair of rupture A Repair of tennis elbow A Revision of tennis elbow A Reconstruct elbow A Reconstruct elbow A Reconstruct elbow A Reconstruct elbow A Replace elbow joint A Reconstruct radial head A Revision of humerus A Repair of humerus A Revision of elbow A Repair of humerus A Revision of elbow A Revision of forearm 13.53 13.53 090 2 1 2 1 2 0 2 1 2 0 3 2 1 2 0 4 2 1 2 0 4 2 1 2 0 5 2 1 2 1 6 2 1 2 0 6 3 2 1 2 1 7 3 2 1 7 3 2 1 7 4 2 1 8 2 1 2 1 8 2 1 2 1 8 2 1 2 1 9 3 2 1 2 1 9 3 2 1 2 1 9 4 3 2 1 9 5 2 1 2 1 9 6 2 1 2 1 9 7 9 2 1 2 1 9 7 9 2 1 2 1 9 8 1 8 9 9 9 2 1 2 1 9 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9 9 1 2 1 2 1 9

(46) Humerus and elbow, fracture and/or dislocation:

24500	Α	Treat humerus fracture	5.57	5.57	090	2	1	1	0	0
24505	Α	Treat humerus fracture	9.43	9.43	090	2	1	1	0	0
24515	Α	Repair humerus	20.75	20.75	090	2	1	2	1	0
24516	Α	Repair humerus	20.75	20.75	090	2	1	2	2	0
24530	Α	Treat humerus fracture	6.05	6.05	090	2	1	1	0	0
24535	Α	Treat humerus fracture	11.35	11.35	090	2	1	1	0	0
24538	Α	Treat humerus fracture	16.96	16.96	090	2	1	1	0	0
24545	Α	Repair humerus	20.00	20.00	090	2	1	2	i	0
24546	Α	Repair humerus	24.75	24.75	090	2	1	2	2	0
24560	Α	Treat humerus fracture	4.79	4.79	090	2	1	1	0	0
24565	Α	Treat humerus fracture	8.68	8.68	090	2	1	1	0	0
24566	Α	Treat humerus fracture	13.45	13.45	090	2	1	1	0	0
24575	Α	Repair humerus	17.89	17.89	090	2	1	2	1	0
24576	Α	Treat humerus fracture	4.86	4.86	090	2	1	1	0	0
24577	Α	Treat humerus fracture	9.46	9.46	090	2	1	1	0	0
24579	Α	Repair humerus	19.36	19.36	090	2	1	2	1	0
24582	Α	Treat humerus fracture	14.74	14.74	090	2	1	1	0	0
24586	Α	Repair elbow fracture	29.33	29.33	090	2	1	2	1	0
24587	Α	Repair elbow fracture	28.21	28.21	090	2	1	2	1	0
24600	Α	Treat elbow dislocation	5.87	5.87	090	2	1	1	0	0
24605	Α	Treat elbow dislocation	7.34	7.34	090	2	1	1	0	0
24615	Α	Repair elbow dislocation	18.34	18.34	090	2	1	2	1	0
24620	Α	Treat elbow fracture	10.30	10.30	090	2	1	0	0	0
24635	Α	Repair elbow fracture	23.64	23.64	090	2	1	2	1	0
24640	Α	Treat elbow dislocation	2.11	2.11	010	2	1	0	0	0
24650	Α	Treat radius fracture	4.32	3.23	090	2	1	1	0	0
24655	Α	Treat radius fracture	7.15	7.15	090	2	1	1	0	0
24665	Α	Repair radius fracture	14.91	14.91	090	2	1	2	1	0
24666	Α	Repair radius fracture	19.42	19.42	090	2	1	2	1	0

571		FEES	FOR	MEDICAL	SERV	ICE	S	522	1.40	30
24675	A	Treat ulnar fracture Treat ulnar fracture	4.34 7.91	7.97	090 090	2	1	1	0	0
24685	Α	Repair ulnar fracture	16.84	16.84	090	2	1	2	1	0
(47) Humeru	1S 2	and elbow, arthrodesis:								
		Fusion of elbow Fusion/graft of elbow	21.25 25.29		090 090		1 1	2 2	1 0	0
(48) Humeru	is a	and elbow, amputation:								
24900	Α	Amputation of ulna	16.90	16.90	090	2	1	2	1	0
		Amputation of ulna	15.8		090	2	1	2	1	0
24925	Α	Amputation	12.89	9 12.89	090		1	2	0	0
	Α	1	17.83		090		1	2	0	0
		Upper arm and implant	23.35		090		1	2	0	0
		Revision of amputation	28.59		090	-	1	0	0	0
24940	С	Revision of extremity	0.00	0.00	090	2	1	2	0	0
(49) Humeru	ıs a	and elbow, other procedures:								
24999	С	Upper arm/elbow surgery	0.00	0.00	YYY	2	1	0	1	1
(50) Forearm	n a	nd wrist, incision:								
25000	Α	Incision of tendon	7.00	7.00	090	2	1	1	0	0
		Decompression	10.00		090		1	1	ŏ	0
		Decompression	17.54		090		1	0	0	0
		Drainage of forearm	6.95	5 6.95	090	2	1	1	0	0
25031	Α	Drainage of forearm	4.45		090		1	0	0	0
		Treat forearm	13.32		090		1	0	0	0
25040	Α	Explore/treat wrist	12.5	1 12.51	090	2	1	0	0	0
(51) Forearm	n a	nd wrist, excision:								
25065	Α	Biopsy of forearm	2.58	3 2.22	010	2	1	1	0	0
	A	Biopsy of forearm	5.30		090		1	1	Õ	Ö
	Α	Removal of forearm	5.7		090	2	1	1	0	0
25076	Α	Removal of forearm	8.48		090	2	1	1	0	0
		Remove tumor, forearm	17.9		090	2	1	1	0	0
		Incision of wrist	9.8		090	2	1	2	0	0
	A	Biopsy of wrist	8.12		090	2	1	0	0	0
	A	Explore/treat wrist	9.78		090	2	1 1	0	0	0
		Remove wrist joint	12.19 11.43		090 090	2 2	1	0 2	1 1	0 0
		Remove wrist joint Remove wrist tendon	6.52		090	2	1	1	0	0
		Remove wrist tendon	6.49		090	2	1	1	0	ő
		Reremove wrist tendon	8.0		090	2	1	1	ŏ	ŏ
25115	Α	Remove wrist/forearm	15.58		090	2	1	1	0	0
	A	Remove wrist/forearm	14.7		090	2	1	0	1	0
25118	A	Excise wrist tendon .	9.18	9.18	090	2	1	1	0	0

572

522114050	1 13	ES FOR MEDICAL SERVI	CEG						-	,,2
25119	Δ	Partial removal of ulna	12.62	12.62	090	2	1	2	1	0
25120	A	Removal of forearm	12.47	12.47	090	2	1	0	1	ŏ
25125			13.97	13.97	090	2	1	0	0	0
		Remove/graft forearm				2		2		
25126	A	Remove/graft forearm	14.04	14.04	090		1		0	0
25130	Α		9.21	9.21	090	2	1	0	0	0
25135		Remove and graft	12.06	12.06	090	2	1	2	1	0
25136	Α	Remove and graft	10.47	10.47	090	2	1	2	1	0
25145	Α	Remove forearm	11.94	11.94	090	2	1	2	0	0
25150	Α	Partial removal	13.50	13.50	090	2	1	1	1	0
25151	Α	Partial removal	12.83	12.83	090	2	1	2	1	0
25170	Α	Extensive forearm	20.36	20.36	090	2	1	2	1	0
25210	Α	Removal of wrist	10.56	10.56	090	2	0	0	1	0
25215	Α	Removal of wrist	16.33	16.33	090	2	0	2	1	0
25230	Α	Partial removal	10.60	10.60	090	2	1	1	1	0
25240		Partial removal	10.29	10.29	090	2	1	Ō	1	0
(52) Forea	rm a	nd wrist, introduction or rem	oval:							
25246	Α	Injection for wrist	1.83	1.83	000	2	1	1	0	0
25248	Α	Removal of forearm	6.98	6.98	090	2	1	1	0	0
25250	A	Removal of wrist	11.93	11.93	090	2	1	2	Ŏ	Õ
25251	A	Removal of wrist	17.42	17.42	090	2	Ô	$\tilde{2}$	ŏ	Õ
(53) Forea	rm a	nd wrist, repair, revision, and	l/or recons	truction:						
25260	Α	Repair forearm	11.96	11.96	090	2	0	1	0	0
25263	A	Repair forearm	13.24	13.24	090	2	0	1 2	0	0
25265 25265	A	Repair forearm	17.41	17.41	090	2	0	2	0	0
						2		$\overset{2}{0}$		
25270	A	Repair forearm	9.00	9.00	090	2	$0 \\ 0$		0	0
25272	A	Repair forearm	10.01	10.01	090	2		0	0	0
25274	A	Repair forearm	14.96	14.96	090		0	0	1	0
25280	A	Revise wrist/forearm	11.01	11.01	090	2	0	0	1	0
25290	A	Incise wrist/forearm	7.41	7.41	090	2	0	1	0	0
25295	Α	Release wrist/forearm	9.18	9.18	090	2	0	1	0	0
25300		Fusion of tendon	15.75	15.75	090	2	1	2	0	0
25301	A	Fusion of tendon	14.82	14.82	090	2	1	2	0	0
25310	A	Transplant forearm	14.93	14.93	090	2	0	2	1	0
25312	A	Transplant forearm	16.78	16.78	090	2	0	2	1	0
25315	A	Revise palsy hand	17.78	17.78	090	2	1	2	0	0
25316	A	Revise palsy hand	22.39	22.39	090	2	1	2	0	0
25320	A	Repair/revise wrist	18.88	18.88	090	2	1	2	0	0
25332	Α	Revise wrist joint	20.89	20.89	090	2	1	2	0	0
25335	Α	Realignment of wrist	23.57	23.57	090	2	1	2	0	0
25337	Α	Reconstruct ulna	18.34	18.34	090	2	1	1	0	0
25350	Α	Revision of radius	16.02	16.02	090	2	1	2	0	0
25355	Α	Revision of radius	18.86	18.86	090	2	1	2	0	0
25360	Α	Revision of ulna	14.39	14.39	090	2	1	2	1	0
25365	Α	Revise radius and ulna	22.08	22.08	090	2	1	2	0	0
25370	Α	Revise radius or ulna	24.55	-24.55	090	2	1	2	0	0
25375	Α	Revise radius and ulna	25.24	25.24	090	2	1	2	1	0
25390	Α	Shorten radius or ulna	18.79	18.79	090	2	1	2	1	0
25391	Α	Lengthen radius or ulna	24.32	24.32	090	2	1	2	1	0
25392	Α	Shorten radius and ulna	25.81	25.81	090	2	1	2	0	0
25393	Α	Lengthen radius and ulna	29.41	29.41	090	2	1	2	Ŏ	Ŏ
25400	Α	Repair radius or ulna	21.29	21.29	090	2	1	$\bar{2}$	1	Ŏ
-		1				-	-			-

573	FEES	FOR	MEDICAL	SERVICES	5221.4030

25405	Α	Repair/graft radius	26.17	26.17	090	2	1	2	1	0
25415	Α	Repair radius and ulna	24.21	24.21	090	2	1	2	1	0
25420	Α	Repair/graft radius	30.28	30.28	090	2	1	2	1	0
25425	Α	Repair/graft radius	24.63	24.63	090	2	1	2	1	0
25426	Α	Repair/graft radius	26.86	26.86	090	2	1	2	1	0
25440	Α	Repair/graft wrist	19.05	19.05	090	2	1	2	1	0
25441	Α	Reconstruct wrist	23.73	23.73	090	2	1	2	1	0
25442	Α	Reconstruct wrist	17.34	17.34	090	2	1	2	1	0
25443	Α	Reconstruct wrist	19.33	19.33	090	2	1	2	1	0
25444	Α	Reconstruct wrist	20.83	20.83	090	2	1	2	0	0
25445	Α	Reconstruct wrist	19.75	19.75	090	2	1	1	1	0
25446	Α	Wrist replacement	34.54	34.54	090	2	1	2	1	0
25447	Α	Repair wrist joint	19.60	19.60	090	2	1	2	1	0
25449	Α	Remove wrist joint	21.37	21.37	090	2	1	2	1	0
25450	Α	Revision of wrist	14.86	14.86	090	2	1	1	0	0
25455	Α	Revision of wrist	17.81	17.81	090	2	1	1	0	0
25490	Α	Reinforce radius	17.84	17.84	090	2	1	2	0	0
25491	Α	Reinforce ulna	18.65	18.65	090	2	1	2	0	0
25492	Α	Reinforce radius	23.03	23.03	090	2	1	2	0	0

(54) Forearm and wrist, fracture and/or dislocation:

25500	Α	Treat fracture	4.63	3.51	090	2	1	1	0	0
25505	Α	Treat fracture	8.46	8.46	090	2	1	1	0	0
25515	Α	Repair fracture	16.38	16.38	090	2	1	2	1	0
25520	Α	Repair fracture	11.75	11.75	090	2	1	1	2	0
25525	Α	Repair fracture	22.89	22.89	090	2	1	2	2	0
25526	Α	Repair fracture	24.30	24.30	090	2	1	2	2	0
25530	Α	Treat fracture	4.45	3.20	090	2	1	1	0	0
25535	Α	Treat fracture	8.41	8.41	090	2	1	1	0	0
25545	Α	Repair fracture	16.06	16.06	090	2	1	2	1	0
25560	Α	Treat fracture	4.56	4.56	090	2	1	1	0	0
25565	Α	Treat fracture	10.00	10.00	090	2	1	1	0	0
25574	Α	Treat fracture	14.76	14.76	090	2	1	2	2	0
25575	Α	Repair fracture	20.78	20.78	090	2	1	2	1	0
25600	Α	Treat fracture	5.36	3.99	090	2	1	1	0	0
25605	Α	Treat fracture	9.43	9.43	090	2	1	1	0	0
25611	Α	Repair fracture	13.39	13.39	090	2	1	1	0	0
25620	Α	Repair fracture	15.28	15.28	090	2	1	2	0	0
25622	Α	Treat wrist bone	4.75	3.65	090	2	1	1	0	0
25624	Α	Treat wrist bone	7.97	6.20	090	2	1	0	0	0
25628	Α	Repair wrist bone	15.18	15.18	090	2	1	2	0	0
25630	Α	Treat wrist bone	4.90	3.84	090	2	1	1	0	0
25635	Α	Treat wrist bone	7.51	5.88	090	2	1	0	0	0
25645	Α	Repair wrist bone	13.56	13.56	090	2	1	2	0	0
25650	Α	Repair wrist bone	5.54	4.25	090	2	1	1	0	0
25660	Α	Treat wrist dislocation	6.22	6.22	090	2	1	0	0	0
25670	Α	Repair wrist dislocation	14.65	14.65	090	2	1	2	1	0
25675	Α	Treat wrist dislocation	6.63	6.63	090	2	1	0	0	0
25676	Α	Repair wrist dislocation	14.98	14.98	090	2	1	2	0	0
25680	Α	Treat wrist fracture	7.99	7.99	090	2	1	0	0	.0
25685	Α	Repair wrist fracture	18.16	18.16	090	2	1	2	0	0
25690	Α	Treat wrist dislocation	10.12	10.12	090	2	1	0	0	0
25695	Α	Repair wrist dislocation	15.02	15.02	090	2	1	2	1	0

(55) Forea	arm a	nd wrist, arthrodesis:								
25800	Α	Fusion of wrist	20.23	20.23	090	2	1	2	1	0
25805		Fusion/graft of wrist	23.38	23.38	090	2	1	2	1	0
25810		Fusion/graft of wrist	21.97	21.97	090	2	1	2	1	Ŏ
25820		Fusion of hand	15.50	15.50	090	$\bar{2}$	1	2	1	ŏ
25825		Fusion of hand bone	19.37	19.37	090	2	î	2	î	ŏ
25830		Fusion of radioulnar	18.24	18.24	090	2	1	2	1	Ö
23030	7 1	Tusion of fundamen	10.24	10.24	070	_	•	_	•	U
(56) Forea	arm a	nd wrist, amputation:								
25900	Α	Amputation of forearm	15.74	15.74	090	2	1	0	0	0
25905	Α	Amputation of forearm	15.78	15.78	090	2	1	2	0	0
25907	Α	Amputation follow-up	13.18	13.18	090	2	1	2	0	0
25909	Α	Amputation follow-up	14.08	14.08	090	2	1	2	0	0
25915	Α	Amputation	32.22	32.22	090	2	1	2	0	0
25920	Α	Amputation of hand	15.30	15.30	090	2	1	0	0	0
25922	Α	Amputation of hand	12.66	12.66	090	2	1	2	0	0
25924	Α	Amputation follow-up	15.60	15.60	090	2	1	2	0	0
25927	Α	Amputation of hand	14.74	14.74	090	2	1	0	0	0
25929	Α	Amputation follow-up	12.00	12.00	090	2	1	2	0	0
25931	Α	Amputation follow-up	11.97	11.97	090	2	1	1	0	0
(57) Forea		nd wrist, other procedures: Forearm or wrist surgery	0.00	0.00	YYY	2	1	0	1	1
(59) Hand	land	finaara ingisian								
(58) Hand	and	fingers, incision:								
, ,		_	1.89	1.66	010	2	0	1	0	0
(58) Hand 26010 26011		Drainage of finger	1.89 3.61	1.66 3.61	010 010	2 2	0 0	1 1	0 0	0 0
26010 26011	A	Drainage of finger Drainage of finger	3.61	3.61		2				0
26010	A A A	Drainage of finger Drainage of finger Drainage of hand tendon			010		0	1	0	
26010 26011 26020	A A A	Drainage of finger Drainage of finger	3.61 8.18	3.61 8.18	010 090	2 2	$\begin{array}{c} 0 \\ 0 \end{array}$	1 1	$\begin{array}{c} 0 \\ 0 \end{array}$	0 0
26010 26011 26020 26025	A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar	3.61 8.18 9.15	3.61 8.18 9.15	010 090 090	2 2 2 2 2	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	1 1 0	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	0 0 0
26010 26011 26020 26025 26030	A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger	3.61 8.18 9.15 11.46	3.61 8.18 9.15 11.46	010 090 090 090	2 2 2 2 2 2 2	0 0 0 0	1 1 0 0	0 0 0 0	0 0 0 0
26010 26011 26020 26025 26030 26034	A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone	3.61 8.18 9.15 11.46 10.13	3.61 8.18 9.15 11.46 10.13	010 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 0	1 1 0 0 1	0 0 0 0 0	0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040	A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger	3.61 8.18 9.15 11.46 10.13 14.10	3.61 8.18 9.15 11.46 10.13 14.10	010 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 0 0 1 0 0 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037	A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture	3.61 8.18 9.15 11.46 10.13 14.10 13.31	3.61 8.18 9.15 11.46 10.13 14.10 13.31	010 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1	1 1 0 0 1 0	0 0 0 0 0 0	0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040	A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92	010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1	1 1 0 0 1 0 0 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045	A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16	010 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1	1 1 0 0 1 0 0 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1	1 1 0 0 1 0 0 1 1 1	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43	010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0 1	1 0 0 1 0 0 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0	1 0 0 1 0 0 1 1 1 0 1	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0 1	1 0 0 1 0 0 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision:	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 1 1 0 0 1	1 1 0 0 1 0 0 1 1 1 1 0 0 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision: Biopsy hand joint	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 0 0 1	1 0 0 1 0 0 1 1 1 0 1 1	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision: Biopsy hand joint Biopsy finger joint	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 1 0	1 1 0 0 1 0 0 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080 (59) Hand	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision: Biopsy hand joint Biopsy finger joint Biopsy finger joint Removal of hand	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 0 0	1 1 0 0 1 0 0 1 1 1 1 1 1 1 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26010 26011 26020 26025 26030 26034 26035 26037 26040 26045 26055 26060 26070 26075 26080 (59) Hand	A A A A A A A A A A A A A A A A A A A	Drainage of finger Drainage of finger Drainage of hand tendon Drainage of palmar Drainage of palmar Treat hand bone Decompress finger Decompress finger Release palm contracture Release palm contracture Incise finger tendon Incision of finger Explore/treat hand Explore/treat finger Explore/treat finger fingers, excision: Biopsy hand joint Biopsy finger joint Biopsy finger joint	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 6.25 7.43 7.16	3.61 8.18 9.15 11.46 10.13 14.10 13.31 6.06 10.16 5.92 3.74 4.91 7.43 7.16	010 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 1 1 0 0 1 1 0	1 1 0 0 0 1 0 1 1 1 0 1 1 1 1 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

575		FEES	FOR :	MEDICAL	SERV	лсея	5	522	1.40	30
26117	Α	Remove tumor, hand	13.16	13.16	090	2	0	1	0	0
26121		Release palm contracture	15.74	15.74	090		1	1	0	0
26123		Release palm contracture	18.07		090		1	1	0	0
26125		Release palm contracture	6.96		ZZZ	0	0	1	0	0
26130	Α	Remove wrist joint	10.23	10.23	090	2	1	1	0	0
26135		Revise finger joint	11.47		090		0	0	0	0
26140	Α	Revise finger joint	10.26	10.26	090	2	0	1	0	0
26145	Α	Tendon excision	10.73	10.73	090		0	1	0	0
26160	Α	Remove tendon sheath	5.32	5.32	090		0	1	0	0
26170	Α	Removal of palm	7.31	7.31	090		0	0	0	0
26180	Α	Removal of finger	8.97	8.97	090		0	0	0	0
26185	Α	Remove finger bone	9.09	9.09	090		1	2	1	0
26200	Α	Remove hand bone	9.73		090		0	0	0	0
26205	Α	Remove/graft bone	13.74	13.74	090		0	1	0	0
26210	Α	Removal of finger	8.80		090		\mathbf{c}	1	0	0
26215	Α	Remove/graft finger	12.32	12.32	090		\mathbf{c}	1	0	0
26230	Α	Partial removal	10.24		090		0	0	0	0
26235	Α	Partial removal	10.04	10.04	090		0	0	0	0
26236	Α	Partial removal	8.92	8.92	090		0	1	0	0
26250	Α	Extensive hand	13.24	13.24	090		0	0	0	0
26255	Α	Extensive hand	20.77		090		0	2	1	0
26260		Extensive finger	12.45		090		0	2	0	0
26261	Α	Extensive finger	16.41		090		0	2	0	0
26262	Α	Partial removal	10.15	10.15	090	2	0	2	0	0
(60) Hand	and	fingers, introduction or remova	al:							
26320	Α	Removal of implant	7.35	7.35	090	2	0	1	0	0
(61) Hand	and	fingers, repair, revision, and/or	recons	struction:						
26350	Α	Repair finger/hand	11.53	11.53	090	2	0	1	0	0
26352	Α	Repair/graft hand	13.95	13.95	090	2	0	2	1	0
26356	Α	Repair finger/hand	14.97	14.97	090		0	1	0	0
26357	Α	Repair finger/hand	14.80	14.80	090		\mathbf{c}	2	0	0
26358	Α	Repair/graft hand	16.15		090		0	2	0	0
26370	Α	Repair finger/hand	13.56		090		0	0	0	0
26372	Α	Repair/graft hand	14.76		090		0	2	0	0
26373	Ą	Repair finger/hand	14.64		090		0	2	0	0
26390	A	Revise hand/finger	16.70		090		0	2	1	0
26392	A	Repair/graft hand	18.33		090		0	2	1	0
26410	A	Repair hand tendon	7.66		090		0	1	0	0
26412		Repair/graft hand	12.07		090		0	0	0	0
26415		Excision, hand	14.59		090		0	0	0	0
26416	A	Graft hand or finger	17.63		090		0 0	1 1	0	$0 \\ 0$
26418 26420	A A	Repair finger tendon Repair/graft finger	7.64 12.16		090 090		0	2	0	0
		_ • . •	12.10		090		0	1	0	0
26426 26428	A A	Repair finger/hand Repair/graft finger	12.27		090		0	0	0	0
26432	A	Repair finger tendon	6.97		090		0	1	0	0
26433	A	Repair finger tendon	8.31		090		0	1	0	0
26434	A	Repair/graft finger	10.77		090		0	2	0	0
26437	A	Realignment of finger	9.57		090		0	1	0	0
26440	A	Release palm or finger	8.33		090		0	1	0	0
26442	A		10.99		090		0	î	ő	ŏ
20172	4 1	110.0000 paini and miger	10.77	10.77	0,70	_	-	-	9	J

26445	Α	Release hand/finger	7.35	7.35	090	2	0	1	0	0
26449	Α		12.26	12.26	090	2	0	0	0	0
26450	Α	Incision of palm	5.73	5.73	090	2	0	0	0	0
26455	A	Incision of finger	5.31	5.31	090	$\bar{2}$	ŏ	ŏ	ŏ	ŏ
26460		Incise hand/finger	4.97	4.97	090	2	0	1	0	ő
26471			9.58		090		0	0	0	0
		Fusion of finger		9.58		2				
26474		Fusion of finger	9.70	9.70	090	2	0	2	0	0
26476	A	0 6	7.64	7.64	090	2	0	1	0	0
26477	Α	Tendon shortening	8.93	8.93	090	2	0	1	1	0
26478	Α	Lengthen hand tendon	9.82	9.82	090	2	0	0	0	0
26479	Α	Shorten hand tendon	10.79	10.79	090	2	0	2	0	0
26480	Α	Transplant hand tendon	12.99	12.99	090	2	0	0	0	0
26483	Α	Transplant/graft	16.51	16.51	090	2	0	2	1	0
26485	Α	Transplant palm tendon	13.86	13.86	090	2	0	2	1	0
26489	Α	Transplant/graft	12.24	12.24	090	2	0	0	0	0
26490	A	Revise thumb tendon	15.87	15.87	090	$\bar{2}$	Ŏ	Ŏ	Õ	Ŏ
26492	A	Tendon transfer	17.85	17.85	090	2	ŏ	2	1	ŏ
26494		Hand tendon/muscle	15.40	15.40	090	2	0	2	1	0
		*				2	0	$\overset{2}{0}$		
26496	A	Revise thumb tendon	17.98	17.98	090				0	0
26497	A	Finger tendon transfer	17.20	17.20	090	2	0	2	0	0
26498		Finger tendon transfer	25.21	25.21	090	2	0	2	1	0
26499	Α	Revision of finger	16.33	16.33	090	2	0	2	1	0
26500	Α	Reconstruct hand tendon	9.11	9.11	090	2	0	0	0	0
26502	Α	Reconstruct hand tendon	12.10	12.10	090	2	0	2	0	0
26504	Α	Reconstruct hand tendon	13.88	13.88	090	2	0	2	0	0
26508	Α	Release thumb contracture	9.86	9.86	090	2	0	0	0	0
26510	Α	Thumb tendon transfer	9.31	9.31	090	2	0	0	0	0
26516		Fusion of knuckle	10.88	10.88	090	$\bar{2}$	Õ	ŏ	ŏ	0
26517		Fusion of knuckle	15.52	15.52	090	$\bar{2}$	Õ	2	ŏ	Õ
26518	A	Fusion of knuckle	15.15	15.15	090	2	ŏ	2	1	ŏ
26520		Release knuckle	9.53	9.53	090	2	0	1	0	0
26525			8.70	8.70	090	2	0	1	1	0
		Release finger				2		2		
26530	A	Revise knuckle	11.53	11.53	090		0		0	0
26531		Revise knuckle	14.22	14.22	090	2	0	2	1	0
26535		Revise finger joint	9.75	9.75	090	2	0	1	0	0
26536		Revise/implant	13.21	13.21	090	2	0	0	0	0
26540	Α	Repair hand joint	12.87	12.87	090	2	0	0	1	0
26541	Α	Repair hand joint	17.27	17.27	090	2	0	2	1	0
26542	Α	Repair hand joint	12.17	12.17	090	2	0	0	0	0
26545	Α	Reconstruct finger	11.89	11.89	090	2	0	0	0	0
26546	Α	Repair nonunion	16.66	16.66	090	2	1	2	0	0
26548	Α	Reconstruct finger	13.43	13.43	090	2	0	0	0	0
26550		Construct thumb	40.20	40.20	090	2	0	2	0	0
26551	A	Great toe-hand	86.91	86.91	090	2	Ŏ	$\bar{2}$	Ō	Õ
26553	A	Single toe-hand	86.32	86.32	090	2	ŏ	2	ĭ	ŏ
26554	A	Double toe-hand	102.76	102.76	090	2	ő	2	1	ő
26555		Positional change	31.37	31.37	090	2	Ö	2	0	0
								2		
26556	A	Toe joint transfer	87.97	87.97	090	2	0		1	0
26560	A	Repair of web finger	9.74	9.74	090	2	0	2	0	0
26561	Α	Repair of web finger	19.36	19.36	090	2	0	2	1	0
26562	Α	Repair of web finger	19.53	19.53	090	2	0	2	0	0
26565	Α	Correct metacarpal	12.21	12.21	090	2	0	2	0	0
26567	Α	Correct finger	10.70	10.70	090	2	0	0	0	0
26568	Α	Lengthen metacarpal	16.99	16.99	090	2	0	2	0	0
26580	Α	Repair hand defect	34.34	34.34	090	2	0	2	0	0
26585	Α	Repair finger defect	26.43	26.43	090	2	Õ	2	Õ	Õ
26587	C	Reconstruct extension	0.00	0.00	090	2	ŏ	$\tilde{2}$	ő	ŏ
26590		Repair finger defect	33.87	33.87	090	2	ŏ	2	0	ŏ
20270	4 1	Tipan imper delect	55.07	55.07	370	_	J	_	J	J

577	FEES	FEES FOR MEDICAL		SERVICES		5221.4030		
26591 A	A Repair muscles	5.38	5.38	090	2 0	0	0	0
26593 A	:	9.19	9.19	090	2 0		ŏ	ő
26596 A		16.83	16.83	090	2 0	_	0	0
	A Release of scar	17.42	17.42	090	2 0		0	0
20371 F	A Release of sear	17.72	17.42	070	2 0	Ü	U	U
(62) Hand an	d fingers, fracture and/or disloca	ation:						
	A Treat metacarpal	3.39	2.64	090	2 0		0	0
	Treat metacarpal	5.00	3.89	090	2 0		0	0
26607 A	A _	8.61	8.61	090	2 0		0	0
	A Treat metacarpal	8.61	8.61	090	2 0		0	0
26615 A		9.98	9.98	090	2 0		0	0
	Treat thumb dislocation	4.73	4.73	090	2 0		0	0
	Treat thumb fracture	6.31	6.31	090	2 0		0	0
	Repair thumb fracture	9.42	9.42	090	2 0		0	0
	Repair thumb fracture	13.67	13.67	090	2 0		1	0
	A Treat hand dislocation	4.33	4.33	090	2 0		0	0
	A Treat hand dislocation	8.74	8.74	090	2 0		0	0
	A Pin hand dislocation	10.08	10.08	090	2 0		0	0
26685 A	_	12.40	12.40	090	2 0		1	0
	Repair hand dislocation	13.88	13.88	090	2 0		0	0
	Treat knuckle dislocation	4.26	4.26	090	2 0		0	0
	Treat knuckle dislocation	5.67	5.67	090	2 0		0	0
	A Pin knuckle dislocation	9.58	9.58	090	2 0		0	0
	A Repair knuckle	9.56	9.56	090			0	0
	A Treat finger fracture	2.65	2.12	090 090	2 0		$0 \\ 0$	0 0
	A Treat finger fracture	4.64	3.89 7.32		2 0		0	0
26727 A 26735 A	0	7.32 9.37	9.37	090 090	2 0		0	0
	A Repair finger fracture	9.37 2.97	9.37 2.41	090	2 0		0	0
	A Treat finger fracture A Treat finger fracture	5.58	5.58	090	2 0		0	0
26746 A		10.30	10.30	090	2 0		0	0
	A Treat finger fracture	2.40	2.40	090	2 0		0	0
	A Treat finger fracture	3.94	3.94	090	2 (0	0
	A Pin finger fracture	6.00	6.00	090	2 0		0	0
26765 A		6.60	6.60	090	2 0		0	0
	A Treat finger dislocation	3.52	3.52	090	$\frac{2}{2}$		0	0
	A Treat finger dislocation	4.55	4.55	090	2 0		0	0
06776	A Pin finger dislocation	6.56	6.56	090	2 0	_	0	ŏ
	A Repair finger dislocation	6.96	6.96	090	2 0		ŏ	ő
(63) Hand an	d fingers, arthrodesis:							
26820 A	A Thumb fusion with graft	14.50	14.50	090	2 (1	0
	A Fusion of thumb	12.98	12.98	090	2 (0	1	0
26842 A	A Thumb fusion with graft	16.52	16.52	090	2 (1	0
	A Fusion of hand	13.67	13.67	090	2 (1	0
	A Fusion/graft	15.68	15.68	090	2 (2	1	0
	A Fusion of knuckle	11.22	11.22	090	2 (0	0
	A Fusion of knuckle	13.76	13.76	090	2 (1	0
	A Fusion of finger	8.79	8.79	090	2 (0	0
	A Fusion of finger	3.66		ZZZ	0 (0	0
	A Fusion/graft	12.14	12.14	090	2 (1	0
26863 A	A Fusion/graft	7.11	7.11	ZZZ	0 (2	0	0

		ES TON MEDICAL SERVIC	20						•	,,,
(64) Hand	and	fingers, amputation:								
26910	Α	Amputation of metacarpal	12.40	12.40	090	2	0	1	0	0
26951	Α	Amputation of finger	7.21	7.21	090	2	Õ	1	Ŏ	0
26952	A	Amputation of finger	9.97	9.97	090	2	0	1	ő	0
20/32		7 imputation of imger	2.27	7.71	070	_	Ü	_	Ů	Ü
(65) Hand	and	fingers, other procedures:								
26989	С	Hand/finger surgery	0.00	0.00	YYY	2	0	1	0	1
(66) Pelvis	and	hip joint, incision:								
26990	Α	Drainage of pelvis	10.07	10.07	090	2	0	1	0	0
26991	Α	Drainage of pelvis	7.97	7.97	090	2	0	0	0	0
26992	Α	Drainage of bone	18.56	18.56	090	2	0	0	0	0
27000	Α	Incision of hip	7.02	7.02	090	2	1	1	1	0
27001	Α	Incision of hip	8.77	8.77	090	2	1	2	1	0
27003	Α	Incision of hip	13.80	13.80	090	2	1	2	1	0
27005	Α	Incision of hip	12.32	12.32	090	2	1	2	1	0
27006	Α	<u> </u>	13.69	13.69	090	2	1	2	1	0
27025	Α	Incision of hip	16.61	16.61	090	2	1	0	1	0
27030	Α	2 1	23.87	23.87	090	2	1	2	1	0
27033		Exploration of hip	24.30	24.30	090	2	1	2	1	0
27035		Denervation of hip	27.83	27.83	090	2	1	2	1	0
27036	Α	Excision of hip	23.77	23.77	090	2	1	2	1	0
(67) Pelvis	and	hip joint, excision:								
27040	Α	Biopsy of soft tissue	3.36	3.36	010	2	1	1	0	0
27041		Biopsy of soft tissue	11.80	11.80	090	2	1	1	0	0
27047		Remove hip/pelvis	8.77	8.77	090	2	1	1	0	0
27048		Remove hip/pelvis	10.31	10.31	090	2	1	2	1	0
27049	Α	Remove tumor, hip	23.23	23.23	090	2	1	2	1	0
27050		Biopsy of sacroiliac	9.07	9.07	090	2	1	0	1	0
27052		Biopsy of hip joint	13.15	13.15	090	2	1	2	1	0
27054		Removal of hip	18.07	18.07	090	2	1	2	1	0
27060		Removal of ischia	9.10	9.10	090	2	1	2	0	0
27062	Α	Remove femur lesion	9.35	9.35	090	2	1	1	1	0
27065		Removal of hip	11.25	11.25	090	2	1	2	1	0
27066		Removal of hip	17.73	17.73	090	2	1	2	1	0
27067	Α	Remove/graft hip	24.85	24.85	090	2	1	2	0	0
27070	A	Partial removal	17.56	17.56	090	2	1	2	1	0
27071	A	Partial removal	19.41	19.41	090	2	1	2	1	0
27075	A	Extensive hip	30.00	30.00	090	2	0	2	1	0
27076	A	Extensive hip	37.33	37.33	090	2	0	2	1	0
27077		Extensive hip	41.12	41.12	090	2	0	2	1	0
27078		Extensive hip	22.01	22.01	090	2	0	2	1	0
27079 27080	A A	Extensive hip Removal of tailbone	21.74 10.90	21.74 10.90	090 090	2	0 0	2	1 1	0
27000	А	Removal of famoune	10.90	10.90	090	2	U	2	T	U

,,	^	T. 1 .						•
16	×١	Pelme	and	hin	101nt	introduction	Or	removal
ιv	ľ	I CIVIS	anu	шр	10mil.	introduction	O.	i Ciliovai.

27086	A Removal of hip	2.30	2.02	010	2	1	0	0	0
27087	A Removal of hip	11.58	11.58	090	2	1	2	1	0
27090	A Removal of hip	19.71	19.71	090	2	1	2	1	0
27091	A Removal of hip	40.98	40.98	090	2	1	2	1	0
27093	A Injection for hip	2.03	2.03	000	2	1	1	0	0
27095	A Injection for hip	2.33	2.33	000	2	1	1	0	0

(69) Pelvis and hip joint, repair, revision, and/or reconstruction:

27097	Α	Revision of hip	16.13	16.13	090	2	1	2	0	0
27098	A	Transfer tendon	16.16	16.16	090	$\bar{2}$	ī	$\bar{2}$	ŏ	ŏ
27100	A	Transfer	18.26	18.26	090	$\bar{2}$	ī		1	ŏ
27105	A	Transfer	17.12	17.12	090	$\bar{2}$	î	2	Õ	Ŏ
27110	A	Transfer of iliopsoas	23.31	23.31	090	$\bar{2}$	î	2	ĭ	ŏ
27111	A	Transfer of iliopsoas	23.17	23.17	090	2	1	2	1	0
27120	A	Reconstruction	35.46	35.46	090	2	1	2	1	0
27122	A	Reconstruction	31.14	31.14	090		1	2 2 2 2 2 2 2	1	0
27125	Α	Partial hip replacement	30.61	30.61	090	2	1	2	1	0
27130	Α	Total hip replacement	42.17	42.17	090	2	1	2	1	0
27132	Α	Total hip replacement	48.72	48.72	090	2 2	1	2	1	0
27134	Α	Revise hip joint	59.48	59.48	090	2	1		1	0
27137	Α	Revise hip joint	44.37	44.37	090	2	1	2	1	0
27138	Α	Revise hip joint	46.06	46.06	090	2	1	2	1	0
27140	Α	Transplant	22.73	22.73	090	2	1	2	1	0
27146	Α	Incision of hip	27.08	27.08	090	2	1	2	1	0
27147	Α	Revision of hip	36.60	36.60	090	2	1	2	1	0
27151	Α	Incision of hip	39.14	39.14	090	2	1	2	1	0
27156	Α	Revision of hip	41.75	41.75	090	2	1	2	1	0
27158	Α	Revision of pelvis	33.30	33.30	090	2	2	2	0	0
27161	Α	Incision of neck	30.27	30.27	090	2	1		1	0
27165	Α	Incision/fixation	33.90	33.90	090	2	0	2	1	0
27170	Α	Repair/graft femur	31.90	31.90	090	2	1	2	1	0
27175	Α	Treat slipped epiphysis	8.92	8.92	090	2	1	0	0	0
27176	Α	Treat slipped epiphysis	21.91	21.91	090	2	1	2	1	0
27177	Α	Repair slipped epiphysis	26.79	26.79	090	2	1	2 2 2 2	1	0
27178	Α	Repair slipped epiphysis	21.84	21.84	090	2	1	2	1	0
27179	Α	Revise head/neck	23.56	23.56	090	2	1		0	0
27181	Α	Repair slipped epiphysis	27.21	27.21	090	2	1	2	0	0
27185	Α	Revision of femur	11.49	11.49	090	2	1	1	1	0
27187	Α	Reinforce hip bone	28.20	28.20	090	2	1	2	1	0

(70) Pelvis and hip joint, fracture and/or dislocation:

							-			
27193	Α	Treat pelvic ring	7.59	7.59	090	2	1	1	2	0
27194		Treat pelvic ring	12.80	12.80	090	2	0	0	2	0
27200		Treat tailbone	3.20	3.20	090	2	0	1	0	0
27202	Α	Repair tailbone	12.82	12.82	090	2	0	2	0	0
27215	Α	Pelvic fracture	21.09	21.09	090	2	0	2	2	0
27216	Α	Treat pelvic ring	18.31	18.31	090	2	0	2	2	0
27217	Α	Treat pelvic ring	28.15	28.15	090	2	0	2	2	0
27218	Α	Treat pelvic ring	33.63	33.63	090	2	0	2	2	0
27220	Α	Treat hip socket	10.08	10.08	090	2	1	1	0	0
27222	Α	Treat hip socket	18.25	18.25	090	2	1	1	0	0
27226	Α	Treat hip wall	30.17	30.17	090	2	1	2	2	0
27227	Α	Treat hip fracture	42.08	42.08	090	2	1	2	2	0

27228	Α	Treat hip fracture	45.69	45.69	090	2	1	2	2	0
27230	A	Treat fracture	8.41	8.41	090	2	î	1	$\bar{0}$	ŏ
27232	A	Treat fracture	19.17	19.17	090	2	1	1	ŏ	ŏ
27235	A	Repair of thigh	25.40	25.40	090	2	î	î	1	ő
27236	A	Repair of thigh	31.99	31.99	090	2	1	2	1	ŏ
27238	A	Treatment of thigh	10.15	10.15	090	$\bar{2}$	1	1	Ô	ŏ
27240	A	Treatment of thigh	21.56	21.56	090	2	1	1	ő	0
27244		Repair of thigh	31.66	31.66	090	2	1	2	1	0
27245	A	Repair of thigh	35.63	35.63	090	2	î	2	2	ő
27246	A	Treatment of thigh	8.34	8.34	090	2	1	1	$\tilde{0}$	0
27248	A	Repair of thigh	21.76	21.76	090	2	1	2	1	ő
27250	A	Treat hip dislocation	9.64	9.64	090	$\bar{2}$	1	1	Ô	ŏ
27252	A	Treat hip dislocation	14.00	14.00	090	2	1	1	ő	ŏ
27253	A	Repair of hip	25.59	25.59	090	2	1	2	1	0
27254	A	Repair of hip	30.84	30.84	090	2	1	2	1	0
27256	A	Treatment of hip	5.73	5.73	010	2	1	0	0	0
27257		Treatment of hip	9.60	9.60	010	2	1	0	0	0
27258	A	Repair of hip	28.51	28.51	090	2	1	2	1	0
27259	A	Repair of hip	37.73	37.73	090	2	1	2	0	0
27265	A	Treatment of hip	8.22	8.22	090	2	1	1	0	0
27266	A	Treatment of hip	11.49	11.49	090	2	1	1	0	0
27200	А	Treatment of mp	11.72	11.72	090	2	1	1	U	U
(71) Pelv	is and	hip joint, manipulation:								
27275	Α	Manipulation of hip	4.04	4.04	010	2	0	1	0	0
(72) Pelv	is and	hip joint, arthrodesis:								
27200		To all and a financial three	00.05	22.05	000	_	1	2	1	0
27280		Fusion of sacroiliac	22.85	22.85	090	2	1	2	1	0
27282		Fusion of pubis	19.93	19.93	090	2	0	2	1	0
27284		Fusion of hip joint	30.54	30.54	090	2	1	2	1	0
27286	А	Fusion of hip joint	31.17	31.17	090	2	1	2	1	0
(72) Dala		Lin ining one waster.								
(73) Pelv	is and	hip joint, amputation:								
27290	Α	Amputation of limb	48.26	48.26	090	2	0	2	1	0
27295	A	Amputation of limb	34.53	34.53	090	2	0	2	1	ŏ
2,255		7 Imputation of mile	31.00	51.55	0,0	-	Ü	_	•	٠,
(74) Pelv	is and	hip joint, other procedures:								
(, ,) 1 01,		mp jomi, omer procedures:								
27299	C	Pelvis/hip joint surgery	0.00	0.00	YYY	2	1	2	1	1
(75) Fem	ur and	knee joint, incision:								
27301	Α	Drain thigh/knee	8.49	8.49	090	2	1	1	0	0
27303		Drainage of bone	13.71	13.71	090	$\bar{2}$	1		1	ŏ
27305	A	Incise thigh tendon	9.42	9.42	090	2	1	2	1	ŏ
27306	A	Incision of thigh	6.29	6.29	090	2	ĺ	2	Ô	Ŏ
27307	Α	Incision of thigh	8.44	8.44	090	2	1	0	1	0
27310		Exploration of knee	18.52	18.52	090	2	1	2	1	0
27315	Α	Partial removal	12.05	12.05	090	2	1	2	0	0

581		FEES	FOR	MEDICAL	SERV	ЛСЕ	S	522	1.40	30
27320	A	Partial removal	11.13	11.13	090	2	1	2	1	0
(76) Femur	anc	1 knee joint, excision:								
27323	A	Biopsy thigh tissue	3.02		010	2	1	1	0	0
27324	Α	Biopsy thigh tissue	7.24		090	2	1	1	0	0
27327	Α	Removal of thigh	6.49		090	2	1	1	0	0
27328	Α	Removal of thigh	9.39		090	2	1	1	0	0
27329		Remove tumor	25.31		090	2	1	2	1	0
27330	A	Biopsy knee joint	10.45		090	2	1	1	1	0
27331	A	Explore/treat knee	12.41		090	2	1	2	1	0
27332		Removal of knee	17.25		090	2	1	2	1	0
27333	A	Removal of knee	15.77		090	2	1	2	1	0
27334	A	Remove knee joint	18.12		090	2	1	2	1	0
27335	A	Remove knee joint	20.83		090	2	1	2	1	0
27340	Α	Removal of knee	7.86		090	2	1	1	0	0
27345	Α	Removal of knee	11.34		090	2	1	2	1	0
27350	A	Removal of knee	16.95		090	2	1	2	1	0
27355	A	Remove femur lesion	14.94		090	2	1	2	1	0
27356	A	Remove femur lesion	17.27		090	2	1	2 2	1	0
27357	A	Remove femur lesion	18.85		090	2	1		1	0
27358	A		9.10		ZZZ	0	1	2 2	0	0
27360		Partial removal	18.57		090	2	1	2	1	0
27365	A	Extensive leg surgery	29.58	29.58	090	2	1	2	1	0
` '		d knee joint, introduction or re		1 40	000	2	1	1	0	0
27370		Injection for knee	1.48		000	2	1	1	0	0
27372	Α	Removal of foreign body	8.20	8.20	090	2	1	0	0	0
• •	anc	l knee joint, repair, revision, ar								
27380	A	Repair of kneecap	14.82		090	2	1	2	1	0
27381	Α	Repair/graft kneecap	21.28		090	2	1	2	1	0
27385	A	Repair of thigh	16.08		090	2 2	1	2 2	1 1	0
27386 27390	A	Repair/graft thigh	21.92 9.44		090 090	2	0	$\frac{2}{2}$	0	0
27390	A A	Incision of thigh Incision of thigh	12.27		090	2	0	$\tilde{0}$	1	ő
27392	A	Incision of thigh	16.47		090	2	2	2	1	0
27393	A	Lengthening of hamstring	11.79		090	2	Õ	2	î	ŏ
27394	A	Lengthening of hamstring	13.77		090	$\tilde{2}$	ŏ	2	Ô	ŏ
27395	Α	Lengthening of hamstring	21.68		090	2	2	2	1	Ō
27396	Α	Transplant of tendon	14.57		090	2	0	2 2 2 2	1	0
27397	Α	Transplants of tendons	19.62		090	2	0	2	0	0
27400	Α	Revise thigh muscle	16.49		090	2	1		1	0
27403	Α	Repair of knee	16.85	16.85	090	2	1	2	1	0
27405	Α	Repair of knee	17.97		090	2	1	2	1	0
27407	Α	Repair of knee	18.68		090	2	1	2	1	0
27409	A	Repair of knee	26.79		090	2	1	2	1	0
27418	A	Repair degeneration	22.40		090	2	1	2	1	0
27420	A	Revision of patella	20.33		090	2	1	2	1	0
27422	A	Revision of patella	20.28		090	2	1	2	1	0
27424	A	Revision/removal	20.37		090	2 2	1 1	2 1	1	0
27425	Α	Lateral retinacular	10.88	10.88	090	۷	Ţ	Ţ	1	U

27427	Α	Reconstruction	19.69	19.69	090	2	1	2	1	0
27428	Α	Reconstruction	27.41	27.41	090	2	1	2	1	0
27429	Α	Reconstruction	25.98	25.98	090	2	1	2	1	0
27430	Α	Revision of thigh	18.65	18.65	090	2	1	2	1	0
27435	Α	Incision of knee	16.03	16.03	090	2	1	2	1	0
27437	Α	Revise kneecap	17.53	17.53	090	2	1	1	1	0
27438		Revise kneecap	23.30	23.30	090	2	1	2	1	0
27440	Α	Revision of knee	21.71	21.71	090	2	1	2	1	0
27441	Α	Revision of knee	19.48	19.48	090	2	1	2	1	0
27442	Α	Revision of knee	25.11	25.11	090	2	1	2	1	0
27443	Α	Revision of knee	23.37	23.37	090	2	1	2	1	0
27445	Α	Revision of knee	37.16	37.16	090	2	1	2	1	0
27446	Α	Revision of knee	33.34	33.34	090	2	1	2	1	0
27447	Α	Total knee replacement	45.05	45.05	090	2	1	2	1	0
27448	Α	Incision of thigh	22.95	22.95	090	2	1	2	1	0
27450	Α	Incision of thigh	28.33	28.33	090	2	1	2	1	0
27454	Α	Realignment	32.66	32.66	090	2	1	2	1	0
27455	Α	Realignment	24.31	24.31	090	2	1	2	1	0
27457	Α	Realignment	26.24	26.24	090	2	1	2	1	0
27465	Α	Shortening femur	25.52	25.52	090	2	1	2	1	0
27466	Α	Lengthening femur	29.05	29.05	090	2	1	2	1	0
27468	Α	Shorten/lengthen	35.00	35.00	090	2	1	2	1	0
27470	Α	Repair of thigh	32.12	32.12	090	2	1	2	1	0
27472	Α	Repair/graft	36.66	36.66	090	2	1	2	1	0
27475	Α	Surgery	16.02	16.02	090	2	1	1	1	0
27477	Α	Surgery	20.83	20.83	090	2	1	1	1	0
27479	Α	Surgery	23.90	23.90	090	2	1	2	0	0
27485	Α	Surgery	16.38	16.38	090	2	1	1	0	0
27486	Α	Revise knee joint	40.32	40.32	090	2	1	2	1	0
27487	Α	Revise knee joint	53.05	53.05	090	2	1	2	1	0
27488	Α	Removal of knee	31.32	31.32	090	2	1	2	1	0
27495	Α	Reinforce thigh	32.20	32.20	090	2	1	2	1	0
27496	Α	Decompression	10.33	10.33	090	2	1	1	2	0
27497	Α	Decompression	12.37	12.37	090	2	1	0	2	0
27498	Α	Decompression	13.93	13.93	090	2	1	2	2	0
27499	Α	Decompression	15.86	15.86	090	2	1	2	2	0

(79) Femur and knee joint, fracture and/or dislocation:

27500	Α	Treatment of thigh	11.05	11.05	090	2	1	1	0	0
27501	Α	Treatment of thigh	11.05	11.05	090	2	1	0	0	0
27502	Α	Treatment of thigh	17.68	17.68	090	2	1	1	0	0
27503	Α	Treatment of thigh	17.68	17.68	090	2	1	0	0	0
27506	Α	Repair of thigh	32.73	32.73	090	2	1	2	1	0
27507	Α	Treatment of thigh	28.98	28.98	090	2	1	2	2	0
27508	Α	Treatment of thigh	9.73	9.73	090	2	1	1	0	0
27509	Α	Treatment of thigh	11.43	11.43	090	2	1	0	0	0
27510	Α	Treatment of thigh	15.48	15.48	090	2	1	1	0	0
27511	Α	Treatment of thigh	28.28	28.28	090	2	1	2	2	0
27513	Α	Treatment of thigh	33.15	33.15	090	2	1	2	2	0
27514	Α	Repair of thigh	32.32	32.32	090	2	1	2	1	0
27516	Α	Repair of thigh	9.92	9.92	090	2	1	1	0	0
27517	Α	Repair of thigh	16.23	16.23	090	2	1	0	0	0
27519	Α	Repair of thigh	27.01	27.01	090	2	1	2	1	0
27520	Α	Treat kneecap fracture	5.78	4.31	090	2	1	1	0	0
27524	Α	Repair of kneecap	19.98	19.98	090	2	1	2	1	0

583			FEES	FOR	MEDICAL	SERV	ЛСЕ	S	522	1.40	30
27530		Treatment of kneecap		7.00		090	2	1	1	0	0
27532		Treatment of kneecap		12.62		090	2	1	1	0	0
27535		Treatment of kneecap		22.77		090	2	1	2	2	0
27536	A	1 1		26.54		090	2	1	2	1	0
27538	Α			7.96		090	2	1	0	0	0
27540	Α	Repair of knee		23.43	3 23.43	090	2	1	2	1	0
27550	Α	Treat knee dislocation		7.91	l 7.91	090	2	1	0	0	0
27552	Α	Treat knee dislocation		10.78	3 10.78	090	2	1	0	0	0
27556	Α	Repair of knee		26.21	26.21	090	2	1	2	1	0
27557	Α	Repair of knee		30.67	7 30.67	090	2	1	2	1	0
27558	Α	Repair of knee		31.53	31.53	090	2	1	2	2	0
27560	Α	Treat kneecap		4.94	4.94	090	2	1	1	0	0
27562	Α	Treat kneecap		10.68	3 10.68	090	2	1	0	0	0
27566	Α	Repair kneecap		22.24		090	2	1	2	1	0
2,000		т					_	_	_	-	
(80) Fem	iur and	d knee joint, manipulation	on:								
27570	A	Fixation of knee		3.40	3.40	010	2	0	1	0	0
(81) Fem	iur and	l knee joint, arthrodesis	:								
27580	A	Fusion of knee		34.16	5 34.16	090	2	1	2	1	0
(82) Fem	ur and	I knee joint, amputation	:								•
27590	Α	Amputate leg at thigh		20.71	20.71	090	2	1	2	1	0
27591		Amputate leg at thigh		24.04	1 24.04	090	2	1	2	1	0
27592		Amputate leg at thigh		17.82	2 17.82	090	2	1	2	1	0
27594		Amputation follow-up		10.18	3 10.18	090	2	1	1	0	0
27596		Amputation follow-up		17.52	2 17.52	090	2	1	1	1	0
27598	Α	Amputate lower leg		20.24	20.24	090	2	1	2	1	0
(83) Fem	iur and	I knee joint, other proce	dures:								
27599	С	Leg surgery		0.00	0.00	YYY	2	1	2	1	1
(84) Leg	and a	nkle joint, incision:									
27600	Α	Decompression of leg		8.76	8.76	090	2	1	1	1	0
27601	A	Decompression of leg		8.75		090	2	1	1	0	0
27602	A	Decompression of leg		11.01		090	2	1	2	1	0
27603	A	Drain lower leg		7.01		090	2	1	1	0	0
27604	A	Drain lower leg		5.12		090	2	1	ō	Õ	Õ
27605	A	Incision of tendon		3.82		010	2	1	Ō	0	Ō
27606		Incision of tendon		6.00		010	2	1	1	1	Õ
27607	A	Treat lower leg		13.58		090	2	1	1	0	0
27610	A	Explore/treat ankle		15.37		090	2	1	1	ŏ	0
27612	Α	Exploration of ankle		15.07		090	2	1	2	1	0
	_	•									

(85) Le	o and	ankle	ioint	excision:

27613	Α	Biopsy lower leg	2.67	2.35	010	2	1	1	0	0
27614	Α	Biopsy lower leg	7.53	7.53	090	2	1	1	0	0
27615	Α	Remove tumor, leg	20.13	20.13	090	2	1	0	1	0
27618	Α	Remove lower leg	6.83	6.83	090	2	1	1	0	0
27619	Α	Remove lower leg	11.98	11.98	090	2	1	1	0	0
27620	Α	Explore, treat	11.78	11.78	090	2	1	2	1	0
27625	Α	Remove ankle joint	16.65	16.65	090	2	1	2	1	0
27626	Α	Remove ankle joint	18.24	18.24	090	2	1	2	0	0
27630	Α	Removal of tendon	7.61	7.61	090	2	1	1	0	0
27635	Α	Remove lower leg	15.53	15.53	090	2	1	1	1	0
27637	Α	Remove/graft leg	17.90	17.90	090	2	1	2	1	0
27638	Α	Remove/graft leg	19.27	19.27	090	2	1	2	1	0
27640	Α	Partial removal	20.66	20.66	090	2	1	1	1	0
27641	Α	Partial removal	15.93	15.93	090	2	1	1	1	0
27645	Α	Extensive lower leg	25.20	25.20	090	2	1	2	1	0
27646	Α	Extensive lower leg	22.82	22.82	090	2	1	2	1	0
27647	Α	Extensive ankle	21.47	21.47	090	2	1	2	0	0

(86) Leg and ankle joint, introduction or removal:

27648 A Injection for ankle 1.40 1.40 000 2 1 0 0

(87) Leg and ankle joint, repair, revision, and/or reconstruction:

27650	Α	Repair Achilles	18.25	18.25	090	2	1	2	1	0
27652	Α	Repair/graft Achilles	20.29	20.29	090	2	1	1	1	0
27654	Α	Repair Achilles	20.56	20.56	090	2	1	2	1	0
27656	Α	Repair leg	7.52	7.52	090	2	1	2	0	0
27658	Α	Repair of leg tendon	8.73	8.73	090	2	0	2	1	0
27659	Α	Repair of leg tendon	12.33	12.33	090	2	0	2	1	0
27664	Α	Repair of leg tendon	7.75	7.75	090	2	0	0	0	0
27665	Α	Repair of leg tendon	10.10	10.10	090	2	0	2	1	0
27675	Α	Repair lower leg	13.22	13.22	090	2	1	2	1	0
27676	Α	Repair lower leg	15.58	15.58	090	2	1	2	0	0
27680	Α	Release of lower leg	9.53	9.53	090	2	0	1	1	0
27681	Α	Release of lower leg	12.43	12.43	090	2	0	1	1	0
27685	Α	Revision of lower leg	9.83	9.83	090	2	0	2	1	0
27686	Α	Revise lower leg	13.61	13.61	090	2	0	1	1	0
27687	Α	Revision of calf	11.35	11.35	090	2	1	2	1	0
27690	Α	Revise lower leg	14.90	14.90	090	2	1	2	1	0
27691	Α	Revise lower leg	17.34	17.34	090	2	1	2	1	0
27692	Α	Revise additional	3.82	3.82	ZZZ	0	1	2	1	0
27695	Α	Repair of ankle	13.55	13.55	090	2	1	1	1	0
27696	Α	Repair of ankle	14.97	14.97	090	2	1	1	1	0
27698	Α	Repair of ankle	19.47	19.47	090	2	1	2	1	0
27700	Α	Revision of ankle	19.14	19.14	090	2	1	2	1	0
27702	Α	Reconstruct ankle	29.14	29.14	090	2	1	2	1	0
27703	Α	Reconstruction	29.00	29.00	090	2	1	2	0	0
27704	Α	Removal of ankle	13.10	13.10	090	2	1	2	1	0
27705	Α	Incision of tibia	20.77	20.77	090	2	1	2	1	0
27707	Α	Incision of fibula	8.99	8.99	090	2	1	1	1	0
27709	Α	Incision of tibia	20.79	20.79	090	2	1	2	1	0
27712	Α	Realignment of rod	24.45	24.45	090	2	1	2	1	0
27715	Α	Revision of lower leg	26.28	26.28	090	2	1	2	1	0
27720	Α	Repair of tibia	24.47	24.47	090	2	1	2	1	0

585			FEES	FOR	M	EDICAL	SERV	ЛСІ	ES	522	1.40	30
27722	٨	Repair/graft		21.78	Q	21.78	090	2	1	2	1	0
27724	A A	Repair/graft		30.10		30.16	090	2	1	2	1	0
27725	A	Repair of lower leg		25.0		25.07	090	2	1	2	1	0
								2	1	2	1	0
27727	A	Repair of lower leg		22.79		22.79	090	2		1		
27730	A	Repair of tibia		10.6		10.66	090		1	_	1	0
27732	A	Repair of fibula		9.9		9.94	090	2	1	1	0	0
27734	A	Repair lower leg		15.60		15.66	090	2	1	1	0	0
27740	A	Repair of leg		17.2		17.27	090	2	1	2	0	0
27742	Α	Repair of leg		19.10		19.16	090	2	1	2	1	0
27745	Α	Reinforce tibia		18.5	′	18.57	090	2	1	2	1	0
(88) Leg an	nd a	nkle joint, fracture and/o	or dislo	cation	ı:							
27750	Α	Treatment of tibia		6.50	0	6.50	090	2	1	1	0	0
27752	Α	Treatment of tibia		10.66	6	10.66	090	2	1	1	0	0
27756	Α	Repair of tibia		14.30	0	14.30	090	2	1	2	1	0
27758	Α	Repair of tibia		24.2		24.22	090	2	1	2	1	0
27759	Α	Repair of tibia		26.99		26.99	090	2	1	$\bar{2}$	2	Õ
27760	Α	Treatment of ankle		5.4		4.18	090	2	1	1	0	Ŏ
27762	Α	Treatment of ankle		8.29		8.29	090	2	1	1	Ō	0
27766	Α	Repair of ankle		15.89		15.89	090	$\bar{2}$	1	1	1	ŏ
27780	A	Treatment of fibula		4.4		3.50	090	2	1	1	Ō	0
27781	A	Treatment of fibula		7.4		7.44	090	2	î	1	Õ	0
27784	Α	Repair of fibula		12.3		12.33	090	$\frac{1}{2}$	1	î	1	ŏ
27786	Α	Treatment of ankle		5.2		4.00	090	2	1	1	0	ŏ
27788	Α	Treatment of ankle		7.4		5.89	090	2	1	1	0	0
27792	Α	Repair of ankle		14.7		14.73	090	2	1	1	1	ő
27808	Α	Treatment of ankle		5.48		5.48	090	2	1	1	0	ŏ
27810	A	Treatment of ankle		9.9		9.98	090	2	1	1	ő	0
27814	A	Repair of ankle		20.2		20.24	090	2	1	2	1	Õ
27816	A	Treatment of ankle		6.28		6.00	090	2	1	1	0	ŏ
27818	Α	Treatment of ankle		11.4		11.42	090	2	1	1	ŏ	ő
27822	A	Repair of ankle		19.10		19.16	090	2	1	$\hat{2}$	1	ŏ
27823	A	Repair of ankle		24.20		24.20	090	2	1	2	1	ŏ
27824	A	Treat lower leg		6.2		6.00	090	2	1	1	0	0
27825	Α	Treat lower leg		12.49		12.49	090	2	1	0	ő	0
27826	A	Treat lower leg		17.80		17.86	090	2	1	2	2	0
27827	A	Treat lower leg		25.1		25.11	090	2	1	2	2	ŏ
27828		Treat lower leg		28.2		28.22	090	2	1	2	2	0
27829		Treat lower leg		11.5		11.57	090	2	1	2	2	ő
27830	A	-		6.8		6.83	090	2	1	0	0	ŏ
27831	A	.		8.3		8.31	090	2	1	0	Ö	ő
27832	A	Repair lower leg		11.89		11.89	090	2	1	2	1	Ö
27840	A	Treat ankle dislocation		6.0		6.08	090	2	1	1	0	0
27842	A	Treat ankle dislocation		7.9		7.97	090	2	1	1	0	0
27842 27846	A	Repair ankle dislocation		7.9 17.9		7.97 17.94	090	2	1	2	1	0
27848				18.9		18.97	090	2	1	2	1	0
27040	А	Repair ankle dislocation)II	10.9	,	10.97	090	2	1	2	1	U
(89) Leg an	nd a	nkle joint, manipulation	:									
27860	Α	Fixation of ankle		3.5	9	3.59	010	2	0	0	0	0

		MINIESOIA	KUL	LO 20	03					
5221.4030 FEES FOR MEDICAL SERVICES 58										
(90) Leg an	nd a	nkle joint, arthrodesis:								
27870 27871		Fusion of ankle Fusion of tibiofibula	26.74 16.52	26.74 16.52	090 090	2 2	1	2 2	1 1	0
(91) Leg as	nd a	nkle joint, amputation:								
27880 27881 27882 27884 27886 27888 27889	A A A	Amputation of leg Amputation of leg Amputation of leg Amputation follow-up Amputation follow-up Amputation of fibula Amputation of fibula	19.72 22.69 16.01 11.04 16.13 18.86 18.06	19.72 22.69 16.01 11.04 16.13 18.86 18.06	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2	1 1 1 1 1 1	2 2 0 1 1 2 2	1 1 1 0 1 1	0 0 0 0 0 0
(92) Leg ai	nd a	nkle joint, other procedures:								
27892 27893 27894 27899	A A C	Decompression of leg Decompression of leg Decompression of leg Leg/ankle surgery	10.34 10.31 13.86 0.00	10.34 10.31 13.86 0.00	090 090 090 YYY	2 2 2 2	1 1 1 1	0 0 2 0	2 0 2 1	0 0 0 1
(93) Foot a	ınd t	oes, incision:								
28001 28002 28003 28005 28008 28010 28011 28020 28022 28024 28030 28035	A A A A A A A A A A	Incision of foot Incision of toe Incision of toe Exploration Exploration Exploration Removal of foot Decompression	3.01 6.55 11.34 12.16 6.79 6.26 5.57 9.11 7.06 6.42 9.61 11.09	2.76 6.55 9.65 12.16 6.79 4.51 4.72 9.11 5.73 5.26 9.61 10.53	010 010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 0 0
28043		oes, excision: Excision of foot	5.00	5.00	000	2	1	1	0	٥
28043 28045 28046 28050 28052 28054 28060 28062 28070 28072 28080 28086 28088	A A A A A A A A A A A A	Excision of foot Resection of tumor Biopsy of foot Biopsy of foot Biopsy of toe joint Partial removal Removal of foot Removal of foot Removal of foot	5.00 8.39 14.85 7.86 7.50 5.45 9.12 13.21 9.22 7.49 7.43 7.61	5.00 8.39 14.85 7.86 5.66 5.45 9.12 13.21 9.22 7.49 7.43 7.61	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 0 0 0 0 1	1 0 1 1 1 0 1 1 1 1 0 2	0 0 1 1 1 0 0 1 0 0 1	

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

7.22

7.08

5.40

7.22

7.08

5.40

 $\bar{2}$

A Removal of foot

A Removal of toe

A Excise foot tendon

_	_	_
~	u	7
1	Λ	•

28100	Α	Removal of ankle	9.87	9.87	090	2	1	2	1	0
28102	Α	Remove/graft foot	14.09	14.09	090	2	1	2	0	0
28103	Α	Remove/graft foot	11.70	11.70	090	2	1	2	0	0
28104	Α	Removal of foot	9.10	9.10	090	2	0	2	1	0
28106	Α	Remove/graft foot	13.14	13.14	090	2	0	2	1	0
28107	Α	Remove/graft foot	10.01	10.01	090	2	0	2	0	0
28108	Α	Removal of toe	8.04	6.01	090	2	0	1	0	0
28110	Α	Partial removal of toe	7.28	7.28	090	2	1	1	1	0
28111	Α	Partial removal of toe	9.78	9.78	090	2	1	1	1	0
28112	Α	Partial removal of toe	8.15	8.15	090	2	1	1	1	0
28113	Α	Partial removal of toe	8.90	8.90	090	2	1	0	0	0
28114	Α	Removal of metatarsal	18.53	18.53	090	2	1	2	1	0
28116	Α	Revision of foot	12.64	12.64	090	2	1	1	0	0
28118	Α	Removal of heel	11.29	11.29	090	2	1	2	1	0
28119	Α	Removal of heel	10.46	10.46	090	2	1	1	1	0
28120	Α	Partial removal of bone	10.14	10.14	090	2	1	1	1	0
28122	Α	Partial removal	11.24	11.24	090	2	1	2	1	0
28124	Α	Partial removal	8.54	6.56	090	2	1	1	0	0
28126	Α	Partial removal	7.24	5.32	090	2	0	1	0	0
28130	Α	Removal of ankle	14.64	14.64	090	2	1	2	1	0
28140	Α	Removal of metatarsal	11.38	11.38	090	2	0	1	1	0
28150	Α	Removal of toe	7.10	7.10	090	2	0	1	0	0
28153	Α	Partial removal	7.38	5.45	090	2	0	1	0	0
28160	Α	Partial removal	7.58	5.59	090	2	0	1	0	0
28171	Α	Extensive foot	16.92	16.92	090	2	0	2	0	0
28173	Α	Extensive foot	13.94	13.94	090	2	0	1	1	0
28175	Α	Extensive foot	11.01	11.01	090	2	0	1	1	0

(95) Foot and toes, introduction or removal:

28190	A Removal of foot	2.31	2.06	010	2	1	1	0	0
28192	A Removal of foot	6.23	6.23	090	2	1	1	0	0
28193	A Removal of foot	7.67	7.67	090	2	1	1	0	0

(96) Foot and toes, repair, revision, and/or reconstruction:

28200	Α	Repair of foot	9.34	9.34	090	2	0	1	1	0
28202	Α	Repair/graft	12.26	12.26	090	2	0	2	1	0
28208	Α	Repair of foot	6.84	6.84	090	2	0	1	1	0
28210	Α	Repair/graft	11.50	11.50	090	2	0	2	0	0
28220	Α	Release of foot	8.09	6.22	090	2	0	1	0	0
28222	Α	Release of foot	11.63	8.54	090	2	0	1	0	0
28225	Α	Release of foot	5.75	5.75	090	2	0	1	1	0
28226	Α	Release of foot	7.60	7.60	090	2	0	1	0	0
28230	Α	Incision of foot	6.32	5.14	090	2	0	1	0	0
28232	Α	Incision of toe	4.71	3.93	090	2	0	1	0	0
28234	Α	Incision of foot	4.61	3.88	090	2	0	1	0	0
28238	Α	Revision of foot	14.47	14.47	090	2	1	2	1	0
28240	Α	Release of big toe	6.14	6.14	090	2	1	1	0	0
28250	Α	Revision of foot	9.96	9.96	090	2	1	2	1	0
28260	Α	Release of midfoot	11.77	11.77	090	2	1	2	1	0
28261	Α	Revision of foot	16.68	16.68	090	2	1	0	0	0
28262	Α	Revision of foot	26.67	26.67	090	2	1	2	1	0
28264	Α	Release of midfoot	19.28	19.28	090	2	1	2	0	0
28270	Α	Release of foot	6.99	5.72	090	2	1	1	0	0

28272	Α	Release of toe	5.52	4.53	090	2	1	1	0	0
28280	Α	Fusion of toes	7.02	7.02	090	2	1	0	0	0
28285	Α	Repair of hammertoe	8.60	8.60	090	2	0	1	1	0
28286	Α	Repair of hammertoe	7.81	7.81	090	2	0	1	0	0
28288	Α	Partial removal	8.16	8.16	090	2	0	1	0	0
28290	Α	Correction of bunion	10.66	10.66	090	2	1	1	0	0
28292	Α	Correction of bunion	13.61	13.61	090	2	1	2	1	0
28293	Α	Correction of bunion	18.07	18.07	090	2	1	2	1	0
28294	Α	Correction of bunion	17.09	17.09	090	2	1	2	1	0
28296	Α	Correction of bunion	17.38	17.38	090	2	1	2	1	0
28297	Α	Correction of bunion	17.63	17.63	090	2	1	2	1	0
28298	Α	Correction of bunion	16.08	16.08	090	2	1	2	1	0
28299	Α	Correction of bunion	18.09	18.09	090	2	1	2	1	0
28300	Α	Incision of heel	15.39	15.39	090	2	1	2	1	0
28302	Α	Incision of ankle	17.87	17.87	090	2	1	2	1	0
28304	Α	Incision of midfoot	14.92	14.92	090	2	0	2	1	0
28305	Α	Incise/graft midfoot	19.61	19.61	090	2	0	2	1	0
28306	Α	Incision of metatarsal	9.99	9.99	090	2	0	2	1	0
28307	Α	Incision of metatarsal	11.84	11.84	090	2	0	0	0	0
28308	Α	Incision of metatarsal	10.59	10.59	090	2	0	2	1	0
28309	Α	Incision of metatarsal	18.79	18.79	090	2	0	0	0	0
28310	Α	Revision of big toe	9.19	9.19	090	2	0	1	1	0
28312	Α	Revision of toe	8.78	8.78	090	2	0	1	1	0
28313	Α	Repair deformity	7.20	5.96	090	2	0	1	0	0
28315	Α	Removal of toe	8.73	8.73	090	2	1	1	1	0
28320	Α	Repair of foot	17.30	17.30	090	2	0	2	1	0
28322	Α	Repair of metatarsal	12.37	12.37	090	2	0	2	1	0
28340	Α	Resect enlarged toe	12.96	12.96	090	2	0	1	0	0
28341	Α	Resect enlarged toe	15.56	15.56	090	2	0	1	0	0
28344	Α	Repair extra toe	7.77	7.77	090	2		1	1	0
28345	Α	Repair webbed toes	10.94	10.94	090	2	0	0	0	0
28360	Α	Reconstruct cleft foot	24.69	24.69	090	2	0	2	0	0

(97) Foot and toes, fracture and/or dislocation:

28400	Α	Treatment of heel	4.66	3.42	090	2	1	1	0	0
28405	Α	Treatment of heel	8.24	8.24	090	2	1	0	0	0
28406	Α	Treatment of heel	12.12	12.12	090	2	1	0	0	0
28415	Α	Repair of heel	23.98	23.98	090	2	1	2	1	0
28420	Α	Repair/graft heel	26.52	26.52	090	2	1	2	1	0
28430	Α	Treatment of ankle	4.46	3.27	090	2	1	1	0	0
28435	Α	Treatment of ankle	6.61	6.61	090	2	1	0	0	0
28436	Α	Treatment of ankle	8.70	8.70	090	2	1	1	0	0
28445	Α	Repair of ankle	17.74	17.74	090	2	1	2	1	0
28450	Α	Treat midfoot fracture	3.67	2.77	090	2	0	1	0	0
28455	Α	Treat midfoot fracture	5.45	4.22	090	2	0	0	0	0
28456	Α	Repair midfoot	4.84	4.84	090	2	0	1	0	0
28465	Α	Repair midfoot	12.16	12.16	090	2	0	1	0	0
28470	Α	Treat metatarsal	3.67	2.80	090	2	0	1	0	0
28475	Α	Treat metatarsal	5.12	3.99	090	2	0	1	0	0
28476	Α	Repair metatarsal	6.57	6.57	090	2	0	0	0	0
28485	Α	Repair metatarsal	10.04	10.04	090	2	0	1	1	0
28490	Α	Treat big toe fracture	1.91	1.48	090	2	0	1	0	0
28495	Α	Treat big toe fracture	2.59	2.05	090	2	0	1	0	0
28496	Α	Repair big toe	4.29	4.29	090	2	0	1	0	0
28505	Α	Repair big toe	6.58	6.58	090	2	0	1	0	0

589]	FEES	FOR	MEDICAL	SERV	ЛСІ	ES	522	1.40	30
28510	Α	Treatment of toe		1.90) 1.47	090	2	0	1	0	0
28515	Α	Treatment of toe		2.47		090	2	0	1	0	0
28525	A	Repair of toe fracture		5.16		090	2	0	Õ	0	Õ
28530	A	Treat sesamoid fracture		1.98		090	2	0	0	0	0
28531	Α	Treat sesamoid fracture		4.15		090	2	0	1	2	0
28540	Α	Treat foot dislocation		2.46		090	2	0	0	0	0
28545	Α	Treat foot dislocation		3.57		090	2	0	0	0	0
28546	Α	Treat foot dislocation		5.80		090	2	0	0	0	0
28555	Α	Repair foot dislocation		11.51		090	2	0	2	1	0
28570	Α	Treat foot dislocation		3.14		090	2	0	0	0	0
28575	Α	Treat foot dislocation		5.91	5.91	090	2	0	0	0	0
28576	Α	Treat foot dislocation		6.69	6.69	090	2	0	0	0	0
28585	Α	Repair foot dislocation		12.35	5 12.35	090	2	0	2	1	0
28600	Α	Treat foot dislocation		2.42		090	2	0	0	0	0
28605	Α	Treat foot dislocation		4.83	3 4.83	090	2	0	0	0	0
28606	Α	Treat foot dislocation		8.12		090	2	0	1	0	0
28615	Α	Repair foot dislocation		12.27		090	2	0	2	1	0
28630	Α	Treat toe dislocation		2.60		010	2	0	0	0	0
28635	Α	Treat toe dislocation		3.23		010	2	0	0	0	0
28636	Α	Treat toe dislocation		5.22		010	2	0	1	2	0
28645	Α	Repair toe dislocation		7.17		090	2	0	1	1	0
28660	A	Treat toe dislocation		1.76		010	2	0	1	0	0
28665	A	Treat toe dislocation		2.75		010	2	0	0	0	0
28666 28675	A A	Treat toe dislocation Repair toe dislocation		4.99 5.77		010 090	2 2	$0 \\ 0$	1 1	2	0
(98) Foot a	nd t	oes, arthrodesis:									
28705	Α	Fusion of foot		29.70	29.70	090	2	0	2	1	0
28715	Α	Fusion of foot		24.84		090	$\tilde{2}$	ŏ	$\frac{1}{2}$	î	ŏ
28725	A	Fusion of foot		20.45		090	2	0	2	1	0
28730	A	Fusion of foot		19.20		090	$\bar{2}$	ŏ	2	1	0
28735	A	Fusion of foot		20.03		090	2	0	2	1	Ŏ
28737	Α	Revision of foot		17.94		090	2	0	2	1	0
28740	A	Fusion of foot		12.64		090	2	0	2	1	0
28750	Α	Fusion of big toe		12.22	2 12.22	090	2	1	0	0	0
28755	Α	Fusion of big toe		8.12	2 8.12	090	2	1	1	1	0
28760		Fusion of big toe		12.61	1 12.61	090	2	1	2	1	0
(99) Foot a	nd t	oes, amputation:									
28800	Α	Amputation of midtarsa	ıl	14.53	3 14.53	090	2	1	2	1	0
28805	A			14.39		090	2	1	0	0	0
28810		Amputation of toe		9.83		090	2	Ō	0	0	Ŏ
28820		Amputation of toe		6.75		090	2	0	1	0	0
28825		Partial amputation		5.80		090	2	0	1	0	0
		•									
(100) Foot		toes, other procedures:									
28899	С	Foot/toes surgery		0.00	0.00	YYY	2	0	0	1	1

(101) Cast	s and	strapping, body and upper ext	remity:							
29000	. Δ	Application of casts	3.95	3.95	000	2	0	0	0	0
29010	A		4.31	4.25	000	2	0	0	0	ő
29015	A	Application of casts	4.62	3.50	000	2	0	0	0	ŏ
29020	A	Application of casts	3.80	2.92	000	$\frac{2}{2}$	ő	0	ő	ŏ
29025		Application of casts	2.98	2.62	000	2	ő	0	ő	ŏ
29035	A	Application of casts	3.67	2.73	000	$\tilde{2}$	ő	0	ŏ	ŏ
29040	A		4.13	4.13	000	2	0	0	ŏ	ŏ
29044		Application of casts	4.13	4.13	000	2	ŏ	ŏ	ŏ	ŏ
29046	A	Application of casts	4.54	4.54	000	$\frac{2}{2}$	ŏ	ŏ	ŏ	ŏ
29049	A		1.25	1.04	000	$\tilde{2}$	ŏ	ŏ	ŏ	ő
29055	A	* *	2.87	2.87	000	2	ŏ	ŏ	ŏ	ŏ
29058	Α	Application of casts	1.87	1.87	000	$\bar{2}$	ŏ	Ŏ	Ŏ	ŏ
29065	Α	Application of casts	1.63	1.25	000	$\bar{2}$	ĭ	1	Ŏ	ŏ
29075		Application of casts	1.34	1.05	000	$\bar{2}$	1	$\bar{1}$	Ō	Õ
29085		Apply hand/wrist	1.32	1.08	000	2	1	1	Ŏ	Õ
29105	Α	Apply long arm	1.32	1.08	000	2	1	1	Ō	0
29125	Α		0.92	0.74	000	2	1	1	Ō	0
·29126		Apply forearm splint	1.12	0.93	000	2	1	1	Õ	Õ
29130	Α	Application of splint	0.63	0.55	000	2	1	1	Ŏ	Ŏ
29131	Α	Application of splint	0.91	0.72	000	2	1	1	0	0
29200	A		0.87	0.74	000	2	Ō	1	ŏ	Õ
29220	A	Strapping of low back	0.98	0.79	000	2	0	1	Ō	0
29240	Α	Strapping of shoulder	0.92	0.92	000	2	Õ	1	Ŏ	Ŏ
29260	Α	Strapping of elbow	0.74	0.63	000	2	1	1	0	0
29280	Α	Strapping of hand	0.68	0.58	000	2	1	1	0	0
(102) Casts	s and	strapping, lower extremity: Application of cast	3.83	3.83	000	2	0	0	0	0
29325	A	Application of cast	4.13	4.13	000	2	0	0	ő	ő
29345		Application of cast	2.34	1.85	000	$\tilde{2}$	1	1	ŏ	ŏ
29355	A	Application of cast	2.55	2.01	000	2	î	1	ŏ	ŏ
29358	A	Apply long leg cast	3.00	2.24	000	$\overline{2}$	î	î	ŏ	ŏ
29365		Application of cast	1.98	1.56	000	$\bar{2}$	1	ı 1	ŏ	ŏ
29405	A	Apply short leg cast	1.61	1.23	000	$\bar{2}$	î	î	ŏ	ŏ
29425	A	Apply short leg cast	1.93	1.46	000	2	1	1	Ŏ	Õ
29435		Apply short leg cast	2.31	1.74	000	2	1	1	0	0
29440		Addition of walker	0.76	0.65	000	2	1	1	0	0
29445	Α	Apply rigid leg cast	3.41	3.41	000	2	1	1	0	0
29450	Α	Application of cast	1.32	1.14	000	2	1	1	0	0
29505	Α	Application of cast	1.22	1.22	000	2	1	1	0	0
29515		A 1' 4' C 1' - 4				_	1	1	0	0
	Α	Application of splint	1.15	0.92	000	2	1	-	U	
29520	Α	Strapping of hip	1.15 0.85	$0.92 \\ 0.68$	000 000	2	0	Ō	ő	0
29520 29530	Α	Strapping of hip Strapping of knee				2				$0 \\ 0$
29520 29530 29540	Α	Strapping of hip Strapping of knee Strapping of ankle	0.85 0.88 0.77	0.68 0.88 0.62	000	2 2 2	0	0	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	$0 \\ 0$
29520 29530 29540 29550	A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe	0.85 0.88 0.77 0.71	0.68 0.88 0.62 0.58	000 000 000 000	2 2 2 2	0 0 0 0	0 1	0 0 0 0	0 0 0
29520 29530 29540 29550 29580	A A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe Application of unna boot	0.85 0.88 0.77 0.71 1.30	0.68 0.88 0.62 0.58 0.92	000 000 000 000 000	2 2 2 2 2	0 0 0 0 0	0 1 1 1 1	0 0 0 0	0 0 0 0
29520 29530 29540 29550	A A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe	0.85 0.88 0.77 0.71	0.68 0.88 0.62 0.58	000 000 000 000	2 2 2 2	0 0 0 0	0 1 1 1	0 0 0 0	0 0 0
29520 29530 29540 29550 29580 29590	A A A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe Application of unna boot	0.85 0.88 0.77 0.71 1.30	0.68 0.88 0.62 0.58 0.92	000 000 000 000 000	2 2 2 2 2	0 0 0 0 0	0 1 1 1 1	0 0 0 0	0 0 0 0
29520 29530 29540 29550 29580 29590 (103) Casts	A A A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe Application of unna boot Application of splint strapping, removal or repair:	0.85 0.88 0.77 0.71 1.30 0.98	0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000	2 2 2 2 2 2	0 0 0 0 1 0	0 1 1 1 1 1	0 0 0 0 0	0 0 0 0
29520 29530 29540 29550 29580 29590 (103) Casts	A A A A A a a	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe Application of unna boot Application of splint strapping, removal or repair: Removal/revision	0.85 0.88 0.77 0.71 1.30 0.98	0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000	2 2 2 2 2 2 2	0 0 0 0 1 0	0 1 1 1 1 1	0 0 0 0 0	0 0 0 0 0
29520 29530 29540 29550 29580 29590 (103) Casts 29700 29705	A A A A A a a a a A A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe Application of unna boot Application of splint strapping, removal or repair: Removal/revision Removal/revision	0.85 0.88 0.77 0.71 1.30 0.98	0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000	2 2 2 2 2 2 2 2	0 0 0 0 1 0	0 1 1 1 1 1 1	0 0 0 0 0 0	0 0 0 0 0
29520 29530 29540 29550 29580 29590 (103) Casts	A A A A a a a A A A A A A A A A A A A A	Strapping of hip Strapping of knee Strapping of ankle Strapping of toe Application of unna boot Application of splint strapping, removal or repair: Removal/revision	0.85 0.88 0.77 0.71 1.30 0.98	0.68 0.88 0.62 0.58 0.92 0.84	000 000 000 000 000 000	2 2 2 2 2 2 2	0 0 0 0 1 0	0 1 1 1 1 1	0 0 0 0 0	0 0 0 0 0

591		FEES	FOR 3	MEDICAL	SERV	/ICES	522	1.40	30
29720	Α	Repair of body cast	0.86	0.75	000	2 0	1	0	0
29720	A	Windowing of cast	0.80		000	2 0		0	0
29740	A	Wedging of cast	1.42		000	2 0		0	ő
29750	A	Wedging of clubfoot cast	1.67		000	$\frac{2}{2}$ 1		ŏ	0
(104) Casts	and	strapping, other procedures:							
29799	C	Casts/strapping procedure	0.00	0.00	ΥΥΫ́	2 0	0	1	1
(105) Endo	scop	py/Arthroscopy:							
29800	Α	Jaw arthroscopy	9.96	9.96	090	2 1		0	0
29804	Α	Jaw arthroscopy	16.84		090	2 1		1	0
29815	Α	Shoulder arthroscopy	10.44		090	2 1		1	0
29819	Α	Shoulder arthroscopy	15.97		090	3 1		1	0
29820	A	Shoulder arthroscopy	14.89		090	3 1		1	0
29821		Shoulder arthroscopy	16.38		090	3 1 3 1	2 2	1	0
29822 29823		Shoulder arthroscopy Shoulder arthroscopy	15.60 17.38		090 090	3 1 3 1		$0 \\ 1$	$0 \\ 0$
29825		Shoulder arthroscopy	16.14		090	3 1		1	0
29826		Shoulder arthroscopy	18.99		090	3 1		1	0
29830		Elbow arthroscopy	10.83		090	2 1		ō	Õ
29834	Α	Elbow arthroscopy	11.87		090	3 1		1	0
29835	Α	Elbow arthroscopy	12.25		090	3 1	2	1	0
29836		Elbow arthroscopy	14.28	14.28	090	3 1		1	0
29837	Α	Elbow arthroscopy	13.00	13.00	090	3 1		1	0
29838	Α	Elbow arthroscopy	14.44		090	3 1		0	0
29840	Α	Wrist arthroscopy	8.51		090	2 1		0	0
29843	Α	Wrist arthroscopy	11.37		090	3 1		1	0
29844	A	Wrist arthroscopy	11.71		090	3 1 3 1		0 1	$0 \\ 0$
29845 29846	A A	Wrist arthroscopy Wrist arthroscopy	14.22 14.52		090 090	3 1		0	0
29847	A	Wrist arthroscopy	13.51		090	3 1		0	0
29848	A	Wrist arthroscopy	9.00		090	2 1		0	0
29850	A	Knee arthroscopy	17.10		090	2 1		2	Õ
29851	Α	Knee arthroscopy	23.43		090	2 1	2	2	0
29855	Α	Tibial arthroscopy	21.96	21.96	090	2 1		2	0
29856	Α	Tibial arthroscopy	25.17		090	2 1		2	0
29860	Α	Hip arthroscopy	12.40		090	2 1		1	0
29861	A	Hip arthroscopy	18.32		090	3 1		1	0
29862	A	Hip arthroscopy	19.99		090	3 1		1	0
29863	A	Hip arthroscopy	18.36		090	3 1		1	0
29870	A A	Knee arthroscopy	8.84 13.02		090 090	2 1 3 1		1 0	0 0
29871 29874	A	Knee arthroscopy Knee arthroscopy	14.73		090	3 1		0	0
29875		Knee arthroscopy	13.32		090	3 1		0	0
29876		Knee arthroscopy	16.68		090	3 1		ő	ŏ
29877	A	Knee arthroscopy	15.48		090	3 1		Õ	Õ
29879	A	Knee arthroscopy	17.05		090	3 1		Ō	0
29880	Α	Knee arthroscopy	17.97		090	3 1	. 0	1	0
29881	Α	Knee arthroscopy	16.30	16.30	090	3 1	. 0	0	0
29882	Α	Knee arthroscopy	18.10		090	3 1		0	0
29883	Α	1 7	20.19		090	3 1		0	0
29884		Knee arthroscopy	15.30		090	3 1		1	0
29885	Α	Knee arthroscopy	16.95	16.95	090	3 1	. 2	1	0

5221 4020	DEDEC	EOD	MEDICAL	SERVICES
5221 40130	H H H N	HEIK	MINION AL.	SERVICES

29886	Α	Knee arthroscopy	14.03	14.03	090	3	1	2	0	0
29887	Α	Knee arthroscopy	. 18.75	18.75	090	3	1	2	1	0
29888	Α	Knee arthroscopy	29.14	29.14	090	2	1	2	1	0
29889	Α	Knee arthroscopy	24.57	24.57	090	2	1	2	1	0
29891	Α	Ankle arthroscopy	17.16	17.16	090	2	1	2	0	0
29892	Α	Ankle arthroscopy	17.70	17.70	090	2	1	2	0	0
29893	Α	Scope, plantar	10.02	10.02	090	2	1	2	1	0
29894	Α	Ankle arthroscopy	15.02	15.02	090	2	1	2	1	0
29895	Α	Ankle arthroscopy	14.61	14.61	090	2	1	2	1	0
29897	Α	Ankle arthroscopy	15.12	15.12	090	2	1	2	0	0
29898	Α	Ankle arthroscopy	17.44	17.44	090	2	1	2	1	0
29909	C	Arthroscopy of joint	0.00	0.00	YYY	2	1	1	1	1

C. Procedure code numbers 30000 to 49999 relate to respiratory, cardiovascular, lymphatic, and diaphragm procedures.

1	2	3	4	5	6	7	8	9	10	11	12
(1) Nos	se, ir	ıcisi	on:								
30000 30020		A A	Drainage of nose Drainage of nose	1.89 1.91	1.61 1.62	010 010	2 2	0 0	0 1	0 0	0
(2) Nos	se, e	kcisi	on:								
30100 30110 30115 30117 30118 30120 30124 30125 30130 30140 30150 30160		A A A A A A A A A A A A A A A	Intranasal biopsy Remove nose polyp Remove nose polyp Remove intranasal lesion Remove intranasal lesion Revision of nose Remove nose cyst Remove nose cyst Removal of turbinate Removal of turbinate Partial removal of nose Removal of nose	1.56 2.80 6.83 5.78 17.04 10.94 4.20 12.26 4.78 6.24 16.54 19.83	1.23 2.18 6.83 5.78 17.04 10.94 3.55 12.26 4.78 6.24 16.54 19.83	000 010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 0 0 0 0 0 1 1 0 0	1 1 1 2 1 1 2 1 1 1 2	0 0 0 0 1 0 0 0 0 0 1 1	0 0 0 0 0 0 0 0 0 0 0
(3) Nos	se, ir	tro	duction:								
30200 30210 30220		A A A	Injection, therapeutic Nasal sinus therapy Insert nasal septal	1.09 1.25 2.94	0.91 1.12 2.22	000 010 010	2 2 2	0 0 0	1 1 1	0 0 0	0 0 0
(4) Nos	se, re	mo	val of foreign body:								
30300 30310 30320		A A A	Remove foreign body Remove foreign body Remove foreign body	1.42 3.44 8.48	1.19 3.44 8.48	010 010 090	2 2 2	0 0 0	1 0 0	0 0 0	0 0 0

FFFS FOI	R MEDICAL	SERVICES	5221 4030

(5)	Noce	repair:
10	1 1 1 0 3 0 4	icpan.

593

30400	R	Reconstruction	19.30	19.30	090	2	0	0	0	0
30410	R	Reconstruction	26.69	26.69	090	2	0	2	0	0
30420	R	Reconstruction	32.52	32.52	090	2	0	1	0	0
30430	R	Revision of nose	12.79	12.79	090	2	0	2	0	0
30435	R	Revision of nose	21.06	21.06	090	2	0	2	0	0
30450	R	Revision of nose	28.29	28.29	090	2	0	2	0	0
30460	Α	Revision of nose	17.84	17.84	090	2	0	2	2	0
30462	Α	Revision of nose	35.37	35.37	090	2	0	2	2	0
30520	Α	Repair of nasal septum	11.76	11.76	090	2	0	1	0	0
30540	Α	Repair nasal defect	13.83	13.83	090	2	0	2	0	0
30545	Α	Repair nasal defect	21.31	21.31	090	2	0	2	0	0
30560	Α	Release nasal adhesions	1.71	1.44	010	2	0	1	0	0
30580	Α	Repair upper jaw	12.42	9.40	090	, 2	0	1	0	0
30600	Α	Repair mouth/nose	9.31	9.31	090	2	0	0	0	0
30620	Α	Intranasal dermatoplasty	12.37	12.37	090	2	0	1	0	0
30630	Α	Repair nasal septal	12.88	12.88	090	2	0	0	0	0
		•								

(6) Nose, destruction:

30801	Α	Cauterization, ablation	1.47	1.24	010	2	2	1	0	0
30802	Α	Cauterization, intramural	2.81	2.81	010	2	2	1	0	0

(7) Nose, other procedures:

	Control homorrhogo	1 67	1.40	000	2	1	1	Λ	0
А	Control nemormage	1.07	1.40	UUU	4	Ţ	1	U	U
Α	Control hemorrhage	2.26	2.26	000	2	1	1	0	0
Α	Control hemorrhage	3.61	3.61	000	2	2	1	0	0
Α	Repeat control	3.33	3.33	000	2	2	1	0	0
Α	Ligation arteries	11.60	11.60	090	2	0	1	0	0
Α	Ligation upper artery	18.87	18.87	090	2	0	1	0	0
		1.87	1.87	010	2	0	1	0	0
С	Nasal surgery	0.00	0.00	YYY	2	0	0	1	1
	A A A A A	A Control hemorrhage A Control hemorrhage A Control hemorrhage A Repeat control A Ligation arteries A Ligation upper artery A Therapy fracture C Nasal surgery	A Control hemorrhage 2.26 A Control hemorrhage 3.61 A Repeat control 3.33 A Ligation arteries 11.60 A Ligation upper artery 18.87 A Therapy fracture 1.87	A Control hemorrhage 2.26 2.26 A Control hemorrhage 3.61 3.61 A Repeat control 3.33 3.33 A Ligation arteries 11.60 11.60 A Ligation upper artery 18.87 18.87 A Therapy fracture 1.87 1.87	A Control hemorrhage 2.26 2.26 000 A Control hemorrhage 3.61 3.61 000 A Repeat control 3.33 3.33 000 A Ligation arteries 11.60 11.60 090 A Ligation upper artery 18.87 18.87 090 A Therapy fracture 1.87 1.87 010	A Control hemorrhage 2.26 2.26 000 2 A Control hemorrhage 3.61 3.61 000 2 A Repeat control 3.33 3.33 000 2 A Ligation arteries 11.60 11.60 090 2 A Ligation upper artery 18.87 18.87 090 2 A Therapy fracture 1.87 1.87 010 2	A Control hemorrhage 2.26 2.26 000 2 1 A Control hemorrhage 3.61 3.61 000 2 2 A Repeat control 3.33 3.33 000 2 2 A Ligation arteries 11.60 11.60 090 2 0 A Ligation upper artery 18.87 18.87 090 2 0 A Therapy fracture 1.87 1.87 010 2 0	A Control hemorrhage 2.26 2.26 000 2 1 1 A Control hemorrhage 3.61 3.61 000 2 2 1 A Repeat control 3.33 3.33 000 2 2 1 A Ligation arteries 11.60 11.60 090 2 0 1 A Ligation upper artery 18.87 18.87 090 2 0 1 A Therapy fracture 1.87 1.87 010 2 0 1	A Control hemorrhage 2.26 2.26 000 2 1 1 0 A Control hemorrhage 3.61 3.61 000 2 2 1 0 A Repeat control 3.33 3.33 000 2 2 1 0 A Ligation arteries 11.60 11.60 090 2 0 1 0 A Ligation upper artery 18.87 18.87 090 2 0 1 0 A Therapy fracture 1.87 1.87 010 2 0 1 0

(8) Accessory sinuses, incision:

31000	Α	Irrigation, maxillary	1.49	1.28	010	2	1	1	0	0
31002		Irrigation, sphenoid	2.21	1.98	010	2	1	0	0	0
31020	Α	Exploration, maxillary	5.40	5.40	090	2	1	1	0	0
31030	Α	Exploration, maxillary	12.14	12.14	090	2	1	1	0	0
31032	Α	Explore sinus, radical	13.49	13.49	090	2	1	1	0	0
31040	Α	Explore behind upper jaw	16.73	16.73	090	2	0	1	1	0
31050	Α	Exploration, sphenoid	10.76	10.76	090	2	1	1	0	0
31051	Α	Sphenoid sinus	14.48	14.48	090	2	1	1	0	0
31070	Α	Exploration	8.69	8.69	090	2	1	1	0	0
31075	Α	Exploration	18.66	18.66	090	· 2	1	2	1	0
31080	Α	Removal of frontal	19.88	19.88	090	2	1	2	0	0
31081	Α	Removal of frontal	22.26	22.26	090	2	1	2	1	0
31084	Α	Removal of frontal	27.44	27.44	090	2	1	2	1	0
31085	Α	Removal of frontal	28.95	28.95	090	2	1	2	1	0
31086	Α	Removal of frontal	22.81	22.81	090	2	1	2	0.	0
31087	Α	Removal of frontal	22.66	22.66	090	2	1	2	1	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

5221.4030 FEES FOR MEDICAL SERVICES										594
31090	A	Exploration	19.94	19.94	090	2	1	1	0	0
(9) Access	ory s	inuses, excision:								
31200	Α	Remove ethmoidectomy	9.24	9.24	090	2	1	1	0	0
31201	Α	Remove ethmoidectomy	14.78	14.78	090	2	1	1	0	0
31205	Α	Remove ethmoidectomy	17.50	17.50	090	2	1	2	1	0
31225		Removal of upper jaw	37.54	37.54	090	2	1	2	1	0
31230	Α	Removal of upper jaw	42.29	42.29	090	2	1	2	1	0
(10) Acces	sory	sinuses, endoscopy:								
31231	Α	Nasal endoscopy	2.40	2.40	000	2	2	1	0	0
31233		Nasal/sinus endoscopy	4.85	3.50	000	2	1	1	0	0
31235		Nasal/sinus endoscopy	4.85	3.69	000	2	1	1	0	0
31237	Α	Nasal/sinus endoscopy	6.08	4.49	000	2	1	1	0	0
31238	Α	Nasal/sinus endoscopy	6.68	4.94	000	2	1	0	0	0
31239	Α	Nasal/sinus endoscopy	17.79	17.79	010	2	1	0	0	0
31240	Α	Nasal/sinus endoscopy	5.35	5.35	000	2	1	0	0	0
31254		Revise ethmoidectomy	9.55	9.55	000	2	1	1	0	0
31255		Remove ethmoidectomy	14.35	14.35	000	2	1	1	0	0
31256		Exploration, maxillary	6.71	6.71	000	2	1	1	0	0
31267		Endoscopy, maxillary	10.46	10.46	000	2	1	1	0	0
31276		Sinus, surgical	14.93	14.93	000	2	1	1	0	0
31287		Nasal/sinus endoscopy	8.08	8.08	000	2	1	0	0	0
31288		Nasal/sinus endoscopy	9.46	9.46	000	2	1	0	0	0
31290		Nasal/sinus endoscopy	32.55	32.55	010	2	1	0	0	0
31291		Nasal/sinus endoscopy	34.27	34.27	010	2	1	0	0	0
31292		Nasal/sinus endoscopy	27.12	27.12	010	2	1	0	0	0
31293		Nasal/sinus endoscopy	29.73	29.73	010	2 2	1 1	0	0	$\begin{array}{c} 0 \\ 0 \end{array}$
31294	А	Nasal/sinus endoscopy	34.46	34.46	010	2	1	U	0	U
(11) Acces	sory	sinuses, other procedures:								
31299	С	Sinus surgery	0.00	0.00	YYY	2	0	.0	1	1
(12) Laryn	x, ex	cision:								
31300	Α	Removal of larynx	24.86	24.86	090	2	0	2	1	0
31320	Α	Diagnostic	8.78	8.78	090	2	0	0	0	0
31360	Α		34.86	34.86	090	2	0	2	1	0
31365	Α	Removal of larynx	49.32	49.32	090	2	0	2	1	0
31367		Partial removal, larynx	37.52	37.52	090	2	0	2	1	0
31368		Partial removal, larynx	52.13	52.13	090	2	0	2	1	0
31370		Partial removal, larynx	37.04	37.04	090	2	0	2	1	0
31375		Partial removal, larynx	33.54	33.54	090	2	0	2	1	0
31380		Partial removal, larynx	36.07	36.07	090	2	0	2	1	0
31382		Partial removal, larynx	35.12	35.12	090	2	0	2	1	0
31390		Removal of larynx	53.38	53.38	090	2	0	2	1	0
31395		Reconstruct larynx	63.04	63.04	090	2	0	2	1	0
31400		Revision of larynx	17.41	17.41	090	2	0	2	0	0
31420	Α	Epiglottidectomy	17.55	17.55	090	2	0	2	1	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(13) Larynx,	, int	roduction:										
31500 31502	A A	Intubation, emergency Change of windpipe	3.29 1.19	3.29 1.19	000 000	0	0	1	0	0		
(14) Larynx, endoscopy:												
31505	Α	Diagnostic, larynx	1.00	0.79	000	2	0	1	0	0		
31510	Α	Laryngoscopy, biopsy	2.31	2.31	000	3	0	0	0	0		
31511	Α	Remove foreign body	2.94	2.94	000	3	0	1	0	0		
31512	Α	Removal of larynx	3.72	3.72	000	3	0	0	0	0		
31513	Α	Injection, vocal cord	4.35	4.35	000	3	0	0	0	0		
31515		Laryngoscopy, aspiration	2.80	2.80	000	2	0	1	0	0		
31520	Α	Diagnostic, larynx	4.01	4.01	000	2	0	0	0	0		
31525	Α	Diagnostic, larynx	4.64	3.58	000	2	0	1	0	0		
31526	Α	Diagnostic, larynx	5.28	5.28	000	2	0	1	0	0		
31527	Α	Laryngoscopy	6.02	6.02	000	3	0	0	0	0		
31528	Α	Laryngoscopy	4.84	4.84	000	3	0	0	0	0		
31529	Α	Laryngoscopy	4.95	4.95	000	3	0	0	0	0		
31530	Α	Operative larynx	6.80	6.80	000	3	0	1	0	0		
31531	Α	Operative larynx	7.41	7.41	000	3	0	0	0	0		
31535	Α	Operative larynx	6.48	6.48	000	3	0	1	0	0		
31536	Α	Operative larynx	7.34	7.34	000	3	0	1	0	0		
31540	Α	Operative larynx	8.47	8.47	000	3	0	1	0	0		
31541	Α	Operative larynx	8.93	8.93	000	3	0	1	0	0		
31560	Α	Operative larynx	10.06	10.06	000	3	0	0	0	0		
31561	Α	Operative larynx	12.10	12.10	000	3	0	0	0	0		
31570	Α	Laryngoscopy, injection	7.96	5.90	000	3	0	1	0	0		
31571	Α	Laryngoscopy, injection	8.61	8.61	000	3	0	1	0	0		
31575	Α	Diagnostic, larynx	2.60	1.85	000	2	0	1	0	0		
31576	Α	Diagnostic, larynx	4.07	4.07	000	3	0	1	0	0		
31577	Α	Remove foreign body	5.07	5.07	000	3	0	0	0	0		
31578	Α	Removal of larynx	5.86	5.86	000	3	0	0	0	0		
31579	Α	Diagnostic, larynx	4.45	3.32	000	3	0	1	0	0		
(15) Larynx	, re	pair:										
31580	Α	Revision of larynx	25.29	25.29	090	2	0	2	1	0		
31582	A	Revision of larynx	37.96	37.96	090	2	0	1	1	Õ		
31584		Repair of larynx	30.86	30.86	090	2	0	2	1	0		
31585	Α	Repair of larynx	8.07	8.07	090	2	Õ	0	0	0		
31586		Repair of larynx	14.01	14.01	090	2	0	0	0	ŏ		
31587		Revision of larynx	18.29	18.29	090	$\frac{2}{2}$	ő	2	1	0		
31588		Revision of larynx	22.88	22.88	090	$\frac{7}{2}$	0	2	Ô	0		
31590		Reinnervation of larynx	12.23	12.23	090	$\bar{2}$	0	2	1	0		
31390	А	Rennervation of farying	12.23	12.23	020	~	U	2	1	U		
(16) Larynx	, de	struction:										
31595	Α	Larynx nerve section	14.59	14.59	090	2	0	2	1	0		

(17) Larynx, other procedures:												
31599	С	Larynx surgery	0.00	0.00	YYY'	2	0	0	1	1		
(18) Traches	(18) Trachea and bronchi, incision:											
31600 31601 31603 31605 31610 31611 31612 31613 31614	A A A A A	Incision of windpipe Surgery/speech Puncture/clear Repair windpipe Repair windpipe	7.49 9.14 8.22 7.33 14.90 11.92 2.02 6.46 13.38	7.49 9.14 8.22 7.33 14.90 11.92 1.86 6.46 13.38	000 000 000 000 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0	1 2 1 1 1 2 0 1 1	0 1 0 0 0 1 0 0	0 0 0 0 0 0 0 0		
(19) Trachea and bronchi, endoscopy:												
31615 31622 31625 31628 31629 31630 31631 31635 31640 31641 31645 31646 31656	A A A A A A A A	Visualization Diagnostic, bronchi Bronchoscopy, biopsy Bronchoscopy, biopsy Bronchoscopy, biopsy Bronchoscopy, dilation Bronchoscopy, removal Remove foreign body Bronchoscopy, excision Bronchoscopy, tumor Bronchoscopy Bronchoscopy Bronchoscopy Bronchoscopy, injection	3.90 5.70 6.84 7.72 6.83 7.34 8.04 7.55 9.70 10.38 6.40 5.51 4.45	3.90 5.70 6.84 7.72 6.83 7.34 8.04 7.55 9.70 10.38 6.40 5.51 4.45	000 000 000 000 000 000 000 000 000 00	2 2 3 3 3 3 3 3 3 3 3 3 2 2	0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0		
(20) Trachea	a aı	nd bronchi, introduction:										
31700 31708 31710 31715 31717 31720 31725 31730	A A A A	Insertion of airway Instill airway Insertion of airway Injection for brush Bronchial brush biopsy Clearance of airway Clearance of airway Introduction, windpipe	2.64 2.07 2.12 1.49 2.66 1.73 3.22 5.10	2.64 2.07 2.12 1.49 2.66 1.73 3.22 5.10	000 000 000 000 000 000 000	2 2 2 2 2 2 2 2 2	0 1 1 1 0 0 0	0 0 0 0 1 1 1	0 0 0 0 0 0 0 2	0 0 0 0 0 0 0		
(21) Trachea	a aı	nd bronchi, repair:										
31750 31755 31760 31766 31770 31775 31780	A A A A A	Repair of windpipe Repair of windpipe Repair of windpipe Reconstruction Repair/graft Reconstruct bronchi Reconstruct windpipe	21.00 28.10 32.24 46.02 36.14 38.24 33.97	21.00 28.10 32.24 46.02 36.14 38.24 33.97	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	2 2 2 2 2 2 2 2	1 1 1 1 1 0 1	0 0 0 0 0 0		

597	FEE		FOR M	OR MEDICAL SERVICES			ES	5221.4030				
31781	Α	Reconstruct windpipe	38.73	38.73	090	2	0	2	1	0		
31785		Remove windpipe	24.90	24.90	090	2	0	2	1	Õ		
31786		Remove windpipe	35.85	35.85	090	2	Ŏ	2	1	Ŏ		
31800		Repair of windpipe	11.90	11.90	090	2	Ŏ	$\bar{0}$	0	Ŏ		
31805		Repair of windpipe	22.18	22.18	090	$\bar{2}$	ŏ	2	1	ō		
31820		Closure of windpipe	7.79	7.79	090	2	ŏ	$\bar{0}$	Ô	Ö		
31825	A	Repair of windpipe	11.33	11.33	090	2	ő	ő	ŏ	ŏ		
31830	A	Revise windpipe	7.85	7.85	090	2	0	ő	0	ő		
31030	А	Revise windpipe	7.05	7.05	0,70	2	U	U	V	U		
(22) Trachea	a aı	nd bronchi, other procedures:										
31899	C	Airways surgery procedure	0.00	0.00	YYY	2	0	0	1	1		
(23) Lungs and pleura, incision:												
32000	٨	Drainage of chest	2.31	2.31	000	0	0	1	0	0		
32000	A	Treat collapsed lung	3.40	3.40	000	0	0	1	1	0		
32002 32005	A	Treat lung lining	3.12	3.40	000	2	0	1	0	0		
32003 32020	A	Insertion of tube	6.39	6.39	000	0	0	1	0	0		
32035	A	Exploration	15.09	15.09	090	2	0	2	1	0		
32036	A	Exploration	16.40	16.40	090	2	0	2	1	0		
32095		Biopsy of lung or pleura	16.36	16.36	090	2	ő	2	1	Ö		
32100	A	Exploration/biopsy	22.76	22.76	090	2	ő	2	1	ŏ		
32110	A	Explore/repair	24.59	24.59	090	2	ő	2	1	ŏ		
32120	A	Re-exploration	20.55	20.55	090	2	ő	$\tilde{2}$	1	ŏ		
32124	A	Explore chest	23.33	23.33	090	2	ŏ	2	1	ŏ		
32140		Removal of lung	25.93	25.93	090	2	ŏ	$\tilde{2}$	1	ŏ		
32141		Remove/treat lung	27.07	27.07	090	2	ő	2	1	Ŏ		
32150	A	Removal of lung	23.94	23.94	090	$\bar{2}$	ŏ	$\bar{2}$	1	ŏ		
32151		Remove lung foreign body	22.49	22.49	090	2	0	2	1	0		
32160	A	Open chest heart	18.10	18.10	090	2	0	2	1	0		
32200	Α	•	21.05	21.05	090	2	0	2	1	0		
32201		Percutaneous drainage	6.75	6.75	000	2	0	2	0	0		
32215	Α	Treat chest lining	18.35	18.35	090	2	0	2	1	0		
32220	Α	Release of lung	34.42	34.42	090	2	0	2	1	0		
32225	Α	Partial release of lung	25.37	25.37	090	2	0	2	1	0		
(24) Lungs a	and	pleura, excision:										
32310	Α	Removal of chest	24.60	24.60	090	2	0	2	1	0		
32320	A		38.00	38.00	090	2.	Õ	$\bar{2}$	1	ŏ		
32400	Α	Needle biopsy, chest	3.09	3.09	000	2	ŏ	1	Ō	ŏ		
32402	A	Open biopsy, chest	14.92	14.92	090	2	0	2	1	ŏ		
32405		Biopsy, lung	3.90	3.90	000	2	0	1	0	0		
32420		Puncture/clear lung	3.50	3.50	000	2	ŏ	1	0	ŏ		
32440		Removal of lung	38.97	38.97	090	2	0	2	1	0		
32442		Sleeve pneumonectomy	43.08	43.08	090	2	0	2	1	Õ		
32445		Removal of lung	44.68	44.68	090	2	0	2	1	0		
32480		Partial removal of lung	34.98	34.98	090	2	0	2	1	0		
32480 32482		Bilobectomy	36.24	36.24	090	2	0	2	1	0		
32482 32484	A	Segmentectomy	37.13	37.13	090	2	0	2	1	0		
32484 32486	A	•	39.47	37.13 39.47	090	2	0	2	1	0		
			42.38	42.38	090	2	0	2	1	0		
32488	Α	Completion pneumonectomy	42.30	42.30	090	2	U	L	I	U		

MINNESUTA RULES 2005										
5221.4030	FE	ES FOR MEDICAL SERVICE	ES						5	598
32491	R	Lung volume reduction	35.88	35.88	090	2	1	2	1	0
32500		Partial removal	27.40	27.40	090	2	0	2	1	0
32501	Α	Repair bronchus	8.81	8.81	ZZZ	0	1	2	1	0
32520	Α		41.81	41.81	090	2	0	2	1	0
32522	Α	Remove lung, resection	45.43	45.43	090	2	0	2	1	0
32525		Remove lung, resection	49.30	49.30	090	2	0	2	1	0
32540		Removal of lung	25.69	25.69	090	2	0	2	1	0
(25) Lungs	and	pleura, endoscopy:								
32601	Α		8.62	8.62	000	2	0	0	0	0
32602	Α	Thoracoscopy, diagnostic	9.50	9.50	000	2	0	0	0	0
32603	Α	Thoracoscopy, diagnostic	10.76	10.76	000	2	0	0	0	0
32604	Α	Thoracoscopy, diagnostic	12.06	12.06	000	2	0	0	0	0
32605	Α	Thoracoscopy, diagnostic	9.96	9.96	000	2	0	0	0	0
32606	Α	Thoracoscopy, diagnostic	11.72	11.72	000	2	0	0	0	0
32650	Α	Thoracoscopy, surgical	17.83	17.83	090	2	0	2	1	0
32651	Α	Thoracoscopy, surgical	24.41	24.41	090	2	0	2	1	0
32652	Α	Thoracoscopy, surgical	33.87	33.87	090	2	0	2	1	0
32653	Α	Thoracoscopy, surgical	22.78	22.78	090	2	0	2	1	0
32654	Α	Thoracoscopy, surgical	23.52	23.52	090	2	0	2	1	0
32655	Α	Thoracoscopy, surgical	26.25	26.25	090	2	0	2	1	0
32656	Α	Thoracoscopy, surgical	25.93	25.93	090	2	0	2	1	0
32657	Α	Thoracoscopy, surgical	26.81	26.81	090	2	0	2	1	0
32658	Α	Thoracoscopy, surgical	24.30	24.30	090	2	0	2	1	0
32659	Α	Thoracoscopy, surgical	24.28	24.28	090	2	0	2	1	0
32660	Α	Thoracoscopy, surgical	36.30	36.30	090	2	0	2	1	0
32661	Α	Thoracoscopy, surgical	21.77	21.77	090	2	0	2	1	0
32662	Α	Thoracoscopy, surgical	30.49	30.49	090	2	0	2	1	0
32663	Α	Thoracoscopy, surgical	35.11	35.11	090	2	0	2	1	0
32664	Α	Thoracoscopy, surgical	24.21	24.21	090	2 .	1	2	1	0
32665	Α	Thoracoscopy, surgical	29.41	29.41	090	2	0	2	1	0
(26) Lungs	and	pleura, repair:								
32800	Α	Repair lung hernia	21.30	21.30	090	2	0	2	1	0
32810	Α	Close chest	18.78	18.78	090	2	0	2	0	0
32815		Close bronchial	37.16	37.16	090	2	0	2	1	0
32820		Reconstruct injury	39.65	39.65	090	2	0	2	1	0
(27) Lungs	and	pleura, lung transplantation:								
32850	X	Donor pneumonectomy	0.00	0.00	XXX	9	9	9	9	9
32851		Lung transplant	62.50	62.50	090	2	0	2	1	
32852		Lung transplant	67.70	67.70	090	2	0	2	1	2 2 2 2
32853		Lung transplant	77.70	77.70	090	2	2	2	1	2
32854		Lung transplant	82.90	82.90	090	2	2	2	1	2
(28) Lungs	(28) Lungs and pleura, surgical collapse therapy; thoracoplasty:									

Copyright © 2005 by	the Revisor of Statutes,	State of Minnesota.	All Rights Reserved.

27.48

27.48

32.58 32.58

32900

32905

A Removal of ribs

A Revise and repair

599		FEES	FOR I	MEDICAL	SERV	ICES	5221.4		30
32906	٨	Revise and repair	40.81	40.81	090	2 0	2	1	0
32940		Revision of lung	29.59		090	$\frac{2}{2} = 0$		1	0
32960		Therapeutic pneumothorax	2.64	2.64	000	$\frac{2}{2} = 0$		0	0
32900	A	Therapeutic pheumomorax	2.04	2.04	000	2 0	1	U	U
(29) Lungs	and	pleura, other procedures:							٠
32999	C	Chest surgery	0.00	0.00	YYY	2 0	2	1	1
(30) Heart	and	pericardium:							
33010	Λ	Drainage of heart	3.60	3.60	000	2 0	1	0	0
33011		Repeat drainage	3.17	2.64	000	$\frac{2}{2} = 0$		0	0
33015		Incision of heart	10.63	10.63	090	2 0		0	ŏ
33020		Incision of heart	25.65	25.65	090	$\frac{2}{2}$ 0		1	ő
33025		Incision of heart	25.26		090	2 0		1	ő
33030		Partial removal	39.03		090	$\frac{2}{2} = 0$		1	ŏ
33031		Partial removal	33.96		090	$\tilde{2}$ $\tilde{0}$		1	ŏ
33050		Removal of heart	22.78	22.78	090	$\frac{2}{2}$ 0		1	ŏ
(31) Heart	and	pericardium, cardiac tumor:							
33120	Α	Removal of heart	51.25	51.25	090	2 0	2	1	0
33130		Removal of heart	33.68		090	2 0		1	0
(32) Heart	and	pericardium, pacemaker or de	fibrillat	or:					
33200	Α	Insertion of pacemaker	24.23	24.23	090 -	2 0	1	0	0
33201	Α	Insertion of pacemaker	20.97	20.97	090	2 0		0	0
33206	Α	Insertion of pacemaker	13.88		090	2 0		2	0
33207		Insertion of pacemaker	16.57		090	2 0		2	0
33208		Insertion of pacemaker	16.87		090	2 0		2	0
33210		Insertion of pacemaker	6.33	6.33	000	2 0		0	0
33211		Insertion of electrodes	6.42		000	2 0		0	0
33212		Insertion of pulse	10.69		090	2 0		0	0
33213	Α	Insertion of pulse	11.46		090	2 0		0	0
33214	Α	Upgrade of pacemaker	12.84	12.84	090	2 0		2	0
33216	A	Revision of implant	10.05		090	2 0		0	0
33217	A	Insert/revise	10.37		090	2 0		0	0
33218	A	Repair pacemaker	9.71	9.71	090	2 0		0	0
33220	A	Repair pacemaker	9.79		090	2 0 2 0		0	0 0
33222	A	Revision of pacemaker	10.33 11.93		090 090	$\begin{array}{ccc} 2 & 0 \\ 2 & 0 \end{array}$		$0 \\ 0$	0
33223 33233	A A	Revision of pacemaker	5.56		090	2 0		0	0
33234	A	Removal of pacemaker	9.97		090	$\frac{2}{2}$ 0		0	0
33234	A	Removal of pacemaker Removal of pacemaker	11.75		090	2 0		0	0
33236	A	Remove electrodes	15.62		090	$\frac{2}{2} = 0$	_	2	0
33237	A	Remove electrodes	22.34		090	$\frac{2}{2} = 0$		2	0
33238	A	Remove electrodes	24.86		090	$\frac{2}{2} = 0$		2	0
33240	A	Insert/replace	12.58		090	$\frac{2}{2}$ 0		0	0
33241	A	Remove pulse generator	5.26		090	2 0		1	ő
33242	A	Repair pulse generator	13.01		090	2 0		1	ŏ
33243	A	Remove pulse generator	30.12		090	$\overline{2}$ 0		1	0

22244		D	17.71	17.71	000	_	^	1		
33244	Α	Remove pulse generator	17.71	17.71	090	2	0	1	1	0
33245	Α	Implant defibrillator	29.48	29.48	090	2	0	2	1	0
33246	Α	Implant defibrillator	40.64	40.64	090	2	0	2	1	0
33247	Α	Insert/replace	21.42	21.42	090	2	0	1	1	0
33249	Α	Insert/replace	27.93	27.93	090	2	0	1	1	0
33250	Α	Ablate heart	31.48	31.48	090	2	0	2	1	0
33251	A	Ablate heart	40.21	40.21	090	2	Ö	$\frac{1}{2}$	1	0
33253			51.61	51.61		2	0	2	1	
	Α				090				_	0
33261	Α	Ablate heart	37.58	37.58	090	2	0	2	1	0
(33) Heart	and	pericardium, wounds of heart a	and grea	it vessels:						
33300	٨	Danair of hoart	21 57	21 57	000	2	٥	2	1	٥
		Repair of heart	31.57	31.57	090	2	0	2	1	0
33305		Repair of heart	37.96	37.96	090	2	0	2	1	0
33310	Α	Exploratory, heart	28.76	28.76	090	2	0	2	1	0
33315	Α	Exploratory, heart	35.71	35.71	090	2	0	2	1	0
33320	Α	Repair major vessels	30.28	30.28	090	2	0	2	1	0
33321		Repair major vessels	41.34	41.34	090	2	0	2	1	0
33322	A	Repair major vessels	41.72	41.72	090	2	ŏ	2	1	0
33330	A	Insert major vessels	32.76			2	0	2	1	
				32.76	090					0
33332	Α	Insert major vessels	37.63	37.63	090	2	0	2	1	0
33335	Α	Insert major vessels	43.12	43.12	090	2	0	2	1	0
(34) Heart :	and	pericardium, cardiac valves:								
		• 								
33400	Α	Repair of aortic valve	49.88	49.88	090	2	0	2	1	0
33401	Α	Valvuloplasty	48.58	48.58	090	2	0	2	1	0
33403	Α	Valvuloplasty	49.47	49.47	090	2	0	2	1	0
33404	Α	Prepare heart-aortic	59.18	59.18	090	2	0	2	1	0
33405	Α	Replace aortic valve	60.17	60.17	090	2	0	2	1	0
33406		Replace aortic valve	67.75	67.75	090	2	Õ	2	ĩ	Ŏ
33411		Replace aortic valve	68.09	68.09	090	$\bar{2}$	ŏ	2	Ô	ŏ
33412	A	Replace aortic valve	72.66	72.66	090	$\overline{2}$	ő	2	1	ő
33413	A		73.42	73.42	090	2	0	2	1	0
		Replace aortic valve							_	
33414	A	Repair, aortic	63.91	63.91	090	2	0	2	1	0
33415	A	Revision, subvalvular	56.44	56.44	090	2	0	2	1	0
33416	Α	Revise ventriclar	57.49	57.49	090	2	0	2	1	0
33417		Repair of aortic	59.62	59.62	090	2	0	2	1	0
33420	Α	Revision of mitral valve	41.10	41.10	090	2	0	2	1	0
33422	Α	Revision of mitral valve	54.66	54.66	090	2	0	2	1	0
33425	Α	Repair of mitral valve	56.19	56.19	090	2	0	2	1	0
33426	Α	Repair of mitral valve	62.24	62.24	090	2	0	2	1	0
33427	Α	Repair of mitral valve	67.61	67.61	090	2	0	2	1	0
33430		Replace mitral valve	65.29	65.29	090	2	Ō	2	1	Õ
33460		Revision of tricuspid	49.11	49.11	090	2	ŏ	2	1	ő
33463		Valvuloplasty	53.76	53.76	090	2	0	2	1	0
						2	_	2		
33464		Valvuloplasty	57.13	57.13	090		0		1	0
33465	A	Replace tricuspid valve	60.01	60.01	090	2	0	2	1	0
33468		Revision of tricuspid	62.82	62.82	090	2	0	2	1	0
33470		Revision of pulmonary	39.39	39.39	090	2	0	2	0	0
33471	Α	Valvotomy, pulmonary	45.41	45.41	090	2	0	2	1	0
33472		Revision of pulmonary	45.41	45.41	090	2	0	2	0	0
33474		Revision of pulmonary	46.95	46.95	090	2	0	2	1	0
33475	Α	Replacement, pulmonary	59.35	59.35	090	2	0	2	1	0
33476	A	Revision of heart	53.33	53.33	090	$\bar{2}$	ŏ	2	1	ŏ
			20.00	50.00	0,0	_	9	~	-	9

601	FEES	FOR M	MEDICAL	SERV	ЛСES	522	21.40	30
33478	A Revision of heart	55.67	55.67	090	2 (2	1	0
(35) Heart ar	nd pericardium, other valvular p	rocedure	s:					
33496	A Repair, prosthetic	56.64	56.64	090	2 (2	1	0
(36) Heart ar	nd pericardium, coronary artery	anomalie	es:					
33500	A Repair heart vein	53.21	53.21	090	2 (2	1	0
	A Repair heart vein	31.18	31.18	090	2 (2	0
	A Repair coronary artery	34.14	34.14	090	2 (1	0
	A Repair coronary artery	45.78	45.78	090	2 (1	0
	A Repair coronary artery	51.46	51.46	090	2 (1	ŏ
	A Repair artery	56.21	56.21	090	$\overline{2}$		1	ŏ
	A Repair artery	55.95	55.95	090	2 (1	ő
(37) Heart ar	nd pericardium, venous grafting	only for	bypass:					
33510	A CABG, vein, single	52.36	52.36	090	2 (2	0	0
	A CABG, vein, two	57.14	57.14	090	2 (0	0
	A CABG, vein, three	61.89	61.89	090	$\overline{2}$		0	ŏ
	A CABG, vein, four	66.67	66.67	090	2 (ŏ	ő
	A CABG, vein, five	72.95	72.95	090	$\frac{1}{2}$		ŏ	0
	A CABG, vein, six	77.96	77.96	090	2 (0	ŏ
(38) Heart ar	nd pericardium, combined arteri	al-venou	s grafting	for by	oass:			
33517	A CABG, artery-vein	5.34	5.34	090	0 (2	0	0
	A CABG, artery-vein	10.12	10.12	ZZZ	0 (0	Õ
	A CABG, artery-vein	14.87	14.87	ZZZ	0 (0	0
	A CABG, artery-vein	19.64	19.64	ZZZ	0 (ŏ	Õ
	A CABG, artery-vein	24.40	24.40	ZZZ	0 (0	0
	A CABG, artery-vein	29.17	29.17	ZZZ	0 (Õ	Ŏ
22520	A Coronary artery	12.75	12.75		0 (0
(39) Heart ar	nd pericardium, arterial grafting	for bypa	ss:					
, ,								
33533	A CABG, arterial, single	53.85	53.85	090	2.0		0	0
	A CABG, arterial, two	60.11	60.11	090	2 (0	0
	A CABG, arterial, three	66.37	66.37	090	2 (0	0
	A CABG, arterial, four	72.61	72.61	090	2 (0	0
	A Removal of heart	58.92	58.92	090	2 (1	0
33545	A Repair of heart	70.58	70.58	090	2 (2	1	0
(40) Heart ar	nd pericardium, coronary endart	erectomy	y:					
33572	A Open coronary	7.51	7.51	ZZZ	0 (2	0	0

(41) Heart a	and	pericardium, single ventricle as	nd other	r anomalie	es:					
33600	Α	Closure of valve	61.51	61.51	090	2	0	2	1	0
33602		Closure of valve	58.29	58.29	090	$\bar{2}$	ŏ	2	1	ŏ
33606	A		64.67	64.67	090	$\bar{2}$	ŏ	$\bar{2}$	1	ŏ
33608		Repair anomaly	65.37	65.37	090	2	ŏ	2	1	ő
33610		Repair by enlargement	64.42	64.42	090	2	ŏ	2	1	ŏ
33611		Repair double ventricle	67.75	67.75	090	2	0	2	1	0
33612		Repair double ventricle	69.65	69.65	090	2	0	2	1	0
33615		Repair (simple)	67.28	67.28	090	2	0	2	1	0
33617		Repair by modification	71.16	71.16	090	2	0	2	1	0
		Repair single ventricle		71.16 78.46	090	2	0	2	1	0
33619	A	Repair single ventricle	78.46	70.40	090	2	U	2	1	U
(42) Heart a	and	pericardium, septal defect:								
33641	Α	Repair heart septal	44.83	44.83	090	2	0	2	1	0
33645		Revision of heart	51.59	51.59	090	2	0	2	1	ő
33647	A	Repair heart septal	60.07	60.07	090	2	0	2	1	0
33660	A	Repair of heart	53.31	53.31	090	2	0	2	1	0
33665		Repair of heart	59.16	59.16	090	2	0	2	1	0
33670		Repair of heart	68.59	68.59	090	2	0	2	1	0
33681		Repair heart septal	57.98	57.98	090	2	ő	2	1	0
33684		Repair heart septal	61.89	61.89	090	2	0	2	1	0
33688			63.79	63.79	090	2	0	2	1	0
33690		Repair heart septal	40.89	40.89	090	2	0	2	1	0
		Reinforce pulmonary	64.70	64.70		2	0	2		
33692	A	Repair of heart			090			2	1	0
33694	A	Repair of heart	66.62	66.62	090	2	0	2	1	0
33697	Α	Repair of heart	70.53	70.53	090	2	0	2	1	0
(43) Heart a	and	pericardium, sinus of Valsalva	;							
33702	٨	Danair of heart	55.23	55.23	090	2	Λ	2	1	Λ
33702 33710		Repair of heart			090	2	$0 \\ 0$	2	1	0
	A	Repair of heart	62.00	62.00				2	0	
33720	A	Repair of heart	55.28	55.28	090	2	0	2	1 1	0
33722	Α	Repair of heart	58.17	58.17	090	2	U	2	1	0
(44) Heart a	ınd	pericardium, total anomalous j	oulmona	ary venous	drain	age:	:			
22720	۸	Danain of boost warness	66.51	66.51	000	2	Λ	_	1	Δ
33730		Repair of heart-venous	66.51	66.51	090	2	0	2	1	0
33732	A	Repair of heart-venous	58.48	58.48	090	2	0	2	1	0
(45) Heart a	ınd	pericardium, shunting procedu	res:							
33735	Δ	Revision of heart	46.92	46.92	090	2	0	2	0	Λ
						2				0
33736	A	Revision of heart	48.85	48.85	090	2	0	2	1	0
33737	A	Revision of heart	45.56	45.56	090	2	0	2	1	0
33750		Major vessel shunt	43.15	43.15	090	2	0	2	1	0
33755		Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33762	A	Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33764		Major vessel shunt	43.49	43.49	090	2	0	2	1	0
33766		Major vessel shunt	44.37	44.37	090	2	0	2	1	0
33767	Α	Atrial septectomy	49.74	49.74	090	2	0	2	1	0

]	FEES	FOR	MEDICAL	SERVICES	5221.4030

(46) Heart and pericardium,	transposition of great vessels:
-----------------------------	---------------------------------

603

33770	Α	Repair great vein	69.70	69.70	090	2	0	2	1	0
33771	Α	Repair great vein	72.39	72.39	090	2	0	2	1	0
33774	Α	Repair great vein	61.32	61.32	090	2	0	2	1	0
33775	Α	Repair great vein	62.43	62.43	090	2	0	2	0	0
33776	Α	Repair great vein	68.10	68.10	090	2	0	2	1	0
33777	Α	Repair great vein	63.57	63.57	090	2	. 0	2	0	0
33778	Α	Repair great vein	74.64	74.64	090	2	0	2	1	0
33779	Α	Repair great vein	75.41	75.41	090	2	0	2	1	0
33780	Α	Repair great vein	76.84	76.84	090	2	0	2	1	0
33781	Α	Repair great vein	75.89	75.89	090	2	0	2	0	0

(47) Heart and pericardium, truncus arteriosus:

33786	Α	Repair arterial	72.75	72.75	090	2	0	2	1	0
33788	Α	Revision of pulmonary	55.32	55.32	090	2 .	0	2	1	0

(48) Heart and pericardium, aortic anomalies:

33800	Α	Aortic suspension	29.79	29.79	090	2	0	2	2	0
33802	Α	Repair vessel division	37.17	37.17	090	2	0	2	1	0
33803	Α	Repair vessel division	40.98	40.98	090	2	0	2	1	0
33813	Α	Repair septal division	42.46	42.46	090	2	0	2	1	0
33814	Α	Repair septal division	53:72	53.72	090	2	0	2	1	0
33820	Α	Revise major vein	34.46	34.46	090	2	0	2	0	0
33822	Α	Revise major vein	36.49	36.49	090	2	0	2	1	0
33824	Α	Revise major vein	40.82	40.82	090	2	0	2	1	0
33840	Α	Remove aorta coarctation	43.73	43.73	090	2	0	2	1	0
33845	Α	Remove aorta coarctation	46.66	46.66	090	2	0	2	1	0
33851	Α	Remove aorta coarctation	44.99	44.99	090	2	0	2	1	0
33852	Α	Repair septal division	49.80	49.80	090	2	0	2	0	0
33853	Α	Repair septal division	66.61	66.61	090	2	0	2	1	0

(49) Heart and pericardium, thoracic aortic aneurysm:

33860	A Ascending aorta graft	67.76	67.76	090	2	0	2	1	0
33861	A Ascending aorta graft	68.27	68.27	090	2	0	2	1	0
33863	A Ascending aorta graft	70.04	70.04	090	2	0	2	1	0
33870	A Transverse aorta graft	83.82	83.82	090	2	0	2	1	0
33875	A Thoracic aorta graft	63.28	63.28	090	2	0	2	1	0
33877	A Thoracoabdominal	85.90	85.90	090	2	0	2	1	0

(50) Heart and pericardium, pulmonary artery:

33910	Α	Remove lung artery	38.00	38.00	090	2	0	2	1	0
33915	Α	Remove lung artery	31.92	31.92	090	2	0	2	1	0
33916		Surgery of pulmonary	42.31	42.31	090	2	0	2	1	0
33917		Repair pulmonary	51.75	51.75	090	2	0	2	1	0
33918		Repair pulmonary	54.99	54.99	090	2	0	2	1	0
33919	Α	Repair pulmonary	68.48	68.48	090	2	0	2	1	0
33920		Repair pulmonary	67.07	67.07	090	2	0	2	1	0

5221.4030	FE	ES FOR MEDICAL SERVIC	ES						6	504
33922 33924		Transect pulmonary Remove pulmonary	47.90 9.29	47.90 9.29	090 ZZZ	2 0	0	2 2	1	0 0
(51) Heart	and	pericardium, heart/lung transp	olantatio	n:						
33930	X	Removal of donor	0.00	0.00	XXX	9	9	9	9	9
33935	R		127.58	127.58	090	2	0	2	1	2
33940	X	Removal of donor	0.00	0.00	XXX	9	9	9	9	9
33945	R	Transplantation	89.04	89.04	090	2	0	2	1	2
(52) Heart	and	pericardium, cardiac assist:								
33960	Α	External circulation	24.87	24.87	XXX	0	0	2	1	0
33961	Α	External circulation	17.21	17.21	XXX	0	0	2	1	0
33970		Aortic circulation	13.86	13.86	000	2	0	2	1	0
33971		Aortic circulation	14.28	14.28	090	2	0	1	0	0
33973			16.70	16.70	000	2	0	2	1	0
33974		Remove intra-aortic	18.95	18.95	090	2	0	1	0	0
33975	A	Implant ventricular	34.84	34.84	090	2	0	2	0	0
33976	A	Implant ventricular	47.17	47.17	090	2 2	2	2	0	0
33977 33978		Remove ventricular Remove ventricular	30.84 34.96	30.84	090	2	0	2	0	0
33976	А	Remove ventricular	34.90	34.96	090	2	2	2	U	U
(53) Heart	and	pericardium, other procedures	s:							
33999	C	Cardiac surgery	0.00	0.00	YYY	2	0	2	1	1
(54) Arteri	es ai	nd veins, embolectomy/thromb	ectomy:							
34001	Α	Removal of artery	22.00	22.00	090	2	1	2	1	0
34051		Removal of artery	23.19	23.19	090	2	1	2	1	0
34101		Removal of artery	18.05	18.05	090	2	1	2	1	0
34111	Α	Removal of arm	15.53	15.53	090	2	1	2	1	0
34151	Α	Removal of artery	28.18	28.18	090	2	1	2	1	0
34201		Removal of artery	17.87	17.87	090	2	1	2	1	0
34203	Α	Removal of leg	20.37	20.37	090	2	1	2	1	0
34401	Α	Removal of vein	20.24	20.24	090	2	1	2	1	0
34421	A	Removal of vein	17.04	17.04	090	2	1	2	1	0
34451	A	Removal of vein	24.61	24.61	090	2	1	2	1	0
34471		Removal of vein	12.94	12.94	090	2	1	1	1	0
34490	А	Removal of vein	14.77	14.77	090	2	1	1	0	0
(55) Arterio	es ar	nd veins, venous reconstruction	1:							
34501	Α	Repair valve, femoral	17.50	17.50	090	2	1	2	1	0
34502	A	Reconstruct, vena cava	44.49	44.49	090	2	0	2	0	0
34510	A	Transposition Transposition	21.19	21.19	090	2	1	2	1	0
34520	A	Cross-over vein graft	22.09	22.09	090	2	1	2	1	0
34530		Leg vein fusion	28.71	28.71	090	2	1	2	1	0
		<i>9</i>				~	_	_	_	-

(56) Arteries and veins, repair of and graft for aneurysm:

(30) Arter	iles ai	id venis, repair of and graft i	or aneurys	SIII:						
35001	Α	Repair defect occlusive	34.94	34.94	090	2	1	2	1	0
35002	Α	Repair artery ruptured	32.60	32.60	090	2	1	2	1	0
35005	Α	Repair defect occlusive	27.59	27.59	090	2	1	2	1	0
35011	Α	Repair defect occlusive	24.48	24.48	090	2	1	2	1	0
35013	Α	Repair artery ruptured	31.67	31.67	090	2	1	2	1	0
35021	Α	Repair defect occlusive	37.04	37.04	090	2	1	2	1	0
35022	Α	Repair artery ruptured	36.86	36.86	090	2	1	2	1	0
35045	Α	Repair defect occlusive	23.53	23.53	090	2	1	2	1	0
35081	Α	Repair defect occlusive	48.45	48.45	090	2	0	2	1	0
35082	Α	Repair artery ruptured	57.66	57.66	090	2	0	2	1	0
35091	Α	Repair defect occlusive	56.38	56.38	090	2	1	2	1	0
35092	Α	Repair artery ruptured	63.10	63.10	090	2	1	2	1	0
35102	Α	Repair defect occlusive	51.70	51.70	090	2	1	2	1	0
35103	Α	Repair artery ruptured	58.62	58.62	090	2	1	2	1	0
35111	Α	Repair defect occlusive	33.96	33.96	090	2	1	2	1	0
35112	Α	Repair artery ruptured	28.29	28.29	090	2	1	2	1	0
35121	Α	Repair defect occlusive	44.08	44.08	090	2	1	2	0	0
35122	Α	Repair artery ruptured	49.86	49.86	090	2	1	2	1	0
35131	Α	Repair defect occlusive	33.92	33.92	090	2	1	2	1	0
35132	Α	Repair artery ruptured	39.94	39.94	090	2	1	2	1	0
35141	Α	Repair defect occlusive	28.91	28.91	090	2	1	2	1	0
35142	Α	Repair artery ruptured	31.74	31.74	090	2	1	2	1	0
35151	Α	Repair defect occlusive	31.89	31.89	090	2	1	2	1	0
35152	Α	Repair artery ruptured	25.19	25.19	090	2	1	2	1	0
35161	Α	Repair defect occlusive	34.11	34.11	090	2	1	2	1	0
35162	Α	Repair artery ruptured	37.97	37.97	090	2	1	2	1	0
(57) Arter	ries ar	nd veins, repair arteriovenous	s fistula:							
35180	Α	Repair blood vein	20.30	20.30	090	2	0	2	1	0
35182	Α	Repair blood vein	27.28	27.28	090	2	0	2	1	0
35184	Α	Repair blood vein	21.60	21.60	090	2	0	2	1	0
25400			04 (5		000	_	_	_	_	_

35180	A Repair bloo	d vein	20.30	20.30	090	2	0	2	1	0
35182	A Repair bloo	d vein	27.28	27.28	090	2	0	2	1	0
35184	A Repair bloo	d vein	21.60	21.60	090	2	0	2	1	0
35188	A Repair bloo	d vein	21.67	21.67	090	2	0	2	1	0
35189	A Repair bloo	d vein	28.89	28.89	090	2	0	2	1	0
35190	A Repair bloo	d vein	22.74	22.74	090	2	0	2	1	0

(58) Arteries and veins, repair vessel, other than for fistula:

35201	Α	Repair blood vein	19.87	19.87	090	2	1	2	1	0
35206		Repair blood vein	19.32	19.32	090	2	1	2	1	0
35207	Α	Repair blood vein	20.71	20.71	090	2	1	1	1	0
35211	Α	Repair blood vein	34.43	34.43	090	2	1	2	1	0
35216	Α	Repair blood vein	28.48	28.48	090	2	1	2	1	0
35221	Α	Repair blood vein	26.83	26.83	090	2	1	2	1	0
35226	Α	Repair blood vein	18.93	18.93	090	2	1	2	1	0
35231	Α	Repair blood vein	25.25	25.25	090	2	1	2	1	0
35236	Α	Repair blood vein	22.18	22.18	090	2	1	2	1	0
35241	Α	Repair blood vein	35.45	35.45	090	2	1	2	1	0
35246	Α	Repair blood vein	35.57	35.57	090	2	1	2	1	0
35251	Α	Repair blood vein	26.18	26.18	090	2	1	2	1	0
35256	Α	Repair blood vein	23.63	23.63	090	2	1	2	1	0
35261	Α	Repair blood vein	24.38	24.38	090	2	1	2	1	0
35266	Α	Repair blood vein	21.62	21.62	090	2	1	2	1	0
		-								

5221.4030	FE	ES FOR MEDICAL SERVICE	CES						ć	606
35271	Α	Repair blood vein	33.60	33.60	090	2	1	2	1	0
35276	Α	Repair blood vein	28.75	28.75	090	2	1	2	1	0
35281	Α	Repair blood vein	33.51	33.51	090	2	1	2	1	0
35286	Α	Repair blood vein	23.37	23.37	090	2	1	2	1	0
(59) Arteri	ies a	nd veins, thromboendarterect	omy:							
35301		Rechanneling	32.49	32.49	090	2	1	2	1	0
35311		Rechanneling	45.50	45.50	090	2	1	2	1	0
35321	Α	Rechanneling	24.87	24.87	090	2	1	2	1	0
35331		Rechanneling	35.70	35.70	090	2	1	2	1	0
35341		Rechanneling	41.52	41.52	090	2	1	2	1	0
35351		Rechanneling	34.33	34.33	090	2	1	2	1	0
35355	Α	Rechanneling	31.15	31.15	090	2	1	2	1	0
35361	Α	Rechanneling	42.27	42.27	090	2	1	2	1	0
35363	Α	Rechanneling	46.81	46.81	090	2	1	2	1	0
35371	Α	Rechanneling	24.03	24.03	090	2	1	2	1	0
35372		Rechanneling	24.39	24.39	090	2	1	2	1	0
35381	Α	Rechanneling	29.05	29.05	090	2	1	2	1	0
35390	Α		4.72	4.72	ZZZ	0	1	2	1	0
(60) Arteri		nd veins, angioscopy: Angioscopy	5.07	5.07	ZZZ	0	0	0	1	0
(61) Arteri	es ai	nd veins, transluminal angiopl	asty:							
35450		Repair arterial	20.61	20.61	000	2	1	2	1	0
35452		Repair arterial	10.81	10.81	000	2	1	2	1	0
35454	Α	1	12.74	12.74	000	2	1	2	1	0
35456	Α	Repair arterial	15.42	15.42	000	2	1	2	1	0
35458	Α	Repair arterial	19.41	19.41	000	2	1	2	1	0
35459		Repair arterial	17.93	17.93	000	2	1	2	1	0
35460	Α		8.94	8.94	000	2	1	1	1	0
35470	A		17.93	17.93	000	2	1	1	0	0
35471		Repair arterial	20.61	20.61	000	2	1	1	0	0
35472 35473		Repair arterial	10.23	10.23	000	2	1	0	1	0
35473 35474		Repair arterial	12.74	12.74	000	2	1	1	0	0
35474 25475	A	Repair arterial	15.44	15.44	000	2	1	1	0	0
35475 35476	R	Repair arterial	19.41	19.41	000	2	1 1	1 1	0	0
35476	A	Repair venous	8.94	8.94	000	2	1	1	0	0
(62) Arteri	es ai	nd veins, transluminal atherec	tomy:							
35480	Α	Atherectomy, open	22.59	22.59	000	2	0	2	2	0
35481		Atherectomy, open	11.45	11.45	000	2	0	2	2	0
35482		Atherectomy, open	13.95	13.95	000	2	0	2	2	0
35483		Atherectomy, open	16.89	16.89	000	2	0	2	2	0
35484		Atherectomy, open	20.27	20.27	000	2	0	2	2	0
35485		Atherectomy, open	13.57	13.57	000	2	0	2	2	0
35490		Atherectomy, peripheral	22.59	22.59	000	2	0	2	2	0
35491	Α	Atherectomy, peripheral	11.45	11.45	000	2	0	2	2	0

607		1	FEES	FOR	MEDICAL	SERV	/ICE	ES	522	1.40	30
35492	Α	Atherectomy, periphera	ıl	13.95	5 13.95	000	2	0	2	2	0
35493		Atherectomy, periphera		16.89	16.89	000	2	0	1	2	0
35494	Α	Atherectomy, periphera		20.27		000	2	0	1	2	0
35495	Α	Atherectomy, periphera		13.57	7 13.57	000	2	0	0	2	0
(63) Arterio	es ar	nd veins, bypass graft:									
35501		Artery bypass graft		38.04		090	2	1	2	1	0
35506		Artery bypass graft		38.38		090	2	1	2	1	0
35507	Α	Artery bypass graft		37.16		090	2	1	2	1	0
35508		Artery bypass graft		36.32		090	2	1	2	1	0
35509		Artery bypass graft		36.82		090	2	1	2	1	0
35511		Artery bypass graft		26.38		090	2	1	2	1	0
35515	Α	Artery bypass graft		28.91		090	2	1	2	1	0
35516	A	Artery bypass graft		33.55		090	2	1	2	1	0
35518 35521	A	Artery bypass graft		32.24		090	2	1 1	2	1	0
35521 35526		Artery bypass graft		33.45 32.01		090	2	1	2	1	0
35531	A A	Artery bypass graft		44.96		090 090	2	1	2	$\frac{1}{1}$	$0 \\ 0$
35533		Artery bypass graft Artery bypass graft		41.39		090	2	1	2	1	0
35536		Artery bypass graft		43.92		090	2	1	2	1	0
35541		Artery bypass graft		44.32		090	2	0	2	1	ŏ
35546	A	Artery bypass graft		46.20		090	$\overline{2}$	1	2	1	ŏ
35548		Artery bypass graft		40.48		090	2	Ô	2	1	Ŏ
35549	Α	Artery bypass graft		44.21		090	2	2	2	1	0
35551	Α	Artery bypass graft		44.94	44.94	090	2	1	2	1	0
35556		Artery bypass graft		39.87	39.87	090	2	1	2	1	0
35558		Artery bypass graft		29.44	29.44	090	2	1	2	1	0
35560	Α	Artery bypass graft		43.09		090	2	1	2	1	0
35563	Α	Artery bypass graft		22.72		090	2	1	2	1	0
35565	Α	Artery bypass graft		31.76		090	2	1	2	1	0
35566		Artery bypass graft		46.61		090	2	1	2	1	0
35571		Artery bypass graft		37.70		090	2	1	2	1	0
35582		Vein bypass graft		50.26		090	2	1	2	1	0
35583	A	Vein bypass graft		42.33		090	2	1	2	1	0
35585	A	Vein bypass graft		50.49		090	2	1	2	1	0
35587 35601	A	Vein bypass graft		39.82		090 090	2 2	1	2	1 1	$0 \\ 0$
35606	A A	Artery bypass graft Artery bypass graft		35.91 35.87		090	2	1	2	1	0
35612		Artery bypass graft Artery bypass graft		32.31		090	2	1	2	1	0
35616	A	Artery bypass graft		32.36		090	2	1	2	1	0
35621	A	Artery bypass graft		30.74		090	2	1	2	1	0
35623	A	Artery bypass graft		23.91		090	$\overline{2}$	1	$\overline{2}$	î	ŏ
35626		Artery bypass graft		43.51		090	2	1	2	1	0
35631		Artery bypass graft		41.56		090	2	1	2	1	Ŏ
35636	Α	Artery bypass graft		34.78		090	2	1	2	1	0
35641	Α	Artery bypass graft		44.41		090	2	0	2	1	0
35642	Α	Artery bypass graft		27.51	27.51	090	2	1	2	1	0
35645		Artery bypass graft		27.76		090	2	1	2	1	0
35646	Α	Artery bypass graft		49.01		090	2	1	2	1	0
35650	Α	Artery bypass graft		30.26		090	2	1	2	1	0
35651		Artery bypass graft		48.59		090	2	1	2	1	0
35654		Artery bypass graft		39.10		090	2	1	2	1	0
35656		Artery bypass graft		36.84		090	2	1	2	1	0
35661	A	Artery bypass graft		27.79		090	2	1	2	1	0
35663	Α	Artery bypass graft		30.02	2 30.02	090	2	1	2	1	0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						6	808
35665 35666 35671 35681	A A	Artery bypass graft Artery bypass graft Artery bypass graft Artery bypass graft	32.31 39.00 30.75 17.81	32.31 39.00 30.75 17.81	090 090 090 ZZZ	2 2 2 0	1 1 1 1	2 2 2 2	1 1 1 1	0 0 0 0
(64) Arteri	es a	nd veins, arterial transposition:								
35691 35693 35694 35695	A A	Arterial transposition Arterial transposition Arterial transposition Arterial transposition	37.44 24.08 27.60 27.60	37.44 24.08 27.60 27.60	090 090 090 090	2 2 2 2	1 1 1 1	2 2 2 2	1 1 1 1	0 0 0 0
(65) Arteri	es a	nd veins, exploration:								
35700 35701 35721 35741 35761 35800 35820 35840 35860 35875 35876 35901 35903 35905 35907	A A A A A A A A A A A A A A A A A A A	Exploration, femoral	4.56 11.35 10.78 11.04 11.12 12.01 20.13 16.65 11.28 31.77 17.93 21.25 15.18 16.26 24.25 25.21	4.56 11.35 10.78 11.04 11.12 12.01 20.13 16.65 11.28 31.77 17.93 21.25 15.18 16.26 24.25 25.21	222 090 090 090 090 090 090 090 090 090	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(66) Arteri	es ai	nd veins, intravenous:								
36000 36005 36010 36011 36012 36013 36014 36015	A A A A A	Place needle Injection, venography Place catheter	0.42 1.34 4.42 4.81 5.95 4.50 5.09 5.95	0.28 1.34 4.42 4.81 5.95 4.50 5.09 5.95	XXX 000 XXX XXX XXX XXX XXX XXX	2 2 2 2 2 2 2 2 2 2	1 0 1 1 1 0 1	1 0 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(67) Arteri	es ai	nd veins, intra-arterial, intra-aoi	rtic:							
36100 36120 36140 36145 36160 36200 36215 36216	A A A A A	Establish access Establish access Establish access Artery to vein Establish access Place catheter Place catheter Place catheter	5.42 4.12 3.32 4.23 4.72 5.53 7.06 8.12	5.42 4.12 3.32 4.23 4.72 5.53 7.06 8.12	XXX XXX XXX XXX XXX XXX XXX XXX	2 2 2 2 2 2 2 2 2	1 0 0 0 0 1 1 1	1 1 1 1 1 1 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0

609		FEES	FOR N	IEDICA	L SERV	ICES	52	21.40	030
36217	٨	Place catheter	9.68	9.68	XXX	2	1	0	Λ
36217	A	Place catheter	1.54	1.54	XXX	0 (0
36245		Place catheter	7.43	7.43	XXX	2		0	
	A								0
36246	A	Place catheter	8.12	8.12	XXX	2			0
36247	A	Place catheter	9.68	9.68	XXX	2		0	0
36248		Place catheter	1.54	1.54	XXX	0 (0	0
36260		Insert infusion pump	16.10	16.10	090	2 (0	0
36261		Revise infusion pump	7.33	7.33	090		_	0	0
36262	C	Remove infusion pump	5.73	5.73	090	2 (0 1	0
36299	C	Vessel injection	0.00	0.00	YYY	2 (, 0	1	1
(68) Arterio	es a	nd veins, venous:							
36400	Α	Drawing blood	0.26	0.21	XXX	2 () 1	0	0
36405	Α	Drawing blood	0.61	0.40	XXX	2 (0	0
36406	Α	Drawing blood	0.32	0.25	XXX	2 (0	Ŏ
36410		Drawing blood	0.39	0.27	XXX	2 (Ŏ	0
36415	Ι	Drawing blood	0.00	0.00	XXX	9			9
36420	Ā	Establish access	1.44	1.44	XXX	2 (Ó	ó
36425	Α	Establish access	0.77	0.77	XXX	2		ő	ŏ
36430	A	Blood transfusion	0.97	0.50	XXX	$\tilde{0}$		0	ŏ
36440	A	Blood transfusion	1.88	1.88	XXX	2 (ő
36450	A	Exchange transfusion	3.94	3.03	XXX	2		ő	ŏ
36455	A	Exchange transfusion	4.52	4.52	XXX	$\tilde{2}$		ŏ	0
36460	A		11.13	11.13	XXX	2 (ŏ	0
36468	R	Injection(s)	0.00	0.00	XXX	2 (0	0
36469	R	Injection(s)	0.00	0.00	XXX	2 (0	0
36470	A	Injection therapy	1.27	1.14	010	2 (ő	0
36471	Α	Injection therapy	1.83	1.64	010	$\frac{2}{2}$		ŏ	0
36481	A	Insertion of catheter	11.80	11.80	000	2 (0	0
36488	A	Insertion of catheter	2.24	2.24	000	$\tilde{0}$		ő	0
36489	Α	Insertion of catheter	2.28	2.28	000	0 (ő	0
36490	A	Insertion of catheter	2.96	2.96	000	0 (ő	0
36491	A	Insertion of catheter	2.99	2.99	000	0 (ő	0
36493	Α	Repositioning catheter	1.80	1.80	000	2 (0	0
36500	A	Insertion of catheter	3.28	3.28	000	2 (0	0
36510	A	Insertion of catheter	1.33	1.16	000	2 (0	0
36520	A	Plasma/cell exchange	3.49	3.49	000	2		0	ő
36522		Photopheresis	4.12	3.50	000	2		0	0
36530		Insert infusion pump	10.85	10.85	010	2 (ő
36531		Revise infusion pump	8.79	8.79	010	2 (0
36532		Remove infusion pump	4.91	4.91	010	2			0
36533	A	Insert access port	9.44	9.44	010	$\frac{2}{2}$			0
36534		Revise access port	5.63	5.63	010	2 (0
36535		Remove access port	4.02	4.02	010	2 (0	0
(69) Arterio	es a	nd veins, arterial:							
36600	Δ	Withdrawal of blood	0.57	0.57	XXX	2 () 1	0	0
36620		Insertion of catheter	1.76	1.76	000	0 (0
36625		Insertion of catheter	2.85	2.85	000	0 (-	0
36640		Insertion of catheter	4.36	4.36	000	2 (0	0
36660	A	Insertion of catheter	1.77	1.77	000	0 (0	0	0

(70) ALICIN	es ai	nd veins, intraosseous:								
36680	Α	Insert needle, infusion	2.34	2.34	000	2	0	0	0	0
(71) Arterio	es ai	nd veins, intervascular cannuli	zation or	shunt:						
36800	Α	Insertion of cannula	4.50	4.50	000	2	0	1	0	0
36810	Α	Insertion of cannula	8.23	8.23	000	2	0	1	0	0
36815	Α	Insertion of cannula	5.55	5.55	000	2	0	1	0	0
36821	Α	Artery-vein	15.91	15.91	090	2	0	2	1	0
36822	Α	Insertion of cannula	10.75	10.75	090	2	0	1	0	0
36825	Α	Artery-vein graft	20.60	20.60	090	2	0	2	1	0
36830	Α	Artery-vein graft	21.82	21.82	090	2	0	2	1	0
36832	Α	Revise artery-vein	14.03	14.03	090	2	0	2	1	0
36834	Α	Repair A-V aneurysm	17.46	17.46	090	2	0	2	1	0
36835	Α	Artery to vein	10.23	10.23	090	2	0	1	0	0
36860		Cannula declotting	4.54	4.20	000	2	0	1	0	0
36861		Cannula declotting	5.52	5.52	000	2	0	1	0	0
		J								
(72) Arterio	es ai	nd veins, portal decompression	n procedu	ıres:						
37140	Α	Revision	39.00	39.00	090	2	0	1	1	0
37145	A	Revision	39.84	39.84	090	$\bar{2}$	ŏ	2	Ô	ŏ
37160	A	Revision	38.83	38.83	090	2	ő	2	1	0
37180		Revision	37.57	37.57	090	2	ő	2	1	0
37181	A	Splice spleen/kidney	42.01	42.01	090	2	Ö	2	1	ŏ
37101		Spires spicelly Mailey	12.01	12.01	070	_	Ů	~	•	Ü
(73) Arterio	es ai	nd veins, transcatheter proced	ures:							
37195	Α	Thrombolytic therapy	7.72	7.72	XXX	0	0	0	0	0
37200	Α	Transcatheter biopsy	5.75	5.75	000	2	0	1	0	0
37201	Α	Transcatheter therapy			000	2	Λ	1	0	0
37202	Α		10.20	10.20	000	_	0	-		
37203	$\boldsymbol{\Gamma}$	Transcatheter therapy	10.20 9.59	10.20 9.59	000	2	0	1	0	0
3/203	A	Transcatheter therapy Transcatheter retrieval				2			$0 \\ 0$	$\begin{array}{c} 0 \\ 0 \end{array}$
37204			9.59	9.59	000	2 2 2	0	1	$0 \\ 0$	0 0 0
	Α	Transcatheter retrieval	9.59 8.50	9.59 8.50	000 000	2	$0 \\ 0$	1 1	0 0 2	0 0 0 0
37204	A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents	9.59 8.50 30.64	9.59 8.50 30.64	000 000 000	2 2 2 2 0	0 0 0 0	1 1 1 0 0	0 0 2 2	0 0 0 0
37204 37205	A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents	9.59 8.50 30.64 12.73 6.36 12.73	9.59 8.50 30.64 12.73 6.36 12.73	000 000 000 000	2 2 2 2	0 0 0 0	1 1 1 0	0 0 2	0 0 0 0
37204 37205 37206	A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents	9.59 8.50 30.64 12.73 6.36	9.59 8.50 30.64 12.73 6.36	000 000 000 000 2ZZZ 000 ZZZ	2 2 2 2 0 2 0	0 0 0 0 0 1	1 1 1 0 0 2 2	0 0 2 2 2 2	0 0 0 0 0 0
37204 37205 37206 37207	A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents	9.59 8.50 30.64 12.73 6.36 12.73	9.59 8.50 30.64 12.73 6.36 12.73	000 000 000 000 ZZZ 000	2 2 2 2 0 2	0 0 0 0 0 1	1 1 1 0 0 2	0 0 2 2 2	0 0 0 0 0
37204 37205 37206 37207 37208	A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents	9.59 8.50 30.64 12.73 6.36 12.73 6.36	9.59 8.50 30.64 12.73 6.36 12.73 6.36	000 000 000 000 2ZZZ 000 ZZZ	2 2 2 2 0 2 0	0 0 0 0 0 1	1 1 1 0 0 2 2	0 0 2 2 2 2	0 0 0 0 0 0
37204 37205 37206 37207 37208 37209	A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	000 000 000 000 2ZZZ 000 ZZZ	2 2 2 2 0 2 0	0 0 0 0 0 1	1 1 1 0 0 2 2	0 0 2 2 2 2	0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterie	A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	000 000 000 000 ZZZ 000 ZZZ 000	2 2 2 0 2 0 2	0 0 0 0 0 1 0 0	1 1 0 0 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterio	A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial Intravascular ultrasound	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 und service 3.08	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	000 000 000 000 ZZZ 000 ZZZ 000	2 2 2 2 0 2 0 2	0 0 0 0 0 1 0 0	1 1 0 0 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterie	A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	000 000 000 000 ZZZ 000 ZZZ 000	2 2 2 0 2 0 2	0 0 0 0 0 1 0 0	1 1 0 0 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterio	A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial Intravascular ultrasound	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 und service 3.08	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48	000 000 000 000 ZZZ 000 ZZZ 000	2 2 2 2 0 2 0 2	0 0 0 0 0 1 0 0	1 1 0 0 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterie 37250 37251	A A A A A A A A A A A A A A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial Intravascular ultrasound	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 und service 3.08 2.35	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 ces:	000 000 000 000 ZZZ 000 ZZZ 000	2 2 2 2 0 2 0 2	0 0 0 0 0 1 0 0	1 1 0 0 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterio 37250 37251 (75) Arterio	A A A A A A A A A A A A A A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial Intravascular ultrasound Intravascular ultrasound Intravascular ultrasound Intravascular ultrasound	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 und service 3.08 2.35	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 ces:	000 000 000 000 ZZZ 000 ZZZ 000	2 2 2 2 0 2 0 2 0 0	0 0 0 0 0 1 0 0	1 1 0 0 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterie 37250 37251	A A A A A A A A A A A A A A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial Intravascular ultrasound	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 und service 3.08 2.35	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 ees:	000 000 000 2ZZZ 000 ZZZ 000	2 2 2 2 0 2 0 2	0 0 0 0 0 1 0 0	1 1 1 0 0 2 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0
37204 37205 37206 37207 37208 37209 (74) Arterio 37250 37251 (75) Arterio	A A A A A A A A A A A A A A A A A A A	Transcatheter retrieval Transcatheter occlusion Transcatheter stents Transcatheter stents Transcatheter stents Transcatheter stents Exchange arterial Intravascular ultrasound Intravascular ultrasound Intravascular ultrasound Intravascular ultrasound	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 und service 3.08 2.35	9.59 8.50 30.64 12.73 6.36 12.73 6.36 3.48 ees: 3.08 2.35	000 000 000 2ZZZ 000 ZZZ 000 ZZZ 2ZZ 2ZZ	2 2 2 2 0 2 0 2 0 0	0 0 0 0 0 1 0 0 0	1 1 1 0 0 2 2 2 1	0 0 2 2 2 2 2 0	0 0 0 0 0 0 0

611		FEES	FOR M	IEDICAL	SERV	ЛСІ	ES	522	1.40	30
37606	٨	Ligation of neck	11.82	11.82	090	2	0	2	0	0
37607	A	Ligation of fistula	8.94	8.94	090	2	0	1	1	0
37609	A	Temporal artery	4.44	4.44	010	2	ŏ	1	Ô	ŏ
37615	A	Ligation of neck	11.24	11.24	090	2	ŏ	2	1	ŏ
37616	Α	Ligation of chest	19.49	19.49	090	2	Õ	2	1	Ŏ
37617	A	Ligation of abdomen	23.06	23.06	090	2	Õ	$\bar{2}$	1	Ŏ
37618	Α	Ligation of extremity	9.79	9.79	090	2	0	2	1	0
37620	Α	Revision of major vein	18.91	18.91	090	2	0	1	1	0
37650	Α	Revision of major vein	8.83	8.83	090	2	1	1	1	0
37660	Α	Revision of major vein	15.78	15.78	090	2	0	2	1	0
37700	Α	Revise leg vein	7.30	7.30	090	2	1	1	0	0
37720	Α	Removal of leg vein	10.65	10.65	090	2	1	1	1	0
37730	A	Removal of leg vein	14.14	14.14	090	2	1	1	1	0
37735	A	Removal of leg vein	18.54	18.54	090	2	1	2	1	0
37760	A	Revision of leg vein	17.57	17.57	090	2	0	2	1	0
37780	A	Revision of leg vein	5.50	5.50	090	2	1	1	1	0
37785	A A	Revise secondary veins Revascularization	4.57 35.42	4.57	090 090	2	1	1 2	$0 \\ 1$	0
37788 37790	A	Penile venous occlusive	13.38	35.42 13.38	090	2	0	0	0	0
37790 37799	Ĉ	Vascular surgery	0.00	0.00	YYY	2	0	0	1	1
31177	C	v ascular surgery	0.00	0.00	111	۷	U	U	1	1
(76) Spleen,	ex	cision:								
38100	Α	Removal of spleen	21.07	21.07	090	2	0	2	1	0
38101	Α	Removal of spleen	20.06	20.06	090	2	0	2	1	0
38102	Α	Removal of spleen	7.10	7.10	ZZZ	0	0	2	1	0
(77) Spleen,	, re _l	pair:								
38115	Α	Repair ruptured spleen	21.08	21.08	090	2	0	2	1	0
(78) Spleen,	, int	roduction:								
38200	Α	Splenoportography	4.13	4.13	000	2	0	0	0	0
(70) Pono m	• • • •	any or stom cell transministration								
(79) Bolle II	laii	ow or stem cell transplantation	1 SELVICE	S.						
38230	R	Bone marrow collection	6.92	6.92	010	2	0	0	0	0
38231	R	Stem cell collection	2.73	2.73	000	2	0	0	0	0
38240	R	Bone marrow/stem	4.12		XXX	2	0	0	0	0
38241	R	Bone marrow/stem	4.08	4.08	XXX	2	0	0	0	0
(80) Lymph	no	des and lymphatic channels, in	cision:							
38300	Α	Drain lymph abscess	2.00	1.72	010	2	0	1	0	0
38305	A	Drain lymph abscess	6.28	6.28	090	2	ŏ	1	ŏ	ŏ
38308	Α	Incision of lymph	8.00	8.00	090	2	0	2	1	0
38380	Α	Thoracic duct	11.48	11.48	090	2	0	2	1	0
38381	A	Thoracic duct	19.82	19.82	090	2	0	2	1	0
38382	A	Thoracic duct	14.45	14.45	090	2	0	2	1	0

(81) Lympl	n no	des and lymphatic channels, ex	cision:							
38500	Α	Biopsy/removal	4.32	4.32	010	2	1	1	0	0
38505	A	Needle biopsy	2.21	1.67	000	2	1	1	0	ő
38510	A	Biopsy/removal	6.46	6.46	090	2	1	1	0	ŏ
38520	A		7.84	7.84	090	2	1	1	0	0
38525		Biopsy/removal	7.02	7.02	090	2	1	1	0	0
	A					2	1	2		
38530	A	Biopsy/removal	8.99	8.99	090			2	1	0
38542		Explore deep node	9.81	9.81	090	2	1		1	0
38550		Removal of neck/arm	9.58	9.58	090	2	0	0	0	0
38555	Α	Removal of neck/arm	20.74	20.74	090	2	0	2	1	0
(82) Lymph	no no	des and lymphatic channels, lir	nited lyn	nphaden	ectomy	for	stag	ing:		
38562	Α	Removal, pelvic	16.83	16.83	090	2	2	2	1	0
38564		Removal, abdomen	17.80	17.80	090	2	ō	2	1	Ŏ
30301	11	Romovai, abdomon	17.00	17.00	070	_		-	_	Ü
(83) Lymph	no no	des and lymphatic channels, ra	dical lym	nphaden	ectomy:					
38700	Α	Removal of lymph	16.95	16.95	090	2	1	2	1	0
38720		Removal of lymph	27.94	27.94	090	2	1	2	1	0
38724		Removal of lymph	28.17	28.17	090	2	ō	2	î	ő
38740		Remove armpit	11.26	11.26	090	2	ŏ	2	1	ŏ
38745			16.99	16.99	090	2	ŏ	2	1	ő
38746	A		6.49	6.49	ZZZ	0	0	2	1	0
38747	A	Remove abdominal lymph	7.24	7.24	ZZZ	0	0	2	1	0
38760		Remove groin lymph	15.08	15.08	090	2	1	2	1	0
38765	A	Remove groin lymph	28.15	28.15	090	2	1	2	1	0
38770		Remove grow lymph Remove pelvis lymph	27.02	27.02	090	2	1	2	1	0
						2	0	2	1	0
38780	А	Remove abdomen lymph	32.30	32.30	090	2	U	2	Ţ	U
(84) Lymph	no	des and lymphatic channels, in	troductio	on:						
38790	Α	Injection for lymphatic	2.86	2.65	000	2	1	1	0	0
38794	A		6.99	6.99	090	2	Ō	0	0	0
(85) Lymph	ı no	des and lymphatic channels, ot	her proc	edures:						
20000	C	Dlood/humanh quatom	0.00	0.00	VVV	2	0	2	1	1
38999	C	Blood/lymph system	0.00	0.00	YYY	2	0	2	1	1
(86) Media	stinı	um, incision:								
39000	Δ	Exploration	11.98	11.98	090	2	0	2	1	0
39000		Exploration	22.92	22.92	090	2	0	2	1	0
37010	Д	Exploration	<i>,7</i> _	<i>LL.7L</i>	030	2	U	۷	1	U
(87) Medias	stinı	um, excision:								
39200	Δ	Removal of chest lesion	24.73	24.73	090	2	0	2	1	0
39200 39220	A	Removal of chest lesion	31.81	31.81	090	2	0	2	1	0
J722U	$\boldsymbol{\Lambda}$	Removal of chest lesion	21.01	51.01	070	4	U	2	1	U

613			FEES	FOR 1	MEDICAL	SERV	ЛСІ	ES	522	1.40	30
(88) Medias	stin	um, endoscopy:									
39400	Α	Visualization		10.56	10.56	010	2	0	1	0	0
(89) Medias	stin	um, other procedures:									
39499	С	Chest surgery		0.00	0.00	YYY	2	0	2	1	1
(90) Diaphi	ragn	n, repair:									
39501 39502 39503 39520 39530 39531 39540 39541 39545	A A	Repair of diaphragm Repair paraesophagea Repair of diaphragm Repair of diaphragm Repair of diaphragm Repair of diaphragm Repair of diaphragm Repair of diaphragm Revision of diaphragm		23.43 27.70 57.58 28.08 29.06 25.56 25.05 26.13 20.49	27.70 57.58 28.08 29.06 25.56 25.05 26.13	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0
(91) Diaphr	agn	n, other procedures:									
39599	С	Diaphragm surgery		0.00	0.00	YYY	2	0	2	1	1
(92) Lips, e.	xcis	ion:									
40490 40500 40510 40520 40525 40527 40530	Α			1.86 8.95 9.72 8.96 15.67 18.90 10.24	8.95 9.72 8.96 15.67 18.90	000 090 090 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	1 1 1 1 0 1	0 0 0 0 0 0	0 0 0 0 0 0
(93) Lips, ro	epa	ir:									
40650 40652 40654 40700 40701 40702 40720 40761	A A A A A A	Repair lip Repair lip Repair lip Repair cleft lip		7.53 8.83 11.01 20.49 33.95 21.50 22.55 24.79	8.83 11.01 20.49 33.95 21.50 22.55	090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2	0 0 0 0 2 2 1 0	0 0 1 0 2 2 0 1	0 0 0 0 0 0 0	0 0 0 0 0 0
(94) Lips, o	the	r procedures:									
40799	C	Lip surgery		0.00	0.00	YYY	2	0	2	1	1

(95) Vestib	ule	of mouth, incision:								
40800	Α	Drainage of mouth	1.82	1.46	010	2	0	1	0	0
40801	Α		4.03	3.21	010	2	0	1	0	0
40804	Α		1.72	1.44	010	2	0	0	0	0
40805	Α	Removal of foreign body	5.02	5.02	010	2	0	.0	0	0
40806	Α		0.65	0.65	000	2	0	0	0	0
		.	0.00	3.00		_	ŭ	Ů	ŭ	
(96) Vestib	ule	of mouth, excision, destruction:								
40808	Α	Biopsy of mouth	1.65	1.28	010	2	.0	1	0	0
40810		Excision of mouth	2.39	1.82	010	2	0	1	0	0
40812		Excise/repair mouth	3.62	2.90	010	2	0	1	0	0
40814	Α	Excise/repair mouth	6.40	4.84	090	2	0	1	0	0
40816	Α		6.62	5.07	090	2	0	1	0	0
40818	Α	Excise mucosa	4.47	4.47	090	2	0	0	0	0
40819		Excise lip or cheek	3.45	2.86	090	2	Ŏ	0	0	Ō
40820		Treatment of mouth	1.71	1.45	010	2	Ŏ	1	Õ	0
.0020				27.0	0.20	_	Ū	-	•	Ů
(97) Vestib	ule	of mouth, repair:								
40830	Α	Repair mouth laceration	2.28	2.28	010	2	0	. 0	0	0
40831	Α	Repair mouth laceration	4.22	4.22	010	2	ŏ	0	ŏ	ő
40840	R	Reconstruction	14.39	14.39	090	2	ŏ	2	Õ	ŏ
40842	R		14.39	14.39	090	2	ő	0	0	0
40843		Reconstruction	20.05	20.05	090	2	2	2	0	ő
40844	R	Reconstruction	26.52	26.52	090	$\overline{2}$	$\tilde{0}$	2	ő	ŏ
40845	R	Reconstruction	37.68	37.68	090	2	ŏ	0	0	0
10015	• •	Neconstruction	37.00	37.00	070	-	Ü	J	Ü	Ū
(98) Vestib	ule	of mouth, other procedures:								
40899	С	Mouth surgery	0.00	0.00	YYY	2	0	0	1	1
(99) Tongu	e ar	d floor of mouth, incision:								
41000	Δ	Drainage of mouth	1.96	1.59	010	2	0	1	0	0
41005		Drainage of mouth	1.78	1.78	010	2	0	Ô	0	0
41006	A	Drainage of mouth	3.98	3.98	090	2	ő	ő	Ö	ŏ
41007	Α	Drainage of mouth	5.78	5.78	090	$\bar{2}$	ŏ	Õ	ŏ	ŏ
41008	A	Drainage of mouth	4.14	3.63	090	2	ŏ	ŏ	ŏ	ŏ
41009	A	Drainage of mouth	6.64	6.64	090	$\bar{2}$	Ŏ	ŏ	ŏ	Ö
41010	A	Incision of tongue	1.34	1.34	010	2	Ŏ	Ŏ	Ö	0
41015		Drainage of mouth	4.49	4.49	090	2	ŏ	ŏ	ŏ	ŏ
41016	Α	Drainage of mouth	7.47	7.47	090	2	0	Ō	0	0
41017	Α	Drainage of mouth	5.12	5.12	090	2	Ŏ	Ŏ	Ö	0
41018		Drainage of mouth	8.64	8.64	090	2	Ŏ	ŏ	Ŏ	Ŏ
		Ü								
(100) Tong	ue a	and floor of mouth, excision:								
41100	Α	Biopsy of tongue	2.30	1.91	010	2	0	1	0	0
41105	A	Biopsy of tongue	2.35	1.85	010	$\frac{7}{2}$	ŏ	1	ŏ	ŏ
				_,,,,	320	-	~	•	-	-

615		FEES	FOR	MEDICAL	SERV	ЛСІ	ES	522	1.40	30
41108	Δ	Biopsy of floor of mouth	1.82	2 1.41	010	2	0	1	0	0
41110		Excision of tongue	2.7		010	2	ŏ	1	ŏ	ŏ
41112		Excision of tongue	4.9		090	2	0	1	0	0
41113		Excision of tongue	6.39		090	2	0	1	Õ	0
41114		Excision of tongue	14.20		090	2	0	0	0	0
41115		Excision of tongue	3.39	3.39	010	2	0	0	0	0
41116		Excision of mouth	4.7	7 4.77	090	2	0	1	0	0
41120	Α	Partial removal, tongue	16.39	9 16.39	090	2	0	2	1	0
41130	Α	Partial removal, tongue	19.50	19.50	090	2	0	2	1	0
41135	Α	Tongue and neck	40.09		090	2	0	2	1	0
41140		Removal of tongue	42.75		090	2	0	2	1	0
41145		Removal of tongue, neck	50.93		090	2	0	2	1	0
41150	A	Tongue, mouth, and jaw	40.59		090	2	0	2	1	0
41153		Tongue, mouth, and neck	47.40		090	2	0	2	1	0
41155	Α	Tongue, jaw, and neck	56.10	5 56.16	090	2	0	2	1	0
(101) Tongi	ue a	nd floor of mouth, repair:								
41250	Δ	Repair tongue laceration	2.83	3 2.83	010	2	0	0	0	0
41251	A	Repair tongue laceration	4.18		010	2	ő	ő	0	0
41252	A	Repair tongue laceration	5.1		010	2	ŏ	ő	ŏ	ŏ
11202	• •	Tropum tonguo tuociumon			010	_	Ĭ		Ü	Ŭ
(102) Tongu	ue a	and floor of mouth, other proce	dures:							
41500	Α	Fixation of tongue	6.69	9 6.69	090	2	0	0	0	0
41510	Α	Tongue to lip suture	5.80	5.80	090	2	0	0	0	0
41520	Α	Reconstruction	5.4	1 5.41	090	2	0	0	0	0
41599	C	Tongue and mouth surgery	0.00	0.00	YYY	2	0	0	1	1
(103) Dento	oalv	eolar structures, incision:								
41800	Α	Drainage of gum	1.7	7 1.43	010	2	0	1	0	0
41805		Removal of foreign body	1.98	3 1.98	010	2	0	0	0	0
41806	A	Removal of foreign body	4.11	1 3.32	010	2	0	0	0	0
(104) Dento	oalv	eolar structures, excision, destr	uction	:						
41000	ъ	English of any	0.04	1 0.00	vvv	2	0	0	0	0
41820		Excision of gum	0.00		XXX XXX	2	0	0	0	0
41821		Excision of gum	0.00		010	2	0	0	0	$0 \\ 0$
41822 41823		Excision of gum Excision of gum	5.10 6.69		090	2	0	0	$0 \\ 0$	0
41825		Excision of gum	2.7		010	2	0	1	0	0
41826		Excision of gum	4.20		010	2	0	1	0	0
41827		Excision of gum	6.93		090	$\bar{2}$	0	1	0	0
41828		Excision of gum	6.92		010	2	0	0	0	0
41830		Removal of gum	6.80		010	2	ŏ	ő	0	0
41850	R	Treatment of gum	0.00		XXX	2	ŏ	ŏ	ő	ŏ
. 200 0	•		0.00			_	Ŭ	v	-	,
(105) Dento	oalv	eolar structures, other procedu	res:							
41870	R	Gum graft	0.0	0.00	XXX	2	0	0	0	0

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						ϵ	616
41872	R	Repair gum	5.25	5.25	090	2	0	0	0	0
41874	R	Repair tooth sockets	6.27	6.27	090	2	0	0	0	0
41899	С	Dental surgery	0.00	0.00	YYY	2	0	0	1	1
(106) Palat	e an	nd uvula, incision:								
42000	A	Drainage of mouth	1.75	1.45	010	2	0	0	0	0
(107) Palat	e an	d uvula, excision, destruction:								
42100		Biopsy roof of mouth	2.00	1.61	010	2	0	1	0	0
42104	Α		3.15	2.36	010	2	0	1	0	0
42106	Α		4.17	3.09	010	2	0	1	0	0
42107	Α	Excision of lesion	9.02	6.66	090	2	0	1	0	0
42120	A	Remove palate/lesion	12.72	12.72	090	2	0	2	1	0
42140		Excision of uvula	2.86	2.86	090	2	0	1	0	0
42145 42160	A	Repair of palate Treatment of mouth	16.67 3.20	16.67	090	2 2	0	1	$0 \\ 0$	0 0
42100	Α	Treatment of moun	3.20	2.46	010	. 2	U	U	U	U
(108) Palat	e an	d uvula, repair:								
42180	Α	Repair palate	4.58	4.58	010	2	0	0	0	0
42182		Repair palate	7.04	7.04	010	2	0	0	0	0
42200			18.31	18.31	090	2	0	2	0	0
42205		Reconstruct cleft palate	19.33	19.33	090	2	0	2	0	0
42210		Reconstruct cleft palate	25.77	25.77	090	2	0	2	0	0
42215 42220	A	Reconstruct cleft palate Reconstruct cleft palate	15.90 12.04	15.90 12.04	090 090	2	$0 \\ 0$	2	$0 \\ 0$	0 0
42225	A	Reconstruct cleft palate	15.92	15.92	090	2	0	2	0	0
42226	A	Lengthening of palate	17.18	17.18	090	2	0	2	0	0
42227		Lengthening of palate	16.01	16.01	090	2	ŏ	2	Õ	0
42235	A	Repair palate	12.78	12.78	090	2	Õ	2	0	Õ
42260	Α	Repair nose to lip	12.98	12.98	090	2	0	2	0	0
42280	Α	Preparation, palate	3.41	3.41	010	2	0	0	0	0
42281	Α	Insertion, palate	3.25	3.25	010	2	0	0	0	0
(109) Palat	e an	d uvula, other procedures:								
42299	С	Palate/uvula surgery	0.00	0.00	YYY	2	0	2	1	1
(110) Saliva	ary g	glands and ducts, incision:								
42300	Α	Drain salivary gland	2.75	2.28	010	2	0	1	0	0
42305	A	Drain salivary gland Drain salivary gland	7.77	7.77	090	2	ő	0	ő	ő
42310		Drain salivary gland	2.48	1.98	010	2	ŏ	0	ŏ	Ŏ
42320	Α	Drain salivary gland	4.02	4.02	010	2	0	0	0	0
42325		Create salivary gland	4.65	4.65	090	2	0	2	0	0
42326		Create salivary gland	7.63	7.63	090	2	0	2	0	0
42330 42335		Remove salivary gland Remove salivary gland	3.14 5.54	2.60 4.35	010	2 2	$0 \\ 0$	1 1	0	$0 \\ 0$
42333 42340	A		8.53	4.33 6.48	090 090	2	0	0	0	0
		Title of the control	0.00	0.10	370	-	9	,	J	9

621		FEES	FOR M	IEDICAI	SERV	/ICE	S	522	1.40	30
43635 43638		Partial removal Partial removal	3.06 33.58	3.06 33.58	ZZZ 090		0	2 2	1	0
43639	-	Removal of stomach	34.02	34.02	090		ŏ	2	1	ŏ
43640		Vagotomy, pyloroplasty	24.64	24.64	090		0	$\frac{2}{2}$	1	0
43641					090		0	2	1	0
43041	A	Vagotomy, pyloroplasty	24.83	24.83	090	2	U	2	1	U
(126) Stoma	ach,	introduction:								
43750		Place gastrostomy tube	8.59	8.59	010		0	1	0	0
43760		Change gastrostomy tube	1.71	1.71	000		0	1	0	0
43761	Α	Reposition gastric tube	2.99	2.99	000	2	0	1	0	0
(127) Stoma	ach,	other procedures:								
43800	Α	Reconstruction	16.92	16.92	090	2	0	2	1	0
43810	Α	Fusion of stoma	18.38	18.38	090	2	0	2	1	0
43820	Α	Fusion of stoma	19.63	19.63	090		0	2	1	0
43825	Α	Fusion of stoma	25.30	25.30	090		0	2	1	0
43830	Α	Place gastrostomy tube	13.24	13.24	090		0	2	1	0
43831		Place gastrostomy tube	12.19	12.19	090		0	2	1	0
43832		Place gastrostomy tube	19.25	19.25	090		0	2	1	0
43840	Α		19.28	19.28	090		ŏ	$\bar{2}$	1	Ŏ
43842		Gastroplasty	28.22	28.22	090		ŏ	2	2	ŏ
43843		Gastroplasty	28.35	28.35	090		0	2	2	ő
43846		Gastric bypass	33.50	33.50	090		0	$\frac{2}{2}$	1	ŏ
43847		Gastric bypass Gastric bypass	35.58	35.58	090		ŏ	2	1	0
43848		Revise gastroplasty	37.37	37.37	090		0	2	1	Ö
43850		Revise stomach-bowel	30.36	30.36	090		0	2	1	0
43855		Revise stomach-bowel	30.25	30.25	090		0	2	1	0
43860		Revise stomach-bowel	30.53	30.53	090		0	2	1	0
							0	2	1	0
43865		Revise stomach-bowel	33.75	33.75	090		0	2	1	0
43870		Repair stomach opening	12.92	12.92	090			2		
43880		Repair stomach-bowel	26.76	26.76	090		0		1	0
43999	С	Stomach surgery	0.00	0.00	YYY	2	0	0	1	1
(128) Intest	tines	s, incision:								
44005	Α	Freeing of bowel	21.53	21.53	090	2	0	2	1	0
44010		Incision of small bowel	17.15	17.15	090		ŏ	2	1	Ŏ
44015	A	Insert needle catheter	5.41	5.41	ZZZ		ŏ	2	1	ŏ
44020		Explore small bowel	19.28	19.28	090		0	2	1	ő
44021		Decompress small bowel	18.48	18.48	090		ŏ	2	1	0
44025			19.42		090		0	2	1	0
44023 44050	A	Incision of large bowel Reduce bowel obstruction	18.76	19.42 18.76	090		0	2	1	0
44055	_			20.21			0	2	1	0
44033	A	Correct manotation	20.21	20.21	090	2	U	2	1	U
(129) Intest	tines	s, excision:								
44100	Δ	Biopsy of bowel	3.23	3.23	000	2	0	1	0	0
44110	Δ	Excision of bowel	17.42	17.42	090		0	2	1	0
44111		Excision of bowel	21.59	21.59	090		0	2	1	0
44111		Remove small intestine	23.41	23.41	090		0	2	1	0
77120	$\boldsymbol{\Lambda}$	Remove sman intestine	49.41	25.41	070	4	U	4	1	U

44121	Α	Remove small intestine	6.58	6.58	ZZZ	0	0	2	1	0
44125	Α	Remove small intestine	25.22	25.22	090	2	0	2	1	0
44130	Α	Bowel to bowel fusion	20.62	20.62	090	2	0	2	1	0
44139	Α	Mobilization of flexure	3.30	3.30	ZZZ	0	0	2	1	0
44140	Α	Partial removal of colon	28.96	28.96	090	2	0	2	1	0
44141	Α	Partial removal of colon	30.57	30.57	090	2	0	2	1	0
44143	Α	Partial removal of colon	31.60	31.60	090	2	0	2	1	0
44144	Α	Partial removal of colon	30.19	30.19	090	2	0	2	1	0
44145	Α	Partial removal of colon	35.37	35.37	090	2	0	2	1	0
44146	Α	Partial removal of colon	38.13	38.13	090	2	0	2	1	0
44147	Α	Partial removal of colon	33.13	33.13	090	2	0	2	1	0
44150	Α	Removal of colon	35.16	35.16	090	2	0	2	1	0
44151	Α	Removal of colon	29.28	29.28	090	2	0	2	1	0
44152	Α	Removal of colon	38.93	38.93	090	2	0	2	1	0
44153	Α	Removal of colon	45.05	45.05	090	2	0	2	1	0
44155	Α	Removal of colon	40.20	40.20	090	2	0	2	1	0
44156	Α	Removal of colon	33.29	33.29	090	2	0	2	1	0
44160	Α	Removal of colon	27.91	27.91	090	2	0	2	1	0

(130) Intestines, enterostomy, external fistulization of intestines:

44300	Α	Open bowel to skin	14.60	14.60	090	2	0	2	1	0
44310	Α	Ileostomy/jejunostomy	19.15	19.15	090	2	0	2	1	0
44312	Α	Revision of ileostomy	8.56	8.56	090	2	0	0	0	0
44314	Α	Revision of ileostomy	17.14	17.14	090	2	0	2	1	0
44316	Α	Devise bowel pouch	24.14	24.14	090	2	0	2	1	0
44320	Α	Colostomy	19.82	19.82	090	2	0	2	1	0
44322	Α	Colostomy with biopsies	20.67	20.67	090	2	0	2	1	0
44340	Α	Revision of colostomy	6.95	6.95	090	2	0	1	1	0
44345	Α	Revision of colostomy	15.52	15.52	090	2	0	2	1	0
44346	Α	Revision of colostomy	18.50	18.50	090	2	0	2	1	0

(131) Intestines, endoscopy, small bowel and stomach:

44360	Α	Small bowel endoscopy	5.93	5.93	000	2	0	1	0	0
44361	Α	Small bowel endoscopy	6.55	6.55	000	3	0	1	0	0
44363	Α	Small bowel endoscopy	6.66	6.66	000	3	0	0	0	0
44364	Α	Small bowel endoscopy	8.71	8.71	000	3	0	0	0	0
44365	Α	Small bowel endoscopy	7.74	7.74	000	3	0	0	0	0
44366	Α	Small bowel endoscopy	10.04	10.04	000	3	0	1	0	0
44369	Α	Small bowel endoscopy	10.31	10.31	000	3	0	0	0	0
44372	Α	Small bowel endoscopy	10.17	10.17	000	3	0	1	0	0
44373	Α	Small bowel endoscopy	8.04	8.04	000	3	0	1	0	0
44376	Α	Small bowel endoscopy	9.22	9.22	000	2	0	0	0	0
44377	Α	Small bowel endoscopy	9.70	9.70	000	3	0	0	0	0
44378	Α	Small bowel endoscopy	12.28	12.28	000	3	0	0	0	0
44380	Α	Small bowel endoscopy	3.10	3.10	000	2	0	1	0	0
44382	Α	Small bowel endoscopy	3.74	3.74	000	2	0	1	0	0
44385	Α	Endoscopy of bowel	4.09	3.77	000	2	0	1	0	0
44386	Α	Endoscopy of bowel	3.49	3.49	000	2	0	0	0	0
44388	Α	Colonoscopy	6.32	5.83	000	2	0	1	0	0
44389	Α	Colonoscopy with biopsy	6.95	6.41	000	3	0	1	0	0
44390	Α	Colonoscopy, foreign body	6.17	6.17	000	3	0	0	0	0
44391	Α	Colonoscopy for bleeding	9.30	8.80	000	3	0	0	0	0
44392	Α	Colonoscopy, polypectomy	8.84	7.91	000	3	0	1	0	0

623			FEES	FOR I	MEDICAL	SERV	ЛСІ	ES	522	1.40	30
44393 44394	A A	Colonoscopy, lesion Colonoscopy, snare		10.01 9.39	9.92 9.11	000 000	3	0	1 1	0	0
(132) Intest	tine	s, introduction:									
44500	A	Gastrointestinal tube		0.80	0.80	000	0	0	0	0	0
(133) Intest	tine	s, repair:									
44602	٨	Cuture small intestine		17.01	17.91	090	2	Λ	2	1	Ω
44602 44603		Suture, small intestine Suture, small intestine		17.91 22.57	22.57	090	2	0	,2	1	0
44604		Suture, large intestine		21.49	21.49	090	2	ő	2	1	ŏ
44605		Repair of bowel		24.12	24.12	090	2	Õ	2	1	Ŏ
44615		Stricturoplasty		20.26	20.26	090	2	0	2	1	0
44620	Α	Repair bowel opening		16.33	16.33	090	2	0	2	1	0
44625	Α	1 1 2		22.55	22.55	090	2	0	2	1	0
44626		Repair bowel opening		32.81	32.81	090	2	0	2	1	0
44640		Repair bowel-skin		20.52	20.52	090	2	0	2	1	0
44650 44660		Repair bowel fistula		21.73	21.73	090 090	2 2	$0 \\ 0$	2	1 1	0
44660 44661	A A	Repair bowel-bladder Repair bowel-bladder		22.00 30.28	22.00 30.28	090	2	0	2	1	0
44680	A			23.01	23.01	090	2	0	2	1	0
(134) Intest 44700 44799		s, other procedures: Suspend bowel Intestine surgery		25.33 0.00	25.33 0.00	090 YYY	2 2	0 0	2 2	1	0 1
(135) Meck	æl's	diverticulum and meser	ntery, e	xcision:							
44800	A	Excision of bowel		15.85	15.85	090	2	0	2	1	0
44820	A	Excision of mesentery		15.63	15.63	090	2	0	2	1	0
(136) Meck	kel's	diverticulum and meser	ntery, s	uture:							
44850	A	Repair of mesentery		14.75	14.75	090	2	0	2	1	0
(137) Meck	æl's	diverticulum and meser	ntery, o	ther pro	ocedures:						
44899	С	Bowel surgery		0.00	0.00	YYY	2	0	2	1	1
(138) Appe	endi	x, incision:									
44900	A	Drain annendiy abassa	c	12.63	12.63	090	2	Ω	2	1	0
44900 44901		Drain appendix absces Drain appendix absces		5.71	5.71	000	2	0	2	0	0
11701	11	2. um appendix dosees	-	5.71	5.71	000	_	J	_	J	J

(139) Appe	ndi	v evoision:								
(137) Appe	·IIQI	A, CACISIOII.								
44950	Α	Appendectomy	13.18	13.18	090	2	0	2	1	0
44955	Α	Appendectomy	3.34	3.34	ZZZ	0	0	2	1	0
44960	A	Appendectomy	16.12	16.12	090	2	0	2	1	0
(140) Rectu	ım,	incision:								
45000	٨	Drain nakija ahaassa	5.77	5.77	090	2	0	1	0	0
45005		Drain pelvic abscess Drain rectum abscess	3.17	3.17	010	2	0	1 1	0	0
45020	A		7.09	7.09	090	2	0	1	0	Ö
.5020			,,,,,		0,0	_	Ū	-	Ū	
(141) Recti	ım,	excision:								
45100	Λ	Biopsy of rectum	5.35	5.35	090	2	0	1	0	0
45108	A	Removal of anorectal	7.18	7.18	090	2	0	2	1	0
45110	A		39.26	39.26	090	$\frac{2}{2}$	0	2	1	Ö
45111	A	Partial removal	27.70	27.70	090	$\bar{2}$	Ŏ	2	1	Ŏ
45112	Α	Removal of rectum	40.93	40.93	090	2	0	2	1	0
45113	Α	Partial removal	40.96	40.96	090	2	0	2	1	0
45114		Partial removal	37.73	37.73	090	2	0	2	1	0
45116		Partial removal	30.66	30.66	090	2	0	2	1	0
45119	A	Removal of rectum	41.16	41.16	090	2	0	2	1	0
45120	A	Removal of rectum	40.12	40.12	090	2	0	2	1	0
45121		Removal of rectum	36.08 25.63	36.08 25.63	090 090	2	0	2	1 1	$0 \\ 0$
45123 45130		Partial removal Excision of rectum	22.29	22.29	090	2 2	0	2	1	0
45135		Excision of rectum	32.22	32.22	090	2	0	2	1	0
45150		Excision of rectum	8.76	8.76	090	2	ŏ	Õ	Ô	ŏ
45160	A		19.89	19.89	090	2	Ŏ	2	1	Ŏ
45170	Α	Excision of rectum	13.86	13.86	090	2	0	2	1	0
(142) Rectu	ım,	destruction:								
45190	Α	Destruction of rectum	13.02	13.02	090	2	0	2	1	0
(143) Rectu	ım,	endoscopy:								
45200		Descriptional description	1 21	0.04	000	2	0	1	0	Λ
45300 45303	A A	Proctosigmoidoscopy Proctosigmoidoscopy	1.21 1.41	$0.94 \\ 1.10$	000 000	2	0	1 1	$0 \\ 0$	0 0
45305	A	Proctosigmoidoscopy	1.81	1.40	000	3	0	1	ő	0
45307	A	Proctosigmoidoscopy	2.88	2.88	000	3	ő	Ô	ő	0
45308	A	Proctosigmoidoscopy	2.57	2.03	000	3	Õ	1	ŏ	ŏ
45309	Α	Proctosigmoidoscopy	3.03	2.48	000	3	0	1	0	0
45315	Α	Proctosigmoidoscopy	3.55	3.55	000	3	0	1	0	0
45317	Α	Proctosigmoidoscopy	3.80	3.80	000	3	0	1	0	0
45320	A	Proctosigmoidoscopy	4.61	4.61	000	3	0	1	0	0
45321	A	Proctosigmoidoscopy	3.49	3.49	000	3	0	1	0	0
45330 45331	A A	Sigmoidoscopy, flexible Sigmoidoscopy and biopsy	2.13 2.78	1.45 2.57	000 000	2	0 0	1 1	$0 \\ 0$	$0 \\ 0$
45331	A	Sigmoidoscopy and biopsy	3.57	2.57 3.57	000	3	0	1	0	0
45333	A	Sigmoidoscopy/polypectomy	4.09	4.01	000	3	0	1	0	0
45334	A	Sigmoidoscopy, bleeding	5.46	5.46	000	3	ŏ	1	ŏ	ŏ
45337	Α	Sigmoidoscopy	4.86	4.86	000	3	0	1	0	0

625	FEES	S FOR M	1EDICAL	SERVIC	ES	522	1.40	30
					_		_	
45338	A Sigmoidoscopy	4.64	4.64	000 3	0	1	0	0
45339	A Sigmoidoscopy	6.15	6.15	000 3	0	1	0	0
45355	A Surgical colonoscopy	4.38	4.38	000 2	0	1	0	0
45378	A Diagnostic colonoscopy	7.56	7.51	000 2	0	1	0	0
45378 53	A Diagnostic colonoscopy	2.13	1.96	000 2	0	1	0	0
45379	A Colonoscopy	9.68	9.55	000 3	0	1	0	0
45380	A Colonoscopy and biopsy	8.49	8.12	000 3	0	1	0	0
45382	A Colonoscopy for bleeding	11.10	11.10	000 3	0	1	0	0
45383	A Colonoscopy, lesion	11.32	11.32	000 3	0	1	0	0
45384	A Colonoscopy	9.58	9.58	000 3	0	1	0	0
45385	A Colonoscopy, lesion	11.56	10.78	000 3	0	1	0	0
(144) Recti	um, repair:							
, ,	•	10.00	40.00	000 0			•	•
45500	A Repair of rectum	13.03	13.03	090 2	0	0	0	0
45505	A Repair of rectum	12.22	12.22	090 2	0	1	0	0
45520	A Treatment of rectum	1.14	0.85	000 2	0	1	0	0
45540	A Correct rectal prolapse	22.44	22.44	090 2	0	2	1	0
45541	A Correct rectal prolapse	20.61	20.61	090 2	0	2	1	0
45550	A Repair rectum, remove	28.99	28.99	090 2	0	2	1	0
45560	A Repair of rectocele	12.79	12.79	090 2	0	2	1	0
45562	A Explore/repair injury	19.77	19.77	090 2	0	2	1	0
45563	A Explore/repair injury	30.62	30.62	090 2	0	2	1	0
45800	A Repair rectumbladder	23.09	23.09	090 2	0	2	1	0
45805	A Repair fistula	28.20	28.20	090 2	0	2	1	0
45820	A Repair rectourethral	22.67	22.67	090 2	0	2	1	0
45825	A Repair fistula	25.76	25.76	090 2	0	2	1	0
(145) Rectu	um, manipulation:							
45000	A. D. J	2.20	2.20	010 2	Λ	0	^	0
45900	A Reduce rectal prolapse	2.28	2.28	010 2	0	0	0	0
45905	A Dilate anal sphincter A Dilate rectal stricture	2.21	2.21	010 2 010 2	0	1	0	0
45910		2.69	2.69		0	1 1	0	0
45915	A Remove rectal obstruction	2.80	2.80	010 2	U	1	U	U
(146) Rect	um, other procedures:							
45999	C Rectum surgery	0.00	0.00	YYY 2	0	0	1	1
(147) Anus	s, incision:							
46030	A Removal of rectum	1.54	1.54	010 2	0	0	0	0
46040	A Incision of rectum	6.32	6.32	090 2	0	1	0	0
46045	A Incision of rectum	5.92	5.92	090 2	0	1	0	0
46050	A Incision of anal abscess	1.72	1.43	010 2	0	1	0	0
46060	A Incision of rectum	10.95	10.95	090 2	0	1	0	0
46070	A Incision of anal septum	3.97	3.97	090 2	0	0	0	0
46080	A Incise anal sphincter	4.56	4.56	010 2	0	1	0	0
46083	A Incise hemorrhoid	1.92	1.62	010 2	0	1	0	0

(148) Anus	, ex	cision:								
46200 46210 46211 46220 46221 46230 46250 46255 46257 46258 46260 46261 46262 46270 46275 46280 46285 46288 46320	A A A A A A A A A A A A A A A A A A A	Removal of anal fissure Removal of anal crypt Removal of anal crypts Removal of anal tab Ligation of hemorrhoid Removal of anal tabs Hemorrhoidectomy Hemorrhoidectomy Remove hemorrhoid Remove hemorrhoid Hemorrhoidectomy Remove hemorrhoid Remove hemorrhoid Removal of anal fistula Removal of hemorrhoid	6.65 3.24 5.90 2.09 2.01 3.20 7.14 9.89 11.35 12.40 13.29 14.61 15.18 5.39 9.61 11.99 6.15 10.38 2.20	6.65 3.24 5.90 2.09 1.69 2.80 7.14 9.89 11.35 12.40 13.29 14.61 15.18 5.39 9.61 11.99 6.15 10.38 1.86	090 090 090 010 010 010 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(149) Anus	, int	roduction:								
46500	A	Injection, hemorrhoids	1.80	1.65	010	2	0	1	0	0
(150) Anus	, en	doscopy:								
46600 46604 46606 46608 46610 46611 46612 46614 46615	A A A A A A	Diagnostic anoscopy Anoscopy and dilation Anoscopy and biopsy Anoscopy, remove foreign Anoscopy, remove tumor Anoscopy Anoscopy, remove tumor Anoscopy, bleeding Anoscopy	0.74 1.59 1.12 2.47 2.10 2.55 3.58 3.46 4.07	0.61 1.41 0.94 2.47 2.10 2.14 3.58 2.71 3.32	000 000 000 000 000 000 000 000	2 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0	1 1 0 1 0 0 1 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
(151) Anus	, rep	pair:								
46700 46705 46715 46716 46730 46735 46740 46742 46744 46746 46748 46750 46751 46753 46754 46760	A A A A A A A A A A A A A A A A A A A	Repair of anal stricture Repair of anal stricture Repair of anovaginal Repair of anovaginal Construction of absent Construction of absent Construction of absent Repair imperforated anus Repair, cloacalanomaly Repair, cloacalanomaly Repair, cloacalanomaly Repair of anal sphincter Repair of anal sphincter Reconstruction Removal of suture Repair of anal sphincter	13.20 10.41 10.61 17.65 31.33 37.82 33.61 47.08 52.76 58.09 64.35 13.86 12.23 11.26 2.99 17.75	13.20 10.41 10.61 17.65 31.33 37.82 33.61 47.08 52.76 58.09 64.35 13.86 12.23 11.26 2.99 17.75	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

627		FEES	FOR N	MEDICAL	SERV	ICE	S	522	1.40	30
46761 46762		Repair of anal sphincter mplant sphincter	17.32 15.35	17.32 15.35	090 090	2 2	0	2 2	1	0
(152) Anus	, destr	ruction:								
46900 46910 46916 46917 46922 46924 46934 46935 46936 46937 46938 46940	A I A I A I A I A I A I A I A I A I A I	Destruction, anus Destruction, anus Cryosurgery, anus Laser surgery, anus Excision of anus Destruction, anus Destruction, hemorrhoids Destruction, hemorrhoids Cryotherapy, rectal tumor Cryotherapy, rectal tumor Freatment of anus	2.14 2.35 2.37 3.73 3.05 5.23 4.95 3.89 6.25 4.96 6.93 2.65	1.96 2.04 2.05 2.80 3.05 5.23 4.37 3.11 5.14 4.96 6.93 2.40	010 010 010 010 010 010 090 010 090 010 090 010	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
46942 (153) Anus		Treatment of anus	2.34	2.12	010	2	0	0	0	0
46945 46946		Ligation of hemorrhoids Ligation of hemorrhoids	2.62 3.73	2.31 3.27	090 090	2 2	0	1	0	0
(154) Anus	, othe	r procedures:								
46999	C A	Anus surgery	0.00	0.00	YYY	2	0	0	1	1
(155) Liver	, incis	ion:								
47000 47001 47010 47011 47015	A N A C A F	Needle biopsy of liver Needle biopsy of liver Open drainage of abscess Percutaneous drainage Inject/aspirate	3.15 3.15 16.48 6.25 15.95	3.15 3.15 16.48 6.25 15.95	000 ZZZ 090 000 090	2 0 2 2 2	0 0 0 0 0	1 1 2 2 2	0 1 1 0 1	0 0 0 0
(156) Liver	, excis	sion:								
47100 47120 47122 47125 47130 47133 47134 47135 47136	A H A H A H X H R H	Wedge biopsy of liver Partial removal Extensive removal Partial removal Partial removal Removal of donor Partial removal Fransplantation	10.35 33.65 51.09 47.50 51.77 0.00 57.95 131.31 98.93		090 090 090 090 090 XXX XXX 090 090	2 2 2 2 2 9 2 2 2	0 0 0 0 0 9 0 0	2 2 2 2 2 9 2 2 2 2	1 1 1 1 1 9 1 1	0 0 0 0 0 9 2 2 2

SEEL-1030 FEES FOR MEDICAL SERVICES								•	,20	
(157) Liver, repair:										
47300	Λ	Surgery for liver	17.07	17.07	090	2	0	2	1	0
		Repair liver wound	19.43	19.43	090	2	0	2 2	1	0
						2		2		
		Repair liver wound	27.45	27.45	090	2	0	2	1	0
47361	Ą	Repair liver wound	43.48	43.48	090	2	0	2	1	0
47362	Α	Repair liver wound	16.51	16.51	090	2	0	2	1	0
(158) Liver,	oth	ner procedures:								
47399	С	Liver surgery	0.00	0.00	YYY	2	0	2	1	1
(159) Biliary	tra	act, incision:								
47400	Α	Incision of liver	27.93	27.93	090	2	0	2	1	0
		Incision of bile duct	25.43	25.43	090	2	0	2	1	Ō
		Incision of bile duct	27.80	27.80	090	2	Ŏ	$\overline{2}$	1	Ŏ
		Incise bile duct	29.79	29.79	090	$\overline{2}$	Õ	$\bar{2}$	ī	ŏ
		Incision of gallbladder	16.48	16.48	090	2	0	2	1	ő
			10.43			2	0	1	0	0
47490	Α	Incision of gallbladder	10.22	10.22	090	2	U	1	U	U
(160) Biliary	tra	act, introduction:								
47500	Α	Injection for liver	3.32	3.32	000	2	0	1	0	0
		Injection for liver	1.71	1.58	000	2	ŏ	Õ	ŏ	ŏ
		Insert catheter	10.02	10.02	090	$\bar{2}$	ŏ	1	ŏ	ŏ
	A	Insert bile duct	12.44	12.44	090	2	1	1	ŏ	ő
		Change bile duct	6.66	6.66	010	2	0	1	0	0
		Revise/reinsert bile tube	6.87	6.87	090	2	0	1	0	0
47330	A	Revise/Temsert one tube	0.67	0.67	090	۷	U	1	U	U
(161) Biliary	tra	act, endoscopy:								
47550	Α	Biliary endoscopy	4.44	4.44	000	0	0	2	1	0
		Biliary endoscopy	6.91	6.91	000	2	ŏ	1	1	ŏ
	À	Biliary endoscopy	9.78	9.78	000	3	ŏ	î	Ô	ŏ
		Biliary endoscopy	12.39	12.39	000	3	ŏ	î	ĭ	ŏ
	A	Biliary endoscopy	9.57	9.57	000	3	ŏ	1	Ô	ő
		Biliary endoscopy	10.48	10.48	000	3	ő	1	0	0
47330	Λ	Binary endoscopy	10.40	10.40	000	3	U	1	U	U
(162) Biliary	tra	act, excision:								
47600	Α	Removal of gallbladder	18.51	18.51	090	2	0	2	1	0
		Removal of gallbladder	20.05	20.05	090	2	0	2	1	0
		Removal of gallbladder	24.52	24.52	090	$\bar{2}$	Ŏ	2	1	Õ
	A	Removal of gallbladder	29.77	29.77	090	2	ŏ	2	1	0
		Removal of gallbladder	27.91	27.91	090	2	ő	2	1	0
		Remove bile duct	12.11		090	2	0	1	1	0
				12.11		2			1	
		Explore bile ducts	21.80	21.80	090	2	0	2		0
		Bile duct revision	34.22	34.22	090	2	0	0	0	0
		Excision of bile duct	30.59	30.59	090	2	0	2	1	0
	Α	Excision of bile duct	36.10	36.10	090	2	0	2	1	0
		Excision of bile duct	23.24	23.24	090	2	0	2	1	0
47716	Α	Fusion of bile duct cyst	19.74	19.74	090	2	0	2	1	0

(163) Biliar	y tra	act, repair:								
47720	Α	Fuse gallbladder	22.06	22.06	090	2	0	2	1	0
47721	Α	Fuse upper GI structures	26.99	26.99	090	2	0	2	1	0
47740	Α	Fuse gallbladder	25.15	25.15	090	2	0	2	1	0
47741	Α	Fuse gallbladder	31.82	31.82	090	2	0	2	1	0
47760	Α	Fuse bile ducts	32.35	32.35	090	2	0	2	1	0
47765	Α	Fuse liver ducts	34.75	34.75	090	2	0	2	1	0
47780	Α	Fuse bile ducts	34.37	34.37	090	2	0	2	1	0
47785	Α	Fuse bile ducts	37.94	37.94	090	2	0	2	1	0
47800	Α	Reconstruction	31.90	31.90	090	2	0	2	1	0
47801	Α	Placement, bile duct	17.32	17.32	090	2	0	2	1	0
47802	Α	Fuse liver duct	27.34	27.34	090	2	0	2	1	0
47900	A	Suture bile duct	29.31	29.31	090	2	0	2	1	0
	y tra	act, other procedures:								
47999	С	Bile tract surgery	0.00	0.00	YYY	2	0	2	1	1
(165) Pancr	eas,	incision:								
48000	Α	Drainage of abdomen	21.12	21.12	090	2	0	2	1	0
48001	Α	Placement of drains	25.99	25.99	090	2	0	2	1	0
48005	Α	Resect/debride pancreas	30.39	30.39	090	2	0	2	1	0
48020	Α	Removal of calculus	20.32	20.32	090	2	0	2	1	0
(166) Pamar		analai ana								
(166) Pancr	eas,	, excision:								
48100	Α	Biopsy of pancreas	14.56	14.56	090	2	0	2	1	0
48102	Α	1 3/1	6.71	6.71	010	2	0	1	0	0
48120	Α	Removal of pancreas	23.57	23.57	090	2	0	2	1	0
48140	Α	Partial removal	33.26	33.26	090	2	0	2	1	0
48145	Α	Partial removal	36.67	36.67	090	2	0	2	1	0
48146	A	Pancreatectomy	38.69	38.69	090	2	0	2	1	0
48148	Α	Removal of pancreas	23.14	23.14	090	2	0	2	1	0
48150	Α		63.86	63.86	090	2	0	2	1	0
48152	Α	Pancreatectomy	60.37	60.37	090	2	0	2	1	0
48153	Α	Pancreatectomy	63.77	63.77	090	2	0	2	1	0
48154		Pancreatectomy	60.66	60.66	090	2	0	2	1	0
48155	Α	Removal of pancreas	42.32	42.32	090	2	0	2	1	0
48160	N	Pancreas removal	0.00	0.00	XXX	9	9	9	9	9
48180	A	Fuse pancreas and bowel	33.95	33.95	090	2	0	2	1	0
(4.67)										
(167) Pancr	eas,	introduction:								
48400	Α	Injection, intraoperative	2.90	2.90	ZZZ	0	0	0	0	0

(168) Panc	reas,	, repair:								
48500 48510 48511 48520 48540 48545 48547	A A A A	Surgery of pancreas Drain pancreatic cyst Drain pancreatic cyst Fuse pancreatic cyst Fuse pancreatic cyst Pancreatorrhaphy Duodenal exclusion	21.72 19.84 6.75 25.07 29.90 23.34 33.37	21.72 19.84 6.75 25.07 29.90 23.34 33.37	090 090 000 090 090 090 090	2 2 2 2 2 2 2 2	0 0 0 0 0 0	2 2 2 2 2 2 2 2	1 1 0 1 1 1	0 0 0 0 0 0
(169) Panc	reas,	transplantation:								
48550	N	Donor pancreatectomy	0.00	0.00	XXX	9	9	9	9	9
48554	N		0.00	0.00	XXX	9	9	9	9	9
48556	Α	Removal, allograft	22.21	22.21	090	2	0	2	1	0
(170) Panc	reas,	other procedures:								
48999	C	Pancreas surgery	0.00	0.00	YYY	2	0	2	1	1
(171) Abdo	omer	n, peritoneum, and omentum,	incision:							
49000	Α	Exploration of abdomen	17.93	17.93	090	2	0	2	1	0
49002		Reopening of abdomen	16.03	16.03	090	2	0	2	1	0
49010		Explore behind abdomen	18.58	18.58	090	2	0	2	1	0
49020		Drain abdominal abscess	20.40	20.40	090	2	0	2	0	0
49021		Drain abdominal abscess	7.16	7.16	000	2	0	2 2	0	0
49040		Open drainage of abscess	16.04	16.04	090	2	0	2	1	0
49041		Percutaneous drainage	6.75	6.75	000	2	0	2	0	0
49060 49061		Open drainage of abscess Percutaneous drainage	16.49 6.25	16.49 6.25	090 000	2	$0 \\ 0$	2	1 0	$0 \\ 0$
49062		Drain to peritoneal	18.54	18.54	090	2	0	$\frac{2}{2}$	1	0
49080		Puncture, peritoneal	2.11	2.11	000	2	ŏ	1	0	ŏ
49081		Removal of abdomen	1.91	1.91	000	$\bar{2}$	ŏ	î	ŏ	ŏ
49085		Removal of abdomen	11.82	11.82	090	2	Õ	ĩ	1	Ö
(172) Abdo	mer	n, peritoneum, and omentum,	excision,	destruct	ion:					
49180	Α	Biopsy, abdominal mass	3.44	3.44	000	2	0	1	0	0
49200	A	Removal of abdomen	18.34	18.34	090	$\bar{2}$	ŏ	2	ĭ	ŏ
49201		Removal of abdomen	26.54	26.54	090	2	0	2	1	0
49215		Excise sacral tumor	29.39	29.39	090	2	0	2	1	0
49220	Α	Multiple surgery	26.78	26.78	090	2	0	2	1	0
49250		Excision of umbilicus	12.48	12.48	090	2	0	1	1	0
49255	Α	Removal of omentum	15.73	15.73	090	2	0	2	1	0
(173) Abdo	omer	n, peritoneum, and omentum,	introduct	ion, rev	ision, an	d/or	rer	nov	al:	
49400	Α	Air injection	2.88	2.88	000	2	0	1	0	0
49420		Insert abdominal catheter	3.65	3.65	000	2	ŏ	î	ŏ	ŏ
49421	Α	Insert abdominal catheter	9.47	9.47	090	2	0	1	0	0
49422		Remove permanent	10.12	10.12	010	2	0	1	0	0
49423	Α	Exchange drainage	2.46	2.46	000	2	0	0	0	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

631		FEES	FOR M	IEDICAL	SERV	ЛСЕ	ES	522	1.40	30
49424	Α	Assess cyst, contrast	1.28	1.28	000	2	0	0	0	0
49425	Α	Insert abdomen-vein	19.49	19.49	090	2	0	2	1	0
49426	Α	Revise abdomen-vein	14.54	14.54	090	2	0	1	0	0
49427	Α	Injection, abdomen-vein	1.30	1.30	000	2	0	0	0	0
49428	Α	Ligation of shunt	3.30	3.30	010	2	0	1	0	0
49429	Α	Removal of shunt	10.35	10.35	010	2	0	1	0	0
(174) Abd	lomei	n, peritoneum, and omentum,	repair:							
49495	Α	Repair inguinal hernia	10.68	10.68	090	2	1	2	1	0
49496	Α	Repair inguinal hernia	13.44	13.44	090	2	1	2	1	0
49500	Α	Repair inguinal hernia	9.58	9.58	090	2	1	2	1	0
49501	Α	Repair inguinal hernia	12.35	12.35	090	2	1	2	1	0
49505	Α	Repair inguinal hernia	10.77	10.77	090	2	1	2	1	0
49507	Α	Repair inguinal hernia	12.88	12.88	090	2	1	2	1	0
49520	Α	Re-repair inguinal	13.12	13.12	090	2	1	2	1	0
49521	Α	Repair inguinal hernia	14.74	14.74	090	2	1	2	1	0
49525	Α	Repair inguinal hernia	12.65	12.65	090	2	1	2	1	0
49540	Α	Repair lumbar hernia	13.69	13.69	090	2	1	2	1	0
49550	Α	Repair femoral hernia	11.68	11.68	090	2	1	2	1	0
49553	Α	Repair femoral hernia	12.30	12.30	090	2	1	2	1	0
49555	Α	Repair femoral hernia	13.56	13.56	090	2	1	2	1	0
49557	Α	Repair femoral hernia	15.20	15.20	090	2	1	2	1	0
49560	Α	Repair abdominal hernia	15.08	15.08	090	2	1	2	1	0
49561	Α	Repair incision	17.16	17.16	090	2	1	2	1	0
49565	Α	Re-repair hernia	15.91	15.91	090	2	1	2	1	0
49566	Α	Repair incision	18.10	18.10	090	2	1	2	1	0
49568	Α	Hernia repair with mesh	7.24	7.24	ZZZ	0	1	2	1	0
49570	Α	Repair epigastric hernia	9.14	9.14	090	2	1	2	1	0
49572	Α	Repair epigastric hernia	11.28	11.28	090	2	1	2	1	0
49580	Α	Repair umbilical hernia	7.43	7.43	090	2	0	2	1	0
49582	Α	Repair umbilical hernia	10.13	10.13	090	2	0	2	1	0
49585	Α	Repair umbilical hernia	9.59	9.59	090	2	0	2	1	0
49587	Α	Repair umbilical hernia	10.63	10.63	090	2	0	2	1	0
49590	Α	Repair abdominal hernia	12.73	12.73	090	2	1	2	1	0
49600	Α	Repair umbilical hernia	14.90	14.90	090	2	0	2	1	0
49605	Α	Repair umbilical hernia	29.83	29.83	090	2	0	2	1	0
49606		Repair umbilical hernia	25.44	25.44	090	2	0	2	1	0
49610		Repair umbilical hernia	15.53	15.53	090	2	0	2	1	0
49611	Α	Repair umbilical hernia	17.11	17.11	090	2	0	2	1	0
(175) Abd	lomer	n, peritoneum, and omentum,	suture:							
		•								
49900	A	Repair of abdominal wall	15.10	15.10	090	2	0	2	1	0
(176) Abd	lomer	n, peritoneum, and omentum,	other pro	ocedures:						
40005	А	Omental flan	0.60	0.60	ZZZ	Λ	Λ	2	2	Λ
49905		Omental flap	9.69	9.69		0	0	2 2	2	0
49906		Free omental flap	0.00	0.00	090	2 2	0	2	1	0
49999	C	Abdomen surgery	0.00	0.00	YYY	2	U	2	1	1

materni	D. P	rocedure code numbers 50010 edures.	0 to 59	899 rela	ate to g	geni	toui	rina	ry a	ınd
1	2 3	4	5	6	7	8	9	10	11	12
(1) Kid	ney, inc	cision:								
50010 50020 50021 50040 50045 50060 50065 50070 50075 50080 50120 50120 50125 50130 50135	A A A A A A A A	Percutaneous drain renal Drainage of kidney Exploration of kidney Removal of kidney Incision of kidney Incision of kidney Removal of kidney Removal of kidney Removal of kidney Removal of kidney Revise kidney Exploration Explore and drain Removal of kidney	19.82 20.35 5.71 20.84 24.00 30.02 33.07 31.62 40.19 25.77 35.04 25.34 25.67 26.16 28.76 34.78	19.82 20.35 5.71 20.84 24.00 30.02 33.07 31.62 40.19 25.77 35.04 25.34 25.67 26.16 28.76 34.78	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 0 1 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(2) Kid	ney, exc	cision:								
50200 50205 50220 50225 50230 50234 50236 50240 50280 50290	A A A A	Biopsy of kidney Removal of kidney Partial removal Removal of kidney	5.03 16.10 29.21 35.26 38.82 37.33 40.66 36.36 25.36 22.60	5.03 16.10 29.21 35.26 38.82 37.33 40.66 36.36 25.36 22.60	000 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 2 1 1 1 1 1	0 0 0 0 0 0 0 0
(3) Kid	ney, rei	nal transplantation:								
50300 50320 50340 50360 50365 50370 50380	A A A	Removal of donor kidney Removal of donor kidney Removal of kidney Transplantation Transplantation Remove transplant Reimplantation	0.00 37.41 24.33 54.58 65.23 24.22 29.56	0.00 37.41 24.33 54.58 65.23 24.22 29.56	XXX 090 090 090 090 090 090	9 2 2 2 2 2 2 2	9 1 1 0 1 0 0	9 2 2 2 2 2 2 2	9 1 1 2 2 1 1	9 0 0 2 2 0 0
(4) Kid	ney, int	roduction:								
50390 50392 50393	Α	Drainage of kidney Insert kidney drain Insert ureteral catheter	3.49 5.46 6.83	3.49 5.46 6.83	000 000 000	· 2 2 2	1 1 1	1 1 1	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$

633			FEES	FOR	MEDICAL	SERV	TCE	ES	522	1.40	30
50394	Α	Injection for kidney		1.25	5 1.25	000	2	1	1	0	0
50395	Α	•		6.45		000	2	1	1	0	0
50396		Measure kidney		2.41		000	2	1	0	0	0
50398	A	Change kidney tube		1.86		000	2	1	1	0	0
(5) Kidney,	, rep	air:									
•	•			24.6	- 01 /#	000	_	_	_		•
50400		Revision of kidney		31.65		090	2	0	2	1	0
50405	A	Revision of kidney		39.39		090	2	0	2	1	0
50500	A	Repair of kidney		30.71		090	2	0	2	1	0
50520	A	Close kidney-skin		26.46		090	2	0	2	1	0
50525	A	Repair renal-abscess		33.50		090	2	0	2	1	0
50526	A	Repair renal-abscess		30.22		090	2	0	2	0	0
50540	Α	Revision of horseshoe		31.90	31.90	090	2	2	2	1	0
(6) Kidney,	, enc	loscopy:									
50551	А	Kidney endoscopy		7.32	2 7.32	000	2	1	0	0	0
50553	Α	Kidney endoscopy		7.14		000	2	1	1	0	0
50555		Kidney endoscopy		10.72		000	3	1	0	0	0
50557		Kidney endoscopy		10.83		000	3	1	0	0	0
50559		Renal endoscopy		7.53		000	3	1	0	0	0
50561		Kidney endoscopy		12.11		000	3	1	o 0	ŏ	0
50570	Α	Kidney endoscopy		10.14		000	2	1	ŏ	Ö	Ŏ
50572	Α	Kidney endoscopy		16.83		000	3	1	Õ	0	Ŏ
50574		Kidney endoscopy		17.20		000	3	1	0	0	0
50575		Kidney endoscopy		22.82		000	3	1	1	0	0
50576		Kidney endoscopy		18.80		000	3	1	0	0	0
50578		Renal endoscopy		14.62		000	3	1	0	Õ	0
50580		Kidney endoscopy		14.42		000	3	1	0	0	0
(7) Kidney,	, oth	er procedures:									
50590	Α	Fragmenting		18.45	5 18.45	090	2	1	1	0	0
		B									
(8) Ureter,	inci	sion:									
50600	Α	Exploration		24.30	24.30	090	2	1	2	1	0
50605	Α	Insert ureteral		20.2		090	2	î	2	1	0
50610	A	Removal of ureteral		26.4		090	2	1	2	1	0
50620		Removal of ureteral		25.50		090	2	1	2	1	0
50630		Removal of ureteral		26.53		090	2	1	2	1	ŏ
2000	• •			20101		220	_	•	_	-	•
(9) Ureter,	exc	ision:									
50650	Δ	Removal of ureteral		28.13	3 28.13	090	2	0	2	1	0
50660		Removal of ureteral		30.66		090	2	0	2	1	0
20000	А	Acinoval of utcicial		50.00	5 50.00	070	_	U	2	1	U

(10) 11	٠,									
(10) Ureter	, int	roduction:								
50684	Α	Injection, ureterography	1.19	1.19	000	2	1	1	0	0
50686	Α	Measure ureteral	1.75	1.75	000	2	0	0	0	0
50688	Α	Change of ureteral	1.46	1.46	010	2	0	1	0	0
50690	Α	Ureteropyelography	1.38	1.38	000	2	0	1	0	0
(11) Ureter	rei	nair:								
(11) Officer	, 10	ραπ.							•	
50700		Revision of ureteral	26.66	26.66	090	2	0	2	1	0
50715	A	Release of ureteral	28.84	28.84	090	2	1	2	1	0
50722	A		25.90	25.90	090	2	0	2	1	0
50725	A	Release/revise	29.39	29.39	090	2	0	2	1	0
50727		Revise ureteral	12.89	12.89	090	2	0	2	2	0
50728	A	Revise ureteral	18.97	18.97	090	2	0	2	2	0
50740	A	Fusion of ureteral	30.35	30.35	090	2	0	2	1	0
50750	A	Fusion of ureteral	31.97	31.97	090	2	0	2	0	$0 \\ 0$
50760		Fusion of ureteral	30.55	30.55	090 090	2	0	2	1	
50770	A	Splicing of ureteral	33.27	33.27		2	1	2	1	0
50780	A	Reimplant ureteral	30.78	30.78	090	2	1		1 2	$0 \\ 0$
50782	A	Reimplant ureteral	31.85 32.77	31.85 32.77	090 090.	2	1	2	2	0
50783		Reimplant ureteral	34.52	34.52	090.	$\frac{2}{2}$	1	2	1	0
50785	A	Reimplant ureteral	28.18	28.18	090	2	1	2	1	0
50800 50810	A A	Implant ureteral Fusion of ureteral	31.31	31.31	090	2	Ô	2	1	0
50815	A	Urine shunt	38.70	38.70	090	2	1	2	1	0
50820	A	Construct bowel	39.57	39.57	090	2	1	2	1	0
50825	A	Construct bowel	56.92	56.92	090	2	Ô	2	1	ő
50830		Revise urine fluid	49.87	49.87	090	2	ŏ	2	1	ő
50840	A	Replace ureteral	31.77	31.77	090	$\tilde{2}$	1	$\tilde{2}$	1	ŏ
50845	A	Appendico-vesicostomy	33.11	33.11	090	$\bar{2}$	Ō	2	î	ŏ
50860	A	Transplant ureteral	25.13	25.13	090	$\bar{2}$	1	$\bar{2}$	î	ŏ
50900	A	Repair of ureteral	22.64	22.64	090	$\bar{2}$	Ō	$\bar{2}$	1	ŏ
50920	A	Closure of ureter	22.75	22.75	090	2	0	2	1	0
50930	Α		29.74	29.74	090	2	0	2	1	0
50940	Α	Release of ureteral	23.26	23.26	090	2	1	2	1	0
(12) Ureter	, en	doscopy:								
		•	= 04	5 .04	000	•		•	0	
50951		Endoscopy of ureteral	7.01	7.01	000	2	1 1	0	0	0
50953	A	Endoscopy of ureteral	7.36	7.36 8.73	000	3	1	0	0	0
50955 50957		Ureter endoscopy Ureter endoscopy	8.73 8.72	8.72	000	3	1	$0 \\ 0$	0	0
50959		Ureter endoscopy	7.42	7.42	000	3	1	0	0	ŏ
50961		Ureter endoscopy	8.17	8.17	000	3	1	ŏ	ő	0
50970		Ureter endoscopy	11.76	11.76	000	2	1	ŏ	ŏ	ŏ
50972		Ureter endoscopy	7.83	7.83	000	2	1	ŏ	ŏ	ŏ
50974		Ureter endoscopy	15.45	15.45	000	3	î	ŏ	ŏ	ŏ
50976		Ureter endoscopy	14.74	14.74	000	3	ī	ŏ	ŏ	ŏ
50978		Ureter endoscopy	8.81	8.81	000	2	1	ŏ	ŏ	ŏ
50980		Ureter endoscopy	9.41	9.41	000	$\bar{2}$	1	ŏ	ŏ	ŏ
		17								
(13) Bladde	r, ir	ncision:								
			1 20	1.20	000	2	O	1	Λ	0
51000 51005	A	Drainage of bladder Drainage of bladder	1.20 1.39	1.20 1.39	000 000	2	$0 \\ 0$	1	$0 \\ 0$	0
21002	77	Dramage of bladdel	1.37	1.37	000	۷	J	1.	J	J

635	FI	EES FOR MEDICAL	SERVICES	5221.4030
51030 A 51040 A 51045 A 51050 A	Incise and treat Incise and treat Incise and drain Incise bladder Removal of bladder Removal of ureteral	4.20 4.20 13.10 13.10 10.76 10.76 9.08 9.08 11.21 11.21 13.55 13.55 18.10 18.10 15.26 15.26	010 2 0 090 2 0	1 0 0 2 1 0 0 0 0 2 1 0 2 0 0 2 1 0 2 1 0 0 0 0
51080 A	Drainage of bladder	10.73 10.73	090 2 0	2 1 0
(14) Bladder,	excision:			
51520 A 51525 A 51530 A 51535 A 51550 A 51555 A 51555 A 51570 A 51575 A 51575 A 51575 A 51580 A 51585 A 51580 A 51585 A	Removal of bladder Removal of bladder Repair of ureteral Partial removal Partial removal Revise bladder Removal of bladder Removal of bladder Remove bladder Removal of bladder Removal of bladder Removal of bladder	16.5016.5017.1517.1523.5723.5720.7420.7419.4619.4625.2125.2131.8431.8435.8535.8538.0338.0350.9850.9848.6148.6157.5854.7568.2168.2171.4871.4866.7866.78	090 2 0 090 2 0 090 2 0 090 2 0 090 2 1 090 2 0 090 2 0 090 2 0 090 2 0 090 2 0 090 2 0 090 2 2 090 2 0 090 2 2 090 2 0 090 2 2 090 2 0 090 2 0 090 2 0 090 2 0 090 2 0	2 1 0 2 1 0
(15) Bladder,	ntroduction:			
51600 A 51605 A 51610 A 51700 A 51705 A 51710 A 51715 A 51720 A	Preparation for chain Injection for bladder Irrigation of bladder Change of bladder tube Change of bladder tube Endoscopic injection	1.09 1.09 .89 .89 1.23 1.23 1.02 0.92 1.32 1.13 1.94 1.66 6.10 6.10 2.24 2.02	000 2 0 000 2 0 000 2 0 000 2 0 010 2 0 010 2 0 010 2 0 000 2 0	1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 0 0 1 0 0
(16) Bladder,	ırodynamics:			
51725 26 A 51725 TC A 51726 26 A 51726 TC A 51736 A 51736 26 A 51736 TC A 51731 TC A	Complex cystometrogram Complex cystometrogram Complex cystometrogram Urine flow measure	2.38 2.38	000 2 0 000 2 0 000 0 0 000 2 0 000 2 0 000 2 0 000 2 0 000 2 0 000 2 0 000 2 0 000 2 0 000 2 0 000 2 0	0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 1 0 0 0 0 0 0 0 0 1 0 0 1 0 0

51741	TC	Α	Electro-uroflow	0.21	0.21	000	0	0	1	0	0
51772		Α	Urethra pressure	2.43	2.43	000	2	0	0	0	0
51772	26		Urethra pressure	2.00	2.00	000	2	0	0	0	0
51772	TC		Urethra pressure	0.43	0.43	000	0	0	0	0	0
51784		Α	Anal/urinary muscle	2.45	2.45	000	2	0	1	0	0
51784	26	Α	Anal/urinary muscle	2.06	2.06	000	2	0	1	0	0
51784	TC	Α	Anal/urinary muscle	0.40	0.40	000	0	0	1	0	0
51785		Α	Anal/urinary muscle	2.45	2.45	000	2	0	0	0	0
51785	26	Α	Anal/urinary muscle	2.06	2.06	000	2	0	0	0	0
51785	TC	Α	Anal/urinary muscle	0.40	0.40	000	0	0	0	0	0
51792		Α	Urinary reflex	2.97	2.97	000	2	0	0	0	0
51792	26		Urinary reflex	1.60	1.60	000	2	0	0	0	0
51792	TC	Α	Urinary reflex	1.37	1.37	000	0	0	0	0	0
51795		Α	Urine voiding pressure	2.87	2.87	000	2	0	0	0	0
51795	26		Urine voiding pressure	1.97	1.97	000	2	0	0	0	0
51795	TC	Α	Urine voiding pressure	0.90	0.90	000	0	0	0	0	0
51797		Α	Intra-abdominal	2.43	2.43	000	2	0	0	0	0
51797	26	Α	Intra-abdominal	1.97	1.97	000	2	0	0	0	0
51797	TC	Α	Intra-abdominal	0.46	0.46	000	0	0	0	0	0

(17) Bladder, repair:

51800	Α	Revision of bladder	28.24	28.24	090	2	0	2	1	0
51820	Α	Revision of urine	24.11	24.11	090	2	2	2	1	0
51840	Α	Attach bladder	19.32	19.32	090	2	0	2	1	0
51841	Α	Attach bladder	23.28	23.28	090	2	0	2	1	0
51845	Α	Repair bladder	19.77	19.77	090	2	0	2	1	0
51860	Α	Repair of bladder	18.77	18.77	090	2	0	2	1	0
51865	Α	Repair of bladder	24.94	24.94	090	2	0	2	1	0
51880	Α	Repair of bladder	12.03	12.03	090	2	0	2	1	0
51900	Α	Repair bladder	23.81	23.81	090	2	0	2	1	0
51920	Α	Close bladder	18.38	18.38	090	2	0	2	1	0
51925	Α	Hysterectomy/bladder	25.16	25.16	090	2	0	2	1	0
51940	Α	Correction of bladder	43.87	43.87	090	2	0	2	1	0
51960	Α	Revision of bladder	42.81	42.81	090	2	0	2	1	0
51980	Α	Construct bladder	17.93	17.93	090	2	0	2	1	0

(18) Bladder, endoscopy, cystoscopy, urethroscopy, cystourethroscopy:

52000	A Cystoscopy	3.19	2.54	000	2	0	1	0	0
52005	A Cystoscopy and urete	ral 4.40	4.40	000	2	0	1	0	0
52007	A Cystoscopy	5.62	5.62	000	3	1	1	0	0
52010	A Cystoscopy and duct	4.69	3.77	000	3	0	1	0	0

(19) Bladder, transurethral surgery:

52204	A Cystoscopy	4.58	4.58	000	3	0	1	0	0
52214	A Cystoscopy	6.23	6.23	000	3	0	1	0	0
52224	A Cystoscopy	5.81	5.81	000	3	0	1	0	0
52234	A Cystoscopy	9.00	9.00	000	2	0	1	0	0
52235	A Cystoscopy	11.19	11.19	000	2	0	1	0	0
52240	A Cystoscopy	19.69	19.69	000	2	0	1	0	0
52250	A Cystoscopy	7.01	7.01	000	3	0	1	0 ·	0

637		FEES	FOR	MEDICAL	SERVICES		52	5221.4030	
52260 52265 52270 52275 52276 52277 52281 52282 52283 52285 52290 52300 52301 52305 52310 52317 52318	$\begin{matrix} A \\ A $	Cystoscopy Cemove bladder Remove bladder	5.72 4.05 6.60 7.76 9.21 10.52 4.90 10.48 4.92 6.28 6.56 8.33 5.60 8.88 12.41 16.38	2 5.72 5 3.40 0 6.60 6 7.76 1 9.21 2 10.52 0 3.78 3 10.48 4 4.94 8 4.86 6 6.56 7 8.37 5 8.55 9 8.39 0 5.60 8 8.88 1 12.41	000 000 000 000 000 000 000 000 000 00	3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(20) Bladder	r, u	reter and pelvis:							
52320 52325 52327 52330 52332 52334 52335 52336 52337 52338 52339	A A A A	Cystoscopy Cystoscopy Cystoscopy, injection Cystoscopy Cystoscopy Create passage Endoscopy, ureteroscopy Cystoscopy Cystoscopy Cystoscopy Cystoscopy Cystoscopy Cystoscopy	9.22 12.52 8.47 8.12 5.85 7.79 10.10 14.10 16.30 12.70 14.04	2 12.52 7 8.47 2 8.12 5 5.75 9 7.79 9 10.10 9 14.10 16.30 9 12.70	000 000 000 000 000 000 000 000 000 00	3 1 3 1 3 1 3 1 3 1 2 0 3 1 3 1 3 1 3 1	1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
(21) Bladder	r, v	esical neck and prostate:							
52340 52450 52500 52510 52601 52606 52612 52614 52620 52630 52640 52647 52648 52700	A A A A A A A A A	Cystoscopy Incision of prostate Revision of bladder Dilation prostate Prostatectomy Control postoperative Prostatectomy Prostatectomy Remove residual Remove prostate Relieve bladder Laser surgery Laser surgery Drainage of prostate	14.04 12.03 15.27 13.65 23.34 10.77 16.22 13.43 14.93 12.56 21.00 22.28 9.53	3 12.03 7 15.27 5 13.65 4 23.34 7 10.77 7 16.27 8 13.43 8 11.43 8 14.93 6 12.56 6 21.06 8 22.28	090 090 090 090 090 090 090 090 090 090	2 (2 2 (2 2 (2 2 (2 2 (2 2 (2 2 (2 2 (2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
(22) Urethra, incision:									
53000 53010	A A	Incision of urethra Incision of urethra	3.86 6.97		010 090	2 (0 0

0221.1000	1 13	do I ok Medicile Sekvici								
			2 4 5	2 45	000	_	•		•	•
53020	Α	Incision of urethra	2.45	2.45	000	2	0	1	0	0
53025	Α	Incision of urethra	1.84	1.84	000	2	0	0	0	0
53040	Α	Drainage of urethra	7.70	7.70	090	2	0	0	0	0
53060	Α	Drainage of urethra	2.92	2.92	010	2	0	1	0	0
53080	Α	Drainage of urine	9.80	9.80	090	2	0	1	0	0
53085	A	Drainage of urine	16.23	16.23	090	2	0	2	1	ŏ
33003	11	Dramage of time	10.25	10.23	070	_	Ū	_	•	U
(23) Ureth	ra, e	xcision:								
53200	Α	Biopsy of urethra	3.48	3.48	000	2	0	1	0	0
53210	Α	Removal of urethra	18.19	18.19	090	2	0	2	1	0
53215	Α	Removal of urethra	24.33	24.33	090	2	0	2	1	0
53220	Α	Treatment of urethra	11.23	11.23	090	2	0	0	0	0
53230	Α	Removal of urethra	16.79	16.79	090	2	0	2	1	0
53235	A	Removal of urethra	14.32	14.32	090	2	Ō	2	1	Ō
53240	A	Surgery of urethra	10.29	10.29	090	$\frac{2}{2}$	ŏ	1	Ô	ŏ
	A		9.48	9.48	090	2	0	1	0	0
53250		Removal of urethra								
53260	Α	Treatment of urethra	3.88	3.88	010	2	0	1	0	0
53265	Α	Treatment of urethra	4.77	4.77	010	2	0	1	0	0
53270	Α	Removal of urethra	3.72	3.31	010	2	0	1	0	0
53275	Α	Repair of urethra	6.54	6.54	010	2	0	1	0	0
(24) Ureth	.	anaire								
(24) Ofeni	ıa, ı	cpair.								
53400	Α	Revise urethra	19.23	19.23	090	2	0	2	1	0
53405	Α	Revise urethra	23.84	23.84	090	2	0	2	1	0
53410	A	Reconstruction	23.66	23.66	090	2	0	2	1	Ŏ
53415	A	Reconstruction	29.72	29.72	090	2	ŏ	$\bar{2}$	1	ŏ
53420	A	Reconstruct urethra	23.87	23.87	090	2	ŏ	1	1	ŏ
53425	A	Reconstruct urethra	23.93	23.93	090	2	ŏ	2	1	ő
53430	A	Reconstruction	22.17	22.17	090	2	0	2	1	0
					090	2	0	2		
53440	A	Correct bladder	24.66	24.66		2		2	1	0
53442	A	Remove perineal	13.52	13.52	090	2	0	2	0	0
53443	Α	Reconstruction	28.34	28.34	090	2	0	2	1	0
53445	A	Correct urine flow	28.83	28.83	090	2	0	2	1	0
53447	Α	Remove artificial	21.30	21.30	090	2	0	2	1	0
53449	Α	Correct artificial	17.38	17.38	090	2	0	2	1	0
53450	Α	Revision of urethra	8.37	8.37	090	2	0	1	0	0
53460	Α	Revision of urethra	8.96	8.96	090	2	0	0	0	0
53502	Α	Repair of urethra	12.04	12.04	090	2	0	1	0	0
53505	Α	Repair of urethra	12.21	12.21	090	2	0	2	0	0
53510	Α	Repair of urethra	16.28	16.28	090	2	0	2	1	0
53515	Α	Repair of urethra	21.29	21.29	090	2	0	2	1	0
53520	A	Repair of urethra	13.88	13.88	090	2	0	1	0	0
		•								
(25) I Inoth	.	aninulation.								
(23) Urein	ιа, П	nanipulation:								
53600	Α	Dilate urethra	1.43	1.27	000	2	0	1	0	0
53601	Α	Dilate urethra	1.19	1.05	000	2	0	1	0	0
53605		Dilate urethra	1.63	1.63	000	2	Ö	1	ŏ	Ŏ
53620	A	Dilate urethra	1.95	1.73	000	2	ŏ	ī	ŏ	ŏ
53621		Dilate urethra	1.61	1.43	000	$\bar{2}$	ŏ	i	ŏ	ŏ
53660	A	Dilation of urethra	0.93	0.80	000	$\bar{2}$	ŏ	1	ŏ	ŏ
53661	A	Dilation of urethra	0.91	0.79	000	2	ŏ	1	ŏ	ŏ
22301	. 1	_ 1011011 01 alound	0.71	3.,,	550	_	~	-	-	J

639	FEES	FOR MEDIC	CAL SERVICES	5221.4030
53665 53670 53675	A Dilation of urethra A Insert urinary catheter A Insert urinary catheter	1.06 1.0 0.68 0.5 1.82 1.8	7 000 2 0	1 0 0
(26) Urethra	other procedures:		,	
53850 53852 53899	A Prostatic microwave A Prostatic radiofrequency C Urology surgery	15.42 15.4 16.12 16.1 0.00 0.0	2 090 2 0	1 0 0
(27) Penis, in	cision:			
54000 54001 54015	A Slitting of penis A Slitting of penis A Drain penis lesion	2.05 2.0 2.85 2.8 5.68 5.6	5 010 2 0	1 0 0
(28) Penis, d	estruction:			
54050 54055 54056 54057 54060 54065	A Destruction, penis A Destruction, penis A Cryosurgery, penis A Laser surgery, penis A Excision of penis A Destruction, penis	1.51 1.3 1.73 1.4 1.66 1.4 2.71 2.5 2.95 2.9 4.72 3.5	4 010 2 0 0 010 2 0 6 010 2 0 5 010 2 0	$\begin{array}{cccc} 1 & 0 & 0 \\ 1 & 0 & 0 \\ 1 & 0 & 0 \\ 1 & 0 & 0 \end{array}$
(29) Penis, e	ccision:			
54100 54105 54110 54111 54112 54115 54120 54125 54130 54135 54150 54152 54160 54161	A Biopsy of penis A Biopsy of penis A Treatment of penis A Treat penis lesion A Treat penis lesion A Treatment of penis A Partial removal of penis A Removal of penis A Removal of penis A Removal of penis A Circumcision A Circumcision A Circumcision A Circumcision Circumcision	2.39 2.3 4.21 4.2 15.36 15.3 21.72 21.7 25.50 25.5 9.86 9.8 15.64 15.6 24.09 24.0 33.17 33.1 42.04 42.0 2.19 2.1 3.97 3.9 3.97 3.9 5.19 5.1	1 010 2 0 6 090 2 0 2 090 2 0 0 090 2 0 6 090 2 0 4 090 2 0 9 090 2 0 7 090 2 2 4 090 2 2 9 010 2 0 7 010 2 0 7 010 2 0	1 0 0 2 0 0 2 1 0 2 1 0 2 0 0 2 1 0 2 1 0 2 1 0 2 1 0 2 1 0 2 1 0 2 0 0 1 0 0 1 0 0
(30) Penis, i	troduction:			
54200 54205 54220 54230 54231 54235 54240	A Treatment of penis A Treatment of penis A Treatment of penis A Prepare penis A Dynamic cavernosometry A Penile injection A Penis study	1.29 1.1 12.41 12.4 3.82 3.8 2.58 1.9 3.32 3.3 1.52 1.3 2.21 2.2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

5221.4030 FE	EES FOR MEDICAL SERVICE	ES						6	640
54240 TC A 54250 A 54250 26 A	Penis study Penis study Penis study Penis study Penis study Penis study	1.71 0.50 2.83 2.53 0.31	1.71 0.50 2.83 2.53 0.31	000 000 000 000 000	2 0 2 2 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
(31) Penis, rep	air:								
54304 A 54308 A 54308 A 54312 A 54316 A 54318 A 54322 A 54324 A 54326 A 54328 A 54332 A 54336 A 54336 A 54340 A 54344 A 54348 A 54352 A 54360 A 54380 A 54380 A 54400 A 54401 A 54402 A 54407 A 54409 A 54407 A 54409 A 54430 A 54430 A	Reconstruction Reconstruction Reconstruction Reconstruction Reconstruction Reconstruction Reconstruction Reconstruction Revise penis Revise penis Revise penis Revise penis Secondary urethra Secondary urethra Secondary urethra Reconstruct urethra Penis plastic surgery Repair penis Repair penis Repair penis Repair penis Insert semi-rigid Insert semi-rigid Insert self-contained Remove penis prosthesis Insert multicomponent Remove multicomponent Revise penis prosthesis Revision of penis Revision of penis	16.58 20.20 16.79 21.87 26.84 18.10 19.57 26.01 24.99 25.25 28.22 37.12 14.28 31.12 27.42 38.91 18.01 21.48 24.57 33.60 18.41 21.21 14.48 27.62 23.56 20.22 18.32 16.35 9.78 0.00	16.58 20.20 16.79 21.87 26.84 18.10 19.57 26.01 24.99 25.25 28.22 37.12 14.28 31.12 27.42 38.91 18.01 21.48 24.57 33.60 18.41 21.21 14.48 27.62 23.56 20.22 18.32 16.35 9.78 0.00	090 090 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(32) Penis, ma									
. ,	Preputial stretching	1.71	1.71	000	2	0	1	0	0
(33) Testis, exc	sision:								
54505 A 54510 A 54520 A 54530 A 54535 A 54550 A	Biopsy of testis Biopsy of testis Removal of testis Removal of testis Removal of testis Extensive testis Exploration Exploration	1.64 5.06 8.08 10.16 15.28 19.85 12.47 17.53	1.64 5.06 8.08 10.16 15.28 19.85 12.47 17.53	000 010 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1	0 0 0 1 2 2 2 2	0 0 0 0 1 0 0	0 0 0 0 0 0 0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(34) Testis,	rep	air:								
54600 54620 54640 54650 54660 54670 54680	Α	Reduce testis torsion Suspension of testis Suspension of testis Orchiopexy, abdominal Revision of testis Repair testis Relocation of testis	11.09 7.84 14.10 18.45 8.11 10.21 19.84	11.09 7.84 14.10 18.45 8.11 10.21 19.84	090 010 090 090 090 090 090	2 2 2 2 2 2 2 2	1 1 1 1 1 1	1 1 2 0 0 2	0 0 0 0 0 0 1	0 0 0 0 0 0
(35) Epidid	ymi	s, incision:								
54700	Α	Drainage of scrotum	4.04	4.04	010	2	0	1	0	0
(36) Epidid	ymi	s, excision:								
54800 54820 54830 54840 54860 54861	A A A	Biopsy of epididymis Exploration of epididymis Removal of epididymis Removal of epididymis Removal of epididymis Removal of epididymis	4.12 7.36 8.49 9.66 11.01 15.53	4.12 7.36 8.49 9.66 11.01 15.53	000 090 090 090 090 090	2 2 2 2 2 2 2	0 0 0 0 0	0 0 0 1 1 0	0 0 0 0 0	0 0 0 0 0
(37) Epidid	ymi	s, repair:								
54900 54901		Fusion of sperm Fusion of sperm	21.11 28.82	21.11 28.82	090 090	2 2	0 2	0	0 0 	0
(38) Tunica	vag	ginalis, incision:								
55000	Α	Drainage of hydrocele	1.71	1.51	000	2	0	1	0	0
(39) Tunica	vag	ginalis, excision:								
55040 55041	A A	Removal of hydrocele Removal of hydrocele	9.88 14.69	9.88 14.69	090 090	2 2	0 2	1	0	0
(40) Tunica	vag	ginalis, repair:								
55060	Α	Repair of hydrocele	9.28	9.28	090	2	1	0	0	0
(41) Scrotur	m, i	ncision:								
55100 55110 55120	Α	Drainage of scrotum Exploration of scrotum Removal of scrotum	2.58 8.74 6.47	2.58 8.74 6.47	010 090 090	2 2 2	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	1 1 0	0 0 0	0 0 0

(42) Scrotu	m, e	excision:								
55150	A	Removal of scrotum	12.13	12.13	090	2	0	2	1	0
(43) Scrotu	m, 1	repair:								
55175 55180		Revision of scrotum Revision of scrotum	9.36 16.78	9.36 16.78	090 090	2 2	0 0	0 0	0	0
(44) Vas de	efer	ens, incision:								
55200	A	Incision	5.86	5.86	090	2	2	0	0	0
(45) Vas de	fer	ens, excision:		-						
55250	A	Removal	5.68	4.41	090	2	2	1	0	0
(46) Vas de	fere	ens, introduction:								
55300	Α	Preparation	5.95	5.95	000	2	2	0	0	0
(47) Vas de	fere	ens, repair:								
55400	A	Repair of sperm	14.39	14.39	090	2	1	2	1	0
(48) Vas de	fere	ens, suture:								
55450	Α	Ligation of sperm	6.44	6.44	010	2	2	0	0	0
(49) Sperm	atic	cord, excision:								
55500 55520 55530 55535 55540		Removal of hydrocele Removal of sperm Revise spermatic Revise spermatic Revise hernia	9.52 8.77 10.49 10.45 11.85	9.52 8.77 10.49 10.45 11.85	090 090 090 090 090	2 2 2 2 2	0 0 0 0 0	0 2 1 2 2	0 1 1 1 1	0 0 0 0 0
(50) Semina	al vo	esicles, incision:								
55600 55605	A A	Incise sperm duct Incise sperm duct	10.26 12.96	10.26 12.96	090 090	2 2	1 1	0 0	0 0	0 0

(51) Semina	ıl ve	esicles, excision:								
55650 55680		Remove sperm duct Remove sperm	18.11 9.20	18.11 9.20	090 090	2 2	1 0	2	1 0	$_{0}^{0}$
		·								
(52) Prostat	e, i	ncision:								
55700		Biopsy of prostate	2.96	2.23	000	2	0	1	0	0
55705 55720	A A	Biopsy of prostate Drainage of prostate	7.59 10.53	7.59 10.53	010 090	2 2	$0 \\ 0$	1 2	1 1	0
55725		Drainage of prostate	13.61	13.61	090	2	ő	2	1	ő
(53) Prostat	e, e	xcision:								
55801		Removal of prostate	29.28	29.28	090	2	0	2	1	0
55810 55812		Extensive prostate	38.75 43.12	38.75 43.12	090 090	2	$0 \\ 0$	2 2	1 1	$0 \\ 0$
55815		Extensive prostate Extensive prostate	53.33	53.33 .	090	2	2	2	1	0
55821		Removal of prostate	26.81	26.81	090	$\overline{2}$	$\bar{0}$	$\bar{2}$	î	ŏ
55831		Removal of prostate	29.04	29.04	090	2 2	0	2	1	0
55840		Extensive prostate	37.52	37.52	090	2	0	2	1	0
55842		Extensive prostate	41.68	41.68	090	2	0	2	1	0
55845	A	Extensive prostate	51.51	51.51	090 090	2	2 0	2	$\frac{1}{0}$	0
55859 55860		Percutaneous/needle Surgical exposure	17.38 20.39	17.38 20.39	090	2	0	1	1	0
55862		Extensive prostate	28.65	28.65	090	$\frac{2}{2}$	0	2	1	ő
55865		Extensive prostate	45.77	45.77	090	2	2	$\bar{2}$	1	ŏ
(54) Prostat	e, o	ther procedures:								
55870	Α	Electroejaculation	4.21	4.21	000	2	0	1	1	0
55899	C	Genital surgery	0.00	0.00	YYY	2	Ŏ	2	1	1
(55) Interse	x su	irgery:								
55070	N.T	C +	0.00	0.00	vvv	0	0	0	0	0
55970 55980	N N		$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9 9	9 9	9	9 9	9 9
(56) Laparo	sco	py/hysteroscopy:								
56300	Α	Laparoscopy, diagnostic	9.44	9.44	010	2	0	2	2	0
56301		Laparoscopy	10.34	10.34	010	3	Ŏ	1	2	ŏ
56302	Α	Laparoscopy	10.89	10.89	010	3	0	1	2	0
56303	Α	Laparoscopy, excision	16.68	16.68	090	3	0	2	2 2 2	0
56304	A	Laparoscopy, lysis	16.32	16.32	090	3	0	2	2	0
56305 56306	A	Laparoscopy, biopsy	10.07 10.53	10.07 10.53	010 010	3	$0 \\ 0$	2	2	$0 \\ 0$
56307	A A	Laparoscopy, aspiration Laparoscopy, removal	17.83	17.83	010	3	0	2	2	0
56308	A	Laparoscopy/hysterectomy	23.09	23.09	010	3	ő	2	2	ŏ
56309		Laparoscopy, removal	18.07	18.07	010	3	0	2	2	Ō
56310	Α	Laparoscopy, enterolysis	22.07	22.07	090	2	0	2	1	0
56311	A	Laparoscopy, lymph	15.37	15.37	010	3	0	2	2	0
56312	Α	Laparoscopy, lymph	19.97	19.97	010	2	2	2	2	0

56313	Α	Laparoscopy, lymph	23.94	23.94	010	2	2	2	2	0
56314	A	Laparoscopy, drainage	15.47	15.47	090	3	ō	$\bar{2}$	$\bar{2}$	ŏ
56315	A	Laparoscopy/appendectomy	13.18	13.18	090	2	ŏ	2	2	ŏ
			10.57	10.57		2		2	1	0
56316		Laparoscopy, hernia			090		1			
56317	Α	Laparoscopy, hernia	13.13	13.13	090	2	1	2	1	0
56318	A	Laparoscopy, orchiectomy	17.38	17.38	090	2	1	2	1	0
56320	Α	Laparoscopy, spermatic	10.46	10.46	090	2	1	2	1	0
56322	Α	Laparoscopy, vagus	14.76	14.76	090	2	0	2	1	0
56323	Α	Laparoscopy, vagus	17.69	17.69	090	2	0	2	1	0
56324	Α	Cholecystoenterostomy	21.33	21.33	090	2	0	2	1	0
56340	Α	Cholecystoenterostomy	18.74	18.74	090	2	0	2	1	0
56341	Α	Cholecystoenterostomy	20.00	20.00	090	2	0	2	1	0
56342	Α	Cholecystoenterostomy	23.07	23.07	090	2	0	2	1	0
56343	A	Salpingostomy	18.19	18.19	090	3	1	2	0	0
56344	Α	Fimbrioplasty	17.28	17.28	090	3	1	$\frac{1}{2}$	0	ŏ
56345	C	Laparoscopy, splenectomy	0.00	0.00	XXX	0	0	õ	ŏ	ő
56346			13.65	13.65	090	2	0	2	1	0
		Laparoscopy, gastrostomy						0	0	0
56347	C	Laparoscopy, jejunostomy	0.00	0.00	XXX	0	0			
56348	Α	Laparoscopy, resection	34.34	34.34	090	2	0	2	1	0
56349	Α	Laparoscopy, fundoplasty	28.53	28.53	090	2	0	2	1	0
56350	Α	Hysteroscopy, diagnostic	5.19	5.19	000	2	0	0	2	0
56351	Α	Hysteroscopy, biopsy	6.48	6.48	000	3	0	1	2	0
56352	Α	Hysteroscopy, lysis	9.71	9.71	000	3	0	1	2	0
56353	Α	Hysteroscopy, resection	10.46	10.46	000	3	0	2	2	0
56354	Α	Hysteroscopy, resection	14.56	14.56	000	3	0	0	2	0
56355	Α	Hysteroscopy, resection	6.89	6.89	000	3	0	1	2	0
56356	Α	Hysteroscopy, ablation	10.66	10.66	000	3	0	0	2	0
56362	Α	Cholangiography	7.22	7.22	000	2	Ō	Ō	0	0
56363	Α	Laparoscopy, biopsy	8.75	8.75	000	2	0	Õ	Õ	Ŏ
20202		Zaparos c opy, cropsy	01.70	0.75	000	-	·	Ū		ŭ
(57) Laparo	osco	py/hysteroscopy, other procedu	ıres:							
	_							_		
56399	C	Laparoscopy procedure	0.00	0.00	YYY	2	1	2	0	0
(58) Vulva.	ner	ineum and introitus, incision:								
(30) varva,	PU	mean and mercuas, meision.								
56405	Α	Vulva incision, drainage	2.12	1.76	010	2	0	1	2	0
56420		Drainage of gland	2.11	1.72	010	2	ŏ	1	$\bar{0}$	Õ
56440		Surgery for vulva	5.41	5.41	010	$\bar{2}$	Õ	î	Ö	ŏ
56441	Δ	Lysis of labial adhesions	3.55	3.55	010	_	0	0	0	0
J 044 1	Λ	Lysis of lablar adilesions	3.33	3.33	010	2	U	U	U	U
(59) Vulva,	per	ineum and introitus, destructio	n:							
	_									
56501	Α	Destruction of vulva	1.97	1.71	010	2	0	1	0	0
56515	Α.	Destruction of vulva	4.35	4.07	010	2	0	1	0	0
00010	А									
	А									
		innum and inteniture assisting								
		ineum and introitus, excision:								
(60) Vulva,	per		1 <i>74</i>	1 <i>A</i> 1	በበበ	2	Ω	1	2	n
(60) Vulva, 56605	per A	Biopsy of vulva	1.74	1.41	000	2	0	1	2 2	0
(60) Vulva, 56605 56606	per A A	Biopsy of vulva Biopsy of vulva	0.88	0.71	000	0	0	1	2	0
(60) Vulva, 56605	per A A A	Biopsy of vulva					_			

645	FEES	FOR MEDICAL	SERVICES	5221.4030
56630 56631 56632 56633 56634 56637 56640 56700 56720 56740	A Extensive vulva A Partial removal A Incision A Remove vagina gland	26.03 26.03 34.41 34.41 41.50 41.50 32.19 32.19 37.72 37.72 43.12 43.12 41.80 41.80 4.24 4.24 1.14 1.14 6.49 6.49	090 2 0 090 2 0 090 2 2 090 2 0 090 2 0 090 2 0 090 2 1 010 2 0 010 2 0	2 1 0 2 2 0 2 2 0 2 2 0 2 2 0 2 2 0 2 2 0 2 1 0 0 0 0 1 0 0
(61) Vulva,	erineum and introitus, repair:			
56800 56805 56810	A Repair of vagina A Repair clitoris A Repair of perineum	6.67 6.67 29.23 29.23 6.56 6.56	010 2 0 090 2 0 010 2 0	2 1 0 2 1 0 2 2 0
(62) Vagina	incision:			
57000 57010 57020	A Exploration of colpotomy A Drain pelvic abscess A Drain pelvic abscess	4.85 4.85 8.32 8.32 2.07 2.07	010 2 0 090 2 0 000 2 0	$egin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 &$
(63) Vagina	destruction:			
57061 57065	A Destroy vaginal lesion A Destroy vaginal lesion	2.02 1.62 5.55 5.55	010 2 0 010 2 0	$\begin{array}{ccc} 1 & 0 & 0 \\ 1 & 0 & 0 \end{array}$
(64) Vagina	excision:			
57100 57105 57108 57110 57120 57130 57135	A Biopsy of vagina A Biopsy of vagina A Partial removal A Removal of vagina A Closure of vagina A Remove vagina lesion A Remove vagina lesion	1.55 1.25 3.23 3.23 11.48 11.48 21.55 21.55 14.31 14.31 5.04 5.04 4.50 4.50	000 2 0 010 2 0 090 2 0 090 2 0 090 2 0 010 2 0 010 2 0	1 0 0 1 0 0 2 1 0 2 1 0 2 1 0 2 1 0 1 0 0
(65) Vagina	introduction:			
57150 57160 57170 57180	A Treat vagina infection A Insert pessary device A Fitting of diaphragm A Treat vaginal bleeding	0.70 0.61 1.08 0.96 1.17 1.01 2.03 1.76	000 2 0 000 2 0 000 2 0 010 2 0	$\begin{array}{cccc} 1 & 0 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 0 \\ 1 & 0 & 0 \end{array}$
(66) Vagina	repair:			·
57200 57210 57220	A Repair of vagina A Repair vagina/perineum A Revision of urethra	6.53 6.53 8.21 8.21 8.64 8.64	090 2 0 090 2 0 090 2 0	

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						6	546
57230	Α	Repair of urethra	9.18	9.18	090	2	0	2	1	0
57240	Α	Repair bladder	12.85	12.85	090	2	0	2	1	0
57250	Α	Repair rectum	11.82	11.82	090	2	0	2	1	0
57260	Α	Repair of vagina	16.90	16.90	090	2	0	2	1	0
57265	Α	Extensive repair	20.56	20.56	090	2	0	2	1	0
57268	Α	Repair of bowel	13.74	13.74	090	2	0	2	1	0
57270	Α	Repair of bowel	18.39	18.39	090	2	0	2	1	0
57280	Α	Suspension of vagina	22.91	22.91	090	2	0	2	1	0
57282	Α	Repair of vagina	17.51	17.51	090	2	0	2	1	0
57284	Α	Repair paravaginal	20.29	20.29	090	2	0	2	2	0
57288	Α	Repair bladder	22.92	22.92	090	2	0	2	1	0
57289	Α	Repair bladder	19.05	19.05	090	2	0	2	1	0
57291	Α	Construction of vagina	13.04	13.04	090	2	0	2	0	0
57292	Α	Construction of vagina	18.97	18.97	090	2	0	2	1	0
57300	Α	Repair rectum-vagina	15.46	15.46	090	2	0	2	1	0
57305	Α	Repair rectum-vagina	20.65	20.65	090	2	0	2	1	0
57307	Α	Fistula repair	21.07	21.07	090	2	0	2	1	0
57308	Α	Fistula repair	16.78	16.78	090	2	0	2	1	0
57310	Α	Repair urethrovaginal	10.59	10.59	090	2	0	2	1	0
57311	Α	Repair urethrovaginal	12.86	12.86	090	2	0	2	1	0
57320	Α	Repair bladder	16.53	16.53	090	2	0	2	1	0
57330	Α	Repair bladder	19.67	19.67	090	2	0	2	1	0
57335	Α	Repair vagina	24.13	24.13	090	2	0	2	1	0
(67) Vagina	ı, ma	anipulation:								
57400	Α	Dilation of vagina	2.41	2.41	000	2	0	0	0	0
57410	Α	Pelvic examination	1.96	1.96	000	2	0	1	0	0
57415	Α	Removal of foreign body	2.35	2.35	010	2	0	0	0	0
(68) Vagina	, en	doscopy:								
57452	Α	Examination	1.60	1.29	000	2	0	1	0	0
57454	A	Vagina examination	2.47	1.88	000	3	Õ	1	Ŏ	ŏ
57460	A	Cervix excision	4.77	3.80	000	3	Ō	1	2	Ŏ
(69) Cervix	utei	ri, excision:								
57500	Α	Biopsy of cervix	1.50	1.22	000	2	0	1	0	0
57505	A	Endocervical curettage	1.72	1.41	010	2	Õ	1	0	ŏ
57510		Cauterization of cervix	2.28	2.03	010	$\bar{2}$	0	1	0	0
57511	A	Cryocautery of cervix	2.64	2.23	010	$\bar{2}$	ŏ	1	Ŏ	ŏ
57513		Laser surgery	4.11	4.11	010	2	ŏ	1	Ŏ	Ŏ
57520		Conization of cervix	7.40	7.40	090	2	ŏ	1	ŏ	ŏ
57522		Conization of cervix	6.79	6.79	090	$\overline{2}$	Õ	1	Õ	ŏ
57530		Removal of cervix	8.27	8.27	090	2	ŏ	2	1	ŏ
57531		Removal of cervix	39.31	39.31	090	2	2	2	1	ŏ
57540		Remove residual cervix	18.44	18.44	090	2	$\bar{0}$	2	î	ŏ
57545	A	Removal of cervix	16.82	16.82	090	2	0	2	1	ŏ
57550	A	Remove residual cervix	11.74	11.74	090	2	ŏ	2	1	ŏ
57555	A	Removal of cervix	18.84	18.84	090	$\tilde{2}$	ŏ	2	î	ő
57556	Α	Removal of cervix	17.55	17.55	090	2	0	2	1	0

FEES FOR MEDICAL SERVICES 5221.4030

(70) Cervix	ute	ri, repair:								
57700 57720	A A	Revision of cervix Revision of cervix	5.72 6.69	5.72 6.69	090 090	2 2	0 0	0 2	0	0 0
(71) Cervix	ute	ri, manipulation:								
57800 57820	A A	Dilation of cervix Dilation and curettage	1.22 3.78	0.99 3.78	000 010	2 2	0	1 1	0	0
(72) Corpus	ute	eri, excision:								
58100 58120 58140 58145 58150 58152 58180 58200 58210 58240 58262 58263 58267 58270 58275 58280 58285	A A A A A A A A A A A A A A A A A A A	Biopsy of uterus Dilation and curettage Removal of uterus Removal of uterus Total hysterectomy Total hysterectomy Partial hysterectomy Extensive hysterectomy Extensive hysterectomy Removal of pelvis Vaginal hysterectomy Vaginal hysterectomy Vaginal hysterectomy Hysterectomy Hysterectomy Hysterectomy Hysterectomy Hysterectomy Extensive hysterectomy Extensive hysterectomy	1.36 5.89 22.24 16.11 24.23 26.71 24.47 33.68 45.49 65.99 21.29 22.91 25.06 26.11 23.43 25.52 25.40 29.55	1.04 5.89 22.24 16.11 24.23 26.71 24.47 33.68 45.49 65.99 21.29 22.91 25.06 26.11 23.43 25.52 25.40 29.55	000 010 090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 1 1 1 1 1 1 1 1 2 2 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(73) Corpus	ute	eri, introduction:								
58300 58301 58321 58322 58323 58340 58345 58350	A A A	Insert IUD Remove IUD Artificial insemination Artificial insemination Sperm washing Catheter Reopen fallopian tube Reopen fallopian tube	0.00 1.63 1.60 1.77 0.39 1.39 7.83 1.67	0.00 1.41 1.60 1.77 0.39 1.39 7.83 1.67	XXX 000 000 000 000 000 010 010	9 2 2 2 2 2 2 2	9 0 0 0 0 0 1 0	9 0 0 0 1 2 1	9 0 0 0 0 0 2 0	9 0 0 0 0 0 0
(74) Corpus	ute	eri, repair:								
58400 58410 58520 58540	A A	Suspension of uterus Suspension of uterus Repair of rupture Revision of uterus	11.86 17.36 15.46 19.99	11.86 17.36 15.46 19.99	090 090 090 090	2 2 2 2	0 0 0 0	2 2 2 2	1 1 1 0	0 0 0 0

648

MILLITESO	IAI	KOLLO	4 00.

(75) Oviduct, incision:											
58600 58605 58611 58615	A A	Ligate fallopian tube Ligate fallopian tube Ligate oviduct(s) Occlude fallopian tube	8.32 7.13 1.08 6.54	8.32 7.13 1.08 6.54	090 090 ZZZ 010	2 2 0 2	2 2 0 0	2 2 2 2	$\begin{matrix} 1 \\ 0 \\ 0 \\ 0 \end{matrix}$	0 0 0 0	
(76) Oviduo	t, e	xcision:									
58700 58720		Remove fallopian tube Remove ovary	12.73 18.46	12.73 18.46	090 090	2 2	2 2	2 2	1 1	0	
(77) Oviduo	t, re	epair:									
58740 58750 58752 58760 58770	A A A	Revise fallopian tube(s) Repair oviduct Revise ovarian tube(s) Remove tubal obstruction Create new tubal opening	12.52 20.37 20.50 17.51 18.39	12.52 20.37 20.50 17.51 18.39	090 090 090 090 090	2 2 2 2 2 2	0 0 0 1 1	2 2 2 2 2	1 1 0 1 0	0 0 0 0 0	
(78) Ovary,	inci	sion:									
58800 58805 58820 58822 58823 58825	A A A	Drainage of ovarian cyst Drainage of ovarian cyst Open drainage of cyst Percutaneous drainage Percutaneous drainage Transposition, ovary	6.64 12.25 6.77 13.07 5.71 9.97	6.64 12.25 6.77 13.07 5.71 9.97	090 090 090 090 090 000	2 2 2 2 2 2 2	2 2 0 0 0 0	1 2 2 2 2 2 2	0 1 0 1 0 1	0 0 0 0 0	
(79) Ovary,	exc	ision:									
58900 58920 58925 58940 58943 58950 58951 58952 58960	A A A A A A	Biopsy of ovary Partial removal of ovary Removal of ovary Removal of ovary Removal of ovary Resect malignancy Resect malignancy Resect malignancy Exploration	11.04 13.48 17.41 13.62 29.88 26.03 39.68 42.36 27.46	11.04 13.48 17.41 13.62 29.88 26.03 39.68 42.36 27.46	090 090 090 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 0 2 2 2 0	2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0	
(80) In vitro	fer	tilization:									
58970 58974 58976	C	Retrieval of oocyte Transfer of embryo Transfer of embryo	5.96 0.00 6.46	5.96 0.00 6.46	000 000 000	2 2 2	0 0 0	0 2 2	0 1 1	0 0 0	
(81) In vitro	fer	tilization, other procedures:									
58999	C	Genital surgery	0.00	0.00	YYY	2	0	2	1	1	

(82) Maternity care and delivery, antepartum services:										
59000	Α	Amniocentesis	2.22	2.22	000	2	0	1	0	0
59012		Fetal cord puncture	5.83	5.83	000	2	0	0	0	0
59015	A		3.21	3.21	000	2	0	0	0	0
59020		Fetal contraction	1.95	1.95	000	2	0	0	0	0
59020 26	A	Fetal contraction	1.41	1.41	000	2	0	0	0	0
59020 TC		Fetal contraction	0.54	0.54	000	0	0	0	0	0
59025		Fetal nonstress test	1.14	1.14	000	2	Ŏ	0	0	Ŏ
59025 26		Fetal nonstress test	0.90	0.90	000	2	Ŏ	0	0	Ŏ
		Fetal nonstress test	0.23	0.23	000	0	0	0	Õ	ŏ
59030		Fetal scalp blood sample	3.45	3.45	000	2	0	0	0	0
59050		Fetal monitor, report	1.67	1.67	XXX	0	0	0	0	Ō
59051		Fetal monitor, interpret	1.54	1.54	XXX	Õ	0	0	0	Õ
37031	11	Total monitor, morprot	1.0	1.0 .		Ū	Ü		Ĭ	Ů
(83) Mater	nity	care and delivery, excision:								
59100	Α	Remove uterus	15.74	15.74	090	2	0	2	1	0
59120	Α	Treat ectopic pregnancy	18.85	18.85	090	2	0	2	1	0
59121	Α	Treat ectopic pregnancy	16.38	16.38	090	2	0	2	1	0
59130	Α	Treat ectopic pregnancy	19.05	19.05	090	2	0	0	0	0
59135	Α	Treat ectopic pregnancy	22.75	22.75	090	2	0	0	0	0
59136	Α		18.77	18.77	090	2	0	2	0	0
59140	Α	Treat ectopic pregnancy	9.62	9.62	090	2	0	2	0	0
59150	Α	Treat ectopic pregnancy	11.21	11.21	090	2	0	2	0	0
59151	Α	Treat ectopic pregnancy	15.81	15.81	090	2	0	2	0	0
59160	A	Postpartum curettage	5.58	5.58	010	2	0	0	0	0
(84) Mater	nity	care and delivery, introduction	:							
59200	Α	Insert cervical dilator	1.30	1.04	000	2	0	1	0	0
(85) Mater	nity	care and delivery, repair:								
59300	Α	Episiotomy, vagina repair	3.20	2.72	000	2	0	0	0	0
59320	Α		4.20	4.20	000	2	0	0	0	0
59325	Α	Revision of cervix	6.65	6.65	000	2	0	0	0	0
59350	Α	Repair of uterus	8.37	8.37	000	2	0	2	0	0
(86) Mater	nity	care and delivery, vaginal deliv	ery, anto	epartum	and pos	stpa	rtur	n ca	re:	
59400	Α	Obstetrical care	37.33	37.33	MMM	2	0	1	0	0
59409		Obstetrical care	22.63		MMM	2	0	0	0	0
59410		Obstetrical care	24.69		MMM	2	0	1	0	0
59412		Antepartum manipulation	2.89		MMM	0	0	0	0	0
59414		Deliver placenta	2.72		MMM	2	0	0	0	0
59425		Antepartum care	7.51		MMM	0	0	0	0	0
59426	Α		12.92		MMM	0	0	0	0	0
59430	Α	Care after delivery	2.34	2.16	MMM	2	0	1	0	0

(87) M	ater	nity	care and delivery, Cesarean de	elivery:							
59510		Α	Cesarean delivery	42.29	42.29	MMM	2	0	1	0	0
59514		A	Cesarean delivery	26.52		MMM	$\bar{2}$	ŏ	2	1	ŏ
59515			Cesarean delivery	28.69		MMM	$\bar{2}$	Õ	1	Ō	Ŏ
59525			Remove uterus, Cesarean	11.92		MMM	$\bar{0}$	ŏ	2	1	ŏ
0,020			nono utorus, cosaroun	111,2	111,2		ŭ	ŭ		-	Ŭ
(88) Ma	ateri	nity	care and delivery, after previo	us Cesar	ean del	ivery:					
59610			VBAC delivery	38.74	38.74	MMM	2	0	0	0	0
59612		Α	VBAC delivery	24.04	24.04	MMM	2	0	0	0	0
59614		Α	VBAC care after delivery	26.11		MMM	2	0	0	0	0
59618			Attempted VBAC	43.70		MMM	2	0	2	0	0
59620			Attempted VBAC	27.94	27.94	MMM	2	0		0	0
59622		Α	Attempted VBAC	30.11	30.11	MMM	2	0	2	0	0
(89) Ma	ateri	nity	care and delivery, abortion:								
59812		Α	Treatment of miscarriage	6.86	6.83	090	2	0	1	0	0
59820			Care of miscarriage	7.69	7.69	090	$\cdot \bar{2}$	Ŏ	1	ŏ	ŏ
59821		Ā	Treatment of miscarriage	7.03	7.03	090	$\bar{2}$	Ŏ	ō	Ŏ	Ŏ
59830			Treat uterus	10.21	10.21	090	2	0	0	0	0
59840			Abortion	6.22	6.22	010	2	0	0	0	0
59841		Ā	Abortion	8.80	8.80	010	2	0	0	Õ	0
59850			Abortion	9.70	9.70	090	2	0	0	Ō	0
59851			Abortion	10.00	10.00	090	2	ŏ	ŏ	ŏ	ŏ
59852			Abortion	13.50	13.50	090	2	Ō	Ō	0	Ŏ
59855			Abortion	10.08	10.08	090	2	Ŏ	Ŏ	ŏ	Õ
59856			Abortion	12.38	12.38	090	$\bar{2}$	ŏ	ŏ	ŏ	ő
59857			Abortion	15.24	15.24	090	2	Ŏ	0	Ŏ	0
(90) Ma	ateri	nity	care and delivery, other proced	dures:							
59866		Α	Abortion	6.76	6.76	000	2	0	2	1	0
59870			Evacuate mole	7.07	7.07	090	2	ő	2	Ô	ŏ
59871			Remove cerclage suture	3.88	3.88	000	2	ő	õ	ő	ŏ
59899		C	Maternity care	0.00	0.00	YYY	2	Õ	2	ĭ	1
	E.	Pro	ocedure code numbers 60000 to	o 69979	relate t	o neurol	ogic	al p	roc	edur	es.
1	2	3	4	5	6	7	8	9	10	11	12
(1) Thy	roid	gla	nd, incision:								
60000		A	Drain thyroid	2.23	1.94	010	2	0	0	0	0
(2) Thy	roid	gla	nd, excision:								
60001		٨	Asnirate/inject thursid	1 06	1.06	000	2	0	1	Λ	Λ
			Aspirate/inject thyroid	1.96	1.96	000	2	0	1	0	0
60100		A	Biopsy of thyroid	1.96	1.45	000	2	0	1	0	0
60200		Α	Remove thyroid	15.06	15.06	090	2	0	2	1	0

651		FEES	FOR	MEDICAL	SERV	ΊСΙ	ES	522	1.40	30
60210	Δ	Partial excision	19.1	7 19.17	090	2	0	2	1	0
60212		Partial excision	24.2		090	2	0	2	1	0
60220		Partial removal	18.70		090	2	ő	2	1	0
60225		Partial removal	24.0		090	2	ő	2	1	0
60240		Removal of thyroid	25.88		090	2	ŏ	2	1	0
60252		Removal of thyroid	31.1		090	2	0	2	1	0
60254		Extensive thyroid	41.93		090	2	0	2	1	0
60260		Repeat thyroid removal	17.20		090	2	2	2	1	0
60270		Removal of thyroid	31.18		090	2	0	2	1	0
60270		Removal of thyroid	26.48		090	2	0	2	1	0
60280		Remove thyroid	12.59		090	2	ő	2	1	0
60281		Remove thyroid	13.14		090	2	0	2	1	0
00201	7 1	Remove thyrold	13.1	1 15.11	020	_	Ū	_	-	Ü
(3) Parathy	roid	, thymus, adrenal glands, and c	arotid	body, excis	sion:	•				
60500	Α	Parathyroidectomy	26.98	3 26.98	090	2	0	2	1	0
60502		Re-explore parathyroid	30.70	5 30.76	090	2	0	2	1	0
60505		Parathyroidectomy	33.6		090	2	0	2	1	0
60512		Autotransplant	6.58		ZZZ	0	0	2	1	0
60520		Removal of thymus	29.70		090	2	0	2	1	0
60521		Removal of thymus	31.5		090	2	0	2	1	0
60522		Removal of thymus	35.40		090	2	0	2	1	0
60540		Explore adrenal gland	28.23		090	2	1	2	1	0
60545	Α	Explore adrenal gland	33.12		090	2	0	2	1	0
60600		Remove carotid tumor	28.38		090	2	0	2	1	0
60605	Α	Remove carotid tumor	29.94		090	2	0	2	1	0
. ,		, thymus, adrenal glands, and o		·	_					
60699	С	Endocrine surgery	0.00	0.00	YYY	2	0	2	1	1
		nges, and brain, injection, drain					_			
61000		Remove cranial	2.50		000	2	2	1	0	0
61001	Α	Remove cranial	2.30		000	2	2	1	0	0
61020		Remove brain catheter	2.70		000	2	0	1	0	0
61026	A	Injection	3.4		000	2	0	1	0	0
61050	A	Remove brain catheter	2.6		000	2	0	0	0	0
61055	A A	Injection Brain canal shunt	3.83 1.30		000 000	0 2	0	1 1	$0 \\ 0$	0
61070	А	Brain Canai Shunt	1.3	0 1.00	000	۷	U	1	U	U
		nges, and brain, twist drill, bur		•			•	0	•	
61105		Drill skull	10.8		090	2	0	0	0	0
61106		Drill skull	9.7		ZZZ	0	0	1	0	0
61107		Drill skull	10.5		000	0	0	1	0	0
61108		Drill skull	21.3		090	2	0	1	0	0
61120		Pierce skull	14.3		090	2	0	0	0	0
61130		Pierce skull	11.0		ZZZ	0	0	1	1	0
61140		Pierce skull	29.4		090	2	0	2	0	0
61150	A	Pierce skull	31.5		090	2	0	1 1	1 0	$0 \\ 0$
61151	Α	Pierce skull	13.5	4 13.54	090	2	U	1	U	U

61519

61520

61521

61522

61524

61526

61530

61531

61533

61534

61535

61536

61538

61539

61541

61542

61543

61544

A Removal of brain

Incision of brain

Removal of brain

Removal of brain

Α

Α

Α

Removal of brain

A Implant brain electrodes

A Implant brain electrodes

A Remove brain electrodes

3221.4030	1.171	ES FOR MEDICAL SERVICE	2.5)52
61154	Α	Pierce skull	31.34	31.34	090	2	1	2	1	0
61156	Α	Pierce skull	32.14	32.14	090	2	0	2	1	0
61210	Α	Pierce skull	11.98	11.98	000	0	0	1	0	0
61215	Α	Insert brain fluid	10.53	10.53	090	2	0	1	1	0
61250	Α	Pierce skull	18.01	18.01	090	2	1	2	1	0
61253	Α	Pierce skull	21.44	21.44	090	2	2	2	0	0
(7) Skull, n	nenii	nges, and brain, craniectomy or	craniot	omy:						
61304	Α	Open skull	45.91	45.91	090	2	0	2	1	0
61305	Α	Open skull	55.06	55.06	090	2	0	2	1	0
61312	Α	Open skull	48.07	48.07	090	2	0	2	1	0
61313	Α	Open skull	48.27	48.27	090	2	0	2	1	0
61314	Α	Open skull	49.32	49.32	090	2	0	2	1	0
61315	Α	Open skull	51.17	51.17	090	2	0	2	1	0
61320	Α	Open skull	43.20	43.20	090	2	0	2	1	0
61321		Open skull	46.98	46.98	090	2	0	2	1	0
61330	Α	Decompress eye socket	34.37	34.37	090	2	1	2	1	0
61332	Α	Explore/biopsy	46.30	46.30	090	2	0	2	1	0
61333	Α	Explore/remove lesion	46.93	46.93	090	2	0	2	1	0
61334	Α		31.74	31.74	090	2	0	2	1	0
61340	Α	Relieve cranial	32.64	32.64	090	2	1	2	1	0
61343	Α	Incise skull	58.96	58.96	090	2	0	2	1	0
61345	Α	Relieve cranial	45.12	45.12	090	2	0	2	1	0
61440	Α	Incise skull	45.87	45.87	090	2	0	2	1	0
61450	Α	Incise skull	45.18	45.18	090	2	0	2	1	0
61458	Α	Incise skull	53.81	53.81	090	2	0	2	1	0
61460	Α	Incise skull	52.16	52.16	090	2	0	2	2	0
61470	Α	Incise skull	38.44	38.44	090	2	0	2	1	0
61480	Α	Incise skull	39.59	39.59	090	2	0	2	1	0
61490	Α	Incise skull	35.81	35.81	090	2	1	2	1	0
61500	Α	Removal of skull	37.28	37.28	090	2	0	2	1	0
61501	Α	Remove infected	31.07	31.07	090	2	0	2	1	0
61510	Α	Removal of brain	54.65	54.65	090	2	0	2	1	0
61512	Α	Removal of brain	62.80	62.80	090	2	0	2	1	0
61514	Α	Removal of brain	50.20	50.20	090	2	0	2	1	0
61516	Α	Removal of brain	50.44	50.44	090	2	0	2	1	0
61518	Α	Removal of brain	65.89	65.89	090	2	0	2	1	0

A Remove and treat brain 51.41 51.41 090 2 0 2 0 0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

70.91

85.73

75.45

48.11

54.65

82.85

75.31

28.72

36.17

26.31

18.65

55.66

55.17

53.55

47.40

49.54

44.55

70.91

85.73

75.45

48.11

54.65

82.85

75.31

28.72

36.17

26.31

18.65

55.66

55.17

53.55

47.40

49.54

44.55

2

2

2 0

2

2

2

2

2

2

2 0 2 1 0

2

2

2

2

2

2

090

090 2 0 2 2 0

090

090

090

090

090

090

090

090

090

090

090

090

090

090

090

0 2

2

2

2

1 2

2 2

2

 $\bar{2}$

2

2

2

2

2

2

0

0

0

0 1

0

0

0

0

0

0

0

0

0

1

1

1 0

1 0

1

1 0

1 0

1 0

1 0

1 0

1 0

0

0

0

0

0

0

1 0

FEES FOR MEDICAL SERVICES 5221.4030

61545	Λ	Excision of brain	67.20	67.20	090	2	0	2	1	0
						_	_	_	1	-
61546		Remove pituitary tumor	57.14	57.14	090	2	0	2	1	0
61548	Α	Remove pituitary tumor	44.64	44.64	090	2	0	2	2	0
61550	Α	Release of skull	25.32	25.32	090	2	0	2	1	0
61552	Α	Release of skull	32.60	32.60	090	2	0	2	1	0
61556	Α	Incise skull	36.89	36.89	090	2	0	2	0	0
61557	Α	Incise skull	37.09	37.09	090	2	0	2	0	0
61558	Α	Excision of skull	42.27	42.27	090	2	0	2	0	0
61559	Α	Excision of skull	54.47	54.47	090	2	0	2	1	0
61563	Α	Excision of skull	44.56	44.56	090	2	0	2	1	0
61564	Α	Excision of skull	56.19	56.19	090	2	0	2	1	0
61570	Α	Remove foreign body	39.95	39.95	090	2	0	2	1	0
61571	Α	Incise skull	43.42	43.42	090	2	0	2	1	0
61575	Α	Skull base/brain	65.84	65.84	090	2	0	2	1	0
61576	Α	Skull base/brain	77.02	77.02	090	2	0	2	1	0

(8) Skull, meninges, and brain, approach procedures:

653

61580	Α	Craniofacial approach	50.11	50.11	090	2	1	2	1	2
61581	Α	Craniofacial approach	57.01	57.01	090	2	1	2	1	2
61582	Α	Craniofacial approach	51.98	51.98	090	2	0	2	1	2
61583		Craniofacial approach	59.39	59.39	090	2	0	2	1	2
61584	Α	Orbitocranial approach	57.13	57.13	090	2	1	2	1	2
61585	Α	Orbitocranial approach	63.77	63.77	090	2	1	2	1	2
61586	Α	Resect	44.72	44.72	090	2	0	2	1	2
61590	Α	Infratemporal approach	69.17	69.17	090	2	1	2	1	2
61591	Α	Infratemporal approach	72.42	72.42	090	2	1	2	1	2
61592	Α	Orbitocranial approach	65.71	65.71	090	2	1	2	1	2
61595	Α	Transtemporal approach	48.79	48.79	090	2	1	2	1	2
61596	Α	Transcochlear approach	59.02	59.02	090	2	1	2	1	2
61597	Α	Transcondylar approach	62.66	62.66	090	2	1	2	1	2
61598	Α	Transpetrosal approach	55.16	55.16	090	2	0	2	1	2

(9) Skull, meninges, and brain, definitive procedures:

61600 61601 61605 61606 61607 61608 61609 61610 61611 61612 61613 61615 61616	A A A A A A A A A	Resect/excise lesion	42.51 45.75 48.20 64.13 59.91 69.61 16.70 50.09 12.53 47.07 67.88 52.81	42.51 45.75 48.20 64.13 59.91 69.61 16.70 50.09 12.53 47.07 67.88 52.81 71.57	090 090 090 090 090 090 ZZZ ZZZ ZZZ 090 090	2 2 2 2 2 2 2 0 0 0 0 2 2 2 2	0 0 0 0 0 0 1 1 1 1 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
61616	Α	Resect/excise lesion	71.57	71.57	090	2	0	2	1	2

(10) Skull, meninges, and brain, repair and/or reconstruction of surgical defects of skull base:

61618	Α	Repair dura	27.61	27.61	090	2	0	2	1	2
61619	Α	Repair dura	34.03	34.03	090	2	0	2	1	2

(11) Skull.	meninges.	and brain.	endovascular	therany:

61624	Α	Occlusion/embolism	34.04	34.04	000	2	0	1	0	0
61626	Α	Occlusion/embolism	28.07	28.07	000	2	0	1	0	0

(12) Skull, meninges, and brain, surgery for aneurysm, arteriovenous malformation or vascular disease:

61680	Α	Intracranial vein	61.07	61.07	090	2	0	2	1	0
61682	Α	Intracranial vein	93.51	93.51	090	2	0	2	1	0
61684	Α	Intracranial vein	66.80	66.80	090	2	0	2	1	0
61686	Α	Intracranial vein	95.62	95.62	090	2	0	2	1	0
61690	Α	Intracranial vein	55.39	55.39	090	2	0	2	1	0
61692	Α	Intracranial vein	76.75	76.75	090	2	0	2	1	0
61700	Α	Inner skull vessel	79.60	79.60	090	2	0	2	1	0
61702	Α	Inner skull vessel	82.67	82.67	090	2	0	2	1	0
61703	Α	Clamp neck artery	28.89	28.89	090	2	0	2	1	0
61705	Α	Revise circulation	65.13	65.13	090	2	0	2	1	0
61708	Α	Revise circulation	57.67	57.67	090	2	0	2	0	0
61710	Α	Revise circulation	43.96	43.96	090	2	0	0	0	0
61711	Α	Fusion of skull	68.31	68.31	090	2	0	2	1	0
61712	Α	Skull or spine surgery	7.39	7.39	ZZZ	0	0	2	1	0

(13) Skull, meninges, and brain, stereotaxis:

61720	Α	Incise skull/brain	35.28	35.28	090	2	0	1	0	0
61735	Α	Incise skull/brain	31.90	31.90	090	2	0	1	1	0
61750	Α	Incise skull/brain	31.98	31.98	090	2	0	1	1	0
61751	Α	Brain biopsy	37.16	37.16	090	2	0	1	1	0
61760	Α	Implant brain electrodes	35.65	35.65	090	2	0	1	2	0
61770	Α	Incise skull	40.07	40.07	090	2	0	1	1	0
61790	Α	Treat trigeminal	23.07	23.07	090	2	0	1	0	0
61791	Α	Treat trigeminal	24.44	24.44	090	2	0	0	0	0
61793	Α	Focus radiation	35.05	35.05	090	2	0	1	0	0
61795	Α	Brain surgery	8.81	8.81	000	0	0	1	0	0

(14) Skull, meninges, and brain, neurostimulators:

61850	Α	Implant neuroelectrodes	23.73	23.73	090	2	0	2	0	0
61855	Α	Implant neuroelectrodes	23.00	23.00	090	2	0	2	0	0
61860	Α	Implant neuroelectrodes	27.69	27.69	090	2	0	2	0	0
61865	Α	Implant neuroelectrodes	37.80	37.80	090	2	0	2	1	0
61870	Α	Implant neuroelectrodes	18.06	18.06	090	2	0	2	1	0
61875	Α	Implant neuroelectrodes	20.86	20.86	090	2	0	2	0	0
61880	Α	Revise neuroelectrodes	10.70	10.70	090	2	0	2	1	0
61885	Α	Implant neuroelectrodes	7.36	7.36	090	2	0	0	0	0
61888	Α	Revise neuroelectrodes	7.02	7.02	010	2	0	1	0	0

	/ 4 F \	~				
•	151		meninges,	200	hrain	rangir.
Į	101	OKUII.	memmees.	anu	Diaiii.	I CDall.

62000	Α	Repair of skull	17.43	17.43	090	2	0	2	0	0
62005	Α	Repair of skull	26.47	26.47	090	2	0	2	1	0
62010	Α	Treatment	38.40	38.40	090	2	0	2	1	0
62100	Α	Repair brain fluid	42.93	42.93	090	2	0	2	1	0
62115	Α	Reduction of skull	35.65	35.65	090	2	0	2	1	0
62116	Α	Reduction of skull	38.91	38.91	090	2	0	2	0	0
62117	Α	Reduction of skull	43.94	43.94	090	2	0	2	1	0
62120	Α	Repair of skull	38.61	38.61	090	2	0	2	1	0
62121	Α	Incise skull	38.38	38.38	090	2	0	2	0	0
62140	Α	Repair of skull	26.56	26.56	090	2	0	2	1	0
62141	Α	Repair of skull	31.19	31.19	090	2	0	2	1	0
62142	Α	Remove skull plate	22.72	22.72	090	2	0	2	0	0
62143	Α	Replace skull plate	21.61	21.61	090	2	0	2	1	0
62145	Α	Repair of skull	31.06	31.06	090	2	0	2	1	0
62146	Α	Repair of skull	26.44	26.44	090	2	0	2	1	0
62147	Α	Repair of skull	31.70	31.70	090	2	0	2	1	0

(16) Skull, meninges, and brain, CSF shunt:

62180	Α	Establish brain	34.33	34.33	090	2	0	2	0	0
62190	Α	Establish brain	23.58	23.58	090	2	0	1	1	0
62192	Α	Establish brain	25.65	25.65	090	2	0	2	1	0
62194	Α	Replace/irrigate catheter	6.54	6.54	010	2	0	0	0	0
62200	Α	Establish brain	34.71	34.71	090	2	0	2	1	0
62201	Α	Establish brain	22.92	22.92	090	2	0	1	0	0
62220	Α	Establish brain	27.33	27.33	090	2	0	2	1	0
62223	Α	Establish brain	27.03	27.03	090	2	0	2	1	0
62225	Α	Replace/irrigate catheter	9.87	9.87	090	2	0	1	0	0
62230	Α	Replace/revise catheter	20.07	20.07	090	2	0	2	1	0
62256	Α	Remove brain catheter	12.80	12.80	090	2	0	2	0	0
62258	Α	Replace brain catheter	28.88	28.88	090	2	0	2	1	0

(17) Spine and spinal cord, injection, drainage, or aspiration:

62268		Drain spinal cord	7.38	7.38	000	2	0	1	0	0
62269	Α	Needle biopsy, spinal	6.40	6.40	000	2	0	0	0	0
62270			1.74	1.74	000	2	0	1	0	0
62272		Drain spinal fluid	2.27	2.27	000	2 ·	0	1	0	0
62273	Α	Treat lumbar spine	3.18	3.18	000	2	0	1	0	0
62274	Α	Inject spinal anesthetic	2.42	2.42	000	2	0	1	0	0
62275	Α	Inject spinal anesthetic	2.30	2.30	000	2	0	1	0	0
62276	Α	Inject spinal anesthetic	3.17	3.17	000	2	0	1	0	0
62277	Α	Inject spinal anesthetic	2.89	2.89	000	2	0	1	0	0
62278	Α	Inject spinal anesthetic	2.46	2.46	000	2	0	1	0	0
62279	Α	Inject spinal anesthetic	2.36	2.36	000	2	0	1	0	0
62280	Α	Treat spinal cord	3.15	3.15	010	2	0	1	0	0
62281	Α	Treat spinal cord	3.41	3.41	010	2	0	1	0	0
62282	Α	Treat spinal caudal	3.98	3.98	010	2	0	1	0	0
62284	Α	Inject for myelography	3.50	3.22	000	0	0	1	0	0
62287	Α	Percutaneous disk	15.52	15.52	090	2	0	1	0	0
62288	Α	Injection	2.79	2.79	000	2	0	1	0	0
62289	Α	Injection	2.68	2.68	000	2	0	1	0	0
62290	Α	Inject for spine	4.65	4.65	000	2	0	1	0	0
62291	Α	Inject for spine	4.58	4.58	000	2	0	1	0	0
62292	Α	Injection	16.67	16.67	090	2	0	0	0	0

5221 4030 FFFS FOR MEDICAL SERVICES

5221.4030 FI	EES FOR MEDICAL SERVICE	ES						6	556
	A Injection A Injection	16.76 3.07	16.76 3.07	090 000	2 2	0	1	0 0	0
(18) Spine and	d spinal cord, catheter implantat	ion:							
62351 A	A Implant spinal catheter A Implant spinal catheter A Remove spinal catheter	10.17 14.89 8.69	10.17 14.89 8.69	090 090 090	2 2 2	0 0 0	2 2 0	1 2 0	0 0 0
(19) Spine and	d spinal cord, reservoir/pump im	plantati	on:						
62361	A Insert spine infusion A Implant spine infusion A Implant spine infusion A Remove spine infusion C Analyze spine infusion C Analyze spine infusion C Analyze spine infusion C Analyze spine infusion A Analyze spine infusion C Analyze spine infusion	3.64 7.94 10.34 8.65 0.00 0.81 0.00 1.27 0.00	3.64 7.94 10.34 8.65 0.00 0.81 0.00 1.27 0.00	090 090 090 090 XXX XXX XXX XXX XXX XXX	2 2 2 2 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	1 1 1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 for
63001 A 63003 A 63005 A 63011 A 63012 A 63015 A 63016 A 63017 A 63020 A 63030 A 63035 A 63040 A 63042 A 63042 A 63045 A 63046 A 63047 A	A Removal of spinal cord A Neck spine disk A Low back disk space A Added spinal disk A Neck spine disk A Low back disk space A Removal of spinal cord	33.05 33.21 31.10 23.86 32.08 40.38 40.10 33.61 30.80 25.19 6.63 39.43 36.84 34.93 33.66 31.26 6.99	33.05 33.21 31.10 23.86 32.08 40.38 40.10 33.61 30.80 25.19 6.63 39.43 36.84 34.93 33.66 31.26 6.99	090 090 090 090 090 090 090 090 2ZZZ 090 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 1 1 1 1 1 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

(21) Spine and spinal cord, transpedicular or costovertebral approach for posterolateral extradural exploration/decompression:

63055	A Decompress spinal cord	45.19	45.19	090	2	0	2	1	0
63056	A Decompress spinal cord	41.65	41.65	090	2	0	2	1	0
63057	A Decompress spinal cord	8.95	8.95	ZZZ	0	0	2	1	0
63064	A Decompress spinal cord	47.62	47.62	090	2	0	2	1	0
63066	A Decompress spinal cord	5.60	5.60	ZZZ	0	0	2	1	0

(22) Spine and spinal cord, anterior or anterolateral approach for extradural exploration/decompression:

63075	Α	Neck spine disk	36.36	36.36	090	2	0	2	2	0
63076	Α	Neck spine disk	8.52	8.52	ZZZ	0	0	2	2	0
63077	Α	Spine disk surgery	39.00	39.00	090	2	0	2	2	0
63078	Α	Spine disk surgery	5.75	5.75	ZZZ	0	0	2	2	0
63081	Α	Removal of vertebra	49.23	49.23	090	2	0	2	1	2
63082	Α	Removal of vertebra	9.29	9.29	ZZZ	0	0	2	1	2
63085	Α	Removal of vertebra	53.48	53.48	090	2	0	2	2	2
63086	Α	Removal of vertebra	6.88	6.88	ZZZ	0	0	2	2	2
63087	Α	Removal of vertebra	62.25	62.25	090	2	0	2	2	2
63088	Α	Removal of vertebra	9.18	9.18	ZZZ	0	0	2	2	2
63090	Α	Removal of vertebra	56.50	56.50	090	2	0	2	2	2
63091	Α	Removal of vertebra	5.64	5.64	ZZZ	0	0	2	2	2

(23) Spine and spinal cord, incision:

$0 \\ 0$
0
0
0
0
0
0
0
0
0
0
0
0
0

(24) Spine and spinal cord, excision by laminectomy of lesion other than herniated disk:

63250	Α	Revise spinal cord	66.92	66.92	090	2	0	2	1	0
63251	Α	Revise spinal cord	61.75	61.75	090	2	0	2	1	0
63252	Α	Revise spinal cord	67.72	67.72	090	2	0	2	1	0
63265	Α	Excise intraspinal	42.98	42.98	090	2	0	2	1	0
63266	Α	Excise intraspinal	46.38	46.38	090	2	0	2	1	0
63267	Α	Excise intraspinal	37.69	37.69	090	2	0	2	1	0
63268	Α	Excise intraspinal	30.30	30.30	090	2	0	2	1	0
63270	Α	Excise intraspinal	43.74	43.74	090	2	0	2	1	0
63271	Α	Excise intraspinal	52.77	52.77	090	2	0	2	1	0
63272	Α	Excise intraspinal	47.70	47.70	090	2	0	2	1	0
63273	Α	Excise intraspinal	40.73	40.73	090	2	0	2	0	0
63275	Α	Biopsy/excise neoplasm	49.47	49.47	090	2	0	2	1	0
63276	Α	Biopsy/excise neoplasm	48.28	48.28	090	2	0	2	1	0
63277	Α	Biopsy/excise neoplasm	43.38	43.38	090	2	0	2	1	0
63278	Α	Biopsy/excise neoplasm	42.90	42.90	090	2	0	2	1	0
63280	Α	Biopsy/excise neoplasm	55.61	55.61	090	2	0	2	1	0
63281	Α	Biopsy/excise neoplasm	54.93	54.93	090	2	0	2	1	0

		os for Medical Servici	20							,50
63282		Diagoviousias magalagas	40.60	40.60	000	2	Λ	2	1	^
		Biopsy/excise neoplasm	49.69	49.69	090	2	0	2	1	0
63283	Α	Biopsy/excise neoplasm	42.72	42.72	090	2	0	2	1	0
63285	Α	Biopsy/excise neoplasm	58.81	58.81	090	2	0	2	1	0
63286	Α	Biopsy/excise neoplasm	62.84	62.84	090	2	0	2	1	0
63287	Α	Biopsy/excise neoplasm	60.66	60.66	090	2	0	2	1	0
					090	2	0	2	1	
63290	Α	Biopsy/excise neoplasm	62.73	62.73	090	2	U	2	1	0
(25) Spine	and	l spinal cord, excision, anterio	or or a	nterolate	eral app	roa	ch,	intra	aspii	nal
lesion:										
63300	Α	Removal of vertebra	39.97	39.97	090	2	0	2	1	0
63301		Removal of vertebra	44.85	44.85	090	2	0	2	1	0
63302		Removal of vertebra	47.54	47.54	090	2	0	2	1	0
						2		2		
63303		Removal of vertebra	47.43	47.43	090	2	0	2	1	0
63304		Removal of vertebra	49.49	49.49	090	2	0	2	0	0
63305	Α	Removal of vertebra	52.87	52.87	090	2	0	2	1	0
63306	Α	Removal of vertebra	52.70	52.70	090	2	0	2	1	0
63307		Removal of vertebra	53.95	53.95	090	$\bar{2}$	Õ	2	1	Ŏ
		Removal of vertebra				0	0	2	0	
63308	A	Removal of vertebra	9.08	9.08	ZZZ	U	U	2	U	0
	_									
(26) Spine	and	spinal cord, stereotaxis:								
63600	Α	Remove spinal cord	24.51	24.51	090	2	0	0	0	0
63610		Stimulate spinal cord	15.56	15.56	000	2	Õ	Ŏ	Ŏ	ŏ
		Remove lesion				2	0	1	1	ő
63615	A	Remove lesion	27.06	27.06	090	2	U	1	1	U
(a=) a .										
(27) Spine :	and	spinal cord, neurostimulators:								
63650	Α	Implant neuroelectrodes	14.45	14.45	090	2	0	1	0	0
63655		Implant neuroelectrodes	22.28	22.28	090	2	0	2	1	ŏ
63660	Α	Revise neuroelectrodes	13.00	13.00	090	2	0	2	1	0
63685	Α	Implant neuroelectrodes	14.34	14.34	090	2	0	2	1	0
63688	Α	Revise neuroelectrodes	11.32	11.32	090	2	0	1	0	0
63690	Α	Analyze neuroelectrodes	1.03	0.72	XXX	0	0	0	0	0
63691	Α	Analyze neuroelectrodes	1.05	0.85	XXX	2	0	1	0	0
(28) Spine a	and	spinal cord, repair:								
63700	٨	Repair of spinal cord	27.19	27 10	090	2	0	2	1	٥
				27.19		2	0	2	1	0
63702	Α	Repair of spinal cord	30.49	30.49	090	2	0	2	1	0
63704	Α	Repair of spinal cord	34.46	34.46	090	2	0	2	1	0
63706	Α	Repair of spinal cord	39.41	39.41	090	2	0	2	1	0
63707		Repair spinal fluid	23.60	23.60	090	2	0	2	1	0
63709		Repair spinal fluid	30.03	30.03	090	2	Ŏ	2	ī	Ŏ
				23.06		2		2	1	0
63710	Α	Graft repair	23.06	23.00	090	2	0	2	1	U
(20) 5		ominal and short 1-1 COD								
(29) Spine a	ind	spinal cord, shunt, spinal CSF:								
63740	Д	Install spinal shunt	24.04	24.04	090	2	0	2	1	0
63741		Install spinal shunt	17.58	17.58	090	2	0	2	1	ő
63744						2	0	2	1	
03/44	Α	Revision of spine	16.15	16.15	090	2	U	4	1	0

659

FEES FOR MEDICAL SERVICES 5221.4030

63746 A Removal of spine 11.76 11.76 090 2 0 0 0

(30) Extracranial nerves, peripheral nerves, and autonomic nervous system, introduction/injection of anesthetic agent, diagnostic or therapeutic:

64400	Α	Injection for nerve	1.50	1.27	000	2	0	1	0	0
64402	Α	Injection for nerve	1.78	1.78	000	2	0	1	0	0
64405	Α	Injection for nerve	1.86	1.55	000	2	0	1	0	0
64408	Α	Injection for nerve	2.35	1.84	000	2	0	0	0	0
64410	Α	Injection for nerve	2.07	2.07	000	2	0	0	0	0
64412	Α	Injection for nerve	1.71	1.41	000	2	0	1	0	0
64413	Α	Injection for nerve	2.03	1.67	000	2	0	1	0	0
64415	Α	Injection for nerve	1.63	1.63	000	2	0	1	0	0
64417	Α	Injection for nerve	2.00	2.00	000	2	0	1	0	0
64418	Α	Injection for nerve	2.07	1.66	000	2	0	1	0	0
64420	Α	Injection for nerve	1.73	1.73	000	2	0	1	0	0
64421	Α	Injection for nerve	2.42	2.42	000	2	0	1	0	0
64425	Α	Injection for nerve	2.19	2.19	000	2	0	1	0	0
64430	Α	Injection for nerve	2.07	2.07	000	2	0	1	0	0
64435	Α	Injection for nerve	1.82	1.59	000	2	0	1	0	0
64440	Α	Injection for nerve	2.03	1.65	000	2	0	1	0	0
64441	Α	Injection for nerve	2.67	2.18	000	2	0	1	0	0
64442	Α	Injection for nerve	2.52	2.52	000	2	0	1	0	0
64443	Α	Injection for nerve	1.56	1.56	ZZZ	0	0	1	0	0
64445	Α	Injection for nerve	1.85	1.61	000	2	0	1	0	0
64450	Α	Injection for nerve	1.69	1.44	000	2	0	1	0	0
64505	Α	Injection for nerve	1.87	1.57	000	2	0	1	0	0
64508	Α	Injection for nerve	2.07	1.56	000	2	0	0	0	0
64510	Α	Injection for nerve	1.89	1.89	000	2	0	1	0	0
64520	Α	Injection for nerve	2.01	2.01	000	2	0	1	0	0
64530	Α	Injection for nerve	2.72	2.72	000	2	0	1	0	0

(31) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurostimulators:

64550	Α	Apply neurostimulator	0.61	0.40	000	0	0	1	0	0
64553	Α	Implant neuroelectrodes	3.14	2.64	010	2	0	0	0	0
64555	Α	Implant neuroelectrodes	2.52	2.32	010	2	0	1	0	0
64560	Α	Implant neuroelectrodes	3.68	2.98	010	2	0	0	0	0
64565	Α	Implant neuroelectrodes	2.38	2.01	010	2	0	1	0	0
64573	Α	Implant neuroelectrodes	7.41	7.41	090	2	0	0	0	0
64575	Α	Implant neuroelectrodes	7.14	7.14	090	2	0	1	0	0
64577	Α	Implant neuroelectrodes	7.11	7.11	090	2	0	1	0	0
64580	Α	Implant neuroelectrodes	6.66	6.66	090	2	0	2	0	0
64585	Α	Revise neuroelectrodes	2.86	2.86	010	2	0	2	0	0
64590	Α	Implant neuroelectrodes	4.15	4.15	010	2	0	2	1	0
64595	Α	Revise neuroelectrodes	2.77	2.77	010	2	0	2	0	0

(32) Extracranial nerves, peripheral nerves, and autonomic nervous system, destruction by neurolytic agent:

64600	A Injection treatment	4.86	4.86	010	2	2	1	0	0
64605	A Injection treatment	6.78	6.78	010	2	0	0	0	0
64610	A Injection treatment	14.26	14.26	010	2	0	1	0	0

A Destroy	nerve	3.27	2.57	010	2	0	1	0	0
A Destroy	nerve	3.27	2.57	010	2	0	1	0	0
A Injection	treatment	3.65	3.65	010	2	0	1	0	.0
A Injection	treatment	4.67	4.67	010	2	0	1	0	0
A Injection	treatment	1.81	1.81	ZZZ	0	0	1	0	0
A Injection	treatment	4.61	4.61	010	2	0	0	0	0
A Injection	treatment	3.44	3.44	010	2	0	1	0	0
A Injection	treatment	4.10	4.10	010	2	0	1	0	0
	A Destroy A Injection A Injection A Injection A Injection A Injection	A Destroy nerve A Destroy nerve A Injection treatment	A Destroy nerve 3.27 A Injection treatment 3.65 A Injection treatment 4.67 A Injection treatment 1.81 A Injection treatment 4.61 A Injection treatment 3.44	A Destroy nerve 3.27 2.57 A Injection treatment 3.65 3.65 A Injection treatment 4.67 4.67 A Injection treatment 1.81 1.81 A Injection treatment 4.61 4.61 A Injection treatment 3.44 3.44	A Destroy nerve 3.27 2.57 010 A Injection treatment 3.65 3.65 010 A Injection treatment 4.67 4.67 010 A Injection treatment 1.81 1.81 ZZZ A Injection treatment 4.61 4.61 010 A Injection treatment 3.44 3.44 010	A Destroy nerve 3.27 2.57 010 2 A Injection treatment 3.65 3.65 010 2 A Injection treatment 4.67 4.67 010 2 A Injection treatment 1.81 1.81 ZZZ 0 A Injection treatment 4.61 4.61 010 2 A Injection treatment 3.44 3.44 010 2	A Destroy nerve 3.27 2.57 010 2 0 A Injection treatment 3.65 3.65 010 2 0 A Injection treatment 4.67 4.67 010 2 0 A Injection treatment 1.81 1.81 ZZZ 0 0 A Injection treatment 4.61 4.61 010 2 0 A Injection treatment 3.44 3.44 010 2 0	A Destroy nerve 3.27 2.57 010 2 0 1 A Injection treatment 3.65 3.65 010 2 0 1 A Injection treatment 4.67 4.67 010 2 0 1 A Injection treatment 1.81 1.81 ZZZ 0 0 1 A Injection treatment 4.61 4.61 010 2 0 0 A Injection treatment 3.44 3.44 010 2 0 1	A Destroy nerve 3.27 2.57 010 2 0 1 0 A Injection treatment 3.65 3.65 010 2 0 1 0 A Injection treatment 4.67 4.67 010 2 0 1 0 A Injection treatment 1.81 1.81 ZZZ 0 0 1 0 A Injection treatment 4.61 4.61 010 2 0 0 0 A Injection treatment 3.44 3.44 010 2 0 1 0

(33) Extracranial nerves, peripheral nerves, and autonomic nervous system, neuro-plasty:

64702	Α	Revise finger/toe	8.30	8.30	090	2	0	1	0	0
64704	Α	Revise hand/foot	9.42	9.42	090	2	0	2	1	0
64708	Α	Revise arm/leg	12.75	12.75	090	2	0	2	1	0
64712	Α	Revise sciatic nerve	16.20	16.20	090	2	0	2	1	0
64713	Α	Revise arm	20.01	20.01	090	2	0	2	1	0
64714	Α	Revise low back	16.08	16.08	090	2	0	2	1	0
64716	Α	Revise cranial nerve	10.76	10.76	090	2	0	2	1	0
64718	Α	Revise ulnar nerve	12.43	12.43	090	2	0	0	0	0
64719	Α	Revise ulnar nerve	9.65	9.65	090	2	0	1	0	0
64721	Α	Carpal tunnel	8.91	8.91	090	2	1	1	0	0
64722	Α	Relieve pressure	9.87	9.87	090	2	0	2	1	0
64726	Α	Release foot/toe	4.53	4.53	090	2	0	1	0	0
64727	Α	Internal nerve	6.25	6.25	ZZZ	0	0	1	0	0

(34) Extracranial nerves, peripheral nerves, and autonomic nervous system, transection or avulsion:

64702	٨	Davisa fingar/taa	8.30	8.30	090	2	Λ	1	Λ	Λ
	A						0	_	0	0
64732	Α	Incision of brow nerve	8.56	8.56	090	2	0	2	0	0
64734	Α	Incision of cheek	9.29	9.29	090	2	0	0	0	0
64736	Α	Incision of chin	8.72	8.72	090	2	0	2	0	0
64738	Α	Incision of jaw	10.44	10.44	090	2	0	2	0	0
64740	Α	Incision of tongue nerve	10.42	10.42	090	2	0	2	0	0
64742	Α	Incision of face	10.72	10.72	090	2	0	2	0	0
64744	Α	Incision of back of head	10.93	10.93	090	2	1	0	0	0
64746	Α	Incise diaphragm	9.45	9.45	090	2	0	2	1	0
64752	Α	Incision of vagus	10.67	10.67	090	2	0	2	1	0
64755	Α	Incision of stomach	23.64	23.64	090	2	0	2	1	0
64760	Α	Incision of vagus	13.57	13.57	090	2	0	2	1	0
64761	Α	Incision of pelvus nerve	10.60	10.60	090	2	1	2	0	0
64763	Α	Incise hip/thigh	11.43	11.43	090	2	1	2	1	0
64766	Α	Incise hip/thigh	14.98	14.98	090	2	1	2	0	0
64771	Α	Sever cranial nerve	13.28	13.28	090	2	0	2	0	0
64772	Α	Incision of spinal nerve	13.80	13.80	090	2	0	2	1	0

(35) Extracranial nerves, peripheral nerves, and autonomic nervous system, excision:

64774	Α	Remove skin nerve	7.59	7.59	090	2	0	1	0	0
64776	Α	Remove digit nerve	7.56	7.56	090	2	0	0	0	0
64778	Α	Additional digit nerve	5.70	5.70	ZZZ	0	0	1	0	0
64782	Α	Remove limb nerve	10.45	10.45	090	2	0	1	1	0
64783	Α	Additional limb nerve	6.79	6.79	ZZZ	0	0	1	0	0

64784	Α	Remove nerve lesion	14.89	14.89	090	2	0	0	0	0
64786	Α	Remove sciatic nerve	27.44	27.44	090	2	0	2	0	0
64787	Α	Implant nerve end	7.59	7.59	ZZZ	0	0	0	0	0
64788	Α	Remove skin nerve	7.97	7.97	090	2	0	1	0	0
64790	Α	Removal of nerve	17.81	17.81	090	2	0	0	1	0
64792	Α	Removal of nerve	23.14	23.14	090	2	0	2	1	0
64795	Α	Biopsy of nerve	5.25	5.25	000	2	0	1	0	0
64802	Α	Remove sympathetic nerve	14.13	14.13	090	2	1	2	1	0
64804	Α	Remove sympathetic nerve	26.97	26.97	090	2	1	2	1	0
64809	Α	Remove sympathetic nerve	23.73	23.73	090	2	1	2	1	0
64818	Α	Remove sympathetic nerve	18.58	18.58	090	2	1	2	1	0
64820	Α	Remove sympathetic nerve	17.22	17.22	090	2	0	1	0	0

(36) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurorrhaphy:

64830	Α	Microrepair of nerve	4.97	4.97	ZZZ	0	0	1	0	0
64831	Α	Repair of digit	12.14	12.14	090	2	0	1	0	0
64832	Α	Repair additional digit	6.62	6.62	ZZZ	0	0	0	0	0
64834	Α	Repair of hand	12.94	12.94	090	2	0	0	0	0
64835	Α	Repair of hand	16.26	16.26	090	2	0	2	0	0
64836	Α	Repair of hand	17.08	17.08	090	2	0	2	0	0
64837	Α	Repair additional nerve	10.45	10.45	ZZZ	0	0	2	0	0
64840	Α	Repair of leg nerve	22.11	22.11	090	2	0	2	0	0
64856	Α	Repair/transposition	21.26	21.26	090	2	0	1	1	0
64857	Α	Repair arm/leg	23.21	23.21	090	2	0	2	1	0
64858	Α	Repair sciatic nerve	26.74	26.74	090	2	0	2	1	0
64859	Α	Repair additional nerve	7.57	7.57	ZZZ	0	0	2	1	0
64861	Α	Repair of arm nerve	31.19	31.19	090	2	0	2	1	0
64862	Α	Repair of low back	39.36	39.36	090	2	0	2	0	0
64864	Α	Repair of facial nerve	19.63	19.63	090	2	0	2	1	0
64865	Α	Repair of facial nerve	26.58	26.58	090	2	0	2	1	0
64866	Α	Fusion of facial nerve	26.11	26.11	090	2	0	2	1	0
64868	Α	Fusion of facial nerve	24.37	24.37	090	2	0	2	1	0
64870	Α	Fusion of facial nerve	28.89	28.89	090	2	0	2	1	0
64872	Α	Subsequent repair	3.36	3.36	ZZZ	0	0	2	1	0
64874	Α	Repair and revise	5.04	5.04	ZZZ	0	0	2	1	0
64876	Α	Repair nerve	5.71	5.71	ZZZ	0	0	2	1	0
		-								

(37) Extracranial nerves, peripheral nerves, and autonomic nervous system, neurorrhaphy with nerve graft:

64885	Α	Nerve graft, head/neck	28.99	28.99	090	2	0	2	1	0
64886	Α	Nerve graft, head/neck	34.43	34.43	090	2	0	2	1	0
64890	Α	Nerve graft, hand/foot	26.76	26.76	090	2	0	2	0	0
64891	Α	Nerve graft, hand/foot	25.67	25.67	090	2	0	2	0	0
64892	Α	Nerve graft, arm/leg	24.90	24.90	090	2	0	2	1	0
64893	Α	Nerve graft, arm/leg	28.87	28.87	090	2	0	2	0	0
64895	Α	Nerve graft, hand/foot	31.59	31.59	090	2	0	2	1	0
64896	Α	Nerve graft, hand/foot	36.58	36.58	090	2	0	2	1	0
64897	Α	Nerve graft, arm/leg	30.12	30.12	090	2	0	2	0	0
64898	Α	Nerve graft, arm/leg	32.91	32.91	090	2	0	2	1	0
64901	Α	Graft additional nerve	19.57	19.57	ZZZ	0	0	2	1	0
64902	Α	Graft additional nerve	22.80	22.80	ZZZ	0	0	2	0	0
64905	Α	Nerve pedicle transfer	22.19	22.19	090	2	0	2	1	0

5221.4030 FEES FOR MEDICAL SERVICES										662
64907	A	Nerve pedicle transfer	31.08	31.08	090	2	0	2	1	0
(38) Extrao		ial nerves, peripheral nerves,	and a	utonomi	c nervo	ous	syst	em,	oti	her
64999	С	Nervous system surgery	0.00	0.00	YYY	2	0	0	1	1
(39) Eyeba	ll, re	emoval of eye:								
65091	٨	Davisa ava	12.98	12.98	090	2	1	0	1	Λ
65093	A	Revise eye Revise eye	13.83	13.83	090	2	1	1	1	0
65101		Removal of eye	14.11	13.63	090	2	1	1	0	0
65103	A	Removal of eye Remove eye/insert	15.19	15.19	090	2	1	1	1	0
65105		Remove eye/attached	17.03	17.03	090	2	1	2	1	0
65110	A	Removal of eye	28.12	28.12	090	2	1	2	1	0
65112		Removal of eye	27.22	27.22	090	2	1	2	1	0
65114		Removal of eye	29.45	29.45	090	2	1	2	1	0
03114	А	Removal of eye	47. 4 3	23.43	090	۷	1	۷	1	U
(40) Eyebal	ll, se	econdary implant procedures:								
65125	Α	Revise ocular implant	5.29	5.29	090	2	1	1	1	0
65130		Insert ocular implant	14.37	14.37	090	2	1	1	1	0
65135	Α	Insert ocular implant	12.08	12.08	090	2	1	1	0	0
65140	Α	Attach ocular implant	13.47	13.47	090	2	1	1	0	0
65150		Revise ocular implant	12.65	12.65	090	2	1	0	0	0
65155		Reinsert ocular implant	17.56	17.56	090	2	1	1	0	0
65175	Α	Remove ocular implant	12.60	12.60	090	2	1	1	1	0
(41) Eyebal	ll, re	emoval of foreign body:								
65205	Α	Remove foreign body	1.01	0.83	000	2	1	1	0	0
65210	Α	Remove foreign body	1.22	1.00	000	2	1	1	ŏ	ŏ
65220	Α	Remove foreign body	1.17	0.92	000	2	1	1	0	0
65222	Α	Remove foreign body	1.41	1.14	000	2	1	1	0	0
65235		Remove foreign body	12.46	12.46	090	2	1	0	0	0
65260	Α	Remove foreign body	18.53	18.53	090	2	1	2	0	0
65265	Α	Remove foreign body	21.41	21.41	090	2	1	2	1	0
(42) Eyebal	l, re	pair of laceration:								
65270	Α	Repair of eye	2.89	2.89	010	2	1	0	0	0
65272	Α	Repair of eye	5.11	5.11	090	2	1	1	Ŏ	Ö
65273	A	Repair of eye	7.18	7.18	090	2	1	1	1	Ŏ
65275	Α	Repair of eye	5.51	5.51	090	2	1	0	0	0
65280	Α	Repair of eye	15.37	15.37	090	2	1	0	0	0
65285	Α	Repair of eye	23.91	23.91	090	2	1	2	0	0
65286	Α	Repair of eye	9.77	7.45	090	2	1	1	0	0
65290	Α	Repair of eye	10.86	10.86	090	2	1	1	1	0

		A		
- 1	4	Anterior	seament	cornes.
٦,	70	1 MILCIIOI	SCEINCILL,	cornea.

65400	Α	Removal of eye	11.93	11.93	090	2	1	1	0	0
65410	Α	Biopsy of cornea	2.93	2.93	000	2	1	0	0	0
65420	Α	Removal of eye	8.05	8.05	090	2	1	1	0	0
65426	Α	Removal of eye	10.56	10.56	090	2	1	1	0	0
65430	Α	Corneal smear	1.87	1.61	000	2	1	1	0	0
65435	Α	Curette/treat cornea	1.60	1.23	000	2	1	1	0	0
65436	Α	Curette/treat cornea	5.33	4.59	090	2	1	1	0	0
65450	Α	Treatment of cornea	6.23	6.23	090	2	1	1	0	0
65600	Α	Revision of cornea	5.69	4.43	090	2	1	1	0	0
65710	Α	Corneal transplant	23.85	23.85	090	2	1	2	1	0
65730	Α	Corneal transplant	28.27	28.27	090	2	1	2	1	0
65750	Α	Corneal transplant	29.90	29.90	090	2	1	2	1	0
65755	Α	Corneal transplant	29.84	29.84	090	2	1	2	1	0
65760	N	Revision of cornea	0.00	0.00	XXX	9	9	9	9	9
65765	N	Revision of cornea	0.00	0.00	XXX	9	9	9	9	9
65767	N	Corneal tissue	0.00	0.00	XXX	9	9	9	9	9
65770	Α	Revise cornea	29.67	29.67	090	2	1	2	0	0
65771	N	Radial keratotomy	0.00	0.00	XXX	9	9	9	9	9
65772	Α	Correct astigmatism	8.62	6.35	090	2	1	1	0	0
65775	Α	Correct astigmatism	11.69	11.69	090	2	1	1	0	0

(44) Anterior segment, anterior chamber:

65800	Α	Drainage of eye	3.45	3.45	000	2	1	1	0	0
65805	Α		3.54	2.66	000	2	1	1	0	0
65810	Α	Drainage of eye	9.76	9.76	090	2	1	1	0	0
65815	Α	Drainage of eye	9.05	9.05	090	2	1	1	0	0
65820	Α	Relieve inner eye	16.88	16.88	090	2	1	0	0	0
65850	Α	Incision of eye	21.11	21.11	090	2	1	1	1	0
65855	Α	Laser surgery	10.00	7.09	090	2	1	1	0	0
65860	Α	Incise inner eye	7.20	5.32	090	2	1	0	0	0
65865	Α	Incise inner eye	11.26	11.26	090	2	1	1	1	0
65870	Α	Incise inner eye	11.52	11.52	090	2	1	1	1	0
65875	Α	Incise inner eye	12.19	12.19	090	2	1	1	1	0
65880	Α	Incise inner eye	13.26	13.26	090	2	1	1	0	0
65900	Α	Remove eye lesion	18.07	18.07	090	2	1	2	0	0
65920	Α	Remove implant	15.94	15.94	090	2	1	1	1	0
65930	Α	Remove blood clot	14.40	14.40	090	2	1	1	1	0
66020	Α	Injection treatment	3.21	3.21	010	2	1	1	0	0
66030	Α	Injection treatment	1.67	1.41	010	2	1	1	0	0

(45) Anterior segment, anterior sclera:

66130	Α	Remove eye lesion	12.24	12.24	090	2	1	0	0	0
66150		Glaucoma surgery	16.68	16.68	090	2	1	1	1	0
66155		Glaucoma surgery	16.61	16.61	090	2	1	1	0	0
66160	Α	Glaucoma surgery	19.94	19.94	090	2	1	2	1	0
66165		Glaucoma surgery	16.10	16.10	090	2	1	2	0	0
66170	Α	Glaucoma surgery	23.12	23.12	090	2	1	2	1	0
66172	Α	Incision of eye	25.74	25.74	090	2	1	2	1	0
66180	Α	Implant eye shunt	29.24	29.24	090	2	1	2	1	0
66185	Α	Revise eye shunt	16.36	16.36	090	2	1	2	0	0
66220	Α	Repair eye lesion	12.99	12.99	090	2	1	2	1	0
66225	Α	Repair/graft eye	22.25	22.25	090	2	1	2	1	0
66250	Α	Follow-up surgery	11.99	11.99	090	2	1	1	0	0

(46) Anteri	or s	egment, iris, ciliary body:								
66500	Α	Incision of iris	7.46	7.46	090	2	1	1	1	0
66505	A		6.96	6.96	090	2	1	1	0	0
66600	A	Remove iris	17.20	17.20	090	2	1	1	ő	0
66605	A	Removal of iris	23.45	23.45	090	2	1	1	0	0
66625	A	Removal of iris	10.37	10.37	090	2	1	1	0	0
66630	A	Removal of iris	12.39	12.39	090	2	1	1	0	0
66635	A	Removal of iris	12.59	12.59	090	2	1	1	0	0
66680	A	Repair iris and ciliary	10.91	10.91	090	2	1	1	1	0
66682	A	Repair iris and ciliary	12.44	12.44	090	2	1	1	0	0
66700	A	Destruction, ciliary	9.61	9.61	090	2	1	0	0	0
66710	A	Destruction, ciliary	9.65	9.65	090	2	1	1	0	0
66720	A	Destruction, ciliary	9.63	9.63	090	2	1	1	0	0
66740	A	Destruction, ciliary	9.64	9.64	090	2	1	1	0	0
	A	Revision of iris				2	1			0
66761		Revision of iris	8.28	6.12	090	2	1	1	0	
66762	A		9.33	6.90	090		_	1	-	0
66770	Α	Remove inner eye lesion	10.46	7.70	090	2	1	1	0	0
(47) Anteri	or s	egment, lens:								
66820	Α	Incision, secondary	7.83	7.83	090	2	1	1	0	0
66821	A	After cataract	4.84	4.84	090	2	1	1	0	0
66825	A	Reposition intraocular	14.76	14.76	090	2	1	0	0	0
66830	A	Removal of lens	15.07	15.07	090	2	1	1	0	0
66840	A	Removal of lens	15.88	15.88	090	2	1	1	0	0
66850	A	Removal of lens	18.34	18.34	090	2	1	1	0	0
66852	A	Removal of lens	20.14	20.14	090	2	1	0	1	0
66920	A	Extraction of lens	17.79	17.79	090	2	1	0	1	0
66930	A	Extraction of lens	19.69	19.69	090	2	1	0	0	0
66940	A	Extraction of lens	17.93	17.93	090	2	1	0	1	0
66983	A	Remove cataract	18.24	18.24	090	2	1	1	0	0
66984	A	Remove cataract	20.78	20.78	090	2	1	1	0	0
						2	_		-	
66985 66986	A A	Insert lens procedure Exchange lens procedure	16.88 23.28	16.88 23.28	090 090	2	1 1	1 1	1 1	0
(48) Anteri	or s	egment, other procedures:								
66999			0.00	0.00	VVV	2	1	0	1	1
00999	C	Eye surgery	0.00	0.00	YYY	2	1	0	1	1
(49) Poster	ior s	egment, vitreous:								
67005	٨	Partial removal	11.85	11.85	090	2	1	1	1	0
67010		Partial removal	14.11	14.11	090	2	1	2	1	0
67015		Release of eye	12.71	12.71	090	2	1	1	1	0
67015		Replace eye fluid	12.71	12.71	090	2	1	1	1	0
67023		Implant drug delivery	12.93		090	2	1	2	1	0
67027			5.50	18.84	000	2	1	1	0	0
67028	A	Inject eye Incise inner eye		5.06 9.81	090	2	1	2	1	0
67030			9.81 7.65		090	2	1	1	0	0
67036		Laser surgery Remove inner eye fluid	7.65 24.25	5.70 24.25		2	1	2	1	0
07030	A	Remove milet eye mulu	24.23	24.23	090	2	1	۷	1	U

665			FEES	FOR	MEDICAL	SERV	ЛСЕ	S	522	1.40	30
67038	Δ	Strip retinal membrane	.	42.84	4 42.84	090	2	1	2	1	0
67039		Laser treatment	,	29.53		090	2	1	2	1	0
67040		Laser treatment		34.91		090	2	1	2	1	0
07040	71	Laser treatment		54.71	J4.J1	070	_	_	_	1	Ü
(50) Poster	ior s	segment, retina or choro	id:								
67101		Repair detached retina		15.20		090	2	1	1	0	0
67105		Repair detached retina		16.00		090	2	1	1	0	0
67107		Repair detached retina		29.84		090	2	1	2	1	0
67108		Repair detached retina		41.99		090	2	1	2	1	0
67110	A	· 1	1	17.89		090	2	1	1	0	0
67112	Α	Re-repair detached		31.73		090	2	1	2	1	0
67115		Release, encircling		10.08		090	2	1	1	0	0
67120		Remove eye implant		11.99		090	2	1	1	1	0
67121	A	, I		19.06		090	2	1	2	1	0
67141	A			10.51		090	2	1	1	0	0
67145		Treatment of retina		11.42		090	2	1	1	0	0
67208	A			13.49		090	2	1	1	0	0
67210		Treatment of retina		18.10		090	2 2	1	1	0	0
67218		Treatment of retina Treatment of retina		25.52		090	2	1	1 1	0	0
67227 67228		Treatment of retina		13.25		090 090	2	1	1	0	0
0/226	A	Treatment of Tetina		20.90	10.57	090	۷	1	1	U	U
(51) Poster	ior s	segment, sclera:									
67250	Α	Reinforce eye		14.83	3 14.83	090	2	1	1	1	0
67255		Reinforce/graft eye		18.02		090	2	1	2	1	0
07255	71	Reinforce/graft eye		10.02	10.02	070	-	1	~	1	Ü
(52) Poster	ior s	segment, other procedur	es:								
67299	С	Eye surgery		0.00	0.00	YYY	2	1	0	1	1
(53) Ocula	r ad	nexa, extraocular muscle	s:								
67311	A	Revise eye muscles		13.37	7 13.37	090	2	1	1	0	0
67312		Revise two eye muscles	s	17.12		090	2	1	1	1	0
67314		Revise eye muscles	3	15.14		090	2	1	1	0	ŏ
67316		Revise two eye muscles	S	19.00		090	2	1	0	Õ	Ŏ
67318		Revise eye muscles	-	13.3		090	$\bar{2}$	1	1	1	0
67320		Revise eye muscle		17.45		090	2	1	1	0	0
67331		Eye surgery		16.30		090	2	1	1	1	0
67332		Re-revise eye muscle		18.03		090	2	1	2	1	0
67334	Α	•		13.49		090	2	1	1	1	0
67335	Α	Eye suture		5.14		ZZZ	0	1	1	1	0
67340		Revise eye muscle		16.78		090	2	1	2	0	0
67343		Release eye tissue		12.48	8 12.48	090	2	1	2	1	0
67345		Destroy nerve		4.9		010	2	1	1	0	0
67350	Α	Biopsy eye muscle		4.99		000	2	1	0	0	0
67399	C	Eye muscle surgery		0.00	0.00	YYY	2	1	2	1	1

('54 <u>`</u>	Ocula	r adnexa	. orbit:

67400	Α	Explore/biopsy eye	19.58	19.58	090	2	1	2	1	0
67405	Α	Explore/drain eye	15.99	15.99	090	2	1	2	0	0
67412	Α	Explore/treat eye	19.09	19.09	090	2	1	2	1	0
67413	Α	Explore/treat eye	17.21	17.21	090	2	1	2	0	0
67414	Α	Explore/decompress eye	18.45	18.45	090	2	1	2	1	0
67415	Α	Aspirate orbital contents	3.54	3.54	000	2	1	0	0	0
67420	Α	Explore/treat eye	35.03	35.03	090	2	1	2	1	0
67430	Α	Explore/treat eye	22.74	22.74	090	2	1	2	0	0
67440	Α	Explore/drain eye	26.33	26.33	090	2	1	2	1	0
67445	Α	Explore/decompress eye	24.16	24.16	090	2	1	2	1	0
67450	Α	Explore/biopsy eye	27.10	27.10	090	2	1	2	1	0
67500	Α	Inject/treat eye	1.46	1.46	000	2	1	1	0	0
67505	Α	Inject/treat eye	1.78	1.21	000	2	1	1	0	0
67515	Α	Inject/treat eye	1.11	0.84	000	2	1	1	0	0
67550	Α	Insert eye socket	18.93	18.93	090	2	1	1	1	0
67560	Α	Revise eye socket	17.91	17.91	090	2	1	0	0	0
67570	Α	Decompress optic nerve	19.85	19.85	090	2	1	2	1	0
67599	C	Orbit surgery procedure	0.00	0.00	YYY	2	1	2	1	1

(55) Ocular adnexa, eyelids:

67700	Α	Drainage of eyelid	1.72	1.48	010	2	1	1	0	0
67710	Α	Incision of eyelid	1.93	1.45	010	2	1	1	0	0
67715	Α	Incision of eyelid	2.45	2.45	010	2	1	1	0	0
67800	Α	Remove eyelid lesion	2.19	1.73	010	2	0	1	0	0
67801	Α	Remove eyelid lesion	3.09	2.42	010	2	0	1	0	0
67805	Α	Remove eyelid lesion	3.39	2.73	010	2	0	1	0	0
67808	Α	Remove eyelid lesion	5.58	5.58	090	2	0	1	0	0
67810	Α	Biopsy of eyelid	2.15	1.76	000	2	0	1	0	0
67820	Α	Revise eyelashes	1.19	1.00	000	2	0	1	0	0
67825	Α	Revise eyelashes	2.15	1.72	010	2	0	1	0	0
67830	Α	Revise eyelashes	3.68	3.44	010	2	0	1	0	0
67835	Α	Revise eyelashes	11.21	11.21	090	2	0	0	0	0
67840	Α	Remove eyelid lesion	3.07	2.48	010	2	0	1	0	0
67850	Α	Treat eyelid lesion	2.35	1.96	010	2	0	1	0	0
67875	Α	Closure of eyelid	2.96	2.74	000	2	0	1	0	0
67880	Α	Revision of eyelid	7.38	7.38	090	2	0	1	0	0
67882	Α	Revision of eyelid	10.20	10.20	090	2	0	1	0	0
67900	Α	Repair brow	9.34	9.34	090	2	0	1	0	0
67901	Α	Repair eyelid	14.09	14.09	090	2	1	1	0	0
67902	Α	Repair eyelid	14.25	14.25	090	2	1	2	1	0
67903	Α	Repair eyelid	12.96	12.96	090	2	1	1	1	0
67904	Α	Repair eyelid	12.73	12.73	090	2	1	1	1	0
67906	Α	Repair eyelid	11.64	11.64	090	2	1	1	0	0
67908	Α	Repair eyelid	10.40	10.40	090	2	1	1	0	0
67909	Α	Revise eyelid	10.90	10.90	090	2	1	1	0	0
67911	Α	Revise eyelid	10.82	10.82	090	2	1	1	0	0
67914	Α	Repair eyelid	7.47	7.47	090	2	1	1	0	0
67915	Α	Repair eyelid	4.13	3.53	090	2	1	1	0	0
67916	Α	Repair eyelid	10.67	10.67	090	2	1	1	0	0
67917	Α	Repair eyelid	12.12	12.12	090	2	1	1	0	0
67921	Α	Repair eyelid	6.81	6.81	090	2	1	1	0	0
67922	Α	Repair eyelid	3.97	3.39	090	2	1	1	0	0
67923	Α	Repair eyelid	11.80	11.80	090	2	1	1	0	0
67924	Α	Repair eyelid	11.65	11.65	090	2	1	1	0	0
67930	Α	Repair eyelid	4.55	3.93	010	2	0	1	0	0
		• •								

667	FEES	S FOR MEDICAL SERVICES			5	5221.4030			
67938 A 67950 A 67961 A 67966 A 67971 A 67973 A 67974 A	Reconstruction of eyelid Reconstruction of eyelid Reconstruction of eyelid	9.44 1.73 11.71 11.49 13.31 19.56 25.26 25.73 12.43 0.00	9.44 1.48 11.71 11.49 13.31 19.56 25.26 25.73 12.43 0.00	090 010 090 090 090 090 090 090 090 YYY	2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0	1 1 2 0 1 2 2 2 1 0	0 0 1 0 0 1 1 1 0 1	0 0 0 0 0 0 0 0 0
(56) Conjunctiv	va, incision and drainage:								
68020 A 68040 A	Incise/drain eye Treatment of eye	1.75 1.22	1.51 1.00	010 000		0 0	1	0	0
(57) Conjunctiv	va, excision and/or drainage:								
68110 A 68115 A	Remove eyelid lesion Remove eyelid lesion	2.21 2.84 4.07 8.55 2.41	1.74 2.24 4.07 8.55 2.05	000 010 010 090 010	2 2 2	0 0 0 0	1 1 1 1	0 0 0 0 0	0 0 0 0
(58) Conjunctiv	va, injection:								
68200 A	Treat eyelid	0.96	0.71	000	2	1	1	0	0
(59) Conjunctiv	va, conjunctivoplasty:								
68325 A 68326 A 68328 A 68330 A 68335 A	Revise/graft eyelid Revise/graft eyelid Revise/graft eyelid Revise/graft eyelid Revise eyelid Revise/graft eyelid Separate eyelid	10.82 14.85 14.36 16.57 9.71 14.54 6.91	10.82 14.85 14.36 16.57 9.71 14.54 6.91	090 090 090 090 090 090 090	2 2 2 2 2	0 0 0 0 0 0	1 1 0 0 1 0	1 0 0 0 1	0 0 0 0 0 0
(60) Conjunctiv	va, other procedures:								
68362 A	Revise eyelid Revise eyelid Eyelid lining surgery	8.80 14.63 0.00	8.80 14.63 0.00	090 090 YYY	2	0 0 0	1 1 0	0 1 1	0 0 1
(61) Conjunctiv	va, lacrimal system:								
68420 A 68440 A	Incise/drain tear duct Incise/drain tear duct Incise tear duct Removal of tear duct	2.53 3.11 1.61 17.77	2.05 2.61 1.24 17.77	010 010 010 090	2	0 0 0 0	1 1 1	0 0 0 0	0 0 0 0

68505	Α	Partial removal	18.60	18.60	090	2	0	1	0	0
68510	A	Biopsy of tear duct	7.90	7.90	000	2	ŏ	0	ŏ	ő
68520	Α	Removal of tear duct	15.08	15.08	090	2	0	0	0	ő
68525			7.70	7.70		2	0	1	1	0
	A	Biopsy of tear duct			000					
68530	A	Clearance of tear duct	6.17	4.79	010	2	0	1	0	0
68540	Α	Remove tear gland	17.93	17.93	090	2	0	1	1	0
68550	Α	Remove tear gland	23.40	23.40	090	2	0	1	0	0
68700	Α	Repair tear duct	8.67	8.67	090	2	0	1	0	0
68705	Α	Revise tear duct	2.88	2.39	010	2	0	1	0	0
68720	Α	Create tear sac	18.05	18.05	090	2	0	2	1	0
68745	Α	Create tear duct	14.42	14.42	090	2	0	2	1	0
68750	Α	Create tear duct	17.53	17.53	090	2	0	2	1	0
68760	Α	Close tear duct	2.48	2.04	010	2	1	1	0	0
68761		Close tear duct	2.15	1.70	010	2	1	ō	Ŏ	Ŏ
68770	A	Close tear system	10.60	8.55	090	2	0	Ö	0	ő
	A	Dilate tear duct	1.27	1.07	010	2	1	1	0	0
68801						2		_	_	
68810	A	Probe nasolacrimal duct	2.27	2.01	010		1	1	0	0
68811	Α	Probe nasolacrimal duct	3.62	3.62	010	2	1	1	0	0
68815	Α	Probe nasolacrimal duct	4.82	3.89	010	2	1	1	0	0
68840	Α	Explore/irrigate	1.62	1.39	010	2	0	1	0	0
68850	Α	Injection	1.24	1.24	000	2	0	1	0	0
68899	C	Tear duct system surgery	0.00	0.00	YYY	2	0	0	1	1
(62) Extern	al e	ar, incision:								
· /		,								
69000	Α	Drain external ear	1.67	1.50	010	2	0	1	0	0
69005	Α	Drain external ear	3.11	2.55	010	2	0	1	0	0
69020	A	Drain outer ear	1.80	1.58	010	2	0	1	0	0
69090	N	Pierce earlobes	0.00	0.00	XXX	9	9	9	9	9
0,0,0	•	Tiores surroses	0.00	0.00	1221					
(63) Extern	al e	ar, excision:								
(05) Extern	iai o	ar, excision.								
69100	٨	Biopsy of external ear	1.41	1.09	000	2	0	1	0	0
			1.59	1.03		2	0	1	0	
69105	A	Biopsy of external ear			000				0	0
69110	A	Partial removal	5.87	5.87	090	2	0	1	_	0
69120	Α	Removal of external ear	4.47	4.47	090	2	0	1	0	0
69140	A	Remove ear canal	15.45	15.45	090	2	0	0	0	0
69145	Α	Remove ear canal	4.96	4.96	090	2	0	1	0	0
69150		Extensive ear canal	22.99	22.99	090	2	0	2	1	0
69155	Α	Extensive ear/neck	35.15	35.15	090	2	0	2	1	0
(64) Extern	al e	ar, removal of foreign body:								
69200	Α	Clear outer ear	1.13	0.92	000	2	0	1	0	0
69205		Clear outer ear	2.18	2.18	010		Ŏ		0	Ö
69210		Remove impacted cerumen	0.79	0.68	000	2	2	ì	ŏ	ŏ
69220		Clean out mastoid	1.26	1.02	000	2		1	0	ŏ
69222		Clean out mastoid	2.03	1.67	010	2	1	1	0	0
UJLLL	^	Cican out mastord	2.03	1.07	010	4	1	T	U	U
(65) Evta	م اه	ar renair								
(65) Extern	ai e	ar, repair.								
•										

R Revise external ear 11.05 11.05 YYY 0 0 0 0 0

69300

669			FEES	FOR	MEDICAL	SERV	ЛСЕ	ES	522	1.40	30
69310 69320		Rebuild outer ear Rebuild outer ear		19.90 30.46		090 090	2 2	0	1 2	0	0
(66) Externa	al ea	ar, other procedures:									
69399	С	Outer ear surgery		0.00	0.00	YYY	2	0	0	1	1
(67) Middle	ear	, introduction:									
69400 69401 69405 69410	A A	Inflate middle ear Inflate middle ear Catheterize middle ear Inset middle ear		1.22 0.83 2.87 0.92	0.71 2.64	000 000 010 000	2 2 2 2	0 0 0 0	1 1 0 0	0 0 0 0	0 0 0 0
(68) Middle	ear	, incision:									
69420 69421 69424 69433 69436 69440 69450	A A A A	Incision of ear Incision of ear Remove ventilation Create eardrum Create eardrum Exploration of ear Eardrum revision		1.92 2.74 1.38 2.75 3.96 15.43 11.61	2.74 3 1.09 5 2.10 6 3.96 3 15.43	010 010 000 010 010 090 090	2 2 2 2 2 2 2	1 1 1 1 0 0	1 1 1 1 1 1 0	0 0 0 0 0 0	0 0 0 0 0 0
(69) Middle	ear	, excision:									
69501 69502 69505 69511 69530 69535 69540 69550 69552 69554	A A A A A A	Simple mastoidectomy Complete mastoidector Remove mastoid Extensive mastoid Extensive mastoid Remove part of bone Remove ear lesion Remove ear lesion Remove ear lesion	my	18.52 24.94 26.58 27.65 34.51 58.79 2.39 22.76 34.85 53.65	24.94 26.58 27.65 34.51 58.79 1.78 22.76 34.85	090 090 090 090 090 090 010 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0	1 0 0 0 2 2 1 2 2 2	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 0
(70) Middle	ear	, repair:									
69601 69602 69603 69604 69605 69610 69620 69631 69632 69633 69635 69636	A A A A A A A	Mastoid surgery Mastoid surgery Mastoid surgery Mastoid surgery Mastoid surgery Repair eardrum Repair eardrum Repair eardrum Rebuild eardrum Rebuild eardrum Rebuild eardrum Repair eardrum Rebuild eardrum Rebuild eardrum		26.42 27.72 28.66 29.11 32.25 4.98 12.25 20.32 26.08 24.82 27.32 31.15	2 27.72 5 28.66 29.11 5 32.25 8 4.53 6 12.25 2 20.32 8 26.08 2 24.82 2 27.32	090 090 090 090 090 010 090 090 090 090	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 2 2 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0

670

MINNESOTA	RULES 2	200

5221.4030 FEES FOR MEDICAL SERVICES

2221.4020		LO TOR MEDICAL SERVI	CLD							,,,
69637	А	Rebuild eardrum	31.00	31.00	090	2	0	0	0	0
69641	A	Revise middle ear	26.07	26.07	090	2	0	1	0	0
69642	A		34.40	34.40	090	2	0	1	0	0
69643	A	Revise middle ear	31.57	31.57	090	2	0	1	0	0
			34.93			2				
69644	A	Revise middle ear		34.93	090		0	1	0	0
69645	Α	Revise middle ear	33.66	33.66	090	2	0	1	0	0
69646	Α	Revise middle ear	36.77	36.77	090	2	0	0	0	0
69650	Α	Release middle ear	19.77	19.77	090	2	0	1	0	0
69660	Α	Revise middle ear	24.45	24.45	090	2	0	1	0	0
69661	Α	Revise middle ear	32.07	32.07	090	2	0	0	0	0
69662	Α	Revise middle ear	31.49	31.49	090	2	0	1	0	0
69666	Α	Repair middle ear	20.19	20.19	090	2	0	0	0	0
69667	Α	Repair middle ear	20.15	20.15	090	2	0	0	0	0
69670	Α	Remove mastoid	20.88	20.88	090	2	0	2	0	0
69676	Α	Remove middle ear	17.36	17.36	090	2	1	1	0	0
0,070	**	Treme ve middle cur	17.50	17.50	0,0	_	•	•	Ŭ	
(71) Middl	A 69	r, other procedures:								
(/I) Wilder	ic ca.	i, other procedures.								
69700	Α	Close mastoid fistula	15.53	15.53	090	2	0	1	0	0
69710	N	Implant/replace hearing	0.00	0.00	XXX	9	9	9	9	9
69711	Α	Remove/repair hearing	17.87	17.87	090	2	0	2	0	0
69720	A	Release facial nerve	29.59	29.59	090	2	0	0	1	0
69725	A	Release facial nerve	38.02	38.02	090	$\bar{2}$	0	2	Õ	0
69740	A	Repair facial nerve	26.85	26.85	090	2	0	$\frac{2}{2}$	ŏ	ŏ
69745	A	Repair facial nerve	31.40	31.40	090	2	0	2	0	0
69799	Ĉ	Middle ear surgery	0.00	0.00	YYY	2	0	0	1	1
09799	C	windle ear surgery	0.00	0.00	111	2	U	U	1	1
(72) Inner	ear,	incision and/or destruction:								
69801	Α	Incise inner ear	17.88	17.88	090	2	0	0	0	0
69802		Incise inner ear	23.42	23.42	090	2	0	2	0	0
69805	A	Explore inner ear	26.34	26.34	090	$\bar{2}$	0	$\overline{2}$	Ö	ŏ
69806	A	Explore inner ear	25.74	25.74	090	2	0	1	0	ŏ
69820		Explore inner ear		18.49		2	0	2		
	A		18.49		090	2		2	0	0
69840	Α	Revise inner ear	17.80	17.80	090	2	0	2	0	0
(73) Inner	ear,	excision:								
69905	Δ	Remove inner ear	23.01	23.01	090	2	0	1	0	0
			28.14	28.14	090	2	0	$\frac{1}{0}$		
69910		Remove inner ear							0	0
69915	Α	Incise inner ear	37.49	37.49	090	2	0	2	1.	0
(74) Inner	ear,	introduction:								
60020	٨	Immlant cochlan	24.06	24.06	000	2	0	0	0	0
69930	А	Implant cochlea	34.96	34.96	090	2	0	0	0	0
(75) Inner	ear,	other procedures:								
C0040	~	T	0.00	0.00	3/3/3/	_		0	1	4
69949	C	Inner ear surgery	0.00	0.00	YYY	2	0	0	1	1

Copyright @ 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

FEES FOR MEDICAL SERVICES 5221.4030

(76) Temporal	bone,	middle	fossa	approach:

671

70010

69950	A Incise inner ear	41.93	41.93	090	2	0	2	1	0
69955	A Release facial nerve	45.38	45.38	090	2	0	2	1	0
69960	A Release inner ear	42.85	42.85	090	2	0	2	1	0
69970	A Remove inner ear	47.54	47.54	090	2	0	2	1	0

(77) Temporal bone, middle fossa approach, other procedures:

69979 C Temporal bone surgery 0.00 0.00 YYY 2 0 0 1 1

F. Procedure code numbers 70010 to 79999 relate to radiology procedures.

5.76

1 2 3 4	5	6	7	8	9	10	11	12
---------	---	---	---	---	---	----	----	----

(1) Diagnostic radiology, head and neck:

A Contrast v-ray

/0010		Α	Contrast x-ray	5.76	5.76	XXX	U	U	U	U	U
70010	26	Α	Contrast x-ray	1.63	1.63	XXX	0	0	0	0	0
70010	TC	Α	Contrast x-ray	4.13	4.13	XXX	0	0	0	0	0
70015		Α	Contrast x-ray	2.92	2.92	XXX	0	0	0	0	0
70015	26	Α	Contrast x-ray	1.63	1.63	XXX	0	0	0	0	0
70015	TC	Α	Contrast x-ray	1.30	1.30	XXX	0	0	0	0	0
70030		Α	X-ray eye, foreign body	0.64	0.64	XXX	0	3	0	0	0
70030	26	Α	X-ray eye, foreign body	0.24	0.24	XXX	0	3	0	0	0
70030	TC	Α	X-ray eye, foreign body	0.40	0.40	XXX	0	3	0	0	0
70100		Α	X-ray exam of jaw	0.76	0.76	XXX	0	0	0	0	0
70100	26	Α	X-ray exam of jaw	0.26	0.26	XXX	0	0	0	0	0
70100	TC	Α	X-ray exam of jaw	0.50	0.50	XXX	0	0	0	0	0
70110		Α	X-ray exam of jaw	0.95	0.95	XXX	0	0	0	0	0
70110	26	Α	X-ray exam of jaw	0.35	0.35	XXX	0	0	0	0	0
70110	TC	Α	X-ray exam of jaw	0.59	0.59	XXX	0	0	0	0	0
70120		Α	X-ray exam of mastoids	0.85	0.85	XXX	0	3	0	0	0
70120	26	Α	X-ray exam of mastoids	0.26	0.26	XXX	0	3	0	0	0
70120	TC	Α	X-ray exam of mastoids	0.59	0.59	XXX	0	3	0	0	0
70130		Α	X-ray exam of mastoids	1.23	1.23	XXX	0	3	0	0	0
70130	26	Α	X-ray exam of mastoids	0.47	0.47	XXX	0	3	0	0	0
70130	TC	Α	X-ray exam of mastoids	0.75	0.75	XXX	0	3	0	0	0
70134		Α	X-ray exam of meati	1.18	1.18	XXX	0	0	0	0	0
70134	26	Α	X-ray exam of meati	0.47	0.47	XXX	0	0	0	0	0
70134	TC	Α	X-ray exam of meati	0.70	0.70	XXX	0	0	0	0	0
70140		Α	X-ray exam, facial bones	0.86	0.86	XXX	0	0	0	0	0
70140	26	Α	X-ray exam, facial bones	0.26	0.26	XXX	0	0	0	0	0
70140	TC	Α	X-ray exam, facial bones	0.59	0.59	XXX	0	0	0	0	0
70150		Α	X-ray exam, facial bones	1.12	1.12	XXX	0	0	0	0	0
70150	26	Α	X-ray exam, facial bones	0.36	0.36	XXX	0	0	0	0	0
70150	TC	Α	X-ray exam, facial bones	0.75	0.75	XXX	0	0	0	0	0
70160		Α	X-ray exam, nasal bones	0.74	0.74	XXX	0	0	0	0	0
70160	26	Α	X-ray exam, nasal bones	0.24	0.24	XXX	0	0	0	0	0
70160	TC	Α	X-ray exam, nasal bones	0.50	0.50	XXX	0	0	0	0	0
70170		Α	X-ray exam of tear duct	1.32	1.32	XXX	0	0	0	0	0
70170	26	Α	X-ray exam of tear duct	0.42	0.42	XXX	0	0	0	0	0
70170	TC		X-ray exam of tear duct	0.90	0.90	XXX	0	0	0	Ō	0
	-	-	•						-	-	-

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

70190		Α	X-ray exam of eye	0.88	0.88	XXX	0	3	0	0	0
70190	26		X-ray exam of eye	0.29	0.29	XXX	0	3	0	0	0
70190	TC		X-ray exam of eye	0.59	0.59	XXX	Õ	3	Õ	Ŏ	0
70200			X-ray exam of eye	1.14	1.14	XXX	Õ	0	ŏ	Ŏ	0
70200	26		X-ray exam of eye	0.39	0.39	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70200	TC			0.75	0.75	XXX	0	0	0	0	0
	IC		X-ray exam of eye								
70210	20	A	X-ray exam of sinuses	0.83	0.83	XXX	0	0	0	0	0
70210	26 TC		X-ray exam of sinuses	0.24	0.24	XXX	0	0	0	0	0
70210	TC		X-ray exam of sinuses	0.59	0.59	XXX	0	0	0	0	0
70220			X-ray exam of sinuses	1.11	1.11	XXX	0	0	0	0	0
70220	26	Α	X-ray exam of sinuses	0.35	0.35	XXX	0	0	0	0	0
70220	TC	Α	X-ray exam of sinuses	0.75	0.75	XXX	0	0	0	0	0
70240		Α	X-ray exam, pituitary	0.67	0.67	XXX	0	0	0	0	0
70240	26	Α	X-ray exam, pituitary	0.26	0.26	XXX	0	0	0	0	0
70240	TC	Α	X-ray exam, pituitary	0.40	0.40	XXX	0	0	0	0	0
70250		Α	X-ray exam of skull	0.93	0.93	XXX	0	0	0	0	0
70250	26		X-ray exam of skull	0.34	0.34	XXX	0	0	0	0	0
70250	TC		X-ray exam of skull	0.59	0.59	XXX	Õ	Ŏ	Ŏ	Ŏ	Ŏ
70260	10	A	X-ray exam of skull	1.33	1.33	XXX	ŏ	0	ŏ	ő	ŏ
70260	26		X-ray exam of skull	0.47	0.47	XXX	0	ő	Ö	ő	ő
70260	TC			0.47	0.47	XXX	0	0	0	0	0
	IC		X-ray exam of skull								
70300	20	A	X-ray exam of teeth	0.40	0.40	XXX	0	0	0	0	0
70300	26 TC		X-ray exam of teeth	0.14	0.14	XXX	0	0	0	0	0
70300	TC		X-ray exam of teeth	0.25	0.25	XXX	0	0	0	0	0
70310			X-ray exam of teeth	0.62	0.62	XXX	0	0	0	0	0
70310	26	Α		0.22	0.22	XXX	0	0	0	0	0
70310	TC		X-ray exam of teeth	0.40	0.40	XXX	0	0	0	0	0
70320			Full mouth x-ray	1.06	1.06	XXX	0	0	0	0	0
70320	26	Α	Full mouth x-ray	0.31	0.31	XXX	0	0	0	0	0
70320	TC	Α	Full mouth x-ray	0.75	0.75	XXX	0	0	0	0	0
70328			X-ray exam of jaw	0.73	0.73	XXX	0	0	0	0	0
70328	26		X-ray exam of jaw	0.26	0.26	XXX	0	0	0	0	0
70328	TC		X-ray exam of jaw	0.47	0.47	XXX	0	0	0	0	0
70330			X-ray exam of jaw	1.14	1.14	XXX	0	2	0	0	0
70330	26		X-ray exam of jaw	0.34	0.34	XXX	0	2	0	0	0
70330	TC		X-ray exam of jaw	0.80	0.80	XXX	ŏ	$\bar{2}$	Ŏ	ŏ	ŏ
70332	10	A	X-ray exam of jaw	2.76	2.76	XXX	ŏ	3	ő	ŏ	ŏ
70332	26		X-ray exam of jaw	0.75	0.75	XXX	0	3	0	0	0
70332	TC			2.00	2.00	XXX	0	3	0	0	ő
	IC		X-ray exam of jaw					3			
70336	26		Magnetic image	12.48	12.48	XXX	0		0	0	0
70336	26 TC		Magnetic image	1.79	1.79	XXX	0	3	0	0	0
70336	TC		Magnetic image	10.69	10.69	XXX	0	3	0	0	0
70350	•		X-ray head for teeth	0.60	0.60	XXX	0	0	0	0	0
70350	26		X-ray head for teeth	0.24	0.24	XXX	0	0	0	0	0
70350	TC		X-ray head for teeth	0.36	0.36	XXX	0	0	0	0	0
70355		Α	Panoramic x-ray	0.82	0.82	XXX	0	0	0	0	0
70355	26	Α	Panoramic x-ray	0.27	0.27	XXX	0	0	0	0	0
70355	TC	Α	Panoramic x-ray	0.54	0.54	XXX	0	0	0	0	0
70360		Α	X-ray exam of neck	0.64	0.64	XXX	0	0	0	0	0
70360	26		X-ray exam of neck	0.24	0.24	XXX	0	0	0	0	0
70360	TC		X-ray exam of neck	0.40	0.40	XXX	0	0	0	0	0
70370		A	Throat x-ray	1.69	1.69	XXX	0	Ō	Õ	Ō	0
70370	26	A	Throat x-ray	0.45	0.45	XXX	Ō	Ŏ	ŏ	Ŏ	ŏ
70370	TC	A	Throat x-ray	1.24	1.24	XXX	0	ő	0	0	ő
70370	10	A	Speech evaluation	3.17	3.17	XXX	0	0	0	0	0
70371	26			1.16	1.16	XXX	0	0	0	0	0
			Speech evaluation						_		-
70371	TC	A		2.00	2.00	XXX	0	0	0	0	0
70373		A	Contrast x-ray	2.31	2.31	XXX	0	0	0	0	0

70373	26	Α	Contrast x-ray	0.61	0.61	XXX	0	0	0	0	0
70373	TC	Α	Contrast x-ray	1.70	1.70	XXX	0	0	0	0	0
70380	. •		X-ray exam of salivary	0.88	0.88	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70380	26	A		0.34	0.24	XXX	0	0	0	0	0
			X-ray exam of salivary				-				
70380	TC	Α	X-ray exam of salivary	0.64	0.64	XXX	0	0	0	0	0
70390			X-ray exam of salivary	2.23	2.23	XXX	0	0	0	0	0
70390	26	Α	X-ray exam of salivary	0.53	0.53	XXX	0	0	0	0	0
70390	TC	Α	X-ray exam of salivary	1.70	1.70	XXX	0	0	0	0	0
70450		Α	CAT scan of head	5.68	5.68	XXX	0	0	0	0	0
70450	26	Α	CAT scan of head	1.17	1.17	XXX	0	0	0	0	0
70450	TČ	Α	CAT scan of head	4.51	4.51	XXX	ŏ	ŏ	ŏ	Ŏ	Õ
70460	10	A	Contrast CAT scan	6.95	6.95	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70460	26	A	Contrast CAT scan	1.55	1.55	XXX	0	0	ő	0	Ö
	TC						0		0	0	
70460	IC	A	Contrast CAT scan	5.40	5.40	XXX	-	0	-		0
70470	•	A	Contrast CAT scan	8.49	8.49	XXX	0	0	0	0	0
70470	26	A	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
70470	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70480		Α	CAT scan of skull	6.27	6.27	XXX	0	0	0	0	0
70480	26	Α	CAT scan of skull	1.76	1.76	XXX	0	0	0	0	0
70480	TC	Α	CAT scan of skull	4.51	4.51	XXX	0	0	0	0	0
70481		Α	Contrast CAT scan	7.29	7.29	XXX	Ō	Ō	Ō	0	Ō
70481	26	A	Contrast CAT scan	1.89	1.89	XXX	0	0	ŏ	ő	Õ
70481	TC	A	Contrast CAT scan	5.40	5.40	XXX	ő	ŏ	ŏ	ő	0
	10						0	0	0	0	
70482	26	A	Contrast CAT scan	8.74	8.74	XXX					0
70482	26	A	Contrast CAT scan	1.99	1.99	XXX	0	0	0	0	0
70482	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70486		Α	CAT scan of face	6.07	6.07	XXX	0	0	0	0	0
70486	26	Α	CAT scan of face	1.56	1.56	XXX	0	0	0	0	0
70486	TC	Α	CAT scan of face	4.51	4.51	XXX	0	0	0	0	0
70487		Α	Contrast CAT scan	7.18	7.18	XXX	0	0	0	0	0
70487	26	Α	Contrast CAT scan	1.78	1.78	XXX	0	0	0	0	0
70487	TC	Α	Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70488		A	Contrast CAT scan	8.70	8.70	XXX	0	0	Ō	0	0
70488	26	A	Contrast CAT scan	1.95	1.95	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
70488	TC	A	Contrast CAT scan	6.75	6.75	XXX	ŏ	ŏ	ŏ	ő	Ö
70488	1 C	A	CAT scan of neck	6.27	6.27	XXX	0	0	0	0	0
	20						_	-			
70490	26	Α	CAT scan of neck	1.76	1.76	XXX	0	0	0	0	0
70490	TC	Α	CAT scan of neck	4.51	4.51	XXX	0	0	0	0	0
70491		A	Contrast CAT scan	7.29	7.29	XXX	0	0	0	0	0
70491	26	Α	Contrast CAT scan	1.89	1.89	XXX	0	0	0	0	0
70491	TC	Α	Contrast CAT scan	5.40	5.40	XXX	0	0	0	0	0
70492		Α	Contrast CAT scan	8.74	8.74	XXX	0	0	0	0	0
70492	26	Α	Contrast CAT scan	1.99	1.99	XXX	0	0	0	0	0
70492	TC		Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
70540		Α	Magnetic image	12.72	12.72	XXX	Ŏ	Õ	Ŏ	Ŏ	Õ
70540	26	A	Magnetic image	2.04	2.04	XXX	ŏ	ő	0	ŏ	ŏ
70540	TC	A		10.69	10.69	XXX	0	0	0	ő	ő
	IC		Magnetic image				_				
70541	06	R	Magnetic image	13.02	13.02	XXX	0	0	0	0	0
70541	26	R	Magnetic image	2.34	2.34	XXX	0	0	0	0	0
70541	TC	R	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
70551		Α	Magnetic image	12.72	12.72	XXX	0	0	0	0	0
70551	26	Α	Magnetic image	2.04	2.04	XXX	0	0	0	0	0
70551	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
70552		Α	Magnetic image	15.28	15.28	XXX	0	0	0	0	0
70552	26	A	Magnetic image	2.45	2.45	XXX	Õ	Õ	Ŏ	ŏ	ŏ
70552	TC	A	Magnetic image	12.82	12.82	XXX	Õ	ŏ	0	Õ	ŏ
70553	10	A	Magnetic image	27.00	27.00	XXX	0	0	0	0	0
70553	26						0		0	0	
10333	26	Α	Magnetic image	3.26	3.26	XXX	U	0	U	U	0

70553	TC	A	Magnetic image	23.73	23.73	XXX	0	0	0	0	0
(2) Dia	ignos	tic 1	radiology, chest:								
= 1010			~ :	0.50	0.70	*****	•	•	•	•	•
71010	26		Chest x-ray	0.70	0.70	XXX	0	0	0	0	0
71010	26 TC	A	Chest x-ray	0.25	0.25	XXX	0	0	0	0	0
71010	TC	A	Chest x-ray	0.45 0.79	0.45 0.79	XXX XXX	0	0	0	$0 \\ 0$	0
71015 71015	26	A A	X-ray exam of chest X-ray exam of chest	0.79	0.79	XXX	0	0	$0 \\ 0$	0	$0 \\ 0$
71015	TC		X-ray exam of chest	0.29	0.29	XXX	0	0	0	0	0
71013	IC	A	Chest x-ray	0.89	0.89	XXX	0	0	0	0	0
71020	26		Chest x-ray	0.30	0.30	XXX	ŏ	ő	0	ŏ	0
71020	TC	A	Chest x-ray	0.59	0.59	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
71021		Α	Chest x-ray	1.08	1.08	XXX	ŏ	ŏ	Õ	ŏ	Ŏ
71021	26	A		0.37	0.37	XXX	0	0	0	0	0
71021	TC		Chest x-ray	0.70	0.70	XXX	0	0	0	0	0
71022		Α	Chest x-ray	1.13	1.13	XXX	0	0	0	0	0
71022	26	Α	Chest x-ray	0.43	0.43	XXX	0	0	0	0	0
71022	TC	Α	Chest x-ray	0.70	0.70	XXX	0	0	0	0	0
71023		Α	Chest x-ray	1.28	1.28	XXX	0	0	0	0	0
71023	26	A	Chest x-ray	0.53	0.53	XXX	0	0	0	0	0
71023	TC		Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71030	26	A	Chest x-ray	1.18	1.18	XXX	0	0	0	0	0
71030	26		Chest x-ray	0.43	0.43	XXX	0	0	0	0	0
71030	TC		Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71034	26		Chest x-ray	2.01	2.01	XXX	0	0	0	0	0
71034	26 TC		Chest x-ray	0.64 1.37	0.64 1.37	XXX XXX	$0 \\ 0$	0	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$
71034 71035	ic	A	Chest x-ray Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71035	26		Chest x-ray	0.75	0.75	XXX	0	0	0	0	0
71035	TC		Chest x-ray	0.50	0.50	XXX	0	0	0	0	0
71036	10		X-ray guidance	2.26	2.26	XXX	ő	ŏ	ŏ	ŏ	ŏ
71036	26	A	X-ray guidance	0.75	0.75	XXX	Ŏ	Ŏ	Ŏ	ŏ	ŏ
71036	TC		X-ray guidance	1.50	1.50	XXX	0	0	0	0	0
71038			X-ray guidance	2.36	2.36	XXX	0	0	0	0	0
71038	26		X-ray guidance	0.75	0.75	XXX	0	0	0	0	0
71038	TC	Α	X-ray guidance	1.61	1.61	XXX	0	0	0	0	0
71040		A	Contrast x-ray	2.20	2.20	XXX	0	0	0	0	0
71040	26	A	Contrast x-ray	0.81	0.81	XXX	0	0	0	0	0
71040	TC	A	Contrast x-ray	1.39	1.39	XXX	0	0	0	0	0
71060	26	A	Contrast x-ray	3.13	3.13 1.03	XXX	0	2	0	0	0
71060 71060	26 TC		Contrast x-ray	1.03 2.11	2.11	XXX XXX	$0 \\ 0$	2	$0 \\ 0$	0 0	$0 \\ 0$
71000	IC	A A	Contrast x-ray X-ray and pacemaker	2.11	2.11	XXX	0	0	0	0	0
71090	26	A	X-ray and pacemaker	0.75	0.75	XXX	0	0	0	0	0
71090	TC		X-ray and pacemaker	1.61	1.61	XXX	0	ő	ő	ő	0
71100	10		X-ray exam of ribs	0.85	0.85	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
71100	26		X-ray exam of ribs	0.31	0.31	XXX	0	0	Õ	Ö	0
71100	TC	Α	X-ray exam of ribs	0.54	0.54	XXX	0	0	0	0	0
71101		Α	X-ray exam of ribs	1.02	1.02	XXX	0	0	0	0	0
71101	26		X-ray exam of ribs	0.38	0.38	XXX	0	0	0	0	0
71101	TC		X-ray exam of ribs	0.64	0.64	XXX	0	0	0	0	0
71110		A	X-ray exam of ribs	1.13	1.13	XXX	0	2	0	0	0
71110	26		X-ray exam of ribs	0.38	0.38	XXX	0	2	0	0	0
71110	TC		X-ray exam of ribs	0.75	0.75	XXX	0	2	0	0	0
71111		A	X-ray exam of ribs	1.30	1.30	XXX	0	2	0	0	0

71111	26	Α	X-ray exam of ribs	0.45	0.45	XXX	0	2	0	0	0
71111	TC		X-ray exam of ribs	0.85	0.85	XXX	0	2	0	0	0
71120		Α	X-ray exam of sternum	0.89	0.89	XXX	0	0	0	0	0
71120	26	Α	X-ray exam of sternum	0.27	0.27	XXX	0	0	0	0	0
71120	TC	Α	X-ray exam of sternum	0.62	0.62	XXX	0	0	0	0	0
71130		Α	X-ray exam of sternum	0.97	0.97	XXX	0	0	0	0	0
71130	26	Α	X-ray exam of sternum	0.30	0.30	XXX	0	0	0	0	0
71130	TC	Α	X-ray exam of sternum	0.67	0.67	XXX	0	0	0	0	0
71250		Α	CAT scan of chest	7.23	7.23	XXX	0	0	0	0	0
71250	26	Α	CAT scan of chest	1.59	1.59	XXX	0	0	0	0	0
71250	TC	Α	CAT scan of chest	5.64	5.64	XXX	0	0	0	0	0
71260		Α	Contrast CAT scan	8.45	8.45	XXX	0	0	0	0	0
71260	26	Α	Contrast CAT scan	1.70	1.70	XXX	0	0	0	0	0
71260	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
71270		Α	Contrast CAT scan	10.32	10.32	XXX	0	0	0	0	0
71270	26	Α	Contrast CAT scan	1.89	1.89	XXX	0	0	0	0	0
71270	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
71550		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
71550	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
71550	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
71555		R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
71555	26	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
71555	TC	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9

(3) Diagnostic radiology, spine and pelvis:

72010		Α	X-ray exam of spine	1.60	1.60	XXX	0	0	0	0	0
72010	26		X-ray exam of spine	0.62	0.62	XXX	0	0	0	0	0
72010	TC	Α	X-ray exam of spine	0.98	0.98	XXX	0	0	0	0	0
72020		Α	X-ray exam of spine	0.61	0.61	XXX	0	0	0	0	0
72020	26	Α	X-ray exam of spine	0.21	0.21	XXX	0	0	0	0	0
72020	TC	Α	X-ray exam of spine	0.40	0.40	XXX	0	0	0	0	0
72040		Α	X-ray exam of neck	0.87	0.87	XXX	0	0	0	0	0
72040	26	Α	X-ray exam of neck	0.30	0.30	XXX	0	0	0	0	0
72040	TC	Α	X-ray exam of neck	0.57	0.57	XXX	0	0	0	0	0
72050		Α	X-ray exam of neck	1.28	1.28	XXX	0	0	0	0	0
72050	26	Α	X-ray exam of neck	0.43	0.43	XXX	0	0	0	0	0
72050	TC	Α	X-ray exam of neck	0.85	0.85	XXX	0	0	0	0	0
72052		Α	X-ray exam of neck	1.58	1.58	XXX	0	0	0	0	0
72052	26	Α	X-ray exam of neck	0.50	0.50	XXX	0	0	0	0	0
72052	TC	Α	X-ray exam of neck	1.08	1.08	XXX	0	0	0	0	0
72069		Α	X-ray exam, thoracolumbar	0.77	0.77	XXX	0	0	0	0	0
72069	26	Α	X-ray exam, thoracolumbar	0.30	0.30	XXX	0	0	0	0	0
72069	TC	Α	X-ray exam, thoracolumbar	0.47	0.47	XXX	0	0	0	0	0
72070		Α	X-ray exam of thoracic	0.92	0.92	XXX	0	0	0	0	0
72070	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72070	TC		X-ray exam of thoracic	0.62	0.62	XXX	0	0	0	0	0
72072		Α	X-ray exam of thoracic	1.01	1.01	XXX	0	0	0	0	0
72072	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72072	TC	Α	X-ray exam of thoracic	0.70	0.70	XXX	0	0	0	0	0
72074		Α	X-ray exam of thoracic	1.18	1.18	XXX	0	0	0	0	0
72074	26	Α	X-ray exam of thoracic	0.30	0.30	XXX	0	0	0	0	0
72074	TC	Α	X-ray exam of thoracic	0.87	0.87	XXX	0	0	0	0	0
72080		Α	X-ray exam, thoracolumbar	0.94	0.94	XXX	0	0	0	0	0
72080	26	Α	X-ray exam, thoracolumbar	0.30	0.30	XXX	0	0	0	0	0
72080	TC	Α	X-ray exam, thoracolumbar	0.64	0.64	XXX	0	0	0	0	0

72090		Α	X-ray exam, scoliosis	1.03	1.03	XXX	0	0	0	0	0
72090	26	Α	X-ray exam, scoliosis	0.39	0.39	XXX	0	Ō	0	0	0
72090	TC		X-ray exam, scoliosis	0.64	0.64	XXX	0	0	0	0	0
72100		A	X-ray exam of lumbar	0.94	0.94	XXX	0	0	0	0	0
72100	26		X-ray exam of lumbar	0.30	0.30	XXX	0	0	0	0	0
72100	TC		X-ray exam of lumbar	0.64	0.64	XXX	0	0	Ō	0	0
72110			X-ray exam of lumbar	1.30	1.30	XXX	0	0	Ŏ	0	0
72110	26	A	X-ray exam of lumbar	0.43	0.43	XXX	Ō	0	Ŏ	Õ	Õ
72110	TC		X-ray exam of lumbar	0.87	0.87	XXX	Õ	Õ	Ō	Ō	0
72114			X-ray exam of lumbar	1.63	1.63	XXX	0	0	Ŏ	Ō	0
72114	26	A	X-ray exam of lumbar	0.50	0.50	XXX	0	0	Õ	Õ	0
72114	TC	Α	X-ray exam of lumbar	1.13	1.13	XXX	0	0	Ō	Ō	0
72120			X-ray exam of lumbar	1.16	1.16	XXX	0	0	Õ	0	0
72120	26		X-ray exam of lumbar	0.30	0.30	XXX	0	0	0	0	0
72120	TC		X-ray exam of lumbar	0.85	0.85	XXX	0	0	0	0	0
72125		A	CAT scan of neck	7.23	7.23	XXX	0	0	Ŏ	Õ	0
72125	26	-	CAT scan of neck	1.59	1.59	XXX	0	0	Ŏ	Ō	0
72125	TC	A	CAT scan of neck	5.64	5.64	XXX	0	0	Ō	Ō	0
72126		A	Contrast CAT scan	8.41	8.41	XXX	0	0	Ō	Õ	0
72126	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72126	TC		Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72127		A	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72127	26	A	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72127	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72128		Α	CAT scan of thoracic	7.23	7.23	XXX	0	0	0	0	0
72128	26	A	CAT scan of thoracic	1.59	1.59	XXX	0	0	0	0	0
72128	TC	Α	CAT scan of thoracic	5.64	5.64	XXX	0	0	0	0	0
72129		A	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72129	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72129	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72130		Α	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72130	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72130	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72131		Α	CAT scan of low back	7.23	7.23	XXX	0	0	0	0	0
72131	26	Α	CAT scan of low back	1.59	1.59	XXX	0	0	0	0	0
72131	TC	Α	CAT scan of low back	5.64	5.64	XXX	0	0	0	0	0
72132		Α	Contrast CAT scan	8.41	8.41	XXX	0	0	0	0	0
72132	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72132	TC	Α	Contrast CAT scan	6.75	6.75	XXX	0	0	0	0	0
72133		Α	Contrast CAT scan	10.17	10.17	XXX	0	0	0	0	0
72133	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
72133	TC	Α	Contrast CAT scan	8.43	8.43	XXX	0	0	0	0	0
72141		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
72141	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
72141	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
72142		Α	Magnetic image	15.47	15.47	XXX	0	0	0	0	0
72142	26	Α	Magnetic image	2.65	2.65	XXX	0	0	0	0	0
72142	TC	Α	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
72146		A	Magnetic image	14.07	14.07	XXX	0	0	0	0	0
72146	26	A	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
72146	TC	Α	Magnetic image	11.86	11.86	XXX	0	0	0	0	0
72147		Α	Magnetic image	15.47	15.47	XXX	0	0	0	0	0
72147	26	A	Magnetic image	2.65	2.65	XXX	0	0	0	0	0
72147	TC	A	Magnetic image	12.82	12.82	XXX	0	0	0	0	0
72148		A	Magnetic image	13.90	13.90	XXX	0	0	0	0	0
72148	26	A	Magnetic image	2.04	2.04	XXX	0	0	0	0	0
72148	TC	A	Magnetic image	11.86	11.86	XXX	0	0	0	0	0
72149		Α	Magnetic image	15.28	15.28	XXX	0	0	0	0	0

72149	26	Α	Magnetic image	2.45	2.45	XXX	0	0	0	0	0
72149	TC	Α	Magnetic image	12.82	12.82	XXX	Õ	Ŏ	Ŏ	Ŏ	Ŏ
72156		Α	Magnetic image	27.27	27.27	XXX	Ŏ	ŏ	Ŏ	Ŏ	ŏ
72156	26	A	Magnetic image	3.54	3.54	XXX	ŏ	ŏ	ŏ	ŏ	Ŏ
72156	TC	A	Magnetic image	23.73	23.73	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
72157	•	A	Magnetic image	27.27	27.27	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
72157	26	A	Magnetic image	3.54	3.54	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
72157	TC	A	Magnetic image	23.73	23.73	XXX	ŏ	ő	ŏ	ő	ŏ
72158	10	A	Magnetic image	27.00	27.00	XXX	ő	0	0	0	0
72158	26	A		3.26	3.26	XXX	0	0	0	0	0
72158	TC	A	Magnetic image Magnetic image	23.73	23.73	XXX	0	0	0	0	0
72159	10	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72159	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72159	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72170	10	A		0.73	0.73	XXX	0	0	0	0	0
72170	26	A	X-ray exam of pelvis	0.73	0.73	XXX	ő	0	0	0	0
72170	TC	A	X-ray exam of pelvis	0.23	0.23	XXX	0	0	0	0	0
72170	I C	A	X-ray exam of pelvis	0.93	0.93	XXX	0	0	0	0	0
	26		X-ray exam of pelvis	0.93	0.93	XXX	0	0	0	0	0
72190 72190		A	X-ray exam of pelvis		0.29	XXX		-	0		
	TC	A	X-ray exam of pelvis	0.64		XXX	0	0		0	0
72192 72192	26		CAT scan of pelvis	7.13 1.49	7.13 1.49	XXX	$0 \\ 0$	0	$0 \\ 0$	$0 \\ 0$	0
	TC		CAT scan of pelvis	5.64	5.64	XXX	0	0	0	0	
72192	IC	A	CAT scan of pelvis			XXX			0		0
72193 72193	26	A	Contrast CAT scan	8.11 1.59	8.11 1.59	XXX	$0 \\ 0$	0	0	0	0
	-	A	Contrast CAT scan					$0 \\ 0$		0	0
72193	TC	A	Contrast CAT scan	6.52	6.52	XXX	0	-	0	0	0
72194	20	A	Contrast CAT scan	9.75	9.75	XXX	0	0	0	0	0
72194	26 TC	A	Contrast CAT scan	1.66	1.66	XXX	0	0	0	0	0
72194	TC	A	Contrast CAT scan	8.09 12.89	8.09 12.89	XXX XXX	0	$0 \\ 0$	$0 \\ 0$	0	0
72196	26	A	Magnetic image	2.21	2.21	XXX	0	0	0	$0 \\ 0$	0
72196	26 TC	A	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
72196	IC	A	Magnetic image	0.00		XXX		9	9	9	9
72198 72198	26	N N	Magnetic image	0.00	$0.00 \\ 0.00$	XXX	9 9	9	9	9	9
72198	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
72198	ıc	A	Magnetic image	0.74	0.74	XXX	0	0	0	0	0
72200	26	A	X-ray exam of sacroiliac	0.74	0.74	XXX	0	0	0	0	ő
72200	TC	A	X-ray exam of sacroiliac	0.24	0.50	XXX	0	0	0	0	ő
72200	10		X-ray exam of sacroiliac	0.30	0.86	XXX	0	0	0	0	0
	26	A	X-ray exam of sacroiliac	0.86	0.86	XXX	0	0	0	0	ő
72202 72202	TC	A	X-ray exam of sacroiliac	0.20	0.20	XXX	0	0	0	0	0
72220	IC	A A	X-ray exam of sacroiliac	0.78	0.78	XXX	0	0	0	0	0
72220	26		X-ray exam of tailbone X-ray exam of tailbone	0.78	0.78	XXX	0	0	0	0	Ö
	TC	A		0.24	0.54	XXX	0	0	0	0	ő
72220	IC	A	X-ray exam of tailbone	5.78	5.78	XXX	0	0	0	0	0
72240	26		Contrast x-ray								
72240	26 TC		Contrast x-ray	1.26 4.53	1.26 4.53	XXX	0	0	$0 \\ 0$	$0 \\ 0$	0
72240	IC		Contrast x-ray	5.39		XXX	0	0 0	0	0	0
72255 72255	26		Contrast x-ray	1.26	5.39 1.26	XXX XXX	0	0	0	0	0
72255		A.	Contrast x-ray	4.13	4.13	XXX	0	0	0	0	ő
	IC		Contrast x-ray	5.04	5.04	XXX	0	0	0	0	0
72265 72265	26		Contrast x-ray	1.15	1.15	XXX	0		0	0	0
	26 TC		Contrast x-ray					0			
72265	TC		Contrast x-ray	3.89	3.89 7.64	XXX	0	0	0	0	0
72270	26	A	_	7.64		XXX	0	0	0	0	0
72270	26 TC		Contrast x-ray	1.83	1.83	XXX	0	0	0	0	0
72270	TC		Contrast x-ray	5.82	5.82	XXX	0	0	0	0	0
72285	26		X-ray of neck	9.15	9.15	XXX	0	0	0	$0 \\ 0$	0
72285	26	A	X-ray of neck	1.15	1.15	XXX	0	0	0	υ	0

72285	TC	۸	X-ray of neck	7.99	7.99	XXX	0	0	0	0	0
72295	10		X-ray of lower back	8.64	8.64	XXX	0	0	0	0	0
	26	A									
72295	26 TC	A		1.15	1.15	XXX	0	0	0	0	0
72295	TC	A	X-ray of lower back	7.49	7.49	XXX	0	0	0	0	0
(4) Dia	ignos	tic i	radiology, upper extremities:								
` '	•										
73000		Α	X-ray exam of clavicle	0.72	0.72	XXX	0	3	0	0	0
73000	26	A	X-ray exam of clavicle	0.22	0.22	XXX	ŏ	3	ŏ	ŏ	ŏ
73000	TC	Α	X-ray exam of clavicle	• 0.50	0.50	XXX	ŏ	3	ŏ	ő	ő
73010	10	A	X-ray exam of scapula	0.74	0.74	XXX	0	3	0	0	0
73010	26	A	X-ray exam of scapula X-ray exam of scapula	0.74	0.74	XXX	0	3	0	0	0
								3		0	
73010	TC	A	X-ray exam of scapula	0.50	0.50	XXX	0		0		0
73020	20	A	X-ray exam of shoulder	0.66	0.66	XXX	0	3	0	0	0
73020	26	A	X-ray exam of shoulder	0.21	0.21	XXX	0	3	0	0	0
73020	TC	A	X-ray exam of shoulder	0.45	0.45	XXX	0	3	0	0	0
73030		Α	X-ray exam of shoulder	0.79	0.79	XXX	0	3	0	0	0
73030	26	Α	X-ray exam of shoulder	0.25	0.25	XXX	0	3	0	0	0
73030	TC	Α	X-ray exam of shoulder	0.54	0.54	XXX	0	3	0	0	0
73040		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73040	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73040	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73050		Α	X-ray exam of shoulder	0.91	0.91	XXX	0	2	0	0	0
73050	26	Α	X-ray exam of shoulder	0.27	0.27	XXX	0	2	0	0	0
73050	TC	Α	X-ray exam of shoulder	0.64	0.64	XXX	0	2	0	0	0
73060			X-ray exam of humerus	0.78	0.78	XXX	0	3	0	0	0
73060	26		X-ray exam of humerus	0.24	0.24	XXX	0	3	0	0	0
73060	TC	A	X-ray exam of humerus	0.54	0.54	XXX	Ŏ	3	Ŏ	Ŏ	Ŏ
73070		A	X-ray exam of elbow	0.71	0.71	XXX	ŏ	3	ŏ	Ŏ	ŏ
73070	26	A	X-ray exam of elbow	0.21	0.21	XXX	ŏ	3	ŏ	ŏ	ŏ
73070	TC		X-ray exam of elbow	0.50	0.50	XXX	ŏ	3	ŏ	ŏ	ő
73080	10	A	X-ray exam of elbow	0.78	0.78	XXX	ŏ	3	ŏ	ő	ő
73080	26	A	X-ray exam of elbow	0.76	0.76	XXX	0	3	ŏ	ŏ	ŏ
73080	TC	Α	X-ray exam of elbow	0.54	0.54	XXX	0	3	0	0	0
73085	10	A	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73085	26	A		0.75	0.75	XXX	0	3	0	0	0
73085	TC	A	Contrast x-ray Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73090	IC			0.72	0.72	XXX	0	3	0	0	0
73090	26		X-ray exam of forearm	0.72	0.72	XXX	0	3	0	0	0
			X-ray exam of forearm					3			
73090	TC	A	X-ray exam of forearm	0.50	0.50	XXX	0	3	0	0	0
73092	26	A	X-ray exam of infant	0.69	0.69	XXX	0		0	0	0
73092	26		X-ray exam of infant	0.22	0.22	XXX	0	3	0	0	0
73092	TC		X-ray exam of infant	0.47	0.47	XXX	0	3	0	0	0
73100		Α	X-ray exam of wrist	0.69	0.69	XXX	0	3	0	0	0
73100	26		X-ray exam of wrist	0.22	0.22	XXX	0	3	0	0	0
73100	TC	A	X-ray exam of wrist	0.47	0.47	XXX	0	3	0	0	0
73110		Α	X-ray exam of wrist	0.75	0.75	XXX	0	3	0	0	0
73110	26	Α	X-ray exam of wrist	0.24	0.24	XXX	0	3	0	0	0
73110	TC		X-ray exam of wrist	0.51	0.51	XXX	0	3	0	0	0
73115			Contrast x-ray	2.26	2.26	XXX	0	3	0	0	0
73115	26		Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73115	TC		Contrast x-ray	1.50	1.50	XXX	0	3	0	0	0
73120			X-ray exam of hand	0.69	0.69	XXX	0	3	0	0	0
73120	26		X-ray exam of hand	0.22	0.22	XXX	Ŏ	3	Ŏ	Ŏ	Ŏ
73120	ŤČ	A	X-ray exam of hand	0.47	0.47	XXX	0	3	ŏ	Õ	ŏ
73130		A		0.75	0.75	XXX	ŏ	3	ŏ	0	0
,5150			11 inj ondin of hund	0.75	0.75	2 M M X	5	5	J	9	9

-	70	
h	/4	

73130	26	Α	X-ray exam of hand	0.24	0.24	XXX	0	3	0	0	0
73130	TC	Α	X-ray exam of hand	0.51	0.51	XXX	0	3	0	0	0
73140		Α	X-ray exam of fingers	0.58	0.58	XXX	0	3	0	0	0
73140	26	Α	X-ray exam of fingers	0.18	0.18	XXX	0	3	0	0	0
73140	TC	Α	X-ray exam of fingers	0.40	0.40	XXX	0	3	0	0	0
73200		Α	CAT scan of arm	6.23	6.23	XXX	0	3	0	0	0
73200	26	Α	CAT scan of arm	1.49	1.49	XXX	0	3	0	0	0
73200	TC	Α	CAT scan of arm	4.73	4.73	XXX	0	3	0	0	0
73201		Α	Contrast CAT scan	7.23	7.23	XXX	0	3	0	0	0
73201	26	Α	Contrast CAT scan	1.59	1.59	XXX	0	3	0	0	0
73201	TC	Α	Contrast CAT scan	5.64	5.64	XXX	0	3	0	0	0
73202		Α	Contrast CAT scan	8.75	8.75	XXX	0	3	0	0	0
73202	26	Α	Contrast CAT scan	1.66	1.66	XXX	0	3	0	0	0
73202	TC	Α	Contrast CAT scan	7.09	7.09	XXX	0	3	0	0	0
73220		Α	Magnetic image	12.72	12.72	XXX	0	3	0	0	0
73220	26	Α	Magnetic image	2.04	2.04	XXX	0	3	0	0	0
73220	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73221		Α	Magnetic image	12.48	12.48	XXX	0	3	0	0	0
73221	26	Α	Magnetic image	1.79	1.79	XXX	0	3	0	0	0
73221	TC	Α	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73225		N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
73225	26	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
73225	TC	N	Magnetic image	0.00	0.00	XXX	9	9	9	9	9

(5) Diagnostic radiology, lower extremities:

73500		Α	X-ray exam of hip	0.69	0.69	XXX	0	0	0	0	0
73500	26	Α	X-ray exam of hip	0.24	0.24	XXX	0	0	0	0	0
73500	TC	Α	X-ray exam of hip	0.45	0.45	XXX	0	0	0	0	0
73510		Α	X-ray exam of hip	0.84	0.84	XXX	0	0	0	0	0
73510	26	Α	X-ray exam of hip	0.29	0.29	XXX	0	0	0	0	0
73510	TC	Α	X-ray exam of hip	0.54	0.54	XXX	0	0	0	0	0
73520		Α	X-ray exam of hip	1.00	1.00	XXX	0	2	0	0	0
73520	26	Α	X-ray exam of hip	0.36	0.36	XXX	0	2	0	0	0
73520	TC	Α	X-ray exam of hip	0.64	0.64	XXX	0	2	0	0	0
73525		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73525	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73525	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73530		Α	X-ray exam of hip	0.90	0.90	XXX	0	3	0	0	0
73530	26	Α	X-ray exam of hip	0.40	0.40	XXX	0	3	0	0	0
73530	TC	Α	X-ray exam of hip	0.50	0.50	XXX	0	3	0	0	0
73540		Α	X-ray exam of pelvis	0.83	0.83	XXX	0	0	0	0	0
73540	26	Α	X-ray exam of pelvis	0.28	0.28	XXX	0	0	0	0	0
73540	TC	Α	X-ray exam of pelvis	0.54	0.54	XXX	0	0	0	0	0
73550		Α	X-ray exam of thigh	0.78	0.78	XXX	0	3	0	0	0
73550	26	Α	X-ray exam of thigh	0.24	0.24	XXX	0	3	0	0	0
73550	TC	Α	X-ray exam of thigh	0.54	0.54	XXX	0	3	0	0	0
73560		Α	X-ray exam of knee	0.73	0.73	XXX	0	3	0	0	0
73560	26	Α	X-ray exam of knee	0.23	0.23	XXX	0	3	0	0	0
73560	TC	Α	X-ray exam of knee	0.50	0.50	XXX	0	3	0	0	0
73562		Α	X-ray exam of knee	0.80	0.80	XXX	0	3	0	0	0
73562	26	Α	X-ray exam of knee	0.26	0.26	XXX	0	3	0	0	0
73562	TC	Α	X-ray exam of knee	0.54	0.54	XXX	0	3	0	0	0
73564		Α	X-ray exam of knee	0.90	0.90	XXX	0	3	0	0	0
73564	26	Α	X-ray exam of knee	0.31	0.31	XXX	0	3	0	0	0
73564	TC	Α	X-ray exam of knee	0.59	0.59	XXX	0	3	0	0	0

73565		Α	X-ray exam of knee	0.70	0.70	XXX	. 0	2	0	0	0
73565	26		X-ray exam of knee	0.23	0.23	XXX	0	2	0	0	0
73565	TC		X-ray exam of knee	0.47	0.47	XXX	0	2	0	0	0
73580		A	Contrast x-ray	3.26	3.26	XXX	0	3	Ō	Ŏ	0
73580	26	A	Contrast x-ray	0.75	0.75	XXX	Õ	3	Ŏ	ŏ	ŏ
73580	TC		Contrast x-ray	2.51	2.51	XXX	0	3	ŏ	0	0
73590	10	A	X-ray exam of calf	0.73	0.73	XXX	ŏ	3	ő	0	ő
73590	26	A	X-ray exam of calf	0.73	0.73	XXX	0	3	0	0	0
73590	TC	A		0.50	0.50	XXX	0	3	0	0	0
73592	ıc	A	X-ray exam of calf	0.50	0.69	XXX	0	3	0	0	0
	26		X-ray exam of calf					3			
73592	26 TC	A	X-ray exam of calf	0.22	0.22	XXX	0	3	0	0	0
73592	TC	Α	X-ray exam of calf	0.47	0.47	XXX	0		0	0	0
73600	26	Α	X-ray exam of ankle	0.69	0.69	XXX	0	3	0	0	0
73600	26	Α	X-ray exam of ankle	0.22	0.22	XXX	0	3	0	0	0
73600	TC	Α	X-ray exam of ankle	0.47	0.47	XXX	0	3	0	0	0
73610		Α	X-ray exam of ankle	0.75	0.75	XXX	0	3	0	0	0
73610	26	Α	X-ray exam of ankle	0.24	0.24	XXX	0	3	0	0	0
73610	TC	Α	X-ray exam of ankle	0.51	0.51	XXX	0	3	0	0	0
73615		Α	Contrast x-ray	2.76	2.76	XXX	0	3	0	0	0
73615	26	Α	Contrast x-ray	0.75	0.75	XXX	0	3	0	0	0
73615	TC	Α	Contrast x-ray	2.00	2.00	XXX	0	3	0	0	0
73620		Α	X-ray exam of foot	0.69	0.69	XXX	0	3	0	0	0
73620	26	Α	X-ray exam of foot	0.22	0.22	XXX	0	3	0	0	0
73620	TC	Α	X-ray exam of foot	0.47	0.47	XXX	0	3	0	0	0
73630		Α	X-ray exam of foot	0.75	0.75	XXX	0	3	0	0	0
73630	26	A	X-ray exam of foot	0.24	0.24	XXX	0	3	Ō	Ō	0
73630	TC	A	X-ray exam of foot	0.51	0.51	XXX	Ŏ	3	0	ŏ	ŏ
73650		A	X-ray exam of heel	0.67	0.67	XXX	ŏ	3	ŏ	ŏ	ŏ
73650	26	A	X-ray exam of heel	0.22	0.22	XXX	Ö	3	ŏ	ŏ	ŏ
73650	TC	A	X-ray exam of heel	0.45	0.45	XXX	ŏ	3	ŏ	ŏ	ŏ
73660	10	A	X-ray exam of toes	0.58	0.58	XXX	ŏ	3	0	ő	0
73660	26		X-ray exam of toes	0.18	0.18	XXX	Ö	3	0	ő	ŏ
73660	TC		X-ray exam of toes	0.40	0.40	XXX	ŏ	3	0	ő	ő
73700	10	A	CAT scan of leg	6.23	6.23	XXX	ő	2	0	0	0
73700	26	A	CAT scan of leg	1.49	1.49	XXX	0	2	0	0	0
73700	TC	A	CAT scan of leg	4.73	4.73	XXX	0	2	0	0	0
73700	IC	A		7.23	7.23	XXX	0	2	0	0	0
73701	26	A	Contrast CAT scan Contrast CAT scan	1.59	1.59	XXX	0	2	0	0	0
73701	TC	A		5.64	5.64	XXX	0	2	0	0	0
	IC		Contrast CAT scan Contrast CAT scan	8.75	8.75	XXX	0	2	0	0	0
73702 73702	26	A					0	2	0		
	26 TC	A	Contrast CAT scan	1.66	1.66	XXX	0	2	0	0	0
73702	TC	A	Contrast CAT scan	7.09	7.09	XXX	-		-	0	0
73720	0.0	Α	Magnetic image	12.72	12.72	XXX	0	2	0	0	0
73720	26	A	Magnetic image	2.04	2.04	XXX	0	2	0	0	0
73720	TC	A	Magnetic image	10.69	10.69	XXX	0	2	0	0	0
73721	•	A	Magnetic image	12.48	12.48	XXX	0	3	0	0	0
73721	26	A	Magnetic image	1.79	1.79	XXX	0	3	0	0	0
73721	TC	A	Magnetic image	10.69	10.69	XXX	0	3	0	0	0
73725		R	Magnetic image	13.03	13.03	XXX	0	2	0	0	0
73725	26	R	Magnetic image	2.34	2.34	XXX	0	2	0	0	0
73725	TC	R	Magnetic image	10.69	10.69	XXX	0	2	0	0	0

(6) Diagnostic radiology, abdomen:

74000		Α	X-ray exam of abdomen	0.75	0.75	XXX	0	0	0	0	0
74000	26	Α	X-ray exam of abdomen	0.25	0.25	XXX	0	0	0	0	0

74000	TC	Α	X-ray exam of abdomen	0.50	0.50	XXX	0	0	0	0	0
74010		Α	X-ray exam of abdomen	0.87	0.87	XXX	0	0	0	0	0
74010	26	Α	X-ray exam of abdomen	0.33	0.33	XXX	0	0	0	0	0
74010	TC	Α	X-ray exam of abdomen	0.54	0.54	XXX	0	0	0	0	0
74020		Α	X-ray exam of abdomen	0.97	0.97	XXX	0	0	0	0	0
74020	26	Α	X-ray exam of abdomen	0.38	0.38	XXX	0	0	0	0	0
74020	TC	Α	X-ray exam of abdomen	0.59	0.59	XXX	0	0	0	0	0
74022		Α	X-ray exam series	1.15	1.15	XXX	0	0	0	0	0
74022	26	Α	X-ray exam series	0.45	0.45	XXX	0	0	0	0	0
74022	TC	Α	X-ray exam series	0.70	0.70	XXX	0	0	0	0	0
74150		Α	CAT scan of abdomen	7.03	7.03	XXX	0	0	0	0	0
74150	26	Α	CAT scan of abdomen	1.63	1.63	XXX	0	0	0	0	0
74150	TC	Α	CAT scan of abdomen	5.40	5.40	XXX	0	0	0	0	0
74160		Α	Contrast CAT scan	8.27	8.27	XXX	0	0	0	0	0
74160	26	Α	Contrast CAT scan	1.74	1.74	XXX	0	0	0	0	0
74160	TC	Α	Contrast CAT scan	6.52	6.52	XXX	0	0	0	0	0
74170		Α	Contrast CAT scan	10.02	10.02	XXX	0	0	0	0	0
74170	26	Α	Contrast CAT scan	1.92	1.92	XXX	0	0	0	0	0
74170	TC	Α	Contrast CAT scan	8.09	8.09	XXX	0	0	0	0	0
74181		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
74181	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
74181	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
74185		R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74185	26	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74185	TC	R	Magnetic image	0.00	0.00	XXX	9	9	9	9	9
74190		Α	X-ray exam of peritoneum	1.81	1.81	XXX	0	0	0	0	0
74190	26	Α	X-ray exam of peritoneum	0.57	0.57	XXX	0	0	0	0	0
74190	TC	Α	X-ray exam of peritoneum	1.24	1.24	XXX	0	0	0	0	0

(7) Diagnostic radiology, gastrointestinal tract:

74210		Α	Contrast x-ray	1.62	1.62	XXX	0	0	0	0	0
74210	26	Α		0.49	0.49	XXX	0	0	0	0	0
74210	TC	Α		1.13	1.13	XXX	0	0	0	0	0
74220		Α	Contrast x-ray	1.77	1.77	XXX	0	0	0	0	0
74220	26	Α	Contrast x-ray	0.64	0.64	XXX	0	0	0	0	0
74220	TC	Α	Contrast x-ray	1.13	1.13	XXX	0	0	0	0	0
74230		Α	Cinema x-ray of throat	1.99	1.99	XXX	0	0	0	0	0
74230	26	Α		0.74	0.74	XXX	0	0	0	0	0
74230	TC	Α	Cinema x-ray of throat	1.24	1.24	XXX	0	0	0	0	0
74235		Α	Remove obstruction	4.14	4.14	XXX	0	0	0	0	0
74235	26	Α	Remove obstruction	1.63	1.63	XXX	0	0	0	0	0
74235	TC	Α	Remove obstruction	2.51	2.51	XXX	0	0	0	0	0
74240		Α	X-ray exam of upper	2.36	2.36	XXX	0	0	0	0	0
74240	26	Α	X-ray exam of upper	0.96	0.96	XXX	0	0	0	0	0
74240	TC	Α	X-ray exam of upper	1.39	1.39	XXX	0	0	0	0	0
74241		Α	X-ray exam of upper	2.38	2.38	XXX	0	0	0	0	0
74241	26	Α	X-ray exam of upper	0.96	0.96	XXX	0	0	0	0	0
74241	TC	Α	X-ray exam of upper	1.42	1.42	XXX	0	0	0	0	0
74245		Α	X-ray exam of upper	3.53	3.53	XXX	0	0	0	0	0
74245	26	Α	X-ray exam of upper	1.26	1.26	XXX	0	0	0	0	0
74245	TC	Α	X-ray exam of upper	2.28	2.28	XXX	0	0	0	0	0
74246		Α	Contrast x-ray	2.53	2.53	XXX	0	0	0	0	0
74246	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74246	TC	Α	Contrast x-ray	1.57	1.57	XXX	0	0	0	0	0
74247		Α	Contrast x-ray	2.57	2.57	XXX	0	0	0	0	0

74247	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74247	TC	A	Contrast x-ray	1.61	1.61	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74249		À	Contrast x-ray	3.71	3.71	XXX	Õ	ŏ	Ŏ	ŏ	ŏ
74249	26		Contrast x-ray	1.26	1.26	XXX	ŏ	ŏ	Ŏ	Õ	0
74249	TC	A	Contrast x-ray	2.45	2.45	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74250	10		X-ray exam of small bowel	1.89	1.89	XXX	ő	ő	0	0	0
74250	26		X-ray exam of small bowel	0.65	0.65	XXX	0	0	0	0	0
74250	TC			1.24	1.24	XXX	0	0	0	0	0
	IC		X-ray exam of small bowel						-		0
74251	26		X-ray exam of small bowel	2.09	2.09	XXX	0	0	0	0	
74251	26 TC		X-ray exam of small bowel	0.85	0.85	XXX	0	0	0	0	0
74251	TC		X-ray exam of small bowel	1.24	1.24	XXX	0	0	0	0	0
74260	2.	A	X-ray exam of small bowel	2.11	2.11	XXX	0	0	0	0	0
74260	26	A	X-ray exam of small bowel	0.69	0.69	XXX	0	0	0	0	0
74260	TC		X-ray exam of small bowel	1.42	1.42	XXX	0	0	0	0	0
74270		Α	Contrast x-ray	2.59	2.59	XXX	0	0	0	0	0
74270	26	Α	Contrast x-ray	0.96	0.96	XXX	0	0	0	0	0
74270	TC	Α	Contrast x-ray	1.63	1.63	XXX	0	0	0	0	0
74280		Α	Contrast x-ray	3.51	3.51	XXX	0	0	0	0	0
74280	26	Α	Contrast x-ray	1.37	1.37	XXX	0	0	0	0	0
74280	TC	Α	Contrast x-ray	2.13	2.13	XXX	0	0	0	0	0
74283		Α	Contrast x-ray	5.23	5.23	XXX	0	0	0	0	0
74283	26	Α	Contrast x-ray	2.78	2.78	XXX	0	0	0	0	0
74283	TC	Α	Contrast x-ray	2.45	2.45	XXX	0	0	0	0	0
74290	_	Α	Contrast x-ray	1.15	1.15	XXX	0	0	0	0	0
74290	26	A	Contrast x-ray	0.45	0.45	XXX	Ō	0	Ō	0	0
74290	TČ	A	Contrast x-ray	0.70	0.70	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74291	10	Α	Contrast x-rays	0.68	0.68	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74291	26	A	Contrast x-rays	0.27	0.27	XXX	ŏ	ŏ	ŏ	ő	ŏ
74291	TC	A	Contrast x-rays	0.40	0.40	XXX	ŏ	ŏ	Õ	ŏ	ŏ
74300	10	Ĉ	X-ray bile duct	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74300	26	Ă	X-ray bile duct	0.50	0.50	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74300	TC	Ĉ	X-ray bile duct	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ő
74301	10	Č	Additional x-ray	0.00	0.00	XXX	0	0	ő	0	0
74301	26	Ă	Additional x-ray	0.29	0.29	XXX	ő	ŏ	ő	0	0
74301	TC	Ĉ	Additional x-ray	0.00	0.00	XXX	ő	0	0	0	0
74305	10		X-ray bile duct	1.33	1.33	XXX	0	0	0	0	0
74305	26		X-ray bile duct	0.58	0.58	XXX	0	0	0	0	0
74305	TC			0.38	0.75	XXX	0	0	0	0	0
74320	IC	A	X-ray bile duct	3.76	3.76	XXX	0	0	0	0	0
74320	26		,	0.75	0.75	XXX	0	0	0	0	
74320	TC	A	Contrast x-ray	3.00	3.00	XXX	0	0	0	0	$0 \\ 0$
74327	ıc	A	Contrast x-ray		2.66	XXX	0	0	0	0	0
	26	A	X-ray bile duct	2.66					0		
74327	26 TC		X-ray bile duct	0.97	0.97	XXX	0	0		0	0
74327	TC		X-ray bile duct	1.68	1.68	XXX	0	0	0	0	0
74328	26	Α	X-ray bile duct	3.97	3.97	XXX	0	0	0	0	0
74328	26 TC	A	X-ray bile duct	0.97	0.97	XXX	0	0	0	0	0
74328	TC	A	X-ray bile duct	3.00	3.00	XXX	0	0	0	0	0
74329	•		X-ray pancreas	3.97	3.97	XXX	0	0	0	0	0
74329	26		X-ray pancreas	0.97	0.97	XXX	0	0	0	0	0
74329	TC		X-ray pancreas	3.00	3.00	XXX	0	0	0	0	0
74330			X-ray bile duct/pancreas	4.16	4.16	XXX	0	0	0	0	0
74330	26	Α	X-ray bile duct/pancreas	1.15	1.15	XXX	0	0	0	0	0
74330	TC	Α	X-ray bile duct/pancreas	3.00	3.00	XXX	0	0	0	0	0
74340		Α	X-ray guide	3.26	3.26	XXX	0	0	0	0	0
74340	26	Α	X-ray guide	0.75	0.75	XXX	0	0	0	0	0
74340	TC		X-ray guide	2.51	2.51	XXX	0	0	0	0	0
74350			X-ray guide	4.06	4.06	XXX	0	0	0	0	0
74350	26		X-ray guide	1.06	1.06	XXX	0	0	0	0	0

74350	TC	Α	X-ray guide	3.00	3.00	XXX	0	0	0	0	0
74355		Α	X-ray guide	3.56	3.56	XXX	0	0	0	0	0
74355	26	Α	X-ray guide	1.06	1.06	XXX	0	0	0	0	0
			X-ray guide	2.51	2.51	XXX	0	0	0	0	0
74360		Α	X-ray guide, GI dilation	3.76	3.76	XXX	0	0	0	0	0
74360	26	Α	X-ray guide, GI dilation	0.75	0.75	XXX	0	0	0	0	0
			X-ray guide, GI dilation	3.00	3.00	XXX	0	0	0	0	0
			X-ray bile duct	7.03	7.03	XXX	0	0	0	0	0
74363	26	Α	X-ray bile duct	1.22	1.22	XXX	0	0	0	0	0
74363	TC	Α	X-ray bile duct	5.82	5.82	XXX	0	0	0	0	0
			•								

(8) Diagnostic radiology, urinary tract:

74400		Α	Contrast x-ray	2.28	2.28	XXX	0	0	0	0	0
74400	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74400	TC	Α	Contrast x-ray	1.61	1.61	XXX	0	0	0	0	0
74405		Α	Contrast x-ray	2.57	2.57	XXX	0	0	0	0	0
74405	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74405	TC	Α	Contrast x-ray	1.90	1.90	XXX	0	0	0	0	0
74410		Α	Contrast x-ray	2.54	2.54	XXX	0	0	0	0	0
74410	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74410	TC	Α	Contrast x-ray	1.86	1.86	XXX	0	0	0	0	0
74415		Α	Contrast x-ray	2.70	2.70	XXX	0	0	0	0	0
74415	26	Α	Contrast x-ray	0.67	0.67	XXX	0	0	0	0	0
74415	TC	Α	Contrast x-ray	2.02	2.02	XXX	0	0	0	0	0
74420		Α	Contrast x-ray	3.00	3.00	XXX	0	0	0	0	0
74420	26	Α	Contrast x-ray	0:49	0.49	XXX	0	0	0	0	0
74420	TC	Α	Contrast x-ray	2.51	2.51	XXX	0	0	0	0	0
74425		Α	Contrast x-ray	1.73	1.73	XXX	0	0	0	0	0
74425	26	Α	Contrast x-ray	0.49	0.49	XXX	0	0	0	0	0
74425	TC	Α	Contrast x-ray	1.24	1.24	XXX	0	0	0	0	0
74430		Α	Contrast x-ray	1.45	1.45	XXX	0	0	0	0	0
74430	26	A	Contrast x-ray	0.45	0.45	XXX	Ō	Ō	Ō	Ō	0
74430	TC	A	Contrast x-ray	1.00	1.00	XXX	Õ	Õ	0	0	0
74440		Α	X-ray exam of male	1.61	1.61	XXX	0	0	0	0	0
74440	26	Α	X-ray exam of male	0.53	0.53	XXX	Ŏ	Ŏ	ŏ	Ŏ	Ŏ
74440	TC	A	X-ray exam of male	1.08	1.08	XXX	Ŏ	Õ	Ŏ	Õ	Õ
74445		A	X-ray exam of penis	2.64	2.64	XXX	ŏ	ŏ	ŏ	0	Ŏ
74445	26	A	X-ray exam of penis	1.56	1.56	XXX	Õ	ŏ	ŏ	Ŏ	Ŏ
74445	TC	A	X-ray exam of penis	1.08	1.08	XXX	ŏ	ŏ	ŏ	ŏ	Ŏ
74450	••	A	X-ray exam urethro	1.85	1.85	XXX	Õ	Õ	0	Õ	0
74450	26	A	X-ray exam urethro	0.46	0.46	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74450	TC	A	X-ray exam urethro	1.39	1.39	XXX	ŏ	ŏ	ŏ	ŏ	Ŏ
74455	10	A	X-ray exam urethro	1.96	1.96	XXX	ŏ	ŏ	ŏ	ŏ	ő
74455	26	A	X-ray exam urethro	0.46	0.46	XXX	Ö	ŏ	ŏ	ŏ	ő
74455	TC	A	X-ray exam urethro	1.50	1.50	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
74470	10	A	X-ray exam of kidney	1.95	1.95	XXX	ő	ő	0	0	0
74470	26	A	X-ray exam of kidney	0.75	0.75	XXX	0	0	0	0	0
74470	TC	A	X-ray exam of kidney	1.19	1.19	XXX	0	0	0	0	0
74475	10	A		4.64	4.64	XXX	0	0	0	0	0
74475	26		X-ray control catheter	0.75	0.75	XXX	0	0	0	0	0
74475	TC	A	X-ray control catheter	3.89	3.89	XXX	0	0	0	0	0
	IC	A	X-ray control catheter		3.69 4.64	XXX	0	0		0	0
74480	20	A	X-ray control catheter	4.64					0		
74480	26 TC	A	X-ray control catheter	0.75	0.75	XXX	0	0	0	0	0
74480	TC	A	X-ray control catheter	3.89	3.89	XXX	0	0	0	0	0
74485		Α	X-ray guide, GU dilation	3.76	3.76	XXX	0	0	0	0	0

5221.4	030	FE	ES FOR MEDICAL SERVICE	ES						ϵ	684
74485 74485	26 TC		X-ray guide, GU dilation X-ray guide, GU dilation	0.75 3.00	0.75 3.00	XXX XXX	0	0	0 0	0 0	0
(9) Dia	agnos	stic	radiology, gynecological and ob	stetrical	:						
74710		Α	X-ray measurement	1.48	1.48	XXX	0	0	0	0	0
74710	26		X-ray measurement	0.47	0.47	XXX	Ŏ	Ŏ	ŏ	ŏ	Õ
74710			X-ray measurement	1.00	1.00	XXX	0	0	0	0	0
74740			X-ray of uterus, oviducts	1.77	1.77	XXX	0	0	0	0	0
74740	26	Α	X-ray of uterus, oviducts	0.53	0.53	XXX	0	0	0	0	0
74740	TC		X-ray of uterus, oviducts	1.24	1.24	XXX	0	0	0	0	0
74742		Α	X-ray of fallopian tube	3.82	3.82	XXX	0	0	0	0	0
74742	26		X-ray of fallopian tube	0.82	0.82	XXX	0	0	0	0	0
74742	TC	A	X-ray of fallopian tube	3.00	3.00	XXX	0	0	0	0	0
74775		Α	X-ray exam of perineum	2.26	2.26	XXX	0	0	0	0	0
74775	26		X-ray exam of perineum	0.87	0.87	XXX	0	$\cdot 0$	0	0	0
74775	TC	Α	X-ray exam of perineum	1.39	1.39	XXX	0	0	0	0	0
(10) D	iagno	ostic	c radiology, heart:								
75552		Δ	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
75552	26		Magnetic image	2.21	2.21	XXX	0	0	0	0	0
75552			Magnetic image	10.69	10.69	XXX	0	0	0	ŏ	0.
75553	10	A	5	13.26	13.26	XXX	0	ő	ő	ő	ő
75553	26		Magnetic image	2.57	2.57	XXX	ŏ	ŏ	0	ő	0
75553	TC		Magnetic image	10.69	10.69	XXX	Ŏ	Ŏ	Õ	Ŏ	0
75554			Cardiac MRI/function	13.10	13.10	XXX	Ŏ	ŏ	Õ	ŏ	0
75554	26		Cardiac MRI/function	2.42	2.42	XXX	0	Õ	Õ	Ŏ	0
75554	TC		Cardiac MRI/function	10.69	10.69	XXX	0	0	0	0	0
75555			Cardiac MRI/limited	13.02	13.02	XXX	0	0	0	0	0
75555	26	Α	Cardiac MRI/limited	2.34	2.34	XXX	0	0	0	0	0
75555	TC	Α	Cardiac MRI/limited	10.69	10.69	XXX	0	0	0	0	0
75556		N	Cardiac MRI/flow mapping	0.00	0.00	XXX	9	9	9	9	9
(11) D	iagno	ostic	radiology, aorta and arteries:								
75600		Α	Contrast x-ray	12.69	12.69	XXX	0	0	0	0	0
75600	26		Contrast x-ray	0.67	0.67	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
75600			Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
75605		Α	Contrast x-ray	13.58	13.58	XXX	0	0	0	0	0
75605	26		Contrast x-ray	1.56	1.56	XXX	0	0	0	0	0
75605	TC		Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
75625			Contrast x-ray	13.58	13.58	XXX	0	0	0	0	0
75625	26		Contrast x-ray	1.56	1.56	XXX	0	0	0	0	0
75625	TC		Contrast x-ray	12.01	12.01	XXX	0	0	0	0	0
75630 75630	26	A	X-ray of aorta	14.75 2.23	14.75 2.23	XXX	0	0	0	0	0
75630 75630	26 TC	A	X-ray of aorta	12.52	12.52	XXX XXX	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$
75650	ıC	A	X-ray of aorta Artery x-ray	14.06	14.06	XXX	0	0	0	0	0
75650	26	A	Artery x-ray	2.05	2.05	XXX	0	0	ő	0	ő
75650	ŤČ		Artery x-ray	12.01	12.01	XXX	ő	ŏ	ŏ	0	ŏ
75658	- •	A	X-ray exam, arm arteries	13.81	13.81	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
75658	26	Α	X-ray exam, arm arteries	1.80	1.80	XXX	0	0	0	0	0
75658	TC	Α		12.01	12.01	XXX	0	0	0	0	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

FEES FOR MEDICAL SERVICES 5221.4030

75660		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75660	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75660	TC	A	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75662	•	A		14.30	14.30	XXX	ŏ	ž	ŏ	ŏ	ŏ
	26		Artery x-ray	2.28	2.28			2	0		
75662	26	A	Artery x-ray			XXX	0			0	0
75662	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75665		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75665	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75665	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75671		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75671	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75671	TC	A	Artery x-ray	12.01	12.01	XXX	Õ	$\bar{2}$	Ö	Ŏ	Õ
75676	10	A		13.81	13.81	XXX	ŏ	$\tilde{0}$	ő	ő	ő
	26	-	Artery x-ray			XXX					
75676	26	A	Artery x-ray	1.80	1.80		0	0	0	0	0
75676	TC	A	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75680		Α	Artery x-ray	14.30	14.30	XXX	0	2	0	0	0
75680	26	Α	Artery x-ray	2.28	2.28	XXX	0	2	0	0	0
75680	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75685		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75685	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75685	TČ	A	Artery x-ray	12.01	12.01	XXX	Õ	Ō	Ŏ	0	Ŏ
75705	10	A	Artery x-ray	15.02	15.02	XXX	ŏ	ŏ	, Õ	ŏ	ŏ
75705	26			3.01	3.01	XXX	ő	ŏ	ő	ő	ŏ
		A	Artery x-ray								
75705	TC	A	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75710		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75710	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75710	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75716		Α	Artery x-ray	13.81	13.81	XXX	0	2	0	0	0
75716	26	Α	Artery x-ray	1.80	1.80	XXX	0	2	0	0	0
75716	TC	Α	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75722		A	Artery x-ray	13.58	13.58	XXX	Ŏ	ō	ŏ	Ŏ	Ŏ
75722	26	A	Artery x-ray	1.56	1.56	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
	TC			12.01	12.01	XXX	0	0	0	0	ŏ
75722	IC	A	Artery x-ray								
75724	20	A	Artery x-ray	14.06	14.06	XXX	0	2	0	0	0
75724	26	Α	Artery x-ray	2.05	2.05	XXX	0	2	0	0	0
75724	TC	A	Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75726		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75726	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75726	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75731		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75731	26	A	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75731	TC	A	Artery x-ray	12.01	12.01	XXX	Õ	ŏ	ŏ	ŏ	ŏ
75733	10	A	• •	13.81	13.81	XXX	ő	2	ő	ŏ	ŏ
	26		Artery x-ray		1.80	XXX		2	-		
75733	26		Artery x-ray	1.80			0		0	0	0
75733	TC		Artery x-ray	12.01	12.01	XXX	0	2	0	0	0
75736		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75736	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75736	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75741		Α	Artery x-ray	13.81	13.81	XXX	0	0	0	0	0
75741	26	Α	Artery x-ray	1.80	1.80	XXX	0	0	0	0	0
75741	TC			12.01	12.01	XXX	0	0	0	0	0
75743			Artery x-ray	14.30	14.30	XXX	ő	2	ő	ŏ	ŏ
75743	26			2.28	2.28	XXX	0	2	0	0	0
		A			12.01	XXX		2			
75743	TC		Artery x-ray	12.01			0		0	0	0
75746		A	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0
75746	26		Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
75746	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75756		Α	Artery x-ray	13.58	13.58	XXX	0	0	0	0	0

75756	26	Α	Artery x-ray	1.56	1.56	XXX	0	0	0	0	0
			Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75774		Α	Artery x-ray	12.51	12.51	XXX	0	0	0	0	0
75774	26	Α	Artery x-ray	0.49	0.49	XXX	0	0	0	0	0
75774	TC	Α	Artery x-ray	12.01	12.01	XXX	0	0	0	0	0
75790		Α	Visualize A-V shunt	3.83	3.83	XXX	0	0	0	0	0
75790	26	Α	Visualize A-V shunt	2.54	2.54	XXX	0	0	0	0	0
75790	TC	Α	Visualize A-V shunt	1.30	1.30	XXX	0	0	0	0	0

(12) Diagnostic radiology, veins and lymphatics:

75801		Α	Lymph vessel x-ray	6.29	6.29	XXX	0	0	0	0	0
75801	26	Α	Lymph vessel x-ray	1.12	1.12	XXX	0	0	0	0	0
75801	TC	Α	Lymph vessel x-ray	5.17	5.17	XXX	0	0	0	0	0
75803		Α	Lymph vessel x-ray	6.77	6.77	XXX	0	2	0	0	0
75803	26	A	Lymph vessel x-ray	1.60	1.60	XXX	0	2	0	0	0
75803	TC	Α	Lymph vessel x-ray	5.17	5.17	XXX	0	2	Ŏ	Õ	0
75805		Α	Lymph vessel x-ray	6.94	6.94	XXX	Ŏ	$\bar{0}$	Õ	ŏ	Õ
75805	26	A	Lymph vessel x-ray	1.12	1.12	XXX	0	Ō	Õ	ŏ	ŏ
75805	TC	A	Lymph vessel x-ray	5.82	5.82	XXX	Õ	Ŏ	ŏ	ŏ	ŏ
75807		Α	Lymph vessel x-ray	7.42	7.42	XXX	Õ	2	Õ	Õ	Õ
75807	26	A	Lymph vessel x-ray	1.60	1.60	XXX	Ō	2	0	Õ	ŏ
75807	TC	A	Lymph vessel x-ray	5.82	5.82	XXX	Ŏ	2	Ŏ	ŏ	ŏ
75809		A	Nonvascular shunt	1.38	1.38	XXX	Ō	$\bar{0}$	0	Õ	Õ
75809	26	A	Nonvascular shunt	0.63	0.63	XXX	Ō	Ō	Õ	ŏ	ŏ
75809	TC	Α	Nonvascular shunt	0.75	0.75	XXX	Õ	Õ	Õ	ŏ	ŏ
75810		A	Vein x-ray	13.58	13.58	XXX	Õ	Ō	Õ	ŏ	ŏ
75810	26	A	Vein x-ray	1.56	1.56	XXX	Õ	Ŏ	ŏ	ŏ	Ŏ
75810	TC	A	Vein x-ray	12.01	12.01	XXX	Ŏ	Õ	Ŏ	Ö	Ŏ
75820		A	Vein x-ray, arm	1.87	1.87	XXX	Ō	Ō	Ŏ	Ŏ	Õ
75820	26	A	Vein x-ray, arm	0.97	0.97	XXX	Ŏ	0	Ŏ	Ŏ	Ŏ
75820	TC	A	Vein x-ray, arm	0.90	0.90	XXX	Õ	0	ŏ	Ŏ	Ŏ
75822		A	Vein x-ray, arm	2.87	2.87	XXX	0	2	Ŏ	ŏ	0
75822	26	A	Vein x-ray, arm	1.45	1.45	XXX	ō	2	Ŏ	ŏ	Ŏ
75822	TC	A	Vein x-ray, arm	1.41	1.41	XXX	Ŏ	2	ŏ	ŏ	ŏ
75825		A	Vein x-ray, trunk	13.58	13.58	XXX	Õ	0	Ŏ	ŏ	0
75825	26	Α	Vein x-ray, trunk	1.56	1.56	XXX	Ŏ	Õ	Õ	ŏ	Ŏ
75825	TC	Α	Vein x-ray, trunk	12.01	12.01	XXX	0	0	0	0	0
75827		Α	Vein x-ray, chest	13.58	13.58	XXX	0	0	0	0	0
75827	26	A	Vein x-ray, chest	1.56	1.56	XXX	0	0	0	0	0
75827	TC	Α	Vein x-ray, chest	12.01	12.01	XXX	0	0	0	0	0
75831		Α	Vein x-ray, kidney	13.58	13.58	XXX	0	0	0	0	0
75831	26	Α	Vein x-ray, kidney	1.56	1.56	XXX	0	0	0	0	0
75831	TC	Α	Vein x-ray, kidney	12.01	12.01	XXX	0	0	0	0	0
75833		Α	Vein x-ray, kidney	14.06	14.06	XXX	0	2	0	0	0
75833	26	Α	Vein x-ray, kidney	2.05	2.05	XXX	0	2	0	0	0
75833	TC	Α	Vein x-ray, kidney	12.01	12.01	XXX	0	2	0	0	0
75840		Α	Vein x-ray, adrenal	13.58	13.58	XXX	0	0	0	0	0
75840	26	Α	Vein x-ray, adrenal	1.56	1.56	XXX	0	0	0	0	0
75840	TC	Α	Vein x-ray, adrenal	12.01	12.01	XXX	0	0	0	0	0
75842		Α	Vein x-ray, adrenal	14.06	14.06	XXX	0	2	0	0	0
75842	26	Α	Vein x-ray, adrenal	2.05	2.05	XXX	0	2	0	0	0
75842	TC	A	Vein x-ray, adrenal	12.01	12.01	XXX	Ŏ	2	ŏ	ŏ	ŏ
75860		A	Vein x-ray, neck	13.58	13.58	XXX	Ŏ	$\bar{0}$	ŏ	ŏ	ŏ
75860	26	A	Vein x-ray, neck	1.56	1.56	XXX	Ŏ	ŏ	ŏ	ŏ	ŏ
75860	TC	A	Vein x-ray, neck	12.01	12.01	XXX	Ŏ	Ŏ	Õ	ŏ	ŏ
			, ,			· — — -	-	-	~	~	-

75870		Α	Vein x-ray, skull	13.58	13.58	XXX	0	0	0	0	0
75870	26	Α	Vein x-ray, skull	1.56	1.56	XXX	0	0	0	0	0
75870	TC	Α	Vein x-ray, skull	12.01	12.01	XXX	0	0	0	0	0
75872			Vein x-ray, skull	13.58	13.58	XXX	0	0	0	0	0
75872	26	Α	Vein x-ray, skull	1.56	1.56	XXX	0	0	0	0	0
75872	TC	Α	Vein x-ray, skull	12.01	12.01	XXX	0	0	0	0	0
75880		Α		1.87	1.87	XXX	0	0	0	0	0
75880	26	Α	Vein x-ray, eye	0.97	0.97	XXX	0	0	0	0	0
75880	TC	Α	Vein x-ray, eye	0.90	0.90	XXX	0	0	0	0	0
75885		Α	Vein x-ray, liver	14.00	14.00	XXX	0	0	0	0	0
75885	26	Α	Vein x-ray, liver	1.98	1.98	XXX	0	0	0	0	0
75885	TC	Α	Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75887		Α	Vein x-ray, liver	14.00	14.00	XXX	0	0	0	0	0
75887	26	Α	Vein x-ray, liver	1.98	1.98	XXX	0	0	0	0	0
75887	TC	Α	Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75889		Α	Vein x-ray, liver	13.58	13.58	XXX	0	0	0	0	0
75889	26		Vein x-ray, liver	1.56	1.56	XXX	0	0	0	0	0
75889	TC	Α	Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75891		Α	Vein x-ray, liver	13.58	13.58	XXX	0	0	0	0	0
75891	26	Α	Vein x-ray, liver	1.56	1.56	XXX	0	0	0	0	0
75891	TC	Α	Vein x-ray, liver	12.01	12.01	XXX	0	0	0	0	0
75893		Α	Venous sampling	12.77	12.77	XXX	0	0	0	0	0
75893	26		Venous sampling	0.75	0.75	XXX	0	0	0	0	0
75893	TC	Α	Venous sampling	12.01	12.01	XXX	0	0	0	0	0

(13) Diagnostic radiology, transcatheter procedures:

75894		Α	X-ray, transcatheter	24.81	24.81	XXX	0	0	0	0	0
75894	26	Α	X-ray, transcatheter	1.80	1.80	XXX	0	0	0	0	0
75894	TC	Α	X-ray, transcatheter	23.01	23.01	XXX	0	0	0	0	0
75896		Α	X-ray, transcatheter	21.81	21.81	XXX	0	0	0	0	0
75896	26	Α	X-ray, transcatheter	1.80	1.80	XXX	0	0	0	0	0
75896	TC	Α	X-ray, transcatheter	20.01	20.01	XXX	0	0	0	0	0
75898		Α	Follow-up angiogram	3.28	3.28	XXX	0	0	0	0	0
75898	26	Α	Follow-up angiogram	2.27	2.27	XXX	0	0	0	0	0
75898	TC	Α	Follow-up angiogram	1.00	1.00	XXX	0	0	0	0	0
75900		Α	Arterial catheter	20.69	20.69	XXX	0	0	0	0	0
75900	26	Α	Arterial catheter	0.68	0.68	XXX	0	0	0	0	0
75900	TC	Α	Arterial catheter	20.00	20.00	XXX	0	0	0	0	0
75940		Α	X-ray placement	12.77	12.77	XXX	0	0	0	0	0
75940	26	Α	X-ray placement	0.75	0.75	XXX	0	0	0	0	0
75940	TC	Α	X-ray placement	12.01	12.01	XXX	0	0	0	0	0
75945		Α	Intravascular ultrasound	4.95	4.95	XXX	0	0	0	0	0
75945	26	Α	Intravascular ultrasound	0.59	0.59	XXX	0	0	0	0	0
75945	TC	Α	Intravascular ultrasound	4.36	4.36	XXX	0	0	0	0	0
75946		Α	Intravascular ultrasound	2.78	2.78	XXX	0	0	0	0	0
75946	26	Α	Intravascular ultrasound	0.59	0.59	XXX	0	0	0	0	0
75946	TC	Α	Intravascular ultrasound	2.18	2.18	XXX	0	0	0	0	0
75960		Α	Transcatheter, stent	15.34	15.34	XXX	0	0	0	0	0
75960	26	Α	Transcatheter, stent	1.13	1.13	XXX	0	0	0	0	0
75960	TC	Α	Transcatheter, stent	14.20	14.20	XXX	0	0	0	0	0
75961		Α	Retrieval	15.86	15.86	XXX	0	0	0	0	0
75961	26	Α	Retrieval	5.85	5.85	XXX	0	0	0	0	0
75961	TC	Α	Retrieval	10.01	10.01	XXX	0	0	0	0	0
75962		Α	Repair arterial	15.76	15.76	XXX	0	0	0	0	0
75962	26	Α	Repair arterial	0.75	0.75	XXX	0	0	0	0	0
			•								

75962	TC	Α	Repair arterial	15.01	15.01	XXX	0	0	0	0	0
75964		A	Repair artery balloon	8.50	8.50	XXX	0	0	0	0	Ō
75964	26	Α	Repair artery balloon	0.49	0.49	XXX	0	0	0	0	0
75964	TC	A	Repair artery balloon	8.00	8.00	XXX	Ŏ	0	Ō	Ō	Ō
75966		A	Repair arterial	16.81	16.81	XXX	Ŏ	ŏ	Ŏ	Ŏ	Ŏ
75966	26	A	Repair arterial	1.80	1.80	XXX	Õ	Ŏ	Õ	Ŏ	ŏ
75966	TC	A	Repair arterial	15.01	15.01	XXX	0	0	ŏ	Õ	ŏ
75968	10	A	Repair artery balloon	8.50	8.50	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
75968	26	A	Repair artery balloon	0.49	0.49	XXX	0	Õ	0	ŏ	ŏ
75968	TC	A	Repair artery balloon	8.00	8.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
75970	10	A	Vascular biopsy	12.16	12.16	XXX	ő	ő	ŏ	ŏ	ŏ
75970	26	A	Vascular biopsy	1.15	1.15	XXX	ŏ	ő	ő	Ö	0
75970	TC	A	Vascular biopsy	11.01	11.01	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
75978	10	A	Repair venous balloon	15.98	15.98	XXX	ő	ŏ	Õ	ő	ŏ
75978	26	A	Repair venous balloon	0.98	0.98	XXX	Õ	ő	ŏ	0	ŏ
75978	TC	A	Repair venous balloon	15.01	15.01	XXX	0	0	0	0	0
75980	10	A	Contrast x-ray	7.15	7.15	XXX	0	0	Ö	0	Ö
75980	26	A	Contrast x-ray	1.98	1.98	XXX	0	0	0	0	Ö
75980	TC	A	Contrast x-ray	5.17	5.17	XXX	0	0	0	0	Ö
75982	ıc	A		7.80	7.80	XXX	0	0	ő	0	0
75982	26	A	Contrast x-ray Contrast x-ray	1.98	1.98	XXX	0	0	0	0	0
75982	TC		Contrast x-ray	5.82	5.82	XXX	0	0	0	0	0
75984	ic	A	•	2.86	2.86	XXX	0	0	0	0	0
	26		X-ray control catheter	1.00	1.00	XXX	0	0	0	0	0
75984			X-ray control catheter			XXX	0	0	0	0	
75984	TC		X-ray control catheter	1.86	1.86	XXX	0	0	0	0	0
75989	26	A	Abscess drainage	4.63	4.63	XXX	0	0	0	0	0
75989	26 TC	A	Abscess drainage	1.63	1.63			0	0	0	$0 \\ 0$
75989	TC	А	Abscess drainage	3.00	3.00	XXX	0	U	U	U	U
			-								
			-								
=			- -								
(14) D	iagno	stic	radiology, transluminal athere	ctomy:							
•	iagno	stic		•							
75992		Α	Atherectomy, x-ray	15.76	15.76	XXX	0	0	0	0	0
75992 75992	26	A A	Atherectomy, x-ray Atherectomy, x-ray	15.76 0.75	0.75	XXX	0	0	0	0	0
75992 75992 75992		Α	Atherectomy, x-ray	15.76 0.75 15.01	0.75 15.01	XXX XXX	$0 \\ 0$	$\begin{array}{c} 0 \\ 0 \end{array}$	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$
75992 75992 75992 75993	26	A A	Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray	15.76 0.75 15.01 8.50	0.75 15.01 8.50	XXX XXX XXX	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	0 0 0	0 0 0	0 0 0	0 0 0
75992 75992 75992 75993 75993	26 TC 26	A A A	Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49	0.75 15.01 8.50 0.49	XXX XXX XXX XXX	$\begin{matrix} 0 \\ 0 \\ 0 \\ 0 \end{matrix}$	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
75992 75992 75992 75993 75993 75993	26 TC	A A A	Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00	0.75 15.01 8.50 0.49 8.00	XXX XXX XXX XXX	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0
75992 75992 75992 75993 75993 75993 75994	26 TC 26 TC	A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81	0.75 15.01 8.50 0.49 8.00 16.81	XXX XXX XXX XXX XXX	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
75992 75992 75992 75993 75993 75993 75994 75994	26 TC 26 TC	A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80	0.75 15.01 8.50 0.49 8.00 16.81 1.80	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
75992 75992 75992 75993 75993 75993 75994 75994 75994	26 TC 26 TC	A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995	26 TC 26 TC	A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995	26 TC 26 TC	A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80	XXX XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995	26 TC 26 TC 26 TC	A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995 75995	26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995	26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995 75995	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995 75996 75996	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995 75996 75996	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995 75996 75996 75996	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75994 75995 75995 75995 75996 75996 75996	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75995 75995 75995 75996 75996 75996 (15) D	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49 8.00	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49 8.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75995 75995 75996 75996 75996 75996 (15) D	26 TC 26 TC 26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49 8.00	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49 8.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75995 75995 75996 75996 75996 75996 75996 75996 75996 75996	26 TC 26 TC 26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 0.49 8.00	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49 8.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75995 75995 75996 75996 75996 75996 75996 75900 76000 76000 76000 76000	26 TC 26 TC 26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 0.49 8.00	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 0.49 8.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75995 75995 75996 75996 75996 75996 75996 75996 75996 75996 75996 75996	26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 0.49 8.00	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 15.01 8.50 0.49 8.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
75992 75992 75992 75993 75993 75994 75994 75995 75995 75996 75996 75996 75996 75996 75900 76000 76000 76000 76000	26 TC	A A A A A A A A A A A A A A A A A A A	Atherectomy, x-ray	15.76 0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 0.49 8.00	0.75 15.01 8.50 0.49 8.00 16.81 1.80 15.01 16.81 1.80 0.49 8.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

76003		Α	Needle localization	2.00	2.00	XXX	0	0	0	0	0
76003	26	A	Needle localization	0.75	0.75	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
76003	TC	A	Needle localization	1.24	1.24	XXX	0	0	0	0	0
	IC										
76010	0.0	A	X-ray, nose to rectum	0.75	0.75	XXX	0	0	0	0	0
76010	26	Α	X-ray, nose to rectum	0.25	0.25	XXX	0	0	0	0	0
76010	TC	Α	X-ray, nose to rectum	0.50	0.50	XXX	0	0	0	0	0
76020		Α	X-ray, bone age	0.76	0.76	XXX	0	0	0	0	0
76020	26	Α	X-ray, bone age	0.26	0.26	XXX	0	0	0	0	0
76020	TC		X-ray, bone age	0.50	0.50	XXX	0	0	0	0	0
76040		A	X-ray, bone length	1.13	1.13	XXX	Õ	ŏ	0	ŏ	Õ
76040	26		3 ·	0.38	0.38	XXX	0	ő	0	0	ő
			X-ray, bone length								
76040	TC		X-ray, bone length	0.75	0.75	XXX	0	0	0	0	0
76061	•	A	X-ray, bone survey	1.57	1.57	XXX	0	0	0	0	0
76061	26	Α	X-ray, bone survey	0.62	0.62	XXX	0	0	0	0	0
76061	TC	Α	X-ray, bone survey	0.95	0.95	XXX	0	0	0	0	0
76062		Α	X-ray, bone survey	2.13	2.13	XXX	0	0	0	0	0
76062	26	Α	X-ray, bone survey	0.75	0.75	XXX	0	0	0	0	0
76062	TC	Α	X-ray, bone survey	1.37	1.37	XXX	0	0	0	0	0
76065	- 0		X-ray, bone, infant	1.09	1.09	XXX	ŏ	ŏ	ŏ	ŏ	Õ
76065	26			0.39	0.39		_	ő	0		
		A	X-ray, bone, infant			XXX	0			0	0
76065	TC	A	X-ray, bone, infant	0.70	0.70	XXX	0	0	0	0	0
76066		Α	Joint survey	1.49	1.49	XXX	0	0	0	0	0
76066	26	Α	Joint survey	0.43	0.43	XXX	0	0	0	0	0
76066	TC	Α	Joint survey	1.06	1.06	XXX	0	0	0	0	0
76070		I	CT scan, bone density	3.17	3.17	XXX	0	0	0	0	0
76070	26	I	CT scan, bone density	0.35	0.35	XXX	0	0	0	0	0
76070	TC	Ī	CT scan, bone density	2.81	2.81	XXX	0	0	Ō	0	0
76075	- ~	Ā	Dual energy x-ray	3.35	3.35	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
76075	26			0.40	0.40	XXX	Ö	ő	0	ő	ŏ
			Dual energy x-ray								
76075	TC		Dual energy x-ray	2.95	2.95	XXX	0	0	0	0	0
76076		A	Dual energy x-ray	1.03	1.03	XXX	0	0	0	0	0
76076	26	Α	Dual energy x-ray	0.31	0.31	XXX	0	0	0	0	0
76076	TC	Α	Dual energy x-ray	0.72	0.72	XXX	0	0	0	0	0
76078		Α	Photodensitometry	1.01	1.01	XXX	0	0	0	0	0
76078	26	Α	Photodensitometry	0.29	0.29	XXX	0	0	0	0	0
76078	TC	Α	Photodensitometry	0.72	0.72	XXX	0	0	0	0	0
76080			X-ray exam of fistula	1.76	1.76	XXX	ŏ	ŏ	Õ	Ŏ	ŏ
76080	26		X-ray exam of fistula	0.75	0.75	XXX	ŏ	ŏ	Ö	ő	ŏ
76080	TC		X-ray exam of fistula	1.00	1.00	XXX	0	0	0	0	0
76086			X-ray of mammary	3.01	3.01	XXX	0	0	0	0	0
76086	26	Α	X-ray of mammary	0.50	0.50	XXX	0	0	0	0	0
76086	TC	Α	X-ray of mammary	2.51	2.51	XXX	0	0	0	0	0
76088		Α	X-ray of mammary	4.11	4.11	XXX	0	0	0	0	0
76088	26		X-ray of mammary	0.62	0.62	XXX	0	0	0	0	0
76088	TC	Α	X-ray of mammary	3.49	3.49	XXX	0	0	0	0	0
76090		A	Mammogram, one	1.66	1.66	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
76090	26	A		0.65	0.65	XXX	0	ő	0	0	0
			Mammogram, one				_				
76090	TC		Mammogram, one	1.00	1.00	XXX	0	0	0	0	0
76091		Α	Mammogram, both	2.06	2.06	XXX	0	2	0	0	0
76091	26	Α	Mammogram, both	0.82	0.82	XXX	0	2	0	0	0
76091	TC	Α	Mammogram, both	1.24	1.24	XXX	0	2	0	0	0
76092		X	Mammogram, screening	0.00	0.00	XXX	9	9	9	9	9
76093		A	Magnetic image	19.04	19.04	XXX	Ó	Ó	Ó	Ó	Ó
76093	26	A	Magnetic image	2.24	2.24	XXX	0	ő	ő	0	ő
76093	TC		Magnetic image	16.81	16.81	XXX	0	0	0	0	0
76094		A	Magnetic image	25.03	25.03	XXX	0	2	0	0	0
76094	26	Α	Magnetic image	2.24	2.24	XXX	0	2	0	0	0
76094	TC	Α	Magnetic image	22.80	22.80	XXX	0	2	0	0	0
			·								

76095		Α	Stereotactic breast	9.02	9.02	XXX	0	0	0	0	0
76095	26	Α	Stereotactic breast	2.19	2.19	XXX	0	0	0	0	0
76095			Stereotactic breast	6.83	6.83	XXX	Ŏ	Ō	Ŏ	Ō	Ŏ
76096		A	X-ray of needle	2.02	2.02	XXX	ŏ	ŏ	0	Õ	0
76096	26	A	X-ray of needle	0.78	0.78	XXX	ŏ	ŏ	ŏ	0	ŏ
76096	TC	A	X-ray of needle	1.24	1.24	XXX	ő	0	0	0	ő
76098	10	A	X-ray exam, breast	0.62	0.62	XXX	0	0	0	0	0
76098	26		X-ray exam, breast	0.02	0.02	XXX	0	0	0	0	0
	TC			0.22	0.22	XXX	-		-		0
76098	IC		X-ray exam, breast				0	0	0	0	
76100	20		X-ray exam, body section	2.00	2.00	XXX	0	0	0	0	0
76100	26		X-ray exam, body section	0.81	0.81	XXX	0	0	0	0	0
76100	TC	A	X-ray exam, body section	1.19	1.19	XXX	0	0	0	0	0
76101		Α	Complex body section	2.16	2.16	XXX	0	0	0	0	0
76101	26	Α	- I	0.81	0.81	XXX	0	0	0	0	0
76101	TC	Α	Complex body section	1.35	1.35	XXX	0	0	0	0	0
76102		Α	Complex body section	2.46	2.46	XXX	0	2	0	0	0
76102	26	Α	Complex body section	0.81	0.81	XXX	0	2	0	0	0
76102	TC	Α	Complex body section	1.65	1.65	XXX	0	2	0	0	0
76120		Α		1.53	1.53	XXX	0	0	0	0	0
76120	26	Α	Cinematic x-ray	0.53	0.53	XXX	0	0	0	0	0
76120	TC	Α	Cinematic x-ray	1.00	1.00	XXX	0	0	0	0	0
76125		A	Cinematic x-ray	1.12	1.12	XXX	0	Ō	Õ	Ō	Ō
76125	26	-	Cinematic x-ray	0.37	0.37	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
76125	TC		Cinematic x-ray	0.75	0.75	XXX	ő	ŏ	Ö	0	ŏ
76140	10	Ϊ	X-ray consultation	0.00	0.00	XXX	9	9	9	9	9
76150		À	X-ray exam, dry	0.40	0.40	XXX	Ó	Ó	ó	ó	ó
76350		C	Special x-ray	0.00	0.00	XXX	ő	ŏ	ő	ŏ	ŏ
76355		Ă	CAT scan for localization	9.53	9.53	XXX	ő	ő	0	0	ő
76355	26	A	CAT scan for localization	1.65	1.65	XXX	0	0	0	0	0
76355	TC	A		7.87	7.87	XXX	0	0	0	0	0
76360	10	A		9.45	9.45	XXX	0	0	0	0	0
76360	26	A	CAT scan for needle	1.58	1.58	XXX	0	0	0	0	0
76360	TC		CAT scan for needle	7.87	7.87	XXX	0	0	0	0	0
76365	IC			9.45	9.45	XXX	0	0	0	0	0
	20	A	CAT scan for cyst						-	-	
76365	26 TC	A	CAT scan for cyst	1.58	1.58	XXX	0	0	0	0	0
76365	TC	A		7.87	7.87	XXX	0	0	0	0	0
76370	•	Α	CAT scan for therapy	3.99	3.99	XXX	0	0	0	0	0
76370	26 TC	A	CAT scan for therapy	1.17	1.17	XXX	0	0	0	0	0
76370	TC	Α	CAT scan for therapy	2.81	2.81	XXX	0	0	0	0	0
76375	•		3-dimensional/holograph	3.59	3.59	XXX	0	0	0	0	0
76375	26	Α	3-dimensional/holograph	0.22	0.22	XXX	0	0	0	0	0
76375	TC	A	3-dimensional/holograph	3.37	3.37	XXX	0	0	0	0	0
76380		A	CAT scan follow-up	4.70	4.70	XXX	0	0	0	0	0
76380	26	Α	CAT scan follow-up	1.35	1.35	XXX	0	0	0	0	0
76380	TC	Α	CAT scan follow-up	3.34	3.34	XXX	0	0	0	0	0

(16) Diagnostic radiology, other procedures:

76390		Α	Magnetic spectroscopy	12.65	12.65	XXX	0	0	0	0	0
76390	26	Α	Magnetic spectroscopy	1.96	1.96	XXX	0	0	0	0	0
76390	TC	Α	Magnetic spectroscopy	10.69	10.69	XXX	0	0	0	0	0
76400		Α	Magnetic image	12.89	12.89	XXX	0	0	0	0	0
76400	26	Α	Magnetic image	2.21	2.21	XXX	0	0	0	0	0
76400	TC	Α	Magnetic image	10.69	10.69	XXX	0	0	0	0	0
76499		C	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0
76499	26		Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0

691

FEES FOR MEDICAL SERVICES 5221.4030

76499	TC	С	Radiographic procedure	0.00	0.00	XXX	0	0	0	0	0
(17) D	iagno	stic	ultrasound, head and neck:								
76506		Α	Echo exam of head	2.23	2.23	XXX	0	0	0	0	0
76506	26		Echo exam of head	0.87	0.87	XXX	Ō	0	0	Ô	0
76506			Echo exam of head	1.35	1.35	XXX	Ō	0	0	Ō	0
76511			Echo exam of eye	2.31	2.31	XXX	Ŏ	3	Õ	Õ	Õ
76511	26		Echo exam of eye	1.12	1.12	XXX	Ŏ	3	Ŏ	Ŏ	Õ
76511			Echo exam of eye	1.19	1.19	XXX	ŏ	3	ŏ	ŏ	ŏ
76512			Echo exam of eye	2.37	2.37	XXX	Ŏ	3	Ŏ	Ŏ	Õ
76512	26		Echo exam of eye	0.92	0.92	XXX	0	3	0	0	0
76512			Echo exam of eye	1.46	1.46	XXX	0	3	0	0	0
76513			Echo exam of eye	2.37	2.37	XXX	Ō	3	0	Ō	0
76513	26		Echo exam of eye	0.92	0.92	XXX	Õ	3	Õ	0	0
76513	TC		Echo exam of eye	1.46	1.46	XXX	Õ	3	Õ	0	Õ
76516			Echo exam of eye	1.95	1.95	XXX	0	2	0	0	0
76516	26		Echo exam of eye	0.75	0.75	XXX	0	2	0	0	0
76516			Echo exam of eye	1.19	1.19	XXX	0	2	0	0	0
76519			Echo exam of eye	1.95	1.95	XXX	0	2	Ō	Õ	0
76519	26		Echo exam of eye	0.75	0.75	XXX	0	3	0	0	0
76519			Echo exam of eye	1.19	1.19	XXX	0	2	0	0	0
76529			Echo exam of eye	2.10	2.10	XXX	0	3	0	0	0
76529	26		Echo exam of eye	0.79	0.79	XXX	0	3	0	0	0
76529	TC		Echo exam of eye	1.31	1.31	XXX	0	3	0	0	0
76536			Echo exam of head, neck	2.14	2.14	XXX	0	0	0	0	0
76536	26		Echo exam of head, neck	0.78	0.78	XXX	0	0	0	0	0
76536	TC		Echo exam of head, neck	1.35	1.35	XXX	0	0	0	0	0
(18) D	iagno	stic	ultrasound, chest:								
, ,	_										
76604		Α	Echo exam of chest	2.01	2.01	XXX	0	0	0	0	0
76604	26	Α	Echo exam of chest	0.77	0.77	XXX	0	0	0	0	0
76604	TC	Α	Echo exam of chest	1.24	1.24	XXX	0	0	0	0	0
76645		Α	Echo exam of breasts	1.76	1.76	XXX	0	2	0	0	0
76645	26	Α	Echo exam of breasts	0.75	0.75	XXX	0	2	0	0	0
76645	TC	Α	Echo exam of breasts	1.00	1.00	XXX	0	2	0	0	0
(19) D	iagno	stic	ultrasound, abdomen and retro	peritone	eum:						
5/5 00			D	0.00	• • • •	373737		_			
76700		A	Echo exam of abdomen	3.00	3.00	XXX	0	0	0	0	0
76700	26	Α	Echo exam of abdomen	1.12	1.12	XXX	0	0	0	0	0
76700	TC	Α	Echo exam of abdomen	1.88	1.88	XXX	0	0	0	0	0
76705		Α	Echo exam of abdomen	2.17	2.17	XXX	0	0	0	0	0
76705	26	A		0.82	0.82	XXX	0	0	0	0	0
76705	TC	Α	Echo exam of abdomen	1.35	1.35	XXX	0	0	0	0	0
76770		A	Echo exam of abdomen	2.91	2.91	XXX	0	0	0	0	0
76770	26	Α	Echo exam of abdomen	1.03	1.03	XXX	0	0	0	0	0
76770	TC	Α	Echo exam of abdomen	1.88	1.88	XXX	0	0	0	0	0
76775		Α	Echo exam of abdomen	2.16	2.16	XXX	0	0	0	0	0
76775	26	Α	Echo exam of abdomen	0.81	0.81	XXX	0	0	0	0	0
76775	TC	Α	Echo exam of abdomen	1.35	1.35	XXX	0	0	0	0	0
76778		A	Echo exam of kidney	2.91	2.91	XXX	0	0	0	0	0

5221.40	030	FE)	ES FOR MEDICAL SERVICE	S						ϵ	592
76778 76778	26 TC		Echo exam of kidney Echo exam of kidney	1.03 1.88	1.03 1.88	XXX XXX	0 0	0	0 0	0 0	0
(20) D	iagno	stic	ultrasound, spinal canal:								
76000			Esha array of arinal array	2.01	2.01	VVV	0	0	0	0	0
76800 76800	26		Echo exam of spinal canal Echo exam of spinal canal	2.91 1.55	2.91 1.55	XXX XXX	0	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	0
76800	TC		Echo exam of spinal canal	1.35	1.35	XXX	0	0	0	0	0
(21) D	ioano	notic	ultragound polyicy								
(21) D	iagiic	SHC	ultrasound, pelvis:								
76805		Α	Echo of pregnant uterus	3.38	3.38	XXX	0	0	0	0	0
76805	26	Α	Echo of pregnant uterus	1.37	1.37	XXX	0	0	0	0	0
76805	TC	Α	Echo of pregnant uterus	2.00	2.00	XXX	0	0	0	0	0
76810			Echo of pregnant uterus	6.71	6.71	XXX	0	0	0	0	0
76810	26	Α	Echo of pregnant uterus	2.71	2.71	XXX	0	0	0	0	0
76810	TC	Α	Echo of pregnant uterus	4.00	4.00	XXX	0	0	0	0	0
76815		Α	Echo of pregnant uterus	2.26	2.26	XXX	0	0	0	0	0
76815	26	Α	Echo of pregnant uterus	0.90	0.90	XXX	0	0	0	0	0
76815	TC	Α	Echo of pregnant uterus	1.35	1.35	XXX	0	0	0	0	0
76816		Α	Echo exam follow-up	1.85	1.85	XXX	0	0	0	0	0
76816	26	Α	Echo exam follow-up	0.79	0.79	XXX	0	0	0	0	0
76816	TC	Α	Echo exam follow-up	1.06	1.06	XXX	0	0	0	0	0
76818		Α	Fetal biophysical profile	2.61	2.61	XXX	0	0	0	0	0
76818	26	Α	Fetal biophysical profile	1.06	1.06	XXX	0	0	0	0	0
76818	TC	Α	Fetal biophysical profile	1.54	1.54	XXX	0	0	0	0	0
76825		Α	Echo exam of fetus	3.76	3.76	XXX	0	0	0	0	0
76825	26	Α	Echo exam of fetus	1.88	1.88	XXX	0	0	0	0	0
76825	TC	Α	Echo exam of fetus	1.88	1.88	XXX	0	0	0	0	0
76826		Α	Echo exam of fetus	2.11	2.11	XXX	0	0	0	0	0
76826	26	Α	Echo exam of fetus	1.44	1.44	XXX	0	0	0	0	0
76826	TC	Α	Echo exam of fetus	0.67	0.67	XXX	0	0	0	0	0
76827		Α	Echo exam of fetus	2.83	2.83	XXX	0	0	0	0	0
76827	26	Α	Echo exam of fetus	1.17	1.17	XXX	0	0	0	0	0
76827	TC	Α	Echo exam of fetus	1.66	1.66	XXX	0	0	0	0	0
76828		Α	Echo exam of fetus	1.86	1.86	XXX	0	0	0	0	0
76828	26	Α	Echo exam of fetus	0.79	0.79	XXX	0	0	0	0	0
76828	TC	Α	Echo exam of fetus	1.07	1.07	XXX	0	0	0	0	0
76830		Α	Echo exam, transvaginal	2.42	2.42	XXX	0	0	0	0	0
76830	26		Echo exam, transvaginal	0.96	0.96	XXX	0	0	0	0	0
76830	TC		Echo exam, transvaginal	1.46	1.46	XXX	0	0	0	0	0
76831			Echo exam of uterus	2.45	2.45	XXX	0	0	0	0	0
76831	26	Α	Echo exam of uterus	0.99	0.99	XXX	0	0	0	0	0
76831	TC	Α	Echo exam of uterus	1.46	1.46	XXX	0	0	0	0	0
76856		Α	Echo exam of pelvis	2.42	2.42	XXX	0	0	0	0	0
76856	26		Echo exam of pelvis	0.96	0.96	XXX	0	0	0	0	0
76856	TC		Echo exam of pelvis	1.46	1.46	XXX	0	0	0	0	0
76857			Echo exam of pelvis	1.53	1.53	XXX	0	0	0	0	0
76857	26	Α	Echo exam of pelvis	0.53	0.53	XXX	0	0	0	0	0
76857	TC		Echo exam of pelvis	1.00	1.00	XXX	0	0	0	0	0
(22) Di	iagno	stic	ultrasound, genitalia:								
76870		Α	Echo exam of scrotum	2.34	2.34	xxx	0	0	0	0	0

76870	26	Α	Echo exam of scrotum	0.88	0.88	XXX	0	0	0	0	0
76870	TC	Α	Echo exam of scrotum	1.46	1.46	XXX	0	0	0	0	0
76872		Α	Echo exam of transrectal	2.42	2.42	XXX	0	0	0	0	0
76872	26	Α	Echo exam of transrectal	0.96	0.96	XXX	0	0	0	0	0
76872	TC	Α	Echo exam of transrectal	1.46	1.46	XXX	0	0	0	0	0

(23) Diagnostic ultrasound, extremities:

76880		Α	Echo exam of extremity	2.17	2.17	XXX	0	0	0	0	0
76880	26	Α	Echo exam of extremity	0.82	0.82	XXX	0	0	0	0	0
76880	TC	Α	Echo exam of extremity	1.35	1.35	XXX	0	0	0	0	0
76885		Α	Echo exam of infant	2.46	2.46	XXX	0	0	0	0	0
76885	26	Α	Echo exam of infant	1.01	1.01	XXX	0	0	0	0	0
76885	TC	Α	Echo exam of infant	1.46	1.46	XXX	0	0	0	0	0
76886		Α	Echo exam of infant	2.20	2.20	XXX	0	0	0	0	0
76886	26	Α	Echo exam of infant	0.85	0.85	XXX	0	0	0	0	0
76886	TC	Α	Echo exam of infant	1.35	1.35	XXX	0	0	0	0	0

(24) Diagnostic ultrasound, ultrasonic guidance procedures:

76930		Α	Echo guide, pericardium	2.39	2.39	XXX	0	0	0	0	0
76930	26	Α	Echo guide, pericardium	0.94	0.94	XXX	0	0	0	0	0
76930	TC	Α	Echo guide, pericardium	1.46	1.46	XXX	0	0	0	0	0
76932		Α	Echo guide, biopsy	2.39	2.39	XXX	0	0	0	0	0
76932	26	Α	Echo guide, biopsy	0.94	0.94	XXX	0	0	0	0	0
76932	TC	Α	Echo guide, biopsy	1.46	1.46	XXX	0	0	0	0	0
76934		Α	Echo guide, puncture	2.39	2.39	XXX	0	0	0	0	0
76934	26	Α	Echo guide, puncture	0.94	0.94	XXX	0	0	0	0	0
76934	TC	Α	Echo guide, puncture	1.46	1.46	XXX	0	0	0	0	0
76936		Α	Echo guide, repair	9.06	9.06	XXX	0	0	0	0	0
76936	26	Α	Echo guide, repair	3.06	3.06	XXX	0	0	0	0	0
76936	TC	Α	Echo guide, repair	6.01	6.01	XXX	0	0	0	0	0
76938		Α	Echo exam, cyst	2.39	2.39	XXX	0	0	0	0	0
76938	26	Α	Echo exam, cyst	0.94	0.94	XXX	0	0	0	0	0
76938	TC	Α	Echo exam, cyst	1.46	1.46	XXX	0	0	0	0	0
76941		Α	Echo guide, fetal	3.32	3.32	XXX	0	0	0	0	0
76941	26	Α	Echo guide, fetal	1.86	1.86	XXX	0	0	0	0	0
76941	TC	Α	Echo guide, fetal	1.46	1.46	XXX	0	0	0	0	0
76942		Α	Echo guide, fetal	2.39	2.39	XXX	0	0	0	0	0
76942	26	Α	Echo guide, fetal	0.94	0.94	XXX	0	0	0	0	0
76942	TC	Α	Echo guide, fetal	1.46	1.46	XXX	0	0	0	0	0
76945		Α	Echo guide, villus	2.71	2.71	XXX	0	0	0	0	0
76945	26	Α	Echo guide, villus	1.25	1.25	XXX	0	0	0	0	0
76945	TC	Α	Echo guide, villus	1.46	1.46	XXX	0	0	0	0	0
76946		Α	Echo guide, amniocentesis	1.98	1.98	XXX	0	0	0	0	0
76946	26	Α	Echo guide, amniocentesis	0.53	0.53	XXX	0	0	0	0	0
76946	TC	Α	Echo guide, amniocentesis	1.46	1.46	XXX	0	0	0	0	0
76948		Α	Echo guide, ova	1.98	1.98	XXX	0	0	0	0	0
76948	26	Α	Echo guide, ova	0.53	0.53	XXX	0	0	0	0	0
76948	TC	Α	Echo guide, ova	1.46	1.46	XXX	0	0	0	0	0
76950		Α	Echo guide radiotherapy	2.05	2.05	XXX	0	0	0	0	0
76950	26	Α	Echo guide radiotherapy	0.81	0.81	XXX	0	0	0	0	0
76950	TC	Α	Echo guide radiotherapy	1.24	1.24	XXX	0	0	0	0	0
76960		Α	Echo guide radiotherapy	2.05	2.05	XXX	0	0	0	0	0
76960	26	Α		0.81	0.81	XXX	0	0	0	0	0
			· · ·								

5221.4030 FEES FOR MEDICAL SERVICES 094												
76960 76965 76965 76965	TC 26 TC	A A	Echo guide radiotherapy Echo guide radiotherapy Echo guide radiotherapy Echo guide radiotherapy	1.24 8.05 2.74 5.31	1.24 8.05 2.74 5.31	XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	
(25) D	iagno	stic	ultrasound, other procedures:									
76970 76970 76975 76975 76975 76986 76986 76986 76999 76999	26 TC 26 TC 26 TC	A A A A A A	Ultrasound follow-up Ultrasound follow-up Ultrasound follow-up GI endoscopic ultrasound GI endoscopic ultrasound Echo exam at surgery Echo exam at surgery Echo exam at surgery Echo exam procedure Echo exam procedure Echo exam procedure	1.56 0.55 1.00 2.55 1.09 1.46 4.15 1.65 2.51 0.00 0.00	1.56 0.55 1.00 2.55 1.09 1.46 4.15 1.65 2.51 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	
(26) R	adiat	ion	oncology, clinical treatment pl	anning:								
77261 77262 77263 77280 77280 77285 77285 77285 77290 77290 77295 77295 77295 77299 77299	26 TC 26 TC 26 TC	A A A A A A A A A A C C	Radiation therapy Radiation therapy Radiation therapy Set radiation therapy Radiation therapy Radiation therapy Radiation therapy	1.91 2.90 4.31 4.29 0.97 3.31 6.75 1.44 5.32 8.36 2.15 6.20 32.92 6.27 26.65 0.00 0.00	1.91 2.90 4.31 4.29 0.97 3.31 6.75 1.44 5.32 8.36 2.15 6.20 32.92 6.27 26.65 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
77299	TC	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0	

(27) Radiation oncology, medical radiation physics, dosimetry, treatment devices, and special services:

77300		Α	Radiation therapy	2.14	2.14	XXX	0	0	0	0	0
77300	26	Α	Radiation therapy	0.86	0.86	XXX	0	0	0	0	0
77300	TC	Α	Radiation therapy	1.28	1.28	XXX	0	0	0	0	0
77305		Α	Radiation therapy	2.75	2.75	XXX	0	0	0	0	0
77305	26	Α	Radiation therapy	0.97	0.97	XXX	0	0	0	0	0
77305	TC	Α	Radiation therapy	1.78	1.78	XXX	0	0	0	0	0
77310		Α	Radiation therapy	3.66	3.66	XXX	0	0	0	0	0
77310	26	Α	Radiation therapy	1.44	1.44	XXX	0	0	0	0	0
77310	TC	Α	Radiation therapy	2.23	2.23	XXX	0	0	0	0	0

FEES FOR MEDICAL SERVICES 5221.4030

77315		Α	Radiation therapy	4.69	4.69	XXX	0	0	0	0	0
77315	26	Α	Radiation therapy	2.15	2.15	XXX	0	0	0	0	0
77315	TC	Α	Radiation therapy	2.54	2.54	XXX	0	0	0	0	0
77321		Α	Radiation therapy	5.16	5.16	XXX	0	0	0	0	0
77321	26	Α	Radiation therapy	1.31	1.31	XXX	0	0	0	0	0
77321	TC	Α	Radiation therapy	3.85	3.85	XXX	0	0	0	0	0
77326		Α	Radiation therapy	3.54	3.54	XXX	0	0	0	0	0
77326	26	Α	Radiation therapy	1.28	1.28	XXX	0	0	0	0	0
77326	TC	Α	Radiation therapy	2.26	2.26	XXX	0	0	0	0	0
77327		Α	Radiation therapy	5.22	5.22	XXX	0	0	0	0	0
77327	26	Α	Radiation therapy	1.91	1.91	XXX	0	0	0	0	0
77327	TC	Α	Radiation therapy	3.31	3.31	XXX	0	0	0	0	0
77328		Α	Radiation therapy	7.61	7.61	XXX	0	0	0	0	0
77328	26	Α	Radiation therapy	2.87	2.87	XXX	0	0	0	0	0
77328	TC	Α	Radiation therapy	4.73	4.73	XXX	0	0	0	0	0
77331		Α	Special radiation	1.68	1.68	XXX	0	0	0	0	0
77331	26	Α	Special radiation	1.20	1.20	XXX	0	0	0	0	0
77331	TC	Α	Special radiation	0.48	0.48	XXX	0	0	0	0	0
77332		Α	Radiation treatment	2.03	2.03	XXX	0	0	0	0	0
77332	26	Α	Radiation treatment	0.75	0.75	XXX	0	0	0	0	0
77332	TC	Α	Radiation treatment	1.28	1.28	XXX	0	0	0	0	0
77333		Α	Radiation treatment	2.98	2.98	XXX	0	0	0	0	0
77333	26	Α	Radiation treatment	1.16	1.16	XXX	0	0	0	0	0
77333	TC	Α	Radiation treatment	1.81	1.81	XXX	0	0	0	0	0
77334		Α	Radiation treatment	4.79	4.79	XXX	0	0	0	0	0
77334	26	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77334	TC	Α	Radiation treatment	3.10	3.10	XXX	0	0	0	0	0
77336		Α	Radiation physics	2.84	2.84	XXX	0	0	0	0	0
77370		Α	Radiation physics	3.33	3.33	XXX	0	0	0	0	0
77399		C	External radiation	0.00	0.00	XXX	0	0	0	0	0
77399	26	C	External radiation	0.00	0.00	XXX	0	0	0	0	0
77399	TC	C	External radiation	0.00	0.00	XXX	0	0	0	0	0

(28) Radiation oncology, radiation treatment delivery:

77401	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77402	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77403	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77404	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77406	Α	Radiation treatment	1.69	1.69	XXX	0	0	0	0	0
77407	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77408	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77409	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77411	Α	Radiation treatment	1.99	1.99	XXX	0	0	0	0	0
77412	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77413	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77414	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77416	Α	Radiation treatment	2.23	2.23	XXX	0	0	0	0	0
77417	Α	Radiology port films	0.56	0.56	XXX	0	0	0	0	0

(29) Radiation oncology, clinical treatment management:

77419	A Weekly radiation	4.95 4.95	XXX	0	0	0	0	0
77420	A Weekly radiation	2.22 2.22	XXX	0	0	0	0	0
77425	A Weekly radiation	3.37 3.37	XXX	0	0	0	0	0

77420			337 11 11 11	4.05	4.05	3/3/3/			_	^	^
77430		Α	Weekly radiation	4.95	4.95	XXX	0	0	0	0	0
77431		Α	Radiation therapy	2.49	2.49	XXX	0	0	0	0	0
77432		Α	Stereotactic radiation	12.19	12.19	XXX	0	0	0	0	0
77470		Α	Special radiation	13.50	13.50	XXX	0	0	0	0	0
77470	26		Special radiation	2.87	2.87	XXX	0	0	0	0	0
77470	TC	A	Special radiation	10.62	10.62	XXX	ő	0	0	ő	0
	10						-	-	-		
77499	26	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77499	26	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
77499	TC	C	Radiation therapy	0.00	0.00	XXX	0	0	0	0	0
(30) R	adiat	ion	oncology, hyperthermia:								
77/00		_	** 4	5.05	5.05		_	^	_	_	^
77600		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77600	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	0	0
77600	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	0	0	0	0	0
77605		R	Hyperthermia treatment	6.75	6.75	ZZZ	0	0	0	0	0
77605	26	R	Hyperthermia treatment	2.87	2.87	ZZZ	0	0	0	Ō	0
77605	TC	R	Hyperthermia treatment	3.88	3.88	ZZZ	ŏ	ŏ	ŏ	ŏ	ŏ
	IC						-				
77610	•	R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77610	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	0	0
77610	TC	R	Hyperthermia treatment	2.90	2.90	ZZZ	0	0	0	0	0
77615		R	Hyperthermia treatment	6.75	6.75	ZZZ	0	0	0	0	0
77615	26	R	Hyperthermia treatment	2.87	2.87	ZZZ	0	0	0	0	0
77615	TC	R	Hyperthermia treatment	3.88	3.88	ZZZ	ŏ	ŏ	Õ	ŏ	ŏ
77015	10	1	Trypermerma treatment	5.00	5.00	LLL	U	U	U	U	U
(21) D	adiati	ion	oncology clinical intracquitan	hunarth	armia.						
(31) K	auiai	OH	oncology, clinical intracavitary	nyperm	etilla:						
55 (20		_	**	5 O 5	= 0=	-		_	_	_	_
77620		R	Hyperthermia treatment	5.05	5.05	ZZZ	0	0	0	0	0
77620	26	R	Hyperthermia treatment	2.15	2.15	ZZZ	0	0	0	0	0
77620	TC	R					•	_	U		_
		1/	Hyperthermia treatment	2.90	2.90	ZZZ	ŏ	Ŏ	ő	0	Õ
		1	Hyperthermia treatment		2.90	ZZZ				0	
		K	Hyperthermia treatment		2.90	ZZZ				0	
(32) R:	adiati		••	2.90	2.90	ZZZ				0	
(32) Ra	adiati		Hyperthermia treatment oncology, clinical brachythera	2.90	2.90	ZZZ				0	
, ,	adiati	ion	oncology, clinical brachythera	2.90 by:			0	0	0	-	0
77750		ion A	oncology, clinical brachythera	2.90 by: 7.87	7.87	090	0	0	0 0	0	0
77750 77750	26	ion A A	oncology, clinical brachythera Infuse radioelement Infuse radioelement	2.90 by: 7.87 6.60	7.87 6.60	090 090	0 0 0	0 0 0	0 0 0	0 0	0 0 0
77750 77750 77750		ion A A A	oncology, clinical brachythera Infuse radioelement Infuse radioelement Infuse radioelement	2.90 by: 7.87 6.60 1.27	7.87 6.60 1.27	090 090 090	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0
77750 77750 77750 77761	26 TC	ion A A A	oncology, clinical brachythera Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 by: 7.87 6.60 1.27 7.52	7.87 6.60	090 090 090 090	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
77750 77750 77750 77761 77761	26 TC 26	ion A A A A	oncology, clinical brachythera Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application Radioelement application	2.90 oy: 7.87 6.60 1.27 7.52 5.12	7.87 6.60 1.27 7.52 5.12	090 090 090 090 090	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0
77750 77750 77750 77761 77761 77761	26 TC	ion A A A	oncology, clinical brachytheral Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application Radioelement application Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40	7.87 6.60 1.27 7.52	090 090 090 090 090 090	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
77750 77750 77750 77761 77761	26 TC 26	ion A A A A	oncology, clinical brachytheral Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application Radioelement application Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14	7.87 6.60 1.27 7.52 5.12	090 090 090 090 090	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0
77750 77750 77750 77761 77761 77761	26 TC 26	ion A A A A A	oncology, clinical brachytheral Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application Radioelement application Radioelement application Radioelement application Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14	7.87 6.60 1.27 7.52 5.12 2.40 11.14	090 090 090 090 090 090	0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762	26 TC 26 TC	ion A A A A A A	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69	090 090 090 090 090 090 090	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762	26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44	090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762 77762 77763	26 TC 26 TC 26 TC	ion AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80	090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762 77763 77763	26 TC 26 TC 26 TC	ion AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51	090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762 77763 77763 77763	26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762 77763 77763 77763	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762 77763 77763 77763 77776	26 TC 26 TC 26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77762 77763 77763 77776 77776	26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77763 77763 77776 77776 77776	26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77763 77763 77776 77776 77776 77777	26 TC 26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77763 77763 77776 77776 77776	26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77763 77763 77776 77776 77776 77777	26 TC 26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77763 77763 77776 77776 77776 77777 77777	26 TC 26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06 4.05 19.95	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06 4.05 19.95	090 090 090 090 090 090 090 090 090 XXX XXX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
77750 77750 77750 77761 77761 77761 77762 77762 77763 77763 77776 77776 77776 77777 77777	26 TC 26 TC 26 TC 26 TC 26 TC	ion	Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Infuse radioelement Radioelement application	2.90 7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06 4.05	7.87 6.60 1.27 7.52 5.12 2.40 11.14 7.69 3.44 15.80 11.51 4.28 8.50 6.42 2.08 14.11 10.06 4.05	090 090 090 090 090 090 090 090 090 090	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

77781		Α	High intensity	21.59	21.59	090	0	0	0	0	0
77781	26	Α	High intensity	2.23	2.23	090	0	0	0	0	0
77781	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0
77782		Α	High intensity	22.72	22.72	090	0	0	0	0	0
77782	26	Α	High intensity	3.36	3.36	090	0	0	0	0	0
77782	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0
77783		Α	High intensity	24.37	24.37	090	0	0	0	0	0
77783	26	Α	High intensity	5.01	5.01	090	0	0	0	0	0
77783	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0
77784		Α	High intensity	26.91	26.91	090	0	0	0	0	0
77784	26	Α	High intensity	7.55	7.55	090	0	0	0	0	0
77784	TC	Α	High intensity	19.36	19.36	090	0	0	0	0	0
77789		Α	Radioelement application	1.93	1.93	090	0	0	0	0	0
77789	26	Α	Radioelement application	1.50	1.50	090	0	0	0	0	0
77789	TC	Α	Radioelement application	0.43	0.43	090	0	0	0	0	0
77790		Α	Radioelement handling	1.92	1.92	XXX	0	0	0	0	0
77790	26	Α	Radioelement handling	1.44	1.44	XXX	0	0	0	0	0
77790	TC	Α	Radioelement handling	0.48	0.48	XXX	0	0	0	0	0
77799		C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
77799	26	C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
77799	TC	C	Radium/radioisotope	0.00	0.00	XXX	0	0	0	0	0
			<u>-</u>								

(33) Nuclear medicine, diagnostic:

78000		Α	Thyroid, single	1.19	1.19	XXX	0	0	0	0	0
78000	26	Α	Thyroid, single	0.26	0.26	XXX	0	0	0	0	0
78000	TC	Α	Thyroid, single	0.92	0.92	XXX	0	0	0	0	0
78001		Α	Thyroid, multiple	1.60	1.60	XXX	0	0	0	0	0
78001	26	Α	Thyroid, multiple	0.36	0.36	XXX	0	0	0	0	0
78001	TC	Α	Thyroid, multiple	1.24	1.24	XXX	0	0	0	0	0
78003		Α	Thyroid, suppression	1.38	1.38	XXX	0	0	0	0	0
78003	26	Α	Thyroid, suppression	0.46	0.46	XXX	0	0	0	0	0
78003	TC	Α	Thyroid, suppression	0.92	0.92	XXX	0	0	0	0	0
78006		Α	Thyroid imaging	2.95	2.95	XXX	0	0	0	0	0
78006	26	Α	Thyroid imaging	0.67	0.67	XXX	0	0	0	0	0
78006	TC	Α	Thyroid imaging	2.28	2.28	XXX	0	0	0	0	0
78007		Α	Thyroid imaging	3.15	3.15	XXX	0	0	0	0	0
78007	26	Α	Thyroid imaging	0.69	0.69	XXX	0	0	0	0	0
78007	TC	Α	Thyroid imaging	2.45	2.45	XXX	0	0	0	0	0
78010		Α	Thyroid imaging	2.27	2.27	XXX	0	0	0	0	0
78010	26	Α	Thyroid imaging	0.53	0.53	XXX	0	0	0	0	0
78010	TC	Α	Thyroid imaging	1.73	1.73	XXX	0	0	0	0	0
78011		Α	Thyroid imaging	2.92	2.92	XXX	0	0	0	0	0
78011	26	Α	Thyroid imaging	0.63	0.63	XXX	0	0	0	0	0
78011	TC	Α	Thyroid imaging	2.29	2.29	XXX	0	0	0	0	0
78015		Α	Thyroid metastases image	3.39	3.39	XXX	0	0	0	0	0
78015	26	Α	Thyroid metastases image	0.94	0.94	XXX	0	0	0	0	0
78015	TC	Α	Thyroid metastases image	2.45	2.45	XXX	0	0	0	0	0
78016		Α	Thyroid metastases image	4.47	4.47	XXX	0	0	0	0	0
78016	26	Α	Thyroid metastases image	1.14	1.14	XXX	0	0	0	0	0
78016	TC	Α	Thyroid metasteses image	3.32	3.32	XXX	0	0	0	0	0
78017		Α	Thyroid metasteses image	4.75	4.75	XXX	0	0	0	0	0
78017	26	Α	Thyroid metasteses image	1.20	1.20	XXX	0	0	0	0	0
78017	TC	Α	Thyroid metasteses image	3.55	3.55	XXX	0	0	0	0	0
78018		Α	Thyroid metasteses image	6.49	6.49	XXX	0	0	0	0	0
78018	26	Α	Thyroid, met imaging	1.31	1.31	XXX	0	0	0	0	0

78070		Α	Thyroid, met imaging Parathyroid nuclear	5.18 2.72	5.18 2.72	XXX XXX	0	0	0	0	0
78070			Parathyroid nuclear	0.99	0.99	XXX	0	0	0	0	0
78070	TC		Parathyroid nuclear	1.73	1.73	XXX	0	0	0	Ü	0
78075	26		Adrenal nuclear	6.20	6.20	XXX	0	0	0	U	Ü
78075 78075	26 TC		Adrenal nuclear	1.03	1.03 5.18	XXX	0	0	O O	0	0
78099	IC		Adrenal nuclear	5.18 0.00	0.00	XXX	0	0	0	0	0
78099	26		Endocrine, nuclear Endocrine, nuclear	0.00	0.00	XXX	0	0	0	0	0
78099			Endocrine, nuclear	0.00	0.00	VVV	0	0	0	0	0
10099	IC	C	Endocime, nuclear	0.00	0.00	$\Lambda\Lambda\Lambda$	U	U	U	υ	U

(34) Nuclear medicine, hematopoietic, reticuloendothelial and lymphatic system:

78102		Α	Bone marrow imaging	2.71	2.71	XXX	0	0	0	0	0
78102	26	Α	Bone marrow imaging	0.76	0.76	XXX	0	0	0	0	0
78102	TC	Α	Bone marrow imaging	1.95	1.95	XXX	0	0	0	0	0
78103		Α	Bone marrow imaging	4.06	4.06	XXX	0	0	0	0	0
78103	26	Α	Bone marrow imaging	1.04	1.04	XXX	0	0	0	0	0
78103	TC	Α	Bone marrow imaging	3.02	3.02	XXX	0	0	0	0	0
78104		Α	Bone marrow imaging	5.00	5.00	XXX	0	0	0	0	0
78104	26	Α	Bone marrow imaging	1.11	1.11	XXX	0	0	0	0	0
78104	TC	Α	Bone marrow imaging	3.89	3.89	XXX	0	0	0	0	0
78110		Α	Plasma volume	1.17	1.17	XXX	0	0	0	0	0
78110	26	Α	Plasma volume	0.26	0.26	XXX	0	0	0	0	0
78110	TC	Α	Plasma volume	0.90	0.90	XXX	0	0	0	0	0
78111		Α	Plasma volume	2.76	2.76	XXX	0	0	0	0	0
78111	26	Α	Plasma volume	0.31	0.31	XXX	0	0	0	0	0
78111	TC	Α	Plasma volume	2.45	2.45	XXX	0	0	0	0	0
78120		Α	Red cell mass, single	1.98	1.98	XXX	0	0	0	0	0
78120	26	Α	Red cell mass, single	0.33	0.33	XXX	0	0	0	0	0
78120	TC	Α	Red cell mass, single	1.65	1.65	XXX	0	0	0	0	0
78121		Α	Red cell mass, multiple	3.22	3.22	XXX	0	0	0	0	0
78121	26	Α	Red cell mass, multiple	0.45	0.45	XXX	0	0	0	0	0
78121	TC	Α	Red cell mass, multiple	2.77	2.77	XXX	0	0	0	0	0
78122		Α	Whole blood volume	5.01	5.01	XXX	0	0	0	0	0
78122	26	Α	Whole blood volume	0.62	0.62	XXX	0	0	0	0	0
78122	TC	Α	Whole blood volume	4.40	4.40	XXX	0	0	0	0	0
78130		Α	Red cell survival	3.57	3.57	XXX	0	0	0	0	0
78130	26	Α	Red cell survival	0.85	0.85	XXX	0	0	0	0	0
78130	TC	Α	Red cell survival	2.72	2.72	XXX	0	0	0	0	0
78135		Α	Red cell survival	5.53	5.53	XXX	0	0	0	0	0
78135	26	Α	Red cell survival	0.88	0.88	XXX	0	0	0	0	0
78135	TC	Α	Red cell survival	4.65	4.65	XXX	0	0	0	0	0
78140		Α	Red cell sequestration	4.60	4.60	XXX	0	0	0	0	0
78140	26	Α	Red cell sequestration	0.85	0.85	XXX	0	0	0	0	0
78140	TC	Α	Red cell sequestration	3.75	3.75	XXX	0	0	0	0	0
78160		Α	Plasma iron turnover	3.95	3.95	XXX	0	0	0	0	0
78160	26	Α	Plasma iron turnover	0.46	0.46	XXX	0	0	0	0	0
78160	TC	Α	Plasma iron turnover	3.49	3.49	XXX	0	0	0	0	0
78162		Α	Iron absorption	3.67	3.67	XXX	0	0	0	0	0
78162	26	Α	Iron absorption	0.62	0.62	XXX	0	0	0	0	0
78162	TC	Α	Iron absorption	3.05	3.05	XXX	0	0	0	0	0
78170		Α	Red cell iron use	5.63	5.63	XXX	0	0	0	0	0
78170	26	A	Red cell iron use	0.56	0.56	XXX	0	0	0	Õ	Ō
78170	TC	Α	Red cell iron use	5.06	5.06	XXX	0	0	0	0	Ŏ
78172	_	C	Total body iron	0.00	0.00	XXX	0	0	0	0	0
		-						-		-	-

78172	26	Α	Total body iron	0.74	0.74	XXX	0	0	0	0	0
78172	TC	C	Total body iron	0.00	0.00	XXX	0	0	0	0	0
78185		Α	Spleen imaging	2.81	2.81	XXX	0	0	0	0	0
78185	26	Α	Spleen imaging	0.55	0.55	XXX	0	0	0	0	0
78185	TC	Α	Spleen imaging	2.26	2.26	XXX	0	0	0	0	0
78190		Α	Platelet survival	6.95	6.95	XXX	0	0	0	0	0
78190	26	Α	Platelet survival	1.49	1.49	XXX	0	0	0	0	0
78190	TC	Α	Platelet survival	5.46	5.46	XXX	0	0	0	0	0
78191		Α	Platelet survival	7.84	7.84	XXX	0	0	0	0	0
78191	26	Α	Platelet survival	0.85	0.85	XXX	0	0	0	0	0
78191	TC	Α	Platelet survival	6.99	6.99	XXX	0	0	0	0	0
78195		Α	Lymph system imaging	5.31	5.31	XXX	0	0	0	0	0
78195	26		Lymph system imaging	1.43	1.43	XXX	0	0	0	0	0
78195	TC	Α	Lymph system imaging	3.89	3.89	XXX	0	0	0	0	0
78199		C	Blood/lymph, nuclear	0.00	0.00	XXX	0	0	0	0	0
78199	26	C	Blood/lymph, nuclear	0.00	0.00	XXX	0	0	0	0	0
78199	TC	C	Blood/lymph, nuclear	0.00	0.00	XXX	0	0	0	0	0

(35) Nuclear medicine, gastrointestinal system:

78201		Α	Liver imaging	2.86	2.86	XXX	0	0	0	0	0
78201	26	Α	Liver imaging	0.60	0.60	XXX	0	0	0	0	0
78201	TC	Α	Liver imaging	2.26	2.26	XXX	0	0	0	0	0
78202		Α	Liver imaging	3.46	3.46	XXX	0	0	0	0	0
78202	26	Α	Liver imaging	0.71	0.71	XXX	0	0	0	0	0
78202	TC	Α	Liver imaging	2.75	2.75	XXX	0	0	0	0	0
78205		Α	Liver imaging	6.63	6.63	XXX	0	0	0	0	0
78205	26	Α	Liver imaging	0.99	0.99	XXX	0	0	0	0	0
78205	TC	Α	Liver imaging	5.64	5.64	XXX	0	0	0	0	0
78215		Α	Liver and spleen imaging	3.47	3.47	XXX	0	0	0	0	0
78215	26	Α	Liver and spleen imaging	0.67	0.67	XXX	0	0	0	0	0
78215	TC	Α	Liver and spleen imaging	2.80	2.80	XXX	0	0	0	0	0
78216		Α	Liver and spleen imaging	4.11	4.11	XXX	0	0	0	0	0
78216	26	Α	Liver and spleen imaging	0.79	0.79	XXX	0	0	0	0	0
78216	TC	Α	Liver and spleen imaging	3.32	3.32	XXX	0	0	0	0	0
78220		Α	Liver function study	4.22	4.22	XXX	0	0	0	0	0
78220	26	Α	Liver function study	0.67	0.67	XXX	0	0	0	0	0
78220	TC	Α	Liver function study	3.55	3.55	XXX	0	0	0	0	0
78223		Α	Hepatobiliary imaging	4.66	4.66	XXX	0	0	0	0	0
78223	26	Α	Hepatobiliary imaging	1.16	1.16	XXX	0	0	0	0	0
78223	TC	Α	Hepatobiliary imaging	3.49	3.49	XXX	0	0	0	0	0
78230		Α	Salivary gland imaging	2.70	2.70	XXX	0	0	0	0	0
78230	26	Α	Salivary gland imaging	0.63	0.63	XXX	0	0	0	0	0
78230	TC	Α	Salivary gland imaging	2.08	2.08	XXX	0	0	0	0	0
78231		Α	Serial salivary imaging	3.75	3.75	XXX	0	0	0	0	0
78231	26	Α	Serial salivary imaging	0.73	0.73	XXX	0	0	0	0	0
78231	TC	Α	Serial salivary imaging	3.02	3.02	XXX	0	0	0	0	0
78232		Α	Salivary gland study	4.03	4.03	XXX	0	0	0	0	0
78232	26	Α	Salivary gland study	0.66	0.66	XXX	0	0	0	0	0
78232	TC	Α	Salivary gland study	3.37	3.37	XXX	0	0	0	0	0
78258		Α	Esophageal motion	3.78	3.78	XXX	0	0	0	0	0
78258	26	Α	Esophageal motion	1.03	1.03	XXX	0	0	0	0	0
78258	TC	Α	Esophageal motion	2.75	2.75	XXX	0	0	0	0	0
78261		Α	Gastric mucosa imaging	4.88	4.88	XXX	0	0	0	0	0
78261	26	Α	Gastric mucosa imaging	0.96	0.96	XXX	0	0	0	0	0
78261	TC	Α	Gastric mucosa imaging	3.91	3.91	XXX	0	0	0	0	0
			2 5								

78262		Α	Gastroesophageal study	5.00	5.00	XXX	0	0	0	0	0
78262	26	Α		0.94	0.94	XXX	0	0	0	0	0
78262	TC	Α	Gastroesophageal study	4.06	4.06	XXX	0	0	0	0	0
78264		Α	Gastric emptying study	5.02	5.02	XXX	0	0	0	0	0
78264	26	Α	Gastric emptying study	1.08	1.08	XXX	0	0	0	0	0
78264	TC	Α	Gastric emptying study	3.93	3.93	XXX	0	0	0	0	0
78270		Α	Vitamin B-12 absorption	1.76	1.76	XXX	0	0	0	0	0
78270	26	Α	Vitamin B-12 absorption	0.28	0.28	XXX	0	0	0	0	0
78270	TC	Α	Vitamin B-12 absorption	1.48	1.48	XXX	0	0	0	0	0
78271		Α	Vitamin B-12 absorption	1.86	1.86	XXX	0	0	0	0	0
78271	26	Α	Vitamin B-12 absorption	0.28	0.28	XXX	0	0	0	0	0
78271	TC	Α	Vitamin B-12 absorption	1.57	1.57	XXX	0	0	0	0	0
78272		Α	Vitamin B-12 absorption	2.60	2.60	XXX	0	0	0	0	0
78272	26	Α	Vitamin B-12 absorption	0.38	0.38	XXX	0	0	0	0	0
78272	TC	Α	Vitamin B-12 absorption	2.22	2.22	XXX	0	0	0	0	0
78278		Α	Acute GI blood loss	6.02	6.02	XXX	0	0	0	0	0
78278	26	Α	Acute GI blood loss	1.37	1.37	XXX	0	0	0	0	0
78278	TC	Α	Acute GI blood loss	4.65	4.65	XXX	0	0	0	0	0
78282		C	GI protein loss	0.00	0.00	XXX	0	0	0	0	0
78282	26	Α	GI protein loss	0.53	0.53	XXX	0	0	0	0	0
78282	TC	C	GI protein loss	0.00	0.00	XXX	0	0	0	0	0
78290		Α	Meckel's divert exam	3.84	3.84	XXX	0	0	0	0	0
78290	26	Α	Meckel's divert exam	0.94	0.94	XXX	0	0	0	0	0
78290	TC	Α	Meckel's divert exam	2.90	2.90	XXX	0	0	0	0	0
78291		Α	Shunt patency test	4.13	4.13	XXX	0	0	0	0	0
78291	26	Α	Shunt patency test	1.21	1.21	XXX	0	0	0	0	0
78291	TC	Α	Shunt patency test	2.92	2.92	XXX	0	0	0	0	0
78299		C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
78299	26	C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0
78299	TC	C	GI nuclear procedure	0.00	0.00	XXX	0	0	0	0	0

(36) Nuclear medicine, musculoskeletal system:

78300		Α	Bone imaging, limited	3.24	3.24	XXX	0	0	0	0	0
78300	26	Α	Bone imaging, limited	0.87	0.87	XXX	0	0	0	0	0
78300	TC	Α	Bone imaging, limited	2.38	2.38	XXX	0	0	0	0	0
78305			Bone imaging, multiple	4.65	4.65	XXX	0	0	0	0	0
78305	26	Α	Bone imaging, multiple	1.15	1.15	XXX	0	0	0	0	0
78305	TC	Α	Bone imaging, multiple	3.49	3.49	XXX	0	0	0	0	0
78306		Α	Bone imaging, whole body	5.27	5.27	XXX	2	0	0	0	0
78306	26	Α	Bone imaging, whole body	1.19	1.19	XXX	2	0	0	0	0
78306	TC	Α	Bone imaging, whole body	4.07	4.07	XXX	2	0	0	0	0
78315		Α	Bone imaging, three	5.95	5.95	XXX	0	0	0	0	0
78315	26	Α	Bone imaging, three	1.40	1.40	XXX	0	0	0	0	0
78315	TC		Bone imaging, three	4.56	4.56	XXX	0	0	0	0	0
78320			Bone imaging	7.06	7.06	XXX	2	0	0	0	0
78320	26	Α	Bone imaging	1.43	1.43	XXX	2	0	0	0	0
78320	TC	Α	Bone imaging	5.64	5.64	XXX	2	0	0	0	0
78350		Α	Bone mineral, study	1.03	1.03	XXX	0	0	0	0	0
78350	26	Α	Bone mineral, study	0.31	0.31	XXX	0	0	0	0	0
78350	TC	Α	Bone mineral, study	0.72	0.72	XXX	0	0	0	0	0
78351		N	Bone mineral, dual	0.00	0.00	XXX	9	9	9	9	9
78399		C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
78399	26	C	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0
78399	TC	С	Musculoskeletal procedure	0.00	0.00	XXX	0	0	0	0	0

(37) Nuclear medicine, cardiovascular system:

78414		С	Nonimaging heart	0.00	0.00	XXX	0	0	0	0	0
78414	26	Α	Nonimaging heart	0.62	0.62	XXX	0	0	0	0	0
78414	TC	C	Nonimaging heart	0.00	0.00	XXX	0	0	0	0	0
78428		Α	Cardiac shunt imaging	3.24	3.24	XXX	0	0	0	0	0
78428	26	Α	Cardiac shunt imaging	1.08	1.08	XXX	0	0	0	0	0
78428	TČ	A	Cardiac shunt imaging	2.15	2.15	XXX	Ŏ	ŏ	Ŏ	Õ	Ŏ
78445	10	A	Vascular flow imaging	2.47	2.47	XXX	ŏ	ŏ	ő	ŏ	ŏ
78445	26	A	Vascular flow imaging Vascular flow imaging	0.70	0.70	XXX	0	0	0	0	0
						XXX	0	0	0	0	
78445	TC	A	Vascular flow imaging	1,77	1.77		-	_			0
78455	26	Α	Venous thrombosis study	4.81	4.81	XXX	0	0	0	0	0
78455	26 TC	Α	Venous thrombosis study	1.01	1.01	XXX	0	0	0	0	0
78455	TC	A	Venous thrombosis study	3.80	3.80	XXX	0	0	0	0	0
78457		A	Venous thrombosis imaging	3.60	3.60	XXX	0	0	0	0	0
78457	26	A	Venous thrombosis imaging	1.06	1.06	XXX	0	0	0	0	0
78457	TC		Venous thrombosis imaging	2.54	2.54	XXX	0	0	0	0	0
78458		Α	Venous thrombosis imaging	5.07	5.07	XXX	0	2	0	0	0
78458	26	Α	Venous thrombosis imaging	1.24	1.24	XXX	0	2	0	0	0
78458	TC	Α	Venous thrombosis imaging	3.83	3.83	XXX	0	2	0	0	0
78459		I	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78459	26	Ι	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78459	TC	I	Heart muscle imaging	0.00	0.00	XXX	9	9	9	9	9
78460		Α	Heart muscle blood	3.45	3.45	XXX	0	0	0	0	0
78460	26	A	Heart muscle blood	1.19	1.19	XXX	0	Õ	0	Ŏ	Ō
78460	TC	A	Heart muscle blood	2.26	2.26	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
78461			Heart muscle blood	6.19	6.19	XXX	ő	ŏ	ő	ŏ	Ö
78461	26	A	Heart muscle blood	1.68	1.68	XXX	Ö	Ö	0	ŏ	Ö
78461	TC		Heart muscle blood	4.51	4.51	XXX	0	0	0	0	0
78464	ıc	A		8.24	8.24	XXX	0	0	0	0	0
78464	26		Heart image	1.49	1.49	XXX	0	0	0	ő	0
		A	Heart image	6.75	6.75		0				
78464	TC		Heart image			XXX		0	0	0	0
78465	06	A	Heart image	13.25	13.25	XXX	0	0	0	0	0
78465	26 TC	A	Heart image	2.01	2.01	XXX	0	0	0	0	0
78465	TC		Heart image	11.24	11.24	XXX	0	0	0	0	0
78466	•	A	Heart infarct image	3.47	3.47	XXX	0	0	0	0	0
78466	26	Α	Heart infarct image	0.96	0.96	XXX	0	0	0	0	0
78466	TC	Α	Heart infarct image	2.51	2.51	XXX	0	0	0	0	0
78468			Heart infarct image	4.59	4.59	XXX	0	0	0	0	0
78468	26		Heart infarct image	1.10	1.10	XXX	0	0	0	0	0
78468	TC	Α	Heart infarct image	3.49	3.49	XXX	0	0	0	0	0
78469		Α	Heart infarct image	6.25	6.25	XXX	0	0	0	0	0
78469	26	Α	Heart infarct image	1.26	1.26	XXX	0	0	0	0	0
78469	TC	Α	Heart infarct image	4.99	4.99	XXX	0	0	0	0	0
78472		Α	Gated heart	6.61	6.61	XXX	0	0	0	0	0
78472	26	Α	Gated heart	1.35	1.35	XXX	0	0	0	0	0
78472	TC	Α	Gated heart	5.26	5.26	XXX	0	0	0	0	0
78473		Α	Gated heart, multiple	9.89	9.89	XXX	0	0	0	0	0
78473	26	A	Gated heart, multiple	2.02	2.02	XXX	0	0	0	0	0
78473	TC	A	Gated heart, multiple	7.87	7.87	XXX	ŏ	ŏ	ŏ	ŏ	Ŏ
78478			Heart wall motion	2.34	2.34	XXX	Ö	0	0	0	0
78478	26		Heart wall motion	0.86	0.86	XXX	0	0	0	0	0
78478	TC	A	Heart wall motion	1.48	1.48	XXX	0	0	0	0	0
78480		A	Heart function	2.34	2.34	XXX	0	0	0	0	0
	26							-	0		
78480	26 TC	A	Heart function	0.86	0.86	XXX	0	0	- 1	0	0
78480	TC		Heart function	1.48	1.48	XXX	0	0	0	0	0
78481		Α	Heart first pass	6.34	6.34	XXX	0	0	0	0	0

5221.4030 FI	LES FOR MEDICAL SERVICE	EQ.						′	02
78481 TC A 78483 26 A 78483 TC A 78491 1 78491 26 1 78491 TC 1 78492 1 78492 26 1 78492 TC 1 78499 C	Heart image Heart image Heart image Heart image Heart image Cardiovascular procedure Cardiovascular procedure	1.35 4.99 9.52 2.02 7.50 0.00 0.00 0.00 0.00 0.00 0.00 0.00	1.35 4.99 9.52 2.02 7.50 0.00 0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 9 9 9 9 9 9 0 0	0 0 0 0 0 9 9 9 9 9 9 0 0	0 0 0 0 0 9 9 9 9 9 9 0 0	0 0 0 0 0 9 9 9 9 9 9 0 0	0 0 0 0 0 9 9 9 9 9 9 0 0
(38) Nuclear i	nedicine, respiratory system:								
78580 26 A 78580 TC A 78584 26 A 78584 TC A 78585 26 A 78585 TC A 78586 CA 78586 TC A 78587 TC A 78591 A 78591 A 78591 TC A 78593 TC A 78593 TC A 78594 A 78594 A 78594 A 78594 TC A 78596 A 78596 A 78596 TC A 78599 CA 78590 CA 78	Aerosol lung imaging Vent imaging, 1 breath Vent imaging, 1 breath Vent imaging, 1 pulse Vent imaging, multiple Vent imaging, multiple Vent imaging, multiple Lung differential Lung differential Lung differential	4.30 1.03 3.27 4.42 1.37 3.05 6.87 1.49 5.37 3.03 0.55 2.47 3.35 0.67 2.67 3.27 0.55 2.72 3.97 0.67 3.29 5.50 0.74 4.75 8.49 1.74 6.75 0.00 0.00	4.30 1.03 3.27 4.42 1.37 3.05 6.87 1.49 5.37 3.03 0.55 2.47 3.27 0.67 3.27 0.67 3.29 5.50 0.74 4.75 8.49 1.74 6.75 0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
(39) Nuclear r	nedicine, nervous system:								
78600 26 A 78600 TC A	Brain imaging Brain Itd imaging	3.36 0.61 2.75 3.96 0.72	3.36 0.61 2.75 3.96 0.72	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0

78601	TC	Α	Brain ltd imaging	3.24	3.24	XXX	0	0	0	0	0
78605		Α	Brain imaging	3.98	3.98	XXX	0	0	0	0	0
78605	26	Α	Brain imaging	0.74	0.74	XXX	0	0	0	0	0
78605	TC	Α	Brain imaging	3.24	3.24	XXX	0	0	0	0	0
78606		Α	Brain imaging	4.57	4.57	XXX	0	0	0	0	0
78606	26	Α	Brain imaging	0.88	0.88	XXX	0	0	0	0	0
78606	TC	Α	Brain imaging	3.69	3.69	XXX	0	0	0	0	0
78607		Α	Brain imaging	7.93	7.93	XXX	0	0	0	0	0
78607	26	Α	Brain imaging	1.68	1.68	XXX	0	0	0	0	0
78607	TC	Α	Brain imaging	6.25	6.25	XXX	0	0	0	0	0
78608		N	Brain imaging	0.00	0.00	XXX	9	9	9	9	9
78609		N	Brain imaging	0.00	0.00	XXX	9	9	9	9	9
78610		Α	Brain flow imaging	1.92	1.92	XXX	0	0	0	0	0
78610	26	Α	Brain flow imaging	0.42	0.42	XXX	0	0	0	0	0
78610	TC	Α	Brain flow imaging	1.50	1.50	XXX	0	0	0	0	0
78615		Α	Cerebral blood flow	4.25	4.25	XXX	0	0	0	0	0
78615	26	Α	Cerebral blood flow	0.58	0.58	XXX	0	0	0	0	0
78615	TC	Α	Cerebral blood flow	3.67	3.67	XXX	0	0	0	0	0
78630		Α	Cerebrospinal fluid flow	5.75	5.75	XXX	0	0	0	0	0
78630	26	Α	Cerebrospinal fluid flow	0.94	0.94	XXX	0	0	0	0	0
78630	TC	Α	Cerebrospinal fluid flow	4.81	4.81	XXX	0	0	0	0	0
78635		Α	CSF ventriculography	3.27	3.27	XXX	0	0	0	0	0
78635	26	Α	CSF ventriculography	0.85	0.85	XXX	0	0	0	0	0
78635	TC	Α	CSF ventriculography	2.43	2.43	XXX	0	0	0	0	0
78645	,	Α	CSF shunt evaluation	4.07	4.07	XXX	0	0	0	0	0
78645	26	Α	CSF shunt evaluation	0.79	0.79	XXX	0	0	0	0	0
78645	TC	Α	CSF shunt evaluation	3.27	3.27	XXX	0	0	0	0	0
78647		Α	Cerebrospinal	6.88	6.88	XXX	0	0	0	0	0
78647	26	Α	Cerebrospinal	1.25	1.25	XXX	0	0	0	0	0
78647	TC	Α	Cerebrospinal	5.64	5.64	XXX	0	0	0	0	0
78650		Α	CSF leakage imaging	5.27	5.27	XXX	0	0	0	0	0
78650	26	Α	CSF leakage imaging	0.85	0.85	XXX	0	0	0	0	0
78650	TC	Α	CSF leakage imaging	4.42	4.42	XXX	0	0	0	0	0
78660		Α	Nuclear exam	2.77	2.77	XXX	0	0	0	0	0
78660	26	Α	Nuclear exam	0.74	0.74	XXX	0	0	0	0	0
78660	TC	Α	Nuclear exam	2.02	2.02	XXX	0	0	0	0	0
78699		C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
78699	26	C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0
78699	TC	C	Nervous system procedure	0.00	0.00	XXX	0	0	0	0	0

(40) Nuclear medicine, genitourinary system:

78700		Α	Kidney imaging	3.52	3.52	XXX	0	0	0	0	0
78700	26	Α	Kidney imaging	0.62	0.62	XXX	0	0	0	0	0
78700	TC		Kidney imaging	2.90	2.90	XXX	0	0	0	0	0
78701		Α	Kidney imaging	4.06	4.06	XXX	0	0	0	0	0
78701	26	Α	Kidney imaging	0.67	0.67	XXX	0	0	0	0	0
78701	TC	Α	Kidney imaging	3.39	3.39	XXX	0	0	0	0	0
78704		Α	Imaging renogram	4.80	4.80	XXX	0	0	0	0	0
78704	26	Α	Imaging renogram	1.03	1.03	XXX	0	0	0	0	0
78704	TC	Α	Imaging renogram	3.77	3.77	XXX	0	0	0	0	0
78707		Α	Kidney flow and function	5.57	5.57	XXX	0	0	0	0	0
78707	26	Α	Kidney flow and function	1.31	1.31	XXX	0	0	0	0	0
78707	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78708		Α	Kidney flow and function	5.80	5.80	XXX	0	0	0	0	0
78708	26	Α	Kidney flow and function	1.54	1.54	XXX	0	0	0	0	0

78708	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78709		Α	Kidney flow and function	5.98	5.98	XXX	0	0	0	0	0
78709	26	Α	Kidney flow and function	1.72	1.72	XXX	0	0	0	0	0
78709	TC	Α	Kidney flow and function	4.26	4.26	XXX	0	0	0	0	0
78710		Α	Kidney imaging	6.55	6.55	XXX	0	0	0	0	0
78710	26	Α	Kidney imaging	0.92	0.92	XXX	0	0	0	0	0
78710	TC	Α	Kidney imaging	5.64	5.64	XXX	0	0	0	0	0
78715		Α	Renal vascular	1.92	1.92	XXX	0	0	0	0	0
78715	26	Α	Renal vascular	0.42	0.42	XXX	0	0	0	0	0
78715	TC	Α	Renal vascular	1.50	1.50	XXX	0	0	0	0	0
78725		Α	Kidney function study	2.23	2.23	XXX	0	0	0	0	0
78725	26	Α	Kidney function study	0.53	0.53	XXX	0	0	0	0	0
78725	TC	Α	Kidney function study	1.70	1.70	XXX	0	0	0	0	0
78726		D	Kidney function	4.02	4.02	XXX	0	0	0	0	0
78726	26	D	Kidney function	1.20	1.20	XXX	0	0	0	0	0
78726	TC	D	Kidney function	2.82	2.82	XXX	0	0	0	0	0
78727		D	Kidney transplant	5.18	5.18	XXX	0	0	0	0	0
78727	26	D	Kidney transplant	1.37	1.37	XXX	0	0	0	0	0
78727	TC	D	Kidney transplant	3.80	3.80	XXX	0	0	0	0	0
78730		Α	Urinary bladder study	1.88	1.88	XXX	0	0	0	0	0
78730	26	Α	Urinary bladder study	0.49	0.49	XXX	0	0	0	0	0
78730	TC	Α	Urinary bladder study	1.39	1.39	XXX	0	0	0	0	0
78740		Α	Ureteral reflux study	2.81	2.81	XXX	0	0	0	0	0
78740	26	Α	Ureteral reflux study	0.79	0.79	XXX	0	0	0	0	0
78740	TC	Α	Ureteral reflux study	2.02	2.02	XXX	0	0	0	0	0
78760		Α	Testicular imaging	3.47	3.47	XXX	0	0	0	0	0
78760	26	Α	Testicular imaging	0.91	0.91	XXX	0	0	0	0	0
78760	TC	Α	Testicular imaging	2.56	2.56	XXX	0	0	0	0	0
78761		Α	Testicular imaging	4.04	4.04	XXX	0	0	0	0	0
78761	26	Α	Testicular imaging	0.99	0.99	XXX	0	0	0	0	0
78761	TC	Α	Testicular imaging	3.05	3.05	XXX	0	0	0	0	0
78799		C	Genitourinary, nuclear	0.00	0.00	XXX	0	0	0	0	0
78799	26	C	Genitourinary, nuclear	0.00	0.00	XXX	0	0	0	0	0
78799	TC	C	Genitourinary, nuclear	0.00	0.00	XXX	0	0	0	0	0
			•								

(41) Nuclear medicine, other procedures:

78800		Α	Tumor imaging	4.15	4.15	XXX	0	0	0	0	0
78800	26	Α	Tumor imaging	0.91	0.91	XXX	0	0	0	0	0
78800	TC	Α	Tumor imaging	3.24	3.24	XXX	0	0	0	0	0
78801		Α	Tumor imaging	5.13	5.13	XXX	0	0	0	0	0
78801	26	Α	Tumor imaging	1.09	1.09	XXX	0	0	0	0	0
78801	TC	Α	Tumor imaging	4.04	4.04	XXX	0	0	0	0	0
78802		Α	Tumor imaging	6.47	6.47	XXX	2	0	0	0	0
78802	26	Α	Tumor imaging	1.19	1.19	XXX	2	0	0	0	0
78802	TC	Α	Tumor imaging	5.28	5.28	XXX	2	0	0	0	0
78803		Α	Tumor imaging	7.74	7.74	XXX	2	0	0	0	0
78803	26	Α	Tumor imaging	1.49	1.49	XXX	2	0	0	0	0
78803	TC	Α	Tumor imaging	6.25	6.25	XXX	2	0	0	0	0
78805		Α	Abscess imaging	4.25	4.25	XXX	0	0	0	0	0
78805	26	Α	Abscess imaging	1.01	1.01	XXX	0	0	0	0	0
78805	TC	Α	Abscess imaging	3.24	3.24	XXX	0	0	0	0	0
78806		Α	Abscess imaging	7.32	7.32	XXX	2	0	0	0	0
78806	26	Α	Abscess imaging	1.18	1.18	XXX	2	0	0	0	0
78806	TC	Α	Abscess imaging	6.14	6.14	XXX	2	0	0	0	0
78807		Α	Nuclear localization	7.74	7.74	XXX	2	0	0	0	0

78807	26	Α	Nuclear localization	1.49	1.49	XXX	2	0	0	0	0
78807	TC	Α	Nuclear localization	6.25	6.25	XXX	2	0	0	0	0
78810		N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78810	26	N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78810	TC	N	Tumor imaging	0.00	0.00	XXX	9	9	9	9	9
78890		В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
78890	26	В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
78890	TC	В	Nuclear medicine	0.00	0.00	XXX	9	9	9	9	9
78891		В	Nuclear medicine data	0.00	0.00	XXX	9	9	9	9	9
78891	26	В	Nuclear medicine data	0.00	0.00	XXX	9	9	9	9	9
78891	TC	В	Nuclear medicine data	0.00	0.00	XXX	9	9	9	9	9
78990		I	Provide diagnostic	0.00	0.00	XXX	9	9	9	9	9
78999		C	Nuclear diagnostic	0.00	0.00	XXX	0	0	0	0	0
78999	26	C	Nuclear diagnostic	0.00	0.00	XXX	0	0	0	0	0
78999	TC	C	Nuclear diagnostic	0.00	0.00	XXX	0	0	0	0	0

(42) Nuclear medicine, therapeutic:

79000		Α	Initial hyperthyroidism	4.99	4.99	XXX	0	0	0	0	0
79000	26	Α	Initial hyperthyroidism	2.48	2.48	XXX	0	0	0	0	0
79000	TC	Α	Initial hyperthyroidism	2.51	2.51	XXX	0	0	0	0	0
79001		Α	Repeat hyperthyroidism	2.68	2.68	XXX	0	0	0	0	0
79001	26	Α	Repeat hyperthyroidism	1.44	1.44	XXX	0	0	0	0	0
79001	TC	Α	Repeat hyperthyroidism	1.24	1.24	XXX	0	0	0	0	0
79020		Α	Thyroid ablation	5.00	5.00	XXX	0	0	0	0	0
79020	26	Α	Thyroid ablation	2.49	2.49	XXX	0	0	0	0	0
79020	TC	Α	Thyroid ablation	2.51	2.51	XXX	0	0	0	0	0
79030		Α	Thyroid ablation	5.40	5.40	XXX	0	0	0	0	0
79030	26	Α	Thyroid ablation	2.89	2.89	XXX	0	0	0	0	0
79030	TC	Α	Thyroid ablation	2.51	2.51	XXX	0	0	0	0	0
79035		Α	Thyroid metastases	5.98	5.98	XXX	0	0	0	0	0
79035	26	Α	Thyroid metastases	3.47	3.47	XXX	0	0	0	0	0
79035	TC	Α	Thyroid metastases	2.51	2.51	XXX	0	0	0	0	0
79100		Α	Hematopoetic nuclear	4.32	4.32	XXX	0	0	0	0	0
79100	26	Α	Hematopoetic nuclear	1.81	1.81	XXX	0	0	0	0	0
79100	TC	Α	Hematopoetic nuclear	2.51	2.51	XXX	0	0	0	0	0
79200		Α	Intracavitary nuclear	5.25	5.25	XXX	0	0	0	0	0
79200	26	Α	Intracavitary nuclear	2.74	2.74	XXX	0	0	0	0	0
79200	TC	Α	Intracavitary nuclear	2.51	2.51	XXX	0	0	0	0	0
79300		C	Interstitial nuclear	0.00	0.00	XXX	0	0	0	0	0
79300	26	Α	Interstitial nuclear	2.20	2.20	XXX	0	0	0	0	0
79300	TC	C	Interstitial nuclear	0.00	0.00	XXX	0	0	0	0	0
79400		Α	Nonhematologic nuclear	5.20	5.20	XXX	0	0	0	0	0
79400	26	Α	Nonhematologic nuclear	2.69	2.69	XXX	0	0	0	0	0
79400	TC	Α	Nonhematologic nuclear	2.51	2.51	XXX	0	0	0	0	0
79420		C	Intravascular nuclear	0.00	0.00	XXX	0	0	0	0	0
79420	26	Α	Intravascular nuclear	2.07	2.07	XXX	0	0	0	0	0
79420	TC	C	Intravascular nuclear	0.00	0.00	XXX	0	0	0	0	0
79440		Α	Nuclear joint therapy	5.25	5.25	XXX	0	0	0	0	0
79440	26	Α	Nuclear joint therapy	2.74	2.74	XXX	0	0	0	0	0
79440	TC	Α	Nuclear joint therapy	2.51	2.51	XXX	0	0	0	0	0
79900		C	Provide therapy	0.00	0.00	XXX	0	0	0	0	0
79999		C	Nuclear medicine	0.00	0.00	XXX	0	0	0	0	0
79999	26	C	Nuclear medicine	0.00	0.00	XXX	0	0	0	0	0
79999	TC	C	Nuclear medicine	0.00	0.00	XXX	0	0	0	0	0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

- G. For codes 80000 through 89999, see part 5221.4040.
- H. Procedure code numbers 90700 to 99199 relate to medical services.

1 2	3	4	5	6	7	8	9	10	11	12	

(1) Immu	ınizati	on injections:								
90281	I	Human ig, intramuscular	0.00	0.00	XXX	9	9	9	9	9
90283	I	Human ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90287	I	Botulinum antitoxin	0.00	0.00	XXX	9	9	9	9	9
90288	I	Botulism ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90291	Ī	Cmv ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90384	Ī	Rh ig, full-dose	0.00	0.00	XXX	9	9	9	9	9
90386	Ī	Rh ig, intravenous	0.00	0.00	XXX	9	9	9	9	9
90399	Ī	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
90700	Ē	DTaP immunization	0.00	0.00	XXX	9	9	9	9	9
90701	Ē	DTP immunization	0.00	0.00	XXX	ģ	9	9	ģ	9
90702	Ē	DT immunization	0.00	0.00	XXX	ģ	9	9	ģ	9
90703	Ē	Tetanus immunization	0.00	0.00	XXX	9	ģ	9	9	9
90704	Ē	Mumps immunization	0.00	0.00	XXX	9	9	9	9	9
90705	E	Measles immunization	0.00	0.00	XXX	9	9	9	9	9
90706	Ē	Rubella immunization	0.00	0.00	XXX	9	9	9	9	9
90707	E	MMR virus immunization	0.00	0.00	XXX	9	9	9	9	9
90708	Ē	Measles and rubella	0.00	0.00	XXX	9	9	9	9	9
90709	E	Rubella and mumps	0.00	0.00	XXX	9	9	9	9	9
90710	Ē	Combined vaccine	0.00	0.00	XXX	9	9	9	9	9
90711	Ē	Combined vaccine	0.00	0.00	XXX	9	9	9	9	9
90712	E	Oral poliovirus vaccine	0.00	0.00	XXX	9	9	9	9	9
90713	Ē	Poliomyelitis vaccine	0.00	0.00	XXX	9	9	9	9	9
90714	E	Typhoid immunization	0.00	0.00	XXX	9	9	9	9	9
90716	E	Chicken pox vaccine	0.00	0.00	XXX	9	9	9	9	9
90717	Ē	Yellow fever immunization	0.00	0.00	XXX	9	9	9	9	9
90718	E	Td immunization	0.00	0.00	XXX	9	9	9	9	9
90719	Ē	Diphtheria immunization	0.00	0.00	XXX	9	9	9	9	9
90720	E	DTP/HIB vaccine	0.00	0.00	XXX	9	9	9	9	9
90721	Ē	DTaP/HIB vaccine	0.00	0.00	XXX	9	9	9	9	9
90724	X	Influenza immunization	0.00	0.00	XXX	9	9	9	9	9
90725	Ë	Cholera immunization	0.00	0.00	XXX	9	ģ	ģ	9	9
90726	Ē	Rabies immunization	0.00	0.00	XXX	9	9	9	9	9
90727	Ē	Plague immunization	0.00	0.00	XXX	9	9	9	9	9
90728	Ē	BCG immunization	0.00	0.00	XXX	9	9	9	9	9
90730	Ē	Hepatitis A vaccine	0.00	0.00	XXX	9	9	9	9	9
90732	$\tilde{\mathbf{X}}$	Pneumococcal immunization	0.00	0.00	XXX	9	9	9	9	9
90733	Ē	Meningococcal vaccine	0.00	0.00	XXX	ģ	9	9	9	9
90735	Ē	Encephalitis vaccine	0.00	0.00	XXX	9	9	9	9	9
90737	Ē	Influenza B immunization	0.00	0.00	XXX	9	9	9	9	9
90741	Ē	Passive immunization	0.00	0.00	XXX	ģ	9	9	9	9
90742	\tilde{E}	Special passive	0.00	0.00	XXX	9	9	9	9	9
90744	$\bar{\mathbf{X}}$	Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90745	X	Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90746	X	Hepatitis B vaccine	0.00	0.00	XXX	ģ	9	9	9	9
90747	X	Hepatitis B vaccine	0.00	0.00	XXX	9	9	9	9	9
90748	X	Hepatitis B/HIB vaccine	0.00	0.00	XXX	ģ	9	9	9	9
90749	C	Immunization procedure	0.00	0.00	XXX	Ó	0	0	0	0
	_	p. 0				•	-	-	-	-

FEES FOR MEDICAL SERVICES 5221.4030

(2) Thomas		o an dia amaghia influsiona.								
(2) Therapo	eutic	c or diagnostic infusions:								
90780		IV infusion for therapy	1.07	1.07	XXX	0	0	0	0	0
90781	A	IV infusion, additional	0.53	0.53	XXX	0	0	0	0	0
(3) Therape	eutic	or diagnostic injections:								
` ' '		,								
90782	T	Injection (SC)	0.10	0.10	XXX	0	0	0	0	0
90783 90784	T T	Injection (IA) Injection (IV)	0.39 0.46	0.39 0.46	XXX XXX	$0 \\ 0$	$0 \\ 0$	0	$0 \\ 0$	$0 \\ 0$
9078 4 90788	T	Injection (IV)	0.40	0.40	XXX	0	0	0	0	0
90799	Ċ	Therapeutic/diagnostic	0.00	0.00	XXX	ő	0	ő	ő	0
(4) Psychia	trv.	diagnostic or evaluative interviev	v proced	dures:						
(1) 10) 4	•	_	Proces							
90801		Diagnostic interview	3.24	3.24	XXX	0	0	0	0	0
90802	Α	Interactive interview	3.13	3.13	XXX	0	0	0	0	0
(5) Psychia	try,	therapeutic procedures, office or	r other o	outpatio	ent facili	ty:				
90804	٨	Daughothorony office	1 27	1.37	XXX	0	Ω	0	Ω	Ω
90804	A	Psychotherapy, office Psychotherapy, office	1.37 1.70	1.70	XXX	0	0	0	$0 \\ 0$	0 0
90806	A	Psychotherapy, office	2.14	2.14	XXX	ŏ	ŏ	ŏ	0	ő
90807		Psychotherapy, office	2.38	2.38	XXX	ŏ	Ŏ	ŏ	Ŏ	Ö
90808	Α	Psychotherapy, office	3.60	3.60	XXX	0	0	0	0	0
90809		Psychotherapy, office	3.96	3.96	XXX	0	0	0	0	0
90810		Interactive, office	1.70	1.70	XXX	0	0	0	0	0
90811		Interactive, office	2.05	2.05	XXX	0	0	0	0	0
90812 90813		Interactive, office Interactive, office	2.31 2.57	2.31 2.57	XXX XXX	0	0	0	$0 \\ 0$	$0 \\ 0$
90814		Interactive, office	3.32	3.32	XXX	0	.0	0	0	0
90815		Interactive, office	3.70	3.70	XXX	0	0	ő	0	0
		.,								
(6) Psychia	t es	therapeutic procedures, inpatien	ıt hoenit	al nari	ial hoen	ital	0.	reci	dont	ial
care facility		incrapeutic procedures, inpatien	н позри	ai, pai	nai nosp	ııaı,	O1	CSIC	JCIII	iai
00046		D	4.40	4 40		•		^	•	
90816	A	Psychotherapy, hospital	1.49	1.49	XXX	0	0	0	0	0
90817 90818	A A	Psychotherapy, hospital Psychotherapy, hospital	1.86 2.33	1.86 2.33	XXX XXX	0	$0 \\ 0$	0	$0 \\ 0$	$0 \\ 0$
90819	A	Psychotherapy, hospital	2.60	2.60	XXX	0	0	ő	0	0
90820	D	Diagnostic interview	3.13	3.13	XXX	0	ŏ	ŏ	ŏ	ŏ
90821	Α	Psychotherapy, hospital	3.90	3.90	XXX	0	0	0	0	0
90822	Α	Psychotherapy, hospital	4.30	4.30	XXX	0	0	0	0	0
90823	Α	Interactive, hospital	1.83	1.83	XXX	0	0	0	0	0
90824	A	Interactive, hospital	2.23	2.23	XXX	0	0	0	0	0
90825 90826	D A	Evaluation of therapy Interactive, hospital	1.20 2.51	1.20 2.51	XXX XXX	9 0	9 0	9 0	9 0	9 0
90820	A	Interactive, hospital	2.81	2.81	XXX	0	0	0	0	0
90828	A	Interactive, hospital	3.63	3.63	XXX	ŏ	ŏ	ŏ	ő	ő
90829	Α	Interactive, hospital	4.07	4.07	XXX	0	0	0	0	0
90835	D	Special interview	3.10	3.10	XXX	0	0	0	0	0
90841	D	Psychotherapy	0.00	0.00	XXX	9	9	9	9	9

MINNESOTA RULES 2005

5221.4030	FE	ES FOR MEDICAL SERVICE	ES						7	08
90842 90843 90844	D D D	Psychotherapy Psychotherapy Psychotherapy	3.94 1.70 2.38	3.94 1.70 2.38	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
(7) Psychia	try,	therapeutic procedures, other p	sychoth	erapy:						
90845 90846 90847 90849 90853 90855 90857	R R R A	Psychoanalysis Family psychotherapy Family psychotherapy Multiple family Group psychotherapy Individual psychotherapy Interactive group	2.05 2.30 2.61 0.80 0.80 2.57 0.73	2.05 2.30 2.61 0.80 0.80 2.57 0.73	XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
(8) Psychia	try,	therapeutic procedures, other s	ervices o	or proce	dures:					
90862 90865 90870 90871 90875 90886 90882 90882 90885 90887 90889	A A N N A	Medication management Narcosynthesis Electroconvulsive therapy Electroconvulsive therapy Psychophysiology therapy Psychophysiology therapy Hypnotherapy Environmental management Psychiatric evaluation Consultation Prepare report Psychiatric service	1.25 3.10 2.28 3.34 1.09 1.72 2.64 0.00 0.00 0.00 0.00	1.25 3.10 2.28 3.34 1.09 1.72 2.64 0.00 0.00 0.00 0.00	XXX XXX 000 000 XXX XXX XXX XXX XXX XXX	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9	0 0 0 0 9 9 0 9 9 9 9	0 0 0 0 9 9 0 9 9 9
(9) Biofeed	lbac	k:								
90901 90911	A A	Biofeedback training Biofeedback, perineal	1.35 2.05	1.35 2.05	000	0	0 0	0	0	0
(10) Dialys	is, e	nd stage renal disease services:								
90918 90919 90920 90921 90922 90923 90924 90925	A A A	ESRD related services	12.34 9.95 8.79 6.25 0.41 0.33 0.29 0.21	12.34 9.95 8.79 6.25 0.41 0.33 0.29 0.21	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
(11) Dialys	is, h	emodialysis:								
90935 90937	A A	Hemodialysis, one Hemodialysis, repeated	2.46 4.26	2.46 4.26	000 000	0	0	0	0	0

(12) Dia	alysis,	miscel.	laneous	procedures:
----------	---------	---------	---------	-------------

90945	A Dialysis, one evaluation	2.43	2.43	000	0	0	0	0	0
90947	A Dialysis, repeated	4.06	4.06	000	0	0	0	0	0
90989	X Dialysis training	0.00	0.00	XXX	9	9	9	9	9
90993	X Dialysis training	0.00	0.00	XXX	9	9	9	9	9
90997	A Hemoperfusion	3.71	3.71	000	0	0	0	0	0
90999	C Dialysis procedure	0.00	0.00	XXX	0	0	0	0	0

(13) Gastroenterology:

91000		Α	Esophageal intubation	1.33	1.33	000	0	0	0	0	0
91000	26	Α	Esophageal intubation	1.26	1.26	000	0	0	0	0	0
91000	TC	Α	Esophageal intubation	0.07	0.07	000	0	0	0	0	0
91010		Α	Esophagus motility study	3.32	3.32	000	0	0	0	0	0
91010	26	Α	Esophagus motility study	2.53	2.53	000	0	0	0	0	0
91010	TC	Α	Esophagus motility study	0.79	0.79	000	0	0	0	0	0
91011		Α	Esophagus motility study	4.00	4.00	000	0	0	0	0	0
91011	26	Α	Esophagus motility study	3.02	3.02	000	0	0	0	0	0
91011	TC	Α	Esophagus motility study	0.99	0.99	000	0	0	0	0	0
91012		Α	Esophagus motility study	4.07	4.07	000	0	0	0	0	0
91012	26	Α	Esophagus motility study	2.96	2.96	000	0	0	0	0	0
91012	TC	Α		1.11	1.11	000	0	0	0	0	0
91020		Α	Gastric motility studies	3.64	3.64	000	0	0	0	0	0
91020	26	Α	Gastric motility studies	2.90	2.90	000	0	0	0	0	0
91020	TC	Α	Gastric motility studies	0.74	0.74	000	0	0	0	0	0
91030		Α	Acid perfusion test	1.39	1.39	000	0	0	0	0	0
91030	26	Α	Acid perfusion test	1.18	1.18	000	0	0	0	0	0
91030	TC	Α	Acid perfusion test	0.21	0.21	000	0	0	0	0	0
91032		Α	Esophagus, acid reflux	3.08	3.08	000	0	0	0	0	0
91032	26	Α	Esophagus, acid reflux	2.36	2.36	000	0	0	0	0	0
91032	TC	Α	Esophagus, acid reflux	0.72	0.72	000	0	0	0	0	0
91033			Prolonged recording	3.94	3.94	000	0	0	0	0	0
91033	26	Α	Prolonged recording	2.64	2.64	000	0	0	0	0	0
91033	TC	Α	Prolonged recording	1.30	1.30	000	0	0	0	0	0
91052		Α	Gastric analysis test	1.55	1.55	000	0	0	0	0	0
91052	26	Α	Gastric analysis test	1.22	1.22	000	0	0	0	0	0
91052	TC	Α	Gastric analysis test	0.33	0.33	000	0	0	0	0	0
91055		Α	Gastric intubation	1.66	1.66	000	0	0	0	0	0
91055	26	Α	Gastric intubation	1.37	1.37	000	0	0	0	0	0
91055	TC	Α	Gastric intubation	0.29	0.29	000	0	0	0	0	0
91060		Α	Gastric saline load test	1.13	1.13	000	0	0	0	0	0
91060	26	Α	Gastric saline load test	0.91	0.91	000	0	0	0	0	0
91060	TC	Α	Gastric saline load test	0.21	0.21	000	0	0	0	0	0
91065		Α	Breath hydrogen test	0.75	0.75	000	0	0	0	0	0
91065	26	Α	Breath hydrogen test	0.41	0.41	000	0	0	0	0	0
91065	TC	Α	Breath hydrogen test	0.34	0.34	000	0	0	0	0	0
91100		Α	Pass intestine	1.55	1.55	000	0	0	0	0	0
91105		Α	Gastric intubation	0.75	0.75	000	0	0	0	0	0
91122		Α	Anal pressure	3.40	3.40	000	0	0	0	0	0
91122	26	Α	Anal pressure	2.70	2.70	000	0	0	0	0	0
91122	TC	Α	Anal pressure	0.70	0.70	000	0	0	0	0	0
91299	-	C	Gastroenterology	0.00	0.00	XXX	ŏ	0	Ö	Ŏ	ŏ
91299	26	Č	Gastroenterology	0.00	0.00	XXX	Ŏ	Ŏ	Õ	Ō	Ŏ
91299	TC	Č	Gastroenterology	0.00	0.00		. 0	ŏ	Õ	Ŏ	ŏ
	_	-					-	-			-

(14) Opl	hthalm	ology, general services:								
92002 92004 92012 92014	A A	Eye exam, new patient Eye exam, new patient Established patient Established patient	1.28 2.08 1.04 1.53	1.05 1.80 0.83 1.27	XXX XXX XXX XXX	0 0 0 0	2 2 2 2	0 0 0 0	0 0 0 0	0 0 0 0
(15) Opł	hthalm	ology, special services:								
92060 5 92065 92065 92070 92081 92081 92082 92082 92082 92083 92083	Α	Eye exam and evaluation Eye exam and treatment Special eye evaluation Special eye evaluation Special eye evaluation Special eye evaluation Orthoptic/pleoptic train Orthoptic/pleoptic train Orthoptic/pleoptic train Fitting of contact lens Visual field examination	0.00 1.84 1.66 0.62 1.01 0.83 0.18 0.69 0.53 0.15 1.83 0.64 0.50 0.14 0.88 0.69 0.19 1.28 1.00 0.28 1.05 1.05 1.05 1.05 1.05 1.05 1.05 1.05	0.00 1.84 1.43 0.48 1.01 0.83 0.18 0.69 0.53 0.15 1.25 0.64 0.50 0.14 0.88 0.69 0.19 1.28 1.00 0.28 0.96 0.90 0.98 0.60	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(16) Opł	hthalm	ology, ophthalmoscopy:								
92235 7 92240 92240 7 92240 7 92250 92250 2	26 A TC A 26 A TC A A 26 A	Special eye examination Eye exam with report Eye exam with report Eye exam with report Eye exam with report ICG angiography ICG angiography ICG angiography Eye exam with report Eye exam with report Eye exam with report Eye exam with report	0.79 0.70 1.23 2.31 1.32 0.99 2.57 1.59 0.99 0.82 0.65 0.17 0.72	0.57 0.50 0.90 2.31 1.32 0.99 2.57 1.59 0.99 0.82 0.65 0.17 0.46	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0	3 3 3 3 3 3 3 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
(17) Oph	hthalm	ology, other specialized services:								
92265 92265	26 A	Eye muscle evaluation Eye muscle evaluation	1.03 0.80	1.03 0.80	XXX XXX	0	2	0	$0 \\ 0$	0

711			FEES	S FOR MEDICAL SERVICES					5 5221.4030			
92265	TC	Α	Eye muscle evaluation	0.22	0.22	XXX	0	2	0	0	0	
92270			Electro-oculography	1.41		XXX	0	2	0	0	0	
92270	26		Electro-oculography	1.11	1.11	XXX	0	2	0	0	0	
92270	TC		Electro-oculography	0.30		XXX	0	2	0	0	0	
92275			Electroretinography	1.81		XXX	0	2	0	0	0	
92275	26		Electroretinography	1.43		XXX	0	2	0	0	0	
92275	TC		Electroretinography	0.39	0.39	XXX	0	2	0	0	0	
92283			Color vision examination	0.44	0.44	XXX	0	2	0	0	0	
92283	26	Α	Color vision examination	0.32	0.32	XXX	0	2	0	0	0	
92283	TC	Α	Color vision examination	0.12	0.12	XXX	0	2	0	0	0	
92284		Α	Dark adaptation exam	0.66	0.66	XXX	0	2	0	0	0	
92284	26		Dark adaptation exam	0.49		XXX	0	2	0	0	0	
92284	TC	Α	Dark adaptation exam	0.17		XXX	0	2	0	0	0	
92285		Α	, i	0.47		XXX	0	2	0	0	0	
92285	26		Eye photography	0.36		XXX	0	2	0	0	0	
92285	TC		Eye photography	0.11		XXX	0	2	0	0	0	
92286			<i>j</i> 1	1.82		XXX	0	2	0	0	0	
92286	26		Internal eye photography	1.43		XXX	0	2	0	0	0	
92286	TC		Internal eye photography	0.39		XXX	0	2	0	0	0	
92287		A	Internal eye photography	2.25	1.51	XXX	0	2	0	0	0	
(18) O	phtha	ılm	ology, contact lens services:									
92310		N	Contact lens fitting	0.00	0.00	XXX	9	9	9	9	9	
92311		Α	Contact lens fitting	1.87	1.43	XXX	0	0	0	0	0	
92312		Α	Contact lens fitting	2.28	1.72	XXX	0	2	0	0	0	
92313		Α	Contact lens fitting	1.70	1.28	XXX	0	0	0	0	0	
92314		N	Prescription	0.00	0.00	XXX	9	9	9	9	9	
92315		Α	1	1.06	0.74	XXX	0	0	0	0	0	
92316		Α	Prescription	1.56		XXX	0	2	0	0	0	
92317		Α	Prescription	0.80		XXX	0	0	0	0	0	
92325		Α	Modify contact lens	0.37		XXX	0	0	0	0	0	
92326		Α	Replace contact lens	1.54	1.54	XXX	0	0	0	0	0	
(19) O	phtha	alm	ology, ocular prosthetics, artific	cial eye	:							
92330		A	Fitting, artificial eye	2.12		XXX	0	0	0	0	0	
92335		Α	Fitting, artificial eye	2.37	1.42	XXX	0	0	0	0	0	
(20) O	phtha	alm	ology, spectacle services:									
92340		N	Fitting spectacles	0.00	0.00	XXX	9	9	9	9	9	
92341		N	Fitting spectacles	0.00		XXX	9	9	9	9	9	
92342		N	Fitting spectacles	0.00		XXX	9	9	9	9	9	
92352		В	Special spectacles	0.00		XXX	9	9	9	9	9	
92353		В	Special spectacles	0.00		XXX	9	9	9	9	9	
92354		В	Special spectacles	0.00		XXX	9	9	9	9	9	
92355		В	Special spectacles	0.00		XXX	9	9	9	9	9	
92358		В	Eye prosthesis	0.00		XXX	9	9	9	9	9	
92370		N	Repair and adjustment	0.00		XXX	9	9	9	9	9	
92371		В	Repair and adjustment	0.00	0.00	XXX	9	9	9	9	9	

(21) Op	hthaln	nology, supply of materials:								
92390 92391 92392 92393 92395 92396	N I I I	Supply of contact lenses Supply of low vision aids Supply of artificial eye Supply of spectacles	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	XXX XXX XXX XXX XXX XXX	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9	9 9 9 9 9
(22) Op	hthaln	nology, other procedures:								
	26 C	Eye service or procedure	$0.00 \\ 0.00 \\ 0.00$	0.00 0.00 0.00	XXX XXX XXX	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$
(23) Spe	ecial o	torhinolaryngologic services:								
92502 92504 92506 92507 92508 92510 92511 92512 92516 92520 92525 92526	A A A A A A A A A A	Ear microscopy Speech and hearing Speech and hearing Speech and hearing Rehab for ear Nasopharyngoscopy Nasal function studies Facial nerve function Laryngeal function Oral function evaluation Oral function treatment	2.52 0.43 1.31 0.81 0.42 2.76 1.63 0.98 0.79 1.23 2.41 0.98	2.52 0.30 1.06 0.65 0.33 2.10 1.22 0.75 0.60 0.97 1.92 0.75	000 XXX XXX XXX XXX 000 XXX XXX XXX XXX	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
					•					
92531 92532 92533 92534	B B	Positional nystagmus Caloric vestibular test	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	XXX XXX XXX XXX	9 9 9 9	9 9 9	9 9 9	9 9 9	9 9 9
(25) Spe medical	cial or diagno	torhinolaryngologic services, ve ostic evaluation:	estibular fu	unction	tests, w	ith 1	reco	rdin	ıg, a	nd
92541 92542 92542 92542 92543 92543 92543 92544 92544	26 A TC A 26 A TC A 26 A TC A 26 A TC A 26 A	Spontaneous nystagmus Spontaneous nystagmus Positional nystagmus test Positional nystagmus test Positional nystagmus test Caloric vestibular test Caloric vestibular test Caloric vestibular test Caloric vestibular test Optokinetic nystagmus Optokinetic nystagmus	1.05 0.83 0.22 0.93 0.67 0.26 0.30 0.20 0.10 0.72 0.51	1.05 0.83 0.22 0.93 0.67 0.26 0.30 0.20 0.10 0.72	XXX XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 9 9 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
	92390 92391 92392 92393 92395 92396 (22) Op 92499 92499 92499 92499 (23) Spe 92502 92504 92506 92507 92510 92511 92512 92516 92520 92525 92526 (24) Spe and eval 92531 92532 92534 92534 92541 92541 92542 92542 92542 92543 92543 92544	92390 N 92391 N 92392 I 92393 I 92395 I 92396 I 92396 I 92396 I (22) Ophthalm 92499 C 92499 TC C (23) Special of 92502 A 92504 A 92506 A 92506 A 92507 A 92508 A 92510 A 92511 A 92512 A 92512 A 92512 A 92514 A 92512 A 92513 B 92520 A 92520 A 92520 A 92531 B 92532 B 92533 B 92534 B (25) Special of medical diagnormal of 92541 TC A 92542 A 92542 TC A 92543 A 92543 TC A 92544 A 92544 A 92544 A 92544 A	92391 N Supply of contact lenses 92392 I Supply of low vision aids 92393 I Supply of artificial eye 92395 I Supply of spectacles 92396 I Supply of spectacles 92396 I Supply of contact lenses (22) Ophthalmology, other procedures: 92499 C Eye service or procedure 92499 26 C Eye service or procedure 92499 TC C Eye service or procedure 92499 TC C Eye service or procedure 92502 A Ear and throat exam 92504 A Ear microscopy 92506 A Speech and hearing 92507 A Speech and hearing 92508 A Speech and hearing 92510 A Rehab for ear 92511 A Nasopharyngoscopy 92512 A Nasal function studies 92513 A Facial nerve function 92525 A Oral function evaluation 92526 A Oral function treatment (24) Special otorhinolaryngologic services, and evaluation by physician, without electrical 92531 B Spontaneous nystagmus 92532 B Positional nystagmus 92533 B Caloric vestibular test 92534 B Optokinetic nystagmus 92534 A Positional nystagmus test 92541 A Spontaneous nystagmus 92542 A Positional nystagmus test 92543 C A Caloric vestibular test 92544 TC A Spontaneous nystagmus test 92545 TC A Positional nystagmus test 92546 A Caloric vestibular test 92547 A Caloric vestibular test 92548 A Caloric vestibular test 92549 TC A Positional nystagmus test 92540 A Caloric vestibular test 92541 TC A Positional nystagmus test 92542 A Positional nystagmus test 92543 A Caloric vestibular test 92544 A Optokinetic nystagmus 92544 A Optokinetic nystagmus	92390 N Supply of spectacles 0.00 92391 N Supply of contact lenses 0.00 92392 I Supply of low vision aids 0.00 92393 I Supply of artificial eye 0.00 92395 I Supply of spectacles 0.00 92396 I Supply of spectacles 0.00 92397 I Supply of contact lenses 0.00 92398 I Supply of spectacles 0.00 92399 C Eye service or procedure 0.00 92499 C Eye service or procedure 0.00 92499 TC C Eye service or procedure 0.00 92499 TC C Eye service or procedure 0.00 92499 TC C Eye service or procedure 0.00 92500 A Ear and throat exam 2.52 92501 A Ear microscopy 0.43 92506 A Speech and hearing 1.31 92507 A Speech and hearing 0.81 92508 A Speech and hearing 0.81 92509 A Rehab for ear 2.76 92511 A Nasopharyngoscopy 1.63 92512 A Nasal function studies 0.98 92514 A Facial nerve function 0.79 92520 A Laryngeal function 1.23 92520 A Laryngeal function 1.23 92521 A Oral function evaluation 2.41 92526 A Oral function evaluation 2.41 92526 A Oral function treatment 0.98 (24) Special otorhinolaryngologic services, vestibular and evaluation by physician, without electrical recordin 1.92 92531 B Spontaneous nystagmus 0.00 92531 B Spontaneous nystagmus 0.00 92531 B Optokinetic nystagmus 0.00 92534 B Optokinetic nystagmus 0.00 92534 B Optokinetic nystagmus 0.83 92541 TC A Spontaneous nystagmus 0.83 92541 TC A Spontaneous nystagmus test 0.93 92542 A Positional nystagmus test 0.93 92543 A Caloric vestibular test 0.30 92543 A Caloric vestibular test 0.26 92544 C A Positional nystagmus test 0.67 92545 TC A Positional nystagmus test 0.26 92546 A Caloric vestibular test 0.20 92547 TC A Caloric vestibular test 0.20 92548 TC A Caloric vestibular test 0.20 92549 TC A Caloric vestibular test 0.20 92540 A Caloric vestibular test 0.20 92541 TC A Caloric vestibular test 0.20 92542 TC A Positional nystagmus test 0.26 92543 TC A Caloric vestibular test 0.20 92544 TC A Caloric vestibular test 0.20	92390 N Supply of spectacles 0.00 0.00 92391 N Supply of contact lenses 0.00 0.00 92392 I Supply of low vision aids 0.00 0.00 92393 I Supply of artificial eye 0.00 0.00 92393 I Supply of spectacles 0.00 0.00 0.00 92396 I Supply of spectacles 0.00 0.00 0.00 92396 I Supply of spectacles 0.00 0.00 0.00 92396 I Supply of contact lenses 0.00 0.00 0.00 (22) Ophthalmology, other procedures: 92499 C Eye service or procedure 0.00 0.00 92499 26 C Eye service or procedure 0.00 0.00 0.00 92499 TC C Eye service or procedure 0.00 0.00 0.00 (23) Special otorhinolaryngologic services: 92502 A Ear and throat exam 2.52 2.52 92504 A Ear microscopy 0.43 0.30 0.30 92506 A Speech and hearing 1.31 1.06 92507 A Speech and hearing 0.81 0.65 92508 A Speech and hearing 0.42 0.33 92510 A Rehab for ear 2.76 2.10 92511 A Nasopharyngoscopy 1.63 1.22 92512 A Nasal function studies 0.98 0.75 92512 A Nasal function studies 0.98 0.75 92526 A Cral function evaluation 2.41 1.92 92526 A Oral function evaluation 2.41 1.92 92526 A Oral function treatment 0.98 0.75 (24) Special otorhinolaryngologic services, vestibular function devaluation by physician, without electrical recording: 92531 B Spontaneous nystagmus 0.00 0.00 92532 B Positional nystagmus 0.00 0.00 92534 B Optokinetic nystagmus 0.00 0.00 92541 A Spontaneous nystagmus 0.00 0.00 92534 B Optokinetic nystagmus etest 0.93 0.93 92542 26 A Positional nystagmus test 0.93 0.93 92542 TC A Spontaneous nystagmus test 0.93 0.93 92542 26 A Positional nystagmus test 0.93 0.93 92542 TC A Positional nystagmus test 0.93 0.93 92542 26 A Positional nystagmus test 0.96 0.26 92543 A Caloric vestibular test 0.00 0.00 92544 A Caloric vestibular test 0.00 0.00 0.00 92544 A Caloric vestibular test 0.20 0.20 92544 A Caloric vestibular test 0.20 0.20 92544 A Optokinetic nystagmus 0.51 0.51 0.51	92390 N Supply of spectacles 0.00 0.00 XXX 92391 N Supply of contact lenses 0.00 0.00 XXX 92392 I Supply of low vision aids 0.00 0.00 XXX 92393 I Supply of spectacles 0.00 0.00 0.00 XXX 92395 I Supply of spectacles 0.00 0.00 0.00 XXX 92396 I Supply of spectacles 0.00 0.00 0.00 XXX 92396 I Supply of spectacles 0.00 0.00 XXX 92396 I Supply of spectacles 0.00 0.00 XXX 92396 I Supply of spectacles 0.00 0.00 XXX 92396 I Supply of contact lenses 0.00 0.00 XXX 92396 I Supply of contact lenses 0.00 0.00 XXX 92499 C Eye service or procedure 0.00 0.00 XXX 92499 TC C Eye service or procedure 0.00 0.00 XXX 92499 TC C Eye service or procedure 0.00 0.00 XXX 92499 TC C Eye service or procedure 0.00 0.00 XXX 92499 TC C Eye service or procedure 0.00 0.00 XXX 92506 A Specch and hearing 1.31 1.06 XXX 92506 A Speech and hearing 0.81 0.65 XXX 92508 A Speech and hearing 0.81 0.65 XXX 92510 A Rehab for ear 2.76 2.10 XXX 92511 A Nasopharyngoscopy 1.63 1.22 000 92512 A Nasal function studies 0.98 0.75 XXX 92512 A Nasal function studies 0.98 0.75 XXX 92520 A Laryngeal function 1.23 0.97 XXX 92520 A Laryngeal function 1.23 0.97 XXX 92520 A Laryngeal function 1.23 0.97 XXX 92526 A Oral function evaluation 2.41 1.92 XXX 92532 B Positional nystagmus 0.00 0.00 XXX 92533 B Caloric vestibular test 0.00 0.00 XXX 92531 B Spontaneous nystagmus 0.00 0.00 XXX 92531 B Spontaneous nystagmus 0.00 0.00 XXX 92531 B Optokinetic nystagmus 0.00 0.00 XXX 92531 A Special otorhinolaryngologic services, vestibular function tests, and evaluation by physician, without electrical recording:	92390 N Supply of spectacles 0.00 0.00 XXX 9 92391 N Supply of contact lenses 0.00 0.00 XXX 9 92392 I Supply of low vision aids 0.00 0.00 XXX 9 92393 I Supply of artificial eye 0.00 0.00 XXX 9 92395 I Supply of spectacles 0.00 0.00 XXX 9 92396 I Supply of contact lenses 0.00 0.00 XXX 9 92396 I Supply of contact lenses 0.00 0.00 XXX 9 92396 C Eye service or procedures: 92499 C Eye service or procedure 0.00 0.00 XXX 0 92499 26 C Eye service or procedure 0.00 0.00 XXX 0 92499 TC C Eye service or procedure 0.00 0.00 XXX 0 92499 TC C Eye service or procedure 0.00 0.00 XXX 0 92502 A Ear and throat exam 2.52 2.52 000 0 92504 A Ear microscopy 0.43 0.30 XXX 0 92505 A Speech and hearing 1.31 1.06 XXX 0 92506 A Speech and hearing 0.81 0.65 XXX 0 92507 A Speech and hearing 0.81 0.65 XXX 0 92508 A Speech and hearing 0.42 0.33 XXX 0 92510 A Rehab for ear 2.76 2.10 XXX 0 92511 A Nasopharyngoscopy 1.63 1.22 000 0 92512 A Nasal function studies 0.98 0.75 XXX 0 92513 A Facial nerve function 0.79 0.60 XXX 0 92526 A Cral function evaluation 1.23 0.97 XXX 0 92525 A Oral function reatment 0.98 0.75 XXX 0 92526 A Oral function reatment 0.98 0.75 XXX 0 92531 B Spontaneous nystagmus 0.00 0.00 XXX 9 92532 B Positional nystagmus 0.00 0.00 XXX 9 92533 B Positional nystagmus 0.00 0.00 XXX 9 92534 B Optokinetic nystagmus 0.83 0.83 XXX 0 92541 C A Spontaneous nystagmus 0.83 0.83 XXX 0 92541 T C A Spontaneous nystagmus 0.83 0.83 XXX 0 92541 T C A Spontaneous nystagmus 0.83 0.83 XXX 0 92541 T C A Spontaneous nystagmus 0.83 0.83 XXX 0 92541 T C A Spontaneous nystagmus 0.00 0.00 XXX 9 92534 B Optokinetic nystagmus 1.05 1.05 XXX 0 92541 T C A Positional nystagmus test 0.93 0.93 XXX 0 92542 A Positional nystagmus test 0.67 0.67 XXX 0 92544 A Optokinetic nystagmus 0.72 0.72 XXX 0 92544 A Optokinetic nystagmus 0.72 0.72 XXX 0	92390 N Supply of spectacles 0.00 0.00 XXX 9 9 92391 N Supply of contact lenses 0.00 0.00 XXX 9 9 92392 I Supply of low vision aids 0.00 0.00 XXX 9 9 92393 I Supply of artificial eye 0.00 0.00 XXX 9 9 92395 I Supply of spectacles 0.00 0.00 XXX 9 9 92396 I Supply of spectacles 0.00 0.00 XXX 9 9 92396 I Supply of contact lenses 0.00 0.00 XXX 9 9 92396 I Supply of contact lenses 0.00 0.00 XXX 9 9 92396 C Eye service or procedure 0.00 0.00 XXX 0 0 92499 C Eye service or procedure 0.00 0.00 XXX 0 0 092499 TC C Eye service or procedure 0.00 0.00 XXX 0 0 092499 TC C Eye service or procedure 0.00 0.00 XXX 0 0 092499 TC C Eye service or procedure 0.00 0.00 XXX 0 0 0 092504 A Ear and throat exam 2.52 2.52 000 0 0 0 092504 A Ear microscopy 0.43 0.30 XXX 0 0 092506 A Speech and hearing 1.31 1.06 XXX 0 0 092507 A Speech and hearing 0.81 0.65 XXX 0 0 092508 A Speech and hearing 0.81 0.65 XXX 0 0 092510 A Rehab for ear 2.76 2.10 XXX 0 0 092511 A Rehab for ear 2.76 2.10 XXX 0 0 092512 A Nasal function studies 0.98 0.75 XXX 0 0 092512 A Nasal function studies 0.98 0.75 XXX 0 0 092512 A Facial nerve function 0.79 0.60 XXX 0 0 092520 A Laryngeal function 1.23 0.97 XXX 0 0 092520 A Laryngeal function 1.23 0.97 XXX 0 0 092520 A Carlyngeal function 1.23 0.97 XXX 0 0 092525 A Oral function treatment 0.98 0.75 XXX 0 0 092526 A Oral function treatment 0.98 0.75 XXX 0 0 092521 B Spontaneous nystagmus 0.00 0.00 XXX 9 9 92531 B Spontaneous nystagmus 0.00 0.00 XXX 9 9 92531 B Spontaneous nystagmus 0.00 0.00 XXX 9 9 92531 B Caloric vestibular test 0.00 0.00 XXX 9 9 92534 B Optokinetic nystagmus 1.05 1.05 XXX 0 0 092542 A Positional nystagmus test 0.93 0.93 XXX 0 0 092542 A Positional nystagmus test 0.93 0.93 XXX 0 0 092542 A Positional nystagmus test 0.26 0.26 XXX 0 0 092542 TC A Positional nystagmus test 0.26 0.26 XXX 0 0 092542 TC A Positional nystagmus test 0.26 0.26 XXX 0 0 092542 TC A Positional nystagmus test 0.26 0.26 XXX 0 0 092544 A Optokinetic nystagmus 0.72 0.72 XXX 0 0 092544 A Optokinetic nystagmus 0.72 0.72 XXX 0 0 092544 A Op	92390 N Supply of spectacles 0.00 0.00 XXX 9 9 9 9 92391 N Supply of contact lenses 0.00 0.00 XXX 9 9 9 9 92392 I Supply of artificial eye 0.00 0.00 XXX 9 9 9 9 92393 I Supply of artificial eye 0.00 0.00 XXX 9 9 9 92395 I Supply of spectacles 0.00 0.00 XXX 9 9 9 92396 I Supply of spectacles 0.00 0.00 XXX 9 9 9 92396 I Supply of contact lenses 0.00 0.00 XXX 9 9 9 92396 I Supply of contact lenses 0.00 0.00 XXX 9 9 9 92396 C Supply of contact lenses 0.00 0.00 XXX 9 0 9 9 92396 C Supply of contact lenses 0.00 0.00 XXX 0 0 0 0 0.00 XXX 0 0 0 0	92390 N Supply of spectacles 92391 N Supply of contact lenses 92392 I Supply of contact lenses 92393 I Supply of artificial eye 92393 I Supply of artificial eye 92395 I Supply of spectacles 92396 I Supply of contact lenses 92396 I Supply of spectacles 92499 C Eye service or procedure 92499 TC C Eye service or procedure 92499 TC C Eye service or procedure 92499 TC C Eye service or procedure 92504 A Ear and throat exam 92506 A Speech and hearing 92506 A Speech and hearing 92507 A Speech and hearing 92508 A Speech and hearing 92509 A Rehab for ear 92510 A Rehab for ear 92510 A Rehab for ear 92511 A Nasopharyngoscopy 92512 A Nasal function studies 92512 A Nasal function studies 92513 A Facial nerve function 92520 A Larngael function 92520 A Larngael function 92511 A Nasopharyngoscopy 92512 A Nasal function studies 92513 B Spontaneous nystagmus 92520 A Cral function treatment 92520 A Larngael function 92521 A Nasal function treatment 92521 A Nasal function treatment 92521 A Drain State

0.20

0.62

0.20

0.62

XXX

XXX

0

0 0 0 0

 $0 \ 0 \ 0$

0

0

92544 TC A Optokinetic nystagmus

A Oscillating tracking test

92545

92545	26	Α	Oscillating tracking test	0.41	0.41	XXX	0	0	0	0	0
92545	TC	Α	Oscillating tracking test	0.20	0.20	XXX	0	0	0	0	0
92546		Α	Sinusoidal rotation	0.80	0.80	XXX	0	0	0	0	0
92546	26	Α	Sinusoidal rotation	0.57	0.57	XXX	0	0	0	0	0
92546	TC	Α	Sinusoidal rotation	0.23	0.23	XXX	0	0	0	0	0
92547		Α	Supplemental electrodes	0.55	0.55	XXX	0	0	0	0	0
92548		Α	Posturography	2.35	2.35	XXX	0	0	0	0	0
92548	26	Α	Posturography	0.92	0.92	XXX	0	0	0	0	0
92548	TC	Α	Posturography	1.43	1.43	XXX	0	0	0	0	0

(26) Special otorhinolaryngologic services, audiologic function tests with medical diagnostic evaluation:

92551		Ν	Pure tone hearing	0.00	0.00	XXX	9	9	9	9	9
92552		Α	Pure tone audiometry	0.43	0.43	XXX	0	2	0	0	0
92553			Audiometry, air and bone	0.65	0.65	XXX	0	2	0	0	0
92555		Α	Speech threshold	0.37	0.37	XXX	0	2	0	0	0
92556		A	Speech audiometry	0.55	0.55	XXX	0	2	0	0	0
92557		A	Comprehensive hearing	1.16	1.16	XXX	0	2	0	0	0
92559			Group audiometry	0.00	0.00	XXX	9	9	9	9	9
92560		N	Bekesy audiometry	0.00	0.00	XXX	9	9	9	9	9
92561		Ā	Bekesy audiometry	0.70	0.70	XXX	0	2	0	0	0
92562		Α	Loudness balance test	0.40	0.40	XXX	0	2	0	0	0
92563			Tone decay test	0.37	0.37	XXX	0	2	0	0	0
92564			SISI hearing test	0.46	0.46	XXX	0	2	0	0	0
92565		Α	Stenger test, pure tone	0.39	0.21	XXX	0	2	0	0	0
92567		Α	Tympanometry	0.52	0.52	XXX	0	2	0	0	0
92568		Α	Acoustic reflex testing	0.37	0.37	XXX	0	2	0	0	0
92569		Α	Acoustic reflex decay	0.40	0.40	XXX	0	2	0	0	0
92571		Α	Filtered speech test	0.38	0.20	XXX	0	2	0	0	0
92572			Staggered spondaic test	0.08	0.08	XXX	0	2	0	0	0
92573			Lombard test	0.34	0.34	XXX	0	2	0	0	0
92575		Α	Sensorineural acuity test	0.30	0.16	XXX	0	2	0	0	0
92576		Α	Synthetic sentence test	0.43-	0.23	XXX	0	2	0	0	0
92577		Α	Stenger test, speech	0.70	0.37	XXX	0	2	0	0	0
92579		Α	Visual audiometry	0.71	0.71	XXX	0	2	0	0	0
92582			Conditioning play	0.71	0.37	XXX	0	2	0	0	0
92583			Select picture audiometry	0.87	0.87	XXX	0	2	0	0	0
92584			Electrocochleography	2.42	2.42	XXX	0	2	0	0	0
92585		Α	Auditory evoked	3.76	3.76	XXX	0	2	0	0	0
92585	26	Α	Auditory evoked	1.97	1.97	XXX	0	2	0	0	0
92585	TC		Auditory evoked	1.79	1.79	XXX	0	2	0	0	0
92587			Evoked auditory emissions	1.49	1.49	XXX	0	2	0	0	0
92587	26		Evoked auditory emissions	0.23	0.23	XXX	0	2	0	0	0
92587	TC		Evoked auditory emissions	1.26	1.26	XXX	0	2	0	0	0
92588			Evoked auditory emissions	2.06	2.06	XXX	0	2	0	0	0
92588	26		Evoked auditory emissions	0.63	0.63	XXX	0	2	0	0	0
92588	TC		Evoked auditory emissions	1.43	1.43	XXX	0	2	0	0	0
92589	_	Α	Auditory function test	0.53	0.53	XXX	0	2	0	0	0
92590		N	Hearing aid examination	0.00	0.00	XXX	9	9	9	9	9
92591		N	Hearing aid examination	0.00	0.00	XXX	9	9	9	9	9
92592		N	Hearing aid check	0.00	0.00	XXX	9	9	9	9	9
92593		N	Hearing aid check	0.00	0.00	XXX	9	9	9	9	9
92594		N	Electroacoustic test	0.00	0.00	XXX	9	9	9	9	9
92595		N	Electroacoustic test	0.00	0.00	XXX	9	9	9	9	9
92596		À	Ear protector	0.57	0.57	XXX	Ó	2	Ó	Ó	Ó
			F	·			-	_	-	-	-

5221.4	030	FE	ES FOR MEDICAL SERVIC	CES						7	714
92597 92598		A A	Oral speech device Modify oral speech	2.26 1.57	2.26 1.57	XXX XXX	0	0	0	0	0
(27) S _I	ecial	lote	orhinolaryngologic services, ot	her proce	dures:						
92599 92599 92599	26 TC	C C	ENT service or procedure ENT service or procedure ENT service or procedure	0.00 0.00 0.00	0.00 0.00 0.00	XXX XXX XXX	0 0 0	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	0 0 0	0 0 0
(28) C	ardio	vas	cular, therapeutic services:								
92950 92953 92960 92970 92971 92975 92978 92978 92979 92979 92980 92981 92982 92984 92986 92987 92992 92993 92993 92995 92997 92998	26 TC 26 TC	A A A A A A A A A A A A A A A A A A A	Heart/lung resuscitation Temporary pacing Heart electrocodes Cardioassist, internal Cardioassist, external Dissolve clot Dissolve clot Ultrasound, heart Ultrasound, heart Ultrasound, heart Ultrasound, heart Ultrasound, heart Ultrasound, heart Vltrasound, heart Ultrasound, heart Vltrasound, heart Vltrasound, heart Ultrasound, heart Revision of aortic valve Revision of aortic valve Revision of mitral valve Revision of heart Revision of heart Coronary atherectomy Coronary atherectomy Pulmonary artery balloon Pulmonary artery balloon	5.74 0.53 3.95 6.77 2.72 12.33 7.72 7.06 2.70 4.36 4.34 2.16 2.18 29.91 8.46 22.31 6.10 31.92 32.89 25.40 0.00 0.00 24.50 6.67 24.32 9.36	5.74 0.53 3.95 6.77 2.72 12.33 7.72 7.06 2.70 4.36 4.34 2.16 2.18 29.91 8.46 22.31 6.10 31.92 32.89 25.40 0.00 0.00 24.50 6.67 24.32 9.36	000 000 000 000 000 XXX ZZZ ZZZ ZZZ ZZZ	0 0 0 0 0 0 0 0 0 0 0 0 2 0 0 0 2 0 2 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(29) Ca	ardio	vaso	cular, cardiography:								
93000 93005 93010 93012 93014 93015 93016 93017 93018 93024 93024 93024 93040	26 TC	A A A A A A A A A	Electrocardiogram Electrocardiogram Electrocardiogram Transmission of rhythm Report on transmission Stress test Stress test Stress test Cardiac drug Cardiac drug Cardiac drug Rhythm ECG with leads	0.75 0.43 0.31 2.29 0.89 3.02 0.80 1.61 0.61 3.47 2.39 1.08 0.41	0.75 0.43 0.31 2.29 0.89 3.02 0.80 1.61 0.61 3.47 2.39 1.08 0.41	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

FEES FOR	MEDICAL	SERVICES	5221.4030

93041		Α	Rhythm ECG, tracing only	0.14	0.14	XXX	0	0	0	0	0
93042		Α	Rhythm ECG, report only	0.27	0.27	XXX	0	0	0	0	0
93224		Α	ECG monitor/report	4.34	4.34	XXX	0	0	0	0	0
93225		Α	ECG monitor/recording	1.19	1.19	XXX	0	0	0	0	0
93226		Α	ECG monitor/report	2.10	2.10	XXX	0	0	0	0	0
93227		Α	ECG monitor/review	1.06	1.06	XXX	0	0	0	0	0
93230		Α	ECG monitor/report	4.61	4.61	XXX	0	0	0	0	0
93231		Α	ECG monitor/recording	1.46	1.46	XXX	0	0	0	0	0
93232		Α	ECG monitor/report	2.08	2.08	XXX	0	0	0	0	0
93233		Α	ECG monitor/review	1.07	1.07	XXX	0	0	0	0	0
93235		Α	ECG monitor/report	3.43	3.43	XXX	0	0	0	0	0
93236		Α	ECG monitor/report	2.51	2.51	XXX	0	0	0	0	0
93237		Α	ECG monitor/review	0.92	0.92	XXX	0	0	0	0	0
93268		Α	ECG record/review	4.37	4.37	XXX	0	0	0	0	0
93270		Α	ECG recording	1.19	1.19	XXX	0	0	0	0	0
93271		Α	ECG monitoring	2.29	2.29	XXX	0	0	0	0	0
93272		Α	ECG review	0.89	0.89	XXX	0	0	0	0	0
93278		Α	ECG, signal-averaged	1.66	1.66	XXX	0	0	0	0	0
93278	26	Α	ECG, signal-averaged	0.53	0.53	XXX	0	0	0	0	0
93278	TC	Α	ECG, signal-averaged	1.13	1.13	XXX	0	0	0	0	0

(30) Cardiovascular, echocardiography:

715

93303		Α	Echo, transthoracic	5.90	5.90	XXX	0	0	0	0	0
93303	26	Α	Echo, transthoracic	2.20	2.20	XXX	0	0	0	0	0
93303	TC	Α	Echo, transthoracic	3.70	3.70	XXX	0	0	0	0	0
93304		Α	Echo, transthoracic	3.23	3.23	XXX	0	0	0	0	0
93304	26	Α	Echo, transthoracic	1.37	1.37	XXX	0	0	0	0	0
93304	TC	Α	Echo, transthoracic	1.86	1.86	XXX	0	0	0	0	0
93307		Α	Echo exam of heart	5.55	5.55	XXX	0	0	0	0	0
93307	26	Α	Echo exam of heart	1.85	1.85	XXX	0	0	0	0	0
93307	TC	Α	Echo exam of heart	3.70	3.70	XXX	0	0	0	0	0
93308		Α	Echo exam of heart	2.93	2.93	XXX	0	0	0	0	0
93308	26	Α	Echo exam of heart	1.07	1.07	XXX	0	0	0	0	0
93308	TC	Α	Echo exam of heart	1.86	1.86	XXX	0	0	0	0	0
93312		Α	Echo, transesophageal	7.03	7.03	XXX	0	0	0	0	0
93312	26	Α	Echo, transesophageal	3.37	3.37	XXX	0	0	0	0	0
93312	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93313		Α	Echo, transesophageal	1.54	1.54	XXX	0	0	0	0	0
93314		Α	Echo, transesophageal	5.47	5.47	XXX	0	0	0	0	0
93314	26	Α	Echo, transesophageal	1.82	1.82	XXX	0	0	0	0	0
93314	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93315		Α	Echo, transesophageal	7.55	7.55	XXX	0	0	0	0	0
93315	26	Α	Echo, transesophageal	3.89	3.89	XXX	0	0	0	0	0
93315	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93316		Α	Echo, transesophageal	1.54	1.54	XXX	0	0	0	0	0
93317		Α	Echo, transesophageal	6.00	6.00	XXX	0	0	0	0	0
93317	26	Α	Echo, transesophageal	2.34	2.34	XXX	0	0	0	0	0
93317	TC	Α	Echo, transesophageal	3.66	3.66	XXX	0	0	0	0	0
93320		Α	Doppler echo exam	2.42	2.42	ZZZ	0	0	0	0	0
93320	26	Α	Doppler echo exam	0.78	0.78	ZZZ	0	0	0	0	0
93320	TC	Α	Doppler echo exam	1.65	1.65	ZZZ	0	0	0	0	0
93321		Α	Doppler echo exam	1.38	1.38	ZZZ	0	0	0	0	0
93321	26	Α	Doppler echo exam	0.31	0.31	ZZZ	0	0	0	0	0
93321	TC	Α	Doppler echo exam	1.07	1.07	ZZZ	0	0	0	0	0
93325		Α	Doppler color flow	2.91	2.91	ZZZ	0	0	0	0	0

93325	26	٨	Donnlar color flow	0.11	0.11	777	Λ	٥	0	0	0
	TC	A	Doppler color flow		2.80	ZZZ ZZZ	0	0	0	0	
93325	IC	A	Doppler color flow	2.80				0			0
93350	26	A	Echo, transthoracic	3.29	3.29	XXX	0	0	0	0	0
93350	26 TC	A	Echo, transthoracic	1.59	1.59	XXX	0	0	0	0	0
93350	TC	A	Echo, transthoracic	1.70	1.70	XXX	0	0	0	0	0
(21) C	منائم		sular gardiae aethetorization.								
(31) Ca	aruio	vasc	cular, cardiac catheterization:								
93501		A	Right heart catheter	22.36	22.36	000	2	0	0	0	0
93501	26	A	Right heart catheter	6.14	6.14	000	2	ŏ	ŏ	ŏ	ŏ
93501	TC	A	Right heart catheter	16.22	16.22	000	Õ	ŏ	ŏ	ŏ	ŏ
93503	•	A	Insert/place catheter	5.13	5.13	000	ŏ	ŏ	ŏ	ő	ŏ
93505		A	Biopsy of heart	8.98	8.98	000	2	ŏ	ŏ	ő	ŏ
93505	26	A	Biopsy of heart	7.06	7.06	000	2	ŏ	Õ	Ŏ	ŏ
93505	TC	A	Biopsy of heart	1.92	1.92	000	ō	ŏ	ŏ	ŏ	ŏ
93508		A	Catheter placement	18.55	18.55	000	2	ŏ	ŏ	ŏ	ŏ
93508	26	A	Catheter placement	6.53	6.53	000	2	ŏ	ŏ	ŏ	ŏ
93508	TC	A	Catheter placement	12.01	12.01	000	$\bar{0}$	ŏ	ŏ	Ŏ	Ŏ
93510		A	Left heart catheter	42.49	42.49	000	2	ŏ	ŏ	ŏ	ŏ
93510	26		Left heart catheter	7.01	7.01	000	·2	0	Ō	Õ	Õ
93510	TC		Left heart catheter	35.47	35.47	000	0	0	Ō	Ō	Ō
93511			Left heart catheter	41.74	41.74	000	2	Ò	0	0	0
93511	26	A	Left heart catheter	7.21	7.21	000	2	0	0	0	0
93511	TC		Left heart catheter	34.53	34.53	000	$\bar{0}$	0	0	Ō	Ō
93514			Left heart catheter	45.54	45.54	000	2	Ò	0	0	0
93514	26		Left heart catheter	11.00	11.00	000	2	Ō	0	0	0
93514	TC	Α	Left heart catheter	34.53	34.53	000	0	0	0	0	0
93524			Left heart catheter	56.11	56.11	000	2	0	0	0	0
93524	26	Α	Left heart catheter	10.99	10.99	000	2	0	0	0	0
93524	TC	Α	Left heart catheter	45.12	45.12	000	0	0	0	0	0
93526		Α	Right and left catheter	57.28	57.28	000	2	0	0	0	0
93526	26	Α	Right and left catheter	10.92	10.92	000	2	0	0	0	0
93526	TC	Α	Right and left catheter	46.36	46.36	000	0	0	0	0	0
93527		Α	Right and left catheter	58.90	58.90	000	2	0	0	0	0
93527	26	Α	Right and left catheter	13.78	13.78	000	2	0	0	0	0
93527	TC	Α	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93528		Α	Right and left catheter	57.75	57.75	000	2	0	0	0	0
93528	26	Α	Right and left catheter	12.63	12.63	000	2	0	0	0	0
93528	TC	Α	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93529			Right and left catheter	52.43	52.43	000	2	0	0	0	0
93529	26	Α	Right and left catheter	7.31	7.31	000	2	0	0	0	0
93529	TC	Α	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93530		A	Right heart catheter	23.74	23.74	000	2	0	0	0	0
93530	26	A	Right heart catheter	7.51	7.51	000	2	0	0	0	0
93530	TC	Α	Right heart catheter	16.22	16.22	000	0	0	0	0	0
93531		Α	Right and left catheter	59.42	59.42	000	2	0	0	0	0
93531	26	A	Right and left catheter	13.06	13.06	000	2	0	0	0	0
93531	TC	A	Right and left catheter	46.36	46.36	000	0	0	0	0	0
93532			Right and left catheter	61.37	61.37	000	2	0	0	0	0
93532	26	A	Right and left catheter	16.25	16.25	000	2	0	0	0	0
93532	TC	A	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93533	2.		Right and left catheter	54.16	54.16	000	2	0	0	0	0
93533	26 TC	A	Right and left catheter	9.03	9.03	000	2	0	0	0	0
93533	TC	A	Right and left catheter	45.12	45.12	000	0	0	0	0	0
93536		A	Insert circulation	9.95	9.95	000	2	0	0	0	0
93539		Α	Injection, cardiac	1.32	0.90	000	0	0	0	0	0

717	FEES FOR	MEDICAL	SERVICES	5221.4030

93540		Α	Injection, cardiac	1.35	0.95	000	0	0	0	0	0
93541		Α	Injection for lung	0.66	0.66	000	0	0	0	0	0
93542		Α	Injection for heart	0.66	0.66	000	0	0	0	0	0
93543		Α	Injection for heart	0.87	0.63	000	0	0	0	0	0
93544		Α	Injection for aorta	0.84	0.56	000	0	0	0	0	0
93545		Α	Injection for coronary	0.92	0.92	000	0	0	0	0	0
93555		Α	Imaging, cardiac	7.00	7.00	XXX	0	0	0	0	0
93555	26	Α	Imaging, cardiac	1.02	1.02	XXX	0	0	0	0	0
93555	TC	Α	Imaging, cardiac	5.99	5.99	XXX	0	0	0	0	0
93556		Α	Imaging, cardiac	10.66	10.66	XXX	0	0	0	0	0
93556	26	Α	Imaging, cardiac	1.23	1.23	XXX	0	0	0	0	0
93556	TC	Α	Imaging, cardiac	9.43	9.43	XXX	0	0	0	0	0
93561		Α	Cardiac output	1.56	1.56	000	0	0	0	0	0
93561	26	Α	Cardiac output	1.03	1.03	000	0	0	0	0	0
93561	TC	Α	Cardiac output	0.52	0.52	000	0	0	0	0	0
93562		Α	Cardiac output	0.66	0.66	000	0	0	0	0	0
93562	26	Α	Cardiac output	0.35	0.35	000	0	0	0	0	0
93562	TC	Α	Cardiac output	0.31	0.31	000	0	0	0	0	0

(32) Cardiovascular, intracardiac eletrophysiological procedures:

93600		Α	Bundle of His recording	6.18	6.18	000	0	0	0	0	0
93600	26	A	Bundle of His recording	4.31	4.31	000	ő	0	0	Ö	0
93600	TC	A	Bundle of His recording	1.87	1.87	000	ŏ	0	ŏ	Ö	0
93602	10	A	Intra-atrial recording	4.78	4.78	000	õ	ŏ	ŏ	ŏ	ŏ
93602	26	A	Intra-atrial recording	3.71	3.71	000	ŏ	ŏ	ŏ	ŏ	ŏ
93602	TC	Ā	Intra-atrial recording	1.07	1.07	000	ŏ	Õ	Õ	ŏ	ŏ
93603	•	Ā	Right ventricular	5.74	5.74	000	Õ	Õ	Ŏ	ŏ	ŏ
93603	26	A	Right ventricular	4.13	4.13	000	Õ	Õ	Õ	ŏ	ŏ
93603	TC	A	Right ventricular	1.61	1.61	000	0	0	Ŏ	Ŏ	Ŏ
93607		Α	Left ventricular	6.62	6.62	000	0	0	0	0	Ō
93607	26	Α	Left ventricular	5.19	5.19	000	0	0	0	0	0
93607	TC	Α	Left ventricular	1.43	1.43	000	0	0	0	0	0
93609		Α	Mapping of tachycardia	15.61	15.61	000	0	0	0	0	0
93609	26	Α	Mapping of tachycardia	13.01	13.01	000	0	0	0	0	0
93609	TC	Α	Mapping of tachycardia	2.61	2.61	000	0	0	0	0	0
93610		Α	Intra-atrial pacing	6.37	6.37	000	0	0	0	0	0
93610	26	Α	Intra-atrial pacing	5.07	5.07	000	0	0	0	0	0
93610	TC	Α	Intra-atrial pacing	1.30	1.30	000	0	0	0	0	0
93612		Α	Intraventricular pacing	6.65	6.65	000	0	0	0	0	0
93612	26	Α	Intraventricular pacing	5.10	5.10	000	0	0	0	0	0
93612	TC	Α	Intraventricular pacing	1.55	1.55	000	0	0	0	0	0
93615		Α	Esophageal recording	1.55	1.55	000	0	0	0	0	0
93615	26	Α	Esophageal recording	1.25	1.25	000	0	0	0	0	0
93615	TC	Α	Esophageal recording	0.30	0.30	000	0	0	0	0	0
93616		Α	Esophageal recording	3.01	3.01	000	0	0	0	0	0
93616	26	Α	Esophageal recording	2.71	2.71	000	0	0	0	0	0
93616	TC	Α	Esophageal recording	0.30	0.30	000	0	0	0	0	0
93618		Α	Heart rhythm pacing	12.45	12.45	000	0	0	0	0	0
93618	26	Α	Heart rhythm pacing	8.64	8.64	000	0	0	0	0	0
93618	TC	Α	Heart rhythm pacing	3.81	3.81	000	0	0	0	0	0
93619		Α	Electrophysiologic	22.28	22.28	000	0	0	0	0	0
93619	26	Α	Electrophysiologic	14.90	14.90	000	0	0	0	0	0
93619	TC	Α	Electrophysiologic	7.39	7.39	000	0	0	0	0	0
93620		Α	Electrophysiologic	31.94	31.94	000	0	0	0	0	0
93620	26	Α	Electrophysiologic	23.36	23.36	000	0	0	0	0	0

93620	TC	Α	Electrophysiologic	8.58	8.58	000	0	0	0	0	0
93621		C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93621	26	Α	Electrophysiologic	25.56	25.56	000	0	0	0	0	0
93621	TC	C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93622		C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93622	26	Α	Electrophysiologic	25.69	25.69	000	0	0	0	0	0
93622	TC	C	Electrophysiologic	0.00	0.00	000	0	0	0	0	0
93623		C	Stimulation and pacing	0.00	0.00	000	0	0	0	0	0
93623	26	Α	Stimulation and pacing	5.38	5.38	000	0	0	0	0	0
93623	TC	C	Stimulation and pacing	0.00	0.00	000	0	0	0	0	0
93624		Α	Electrophysiologic	9.27	9.27	000	0	0	0	0	0
93624	. 26	Α	Electrophysiologic	7.37	7.37	000	0	0	0	0	0
93624	TC	Α	Electrophysiologic	1.90	1.90	000	0	0	0	0	0
93631		Α	Heart pacing and mapping	18.88	18.88	000	0	0	0	0	0
93631	26	Α	Heart pacing and mapping	12.83	12.83	000	0	0	0	0	0
93631	TC	Α	Heart pacing and mapping	6.05	6.05	000	0	0	0	0	0
93640		Α	Evaluate heart device	14.14	14.14	000	0	0	0	0	0
93640	26	Α	Evaluate heart device	7.27	7.27	000	0	0	0	0	0
93640	TC	Α	Evaluate heart device	6.87	6.87	000	0	0	0	0	0
93641		Α	Electrophysiologic	18.89	18.89	000	0	0	0	0	0
93641	26	Α	Electrophysiologic	12.02	12.02	000	0	0	0	0	0
93641	TC	Α	Electrophysiologic	6.87	6.87	000	0	0	0	0	0
93642		Α	Electrophysiologic	16.84	16.84	000	0	0	0	0	0
93642	26	Α	Electrophysiologic	9.97	9.97	000	0	0	0	0	0
93642	TC	Α	Electrophysiologic	6.87	6.87	000	0	0	0	0	0
93650		Α	Ablate heart	21.45	21.45	000	0	0	0	0	0
93651		Α	Ablate heart	32.71	32.71	000	0	0	0	0	0
93652		Α	Ablate heart	34.01	34.01	000	0	0	0	0	0
93660		C	Tilt table evaluation	0.00	0.00	000	0	0	0	0	0
93660	26	A	Tilt table evaluation	3.20	3.20	000	0	0	0	0	0
93660	TC	C	Tilt table evaluation	0.00	0.00	000	0	0	0	0	0

(33) Cardiovascular, other vascular studies:

93720		Α	Body plethysmography	1.07	1.04	XXX	0	0	0	0	0
93721		Α	Plethysmography	0.69	0.36	XXX	0	0	0	0	0
93722		Α	Plethysmography	0.38	0.35	XXX	0	0	0	0	0
93724		Α	Analyze pacemaker	11.15	11.15	000	0	0	0	0	0
93724	26	Α	Analyze pacemaker	7.34	7.34	000	0	0	0	0	0
93724	TC	Α	Analyze pacemaker	3.81	3.81	000	0	0	0	0	0
93731		Α	Analyze pacemaker	1.21	1.21	XXX	0	0	0	0	0
93731	26	Α	Analyze pacemaker	0.73	0.73	XXX	0	0	0	0	0
93731	TC	Α	Analyze pacemaker	0.48	0.48	XXX	0	0	0	0	0
93732		Α	Analyze pacemaker	1.76	1.76	XXX	0	0	0	0	0
93732	26	Α	Analyze pacemaker	1.26	1.26	XXX	0	0	0	0	0
93732	TC	Α	Analyze pacemaker	0.50	0.50	XXX	0	0	0	0	0
93733		Α	Telephone analysis	1.05	1.05	XXX	0	0	0	0	0
93733	26	Α	Telephone analysis	0.35	0.35	XXX	0	0	0	0	0
93733	TC	Α	Telephone analysis	0.70	0.70	XXX	0	0	0	0	0
93734		Α	Analyze pacemaker	1.00	1.00	XXX	0	0	0	0	0
93734	26	Α	Analyze pacemaker	0.66	0.66	XXX	0	0	0	0	0
93734	TC	Α	Analyze pacemaker	0.34	0.34	XXX	0	0	0	0	0
93735		Α	Analyze pacemaker	1.54	1.54	XXX	0	0	0	0	0
93735	26	Α	Analyze pacemaker	1.11	1.11	XXX	0	0	0	0	0
93735	TC	Α	Analyze pacemaker	0.43	0.43	XXX	0	0	0	0	0
93736		Α	Telephone analysis	0.93	0.93	XXX	0	0	0	0	0

FEES FOR MEDICAL SERVICES 5221.4030

93736	26	Α	Telephone analysis	0.32	0.32	XXX	0	0	0	0	0
93736	TC	Α	Telephone analysis	0.61	0.61	XXX	ŏ	ŏ	Ŏ	Ŏ	Ŏ
	10										
93737	• •		Analyze cardio/defib	1.16	1.16	XXX	0	0	0	0	0
93737	26	Α	Analyze cardio/defib	0.68	0.68	XXX	0	0	0	0	0
93737	TC	Α	Analyze cardio/defib	0.48	0.48	XXX	0	0	0	0	0
93738		Α	Analyze cardio/defib	1.72	1.72	XXX	0	0	0	0	0
93738	26	Α	Analyze cardio/defib	1.23	1.23	XXX	0	0	0	0	0
93738	TC	Α	Analyze cardio/defib	0.50	0.50	XXX	0	Ŏ	Ŏ	Ŏ	Ŏ
93740	10	A		0.60	0.60	XXX	0	0	0	Ö	0
	26	-	Temperature gradient								
93740	26	A	Temperature gradient	0.45	0.45	XXX	0	0	0	0	0
93740	TC	Α	Temperature gradient	0.15	0.15	XXX	0	0	0	0	0
93760		N	Cephalic thermogram	0.00	0.00	XXX	9	9	9	9	9
93762		N	Peripheral thermogram	0.00	0.00	XXX	9	9	9	9	9
93770		Α	Measure venous pressure	0.35	0.35	XXX	0	0	0	0	0
93770	26	Α	Measure venous pressure	0.32	0.32	XXX	0	0	0	0	0
93770	TC	A	Measure venous pressure	0.03	0.03	XXX	Õ	Ō	0	Ŏ	Ö
93784	10	N	Ambulatory BP monitoring	0.00	0.00	XXX	9	9	9	9	9
93786		N	Ambulatory BP recording	0.00	0.00	XXX	9	9	9	9	9
93788		N	Ambulatory BP analysis	0.00	0.00	XXX	9	9	9	9	9
93790		N	Ambulatory BP review	0.00	0.00	XXX	9	9	9	9	9
			-								
			•								
(34) C	rdio	voce	cular, other procedures:								
(34) Ca	nuiu	vasc	uiai, other procedures.								
93797		Α	Cardiac rehabilitation	0.37	0.27	000	0	0	0	0	0
93798		Α	With monitoring	0.73	0.50	000	0	0	0	0	0
93799		С	Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0
93799	26	Č	Cardiovascular procedure	0.00	0.00	XXX	0	0	0	0	0
93799	TC	č	Cardiovascular procedure	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
23177	ıc	C	Cardiovasculai procedure	0.00	0.00	ж	U	U	U	U	U
(35) No	oninv	asiv/	e vascular diagnostic studies, c	erebrova	scular a	irterial s	tudi	ies:			
93875		Α	Extracranial studies	1.55	1.55	XXX	0	2	0	0	0
93875	26		Extracranial studies	0.46	0.46	XXX	ŏ	$\bar{2}$	ŏ	ŏ	ŏ
93875	TC		Extracranial studies	1.08	1.08	XXX	ŏ	$\tilde{2}$	ŏ	ő	ŏ
	ıc			4.59	4.59	XXX		2	0	0	0
93880	26	A	Extracranial studies	0.94			0	2			0
93880	26		Extracranial studies	1194							
93880	TC	Α	Extracranial studies		0.94	XXX	0	2	0	0	
93882				3.65	3.65	XXX	0	2	0	0	0
93882		Α	Extracranial studies	3.65 3.05	3.65 3.05	XXX XXX	$0 \\ 0$	2 0	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$
02002	26	Α	Extracranial studies Extracranial studies	3.65 3.05 0.63	3.65 3.05 0.63	XXX XXX XXX	0 0 0	2 0 0	0 0 0	0 0 0	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$
93882	26 TC	Α	Extracranial studies Extracranial studies	3.65 3.05 0.63	3.65 3.05	XXX XXX XXX	$0 \\ 0$	2 0	0 0 0	$0 \\ 0$	$0 \\ 0$
93882 93886		A A	Extracranial studies Extracranial studies Extracranial studies	3.65 3.05	3.65 3.05 0.63	XXX XXX XXX XXX	0 0 0 0	2 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
93886	TC	A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42	3.65 3.05 0.63 2.42 5.42	XXX XXX XXX XXX XXX	0 0 0 0	2 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
93886 93886	TC 26	A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29	3.65 3.05 0.63 2.42 5.42 1.29	XXX XXX XXX XXX XXX	0 0 0 0 0	2 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
93886 93886 93886	TC	A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13	3.65 3.05 0.63 2.42 5.42 1.29 4.13	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0	2 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
93886 93886 93886 93888	TC 26 TC	A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	2 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888 93888	TC 26 TC 26	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888	TC 26 TC 26	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61	XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0	2 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888 93888	TC 26 TC 26	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85	XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888 93888 93888	TC 26 TC 26 TC	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	XXX XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888 93888 93888	TC 26 TC 26 TC	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	XXX XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888 93888 93888	TC 26 TC 26 TC	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	XXX XXX XXX XXX XXX XXX XXX XXX XXX	0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
93886 93886 93886 93888 93888 93888	TC 26 TC 26 TC	A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
93886 93886 93888 93888 93888 93888 (36) No	TC 26 TC 26 TC oninv	A A A A A A A A A A A A A A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Extremity study	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 xtremity	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 arterial	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
93886 93886 93888 93888 93888 93888 (36) No	TC 26 TC 26 TC oninv	A A A A A A A A A A A A A A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Extremity study Extremity study	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 xtremity 1.66 0.52	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 arterial	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
93886 93886 93888 93888 93888 93888 (36) No 93922 93922 93922	TC 26 TC 26 TC oninv	A A A A A A A A A A A A A A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Extremity study Extremity study Extremity study Extremity study	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 xtremity 1.66 0.52 1.14	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 arterial 1.66 0.52 1.14	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
93886 93886 93888 93888 93888 93888 (36) No 93922 93922 93922 93923	TC 26 TC 26 TC oninv	A A A A A A A A A A A A A A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Extremity studies Extremity study Extremity study Extremity study Extremity study Extremity study Extremity study	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 xtremity 1.66 0.52 1.14 3.09	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 arterial 1.66 0.52 1.14 3.09	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
93886 93886 93888 93888 93888 93888 (36) No 93922 93922 93922	TC 26 TC 26 TC oninv	A A A A A A A A A A A A A A A A A A A	Extracranial studies Extracranial studies Extracranial studies Intracranial studies Extremity study Extremity study Extremity study Extremity study	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 xtremity 1.66 0.52 1.14	3.65 3.05 0.63 2.42 5.42 1.29 4.13 3.61 0.85 2.76 arterial 1.66 0.52 1.14	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0

93923	TC	Α	Extremity study	2.15	2.15	XXX	0	2	0	0	0
93924		Α	Extremity study	3.38	3.38	XXX	0	2	0	0	0
93924	26	Α	Extremity study	1.04	1.04	XXX	0	2	0	0	0
93924	TC	Α	Extremity study	2.34	2.34	XXX	0	2	0	0	0
93925		Α	Lower extremity study	4.59	4.59	XXX	0	2	0	0	0
93925	26	Α	Lower extremity study	0.93	0.93	XXX	0	2	0	0	0
93925	TC	Α	Lower extremity study	3.67	3.67	XXX	0	2	0	0	0
93926		Α	Lower extremity study	3.07	3.07	XXX	0	0	0	0	0
93926	26	Α	Lower extremity study	0.62	0.62	XXX	0	0	0	0	0
93926	TC	Α	Lower extremity study	2.45	2.45	XXX	0	0	0	0	0
93930		Α	Upper extremity study	4.71	4.71	XXX	0	2	0	0	0
93930	26	Α	Upper extremity study	0.82	0.82	XXX	0	2	0	0	0
93930	TC	Α	Upper extremity study	3.89	3.89	XXX	0	2	0	0	0
93931		Α	Upper extremity study	3.14	3.14	XXX	0	0	0	0	0
93931	26	Α	Upper extremity study	0.55	0.55	XXX	0	0	0	0	0
93931	TC	Α	Upper extremity study	2.59	2.59	XXX	0	0	0	0	0

(37) Noninvasive vascular diagnostic studies, extremity venous studies:

93965		Α	Extremity study	1.80	1.80	XXX	0	2	0	0	0
93965	26	Α	Extremity study	0.73	0.73	XXX	0	2	0	0	0
93965	TC	Α	Extremity study	1.08	1.08	XXX	0	2	0	0	0
93970		Α	Extremity study	5.08	5.08	XXX	0	2	0	0	0
93970	26	Α	Extremity study	1.03	1.03	XXX	0	2	0	0	0
93970	TC	Α	Extremity study	4.05	4.05	XXX	0	2	0	0	0
93971		Α	Extremity study	3.39	3.39	XXX	0	0	0	0	0
93971	26	Α	Extremity study	0.69	0.69	XXX	0	0	0	0	0
93971	TC	Α	Extremity study	2.70	2.70	XXX	0	0	0	0	0

(38) Noninvasive vascular diagnostic studies, visceral and penile vascular studies:

	Α	Vascular study	6.67	6.67	XXX	0	0	0	0	0
26	Α	Vascular study	2.07	2.07	XXX	0	0	0	0	0
TC	Α	Vascular study	4.60	4.60	XXX	0	0	0	0	0
	Α	Vascular study	4.46	4.46	XXX	0	0	0	0	0
26	Α	Vascular study	1.39	1.39	XXX	0	0	0	0	0
TC	Α	Vascular study	3.08	3.08	XXX	0	0	0	0	0
	Α	Vascular study	4.77	4.77	XXX	0	0	0	0	0
26	Α	Vascular study	0.99	0.99	XXX	0	0	0	0	0
TC	Α	Vascular study	3.78	3.78	XXX	0	0	0	0	0
	Α	Vascular study	3.18	3.18	XXX	0	0	0	0	0
26	Α	Vascular study	0.67	0.67	XXX	0	0	0	0	0
TC	Α	Vascular study	2.51	2.51	XXX	0	0	0	0	0
	Α	Penile vascular study	5.39	5.39	XXX	0	0	0	0	0
26	Α	Penile vascular study	1.97	1.97	XXX	0	0	0	0	0
TC			3.43	3.43	XXX	0	0	0	0	0
			3.97	3.97	XXX	0	0	0	0	0
26	Α	Penile vascular study	0.80	0.80	XXX	0	0	0	0	0
TC			3.16	3.16	XXX	0	0	0	0	0
	TC 26 TC 26 TC 26 TC 26 TC 26 TC	26 A TC A A 26 A	TC A Vascular study A Vascular study CA Vascular study TC A Vascular study A Vascular study CA Vascular study TC A Vascular study A Vascular study A Vascular study A Vascular study CA Vascular study TC A Vascular study A Penile vascular study TC A Penile vascular study	26 A Vascular study 2.07 TC A Vascular study 4.60 A Vascular study 4.46 26 A Vascular study 1.39 TC A Vascular study 3.08 A Vascular study 4.77 26 A Vascular study 0.99 TC A Vascular study 3.78 A Vascular study 3.18 26 A Vascular study 0.67 TC A Vascular study 2.51 A Penile vascular study 5.39 26 A Penile vascular study 1.97 TC A Penile vascular study 3.43 A Penile vascular study 3.97 26 A Penile vascular study 3.97 26 A Penile vascular study 0.80	26 A Vascular study 2.07 2.07 TC A Vascular study 4.60 4.60 A Vascular study 1.39 1.39 TC A Vascular study 3.08 3.08 A Vascular study 4.77 4.77 26 A Vascular study 0.99 0.99 TC A Vascular study 3.18 3.18 26 A Vascular study 0.67 0.67 TC A Vascular study 2.51 2.51 A Penile vascular study 5.39 5.39 26 A Penile vascular study 1.97 1.97 TC A Penile vascular study 3.43 3.43 A Penile vascular study 3.97 3.97 26 A Penile vascular study 3.97 3.97 26 A Penile vascular study 3.80 0.80	26 A Vascular study 2.07 2.07 XXX TC A Vascular study 4.60 4.60 XXX A Vascular study 1.39 1.39 XXX TC A Vascular study 3.08 3.08 XXX A Vascular study 4.77 4.77 XXX 26 A Vascular study 0.99 0.99 XXX TC A Vascular study 3.18 3.18 XXX A Vascular study 0.67 0.67 XXX TC A Vascular study 2.51 2.51 XXX A Penile vascular study 5.39 5.39 XXX 26 A Penile vascular study 5.39 5.39 XXX 26 A Penile vascular study 1.97 1.97 XXX TC A Penile vascular study 3.43 3.43 XXX A Penile vascular study 3.97 3.97 XXX 26 A Penile vascular study	26 A Vascular study 2.07 2.07 XXX 0 TC A Vascular study 4.60 4.60 XXX 0 A Vascular study 1.39 1.39 XXX 0 TC A Vascular study 3.08 3.08 XXX 0 A Vascular study 4.77 4.77 XXX 0 26 A Vascular study 0.99 0.99 XXX 0 TC A Vascular study 3.78 3.78 XXX 0 A Vascular study 3.18 3.18 XXX 0 26 A Vascular study 0.67 0.67 XXX 0 TC A Vascular study 2.51 2.51 XXX 0 TC A Vascular study 5.39 5.39 XXX 0 TC A Penile vascular study 1.97 1.97 XXX 0 TC A Penile vascular study 3.43 3.43 XXX 0 A Penile vascular study 3.97 3.97 XXX 0 26 A Penile vascular	26 A Vascular study 2.07 2.07 XXX 0 0 TC A Vascular study 4.60 4.60 XXX 0 0 A Vascular study 1.39 1.39 XXX 0 0 TC A Vascular study 3.08 3.08 XXX 0 0 A Vascular study 4.77 4.77 XXX 0 0 26 A Vascular study 0.99 0.99 XXX 0 0 TC A Vascular study 3.78 3.78 XXX 0 0 A Vascular study 3.18 3.18 XXX 0 0 26 A Vascular study 0.67 0.67 XXX 0 0 TC A Vascular study 2.51 2.51 XXX 0 0 A Penile vascular study 5.39 5.39 XXX 0 0 TC A Penile vascular study 3.43 3.43 XXX 0<	26 A Vascular study 2.07 2.07 XXX 0 0 0 TC A Vascular study 4.60 4.60 XXX 0 0 0 26 A Vascular study 1.39 1.39 XXX 0 0 0 TC A Vascular study 3.08 3.08 XXX 0 0 0 A Vascular study 4.77 4.77 XXX 0 0 0 26 A Vascular study 0.99 0.99 XXX 0 0 0 TC A Vascular study 3.78 3.78 XXX 0 0 0 A Vascular study 3.18 3.18 XXX 0 0 0 26 A Vascular study 0.67 0.67 XXX 0 0 0 TC A Vascular study 2.51 2.51 XXX 0 0 0 TC A Penile vascular study 5.39 5.39 XXX 0 0 0 TC A Penile vascular study 3.43 <t< td=""><td>26 A Vascular study 2.07 2.07 XXX 0 0 0 0 TC A Vascular study 4.60 4.60 XXX 0 0 0 0 A Vascular study 1.39 1.39 XXX 0 0 0 0 TC A Vascular study 3.08 3.08 XXX 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td< td=""></td<></td></t<>	26 A Vascular study 2.07 2.07 XXX 0 0 0 0 TC A Vascular study 4.60 4.60 XXX 0 0 0 0 A Vascular study 1.39 1.39 XXX 0 0 0 0 TC A Vascular study 3.08 3.08 XXX 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td< td=""></td<>

(39) Noninvasive vascular diagnostic studies, extremity arterial-venous studies:

93990		Α	Doppler flow test	2.87	2.87	XXX	0	0	0	0	0
93990	26	Α	Doppler flow test	0.42	0.42	XXX	0	0	0	0	0

MINNESOTA RULES 2005

721			FEES	CS FOR MEDICAL SERVICES					S 5221.4030			
93990	TC	Α	Doppler flow test	2.4:	5 2.45	5 XXX	0	0	0	0	0	
			11									
(40) Pu	ılmor	nary	:									
94010		Α	Breathing capacity	0.8				0	0	0	0	
94010	26	A	Breathing capacity	0.4				0	0	0	0	
94010	TC	Α	Breathing capacity	0.40				0	0	0	0	
94060		Α	Bronchospasm evaluation	1.5				0	0	0	0	
94060	26 TC	A	Bronchospasm evaluation	0.63				0	0	0	0	
94060	TC		Bronchospasm evaluation	0.89				0	0	0	0	
94070	26	A	Bronchospasm evaluation	2.3				0 0	0	0	0	
94070 94070	26 TC	A	Bronchospasm evaluation	0.93 1.40				0	0	0	0 0	
94070	iC	A B	Bronchospasm evaluation	0.00				9	9	9	9	
94150	26	В	Vital capacity Vital capacity	0.0				9	9	9	9	
94150	TC	В	Vital capacity Vital capacity	0.00				9	9	9	9	
94200	10	A	Lung function	0.4				ó	ó	Ó	ó	
94200	26		Lung function	0.2				ŏ	ő	ő	ő	
94200	TČ		Lung function	0.2				ŏ	ŏ	Ŏ	ŏ	
94240	10	A	Residual lung capacity	1.13			-	ŏ	Õ	Ŏ	Õ	
94240	26	A	Residual lung capacity	0.4				0	0	0	0	
94240	TC		Residual lung capacity	0.6			0	0	0	0	0	
94250			Expired gas collection	0.33		XXX	0	0	0	0	0	
94250	26	Α	Expired gas collection	0.23			0	0	0	0	0	
94250	TC		Expired gas collection	0.13	3 0.13	3 XXX	0	0	0	0	0	
94260		Α	Thoracic gas volume	0.79	9 0.79	XXX	0	0	0	0	0	
94260	26	Α	Thoracic gas volume	0.20				0	0	0	0	
94260	TC	Α	Thoracic gas volume	0.53				0	0	0	0	
94350		Α	Lung nitrogen	0.9'				0	0	0	0	
94350	26		Lung nitrogen	0.4				0	0	0	0	
94350	TC	Α	Lung nitrogen	0.5				0	0	0	0	
94360	24	A	Measure airflow	1.3				0	0	0	0	
94360	26	A	Measure airflow	0.43				0	0	0	0	
94360	TC	A	Measure airflow	0.9				0	0	0	0	
94370	26	A	Breath airway closing	0.64				0	0	0	0	
94370	26 TC	A	Breath airway closing	0.3				$0 \\ 0$	$0 \\ 0$	0	0	
94370 94375	TC	A	Breath airway closing	0.20					0	$0 \\ 0$	0	
94375	26	A	Respiratory flow	0.93 0.49			0	0	0	0	0	
94375	26 TC	A	Respiratory flow Respiratory flow	0.4			_	0	0	0	0	
94400	10	A	CO ₂ breathing response	1.2				0	ő	ŏ	0	
94400	26	A	CO ₂ breathing response	0.89				ŏ	ő	ő	ŏ	
94400	TC	A	CO ₂ breathing response	0.3				ŏ	0	ŏ	ŏ	
94450		A	Hypoxia response	0.9				ŏ	ŏ	ŏ	ŏ	
94450	26	Α	Hypoxia response	0.6				Ŏ	ō	0	Ŏ	
94450	TC	A	Hypoxia response	0.3				0	0	0	0	
94620		Α	Pulmonary stress testing	2.8			0	0	0	0	0	
94620	26	Α	Pulmonary stress testing	1.50			0	0	0	0	0	
94620	TC	Α	Pulmonary stress testing	1.3			0	0	0	0	0	
94640		Α	Airway inhalation	0.39	9 0.39	XXX (0	0	0	0	0	
94642		C	Aerosol inhalation	0.0				0	0	0	0	
94650			Pressure breathing	0.3°				0	0	0	0	
94651		Α	Pressure breathing	0.3				0	0	0	0	
94652		A	Pressure breathing	0.4				0	0	0	0	
94656		Α	Initial ventilation	2.2				0	0	0	0	
94657		Α	Subsequent ventilation	1.3	8 1.38	3 XXX	0	0	0	0	0	

94660		Α	Positive airway pressure	1.41	1.41	XXX	0	0	0	0	0
94662		Α	Negative pressure	0.99	0.99	XXX	0	0	0	0	0
94664		Α	Aerosol or vapor	0.51	0.51	XXX	0	0	0	0	0
94665		Α	Aerosol or vapor	0.47	0.47	XXX	0	0	0	0	0
94667		Α	Chest wall manipulation	0.56	0.56	XXX	0	0	0	0	0
94668		Α	Chest wall manipulation	0.34	0.34	XXX	0	0	0	0	0
94680		Α	Exhaled air analysis	1.04	1.04	XXX	0	0	0	0	0
94680	26	Α	Exhaled air analysis	0.53	0.53	XXX	0	0	0	0	0
94680	TC	Α	Exhaled air analysis	0.51	0.51	XXX	0	0	0	0	0
94681		Α	Exhaled air analysis	1.76	1.76	XXX	0	0	0	0	0
94681	26	Α	Exhaled air analysis	0.42	0.42	XXX	0	0	0	0	0
94681	TC	Α	Exhaled air analysis	1.35	1.35	XXX	0	0	0	0	0
94690		Α	Exhaled air analysis	0.63	0.63	XXX	0	0	0	0	0
94690	26	Α	Exhaled air analysis	0.11	0.11	XXX	0	0	0	0	0
94690	TC	Α	Exhaled air analysis	0.51	0.51	XXX	0	0	0	0	0
94720		Α	Carbon monoxide diffusion	1.28	1.28	XXX	0	0	0	0	0
94720	26	Α	Carbon monoxide diffusion	0.47	0.47	XXX	0	0	0	0	0
94720	TC	Α	Carbon monoxide diffusion	0.81	0.81	XXX	0	0	0	0	0
94725		Α	Membrane diffusion	2.09	2.09	XXX	0	0	0	0	0
94725	26	Α	Membrane diffusion	0.42	0.42	XXX	0	0	0	0	0
94725	TC	Α	Membrane diffusion	1.68	1.68	XXX	0	0	0	0	0
94750		Α	Pulmonary compliance	1.01	1.01	XXX	0	0	0	0	0
94750	26	Α	Pulmonary compliance	0.46	0.46	XXX	0	0	0	0	0
94750	TC	Α	Pulmonary compliance	0.55	0.55	XXX	0	0	0	0	0
94760		Α	Measure blood oxygen	0.25	0.25	XXX	0	0	0	0	0
94761		Α	Measure blood oxygen	0.65	0.65	XXX	0	0	0	0	0
94762		Α	Measure blood oxygen	1.10	1.10	XXX	0	0	0	0	0
94770		Α	Exhaled carbon dioxide	0.58	0.58	XXX	0	0	0	0	0
94770	26	A	Exhaled carbon dioxide	0.26	0.26	XXX	0	0	0	0	0
94770	TC	Α	Exhaled carbon dioxide	0.32	0.32	XXX	0	0	0	0	0
94772		C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94772	26	C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94772	TC	C	Breath recording	0.00	0.00	XXX	0	0	0	0	0
94799		C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
94799	26	C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0
94799	TC	C	Pulmonary procedure	0.00	0.00	XXX	0	0	0	0	0

(41) Allergy and clinical immunology, allergy testing:

95004	Α	Allergy skin testing	0.09	0.09	XXX	0	0	0	0	0
95010	Α	Sensitivity skin test	0.25	0.19	XXX	0	0	0	0	0
95015	Α	Sensitivity skin test	0.25	0.19	XXX	0	0	0	0	0
95024	Α	Allergy skin test	0.14	0.14	XXX	0	0	0	0	0
95027	Α	Skin end point	0.14	0.14	XXX	0	0	0	0	0
95028	Α	Allergy skin test	0.22	0.22	XXX	0	0	0	0	0
95044	Α	Allergy patch test	0.19	0.19	XXX	0	0	0	0	0
95052	Α	Photo patch test	0.24	0.24	XXX	0	0	0	0.	0
95056	Α	Photosensitivity	0.17	0.09	XXX	0	0	0	0	0
95060	Α	Eye allergy test	0.33	0.33	XXX	0	0	0	0	0
95065	Α	Nose allergy test	0.19	0.10	XXX	0	0	0	0	0
95070	Α	Bronchial allergy test	2.11	2.11	XXX	0	0	0	0	0
95071	Α	Bronchial allergy test	2.70	2.70	XXX	0	0	0	0	0
95075	Α	Ingestion challenge test	2.78	1.82	XXX	0	0	0	0	0
95078	Α	Provocative testing	0.24	0.24	XXX	0	0	0	0	0

(42) Allergy and clinical immunology, allergen immunotherapy:

95115	Α	Immunotherapy	0.37	0.37	000	0	0	0	0	0
95117	Α	Immunotherapy	0.47	0.47	000	0	0	0	0	0
95120	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95125	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95130	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95131	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95132	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95133	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95134	I	Immunotherapy	0.00	0.00	XXX	9	9	9	9	9
95144	Α	Antigen therapy	0.19	0.12	000	0	0	0	0	0
95145	Α	Antigen therapy	0.40	0.24	000	0	0	0	0	0
95146	Α	Antigen therapy	0.66	0.37	000	0	0	0	0	0
95147	Α	Antigen therapy	0.95	0.51	000	0	0	0	0	0
95148	Α	Antigen therapy	0.95	0.51	000	0	0	0	0	0
95149	Α	Antigen therapy	1.17	0.62	000	0	0	0	0	0
95165	Α	Antigen therapy	0.16	0.11	000	0	0	0	0	0
95170	Α	Antigen therapy	0.41	0.24	000	0	0	0	0	0
95180	Α	Rapid desensitization	1.97	1.90	000	0	0	0	0	0
95199	С	Allergy immunology	0.00	0.00	000	0	0	0	0	0

(43) Neurology and neuromuscular procedures, sleep testing:

95805		Α	Multiple sleep latency	7.28	7.28	XXX	0	0	0	0	0
95805	26	Α	Multiple sleep latency	2.29	2.29	XXX	0	0	0	0	0
95805	TC	Α	Multiple sleep latency	4.99	4.99	XXX	0	0	0	0	0
95806		Α	Sleep study, unattended	8.75	8.15	XXX	0	0	0	0	0
95806	26	Α	Sleep study, unattended	3.98	3.38	XXX	0	0	0	0	0
95806	TC	Α	Sleep study, unattended	4.77	4.77	XXX	0	0	0	0	0
95807		Α	Sleep study, attended	9.73	9.73	XXX	0	0	0	0	0
95807	26	Α	Sleep study, attended	3.38	3.38	XXX	0	0	0	0	0
95807	TC	Α	Sleep study, attended	6.35	6.35	XXX	0	0	0	0	0
95808		Α	Polysomnography	11.23	11.23	XXX	0	0	0	0	0
95808	26	Α	Polysomnography	4.88	4.88	XXX	0	0	0	0	0
95808	TC	Α	Polysomnography	6.35	6.35	XXX	0	0	0	0	0
95810		Α	Polysomnography	12.03	12.03	XXX	0	0	0	0	0
95810	26	Α	Polysomnography	5.68	5.68	XXX	0	0	0	0	0
95810	TC	Α	Polysomnography	6.35	6.35	XXX	0	0	0	0	0
95811		Α	Polysomnography	12.71	12.71	XXX	0	0	0	0	0
95811	26	Α	Polysomnography	6.04	6.04	XXX	0	0	0	0	0
95811	TC	Α	Polysomnography	6.67	6.67	XXX	0	0	0	0	0
95812		Α	Electroencephalogram	2.85	2.85	XXX	0	0	0	0	0
95812	26	Α	Electroencephalogram	1.49	1.49	XXX	0	0	0	0	0
95812	TC	Α	Electroencephalogram	1.36	1.36	XXX	0	0	0	0	0
95813		Α	Electroencephalogram	3.44	3.44	XXX	0	0	0	0	0
95813	26	Α	Electroencephalogram	2.08	2.08	XXX	0	0	0	0	0
95813	TC	Α	Electroencephalogram	1.36	1.36	XXX	0	0	0	0	0
95816		Α	Electroencephalogram	2.54	2.54	XXX	0	0	0	0	0
95816	26	Α	Electroencephalogram	1.27	1.27	XXX	0	0	0	0	0
95816	TC	Α	Electroencephalogram	1.27	1.27	XXX	0	0	0	0	0
95819		Α	Electroencephalogram	2.80	2.80	XXX	0	0	0	0	0
95819	26	Α	Electroencephalogram	1.49	1.49	XXX	0	0	0	0	0
95819	TC	Α	Electroencephalogram	1.31	1.31	XXX	0	0	0	0	0
95822		Α	Sleep EEG	3.28	3.28	XXX	0	0	0	0	0
95822	26	A	Sleep EEG	1.54	1.54	XXX	0	0	0	0	0
			<u> </u>								

95822	TC	Α	Sleep EEG	1.74	1.74	XXX	0	0	0	0	0
	10										
95824		Α	Cerebral death EEG	1.66	1.66	XXX	0	0	0	0	0
95824	26	Α	Cerebral death EEG	1.25	1.25	XXX	0	0	0	0	0
95824	TC	Α	Cerebral death EEG	0.40	0.40	XXX	0	0	0	0	0
95827		Α	Night sleep EEG	4.07	4.07	XXX	0	0	0	0	0
95827	26	A	Night sleep EEG	1.87	1.87	XXX	Ŏ	Õ	Ŏ	ŏ	Ŏ
95827	TC	A	Night sleep EEG	2.20	2.20	XXX	0	0	0	0	0
95829		Α	Electrocorticogram	6.24	6.24	XXX	0	0	0	0	0
95829	26	Α	Electrocorticogram	6.09	6.09	XXX	0	0	0	0	0
95829	TC	Α	Electrocorticogram	0.15	0.15	XXX	0	0	0	0	0
95830		A	Insert electrodes	2.34	2.34	XXX	Õ	Õ	Õ	Ŏ	0
				0.55	0.41	XXX	0	ő	0	Ö	ő
95831		A	Limb muscle test						_		
95832			Hand muscle test	0.52	0.40	XXX	0	0	0	0	0
95833		Α	Body muscle test	0.82	0.64	XXX	0	0	0	0	0
95834		Α	Body muscle test	1.17	0.87	XXX	0	0	0	0	0
95851		Α	Range of motion	0.39	0.27	XXX	0	0	0	0	0
95852		A	Range of motion	0.26	0.18	XXX	ŏ	0	0	ŏ	ŏ
							_				
95857		A	Tensilon test	0.99	0.74	XXX	0	0	0	0	0
95858		A	Tensilon test, recording	2.45	2.45	XXX	0	0	0	0	0
95858	26	Α	Tensilon test, recording	2.06	2.06	XXX	0	0	0	0	0
95858	TC	Α	Tensilon test, recording	0.39	0.39	XXX	0	0	0	0	0
95860		Ā	Muscle test, one	1.97	1.97	XXX	Õ	0	Õ	Õ	Õ
95860	26	A	Muscle test, one	1.61	1.61	XXX	ŏ	ŏ	0	ŏ	0
			•								
95860	TC		Muscle test, one	0.36	0.36	XXX	0	0	0	0	0
95861		Α	Muscle test, two	3.39	3.39	XXX	0	0	0	0	0
95861	26	Α	Muscle test, two	2.68	2.68	XXX	0	0	0	0	0
95861	TC		Muscle test, two	0.71	0.71	XXX	0	0	0	0	0
95863			Muscle test, three	4.02	4.02	XXX	ō	Ō	Õ	Ō	Õ
95863	26		Muscle test, three	3.12	3.12	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
									-		
95863	TC		Muscle test, three	0.90	0.90	XXX	0	0	0	0	0
95864		Α	Muscle test, four	5.29	5.29	XXX	0	0	0	0	0
95864	26	Α	Muscle test, four	3.57	3.57	XXX	0	0	0	0	0
95864	TC	Α	Muscle test, four	1.71	1.71	XXX	0	0	0	0	0
95867			Muscle test, head	1.86	1.86	XXX	0	0	0	0	0
95867	26		Muscle test, head	1.31	1.31	XXX	Ŏ	ŏ	Ŏ	Ŏ	0
				0.55							
95867	TC		Muscle test, head		0.55	XXX	0	0	0	0	0
95868		Α	Muscle test, head	3.01	3.01	XXX	0	2	0	0	0
95868	26	Α	Muscle test, head	2.34	2.34	XXX	0	2	0	0	0
95868	TC	Α	Muscle test, head	0.67	0.67	XXX	0	2	0	0	0
95869		Α	Muscle test, thoracic	0.88	0.88	XXX	0	0	0	0	0
95869	26	Α	Muscle test, thoracic	0.67	0.67	XXX	0	0	0	0	0
95869	TC		Muscle test, thoracic	0.20	0.20	XXX	ŏ	ŏ	ŏ	ŏ	Õ
	10										
95870	26		Nonparaspinal muscle test	0.88	0.88	XXX	0	0	0	0	0
95870	26	Α	Nonparaspinal muscle test	0.67	0.67	XXX	0	0	0	0	0
95870	TC	Α	Nonparaspinal muscle test	0.20	0.20	XXX	0	0	0	0	0
95872		Α	Nonparaspinal muscle test	2.63	2.63	XXX	0	0	0	0	0
95872	26		Nonparaspinal muscle test	2.05	2.05	XXX	0	0	0	0	0
95872	TC		Nonparaspinal muscle test	0.58	0.58	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
	ıc										
95875			Limb exercise	1.85	1.85	XXX	0	0	0	0	0
95875	26		Limb exercise	1.45	1.45	XXX	0	0	0	0	0
95875	TC	Α	Limb exercise	0.40	0.40	XXX	0	0	0	0	0
95900		Α	Motor nerve conduction	1.01	1.01	XXX	0	0	0	0	0
95900	26		Motor nerve conduction	0.74	0.74	XXX	0	0	0	Ō	0
95900	TC		Motor nerve conduction	0.27	0.27	XXX	0	0	0	0	ŏ
	10										
95903	2-	A	Motor nerve conduction	1.14	1.14	XXX	0	0	0	0	0
95903	26	Α	Motor nerve conduction	0.90	0.90	XXX	0	0	0	0	0
95903	TC	Α	Motor nerve conduction	0.24	0.24	XXX	0	0	0	0	0
95904		Α	Sensory nerve conduction	0.87	0.87	XXX	0	0	0	0	0
			•								

95904	26	Α	Sensory nerve conduction	0.65	0.65	XXX	0	0	0	0	0
95904	TC		Sensory nerve conduction	0.21	0.21	XXX	0	0	0	0	0
95920			Intraoperative testing	4.60	4.60	XXX	0	0	0	0	0
95920	26		Intraoperative testing	3.36	3.36	XXX	0	0	0	0	0
95920	TC		Intraoperative testing	1.24	1.24	XXX	0	0	0	0	0
95921		Α	Autonomic nervous system	1.50	1.50	XXX	0	0	0	0	0
95921	26	Α	Autonomic nervous system	1.14	1.14	XXX	0	0	0	0	0
95921	TC	Α	Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95922		Α	Autonomic nervous system	1.58	1.58	XXX	0	0	0	0	0
95922	26	Α	Autonomic nervous system	1.22	1.22	XXX	0	0	0	0	0
95922	TC		Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95923			Autonomic nervous system	1.50	1.50	XXX	0	0	0	0	0
95923	26	Α	Autonomic nervous system	1.14	1.14	XXX	0	0	0	0	0
95923	TC		Autonomic nervous system	0.36	0.36	XXX	0	0	0	0	0
95925		Α	Somatosensory study	2.02	2.02	XXX	0	2	0	0	0
95925	26	Α	Somatosensory study	1.14	1.14	XXX	0		0	0	0
95925	TC	Α	Somatosensory study	0.88	0.88	XXX	0	2	0	0	0
95926		Α	Somatosensory study	2.02	2.02	XXX	0	2	0	0	0
95926	26	Α	Somatosensory study	1.14	1.14	XXX	0	2	0	0	0
95926	TC	Α	Somatosensory study	0.88	0.88	XXX	0	2	0	0	0
95927		A	Somatosensory study	2.02	2.02	XXX	0	$\bar{0}$	0	0	0
95927	26	A	Somatosensory study	1.14	1.14	XXX	0	ŏ	Ŏ	ō	Ŏ
95927	TC	Α	Somatosensory study	0.88	0.88	XXX	0	0	0	0	0
95930	_	A	Visual evoked potential	1.15	1.15	XXX	0	2	0	0	0
95930	26	Α	Visual evoked potential	0.90	0.90	XXX	0	2	0	0	0
95930	TC	A	Visual evoked potential	0.25	0.25	XXX	Ō	2	Õ	Õ	Õ
95933		A	Blink reflex test	1.80	1.80	XXX	0	0	Ō	0	0
95933	26	A	Blink reflex test	1.04	1.04	XXX	Õ	Õ	Ō	Õ	Õ
95933	TC		Blink reflex test	0.76	0.76	XXX	Ŏ	Ŏ	ŏ	Ŏ	Ŏ
95934			H-reflex study	1.01	1.01	XXX	0	1	Õ	0	0
95934	26		H-reflex study	0.81	0.81	XXX	Ō	1	ō	Ō	Ō
95934	TC		H-reflex study	0.20	0.20	XXX	0	1	Ō	0	0
95936			H-reflex study	1.05	1.05	XXX	0	1	0	0	0
95936	26		H-reflex study	0.84	0.84	XXX	0	1	0	0	0
95936	TC	A	H-reflex study	0.20	0.20	XXX	0	1	0	Ô	0
95937		A	Neuromuscular junction	1.37	1.37	XXX	0	Ō	0	0	0
95937	26		Neuromuscular junction	1.05	1.05	XXX	Õ	Ō	Õ	Õ	Õ
95937	TČ	A	Neuromuscular junction	0.33	0.33	XXX	ŏ	ŏ	ŏ	Õ	Ŏ
95950		Ā	Ambulatory EEG	8.70	8.70	XXX	Ŏ	Ŏ	Ŏ	Ŏ	Ŏ
95950	26		Ambulatory EEG	2.59	2.59	XXX	ŏ	Ŏ	ŏ	Ŏ	ŏ
95950	TČ	A	Ambulatory EEG	6.11	6.11	XXX	ŏ	Õ	Õ	Ŏ	ŏ
95951			EEG monitoring	14.33	14.33	XXX	Ŏ	0	Õ	Ŏ	Ŏ
95951	26		EEG monitoring	6.96	6.96	XXX	Ŏ	Õ	0	Ö	Ö
95951			EEG monitoring	7.37	7.37	XXX	ŏ	ŏ	Õ	ŏ	ŏ
95953			EEG monitoring	10.13	10.13	XXX	ŏ	Ŏ	ŏ	ŏ	ŏ
95953	26		EEG monitoring	4.02	4.02	XXX	ŏ	ŏ	0	ő	ŏ
95953	TČ		EEG monitoring	6.11	6.11	XXX	ŏ	0	ŏ	ŏ	ŏ
95954	10		EEG monitoring	4.62	4.62	XXX	ŏ	ő	ŏ	ŏ	ŏ
95954	26		EEG monitoring	4.15	4.15	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
95954	TC		EEG monitoring	0.47	0.47	XXX	ő	0	Ö	ő	ŏ
95955	10		EEG during surgery	3.88	3.88	XXX	0	0	0	0	ő
95955	26		EEG during surgery	1.97	1.97	XXX	0	0	0	0	0
95955	TC		EEG during surgery	1.97	1.97	XXX	0	0	0	0	0
95956	10		EEG during surgery EEG monitoring	10.42	10.42	XXX	0	0	0	0	0
95956	26			4.31	4.31	XXX	0	0	0	0	0
			EEG monitoring				_		_	0	
95956	TC		EEG monitoring	6.11	6.11	XXX	0	0	$0 \\ 0$		0
95957	26		EEG digital analysis	4.07	4.07	XXX	0	0		0	0
95957	26	A	EEG digital analysis	2.43	2.43	XXX	0	0	0	0	0

05057	TC.		PEC distributions	1 (1	1.64	3/3/3/	Λ	0	Λ	Λ	^
95957	TC		EEG digital analysis	1.64	1.64	XXX	0	0	0	0	0
95958	26		EEG monitoring	8.87	8.87	XXX	0	0	0	0	0
95958	26 TC		EEG monitoring	7.19	7.19	XXX	0	0	0	0	0
95958	TC	A	EEG monitoring	1.68	1.68	XXX	0	0	0	0	0
95961	2.	A	Electrode stimulation	5.39	5.39	XXX	0	0	0	0	0
95961	26	A	Electrode stimulation	4.14	4.14	XXX	0	0	0	0	0
95961	TC	A	Electrode stimulation	1.24	1.24	XXX	0	0	0	0	0
95962	•	A	Electrode stimulation	5.60	5.60	XXX	0	0	0	0	0
95962	26		Electrode stimulation	4.36	4.36	XXX	0	0	0	0	0
95962	TC		Electrode stimulation	1.24	1.24	XXX	0	0	0	0	0
95999		С	Neurological procedure	0.00	0.00	XXX	0	0	0	0	0
(44) Co	entra	l ne	rvous system assessments/tests:								
96100		Α	Psychological testing	1.73	1.73	XXX	0	0	0	0	0
96105		A	Assessment of aphasia	1.73	1.73	XXX	0	0	0	0	ŏ
96110		C	Developmental testing	0.00	0.00	XXX	0	0	0	0	0
96111		Ā	Developmental testing	1.73	1.73	XXX	ő	0	0	0	ő
96115		Α	Neurobehavioral status	1.73	1.73	XXX	0	0	0	0	0
96117		A	Neuropsychological test	1.73	1.73	XXX	0	0	0	ŏ	0
70117			rveuropsychological test	1.75	1.75	1001	Ů	Ü	Ü	Ü	v
(45) CI	hemo	the	rapy administration:								
96400		٨	Chemotherapy	0.13	0.13	XXX	0	0	0	0	0
96405		A	Intralesional chemo	0.13	0.13	000	2	0	1	0	0
96406		A	Intralesional chemo	1.29	1.02	000	2	0	1	0	0
96408		A	Chemotherapy, push	0.92	0.92	XXX	0	0	0	0	0
96410		A	Chemotherapy, infusion	1.47	1.47	XXX	0	0	0	0	0
96412		A	Chemotherapy, infusion	1.11	1.11	XXX	0	0	0	0	Ö
96414		A	Chemotherapy, infusion	1.28	1.28	XXX	0	0	0	0	ő
96420		A	Chemotherapy, musion Chemotherapy, push	1.20	1.20	XXX	0	0	0	0	0
96422		A	Chemotherapy, infusion	1.18	1.18	XXX	0	0	0	0	0
96423		A	Chemotherapy, infusion	0.46	0.46	XXX	0	0	0	0	0
96425		A	Chemotherapy, infusion	1.36	1.36	XXX	0	0	0	0	0
96440		A	Chemotherapy	2.97	2.97	000	0	0	0	0	0
96445		A	Chemotherapy	2.99	2.52	000	0	ő	0	0	Ö
96450		A	Chemotherapy	2.59	2.17	000	0	0	0	0	0
96520			Pump refilling	0.85	0.85	XXX	0	0	0	0	0
96530			Pump refilling	1.01	1.01	XXX	0	0	0	0	ŏ
96542		A	Chemotherapy injection	2.41	1.89	XXX	0	ŏ	0	0	ő
96545			Provide chemotherapy	0.00	0.00	XXX	9	9	9	9	9
96549		Č	Chemotherapy procedure	0.00	0.00	XXX	ó	ó	Ó	ó	Ó
705 17		Č	chemotherapy procedure	0.00	0.00	7001	Ü	Ü	Ü	Ü	Ü
(46) Sp	ecial	de	rmatological procedures:								
96900		Α	Ultraviolet light	0.38	0.38	XXX	0	0	0	0	0
96902		В	Trichogram	0.00	0.00	XXX	9	9	9	9	9
96910		Ā	Photochemotherapy	0.55	0.55	XXX	0	0	0	0	0
96912			Photochemotherapy	0.64	0.64	XXX	0	Ŏ	0	Ŏ	0
96913			Photochemotherapy	1.30	1.30	XXX	0	0	0	0	0
96999		C	Dermatological procedure	0.00	0.00	XXX	0	0	0	0	0

(47) Oste	opath	ic manipulative treatment:								
98925	Α	Osteopathic manipulation	0.66	0.66	000	0	0	0	0	0
98926	A		0.99	0.99	000	0	0	0	0	0
98927		Osteopathic manipulation	1.17	1.17	000	0	0	0	0	0
98928		Osteopathic manipulation	1.36	1.36	000	0	0	0	0	0
98929		Osteopathic manipulation	1.47	1.47	000	0	0	0	0	0
		P								
(48) Spec	ial ser	rvices and reports, miscellaneo	us service	es:						
99000	В	Specimen handling	0.00	0.00	XXX	9	9	9	9	9
99001	В		0.00	0.00	XXX	9	9	9	9	9
99002	В	Device handling	0.00	0.00	XXX	9	9	9	9	9
99024	В	Postoperative follow-up	0.00	0.00	XXX	9	9	9	9	9
99025	В	Initial surgical	0.00	0.00	XXX	9	9	9	9	9
99050	В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99052	В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99054	В	Medical services	0.00	0.00	XXX	9	9	9	9	9
99056	\mathbf{B}	Non-office medical	0.00	0.00	XXX	9	9	9	9	9
99058	В	Office emergency	0.00	0.00	XXX	9	9	9	9	9
99070	В	Special supplies	0.00	0.00	XXX	9	9	9	9	9 9
99071	В	Patient education	0.00	0.00	XXX	9	9	9	9	9
99075			0.00	0.00	XXX	9	9	9	9	9
99078	В	Group health education	0.00	0.00	XXX	9	9	9	9	9
99080	В	Special reports	0.00	0.00	XXX	9	9	9	9	9
99082	С	Unusual travel	0.00	0.00	XXX	0	0	0	0	0
99090	В	Computer data analysis	0.00	0.00	XXX	9	9	9	9	9
(49) Qua	lifying	circumstances for anesthesia:								
99100	В	Special anesthesia	0.00	0.00	XXX	9	9	9	9	9
99116	B	Anesthesia	0.00	0.00	XXX	9	9	9	9	9
99135	B	Special anesthesia	0.00	0.00	XXX	9	9	9	9	9
99140	B	Emergency anesthesia	0.00	0.00	XXX	9	9	9	9	9 9
(50) G 1		and the second								
(50) Seda	ition v	vith or without analgesia:								
99141	В	Sedation	0.00	0.00	XXX	9	9	9	9	9
99142	В	Sedation, oral	0.00	0.00	XXX	9	9	9	9	9
(51) Othe	er serv	rices:								
99175	Λ	Induction of vomiting	1.34	1.34	XXX	0	0	0	0	0
99173	A	Hyperbaric oxygen therapy	3.80	3.80	XXX	0	0	0	0	0
99185		Regional hypothermia	0.61	0.61	XXX	0	0	0	0	0
99186	A	Total body hypothermia	1.93	1.93	XXX	0	0	0	0	0
99190	X	Special pump	0.00	0.00	XXX	9	9	9	9	9
99191		Special pump	0.00	0.00	XXX	ģ	9	9	9	9
99192	X		0.00	0.00	XXX	9	9	9	9	9
00105	Α.	Dhlahatamy	0.42	0.42	VVV	ń	Ò	'n	ń	'n

0.42

0.00

0.42

0.00

0 0

0

XXX XXX

0 0

A Phlebotomy

C Special service

99195

99199

I. Procedure code numbers 99201 to 99449 relate to evaluation and management services.												
1	2	3	4	5	6	7	8	9	10	11	12	
(1) Offi	ce or	ot	her outpatient services, new pati	ent:	_ 					<u>-</u>		
99201 99202 99203 99204 99205		A A A	Office/outpatient visit Office/outpatient visit Office/outpatient visit Office/outpatient visit Office/outpatient visit	0.84 1.32 1.82 2.71 3.40	0.61 1.04 1.50 2.24 2.88	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	
(2) Offi	ce or	ot	her outpatient services, establish	ed patio	ent:							
99211 99212 99213 99214 99215		A A A	Office/outpatient visit Office/outpatient visit Office/outpatient visit Office/outpatient visit Office/outpatient visit	0.37 0.73 1.04 1.57 2.48	0.26 0.55 0.81 1.26 2.01	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	
(3) Hos	pital	obs	servation services:									
99217 99218 99219 99220		A A	Observation care Observation care Observation care Observation care	1.69 1.85 3.01 3.87	1.69 1.85 3.01 3.87	XXX XXX XXX XXX	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	
(4) Hos	pital	inp	patient services, initial hospital ca	are, nev	or est	ablished	pat	ien	t:			
99221 99222 99223		Α	Initial hospital care Initial hospital care Initial hospital care	1.84 3.00 3.85	1.84 3.00 3.85	XXX XXX XXX	0 0 0	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	0 0 0	
(5) Hos	pital	inp	oatient services, subsequent hosp	ital care	e:							
99231 99232 99233		A	Subsequent hospital care Subsequent hospital care Subsequent hospital care	0.96 1.42 1.98	0.96 1.42 1.98	XXX XXX XXX	0 0 0	0 0 0	0 0 0	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	$\begin{matrix} 0 \\ 0 \\ 0 \end{matrix}$	
(6) Obse	ervati	ion	or inpatient services:									
99234 99235 99236 99238 99239	4	A A A	Observation, hospital Observation, hospital Observation, hospital Hospital discharge day Hospital discharge day	3.01 4.17 5.03 1.68 2.10	3.01 4.17 5.03 1.68 2.10	XXX XXX XXX XXX XXX	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	
(7) Con:	sultat	ior	ns, office or other inpatient cons	ultation	s, new	or estab	lish	ed j	patie	ent:		
99241		A	Initial office consult	1.24	0.93	XXX	0	0	0	0	0	

MINNESOTA RULES 2005

729		FEES	FOR M	IEDICA	L SERV	/ICE	S	522	1.40	30
99242	Α	Initial office consult	1.96	1.59	XXX	0	0	0	0	0
99243		Initial office consult	2.55	2.09	XXX		0	0	0	0
99244		Initial office consult	3.59	3.00	XXX		0	0	0	0
99245		Initial office consult	4.83	4.02	XXX		0	0	0	0
(8) Consul	Itatio	ns, initial inpatient consultation	ns, new o	or establ	ished pa	atient	:			
99251	Α	Initial inpatient consult	1.29	1.29	XXX	0	0	0	0	0
99252	A		1.98	1.98	XXX	0	0	0	0	0
99253		Initial inpatient consult	2.63	2.63	XXX		0	0	0	0
99254		Initial inpatient consult	3.62	3.62	XXX		0	0	0	0
99255		Initial inpatient consult	4.91	4.91	XXX	0	0	0	0	Õ
(9) Consu	Itatio	ns, follow-up inpatient consulta	ations, es	stablishe	d patier	nt:				
99261	Α	Follow-up inpatient	0.72	0.72	XXX	0	0	0	0	0
99262		Follow-up inpatient	1.24	1.24	XXX		0	0	0	0
99263		Follow-up inpatient	1.82	1.82	XXX		0	0	0	ŏ
, ,		ory consultations:								
99271		Confirmatory consultation	1.01	0.73	XXX	0	0	0	0	0
99272		Confirmatory consultation	1.50	1.16	XXX	0	0	0	0	0
99273		Confirmatory consultation	2.13	1.63	XXX	0	0	0	0	0
99274		Confirmatory consultation	2.81	2.22	XXX	0	0	0	0	0
99275	Α	Confirmatory consultation	3.87	3.87	XXX	0	0	0	0	0
(11) Emer	genc	y department services:								
99281	Α	Emergency room visit	0.58	0.58	XXX	0	0	0	0	0
99282	Α	Emergency room visit	0.88	0.88	XXX	0	0	0	0	0
99283	Α	Emergency room visit	1.62	1.62	XXX	0	0	0	0	0
99284	Α		2.48	2.48	XXX	0	0	0	0	0
99285	Α	Emergency room visit	3.91	3.91	XXX	0	0	0	0	0
99288	В	Direct advanced support	0.00	0.00	XXX	9	9	9	9	9
(12) Critic	al ca	re services:								
99291	Α	Critical care, first hour	5.07	5.07	XXX	0	0	0	0	0
99292		Critical care, additional	2.45	2.45	XXX	0	0	0	0	0
(13) Neon	atal	intensive care:								
99295	Α	Neonatal critical care	20.29	20.29	XXX	0	0	0	0	0
99296		Neonatal critical care	10.06	10.06	XXX	o o	0	0	0	0
99297		Neonatal critical care	5.03	5.03	XXX	0	0	0	0	Ŏ

(14) Compr	ehe	nsive nursing facility assessments	s, new o	r estab	lished p	atiei	nt:			
00004		NT 1 0 111	4.54	4 - 4	373737	_	_	_	_	^
99301		Nursing facility care	1.54	1.54	XXX	0	0	0	0	0
99302	Α	Nursing facility care	1.97	1.97	XXX	0	0	0	0	0
99303		Nursing facility care	2.78	2.78	XXX	0	0	0	0	0
3,000		Trusomg months out	21.70	, 0		Ŭ	Ŭ	Ů	Ů	·
(15) Subseq	luen	nt nursing facility care, new or es	tablishe	d patie	nt:					
00211	٨	Muraina facility come	0.00	0.00	vvv	Λ	Λ	Λ	Λ	Λ
99311		Nursing facility care	0.89	0.89	XXX	0	0	0	0	0
99312		Nursing facility care	1.32	1.32	XXX	0	0	0	0	0
99313		Nursing facility care	1.76	1.76	XXX	0	0	0	0	0
99315	Α	Discharge	1.54	1.54	XXX	0	0	0	0	0
99316	A	Discharge	1.88	1.88	XXX	0	0	0	0	0
(16) Domic	iliar	y, rest home, or custodial care, i	new or e	stablisl	ned pati	ent:				
					-		_			_
99321		Rest home visit	1.02	1.02	XXX	0	0	0	0	0
99322	Α	Rest home visit	1.44	1.44	XXX	0	0	0	0	0
99323	Α	Rest home visit	1.90	1.90	XXX	0	0	0	0	0
99331	Α	Rest home visit	0.83	0.83	XXX	0	0	0	0	0
99332		Rest home visit	1.09	1.09	XXX	ŏ	ŏ	ŏ	ŏ	0
						0	0	0	0	
99333	A	Rest home visit	1.34	1.34	XXX	U	U	U	U	0
(17) Home	serv	vices, new or established patient:								
99341	Α	Home visit	1.46	1.46	XXX	0	0	0	0	0
99342		Home visit	1.99	1.99	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
99343		Home visit	2.84	2.84	XXX	0	0	0	0	0
99344		Home visit	3.62	3.62	XXX	0	0	0	0	0
99345		Home visit	4.31	4.31	XXX	0	0	0	0	0
99347	Α	Home visit	1.15	1.15	XXX	0	0	0	0	0
99348	Α	Home visit	1.68	1.68	XXX	0	0	0	0	0
99349	Α	Home visit	2.45	2.45	XXX	0	0	0	0	0
99350		Home visit	3.52	3.52	XXX	ŏ	ŏ	ŏ	ŏ	Ŏ
99351		Home visit	1.21	1.21	XXX	0	ő	ŏ	ő	0
						-				
99352	_	Home visit	1.55	1.55	XXX	0	0	0	0	Ó
99353	D	Home visit	1.96	1.96	XXX	0	.0	0	0	Ó
(18) Prolon	ged	services with direct patient cont	act, offic	ce or o	ther out	pati	ent:			
99354	Α	Prolonged service	2.38	2.01	XXX	0	0	0	0	0
99355		Prolonged service	2.38	2.01	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
(19) Prolon	ged	services with direct patient cont-	act, inpa	itient:						
00056		- · · · ·	- 10			_	_	_	_	_
99356	Α	Prolonged service	2.42	2.42	XXX	0	0	0	0	Ŏ
99357	Α	Prolonged service	2.42	2.42	XXX	0	0	0	0	0
(20) Prolong	ged	services without direct patient co	ontact:							
00050	_		0.00	0.05	****	_	_	_	_	_
99358		Prolonged service	0.00	0.00	XXX	9	9	9	9	9
99359	В	Prolonged service	0.00	0.00	XXX	9	9	9	9	9

(21) Prolong	ged	services, physician standby:								
99360	X	Physician standby	0.00	0.00	XXX	9	9	9	9	9
(22) Case m	ana	gement services:								
99361	В	Physician/team conference	0.00	0.00	XXX	9	9	9	9	9
99362	В	Physician/team conference	0.00	0.00	XXX	9	9	9	9	9
99371	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9
99372	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9
99373	В	Physician phone consult	0.00	0.00	XXX	9	9	9	9	9
(23) Care pl	an	oversight services:								
99374	В	Home health care	0.00	0.00	XXX	9	9	9	9	9
99375	A	Home health care	2.09	2.09	XXX	ó	ó	ó	ó	ó
99376	Ď	Care plan oversight	0.00	0.00	XXX	9	9	9	9	9
99377	В	Hospice care supervision	0.00	0.00	XXX	ģ	9	9	9	9
99378	A	Hospice care supervision	2.09	2.09	XXX	0	0	0	0	0
						-	9	9	9	9
99379	В	Nursing facility care	0.00	0.00	XXX	9	9	9	9	9
99380	В	Nursing facility care	0.00	0.00	XXX	9	9	9	9	9
(24) Preven	tive	medicine services:								
99381	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99382	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99383	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99384	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99385	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99386	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99387	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99391	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99392	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99393	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99394	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99395	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99396	N	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99397	Ν	Preventive visit	0.00	0.00	XXX	9	9	9	9	9
99401	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99402	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99403	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99404	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99411		Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99412	N	Preventive counseling	0.00	0.00	XXX	9	9	9	9	9
99420	N	Health risk assessment	0.00	0.00	XXX	9	9	9	9	9
99429	N	Unlisted preventive	0.00	0.00	XXX	9	9	9	9	9
(25) Newbo	rn c	care:								
99431	Α	Normal newborn care	2.28	2.28	XXX	0	0	0	0	0

99433 A Normal newborn care 1.20 1.20 XXX 0 0 0 0 0 0 99435 A Newborn discharge day 2.91 2.91 XXX 0 0 0 0 0 0 0 99436 A Attendance, birth 2.91 2.91 XXX 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5221.403	0 FE	ES FOR MEDICAL SERVICE	ES						,	732
99450 N Life/disability	99433 99435 99436	A A A	Normal newborn care Newborn discharge day Attendance, birth	1.20 2.91 2.91	1.20 2.91 2.91	XXX XXX XXX	0 0 0	0 0 0	$\begin{array}{c} 0 \\ 0 \\ 0 \end{array}$	0 0 0	0 0 0 0
99455 R Disability examination 99456 R Disability examination 0.00 0.00 XXX 0 0 0 0 0 0 0 0 0 0 0 0 0	(26) Spe	cial ev	raluation and management servi	ces:							
J. Procedure code numbers A0021 to R0076 relate to miscellaneous services and supplies. 1 2 3 4 5 6 7 8 9 10 11 12 (1) Miscellaneous A codes: (2) Comparison of the first of the	99455	R	Disability examination	0.00	0.00	XXX	0	0	0	0	9 0 0
J. Procedure code numbers A0021 to R0076 relate to miscellaneous services and supplies. 1 2 3 4 5 6 7 8 9 10 11 12 (1) Miscellaneous A codes: A0021 I Outside state ambulance	(27) Oth	er eva	luation and management service	es:							
1	99499	C	Unlisted E/M service	0.00	0.00	XXX	0	0	0	0	0
(1) Miscellaneous A codes: A0021 I Outside state ambulance	and supp		ocedure code numbers A0021 t	o R0076	relate	to misc	ellaı	neo	us s	ervi	ces
A0021 I Outside state ambulance 0.00 0.00 XXX 9	1	2 3	4	5	6	7	8	9	10	11	12
A0030 X Air ambulance service 0.00 0.00 XXX 9	(1) Misc	ellane	ous A codes:							-	
A0320 X BLS nonemergency 0.00 0.00 XXX 9 <	A0030 A0040 A0050 A0080 A0090 A0100 A0110 A0120 A0130 A0140 A0160 A0170 A0180 A0200 A0210 A0225 A0300 A0302 A0304 A0306 A0308 A0310 A0320 A0322 A0324	X X X X I I I I I I I I X X X X X X X X	Air ambulance service Helicopter ambulance Water ambulance service Noninterested escort Interested escort Nonemergency transport Nonemergency ALS nonemergency ALS nonemergency ALS emergency ALS emergency BLS emergency BLS emergency BLS emergency BLS nonemergency BLS emergency BLS emergency	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	99999999999999999999999999999999999	99999999999999999999999999999999999	999999999999999999999999999999999999999	999999999999999999999999999999999999999	999999999999999999999999999999999999

7	2	2
1	J	J

A0330	X	ALS emergency, special	0.00	0.00	XXX	9	9	9	9	9
A0340	X	BLS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0342	X	BLS emergency	0.00	0.00	XXX	9	9	9	9	9
A0344	X	ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0346	X	ALS nonemergency	0.00	0.00	XXX	9	9	9	9	9
A0348		ALS emergency	0.00	0.00	XXX	9	9	9	9	9
A0350	X	ALS emergency, special	0.00	0.00	XXX	ģ	9	9	9	9
A0360			0.00	0.00	XXX	9	9	9	9	9
	X	BLS nonemergency			XXX	9	9	9	9	9
A0362		BLS emergency	0.00	0.00			9		9	
A0364	X	ALS nonemergency	0.00	0.00	XXX	9		9		9
A0366	X	ALS nonemergency, special	0.00	0.00	XXX	9	9	9	9	9
A0368	X	ALS emergency	0.00	0.00	XXX	9	9	9	9	9
A0370	X	ALS emergency, special	0.00	0.00	XXX	9	9	9	9	9
A0380		BLS mileage	0.00	0.00	XXX	9	9	9	9	9
A0382	X	BLS routine supplies	0.00	0.00	XXX	9	9	9	9	9
A0384	X	BLS defibrillator	0.00	0.00	XXX	9	9	9	9	9
A0390	X	ALS mileage	0.00	0.00	XXX	9	9	9	9	9
A0392	X	ALS defibrillator	0.00	0.00	XXX	9	9	9	9	9
A0394	X	ALS IV drug therapy	0.00	0.00	XXX	9	9	9	9	9
A0396	X	ALS esophageal intubation	0.00	0.00	XXX	9	9	9	9	9
A0398	X	ALS routine supplies	0.00	0.00	XXX	9	9	9	9	9
A0420	X	Ambulance waiting	0.00	0.00	XXX	9	9	9	ģ	9
A0422	X	Ambulance, life support	0.00	0.00	XXX	9	9	9	9	9
A0424	X		0.00	0.00	XXX	9	9	9	9	9
		Extra attendant				-	9	9	9	
A0888	N	Noncovered mileage	0.00	0.00	XXX	9				9
A0999	X	Unlisted ambulance	0.00	0.00	XXX	9	9	9	9	9
A4206	Ī	1 cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4207	I	2 cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4208	I	3 cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4209	I	5 + cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4210	N	Nonneedle injection	0.00	0.00	XXX	9	9	9	9	9
A4211	P	Supplies, self-injection	0.00	0.00	XXX	9	9	9	9	9
A4212	P	Noncoring needle	0.00	0.00	XXX	9	9	9	9	9
A4213	Ī	20 + cc sterile syringe	0.00	0.00	XXX	9	9	9	9	9
A4214	P	30 cc saline or water	0.00	0.00	XXX	9	9	9	9	9
A4215	Ī	Sterile needles	0.00	0.00	XXX	9	9	9	9	9
A4220	P	Infusion pump refill	0.00	0.00	XXX	9	9	9	9	9
A4221	X	Maintenance drug infusion	0.00	0.00	XXX	9	9	9	9	9
A4221 A4222				0.00	XXX	9	9	9	9	9
	X	Drug infusion pump	0.00			-				
A4230	N	Infusion for insulin pump	0.00	0.00	XXX	9	9	9	9	9
A4231	N	Infusion for insulin pump	0.00	0.00	XXX	9	9	9	9	9
A4232	N	Syringe with needle	0.00	0.00	XXX	9	9	9	9	9
A4244	I	Alcohol or peroxide	0.00	0.00	XXX	9	9	9	9	9
A4245	I	Alcohol wipes	0.00	0.00	XXX	9	9	9	9	9
A4246	I	Betadine or pHisoHex	0.00	0.00	XXX	9	9	9	9	9
A4247	I	Betadine or iodine	0.00	0.00	XXX	9	9	9	9	9
A4250	N	Urine test, Reagent	0.00	0.00	XXX	9	9	9	9	9
A4253	P	Blood glucose or Reagent	0.00	0.00	XXX	9	9	9	9	9
A4254	X	Battery, glucose monitor	0.00	0.00	XXX	9	9	9	9	9
A4255	X	Platforms, glucose	0.00	0.00	XXX	9	9	9	9	ģ
A4256	P	Calibrator solution	0.00	0.00	XXX	9	9	9	9	9
							9	9	9	
A4258	P	Lancet device, each	0.00	0.00	XXX	9				9
A4259	P	Lancets, per box of 100	0.00	0.00	XXX	9	9	9	9	9
A4260	N	Levonorgestrel (Norplant)	0.00	0.00	XXX	9	9	9	9	9
A4262	В	Temporary tear duct	0.00	0.00	XXX	9	9	9	9	9
A4263	Α	Permanent tear duct	0.92	0.92	XXX	9	9	9	9	9
A4265	P	Paraffin, per pound	0.00	0.00	XXX	9	9	9	9	9
A4270	В	Disposable endoscope	0.00	0.00	XXX	9	9	9	9	9
		•								

MINNESOTA RULES 2005

								9		
6	6	6	6	6	XXX	00.0	00.0	Above knee stocking	N	06⊅⊅∀
6	6	6	6	6	XXX	00.0	00.0	Tracheostoma filter	X	¥4481
6	6	6	6	6	XXX	00.0	00.0	vabra aspirator	ď	98₽₽₩
6	6	6	6	6	XXX	00.0	00.0	Gravlee jet washer	ď	0 ∠ ⊅₽ ∀
6	6	6	6	6	XXX	00.0	00.0	Nonelastic exterior	ď	\$9 ₺₺∀
6	6	6	6	6	XXX	00.0	00.0	Abdominal dressing	\mathbf{X}	79 44 65
6	6	6	6	6	XXX	00.0	0.00	Elastic compression	ď	09₽₽¥
6	6	6	6	6	XXX	00.0	00.0	Adhesive remover	ď	SSttV
6	6	6	6	6	XXX	00.0	00.0	Tape, all types	d	tSttV
6	6	6	6	6	XXX	00.0	0.00	Ostomy miscellaneous	ď	IZ≠₹∀
6	6	6	6	6	XXX	00.0	00.0	Ostomy ring, each	d	₹0₽₽₩
6	6	6	6	6	XXX	0.00	00.0	Lubricant, per ounce	ď	70440V
6	6	6	6	6	XXX	00.0	00.0	Ostomy irrigation set	d	00ttV
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, cone	ď	66€₺∀
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, each	ď	86£4A
6	6	6	6	6	XXX	00.0	00.0	Irrigation supply, each	ď	74397
6	6	6	6	6	XXX	00.0	00.0	Ostomy filter, each	X	89£†¥
6	6	6	6	6	XXX	00.0	00.0	Ostomy belt, each	ď	49£₽¥
6	6	6	6	6	XXX	00.0	00.0	Ostomy adhesive remover	X	29E7V
6	6	6	6	6	XXX	00.0	00.0	Ostomy, catheter adhesive	ď	7984¥
6	6	6	6	6	XXX	00.0	00.0	Liquid skin barrier	ď	¥4363
6	6	6	6	6	XXX	00.0	00.0	Solid skin barrier	ď	79£7V
						00.0	00.0	Ostomy faceplate, each	ď	
6	6	6	6	6	XXX			Urinary suspensory		¥4361
6	6	6	6	6	XXX	00.0	00.0	Urinary leg bag	ď	¥4329
6	6	6	6	6	XXX	00.0	00.0		ď	8554A
6	6	6	6	6	XXX	00.0	00.0	Bedside drainage bag	q	7254A
6	6	6	6	6	XXX	00.0	00.0	External urethral clamp	q	9554A
6	6	6	6	6	XXX	00.0	00.0	Bladder irrigation	ď	8254A
6	6	6	6	6	XXX	00.0	00.0	Catheter insertion	d	4324
6	6	6	6	6	XXX	00.0	00.0	Intermittent catheter	X	A4353
6	6	6	6	6	XXX	00.0	00.0	Coude urinary catheter	ď	A4352
6	6	6	6	6	XXX	00.0	00.0	Straight urinary catheter	ď	12EPA
6	6	6	6	6	XXX	00.0	00.0	Male external catheter	ď	7454A
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	9₽£₽₩
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	44344
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	d	0⊅£⊅¥
6	6	6	6	6	XXX	00.0	00.0	Indwelling catheter	ď	8EE4A
6	6	6	6	6	XXX	00.0	00.0	Incontinence supply	ď	8554A
6	6	6	6	6	XXX	00.0	00.0	Stool collection pouch	ď	₽4330
6	6	6	6	6	XXX	00.0	00.0	External catheter starter	ď	¥4356
6	6	6	6	6	XXX	00.0	00.0	Feminine urinary collect	ď	84328
6	6	6	6	6	XXX	00.0	00.0	Feminine urinary collect	ď	72£₽A
6	6	6	6	6	XXX	00.0	00.0	Male external catheter	d	9 ₹ \$₹
6	6	6	6	6	XXX	00.0	00.0	Saline irrigation	ď	A4323
6	6	6	6	6	XXX	00.0	00.0	Irrigation syringe, each	d	A4322
6	6	6	6	6	XXX	00.0	00.0	Catheter, therapeutic	X	1254A
6	6	6	6	6	XXX	00.0	00.0	Irrigation tray	ď	A4320
6	6	6	6	6	XXX	00.0	00.0	3-way catheter with bag	ď	9154A
6	6	6	6	6	XXX	00.0	00.0	2-way catheter with bag	ď	\$154A
6	6	6	6	6	XXX	00.0	00.0	Z-way catheter with bag	ď	41514
6	6	6	6	6	XXX	00.0	00.0	3-way catheter, no bag	ď	8154A
6	6	6	6	6	XXX	00.0	00.0	Z-way catheter, no bag	ď	71544
6	6	6	6	6	XXX	00.0	00.0	Catheter without bag	ď	11544
	6	6	6	6	XXX	00.0	00.0	Insert tray without bag	d	0154A
6					XXX	00.0	00.0	Drug delivery system	ď	90£4V
6	6	6	6	6				Drug delivery system		
6	6	6	6	6	XXX	00.0	00.0	Implantable access total	ď	\$0£4X
6	6	6	6	6	XXX	00.0	00.0	Catheter implant vascular	ď	1054A
6	6	6	6	6	XXX	26.0	26.0	relinger trefami retadte)	A	90£₽A

A4495	N	Thigh length stocking	0.00	0.00	XXX	9	9	9	9	9
A4500	N	Below knee stocking	0.00	0.00	XXX	9	9	9	9	9
A4510	N	Full length stocking	0.00	0.00	XXX	9	9	9	9	9
A4550	Α	Surgical trays	0.92	0.92	XXX	9	9	9	9	9
A4554	N	Disposable underpads	0.00	0.00	XXX	9	9	9	9	9
A4556	P	Electrodes	0.00	0.00	XXX	9	9	9	9	9
A4557	P	Lead wires	0.00	0.00	XXX	9	9	9	9	9
A4558	P	Conductive paste or gel	0.00	0.00	XXX	9	9	9	9	9
A4560	X	Pessary	0.00	0.00	XXX	9	9	9	9	9
A4565	X	Slings	0.00	0.00	XXX	9	9	9	9	9
A4570	X	Splint	0.00	0.00	XXX	9	9	9	9	9
A4572	X	Rib belt	0.00	0.00	XXX	9	9	9	9	9
A4575	N	Hyperbaric oxygen chamber	0.00	0.00	XXX	9	9	9	9	9
A4580	X	Cast supplies	0.00	0.00	XXX	9	9	9	9	9
A4590	X	Special casting material	0.00	0.00	XXX	9	9	9	9	9
A4595	X	TENS supplies, 2 lead	0.00	0.00	XXX	9	9	9	9	9
A4611		Heavy duty battery	0.00	0.00	XXX	9	9	9	9	9
A4612		Battery cables	0.00	0.00	XXX	9	9	9	9	9
A4613	X	Battery charger	0.00	0.00	XXX	9	9	9	9	9
A4615		Cannula, nasal	0.00	0.00	XXX	9	9	9	9	9
A4616	X	Tubing (oxygen), per foot	0.00	0.00	XXX	9	9	9	9	9
A4617	X	Mouth piece	0.00	0.00	XXX	9	9	9	9	9
A4618	X	Breathing circuits	0.00	0.00	XXX	9	9	9	9	9
A4619		Face tent	0.00	0.00	XXX	9	9	9	9	9
A4620	X	Variable mask	0.00	0.00	XXX	9	9	9	9	9
A4621	X	Tracheotomy mask	0.00	0.00	XXX	9	9	9	9	9
A4622	X	Tracheostomy tube	0.00	0.00	XXX	9	9	9	9	9
A4623	X	Tracheostomy, inner	0.00	0.00	XXX	9	9	9	9	9
A4624	X	Tracheal suction	0.00	0.00	XXX	9	9	9	9	9
A4625	X	Tracheostomy care kit	0.00	0.00	XXX	9	9	9	9	9
A4626	X	Tracheostomy cleaning	0.00	0.00	XXX	9	9	9	9	9
A4627	N	Spacer, bag or reservoir	0.00	0.00	XXX	9	9	9	9	9
A4628	X	Oropharyngeal suction	0.00	0.00	XXX	9	9	9	9	9
A4629	X	Tracheostomy care kit	0.00	0.00	XXX	9	9	9	9	9
A4630	X	Replacement battery, TENS	0.00	0.00	XXX	9	ģ	9	9	9
A4631	X	Wheelchair batteries	0.00	0.00	XXX	9	9	9	9	9
A4635	X	Underarm crutch pad	0.00	0.00	XXX	9	9	9	9	9
A4636	X	Handgrip, cane or crutch	0.00	0.00	XXX	9	9	9	9	9
A4637	X	Replace cane, crutch tip	0.00	0.00	XXX	9	ģ	ģ	9	ģ
A4640	X	Alternating pressure pad	0.00	0.00	XXX	ģ	9	9	9	9
A4641	Ē	Diagnostic imaging	0.00	0.00	XXX	9	ģ	9	9	9
A4642	Ē	Satumomab pendetide	0.00	0.00	XXX	9	9	9	9	9
A4643	Ē	High dose contrast	0.00	0.00	XXX	9	9	9	9	9
A4644	Ē	Osmolar contrast, 100-199	0.00	0.00	XXX	ģ	9	9	9	9
A4645	Ē	Osmolar contrast, 100-155	0.00	0.00	XXX	9	9	9	9	9
A4646	Ē	Osmolar contrast, 200-299	0.00	0.00	XXX	9	9	9	9	9
A4647	В	Paramagnetic contrast	0.00	0.00	XXX	9	9	9	9	9
A4649	P	Surgical supplies	0.00	0.00	XXX	9	9	9	9	9
A4650	X	Centrifuge	0.00	0.00	XXX	9	9	9	9	9
A4655	X	Needles and syringes	0.00	0.00	XXX	ģ	9	9	9	9
A4660	X	Blood pressure apparatus	0.00	0.00	XXX	9	9	9	9	9
A4663	X		0.00	0.00	XXX	9	9	9	9	9
A4603 A4670	N	Blood pressure cuff	0.00	0.00	XXX	9	9	9	9	9
	X	Activated carbon filters	0.00	0.00	XXX	9	9	9	9	9
A4680 A4690	X	Activated carbon filters	0.00	0.00	XXX	9	9	9	9	9
		Dialyzers Standard dialysis	0.00	0.00	XXX	9	9	9	9	9
A4700	X	Standard dialysis	0.00	0.00	XXX	9	9	9	9	9
A4705	X X	Bicarbonate dialysis			XXX	9	9	9	9	9
A4712	Λ	Sterile water	0.00	0.00	ллл	9	9	9	9	7

A4714	X	Treated water	0.00	0.00	XXX	9	9	9	9	9
A4730	X	Fistula cannulation	0.00	0.00	XXX	9	9	9	9	9
A4735		Local/topical anesthetics	0.00	0.00	XXX	9	9	9	9	9
A4740		Shunt accessories	0.00	0.00	XXX	9	9	9	9	9
A4750		Arterial or venous tubing	0.00	0.00	XXX	9	9	9	9	9
A4755		Arterial, venous tubing	0.00	0.00	XXX	9	9	9	9	9
A4760	X		0.00	0.00	XXX	9	9	9	9	ģ
	X	Standard testing solution	0.00	0.00	XXX	9	9	9	9	9
A4765		Dialysis concentrate						9	9	9
A4770	X	Blood testing supplies	0.00	0.00	XXX	9	9			9
A4771		Blood clotting	0.00	0.00	XXX	9	9	9	9	9
A4772	X	Dextrostick or glucose	0.00	0.00	XXX	9	9	9	9	9
A4773		Hemostix	0.00	0.00	XXX	9	9	9	9	9
A4774		Ammonia test paper	0.00	0.00	XXX	9	9	9	9	9
A4780	X	Sterilizing agent	0.00	0.00	XXX	9	9	9	9	9
A4790	X	Cleansing agents	0.00	0.00	XXX	9	9	9	9	9
A4800	X	Heparin and antidote	0.00	0.00	XXX	9	9	9	9	9
A4820	X	Hemodialysis supplies	0.00	0.00	XXX	9	9	9	9	9
A4850	X	Rubber tipped hemostats	0.00	0.00	XXX	9	9	9	9	9
A4860	X	Disposable catheter caps	0.00	0.00	XXX	9	9	9	9	9
A4870	X	Plumbing, electrical work	0.00	0.00	XXX	9	9	9	9	9
A4880		Water storage tanks	0.00	0.00	XXX	ģ	ģ	9	9	9
A4890		Contracts, repair	0.00	0.00	XXX	ó	ó	ó	ó	ó
A4900			0.00	0.00	XXX	9	9	9	9	9
		CAPD supply kit				9	9	9	9	9
A4901	X	CCPD supply kit	0.00	0.00	XXX			9		9
A4905		IPD supply kit	0.00	0.00	XXX	9	9		9	9
A4910	X	Nonmedical supplies	0.00	0.00	XXX	9	9	9	9	9
A4912		Gomco drain bottle	0.00	0.00	XXX	9	9	9	9	9
A4913		Miscellaneous supplies	0.00	0.00	XXX	9	9	9	9	9
A4914	X	Preparation kits	0.00	0.00	XXX	9	9	9	9	9
A4918	X	Venous pressure clamps	0.00	0.00	XXX	9	9	9	9	9
A4919	X	Dialyzer holder	0.00	0.00	XXX	9	9	9	9	9
A4920	X	Harvard pressure clamp	0.00	0.00	XXX	9	9	9	9	9
A4921	X	Measuring cylinder	0.00	0.00	XXX	9	9	9	9	9
A4927	X	Gloves	0.00	0.00	XXX	9	9	9	9	9
A5051	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5052	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5053	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5054	P	Closed ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5055	P	Stoma cap	0.00	0.00	XXX	9	9	9	9	9
A5061	P	Drainable ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5062	P	Drainable ostomy pouch	0.00	0.00	XXX	9	9	9	9	9
A5063	P	Drainable ostomy pouch	0.00	0.00	XXX	9	9	9	ģ	9
	I		0.00	0.00	XXX	9	9	9	9	9
A5064		Drainable ostomy pouch				-	-	9	_	-
A5065	I	Drainable ostomy pouch	0.00	0.00	XXX	9	9		9	9
A5071	P	Urinary pouch, barrier	0.00	0.00	XXX	9	9	9	9	9
A5072	P	Urinary pouch, no barrier	0.00	0.00	XXX	9	9	9	9	9
A5073	P	Urinary pouch, flange	0.00	0.00	XXX	9	9	9	9	9
A5074	I	Urinary pouch, faceplate	0.00	0.00	XXX	9	9	9	9	9
A5075	I	Urinary pouch, faceplate	0.00	0.00	XXX	9	9	9	9	9
A5081	P	Continent stoma	0.00	0.00	XXX	9	9	9	9	9
A5082	P	Continent stoma	0.00	0.00	XXX	9	9	9	9	9
A5093	P	Ostomy accessory	0.00	0.00	XXX	9	9	9	9	9
A5102	P	Bedside drainage bottle	0.00	0.00	XXX	9	9	9	9	9
A5105	P	Urinary suspensory	0.00	0.00	XXX	9	9	9	9	9
A5112	P	Urinary leg bag	0.00	0.00	XXX	9	9	9	9	9
A5113	P	Latex leg strap	0.00	0.00	XXX	9	9	9	9	9
A5114	P	Foam or fabric leg strap	0.00	0.00	XXX	9	9	9	9	9
A5119	P	Skin barrier, wipes	0.00	0.00	XXX	9	9	ģ	9	9
	•	Jilli outlier, mpos	3.00	0.00		_	_	_	_	_

A5121	P	Skin barrier, solid	0.00	0.00	XXX	9	9	9	9	9
A5122	P	Skin barrier, solid	0.00	0.00	XXX	9	9	9	9	9
A5123	P	Skin barrier with flange	0.00	0.00	XXX	9	9	9	9	9
A5126	P	Adhesive, disc/foam pad	0.00	0.00	XXX	9	9	9	9	9
A5131	P	Appliance cleaner	0.00	0.00	XXX	9	9	9	9	9
A5149	P	Incontinence, ostomy	0.00	0.00	XXX	9	ģ	ģ	ģ	9
A5500	X	Diabetic, shoe fitting	0.00	0.00	XXX	ģ	9	9	9	9
A5501	X	Diabetic, custom shoe	0.00	0.00	XXX	9	9	9	9	9
A5502	X	Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5502 A5503	X	Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5504		Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5505		Diabetic, shoe	0.00	0.00	XXX	9	9	9	ģ	9
A5506	X	Diabetic, shoe	0.00	0.00	XXX	9	9	9	9	9
A5507	X	Diabetic, modification	0.00	0.00	XXX	9	9	9	9	9
A6020	P	Collagen dressing	0.00	0.00	XXX	9	9	9	9	9
A6025	Ī		0.00	0.00	XXX	9	9	9	9	9
A6154	P	Silicone gel sheet	0.00	0.00	XXX	9	9	9	9	9
A6196	P	Wound pouch, each	0.00	0.00	XXX	9	9	9	9	9
		Alginate dressing		_			9	9	9	9
A6197	P	Alginate dressing	0.00	0.00	XXX	9				
A6198	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6199	P	Alginate dressing	0.00	0.00	XXX	9	9	9	9	9
A6203	P	Composite dressing	0.00	0.00	XXX	9	9	9	9	9
A6204	P	Composite dressing	0.00	0.00	XXX	9	9	9	9	9
A6205	P	Composite dressing	0.00	0.00	XXX	9	9	9	9	9
A6206	P	Contact layer LT=16	0.00	0.00	XXX	9	9	9	9	9
A6207	P	Contact layer GT=16	0.00	0.00	XXX	9	9	9	9	9
A6208	P	Contact layer GT=48	0.00	0.00	XXX	9	9	9	9	9
A6209	P	Foam dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6210	P	Foam dressing GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6211	P	Foam dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6212	P	Foam dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6213	P	Foam dressing GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6214	P	Foam dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6215	P	Foam dressing	0.00	0.00	XXX	9	9	9	9	9
A6216	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6217	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6218	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6219	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6220	P	Gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6221	P	Gauze GT=48	0.00	0.00	XXX	9	9	9	9	9
A6222	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6223	P	Gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6224	P	Gauze GT=48	0.00	0.00	XXX	9	9	9	9	9
A6228	P	Gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6229	P	Gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6230	P	Gauze GT=48	0.00	0.00	XXX	9	9	9	9	9
A6234	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6235	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6236	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6237	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6238	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6239	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6240	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6241	P	Hydrocolloid dressing	0.00	0.00	XXX	9	9	9	9	9
A6242	P	Hydrogel dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6243	P	Hydrogel dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6244	P	Hydrogel dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6245	P	Hydrogel dressing LT=16	0.00	0.00	XXX	9	9	9	9	9

A6246	P	Hydrogel dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6247	P	Hydrogel dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6248	P	Hydrogel dressing gel	0.00	0.00	XXX	9	9	9	9	9
A6250	P	Skin seal protectants	0.00	0.00	XXX	9	9	9	9	9
A6251	P	Absorptive dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6252	P	Absorptive dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6253	P	Absorptive dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6254	P	Absorptive dressing LT=16	0.00	0.00	XXX	9	9	9	9	9
A6255	P	Absorptive dressing GT=16	0.00	0.00	XXX	9	9	9	9	9
A6256	P	Absorptive dressing GT=48	0.00	0.00	XXX	9	9	9	9	9
A6257	P	Transparent film	0.00	0.00	XXX	9	9	9	9	9
A6258	P	Transparent film	0.00	0.00	XXX	9	9	9	9	9
A6259	P	Transparent film	0.00	0.00	XXX	9	9	9	9	9
A6260	P	Wound cleansers	0.00	0.00	XXX	9	9	9	9	9
A6261	P	Wound filler, gel, paste	0.00	0.00	XXX	9	9	9	9	9
A6262	P	Wound filler, dry	0.00	0.00	XXX	9	9	9	9	9
A6263	P	Nonsterile elastic gauze	0.00	0.00	XXX	9	9	9	9	9
A6264	P	Nonsterile gauze	0.00	0.00	XXX	9	9	9	9	9
A6265	P	Tape, 18 square inches	0.00	0.00	XXX	9	9	9	9	9
A6266	P	Impregnated gauze	0.00	0.00	XXX	9	9	9	9	9
A6402	P	Sterile gauze LT=16	0.00	0.00	XXX	9	9	9	9	9
A6403	P	Sterile gauze GT=16 LT=48	0.00	0.00	XXX	9	9	9	9	9
A6404	P	Sterile gauze GT=48	0.00	0.00	XXX	9	9	9	9	9
A6405	P	Sterile elastic gauze	0.00	0.00	XXX	9	9	9	9	9
A6406	P	Sterile nonelastic gauze	0.00	0.00	XXX	9	9	9	9	9
A9150	E	Nonprescription drugs	0.00	0.00	XXX	9	9	9	9	9
A9160	N	Podiatrist, noncovered	0.00	0.00	XXX	9	9	9	9	9
A9170	N	Chiropractor, noncovered	0.00	0.00	XXX	9	9	9	9	9
A9190	N	Personal comfort item	0.00	0.00	XXX	9	9	9	9	9
A9270	N	Noncovered item	0.00	0.00	XXX	9	9	9	9	9
A9300	N	Exercise equipment	0.00	0.00	XXX	9	9	9	9	9
A9500	Е	Technetium tc 99 m	0.00	0.00	XXX	9	9	9	9	9
A9502	\mathbf{X}	Technetium tc 99 m	0.00	0.00	XXX	9	9	9	9	9
A9503	Ε	Technetium tc 99 m	0.00	0.00	XXX	9	9	9	9	9
A9505	Е	Thallous chloride Tl 201	0.00	0.00	XXX	9	9	9	9	9
A9600	X	Strontium-89 chloride	0.00	0.00	XXX	9	9	9	9	9

(2) [Repealed, 25 SR 1142]

(3) Miscellaneous G codes:

G0002		Α	Temporary urinalysis	1.14	1.14	000	2	0	1	0	0
G0004		Α	ECG, transmission	7.89	7.89	XXX	0	0	0	0	0
G0005		Α	ECG, 24 hour recording	1.19	1.19	XXX	0	0	0	0	0
G0006		Α	ECG, transmission	5.82	5.82	XXX	0	0	0	0	0
G0007		Α	ECG, physician review	0.89	0.89	XXX	0	0	0	0	0
G0008		X	Administer flu vaccine	0.00	0.00	XXX	9	9	9	9	9
G0009		X	Administer pneumococcal	0.00	0.00	XXX	9	9	9	9	9
G0010		X	Administer hepatitis B	0.00	0.00	XXX	9	9	9	9	9
G0015		Α	Post symptom ECG	5.82	5.82	XXX	0	0	0	0	0
G0016		Α	Post symptom ECG	0.89	0.89	XXX	0	0	0	0	0
G0025		Α	Collagen skin test kit	0.92	0.92	XXX	9	9	9	9	9
G0026		X	Fecal leukocyte exam	0.00	0.00	XXX	9	9	9	9	9
G0027		X	Semen analysis	0.00	0.00	XXX	9	9	9	9	9
G0030		C	PET imaging	0.00	0.00	XXX	0	0	0	0	0
G0030	26	Α	PET imaging	1.86	1.86	XXX	0	0	0	0	0
G0030 '	TC	C	PET imaging	0.00	0.00	XXX	0	0	0	0	0
G0031		C	PET imaging	0.00	0.00	XXX	0	0	0	0	0

G0031	26	Α	PET imaging	2.38	2.38	XXX	0	0	0	0	0
G0031	TC	C	PET imaging	0.00	0.00	XXX	ő	ŏ	ŏ	ŏ	ŏ
G0031	10	č		0.00	0.00	XXX	0	ő	ő	0	0
	20		PET following SPECT								
G0032	26	A	PET following SPECT	1.86	1.86	XXX	0	0	0	0	0
G0032	TC	С	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0033		C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0033	26	Α	PET following SPECT	2.38	2.38	XXX	0	0	0	0	0
G0033	TC	C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0034		Č	PET following SPECT	0.00	0.00	XXX	Ŏ	0	Ŏ	Ŏ	Ŏ
G0034	26	Ă		1.86	1.86	XXX	0	ő	0	ő	ŏ
			PET following SPECT			XXX					
G0034	TC	Č	PET following SPECT	0.00	0.00		0	0	0	0	0
G0035		C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0035	26	Α	PET following SPECT	2.38	2.38	XXX	0	0	0	0	0
G0035	TC	C	PET following SPECT	0.00	0.00	XXX	0	0	0	0	0
G0036		C	PET following coronary	0.00	0.00	XXX	0	0	0	0	0
G0036	26	Α	PET following coronary	1.86	1.86	XXX	0	0	0	0	0
G0036	TC	C	PET following coronary	0.00	0.00	XXX	Ŏ	Ŏ	Ŏ	Ō	0
G0037	10	č	PET following coronary	0.00	0.00	XXX	0	ŏ	ŏ	ő	ŏ
	20										
G0037	26	A	PET following coronary	2.38	2.38	XXX	0	0	0	0	0
G0037	TC	C	PET following coronary	0.00	0.00	XXX	0	0	0	0	0
G0038		C	PET following myocardial	0.00	0.00	XXX	0	0	0	0	0
G0038	26	Α	PET following myocardial	1.86	1.86	XXX	0	0	0	0	0
G0038	TC	C	PET following myocardial	0.00	0.00	XXX	0	0	0	0	0
G0039		C	PET following myocardial	0.00	0.00	XXX	0	0	0	0	0
G0039	26	Ă	PET following myocardial	2.38	2.38	XXX	Ŏ	Ŏ	Ŏ	Ō	Ō
G0039	TC	Ĉ	PET following myocardial	0.00	0.00	XXX	0	ŏ	ŏ	ŏ	ŏ
	ıc	č	DET following myocardia			XXX	0	0	0	0	0
G0040	06		PET following stress	0.00	0.00						
G0040	26	A	PET following stress	1.86	1.86	XXX	0	0	0	0	0
G0040	TC	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0041		C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0041	26	Α	PET following stress	2.38	2.38	XXX	0	0	0	0	0
G0041	TC	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0042		C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0042	26	À	PET follow ventriculogram	1.86	1.86	XXX	0	0	0	0	0
G0042	TČ	C	PET follow ventriculogram	0.00	0.00	XXX	ŏ	Ŏ	ŏ	Õ	ŏ
G0042	10	č		0.00	0.00	XXX	0	ő	ŏ	0	ŏ
	20		PET follow ventriculogram								
G0043	26	A	PET follow ventriculogram	2.38	2.38	XXX	0	0	0	0	0
G0043	TC	C	PET follow ventriculogram	0.00	0.00	XXX	0	0	0	0	0
G0044		C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0044	26	Α	PET following rest	1.86	1.86	XXX	0	0	0	0	0
G0044	TC	C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0045		C	PET following rest	0.00	0.00	XXX	0	0	0	0	0
G0045	26		PET following rest	2.38	2.38	XXX	0	0	0	0	0
		\ddot{c}	PET following rest	0.00	0.00	XXX	ŏ	ŏ	ŏ	ŏ	ŏ
	10	č	PET following stress			XXX	ő	0	0	0	0
G0046	26			0.00	0.00						
G0046	26	A	PET following stress	1.86	1.86	XXX	0	0	0	0	0
G0046	TC	Ç	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0047		C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0047	26	Α	PET following stress	2.38	2.38	XXX	0	0	0	0	0
G0047	TC	C	PET following stress	0.00	0.00	XXX	0	0	0	0	0
G0050		Α	Measure residual urine	0.81	0.81	XXX	0	0	0	0	0
G0051		D	Destroy benign, malignant	0.92	0.72	010	2	ŏ	1	ŏ	ŏ
					0.72						
G0052		D	Destroy lesions	0.29		ZZZ	0	0	1	0	0
G0053		D	Destroy lesions	5.05	3.97	010	2	0	1	0	0
G0058		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0059		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0060		D	Auto multichannel test	0.00	0.00	XXX	9	9	9	9	9
G0062		D	Peripheral bone	1.03	1.03	XXX	0	0	0	0	0
								-	-		

G0062	26	D	Peripheral bone	0.31	0.31	XXX	0	0	0	0	0
G0062	TC	D	Peripheral bone	0.72	0.72	XXX	0	0	0	0	0
G0063		D	Central bone density	3.35	3.35	XXX	0	0	0	0	0
G0063	26	D	Central bone density	0.40	0.40	XXX	0	0	0	0	0
G0063	TC	D	Central bone density	2.95	2.95	XXX	0	0	0	0	0
G0064		D	Care plan oversight	2.09	2.09	XXX	0	0	0	0	0
G0065		D	Care plan oversight	2.09	2.09	XXX	0	0	0	0	0
G0066		D	Care plan oversight	0.00	0.00	XXX	9	9	9	9	9
G0071		D	Psychotherapy	1.37	1.37	XXX	0	0	0	0	0
G0072		Ď	Psychotherapy	1.70	1.70	XXX	0	ŏ	0	0	0
G0072		D	Psychotherapy	2.14	2.14	XXX	0	ő	0	0	0
G0074		D	Psychotherapy	2.38	2.38	XXX	0	0	0	0	0
G0075		D	Psychotherapy	3.60	3.60	XXX	0	0	0	0	0
G0076		D	Psychotherapy	3.96	3.96	XXX	0	0	0	0	0
G0070		D	Psychotherapy	1.70	1.70	XXX	0	0	0	0	0
G0077		D	Psychotherapy	2.05	2.05	XXX	0	0	0	0	0
G0078		D	Psychotherapy	2.31	2.31	XXX	0	0	0	0	0
G0079		D	• • •	2.57	2.57	XXX	0	0	0	0	0
		_	Psychotherapy Psychotherapy	3.32	3.32	XXX		0	0		0
G0081		D	Psychotherapy	3.70	3.70		0		-	0	
G0082		D	Psychotherapy Psychotherapy			XXX	0	0	0	0	0
G0083		D	Psychotherapy Psychotherapy	1.49	1.49	XXX	0	0	0	0	0
G0084		D	Psychotherapy	1.86	1.86	XXX	0	0	0	0	0
G0085		D	Psychotherapy	2.33	2.33	XXX	0	0	0	0	0
G0086		D	Psychotherapy	2.60	2.60	XXX	0	0	0	0	0
G0087		D	Psychotherapy	3.90	3.90	XXX	0	0	0	0	0
G0088		D	Psychotherapy	4.30	4.30	XXX	0	0	0	0	0
G0089		D	Psychotherapy	1.83	1.83	XXX	0	0	0	0	0
G0090		D	Psychotherapy	2.23	2.23	XXX	0	0	0	0	0
G0091		D	Psychotherapy	2.51	2.51	XXX	0	0	0	0	0
G0092		D	Psychotherapy	2.81	2.81	XXX	0	0	0	0	0
G0093		D	Psychotherapy	3.63	3.63	XXX	0	0	0	0	0
G0094		D	Psychotherapy	4.07	4.07	XXX	0	0	0	0	0
G0100		D	HIV-1, viral load	0.00	0.00	XXX	9	9	9	9	9
G0101		A	CA screen, pelvis	0.69	0.69	XXX	0	0	0	0	0
G0104		A	CA screen, flexible	2.13	1.45	000	2	0	1	0	0
G0105		A	Colorectal screen	7.56	7.51	000	2	0	1	0	0
G0106	0.0	A	Colon CA screen	3.51	3.51	XXX	0	0	0	0	0
G0106	26	A	Colon CA screen	1.37	1.37	XXX	0	0	0	0	0
G0106	TC	A	Colon CA screen	2.13	2.13	XXX	0	0	0	0	0
G0107		X	CA screen, fecal	0.00	0.00	XXX	9	9	9	9	9
G0110		R	Nett pulm-rehab	1.09	1.09	XXX	0	0	0	0	0
G0111		R	Nett pulm-rehab	0.45	0.45	XXX	0	0	0	0	0
G0112		R	Nett, nutrition	2.55	2.55	XXX	0	0	0	0	0
G0113		R	Nett, nutrition	1.96	1.96	XXX	0	0	0	0	0
G0114		R	Nett, psychosocial	1.49	1.49	XXX	0	0	0	0	0
G0115		R	Nett, psychological	1.49	1.49	XXX	0	0	0	0	0
G0116		R	Nett, psychosocial	1.37	1.37	XXX	0	0	0	0	0
G0120	•	Α		3.51	3.51	XXX	0	0	0	0	0
G0120	26	Α	Colon CA screen	1.37	1.37	XXX	0	0	0	0	0
G0120	TC	A	Colon CA screen	2.13	2.13	XXX	0	0	0	0	0
G0121		N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0122		N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
	26	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9
G0122	TC	N	Colon CA screen	0.00	0.00	XXX	9	9	9	9	9

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

(4) Miscellaneous J codes:

J0120	E	Tetracycline injection	0.00	0.00	XXX	9	9	9	9	9
J0150	Ε	Adenosine injection	0.00	0.00	XXX	9	9	9	9	9
J0170	Е	Adrenalin, epinephrine	0.00	0.00	XXX	9	9	9	9	9
J0190	Е	Biperiden injection	0.00	0.00	XXX	9	9	9	9	9
J0205	E	Alglucerase injection	0.00	0.00	XXX	9	9	9	9	9
J0207	E	Amifostine	0.00	0.00	XXX	9	9	9	9	9
J0210	Ē	Methyldopate HCL	0.00	0.00	XXX	9	9	9	9	9
J0256	Ē.	Alpha 1, protein	0.00	0.00	XXX	9	9	9	9	9
J0270	\tilde{E}	Alprostadil	0.00	0.00	XXX	9	ģ	9	9	9
J0280	Ē	Aminophylline	0.00	0.00	XXX	9	9	9	9	9
J0290	Ē	Ampicillin sodium	0.00	0.00	XXX	9	9	ý	ģ	9
J0295	Ē	Ampicillin sodium	0.00	0.00	XXX	9	9	9	9	9
J0300	Ē	Amobarbital	0.00	0.00	XXX	ģ	9	ģ	9	9
J0330	Ē	Succinylcholine chloride	0.00	0.00	XXX	9	9	ģ	9	9
J0330	Ē	Nandrolone phenpropionate	0.00	0.00	XXX	9	9	9	9	9
J0340 J0350	Ē		0.00	0.00	XXX	9	9	9	9	9
		Anistreplase injection			XXX	9	9	9	9	9
J0360	E	Hydralazine HCL	0.00	0.00			9			9
J0380	E	Metaraminol injection	0.00	0.00	XXX	9		9	9	
J0390	Е	Chloroquine injection	0.00	0.00	XXX	9	9 9	9	9	9
J0400	E	Trimethaphan injection	0.00	0.00	XXX	9		9	9	9
J0460	E	Atropine sulfate	0.00	0.00	XXX	9	9	9	9	9
J0470	E	Dimercaprol injection	0.00	0.00	XXX	9	9	9	9	9
J0475	Ē	Baclofen	0.00	0.00	XXX	9	9	9	9	9
J0500	E	Dicyclomine injection	0.00	0.00	XXX	9	9	9	9	9
J0510	E	Benzquinamide injection	0.00	0.00	XXX	9	9	9	9	9
J0515	E	Benztropine injection	0.00	0.00	XXX	9	9	9	9	9
J0520	E	Bethanechol chloride	0.00	0.00	XXX	9	9	9	9	9
J0530	E	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0540	E	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0550	Ε	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0560	Е	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0570	Ε	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0580	E	Penicillin G benzathine	0.00	0.00	XXX	9	9	9	9	9
J0585	Ε	Botulinum toxin	0.00	0.00	XXX	9	9	9	9	9
J0590	Ε	Ethylnorepinephrine HCL	0.00	0.00	XXX	9	9	9	9	9
J0600	Ε	Edetate calcium disodium	0.00	0.00	XXX	9	9	9	9	9
J0610	Ε	Calcium gluconate	0.00	0.00	XXX	9	9	9	9	9
J0620	Ε	Calcium glycerophosphate	0.00	0.00	XXX	9	9	9	9	9
J0630	Ε	Calcitonin salmon	0.00	0.00	XXX	9	9	9	9	9
J0635	E	Calcitriol injection	0.00	0.00	XXX	9	9	9	9	9
J0640	Е	Leucovorin calcium	0.00	0.00	XXX	9	9	9	9	9
J0670	Ε	Mepivacaine injection	0.00	0.00	XXX	9	9	9	9	9
J0690	Е	Cefazolin sodium	0.00	0.00	XXX	9	9	9	9	9
J0694	Ε	Cefoxitin sodium	0.00	0.00	XXX	9	9	9	9	9
J0695	E	Cefonicid sodium	0.00	0.00	XXX	9	9	9	9	9
J0696	Ē	Ceftriaxone sodium	0.00	0.00	XXX	9	9	9	9	9
J0697	Ē	Sterile cefuroxime sodium	0.00	0.00	XXX	9	9	9	9	9
J0698	Ē	Cefotaxime sodium	0.00	0.00	XXX	9	9	9	9	9
J0702	Ē	Betamethasone acetate	0.00	0.00	XXX	9	ģ	ģ	9	9
J0704	Ĕ	Betamethasone sodium	0.00	0.00	XXX	9	9	9	9	9
J0710	Ē	Cephapirin sodium	0.00	0.00	XXX	· 9	9	9	9	9
J0713	Ē	Ceftazidime injection	0.00	0.00	XXX	9	9	9	9	9
J0715 J0715	E	Ceftizoxime sodium	0.00	0.00	XXX	9	9	9	9	9
J0713 J0720	E	Chloramphenicol	0.00	0.00	XXX	9	9	9	9	9
J0725	E		0.00	0.00	XXX	9	9	9	9	9
	E	Chlorobenizamine maleste	0.00	0.00	XXX	9	9	9	9	9
J0730	C	Chlorpheniramine maleate	0.00	0.00	ΛΛΛ	7	9	9	7	7

MINNESOTA RULES 2005

								_		
6	6	6	6	6	XXX	00.0	00.0	Gamma globulin	${f E}$	11460
6	6	6	6	6	XXX	00.0	00.0	Gamma globulin	\mathbf{E}	11480
		6		6	XXX	00.0	00.0	Gamma globulin	E	
6	6		6							11470
6	6	6	6	6	XXX	00.0	00.0	niludolg smmsD	\mathbf{E}	11460
6	6	6	6	6	XXX	00.0	00.0	Foscarnet sodium	${f E}$	11422
6	6	6	6	6	XXX	00.0	00.0	Filgrastim	\mathbf{E}	11441
6	6	6	6	6	XXX	00.0	00.0	Filgrastim	Ē	11440
	_									
6	6	6	6	6	XXX	00.0	00.0	Etidronate disodium	\mathbf{E}	11436
6	6	6	6	6	XXX	00.0	00.0	Estrone injection	${f E}$	11432
6	6	6	6	6	XXX	00.0	00.0	Estrogen conjugated	\mathbf{E}	11410
6	6	6	6	6	XXX	00.0	00.0	Estradiol valerate	Ē	11390
6	6	6	6	6	XXX	00.0	00.0	Estradiol valerate	\mathbf{E}	11380
6	6	6	6	6	XXX	00.0	00.0	Erythromycin lactobionate	$\mathbf E$	11364
6	6	6	6	6	XXX	00.0	00.0	Erythromycin gluceptate	$\mathbf E$	11362
6	6	6	6	6	XXX	00.0	00.0	Ergonovine maleate	\mathbf{E}	11330
6	6	6	6	6	XXX	00.0	00.0	Epoprostenol	Ē	11325
	-							Amitriptyline injection		
6	6	6	6	6	XXX	00.0	00.0		E	11320
6	6	6	6	6	XXX	00.0	00.0	Dobutamine injection	\mathbf{E}	11250
6	6	6	6	6	XXX	00.0	00.0	Dipyridamole	\mathbf{E}	11542
6	6	6	6	6	XXX	00.0	00.0	Dimenhydrinate	Е	11240
6	6	6	6	6	XXX	00.0	00.0	Methadone injection	Ē	11230
								Dimethyl sulfoxide		
6	6	6	6	6	XXX	00.0	00.0		E	11212
6	6	6	6	6	XXX	00.0	00.0	Chlorothiazide sodium	$\mathbf E$	11502
6	6	6	6	6	XXX	00.0	00.0	Diphenhydramine HCL	$\mathbf E$	11200
6	6	6	6	6	XXX	00.0	00.0	Dextazoxane HCL	E	11160
6	6	6	6	6	XXX	00.0	00.0	Dyphylline injection	Ē	11180
								Hydromorphone injection		
6	6	6	6	6	XXX	00.0	00.0		E	11170
6	6	6	6	6	XXX	00.0	00.0	Phenytoin sodium	\mathbf{E}	31165
6	6	6	6	6	XXX	00.0	00.0	Digoxin injection	\mathbf{E}	11160
6	6	6	6	6	XXX	00.0	00.0	Acetazolamide sodium	\mathbf{E}	11120
6	6	6	6	6	XXX	00.0	00.0	Dihydroergotamine	$\overline{\mathbf{E}}$	01111
6	6	6	6	6	XXX	00.0	00.0	Dexamethasone acetate	Ē	00111
								Dexamethasone injection		
6	6	6	6	6	XXX	00.0	00.0		Е	31095
6	6	6	6	6	XXX	00.0	00.0	Testosterone cypionate	${f E}$	06011
6	6	6	6	6	XXX	00.0	00.0	Testosterone cypionate	${f E}$	11080
6	6	6	6	6	XXX	00.0	00.0	Testosterone cypionate	\mathbf{E}	07011
6	6	6	6	6	XXX	00.0	00.0	Testosterone cypionate	Ē	11060
						00.0		Medroxyprogesterone		11082
6	6	6	6	6	XXX		00.0		N	
6	6	6	6	6	XXX	00.0	00.0	Medroxyprogesterone	\mathbf{E}	11020
6	6	6	6	6	XXX	00.0	00.0	Methylprednisolone	$\mathbf E$	11040
6	6	6	6	6	XXX	00.0	00.0	Methylprednisolone	\mathbf{E}	11030
6	6	6	6	6	XXX	00.0	00.0	Methylprednisolone	E	11020
6	6	6	6	6	XXX		00.0	Depo-estradiol cypionate	E	11000
-	-		-			00.0				
6	6	6	6	6	XXX	00.0	00.0	Estradiol valerate	\mathbf{E}	0790 t
6	6	6	6	6	XXX	00.0	00.0	Brompheniramine maleate	${f E}$	100 4 2
6	6	6	6	6	XXX	00.0	00.0	Lestosterone enanthate	\mathbf{E}	0060f
6	6	6	6	6	XXX	00.0	00.0	Deferoxamine mesylate	${ar{ ext{E}}}$	30895
		6			XXX			Cytomegalovirus	E	
6	6		6	6		00.0	00.0			10850
6	6	6	6	6	XXX	00.0	00.0	Cosyntropin injection	E	3689J
6	6	6	6	6	XXX	00.0	00.0	Cortisone injection	\mathbf{E}	01800
6	6	6	6	6	XXX	00.0	00.0	Corticotropin	\mathbf{E}	0080t
6	6	6	6	6	XXX	00.0	00.0	Prochlorperazine	Ē	0870t
								Colistimethate sodium		
6	6	6	6	6	XXX	00.0	00.0		E	10770
6	6	6	6	6	XXX	00.0	00.0	Colchicine injection	E	0970 t
6	6	6	6	6	XXX	00.0	00.0	Codeine phosphate	\mathbf{E}	1074S
6	6	6	6	6	XXX	00.0	00.0	Cilastatin sodium	\mathbf{E}	10743
6	6	6	6	6	XXX	00.0	00.0	Cidofovir injection	E	10740
6	6	6	6	6	XXX	00.0		Clonidine hydrochloride	E E	
O	O	O	O	O	ллх	000	00.0	obinoldnoabud anihinol)	1	3570 t

J1500	Е	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1510	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1520	Ε	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1530	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1540	Ē	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
J1550	Ē	Gamma globulin	0.00	0.00	XXX	ģ	ģ	9	ģ	9
J1560	Ē	Gamma globulin	0.00	0.00	XXX	ģ	ģ	9	9	ģ
J1561	Ē	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1562	Ē	Immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1565	Ē	RSV-ivig	0.00	0.00	XXX	9	9	9	9	9
J1505 J1570	Ē	Ganciclovir sodium	0.00	0.00	XXX	9	9	9	9	9
J1580	Ē	Garamycin, gentamicin	0.00	0.00	XXX	9	9	9	9	9
J1600	Ē	Gold sodium thiomalate	0.00	0.00	XXX	9	9	9	9	9
J1600 J1610	Ē		0.00	0.00	XXX	9	9	9	9	9
J1610 J1620		Glucagon hydrochloride			XXX	9	9	9	9	9
J1625			0.00	0.00		9	9	9	9	9
	E	Granisetron hydrochloride	0.00	0.00	XXX		9	9	. 9	9
J1626 J1630		Granisetron hydrochloride	0.00	0.00	XXX	9	9	9		9
	E	Haloperidol injection	0.00	0.00	XXX	9	9 9		9	9
J1631	E	Haloperidol decanoate	0.00	0.00	XXX	9		9 9	9	9
J1642	E	Heparin sodium injection	0.00	0.00	XXX	9	9		9	9
J1644	E	Heparin sodium injection	0.00	0.00	XXX	9	9	9	9	9
J1645	Ë	Dalteparin sodium	0.00	0.00	XXX	9	9	9 9	9	9
J1650	E	Enoxaparin sodium	0.00	0.00	XXX	9	9		9	9
J1670	E	Tetanus immune globulin	0.00	0.00	XXX	9	9	9	9	9
J1690	E	Prednisolone tebutate	0.00	0.00	XXX	9	9	9	9	9
J1700	E	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1710	E	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1720	E	Hydrocortisone	0.00	0.00	XXX	9	9	9	9	9
J1730	E	Diazoxide injection	0.00	0.00	XXX	9	9	9	9	9
J1739	E	Hydroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1741	E	Hydroxyprogesterone	0.00	0.00	XXX	9	9	9	9	9
J1742	E	Ibutilide fumar	0.00	0.00	XXX	9	9	9	9	9
J1760	Ē	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1770	E	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1780	E	Iron dextran	0.00	0.00	XXX	9	9	9	9	9
J1785	E	Imiglucerase injection	0.00	0.00	XXX	9	9	9	9	9
J1790	E	Droperidol injection	0.00	0.00	XXX	9	9	9	9	9
J1800	E	Propranolol injection	0.00	0.00	XXX	9	9	9	9	9
J1810	E	Droperidol and fentanyl	0.00	0.00	XXX	9	9	9	9	9
J1820	E	Insulin injection	0.00	0.00	XXX	9	9	9	9	9
J1825	E	Interferon beta	0.00	0.00	XXX	9	9	9	9	9
J1830	E	Interferon beta	0.00	0.00	XXX	9	9	9	9	9
J1840	Ē	Kanamycin sulfate	0.00	0.00	XXX	9	9	9	9	9
J1850	E	Kanamycin sulfate	0.00	0.00	XXX	9	9	9	9	9
J1885	E	Ketorolac tromethamine	0.00	0.00	XXX	9	9	9	9	9
J1890	E	Cephalothin sodium	0.00	0.00	XXX	9	9	9	9	9
J1910	E	Kutapressin injection	0.00	0.00	XXX	9	9	9	9	9
J1930	Ē	Propiomazine injection	0.00	0.00	XXX	9	9	9	9	9
J1940	E	Furosemide injection	0.00	0.00	XXX	9	9	9	9	9
J1950	E	Leuprolide acetate	0.00	0.00	XXX	9	9	9	9	9
J1955	E	Levocarnitine injection	0.00	0.00	XXX	9	9	9	9	9
J1960	E	Levorphanol tartrate	0.00	0.00	XXX	9	9	9	9	9
J1970	E	Methotrimeprazine	0.00	0.00	XXX	9	9	9	9	9
J1980	E	Hyoscyamine sulfate	0.00	0.00	XXX	9	9	9	9	9
J1990	E	Chlordiazepoxide HCL	0.00	0.00	XXX	9	9	9	9	9
J2000	Ē	Lidocaine injection	0.00	0.00	XXX	9	9	9	9	9
J2010	Ē	Lincomycin injection	0.00	0.00	XXX	9	9	9	9	9
J2060	E	Lorazepam injection	0.00	0.00	XXX	9	9	9	9	9

J2150	Ε	Mannitol injection	0.00	0.00	XXX	9	9	9	9	9
J2175	E	Meperidine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2180	Ε	Meperidine, promethazine	0.00	0.00	XXX	9	9	9	9	9
J2210	Ε	Methylergonovine	0.00	0.00	XXX	9	9	9	9	9
J2240	Ε	Metocurine iodine	0.00	0.00	XXX	9	9	9	9	9
J2250	Ε	Midazolam hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2260	Ē	Milrinone injection	0.00	0.00	XXX	9	9	9	9	9
J2270	Ē	Morphine sulfate	0.00	0.00	XXX	9	9	9	9	9
J2275	Ē	Morphine sulfate	0.00	0.00	XXX	9	9	9	9	9
J2300	E	Nalbuphine hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2310	Ē	Naloxone hydrochloride	0.00	0.00	XXX	9	9	9	9	9
J2320	Ē	Nandrolone decanoate	0.00	0.00	XXX	9	9	9	9	9
J2321	Ē	Nandrolone decanoate	0.00	0.00	XXX	9	9	9	9	9
J2322	Ē	Nandrolone decanoate	0.00	0.00	XXX	9	9	9	9	9
J2330	Ē	Thiothixene injection	0.00	0.00	XXX	9	9	9	9	9
J2350	Ē	Niacinamide, niacin	0.00	0.00	XXX	ģ	ģ	9	9	9
J2360	Ē	Orphenadrine citrate	0.00	0.00	XXX	9	9	9	9	9
J2370	Ē	Phenylephrine HCL	0.00	0.00	XXX	9	9	ģ	9	9
J2400	Ē	Chloroprocaine HCL	0.00	0.00	XXX	9	9	9	9	9
J2405	Ë	Ondansetron HCL	0.00	0.00	XXX	9	9	9	9	9
J2403 J2410	E	Oxymorphone HCL	0.00	0.00	XXX	9	9	9	9	9
J2410 J2430	E	Pamidronate disodium	0.00	0.00	XXX	9	9	9	9	9
J2440	Ē	Papaverine HCL	0.00	0.00	XXX	9	9	9	9	9
J2460	Ē	Oxytetracycline HCL	0.00	0.00	XXX	9	9	9	9	9
J2480	Ē	Hydrochlorides	0.00	0.00	XXX	9	9	9	9	9
J2510	E		0.00		XXX	9	9	9	9	9
	E	Penicillin G procaine		0.00		9	9	9	9	9
J2512 J2515	E	Pentagastrin injection	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX XXX	9	9	9	9	9
J2515 J2540	E	Pentobarbital sodium	0.00		XXX	9	9	9	9	9
J2540 J2545		Penicillin G potassium		0.00	XXX	9	9	9	9	9
J2545 J2550	E E	Pentamidine isethionate Promethazine HCL	$0.00 \\ 0.00$	0.00	XXX	9	9	9	9	9
J2550 J2560	E	Phenobarbital sodium	0.00	$0.00 \\ 0.00$	XXX	9	9	9	9	9
J2590 J2590	E		0.00			9	9	9	9	9
	E	Oxytocin injection		0.00	XXX	-	9	9	9	9
J2597	E	Desmopressin acetate	0.00	0.00	XXX	9 9	9	9	9	9
J2640	E	Prednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2650		Prednisolone acetate	0.00	0.00	XXX		9	9	9	9
J2670	E	Tolazoline HCL	0.00	0.00	XXX	9				
J2675	E	Progesterone injection	0.00	0.00	XXX	9	9 9	9 9	9 9	9
J2680	E E	Fluphenazine decanoate	0.00	0.00	XXX	9 9	9	9	9	9
J2690		Procainamide HCL	0.00	0.00	XXX	-				9
J2700 J2710	E	Oxacillin sodium	0.00	0.00	XXX	9 9	9 9	9 9	9 9	9
	E	Neostigmine methylsulfate	0.00	0.00	XXX					
J2720	E		0.00	0.00	XXX	9	9	9	9	9
J2725	E	Protirelin	0.00	0.00	XXX	9	9	9	9	9
J2730	E	Pralidoxime chloride	0.00	0.00	XXX	9	9	9	9	9
J2760	E	Phentolamine mesylate	0.00	0.00	XXX	9	9	9	9	9
J2765	Ē	Metoclopramide HCL	0.00	0.00	XXX	9	9	9	9	9
J2790	E	Rho D immune globulin	0.00	0.00	XXX	9	9	9	9	9
J2800	E	Methocarbamol injection	0.00	0.00	XXX	9	9	9	9	9
J2810	E	Theophylline injection	0.00	0.00	XXX	9	9	9	9	9
J2820	E	Sargramostim injection	0.00	0.00	XXX	9	9	9	9	9
J2860	E	Secobarbital sodium	0.00	0.00	XXX	9	9	9	9	9
J2910	E	Aurothioglucose	0.00	0.00	XXX	9	9	9	9	9
J2912	E	Sodium chloride	0.00	0.00	XXX	9	9	9	9	9
J2920	E	Methylprednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2930	E	Methylprednisolone sodium	0.00	0.00	XXX	9	9	9	9	9
J2950	E	Promazine HCL injection	0.00	0.00	XXX	9	9	9	9	9
J2970	E	Methicillin sodium	0.00	0.00	XXX	9	9	9	9	9

J2995	Е	Streptokinase injection	0.00	0.00	XXX	9	9	9	9	9
J2996	E	Alteplase recombinant	0.00	0.00	XXX	9	9	9	9	9
J3000	E	Streptomycin injection	0.00	0.00	XXX	9	9	9	9	9
J3005	D	Strontium-89 chloride	0.00	0.00	XXX	9	9	9	9	9
J3010	Ē	Fentanyl citrate	0.00	0.00	XXX	9	9	9	9	9
J3030	Ē	Sumatriptan succinate	0.00	0.00	XXX	9	9	9	9	9
J3070	E	Pentazocine HCL	0.00	0.00	XXX	9	9	9	9	9
J3080	Ē	Chlorprothixene	0.00	0.00	XXX	9	9	9	9	9
J3105	Ē	Terbutaline sulfate	0.00	0.00	XXX	9	9	9	9	9
J3120	\tilde{E}	Testosterone enanthate	0.00	0.00	XXX	9	9	9	9	9
J3130	Ē	Testosterone enanthate	0.00	0.00	XXX	9	9	9	9	9
J3140	Ē	Testosterone suspension	0.00	0.00	XXX	9	9	9	9	9
J3150	$\widetilde{\mathtt{E}}$	Testosterone propionate	0.00	0.00	XXX	9	9	9	9	9
J3230	Ĕ	Chlorpromazine HCL	0.00	0.00	XXX	9	9	9	9	9
J3240	Ē	Thyrotropin injection	0.00	0.00	XXX	ģ	9	9	ģ	9
J3250	Ē	Trimethobenzamide HCL	0.00	0.00	XXX	9	9	9	9	9
J3260	Ē	Tobramycin sulfate	0.00	0.00	XXX	9	9	9	9	9
J3265	Ē	Torasemide injection	0.00	0.00	XXX	9	9	9	9	9
J3203	E		0.00	0.00	XXX	9	9	9	9	9
		Imipramine HCL			XXX		9	9		9
J3280	E	Thiethylperazine maleate	0.00	0.00		9			9	
J3301	Ē	Triamcinolone acetonide	0.00	0.00	XXX	9	9	9	9	9
J3302	E	Triamcinolone diacetate	0.00	0.00	XXX	9	9	9	9	9
J3303	E	Triamcinolone	0.00	0.00	XXX	9	9	9	9	9
J3305	Ē	Trimetrexate injection	0.00	0.00	XXX	9	9	9	9	9
J3310	E	Perphenazine injection	0.00	0.00	XXX	9	9	9	9	9
J3320	E	Spectinomycin	0.00	0.00	XXX	9	9	9	9	9
J3350	E	Urea injection	0.00	0.00	XXX	9	9	9	9	9
J3360	Ε	Diazepam injection	0.00	0.00	XXX	9	9	9	9	9
J3364	Ε	Urokinase	0.00	0.00	XXX	9	9	9	9	9
J3365	E	Urokinase	0.00	0.00	XXX	9	9	9	9	9
J3370	R	Vancomycin HCL	0.00	0.00	XXX	0	0	0	0	0
J3390	E	Methoxamine injection	0.00	0.00	XXX	9	9	9	9	9
J3400	E	Triflupromazine HCL	0.00	0.00	XXX	9	9	9	9	9
J3410	E	Hydroxyzine HCL	0.00	0.00	XXX	9	9	9	9	9
J3420	Ε	Vitamin B-12 injection	0.00	0.00	XXX	9	9	9	9	9
J3430	E	Phytoadione (Vitamin K)	0.00	0.00	XXX	9	9	9	9	9
J3450	Е	Mephentermine sulfate	0.00	0.00	XXX	9	9	9	9	9
J3470	Ε	Hyaluronidase	0.00	0.00	XXX	9	9	9	9	9
J3475	Ε	Magnesium sulfate	0.00	0.00	XXX	9	9	9	9	9
J3480	E	Potassium chloride	0.00	0.00	XXX	9	9	9	9	9
J3490	Ē	Unclassified drugs	0.00	0.00	XXX	9	9	9	9	9
J3520	N	Edetate disodium	0.00	0.00	XXX	9	9	9	9	9
J3530	E	Nasal vaccine inhalation	0.00	0.00	XXX	9	9	9	9	9
J3535	Ñ	Metered dose inhaler	0.00	0.00	XXX	9	9	9	ģ	9
J3570	N	Laetrile, amygdalin	0.00	0.00	XXX	9	9	9	9	9
J7030	E	Normal saline solution	0.00	0.00	XXX	9	9	9	9	ģ
J7040	E	Normal saline, sterile	0.00	0.00	XXX	9	9	9	9	9
J7040	Ē	5% dextrose/normal	0.00	0.00	XXX	9	9	9	9	9
J7042 J7050	E	Normal saline solution	0.00	0.00	XXX	9	9	9	9	9
							9	9	9	9
J7051	E	Sterile saline or water	0.00	0.00	XXX	9	9			
J7060	E	5% dextrose/water	0.00	0.00	XXX	9		9	9	9
J7070	E	D5W infusion	0.00	0.00	XXX	9	9	9	9	9
J7100	E	Dextran 40 infusion	0.00	0.00	XXX	9	9	9	9	9
J7110	E	Dextran 75 infusion	0.00	0.00	XXX	9	9	9	9	9
J7120	E	Ringers lactate infusion	0.00	0.00	XXX	9	9	9	9	9
J7130	E	Hypertonic saline	0.00	0.00	XXX	9	9	9	9	9
J7190	X	Factor VIII, human	0.00	0.00	XXX	9	9	9	9	9
J7191	X	Factor VIII, porcine	0.00	0.00	XXX	9	9	9	9	9

J7192	X	Factor VIII, recombinant	0.00	0.00	XXX	9	9	9	9	9
J7194		Factor IX, complex	0.00	0.00	XXX	9	9	9	9	9
J7196	X	Other hemophilia clotting	0.00	0.00	XXX	ģ	ģ	ģ	9	ģ
J7197	X	Antithrombin III, human	0.00	0.00	XXX	9	9	9	9	9
J7300	N		0.00	0.00	XXX	9	9	9	9	9
	E	Intrauterine copper						9		9
J7310		Ganciclovir, long-acting	0.00	0.00	XXX	9	9		9	
J7500	X	Azathioprine, oral tab	0.00	0.00	XXX	9	9	9	9	9
J7501	X	Azathioprine, parenteral	0.00	0.00	XXX	9	9	9	9	9
J7503	X	Cyclosporine, parenteral	0.00	0.00	XXX	9	9	9	9	9
J7504	X	Lymphocyte immune	0.00	0.00	XXX	9	9	9	9	9
J7505	X	Monoclonal antibodies	0.00	0.00	XXX	9	9	9	9	9
J7506		Prednisone, oral	0.00	0.00	XXX	9	9	9	9	9
J7507	Ε	Tacrolimus, oral	0.00	0.00	XXX	9	9	9	9	9
J7508	Ε	Tacrolimus, oral	0.00	0.00	XXX	9	9	9	9	9
J7509	X	Methylprednisolone oral	0.00	0.00	XXX	9	9	9	9	9
J7510	X	Prednisolone oral	0.00	0.00	XXX	9	9	9	9	9
J7599	X	Immunosuppressive drug	0.00	0.00	XXX	9	9	9	9	9
J7610	E	Acetylcysteine, 10%	0.00	0.00	XXX	9	9	9	9	9
J7615	Ē	Acetylcysteine, 20%	0.00	0.00	XXX	9	9	9	9	9
J7620	Ē	Albuterol sulfate, .083%	0.00	0.00	XXX	9	9	9	9	9
J7625	Ē		0.00				9	9	9	9
		Albuterol sulfate, .5%		0.00	XXX	9				
J7627	E	Bitolterol mesylate, .2%	0.00	0.00	XXX	9	9	9	9	9
J7630	Ē	Cromolyn sodium	0.00	0.00	XXX	9	9	9	9	9
J7640	E	Epinephrine, 2.25%	0.00	0.00	XXX	9	9	9	9	9
J7645	Ε	Ipratropium bromide, .02%	0.00	0.00	XXX	9	9	9	9	9
J7650	E	Isoetharine HCL, .1%	0.00	0.00	XXX	9	9	9	9	9
J7651	E	Isoetharine HCL, .125%	0.00	0.00	XXX	9	9	9	9	9
J7652	E	Isoetharine HCL, .167%	0.00	0.00	XXX	9	9	9	9	9
J7653	Ε	Isoetharine HCL, .2%	0.00	0.00	XXX	9	9	9	9	9
J7654	Ε	Isoetharine HCL, .25%	0.00	0.00	XXX	9	9	9	9	9
J7655	E	Isoetharine HCL, 1.0%	0.00	0.00	XXX	9	9	9	9	9
J7660	E	Isoproterenol HCL, .5%	0.00	0.00	XXX	9	9	9	9	9
J7665	E	Isoproterenol HCL, 1.0%	0.00	0.00	XXX	9	9	9	9	9
J7670	E	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7672	Ē	Metaproterenol sulfate	0.00	0.00	XXX	9	9	9	9	9
J7675	Ē	Metaproterenol sulfate	0.00	0.00	XXX	ģ	9	ģ	9	9
J7699	Ë	Inhalation solution	0.00	0.00	XXX	9	9	9	9	9
J7799	E		0.00	0.00	XXX	9	9	9	9	9
	N	Noninhalation drugs					9	9	9	9
J8499		Oral prescription drugs	0.00	0.00	XXX	9				
J8530	E	Cyclophosphamide, oral	0.00	0.00	XXX	9	9	9	9	9
J8560	E	Etoposide, oral	0.00	0.00	XXX	9	9	9	9	9
J8600	Ē	Melphalan, oral	0.00	0.00	XXX	9	9	9	9	9
J8610	Ē	Methotrexate, oral	0.00	0.00	XXX	9	9	9	9	9
J8999	E	Oral prescription drugs	0.00	0.00	XXX	9	9	9	9	9
J9000	E	Doxorubic HCL	0.00	0.00	XXX	9	9	9	9	9
J9015	Ε	Aldesleukin	0.00	0.00	XXX	9	9	9	9	9
J9020	Ε	Asparaginase	0.00	0.00	XXX	9	9	9	9	9
J9031	E	BCG (intravesical)	0.00	0.00	XXX	9	9	9	9	9
J9040	E	Bleomycin sulfate	0.00	0.00	XXX	9	9	9	9	9 9
J9045	E	Carboplatin	0.00	0.00	XXX	9	9	9	9	9
J9050	Ε	Carmustine	0.00	0.00	XXX	9	9	9	9	9
J9060	E	Cisplatin	0.00	0.00	XXX	9	9	9	9	9
J9062	Ē	Cisplatin	0.00	0.00	XXX	9	9	9	9	9
J9065	Ē	Cladribine	0.00	0.00	XXX	9	9	9	9	9
J9070	Ĕ	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9080	Ë	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9090			0.00	0.00		9	9	9	9	9
	E	Cyclophosphamide			XXX	-	9	9	9	9
J9091	E	Cyclophosphamide	0.00	0.00	XXX	9	9	9	7	y

MINNESOTA RULES 2005

747		FEES	FOR	MEDICAI	SERV	ЛСІ	ES	522	1.40	30
J9092	E	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9093	Ė	Cyclophosphamide	0.00	0.00	XXX	9	9	9	9	9
J9094	Ε	Cyclophosphamide	0.00		XXX	9	9	9	9	9
J9095	Ε	Cyclophosphamide	0.00		XXX	9	9	9	9	9
J9096	Ε	Cyclophosphamide	0.00		XXX	9	9	9	9	9
J9097	Ε	Cyclophosphamide	0.00		XXX	9	9	9	9	9
J9100	Ε	Cytarabine	0.00		XXX	9	9	9	9	9
J9110	Ε	Cytarabine	0.00	0.00	XXX	9	9	9	9	9
J9120	Ε	Dactinomycin	0.00	0.00	XXX	9	9	9	9	9
J9130	E	Dacarbazine	0.00	0.00	XXX	9	9	9	9	9
J9140	Ε	Dacarbazine	0.00	0.00	XXX	9	9	9	9	9
J9150	E	Daunorubicin HCL	0.00	0.00	XXX	9	9	9	9	9
J9165	E	Diethylstilbestrol	0.00	0.00	XXX	9	9	9	9	9
J9170	E	Docetaxel	0.00	0.00	XXX	9	9	9	9	9
J9181	E	Etoposide	0.00		XXX	9	9	9	9	9
J9182	E	Etoposide	0.00		XXX	9	9	9	9	9
J9185	E	Fludarabine phosphate	0.00		XXX	9	9	9	9	9
J9190	Ε	Fluorouracil	0.00	0.00	XXX	9	9	9	9	9
J9200	E	Floxuridine	0.00	0.00	XXX	9	9	9	9	9
J9201	Ε	Gemcitabine HCL	0.00	0.00	XXX	9	9	9	9	9
J9202	E	Goserelin acetate implant	0.00	0.00	XXX	9	9	9	9	9
J9206	Ε	Irinotecan	0.00	0.00	XXX	9	9	9	9	9
J9208	E	Ifosfamide	0.00	0.00	XXX	9	9	9	9	9
J9209	E	Mesna	0.00	0.00	XXX	9	9	9	9	9
J9211	E	Idarubicin HCL	0.00	0.00	XXX	9	9	9	9	9
J9213	E	Interferon, alfa-2A	0.00	0.00	XXX	9	9	9	9	9
J9214	E	Interferon, alfa-2B	0.00	0.00	XXX	9	9	9	9	9
J9215	E	Interferon, alfa-N3	0.00		XXX	9	9	9	9	9
J9216	Ε	Interferon, gamma 1-B	0.00		XXX	9	9	9	9	9
J9217	Ε	Leuprolide acetate	0.00		XXX	9	9	9	9	9
J9218	Ε	Leuprolide acetate	0.00		XXX	9	9	9	9	9
J9230	E	Mechlorethamine HCL	0.00		XXX	9	9	9	9	9
J9245	Ē	Melphalan HCL	0.00		XXX	9	9	9	9	9
J9250	E	Methotrexate sodium	0.00		XXX	9	9	9	9	9
J9260	Ē	Methotrexate sodium	0.00		XXX	9	9	9	9	9
J9265	E	Paclitaxel	0.00		XXX	9	9	9	9	9
J9266	E	Pegaspargase	0.00		XXX	9	9	9	9	9
J9268	E	Pentostatin	0.00		XXX	9	9	9	9	9
J9270	E	Plicamycin	0.00		XXX	9	9	9	9	9
J9280	E	Mitomycin	0.00		XXX	9	9	9	9	9
J9290	E	Mitomycin	0.00		XXX	9 9	9	9 9	9	9 9
J9291	E E	Mitomycin Mitoxantrone HCL	0.00		XXX XXX	9	9	9	9 9	9
J9293 J9320	E	Streptozocin	0.00		XXX	9	9	9	9	9
J9340	E	Thiotepa	0.00		XXX	9	9	9	9	9
J9340 J9350	E	Topotecan	0.00		XXX	9	9	9	9	9
J9360	Ē	Vinblastine sulfate	0.00		XXX	9	9	9	9	9
J9370	Ē	Vincristine sulfate	0.00		XXX	9	9	9	9	9
J9375	Ē	Vincristine sulfate	0.00		XXX	9	9	9	9	9
J9380	Ē	Vincristine sulfate	0.00		XXX	9	9	9	9	9
J9390	Ē	Vinorelbine tartrate	0.00		XXX	9	9	9	9	9
J9600	Ē	Porfimer sodium	0.00		XXX	9	9	9	9	9
J9999	Ē	Chemotherapy drug	0.00		XXX	9	9	9	9	9
		ous M codes:	0.00	, V.00	1201					
, ,					******		_	^	_	
M0064	Α	Visit, drugs	0.54	0.54	XXX	0	0	0	0	0

M0075	N	Cellular therapy	0.00	0.00	XXX	9	9	9	9	9
M0075 M0076			0.00	0.00	XXX	9	9	9	9	9
		Prolotherapy								
M0100	N	Intragastric hypothermia	0.00	0.00	XXX	9	9	9	9	9
M0101	G	Foot care hygiene	0.74	0.58	XXX	0	0	0	0	0
M0300	N	IV chelation therapy	0.00	0.00	XXX	9	9	9	9	9
M0301	N	Fabric wrapping	0.00	0.00	XXX	9	9	9	9	9
M0302	N	Assess cardiac output	0.00	0.00	XXX	9	9	9	9	9
(6) Miscella	nec	ous P codes:								
P2028	х	Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2028		Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2028		Cephalin floculation test	0.00	0.00	XXX	9	9	9	9	9
P2029	X	Congo red blood	0.00	0.00	XXX	9	9	9	ģ	9
P2033	X	Blood thymol turbidity	0.00	0.00	XXX	9	9	9	ģ	9
P2038		Blood mucoprote	0.00	0.00	XXX	9	9	9	9	9
P7001	Ï	Culture bacteria	0.00	0.00	XXX	9	9	9	9	9
P9010	Ė	Whole blood transfusion	0.00	0.00	XXX	9	9	9	9	9
P9010							9	9	9	9
	E E	Blood, split unit	0.00	0.00	XXX	9 9	9		9	9
P9012		Cryoprecipitate	0.00	0.00	XXX XXX		9	9 9		9
P9013	E	Fibrinogen unit	0.00	0.00		9			9	9
P9014	E	Gamma globulin	0.00	0.00	XXX	9	9	9	9	9
P9015	E	RH immune globulin	0.00	0.00	XXX	9	9	9	9	9
P9016	E	Leukocyte poor blood	0.00	0.00	XXX	9	9	9	9	9
P9017	E	One donor, fresh frozen	0.00	0.00	XXX	9	9	9	9	9
P9018	E	Plasma protein fraction	0.00	0.00	XXX	9	9	9	9	9
P9019	Ē	Platelet concentrate	0.00	0.00	XXX	9	9	9	9	9
P9020	Ē	Platelet rich plasma	0.00	0.00	XXX	9	9	9	9	9
P9021	Ē	Red blood cells	0.00	0.00	XXX	9	9	9	9	9
P9022	Е	Washed red blood cells	0.00	0.00	XXX	9	9	9	9	9
(7) Miscella	nec	ous Q codes:								
Q0034	X	Administer flu vaccine	0.00	0.00	XXX	9	9	9	9	9
Q0035		Cardiokymography	0.65	0.65	XXX	0	0	0	0	0
Q0035 26		Cardiokymography	0.28	0.28	XXX	Õ	0	0	Õ	0
Q0035 TC		Cardiokymography	0.37	0.37	XXX	Ŏ	Õ	Ö	Ō	Ŏ
Q0068		Plasmapheresis	2.83	2.83	000	0	0	0	0	0
Q0091	Α	Obtaining screening	0.62	0.62	XXX	0	0	0	0	0
Q0092	Α	Set up portable x-ray	0.30	0.30	XXX	0	0	0	0	0
Q0132	X	Dispensing fee	0.00	0.00	XXX	9	9	9	9	9
Q0136	X	Non ESRD epoetin alpha	0.00	0.00	XXX	9	9	9	9	9
Q0144	N	Azithromycin dihydrate	0.00	0.00	XXX	9	9	9	9	9
Q0156	X	Human albumin 5%	0.00	0.00	XXX	9	9	9	9	9
Q0157	X	Human albumin, 25%	0.00	0.00	XXX	9	9	9	9	9
Q0158	D	Combined hib & hep B	0.00	0.00	XXX	9	9	9	9	9
Q9920	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9921	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9922	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9923	Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9924	Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9925	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9926	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9927	Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9928	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9929	Ε	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9
Q9930	E	Epoetin with HCT	0.00	0.00	XXX	9	9	9	9	9

MINNESOTA RULES 2005

749	FEES	FOR M	EDICA	L SERV	/ICE	ES	522	21.40	030
Q9932 H Q9933 H Q9934 H Q9935 H Q9936 H Q9937 H Q9938 H Q9939 H Q9940 H	E Epoetin with HCT	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	XXX XXX XXX XXX XXX XXX XXX XXX XXX	9 9 9 9 9 9 9 9	99999999	9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	99999999
R0075 (C Transport portable x-ray C Transport portable x-ray C Transport portable EKG	0.00 0.00 0.00	0.00 0.00 0.00	XXX XXX XXX	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
K. P and supplies.	rocedure codes S0009 to S9999	relate to	additio	nal miso	ella	nec	ous a	artic	les
1 2 3	3 4	5	6	7	8	9	10	11	12
\$0009 \$0010 \$0011 \$0011 \$0012 \$0014 \$0016 \$0017 \$0020 \$0021 \$0023 \$0024 \$0028 \$0028 \$0029 \$0030 \$0032 \$0032 \$0032 \$0032 \$0032 \$0030 \$0032 \$0037 \$0071 \$0072 \$0072 \$0073 \$0074 \$0077 \$0078 \$0078 \$0080 \$0081 \$0090 \$0096 \$0097 \$0098	Injection, somatrem Injection, somtropin Butorphanol tartrate Tacrine hydrochloride Injection, amikacin Injection, aminocaproic Injection, bupivaicaine Injection, ceftoperazone Injection, cimetidine Injection, famotidine Injection, fluconazole Injection, metronidazole Injection, metronidazole Injection, sulfamethoxa. Injection, sulfamethoxa. Injection, acyclovir Injection, acyclovir Injection, aztreonam Injection, cefotetan Injection, cefotetan Injection, fosphenytoin Injection, pentamidine Injection, piperacillin Sildenafil citrate, 25 mg Injection, itraconazole Injection, ibutilide	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00	XXX XXX XXX XXX XXX XXX XXX XXX XXX XX	999999999999999999999999999	999999999999999999999999999	99999999999999999999999999	99999999999999999999999999	99999999999999999999999999999

S0610	I	Annual gynecological	0.00	0.00	XXX	9	9	9	9	9
S0612	I		0.00	0.00	XXX	9	9	9	9	9
S0620	I	Routine ophthalmological	0.00	0.00	XXX	9	9	9	9	9
S0621	I	Routine ophthalmological	0.00	0.00	XXX	9	9	9	9	9
S0800	I		0.00	0.00	XXX	9	9	9	9	9
S0810	I		0.00	0.00	XXX	9	9	9	9	9
S2050	Ī	Donor enterectomy, prep	0.00	0.00	XXX	9	9	9	9	9
S2052	Ī		0.00	0.00	XXX	9	9	9	9	9
S2053	Ī		0.00	0.00	XXX	9	9	9	9	9
S2054	Ī	Transplant visceral	0.00	0.00	XXX	9	9	9	9	9
S2055	Ī	Harvesting of donor	0.00	0.00	XXX	9	9	9	9	9
S2109	Ĩ	Autologous chondrocyte	0.00	0.00	XXX	9	9	9	9	9
S2190	Î	Subcutaneous implantation	0.00	0.00	XXX	9	9	9	9	9
S2204	Î		0.00	0.00	XXX	9	9	9	9	9
S2205	Ī	Minimally invasive direct	0.00	0.00	XXX	9	9	9	9	9
S2206	Î	Minimally invasive direct	0.00	0.00	XXX	9	9	9	9	9
S2207	Î	Minimally invasive direct	0.00	0.00	XXX	ģ	9	9	9	9
S2208	Î	Minimally invasive direct	0.00	0.00	XXX	9	9	ģ	ģ	9
S2209	Ī	Minimally invasive direct	0.00	0.00	XXX	9	ģ	9	9	ģ
S2210	Ì	Cryosurgical ablation	0.00	0.00	XXX	9	9	9	ģ	9
S2300	Ī	Arthroscopy shoulder	0.00	0.00	XXX	9	9	9	9	9
S2350	Í	Diskectomy, anterior	0.00	0.00	XXX	9	9	9	9	9
S2351	· İ	Diskectomy, anterior	0.00	0.00	XXX	9	9	9	9	9
S3645	Ī	HIV-1 antibody testing	0.00	0.00	XXX	9	9	9	9	9
S3650	I	Saliva test, hormone	0.00	0.00	XXX	9	9	9	9	9
S3652	Ī	Saliva test, hormone	0.00	0.00	XXX	9	9	9	9	9
S8035	Ī	Magnetic source imaging	0.00	0.00	XXX	9	9	9	9	9
S8040	Ī	Topographic brain	0.00	0.00	XXX	9	9	9	9	9
S8048	Ī	Isolated limb perfusion	0.00	0.00	XXX	9	9	9	9	9
S8049	Ī	Intraoperative radiation	0.00	0.00	XXX	9	9	9	9	9
S8060	Ī	Supply of contrast	0.00	0.00	XXX	9	9	9	9	9
S8092	Í	Electron beam computed	0.00	0.00	XXX	9	9	9	9	9
S8095	Ī	Wig, medical	0.00	0.00	XXX	9	9	9	9	9
S8096	Ī	Portable peak flow	0.00	0.00	XXX	9	9	9	9	9
S8110	Ī	Peak expiratory flow	0.00	0.00	XXX	9	9	9	9	9
S8200	Ī	Chest compression vest	0.00	0.00	XXX	9	9	9	9	9
S8205	Ī	Chest compression Chest compression	0.00	0.00	XXX	9.	9	9	9	9
S8260	I	Oral orthotic sleep apnea	0.00	0.00	XXX	9	9	9	9	9
S8300	Ī	Sacral nerve	0.00	0.00	XXX	9	9	9	9	9
S8950	Ì	Complex lymphedema	0.00	0.00	XXX	9	9	9	ģ	9
S9001	Ì	Home uterine monitor	0.00	0.00	XXX	ģ	9	9	9	9
S9022	Ì	Digital subtraction	0.00	0.00	XXX	9	9	9	9	9
S9023	Ì		0.00	0.00	XXX	9	ģ	9	9	ģ
S9024	Ī	Paranasal sinus	0.00	0.00	XXX	ģ	9	9	ģ	9
S9033	İ	Gait analysis	0.00	0.00	XXX	9	9	9	9	9
S9055	Ī	Procuren or other factor	0.00	0.00	XXX	9	9	9	9	9
S9056	Ī	Coma stimulation	0.00	0.00	XXX	9	9	9	9	9
S9075	Ī	Smoking cessation	0.00	0.00	XXX	9	9	9	9	9
S9075	I	Meniscal allograft	0.00	0.00	XXX	9	9	9	9	9
S9122	I	Home health aide	0.00	0.00	XXX	9	9	9	9	9
S9123	Ī	Nursing care in home	0.00	0.00	XXX	9	9	9	9	9
S9123	Ī	Nursing care in home	0.00	0.00	XXX	9	9	9	9	9
S9125	Ī		0.00	0.00	XXX	9	9	9	9	9
S9125	I	Respite care in home	0.00	0.00	XXX	9	9	9	9	9
S9120	I	Hospice care in home	0.00	0.00	XXX	9	9	9	9	9
S9127	I	Social work visit	0.00	0.00	XXX	9	9	9	9	9
	I	Speech therapy	0.00	0.00	XXX	9	9	9	9	9
S9129 S9140	I	Occupational therapy	0.00	0.00		9	9	9	9	9
37140	1	Diabetic management	0.00	0.00	XXX	J	7	7	7	7

S9141	I	Diabetic management	0.00	0.00	XXX	9	9	9	9	9
S9455	I	Diabetic management	0.00	0.00	XXX	9	9	9	9	9
S9460	I	Diabetic management	0.00	0.00	XXX	9	9	9	9	9
S9465	I	Diabetic management	0.00	0.00	XXX	9	9	9	9	9
S9470	I	Nutritional counseling	0.00	0.00	XXX	9	9	9	9	9
S9472	I	Cardiac rehabilitation	0.00	0.00	XXX	9	9	9	9	9
S9473	I	Pulmonary rehabilitation	0.00	0.00	XXX	9	9	9	9	9
S9474	I	Enterostomal therapy	0.00	0.00	XXX	9	9	9	9	9
S9475	I	Ambulatory setting	0.00	0.00	XXX	9	9	9	9	9
S9480	I	Intensive outpatient	0.00	0.00	XXX	9	9	9	9	9
S9485	I	Crisis intervention	0.00	0.00	XXX	9	9	9	9	9
S9524	I	Nursing services home IV	0.00	0.00	XXX	9	9	9	9	9
S9527	I	Insertion of catheter	0.00	0.00	XXX	9	9	9	9	9
S9528	I	Insertion of catheter	0.00	0.00	XXX	9	9	9	9	9
S9543	I	Administer medication	0.00	0.00	XXX	9	9	9	9	9
S9990	I	Services, clinical trial	0.00	0.00	XXX	9	9	9	9	9
S9991	I	Services phase III	0.00	0.00	XXX	9	9	9	9	9
S9992	Ι	Transportation costs	0.00	0.00	XXX	9	9	9	9	9
S9994	I	Lodging costs	0.00	0.00	XXX	9	9	9	9	9
S9996	I	Meals	0.00	0.00	XXX	9	9	9	9	9
S9999	I	Sales tax	0.00	0.00	XXX	9	9	9	9	9

L. Procedure codes V2020 to V5299 relate to miscellaneous vision and hearing services and supplies.

1	2	3	4	5	6	7	8	9	10	11	12
V2020		X	Vision services, frames	0.00	0.00	XXX	9	9	9	9	9
V2025		N	Eyeglasses, deluxe frame	0.00	0.00	XXX	ģ	9	9	9	9
V2100		X	Single vision sphere	0.00	0.00	XXX	9	9	9	9	9
V2101		X	Single vision sphere	0.00	0.00	XXX	9	9	9	9	9
V2102		X	Single vision sphere	0.00	0.00	XXX	9	9	9	9	9
V2103		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2104		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2105		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2106		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2107		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2108		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2109		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2110		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2111		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2112		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2113		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2114		X	Spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2115		X	Lenticular lens	0.00	0.00	XXX	9	9	9	9	9
V2116		X	Nonaspheric lens	0.00	0.00	XXX	9	9	9	9	9
V2117		X	Aspheric lens	0.00	0.00	XXX	9	9	9	9	9
V2118		X	Aniseikonic lens	0.00	0.00	XXX	9	9	9	9	9
V2199		X	Single vision lens	0.00	0.00	XXX	9	9	9	9	9
V2200		X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2201		X	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2202		\mathbf{X}	Bifocal sphere	0.00	0.00	XXX	9	9	9	9	9
V2203		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2204		X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9

V2205	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2206	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2207	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2208	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2209	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2210		Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2211	X	Bifocal spherocylinder	0.00	0.00	XXX	ģ	9	9	ģ	9
V2212	X	Bifocal spherocylinder	0.00	0.00	XXX	ģ	9	9	9	9
V2213	X	Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2214		Bifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2215	X	Lenticular lens	0.00	0.00	XXX	9	ģ	9	9	9
V2216		Lenticular lens	0.00	0.00	XXX	ģ	ģ	9	9	9
V2217		Lenticular lens	0.00	0.00	XXX	9	ģ	9	9	9
V2217		Aniseikonic lens	0.00	0.00	XXX	9	9	9	9	9
V2219	X	Bifocal SEG lens	0.00	0.00	XXX	9	9	9	9	9
V2220		Bifocal add lens	0.00	0.00	XXX	9	9	9	9	9
V2220 V2299	X	Specialty bifocal lens	0.00	0.00	XXX	9	9	9	9	9
V2299 V2300	X	Sphere trifocal	0.00	0.00	XXX	9	9	9	9	9
			0.00		XXX	9	9	9	9	9
V2301	X	Sphere trifocal		$0.00 \\ 0.00$			9	9	9	9
V2302 V2303	X	Sphere trifocal	0.00		XXX	9 9	9	9	9	9
	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9		9
V2304	X	Trifocal spherocylinder	0.00	0.00	XXX		9	9	9	9
V2305	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2306	X	Trifocal spherocylinder	0.00	0.00	XXX	9		9	9	
V2307	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9		9	9
V2308	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2309	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2310	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2311	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2312	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2313	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2314	X	Trifocal spherocylinder	0.00	0.00	XXX	9	9	9	9	9
V2315	X	Lenticular lens	0.00	0.00	XXX	9	9	9	9	9
V2316		Lenticular lens	0.00	0.00	XXX	9	9	9	9	9
V2317		Lenticular lens	0.00	0.00	XXX	9	9	9	9	9
V2318		Aniseikonic lens	0.00	0.00	XXX	9	9	9	9	9
V2319	X	Trifocal SEG lens	0.00	0.00	XXX	9	9	9	9	9
V2320	X	Trifocal add lens	0.00	0.00	XXX	9	9	9	9	9
V2399	X	Specialty trifocal lens	0.00	0.00	XXX	9	9	9	9	9
V2410		Variable asphericity lens	0.00	0.00	XXX	9	9	9	9	9
V2430	X	Variable asphericity lens	0.00	0.00	XXX	9	9	9	9	9
V2499	X	Variable asphericity lens	0.00	0.00	XXX	9	9	9	9	9
V2500		Contact lens, PMMA	0.00	0.00	XXX	9	9	9	9	9
V2501		Contact lens, PMMA	0.00	0.00	XXX	9	9	9	9	9
V2502	X	Contact lens, PMMA	0.00	0.00	XXX	9	9	9	9	9
V2503	X	Contact lens, PMMA	0.00	0.00	XXX	9	9	9	9	9
V2510	X	Gas permeable contact	0.00	0.00	XXX	9	9	9	9	9
V2511	X	Gas permeable contact	0.00	0.00	XXX	9	9	9	9	9
V2512	X	Gas permeable contact	0.00	0.00	XXX	9	9	9	9	9
V2513	X	Gas permeable contact	0.00	0.00	XXX	9	9	9	9	9
V2520	P	Contact lens hydrophilic	0.00	0.00	XXX	9	9	9	9	9
V2521	X	Contact lens hydrophilic	0.00	0.00	XXX	9	9	9	9	9
V2522	X	Contact lens hydrophilic	0.00	0.00	XXX	9	9	9	9	9
V2523	X	Contact lens hydrophilic	0.00	0.00	XXX	9	9	9	9	9
V2530	X	Contact lens, scleral	0.00	0.00	XXX	9	9	9	9	9
V2531	X	Contact lens, scleral	0.00	0.00	XXX	9	9	9	9	9
V2599	X	Contact lens, other type	0.00	0.00	XXX	9	9	9	9	9
V2600	X	Hand-held low vision aids	0.00	0.00	XXX	9	9	9	9	9

V2610	X	Single lens vision aids	0.00	0.00	XXX	9	9	9	9	9
V2615	X	Telescope, other compound	0.00	0.00	XXX	9	9	9	9	9
V2623		Prosthetic eye, plastic	0.00	0.00	XXX	9	9	9	9	9
V2624		Polish artificial eye	0.00	0.00	XXX	9	9	9	9	9
V2625		Enlarge artificial eye	0.00	0.00	XXX	9	9	9	9	9
V2626		Reduce artificial eye	0.00	0.00	XXX	9	9	9	9	9
V2627		Scleral cover shell	0.00	0.00	XXX	9	9	9	9	9
V2628	X	Fabrication and fitting	0.00	0.00	XXX	9	9	9	9	9
V2629		Prosthetic eye, other	0.00	0.00	XXX	9	9	9	9	9
V2630	X	Anterior chamber lens	0.00	0.00	XXX	9	9	9	9	9
V2631	X	Iris supported lens	0.00	0.00	XXX	9	9	9	9	9
V2632	X	Posterior chamber lens	0.00	0.00	XXX	9	9	9	9	9
V 2700		Balance lens	0.00	0.00	XXX	9	9	9	9	9
V2710	X	Glass/plastic slab	0.00	0.00	XXX	9	9	9	9	9
V2715		Prism	0.00	0.00	XXX	9	9	9	9	9
V2718		Fresnell prism	0.00	0.00	XXX	9	9	9	9	9
V2730	X	Special base curve	0.00	0.00	XXX	9	9	9	9	9
V2740		Rose tint, plastic	0.00	0.00	XXX	9	9	9	9	9
V2741		Non-rose tint, plastic	0.00	0.00	XXX	9	9	9	9	9
V2742	X	Rose tint, glass	0.00	0.00	XXX	9	9	9	9	9
V2743		Non-rose tint, glass	0.00	0.00	XXX	9	9	9	9	9
V2744	X	Tint, photochromatic	0.00	0.00	XXX	9	9	9	9	9
V2750	X	Anti-reflective coating	0.00	0.00	XXX	9	9	9	9	9
V2755		UV lens	0.00	0.00	XXX	9	9	9	9	9
V2760	X	Scratch resistant coating	0.00	0.00	XXX	9	9	9	9	9
V2770		Occluder lens	0.00	0.00	XXX	9	9	9	9	9
V2780	X	Oversize lens	0.00	0.00	XXX	9	9	9	9	9
V2781		Progressive lens	0.00	0.00	XXX	9	9	9	9	9
V2785	X	Corneal tissue	0.00	0.00	XXX	9	9	9	9	9
V2799		Miscellaneous vision	0.00	0.00	XXX	9	9	9	9	9
V5008		Hearing screening	0.00	0.00	XXX	9	9	9	9 9	9 9
V5010	N	Assess for hearing aid	0.00	0.00	XXX XXX	9 9	9 9	9 9	9	9
V5011 V5014	N	Hearing aid fitting	$0.00 \\ 0.00$	$0.00 \\ 0.00$	XXX	9	9	9	9	9
V5014 V5020	N N	Hearing aid repair Conformity evaluation	0.00	0.00	XXX	9	9	9	9	9
V5020 V5030	N	Body-worn hearing aid	0.00	0.00	XXX	9	9	9	9	9
V5040	N	Body-worn hearing aid	0.00	0.00	XXX	9	9	9	9	9
V5050	N	Hearing aid in ear	0.00	0.00	XXX	9	9	9	9	9
V5060	N	Hearing aid behind ear	0.00	0.00	XXX	9	9	9	9	9
V5070	N	Glasses, air conduction	0.00	0.00	XXX	9	9	9	9	9
V5080	N	Glasses, bone conduction	0.00	0.00	XXX	9	9	9	9	9
V5090	N	Hearing aid fee	0.00	0.00	XXX	9	9	9	9	9
V5100	N	Body-worn bilateral	0.00	0.00	XXX	ģ	ģ	9	ģ	ý
V5110	N	Bilateral dispensing fee	0.00	0.00	XXX	9	9	9	9	9
V5120	N	Body-worn binaural	0.00	0.00	XXX	9	9	9	9	9
V5130	N	In ear binaural	0.00	0.00	XXX	9	9	ģ	9	9
V5140	N	Behind ear binaural	0.00	0.00	XXX	9	ģ	9	9	9
V5150	N	Glasses binaural	0.00	0.00	XXX	9	9	9	9	9
V5160	N	Binaural dispensing fee	0.00	0.00	XXX	9	9	9	9	9
V5170	N	In ear cros	0.00	0.00	XXX	9	9	9	9	9
V5180	N	Behind ear cros	0.00	0.00	XXX	9	9	9	9	9
V5190	N	Glasses cros	0.00	0.00	XXX	9	9	9	9	9
V5200	N	Cros dispensing fee	0.00	0.00	XXX	9	9	9	9	9
V5210	N	In ear bicros	0.00	0.00	XXX	9	9	9	9	9
V5220	N	Behind ear bicros	0.00	0.00	XXX	9	9	9	9	9
V5230	N	Glasses bicros	0.00	0.00	XXX	9	9	9	9	9
V5240	N	Bicros dispensing fee	0.00	0.00	XXX	9	9	9	9	9
V5299	R	Hearing service	0.00	0.00	XXX	0	Ó	0	0	Ó
						-	-	-	-	-

Statutory Authority: MS s 14.386; 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142; 28 SR 1209

5221.4032 PROFESSIONAL/TECHNICAL COMPONENTS FOR MEDICAL/SURGI-CAL SERVICES.

Subpart 1. General. Fees for certain services which are a combination of professional and technical care shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other providers. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. Services subject to this distinction are identified in part 5221.4030, subpart 2b, by modifiers appearing in column 2 alongside the service codes. Modifier TC indicates relative RVUs for the technical component of the service and modifier 26 indicates RVUs for the professional component of the service. The maximum fee for either component of the service is calculated using the RVUs for the component provided and the formula in part 5221.4020.

- Subp. 2. Separate billing for both components. If the professional component is split from the technical component and both are billed separately, the total cost for both cannot exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 3. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated for the complete service by using the RVUs corresponding to the service code listed without a modifier in part 5221.4030, subpart 2b, and the formula in part 5221.4020.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.4033 OUTPATIENT LIMITATION FOR MEDICAL/SURGICAL FACILITY FEE.

- Subpart 1. No facility fee. Procedures whose codes are listed in subpart 2b are predominantly performed in office settings and, therefore, no additional facility fees are payable when the procedure is performed by the employee's treating health care provider, unless it is an emergency or medically necessary to perform the procedure in a nonoffice setting or after normal office hours. This part does not preclude payment of a facility fee where the employee is treated by emergency room or urgent care staff.
- Subp. 1a. **Payment of facility fee.** Except where the facility fee is precluded from payment in subpart 1, fees for ambulatory surgical center and hospital outpatient surgical center are paid in accordance with part 5221.0500, subpart 2.
- A. Services and supplies included in facility fee. The services in subitems (1) to (8) are included in the facility fee. There may be no separate payment for these services and supplies:
 - (1) nursing, technician, and related services;
 - (2) use of the facilities where the surgical procedures are performed;
- (3) drugs, biologicals, surgical dressings, supplies, splints, casts, appliances, and equipment directly related to the provision of surgical procedures;
- (4) diagnostic or therapeutic services or items directly related to the provision of a surgical procedure;
 - (5) administrative, record keeping, and housekeeping items and services;

FEES FOR MEDICAL SERVICES 5221.4033

- (6) materials for anesthesia;
- (7) intraocular lenses (IOLs); and
- (8) supervision of the services of an anesthetist by the operating surgeon.
- B. Services and supplies in subitems (1) to (7) are paid separately from the facility fee:
 - (1) physician services;
- (2) laboratory, X-ray, or diagnostic procedures, other than those directly related to performance of the surgical procedure;
 - (3) prosthetic devices, except IOLs;
 - (4) ambulance services;
 - (5) leg, arm, back, and neck braces and artificial limbs; and
- (6) durable medical equipment for use in the patient's home or takehome supplies; and
 - (7) anesthetist services.
 - Subp. 2a. [Repealed, 25 SR 1142]

CPT/HCPCS

Subp. 2b. Procedure codes subject to limitation.

Procedure	
Code	CPT/HCPCS Description
	-
10040	Acne surgery
10060	Drainage of skin abscess
10061	Drainage of skin abscess
10080	Drainage of pilonidal cyst
10081	Drainage of pilonidal cyst
10120	Remove foreign body
10121	Remove foreign body
10140	Drainage of hematoma/fluid
10160	Puncture drainage of lesion
11000	Surgical cleansing of skin
11001	Additional cleansing of skin
11040	Surgical cleansing, abrasion
11041	Surgical cleansing of skin
11050	Trim skin lesion
11051	Trim 2 to 4 skin lesions
11052	Trim over 4 skin lesions
11100	Biopsy of skin lesion
11101	Biopsy, each added lesion
11200	Removal of skin tags
11201	Removal of added skin tags
11300	Shave skin lesion
11301	Shave skin lesion
11302	Shave skin lesion
11303	Shave skin lesion
11305	Shave skin lesion
11306	Shave skin lesion
11307	Shave skin lesion
11308	Shave skin lesion
11310	Shave skin lesion
11311	Shave skin lesion
11312	Shave skin lesion
11313	Shave skin lesion
11400	Removal of skin lesion
11401	Removal of skin lesion

11402	Removal of skin lesion
11403	Removal of skin lesion
	Removal of skin lesion
11420	1141110 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11421	Removal of skin lesion
11422	Removal of skin lesion
11423	Removal of skin lesion
11440	Removal of skin lesion
11441	Removal of skin lesion
11442	Removal of skin lesion
11443	Removal of skin lesion
11600	Removal of skin lesion
11601	Removal of skin lesion
	- 101110 / 112 22 01111 1001011
11602	Removal of skin lesion
11603	Removal of skin lesion
11620	Removal of skin lesion
11621	Removal of skin lesion
11622	Removal of skin lesion
11623	Removal of skin lesion
11640	Removal of skin lesion
11641	Removal of skin lesion
11642	Removal of skin lesion
11643	Removal of skin lesion
11730	Removal of nail plate
11731	Removal of second nail plate
11732	Remove additional nail plate
11740	Drain blood from under nail
11750	Removal of nail bed
11752	Remove nail bed/finger tip
11760	Reconstruction of nail bed
11762	Reconstruction of nail bed
11765	Excision of nail fold, toe
11900	Injection into skin lesions
11901	Added skin lesion injections
12031	Layer closure of wound(s)
12032	Layer closure of wound(s)
12041	Layer closure of wound(s)
12042	Layer closure of wound(s)
12051	Layer closure of wound(s)
12052	Layer closure of wound(s)
15780	Abrasion treatment of skin
15781	Abrasion treatment of skin
15782	Abrasion treatment of skin
15783	Abrasion treatment of skin
15786	Abrasion treatment of lesion
	Abrasion, added skin lesions
15787	
15851	Removal of sutures
15852	Dressing change, not for burn
16000	Initial treatment of burn(s)
16010	Treatment of burn(s)
16020	
	Treatment of burn(s)
16025	Treatment of burn(s)
17000	Destroy benign/premal lesion
17001	Destruction of additional lesions
17002	Destruction of additional lesions
17010	Destruction of skin lesion(s)
17100	Destruction of skin lesion
17101	Destruction of second lesion
17102	Destruction of additional lesions

. =	
17104	Destruction of skin lesions
17105	Destruction of skin lesions
17106	Destruction of skin lesions
17107	Destruction of skin lesions
17110	Destruction of skin lesions
17200	Electrocautery of skin tags
17201	Electrocautery added lesions
17250	Chemical cautery, tissue
17260	Destruction of skin lesions
17261	Destruction of skin lesions
17262	Destruction of skin lesions
17263	Destruction of skin lesions
17264	Destruction of skin lesions
17266	Destruction of skin lesions
17270	Destruction of skin lesions
17271	Destruction of skin lesions
17272	Destruction of skin lesions
17273	Destruction of skin lesions
17274	Destruction of skin lesions
17276	Destruction of skin lesions
17280	Destruction of skin lesions
17281	Destruction of skin lesions
17282	Destruction of skin lesions
17283	Destruction of skin lesions
17284	Destruction of skin lesions
17286	Destruction of skin lesions
17304	Chemosurgery of skin lesion
17305	Second stage chemosurgery
17306	Third stage chemosurgery
17307	Follow-up skin lesion therapy
17310	Extensive skin chemosurgery
17340	Cryotherapy of skin
17360	Skin peel therapy
19000	Drainage of breast lesion
19001	Drain added breast lesion
20000	Incision of abscess
20500	Injection of sinus tract
20520	Removal of foreign body
20550	Inject tendon/ligament/cyst
20600	Drain/inject joint/bursa
20605	Drain/inject joint/bursa
20610	Drain/inject joint/bursa
20615	Treatment of bone cyst
20974	Electrical bone stimulation
21029	Contour of face bone lesion
21030	Removal of face bone lesion
21031	Remove exostosis, mandible
21032	Remove exostosis, maxilla
21079	Prepare face/oral prosthesis
21080	Prepare face/oral prosthesis
21081	Prepare face/oral prosthesis
21082	Prepare face/oral prosthesis
21083	Prepare face/oral prosthesis
21084	Prepare face/oral prosthesis
21085	Prepare face/oral prosthesis
21086	Prepare face/oral prosthesis
21087	Prepare face/oral prosthesis
21087	Prepare face/oral prosthesis
21000	r repare race/oral prostnesis

21089	Prepare face/oral prosthesis
21110	Interdental fixation
23031	Drain shoulder bursa
24200	Removal of arm foreign body
24650	Treat radius fracture
25500	Treat fracture of radius
25530	Treat fracture of ulna
25600	Treat fracture radius/ulna
25622	Treat wrist bone fracture
25630	Treat wrist bone fracture
25650	Repair wrist bone fracture
26010	Drainage of finger abscess
26600	Treat metacarpal fracture
26720	Treat finger fracture, each
26725	Treat finger fracture, each
26740	Treat finger fracture, each
28001	Drainage of bursa of foot
28010	Incision of toe tendon
28011	Incision of toe tendons
28022	Exploration of a foot joint
28024	Exploration of a toe joint
28052	Biopsy of foot joint lining
28108	Removal of toe lesions
28124	Partial removal of toe
28126	Partial removal of toe
28153	Partial removal of toe
28160	Partial removal of toe
28190	Removal of foot foreign body
28220	Release of foot tendon
28230	Incision of foot tendon(s)
28232	Incision of toe tendon
28234	Incision of foot tendon
28270	Release of foot contracture
28272	Release of toe joint, each
28430	Treatment of ankle fracture
28450	Treat midfoot fracture, each
28455	Treat midfoot fracture, each
28470	Treat metatarsal fracture
28475	Treat metatarsal fracture
28490	Treat big toe fracture
28495	Treat big toe fracture
28510	Treatment of toe fracture
28515	Treatment of toe fracture
28530	Treat sesamoid bone fracture
28540	Treat foot dislocation
28570	Treat foot dislocation
28600	Treat foot dislocation
28630	Treat toe dislocation
29015	Application of body cast
29020	Application of body cast
29025	Application of body cast
29035	Application of body cast
29049	Application of shoulder cast
29065	Application of long arm cast
29075	
	Application of forearm cast
29085	Apply hand/wrist cast
29105	Apply long arm splint
29125	Apply forearm splint
	1. 7

29126	Apply forearm splint
29130	Application of finger splint
29131	Application of finger splint
29200	Strapping of chest
29220	Strapping of low back
29260	Strapping of elbow or wrist
	Strapping of hand or finger
29280	A salisation of land of finger
29345	Application of long leg cast
29355	Application of long leg cast
29358	Apply long leg cast brace
29365	Application of long leg cast
29405	Apply short leg cast
29425	Apply short leg cast
29435	Apply short leg cast
29440	Addition of walker to cast
29450	Application of leg cast
29515	
	Application lower leg splint
29520	Strapping of hip
29530	Strapping of knee
29540	Strapping of ankle
29550	Strapping of toes
29580	Application of paste boot
29590	Application of foot splint
29700	Removal/revision of cast
29705	Removal/revision of cast
29710	Removal/revision of cast
29715	Removal/revision of cast
29720	Repair of body cast
29730	Windowing of cast
29740	
	Wedging of cast
29750	Wedging of clubfoot cast
29850	Knee arthroscopy/surgery
30000	Drainage of nose lesion
30020	Drainage of nose lesion
30100	Intranasal biopsy
30110	Removal of nose polyp(s)
30200	Injection treatment of nose
30210	Nasal sinus therapy
30220	Insert nasal septal button
30300	Remove nasal foreign body
30901	Control of nosebleed
31000	Irrigation maxillary sinus
31002	Irrigation sphenoid sinus
31505	
	Diagnostic laryngoscopy
31575	Diagnostic laryngoscopy
31579	Diagnostic laryngoscopy
36000	Place needle in vein
36400	Drawing blood
36405	Drawing blood
36406	Drawing blood
36410	Drawing blood
36430	Blood transfusion service
36450	Exchange transfusion service
36470	Injection therapy of vein
36471	Injection therapy of veins
36510	
	Insertion of catheter, vein
40490	Biopsy of lip
40800	Drainage of mouth lesion

40804	Removal foreign body, mouth
40808	Biopsy of mouth lesion
40810	Excision of mouth lesion
40812	
	Excise/repair mouth lesion
41100	Biopsy of tongue
41108	Biopsy of floor of mouth
41825	Excision of gum lesion
41826	Excision of gum lesion
42100	Biopsy roof of mouth
42330	Removal of salivary stone
42400	
	Biopsy of salivary gland
42650	Dilation of salivary duct
42660	Dilation of salivary duct
42800	Biopsy of throat
45300	Proctosigmoidoscopy
45303	Proctosigmoidoscopy
45330	Sigmoidoscopy, diagnostic
45520	Treatment of rectal prolapse
46083	Incise external hemorrhoid
46221	
	Ligation of hemorrhoid(s)
46230	Removal of anal tabs
46320	Removal of hemorrhoid clot
46500	Injection into hemorrhoids
46600	Diagnostic anoscopy
46604	Anoscopy and dilation
46606	Anoscopy and biopsy
46614	Anoscopy, control bleeding
46615	Anoscopy
46900	Destruction, anal lesion(s)
46910	Destruction, anal lesion(s)
46916	Cryosurgery, anal lesion(s)
46917	Laser surgery, anal lesion(s)
46934	Destruction of hemorrhoids
46935	Destruction of hemorrhoids
46936	Destruction of hemorrhoids
46940	Treatment of anal fissure
46942	Treatment of anal fissure
46945	Ligation of hemorrhoids
46946	Ligation of hemorrhoids
51700	Irrigation of bladder
51705	Change of bladder tube
51720	Treatment of bladder lesion
52265	Cystoscopy and treatment
53270	Removal of urethra gland
53600	Dilate urethra stricture
53601	Dilate urethra stricture
53620	Dilate urethra stricture
53621	Dilate urethra stricture
53660	Dilation of urethra
53661	
	Dilation of urethra
53670	Insert urinary catheter
54050	Destruction, penis lesion(s)
54055	Destruction, penis lesion(s)
54056	Cryosurgery, penis lesion(s)
54200	Treatment of penis lesion
54230	Prepare penis study
54235	Penile injection
55000	Drainage of hydrocele

MINNESOTA RULES 2005

FEES FOR MEDICAL SERVICES 5221.4033

55250	Removal of sperm duct(s)			
56420	Drainage of gland abscess			
56501	Destruction, vulva lesion(s)			
56606				
	Biopsy of vulva/perineum			
57061	Destruction, vagina lesion(s)			
57100	Biopsy of vagina			
57150	Treat vagina infection			
57160	Insertion of pessary			
57170	Fitting of diaphragm/cap			
57452	Examination of vagina			
57454	Vagina examination and biopsy			
57460	LEEP procedure			
57500	Biopsy of cervix			
57505	Endocervical curettage			
57510	Cauterization of cervix			
57511	Cryocautery of cervix			
58100	Biopsy of uterus lining			
58301	Remove intrauterine device			
59200	Insert cervical dilator			
59300	Episiotomy or vaginal repair			
59425	Antepartum care only			
59426	Antepartum care only			
59430	Care after delivery			
60100	Biopsy of thyroid			
61001	Remove cranial cavity fluid			
63690	Analysis of neuroreceiver			
63691	Analysis of neuroreceiver			
64400				
	Injection for nerve block			
64405	Injection for nerve block			
64408	Injection for nerve block			
64412	Injection for nerve block			
64413	Injection for nerve block			
64418	Injection for nerve block			
64435	Injection for nerve block			
64440	Injection for nerve block			
64441	Injection for nerve block			
64445	Injection for nerve block			
64450	Injection for nerve block			
64505	Injection for nerve block			
64508	Injection for nerve block			
64550	Apply neurostimulator			
64553	Implant neuroelectrodes			
64555	Implant neuroelectrodes			
	Implant neuroelectrodes			
64560	Implant neuroelectrodes			
64565	Implant neuroelectrodes			
64612	Destroy nerve, face muscle			
64613	Destroy nerve, spine muscle			
65205	Remove foreign body from eye			
65210	Remove foreign body from eye			
65220	Remove foreign body from eye			
65222	Remove foreign body from eye			
65286	Repair of eye wound			
65430	Corneal smear			
65435	Curette/treat cornea			
65436	Curette/treat cornea			
65600	Revision of cornea			
65772	Correction of astigmatism			
65855	Laser surgery of eye			

761

Copyright © 2005 by the Revisor of Statutes, State of Minnesota. All Rights Reserved.

65860	Incise inner eye adhesions
66761	Revision of iris
66770	Removal of inner eye lesion
67145	Treatment of retina
67210	Treatment of retinal lesion
67228	Treatment of retinal lesion
67345	Destroy nerve of eye muscle
67505	Inject/treat eye socket
67515	Inject/treat eye socket
67700	Drainage of eyelid abscess
67710	Incision of eyelid
67800	Remove eyelid lesion
67801	Remove eyelid lesions
67805	Remove eyelid lesions
67810	Biopsy of eyelid
67820	Revise eyelashes
67825	Revise eyelashes
	Domain and Ideian
67840	Remove eyelid lesion
67850	Treat eyelid lesion
67915	Repair eyelid defect
67922	Repair eyelid defect
67930	Repair eyelid wound
67938	Remove eyelid foreign body
68020	Incise/drain eyelid lining
68040	Treatment of eyelid lesions
68100	Biopsy of eyelid lining
68110	Remove eyelid lining lesion
68135	Remove eyelid lining lesion
68200	Treat eyelid by injection
68400	Incise/drain tear gland
68420	Incise/drain tear sac
68440	Incise tear duct opening
68530	Clearance of tear duct
68705	Revise tear duct opening
68760	Close tear duct opening
68761	Close tear duct opening
68770	
	Close tear system fistula
68840	Explore/irrigate tear ducts
69000	Drain external ear lesion
69005	Drain external ear lesion
69020	Drain outer ear canal lesion
69100	Biopsy of external ear
69105	Biopsy of external ear canal
69200	Clear outer ear canal
69210	Remove impacted ear wax
69220	Clean out mastoid cavity
69222	Clean out mastoid cavity
69400	Inflate middle ear canal
69401	Inflate middle ear canal
69405	Catheterize middle ear canal
69410	Inset middle ear baffle
69420	Incision of eardrum
69433	Create eardrum opening
69540	Remove ear lesion
69610	Repair of eardrum
92002	Eye exam, new patient
92002	Eye exam, new patient
92004	
74014	Eye exam, established patient

MINNESOTA RULES 2005

FEES FOR MEDICAL SERVICES 5221.4033

92014	Eye exam and treatment
92019	Eye exam and treatment
92020	Special eye evaluation
92070	Fitting of contact lens
92100	Serial tonometry exam(s)
92120	Tonography and eye evaluation
92130	Water provocation tonography
92140	Glaucoma provocative tests
92225	Special eye exam, initial
92226	Special eye exam, subsequent
92230	Eye exam with photos
92260	Ophthalmoscopy/dynamometry
92287	Internal eye photography
92311	Contact lens fitting
92312	Contact lens fitting
92313	Contact lens fitting
92315	Prescription of contact lens
92316	Prescription of contact lens
92317	Prescription of contact lens
92330	Fitting of artificial eye
92335	Fitting of artificial eye
92352	Special spectacles fitting
92353	Special spectacles fitting
92354	Special spectacles fitting
92371	Repair and adjust spectacles
92504	Ear microscopy examination
92506	
	Speech and hearing evaluation
92507	Speech/hearing therapy
92508	Speech/hearing therapy
92511	Nasopharyngoscopy
92512	Nasal function studies
92516	Facial nerve function test
92520	Laryngeal function studies
92565	Stenger test, pure tone
92571	Filtered speech hearing test
92575	Sensorineural acuity test
92576	Synthetic sentence test
92577	Stenger test, speech
92582	Conditioning play audiometry
93721	Plethysmography tracing
93797	Cardiac rehab
93798	Cardiac rehab/monitor
95010	Sensitivity skin tests
95015	Sensitivity skin tests
95056	Photosensitivity tests
95065	Nose allergy test
95075	Ingestion challenge test
95144	Antigen therapy services
95145	Antigen therapy services
95146	Antigen therapy services
95147	Antigen therapy services
95148	Antigen therapy services
95149	Antigen therapy services
95165	Antigen therapy services
95170	Antigen therapy services
95180	Rapid desensitization
95831	Limb muscle testing, manual
95832	Hand muscle testing, manual

763

95833	Body muscle testing, manual
95834	Body muscle testing, manual
95851	Range of motion measurements
95852	Range of motion measurements
95857	Tensilon test
96405	Intralesional chemotherapy administration
96406	Intralesional chemotherapy administration
96445	Chemotherapy, intracavitary
96450	Chemotherapy, into central nervous system
96542	Chemotherapy injection
98940	Chiropractor manip of spine
98941	Chiropractor manip of spine
98942	Chiropractor manip of spine
98943	Chiropractor manip extra spinal
99201	Office/outpatient visit, new
99202	Office/outpatient visit, new
99203	Office/outpatient visit, new
99204	Office/outpatient visit, new
99205	Office/outpatient visit, new
99211	Office/outpatient visit, established
99212	Office/outpatient visit, established
99213	Office/outpatient visit, established
99214	Office/outpatient visit, established
99215	Office/outpatient visit, established
99241	Office consultation
99242	Office consultation
99243	Office consultation
99244	Office consultation
99245	Office consultation
99271	Confirmatory consultation
99272	Confirmatory consultation
99273	Confirmatory consultation
99274	Confirmatory consultation
99354	Prolonged service, office
99355	Prolonged service, office
M0101	Foot care hygiene

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

5221.4034 [Repealed, 25 SR 1142]

5221.4035 FEE ADJUSTMENTS FOR MEDICAL/SURGICAL SERVICES.

Subpart 1. **Definition of a global surgical package.** Coding and payment for all surgical procedures is based on a global surgical package as indicated in column 7 of parts 5221.4030 to 5221.4060 and as described in part 5221.4020, subpart 2, item G. The RVU listed for each procedure includes preoperative, postoperative, and intraoperative work related to the given surgical procedure as specified in this part. Column 7 of parts 5221.4030 to 5221.4060 provides the postoperative periods that apply to each surgical procedure.

To determine the global period for surgeries with a 090 global period, include the day immediately before the day of surgery, the day of surgery, and the 90 days immediately following the day of surgery.

EXAMPLE: Date of surgery, January 5; preoperative period, January 4; last day of global period, April 5.

To determine the global period for procedures with a 010 global period, count the day of surgery and the appropriate number of days immediately following the date of surgery.

EXAMPLE: Date of surgery, January 5; last day of global period, January 15.

The global period for procedures with a 000 global period include only the services provided on the day of surgery.

Physicians who perform the surgery and furnish all of the usual preoperative and postoperative work are paid for the global package according to the appropriate CPT code and any appropriate modifiers for the surgical procedure only. Payment for services in the global surgical package are based on the total RVUs listed in columns 5 and 6. Physicians are not paid separately for visits or other services that are included in the global package.

Other subparts may effect coding and payment for services for which a global period applies. Subpart 2 further defines services included in the global surgical package. Subpart 3 further defines services not included in the global surgical package. Subpart 4 governs coding and payment adjustment for physicians furnishing less than the full global package. Subpart 5 specifies additional coding and payment requirements for multiple surgeries. Subpart 6 specifies additional coding and payment requirements for bilateral procedures. Subpart 7 specifies additional coding and payment requirements for assistant-at-surgery. Subpart 8 specifies additional coding and payment requirements for cosurgeons. Subpart 9 specifies additional coding and payment requirements for team surgery.

Subp. 2. Components of a global surgical package. The global surgical package includes coding and payment instructions for the following services related to the surgery when furnished by the physician who performs the surgery. The services included in the global surgical package may be furnished in any setting, for example, in hospitals, ambulatory surgical centers, outpatient hospital surgical centers, and physicians' offices. Visits to a patient in an intensive care or critical care unit are also included if made by the surgeon. However, certain critical care services identified by CPT codes 99291 and 99292 are payable separately as specified in subpart 3, item L. Included in the global surgical package are:

A. preoperative visits as follows:

- (1) preoperative visits beginning with the day before the day of surgery for procedures with a global period of 090 days except that the evaluation and management service to determine the need for surgery is separately coded and paid in accordance with subpart 3, item A, subitem (1), even if the evaluation and management service is the day before or the day of surgery; and
- (2) preoperative visits the day of surgery for procedures with a global period of 000 or 010 days unless a significant separately identifiable evaluation and management service is performed as described in subpart 3, item A, subitem (2);
- B. intraoperative services which include services that are normally a usual and necessary part of a surgical procedure;
- C. all additional medical or surgical services required of the surgeon during the postoperative period of the surgery because of complications which do not require additional trips to the operating room. Subpart 3, item G, governs services for postoperative complications which require a return trip to the operating room;
- D. postoperative visits which include follow-up visits during the global period of the surgery that are related to recovery from the surgery;
 - E. postsurgical pain management by the surgeon;
 - F. supplies, except for those noted in subpart 3, item I; and
- G. miscellaneous services such as dressing changes; local incisional care; removal of operative pack; removal of cutaneous sutures and staples, lines, wires, tubes, drains, casts, and splints; insertion, irrigation and removal of urinary catheters, routine

peripheral intravenous lines, nasogastric and rectal tubes, and changes and removal of tracheostomy tubes.

- Subp. 3. Services not included in global surgical package. The services listed in items A to O are not included in the global surgical package. These services may be coded and paid for separately. Physicians must use appropriate modifiers as set forth in this subpart.
- A. The initial consultation or evaluation of the problem by the surgeon to determine the need for a surgical procedure is coded and paid as specified in subitems (1) and (2):
- (1) for services with a global period of 090 days, a separate payment is allowed for the appropriate level of evaluation and management service. This circumstance must be coded by adding CPT modifier 57 to the appropriate level of evaluation and management service; or
- (2) for services with a global period of 000 or 010, and endoscopies, the initial consultation or evaluation services by the same physician on the same day as the procedure, are included in the payment for the procedure, unless a significant, separately identifiable service is also performed. For example, an evaluation and management service on the same day could be properly billed in addition to suturing a scalp wound if a full neurological examination is made for a patient with head trauma. Payment for an evaluation and management service is not appropriate if the physician only identified the need for sutures and confirmed allergy and immunization status. The physician must document in the medical record that the patient's condition required a significant, separately identifiable evaluation and management service above and beyond the usual preoperative and postoperative care associated with the procedure or service that was performed. This circumstance must be coded by adding CPT modifier 25 to the appropriate level of evaluation and management service.
- B. Services of other physicians are not included in the global surgical package and are separately coded and paid as follows:
- (1) preoperative physical examination and postdischarge services of a physician other than the surgeon are coded by the appropriate evaluation and management code and are paid separately. No modifiers are necessary;
- (2) physicians who provide follow-up services for procedures with a global period of 000 or 010 that were initially performed in emergency departments may charge the appropriate level of office visit code and are paid separately. The physician who performs the emergency room service codes for the surgical procedure without a modifier;
- (3) if the services of a physician other than the surgeon are required during a postoperative period for an underlying condition or medical complication, the other physician codes the appropriate evaluation and management service and is paid separately. No modifiers are necessary. An example is a cardiologist who manages underlying cardiovascular conditions of a patient; and
- (4) where the surgeon and another physician or physicians agree to transfer care otherwise included in the global period, coding and payment are governed by subpart 4.
- C. Visits unrelated to the diagnosis for which the surgical procedure is performed, unless the visits occur due to complications of the surgery, are not included in the global surgical package and are separately payable. Physicians must use the following modifiers if appropriate:
- (1) CPT modifier 79 identifies an unrelated procedure by the same physician during a postoperative period. The physician must document that the performance of a procedure during a postoperative period was unrelated to the original procedure; and
- (2) CPT modifier 24 identifies an unrelated evaluation and management service by the same physician during a postoperative period. This circumstance must be coded by adding CPT modifier 24 to the appropriate level of evaluation and manage-

ment service. The physician must document that an evaluation and management service was performed during the postoperative period of an unrelated procedure. An ICD-9-CM code that clearly indicates that the reason for the encounter was unrelated to the surgery is acceptable documentation.

- D. Treatment for the underlying condition or an added course of treatment which is not part of normal recovery from surgery is not included in the global surgical package and is separately payable. Complications from the surgical procedure are governed by item G and subpart 2, item C.
- E. Diagnostic tests and procedures, including diagnostic radiological procedures and diagnostic biopsies, are not included in the global surgical package and are separately coded and payable. If a diagnostic biopsy with a ten-day global period precedes a major surgery on the same day or in the ten-day period, the major surgery is payable separately.
- F. Clearly distinct surgical procedures during the postoperative period which are not reoperations for complications (reoperations for complications are governed by item G) are not included in the global surgical package and are separately payable. This includes procedures done in two or more parts for which the decision to stage the procedure is made prospectively or at the time of the first procedure. Examples of this are procedures to diagnose and treat epilepsy, codes 61533, 61534-61536, 61539, 61541, and 61543, which may be performed in succession within 90 days of each other.

CPT modifier 58 must be used to code for staged or related surgical procedures done during the global period of the first procedure. The global period for the staged or subsequent procedures is separate from the global period for the proceeding procedure.

- G. Treatment for postoperative complications which requires a return trip to the operating room is not included in the global surgical package and is separately coded and paid as specified in this item. This additional procedure is referred to as a reoperation.
- "Operating room," for this purpose, is defined as a place of service specifically equipped and staffed for the sole purpose of performing procedures. Operating room includes a cardiac catheterization suite, laser suite, and endoscopy suite. It does not include a patient's room, minor treatment room, recovery room, or intensive care unit, unless the patient's condition was so critical there would be insufficient time for transportation to an operating room.
- (1) When coding for treatment for postoperative complications for services with a global period of 090 or 010 days which requires a return trip to the operating room, as defined in this item, physicians must code the CPT code that describes the procedures performed during the return trip as follows:
- (a) Some reoperations have been assigned separate, distinct reoperation CPT procedure codes and RVUs. The maximum fee for these procedures is calculated using the RVUs for the coded reoperation and the formula in part 5221.4020.
- (b) Reoperations which have not been assigned separate, distinct reoperation CPT codes and RVUs must be identified on the bill with the CPT procedure code that describes the procedure or treatment for the complication plus CPT modifier 78 which indicates a return to the operating room for a related procedure during the global period. The CPT procedure code may be the one used for the original procedure when the identical procedure is repeated or another CPT procedure code which describes the actual procedure or service performed. The reoperation is paid at 76 percent of the total RVU listed for the reoperation procedure. The maximum fee for a reoperation without a separate distinct reoperation CPT procedure code is calculated according to the following formula:

Maximum fee = $.76 \times (total RVUs for the reoperation) \times (conversion factor)$

(c) When no CPT code exists to describe the treatment for complications, use an unlisted surgical procedure code plus CPT modifier 78 which indicates a

return to the operating room for a related procedure during the global period. The reoperation is paid at 38 percent of the total RVU listed for the original procedure. The maximum fee for a reoperation for a procedure identified by an unlisted CPT procedure code is calculated according to the following formula:

Maximum fee = $.38 \times (total RVUs for the original procedure) \times (conversion factor)$

- (2) When coding for treatment for postoperative complications for a procedure with a 000 global period, physicians must use CPT modifier 78 which indicates a return trip to the operating room for a related procedure during the postoperative global period. The full value for the repeat procedure is paid according to the formula in part 5221.4020.
- (3) If additional procedures are performed during the same operative session as the original surgery to treat complications which occurred during the original surgery, the additional procedures are coded and paid as multiple surgeries as specified in subpart 5. Only surgeries that require a return to the operating room due to complications from the original surgery are coded and paid as specified in subitems (1) and (2).
- (4) If the patient is returned to the operating room after the initial operative session and during the postoperative global surgery period of the original surgery, for one or more additional procedures as a result of complications from the original surgery, each procedure required to treat the complications from the original surgery is paid as specified in subitem (1) or (2).

The multiple surgery rules under subpart 5 do not also apply. The original operation session and the reoperation session are separate and distinct surgical sessions. The reoperation is not considered a multiple surgery, as described in subpart 5, of the original operation. If during the reoperation session multiple surgeries are performed, the additional surgeries are not governed by the multiple surgery payment rules in subpart 5 but are governed by subitems (1) and (2).

- (5) If the patient is returned to the operating room during the postoperative global surgery period of the original surgery, not on the same day of the original surgery, for bilateral procedures that are required as a result of complications from the original surgery, subitems (1) to (4) apply. The bilateral rules in part 5221.4020, subpart 2, item I, do not apply.
- H. If a less extensive procedure fails, and a more extensive procedure is required, the second procedure is coded and paid separately.
- I. For surgical services listed in this item that are performed in a physician's office, separate payment may be made for a surgical tray (CPT code A4550): 19101, 19120, 19125, 19126, 20200, 20205, 20220, 20225, 20240, 25111, 28290, 28292, 28293, 28294, 28296, 28297, 28298, 28299, 32000, 36533, 37609, 38500, 43200, 43202, 43220, 43226, 43234, 43235, 43239, 43245, 43247, 43249, 43250, 43251, 43458, 45378, 45379, 45380, 45382, 45383, 45384, 45385, 49080, 49081, 52005, 52007, 52010, 52204, 52214, 52224, 52234, 52235, 52240, 52250, 52260, 52270, 52275, 52276, 52277, 52282, 52283, 52290, 52300, 52301, 52305, 52310, 52315, 57520, 57522, 58120, 62270, 68761, 85095, 85102, 95028, 96440, 96445, 96450, and G0105.
 - J. Splints, casting, and take-home supplies are coded and paid separately.
- K. Immunosuppressive therapy for organ transplants is coded and paid separately.
- L. Critical care services (CPT codes 99291 and 99292) unrelated to the surgery, where a seriously injured or burned patient is critically ill and requires constant attendance of the physician, provided during a global surgical period, are coded and paid separately.
- M. Except as provided in part 5221.0410, subpart 7, item A, the physician may separately bill a reasonable amount for supplementary reports and services directly related to the employee's ability to return to work, fitness for job offers, and opinions as to whether or not the condition was related to a work-related injury. Coding and

payment for these services is governed by parts 5221.0410, subpart 7; 5221.0420, subpart 3; and 5221.0500, subpart 2.

- N. The global surgical package does not apply, and separate coding and payment is allowed, for an initial service that meets both of the conditions in subitems (1) and (2):
- (1) the service is for initial care only to afford comfort to a patient or to stabilize or protect a fracture, dislocation, or other injury; and
- (2) subsequent restorative treatment, such as surgical repair or reduction of a fracture or joint dislocation, is expected to be performed by a physician other than the physician rendering the initial care only.
- O. Surgeries for which services performed are significantly greater or more complex than usually required must be coded with CPT modifier 22 added to the CPT code for the procedure. Additional requirements for use of this modifier are as follows:
- (1) This modifier may only be used where circumstances create a more complex procedure such as congenital or developmental disorders of the anatomy, multiple fractures of the same long bone, coexisting disease, when there has been previous surgery on the same body part or where there is a significant amount of scar tissue.
- (2) This modifier may only be reported with procedure codes that have a global period of 000, 010, or 090 days.
 - (3) Physicians must provide:
- (a) a concise statement about how the service is significantly more complex than usually required; and
 - (b) an operative report with the claim.
- (4) The maximum fee for a surgical procedure that has satisfied all of the requirements for use of CPT modifier 22 is up to 125 percent of the total RVU for that CPT code listed in subpart 2b.
- (5) CPT modifier 22 is not used to report additional procedures that are performed during the same operative session as the original surgery to treat complications which occurred during the original surgery. Additional procedures to treat complications which occurred during surgery are governed by subpart 5.
- Subp. 4. Physicians furnishing less than full global package. There are occasions when more than one physician provides services included in the global surgical package. It may be the case that the physician who performs the surgical procedure does not furnish the follow-up care. Payment for the postoperative, postdischarge care is split between two or more physicians where the physicians agree on the transfer of care. Coding and payment requirements for physicians furnishing less than the full global package are:
- A. When more than one physician furnishes services that are included in the global surgical package, the sum of the amount allowed for all physicians may not exceed what would have been paid if a single physician provides all services.
- B. Where physicians agree on the transfer of care during the global period, they must add the appropriate CPT modifier to the surgical procedure code:
 - (1) CPT modifier 54 for surgical care only; or
 - (2) CPT modifier 55 for postoperative management only.
- C. Physicians who share postoperative management with another physician must submit additional information showing when they assumed and relinquished responsibility for the postoperative care. If the physician who performed the surgery relinquishes care at the time of discharge, the physician need only show the date of surgery when billing with CPT modifier 54.

However, if the surgeon also cares for the patient for some period following discharge, the surgeon must show the date of surgery and the date on which

postoperative care was relinquished to another physician. The physician providing the remaining postoperative care must show the date care was assumed.

D. If a surgeon performs a procedure with a global period of 010 or 090 days, and cares for the patient until time of discharge from a hospital or ambulatory surgical center, the maximum fee for this surgeon's services is paid at 87 percent of the total RVU and calculated according to the following formula:

Maximum fee = .87 x (total RUVs x CF)

Modifier 54 is used to identify these services.

E. If a health care provider who did not perform the surgery assumes surgical follow-up care of a patient after discharge from the hospital or ambulatory surgical center, then the maximum fee for this practitioner's services is paid at 13 percent of the total RVU and is calculated according to the following formula:

Maximum fee = $.13 \times (total RVUs \times CF)$

CPT modifier 55 is used to identify these services.

- F. If several health care providers furnish postoperative care, the maximum fee for the postoperative period is divided among the practitioners based on the number of days for which each health care provider was primarily responsible for care of the patient. CPT modifier 55 (for postoperative management only) is used to identify postoperative services furnished by more than one provider.
- G. If the providers have agreed to a payment distribution of the global fee that differs from the distributions set forth in items D to F, then payments will be made accordingly, if the agreed-upon distribution is documented and explained on the bill for the procedure and is not prohibited by Minnesota Statutes, section 147.091, subdivision 1, paragraph (p).
- Subp. 5. Coding and payment for multiple surgeries and procedures. Part 5221.4020, subpart 2, item H, and column 8 in parts 5221.4030 to 5221.4060, describe codes subject to the multiple procedures payment restrictions. Multiple surgeries are separate surgeries performed by a single physician on the same patient at the same operative session or on the same day for which separate payment may be allowed.
- A. The coding requirements in subitems (1) and (2) apply to multiple surgeries that have an indicator of 2 or 3 in column 8 by the same physician on the same day as specified in items D and E:
- (1) the surgical procedure with the highest RVU is reported without the multiple procedures CPT modifier 51;
- (2) the additional surgical procedures performed are reported with CPT modifier 51.
- B. There may be instances in which two or more physicians each perform distinctly different, unrelated surgeries on the same patient on the same day, for example, in some multiple trauma cases. When this occurs, CPT modifier 51 is not used and the multiple procedure payment reductions do not apply unless one of the surgeons individually performs multiple surgeries.
- C. If any of the multiple surgeries are bilateral or cosurgeries, first determine the allowed amount for the procedure as specified in subpart 6 or 8, next rank this amount with the remaining procedures, and finally, apply the appropriate multiple surgery payment reductions as specified in items D and E.
- D. For procedures with an indicator of 2 in column 8, if the procedures are reported on the same day as another procedure with an indicator of 2, the maximum fee for the procedure with the highest RVU is paid at 100 percent of the listed RVU and the maximum fee for each additional procedure with an indicator of 2 is paid at 50 percent of the listed RVU.
- E. For procedures with an indicator of 3 in column 8, the multiple endoscopy payment rules apply if the procedure is billed with another endoscopy in the same family (i.e., another endoscopy that has the same base procedure). For purposes of this item, the term "endoscopy" also includes arthroscopy procedures. If an endoscopy

procedure is performed on the same day as another endoscopy procedure within the same family, the payment for the procedure with the highest RVU is 100 percent of the maximum allowed fee and the maximum allowed fee for every other procedure in that family is reduced by the value of the endobase code for that family of procedures. No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day.

Endobase CPT Code	CPT Procedure Codes in the same family
29815	29819, 29820, 29821, 29822, 29823, 29825, 29826
29830	29834, 29835, 29836, 29837, 29838
29840	29843, 29844, 29845, 29846, 29847
29860	29861, 29862, 29863
29870	29871, 29874, 29875, 29876, 29877, 29879, 29880, 29881, 29882, 29883, 29884, 29885, 29886, 29887
31505	31510, 31511, 31512, 31513
31525	31527, 31528, 31529, 31530, 31535, 31540, 31560, 31570
31526	31531, 31536, 31541, 31561, 31571
31575	31576, 31577, 31578, 31579
31622	31625, 31628, 31629, 31630, 31631, 31635, 31640, 31641, 31645
43200	43202, 43204, 43205, 43215, 43216, 43217, 43219, 43220, 43226, 43227, 43228
43235	43239, 43241, 43243, 43244, 43245, 43246, 43247, 43249, 43250, 43251, 43255, 43258, 43259
43260	43261, 43262, 43263, 43264, 43265, 43267, 43268, 43269, 43271, 43272
44360	44361, 44363, 44364, 44365, 44366, 44369, 44372, 44373
44376	44377, 44378
44388	44389, 44390, 44391, 44392, 44393, 44394
45300	45303, 45305, 45307, 45308, 45309, 45315, 45317, 45320, 45321
45330	45331, 45332, 45333, 45334, 45337, 45338, 45339
45378	45379, 45380, 45382, 45383, 45384, 45385
46600	46604, 46606, 46608, 46610, 46611, 46612, 46614, 46615
47552	47553, 47554, 47555, 47556

50551	50555, 50557, 50559, 50561
50570	50572, 50574, 50575, 50576, 50578, 50580
50951	50953, 50955, 50957, 50959, 50961
50970	50974, 50976
52000	52007, 52010, 52204, 52214, 52224, 52250, 52260, 52265, 52270, 52275, 52276, 52277, 52281, 52282, 52283, 52285, 52290, 52300, 52301, 52305, 52310, 52315, 52317, 52318
52005	52320, 52325, 52327, 52330, 52332, 52334
52335	52336, 52337, 52338, 52339
56300	56301, 56302, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56311, 56314, 56343, 56344
56350	56351, 56352, 56353, 56354, 56355, 56356
57452	57454, 57460

The following examples illustrate various applications of the endoscopy and multiple procedure payment rule.

Example 1. Endobase procedure plus one other procedure in that family.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
52000 endobase code	\$100	0.00	No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day
52214 (same family as endobase code)	\$200	\$200	Pay 100 percent for the procedure with the highest RVU
		\$200	Total amount paid is \$200 \$0 (for 52000) + \$200 (for 52214) = \$200

Example 2. Endobase procedure plus two or more procedures in the same endoscopy family. The endoscopy pricing rule applies.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
52000 endobase code	\$100	\$0	No separate payment is made for the endobase procedure when other endoscopy procedures in the same family are performed on the same day
52214 (same family as endobase code)	\$200	\$200	Pay 100 percent of the procedure with the highest RVU
52204 (same family as endobase code)	\$150 -	\$50	Pay the difference between the next highest valued endoscopy code and the base endoscopy code \$150 - \$100 = \$50
		\$250	Total amount paid is \$250 \$200 (for 52214) + \$50 (for 52204) + \$0 (for 52000) = \$250

Example 3. Two unrelated endoscopy procedures. The multiple surgery rule as depicted by indicator 2 applies.

Procedures performed	Maximum allowed payment if no other procedures performed	Amount paid	Comments
45378 endobase code	\$150	\$150	Pay 100 percent of the procedure with the highest RVU with an indicator of 2
43217 endobase code	\$75	\$37.50	Pay 50 percent of all other procedures with an indicator of 2
		\$187.50	Total amount paid is \$187.50 \$150 (for 45378) + \$37.50 (for 43217) = \$187.50

Example 4. Two unrelated series of endoscopy procedures. The endoscopy pricing rule is applied first, within each family of endoscopy codes. The multiple surgery pricing rule as depicted by indicator 2 is then applied. The codes in the series with the highest total value are allowed at 100 percent of the calculated maximum value. The

codes in the series with the lower total value are allowed at 50 percent of total allowed calculated maximum value.

- Example 5. Endoscopy procedures billed with other surgery procedures. All procedures subject to the multiple surgery pricing rule are ranked from highest to lowest to determine which codes, or groups of codes, are allowed at 100 percent or 50 percent of the their calculated maximum value. If two or more of the billed codes belong to the same endoscopy family, the endoscopy pricing rule is applied first, and the total value of the endoscopy series is used in the array.
- F. For procedures with an indicator of 4, special rules for multiple procedures are specified in parts 5221.4051 and 5221.4061.
- G. For procedures with an indicator of 0 or 9, no payment rules for multiple or endoscopy procedures apply.
- Subp. 6. Coding and payment for bilateral surgeries and procedures. Part 5221.4020, subpart 2, item I, and column 9 in parts 5221.4030 to 5221.4060 describe codes subject to the bilateral procedures payment restrictions. Bilateral surgeries are procedures performed on both sides of the body during the same operative session or on the same day.
- A. For procedures with an indicator of 0, 3, or 9 in column 9, no bilateral payment provisions apply. For procedures with an indicator of 0, the bilateral adjustment is inappropriate because of physiology or anatomy or because the code description specifically states that it is a unilateral procedure and there is an existing code for the bilateral procedure. Services with an indicator of 3 are generally radiology procedures or other diagnostic tests which are not subject to bilateral payment adjustments. For procedures with an indicator of 9, the concept of bilateral surgeries does not apply.
- B. For procedures with an indicator of 1 in column 9, if the procedures are billed as bilateral procedures, the allowed payment is 150 percent of the maximum amount allowed for a single procedure. The bilateral adjustment is applied before any multiple procedure rules as specified in subpart 5, item C, or cosurgery as specified in subpart 8, are applied.
- C. For procedures with an indicator of 2, no further bilateral adjustments apply because the RVUs are already based on the procedure being performed as a bilateral procedure.
- Subp. 7. Coding and payment for assistant-at-surgery. Part 5221.4020, subpart 2, item J, and column 10 in parts 5221.4030 to 5221.4060 describe codes subject to the assistant-at-surgery payment restrictions. An assistant-at-surgery must use the appropriate CPT or HCPCS modifier in accordance with their provider type. Payment for a physician assistant-at-surgery is not allowed when payment is made for cosurgeons or team surgeons for the same procedures. For procedures with an indicator of 0 (where medical necessity is established) or 2 in column 10 the maximum fee for an assistant-at-surgery is as follows:
- A. For a physician who is an assistant-at-surgery, 16 percent of the global surgery fee is paid. This is paid in addition to the global fee paid to the surgeon.
- B. If the assistant surgery service is performed by a provider who is not a physician, but who has advanced training to act as an assistant-at-surgery consistent with their scope of practice, 13.6 percent of the global surgery fee is paid. This is paid in addition to the global fee paid to the surgeon.
- Subp. 8. Coding and payment for cosurgeons. Part 5221.4020, subpart 2, item K, and column 11 in parts 5221.4030 to 5221.4060 describe codes subject to the cosurgeon's payment adjustments. Under some circumstances, the individual skills of two or more surgeons are required to perform surgery on the same patient during the same operative session. This may be required because of the complex nature of the procedures or the patient's condition. It is cosurgery if two surgeons, each in a different specialty, are required to perform a specific procedure, for example, heart transplant. Cosurgery also refers to surgical procedures involving two surgeons performing the parts of the procedure simultaneously, for example, bilateral knee replacement. In these cases, the additional physicians are not acting as assistants-at-surgery.
- A. If cosurgeons are required to do a procedure, each surgeon codes for the procedure with CPT modifier 62 which indicate two surgeons.

- B. For procedures with an indicator of 1, where necessity of cosurgeons is established, or 2 in column 11, the amount paid for the procedure is 125 percent of the global fee, divided equally between the two surgeons. If the cosurgeons have agreed to a different payment distribution, payments will be made accordingly, if the agreed-upon distribution is documented and explained on the bill for the procedure, and is not prohibited by Minnesota Statutes, section 147.091, subdivision 1, paragraph (p).
- C. For procedures with an indicator of 0 or 9 in column 11, either cosurgeons are not allowed or the concept of cosurgery does not apply and cosurgery fee adjustments do not apply.
- D. If surgeons of different specialties are each performing a distinctly different procedure with specific CPT codes, cosurgery fee adjustments do not apply even if the procedures are performed through the same incision. If one of the surgeons performs multiple procedures, the multiple procedure rules in subpart 5 apply to that surgeon's services.
- Subp. 9. Coding and payment for team surgery. Part 5221.4020, subpart 2, item L, and column 12 in parts 5221.4030 to 5221.4060 govern application of the team surgery concept.
- A. If a team of surgeons, that is, more than two surgeons of different specialties, is required to perform a specific procedure, each surgeon bills for the procedure with the CPT modifier 66 which indicates a surgical team.
- B. For procedures with an indicator of 1, where necessity of a team is established, or 2 in column 12, the amount paid for the procedure is limited by part 5221.0500, subpart 2, items B to F, and Minnesota Statutes, section 176.136, subdivision 1b.
- C. For procedures with an indicator of 0 or 9 in column 12, either team surgery is not allowed or the concept of team surgery does not apply.
- Subp. 10. Unbundling surgical services. Where several component services which have different CPT codes may be described in one more comprehensive CPT code, only the single CPT code most accurately and comprehensively describing the procedure performed or service rendered may be reported. Intraoperative services, incidental surgeries, or components of more major surgeries are not separately billable or payable.

For example, an anterior arthrodesis of the lumbar spine using the anterior interbody technique may be performed by two surgeons. One of the surgeons may perform opening or the approach for the anterior arthrodesis while a different surgeon performs the arthrodesis. In this instance, the surgeons are acting as cosurgeons performing different components of a major surgery. The opening or approach is not a separately billable or payable procedure. Both surgeons must code this service using the anterior arthrodesis code and are paid for the procedure as cosurgeons as specified in subpart 8.

Statutory Authority: MS s 176.135; 176.1351; 176.136; 176.83

History: 25 SR 1142

5221.4040 PATHOLOGY AND LABORATORY PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of pathology and laboratory procedure codes.

I	2 3	4	5	6	/	8	9	10	11	12
								····		
80007	Α	7 Clinical chemistry tests	0.71	0.71	XXX	0	0	0	0	0

80500	Α	Lab pathology consult	0.45	0.45	XXX	0	0	0	0	0
80502		Lab pathology consult	1.28	1.28	XXX	Ŏ	Õ	Õ	0	0
81000		Urinalysis with microscopy	0.21	0.21	XXX	0	0	0	0	0
81002		Urinalysis, no microscopy	0.12	0.12	XXX	Ō	0	0	0	0
82565	A	Assay blood creatinine	0.08	0.08	XXX	Ŏ	Õ	Ŏ	Ō	0
82947	A	Assay body fluid	0.34	0.34	XXX	ŏ	Ŏ	Õ	Ŏ	0
84132	A	Assay blood potassium	0.21	0.21	XXX	ŏ	ŏ	Ŏ	Ŏ	0
84295	A	Assay blood sodium	0.27	0.27	XXX	ŏ	ŏ	ŏ	ŏ	ő
85007	A	Differential WBC count	0.25	0.25	XXX	ŏ	ŏ	Õ	ŏ	0
85014	A	Hematocrit	0.14	0.14	XXX	ŏ	ŏ	ŏ	Ö	0
85018	A	Hemoglobin	0.16	0.16	XXX	ŏ	ŏ	ŏ	ŏ	ő
85021	A	Automated hemogram	0.22	0.22	XXX	ŏ	ŏ	0	0	0
85022	A	Automated hemogram	0.38	0.38	XXX	ŏ	ő	ŏ	ő	0
85023	A	Automated hemogram	0.48	0.48	XXX	ŏ	ŏ	ŏ	ŏ	0
85024		Automated hemogram	0.40	0.41	XXX	ő	ő	ŏ	ő	0
85025		Automated hemogram	0.59	0.59	XXX	Ö	ŏ	ŏ	ŏ	0
85031		Manual hemogram	0.43	0.43	XXX	ő	ŏ	0	ő	0
85048		White blood cell	0.45	0.15	XXX	0	ŏ	0	0	0
85060		Blood smear interpretation	0.13	0.13	XXX	0	0	0	0	0
85095			1.38	1.38	XXX	0	ő	0	0	0
85097	Ā	Bone marrow aspiration Bone marrow interpretation	1.12	1.12	XXX	0	0	0	0	0
85105			0.86	0.86	XXX	0	0	0	0	0
85610		Bone marrow, interpretation Prothrombin time	0.80	0.80	XXX	0	0	0	0	0
85651	A	RBC sedimentation	0.24 0.16	0.24	XXX	0	0	0	0	0
				0.10	XXX	0	0	0	0	0
85730	A	Thromboplastin	0.33				0	0	0	
86077	A	Physician blood bank	0.96	0.96	XXX	0				0
86078	A	Physician blood bank	1.00	1.00	XXX	0	0	0	0	0
86079	A	Physician blood bank	0.99	0.99	XXX	0	0	$0 \\ 0$	0	$0 \\ 0$
86490	A	Coccidioidomycosis	0.24 0.25	0.24 0.25	XXX XXX	0	0	0	0	0
86510		Histoplasmosis					0	0	0	0
86580	A	TB intradermal	0.20	0.20	XXX	0	0	0	0	
86585	A	TB tine test	0.16	0.16	XXX	0	0	0	0	0
87040	A	Blood culture	0.85	0.85	XXX	_	0	0	0	$0 \\ 0$
87070	A	Culture specimen	0.44	0.44	XXX XXX	0	0	0	0	0
88104	A	Cytopathology	0.80	0.80						
88106	A	Cytopathology	0.74	0.74	XXX	0	0	0	0	0
88107	A	Cytopathology	0.97	0.97	XXX	0	0	0	0	0
88108	A	Cytopathology, concentration	0.82	0.82	XXX	0	0	0	0	0
88125		Forensic cytopathology	0.29	0.29	XXX	0	0	0	0	0
88141		Cervical cytopathology	0.59	0.59	XXX	0	0	0	0	0
88160	A	Cytopathology, smears	0.66	0.66	XXX	0	$0 \\ 0$	0	$0 \\ 0$	$0 \\ 0$
88161	A	Cytopathology, smears	0.71	0.71	XXX	0	_	-	_	
88162		Cytopathology, smears	1.24	1.24	XXX	0	0	0	0	0
88170		Fine needle aspiration	1.80	1.80	XXX	0	0	0	0	0
88171		Fine needle aspiration	2.09	2.09	XXX	0	0	0	0	0
88172		Evaluation of specimen(s)	1.05	1.05	XXX	0	0	0	0	0
88173		Interpretation and report	1.78	1.78	XXX	0	0	0	0	0
88180		Cell marker study	0.55	0.55	XXX	0	0	0	0	0
88182		Cell marker study	1.33	1.33	XXX	0	0	0	0	0
88300	A	Surgical pathology	0.23	0.23	XXX	0	0	0	0	0
88302		Tissue examination	0.44	0.44	XXX	0	0	0	0	0
88304	A	Tissue examination	0.64	0.64	XXX	0	0	0	0	0
88305	A	Tissue examination	1.44	1.44	XXX	0	0	0	0	0
88307	Α	Tissue examination	2.49	2.49	XXX	0	0	0	0	0
88309	A	Tissue examination	3.34	3.34	XXX	0	0	0	0	0
88311	A	Decalcify tissue	0.36	0.36	XXX	0	0	0	0	0
88312	A	Special stains	0.62	0.62	XXX	0	0	0	0	0
88313	Α	Special stains	0.36	0.36	XXX	0	0	0	0	0

88314	Α	Histochemical staining	0.86	0.86	XXX	0	0	0	0	0
88318	Α	Chemical histochemistry	0.52	0.52	XXX	0	0 -	0	0	0
88319	Α	Enzyme histochemistry	0.82	0.82	XXX	0	0	0	0	0
88321	Α	Microslide consultation	1.33	1.33	XXX	0	0	0	0	0
88323	Α	Microslide consultation	1.63	1.63	XXX	0	0	0	0	0
88325	Α	Comprehensive report	2.08	2.08	XXX	0	0	0	0	0
88329	Α	Pathology consultation	0.82	0.82	XXX	0	0	0	0	0
88331	Α	Pathology consultation	1.83	1.83	XXX	0	0	0	0	0
88332	Α	Pathology consultation	0.92	0.92	XXX	0	0	0	0	0
88342	Α	Immunocytochemistry	1.18	1.18	XXX	0	0	0	0	0
88346	Α	Immunofluorescent study	1.14	1.14	XXX	0	0	0	0	0
88347	Α	Immunofluorescent study	1.01	1.01	XXX	0	0	0	0	0
88348	Α	Electron microscopy	3.06	3.06	XXX	0	0	0	0	0
88349	Α	Electron microscopy	1.88	1.88	XXX	0	0	0	0	0
88355	Α	Analysis, skeletal	2.87	2.87	XXX	0	0	0	0	0
88356	Α	Analysis, nerve	4.52	4.52	XXX	0	0	0	0	0
88358	Α	Analysis, tumor	4.08	4.08	XXX	0	0	0	0	0
88362	Α	Nerve teasing preparations	3.29	3.29	XXX	0	0	0	0	0
88365	Α	Tissue hybridization	1.33	1.33	XXX	0	0	0	0	0
89100	Α	Sample intestine	0.81	0.81	XXX	0	0	0	0	0
89105	Α	Sample intestine	0.71	0.71	XXX	0	0	0	0	0
89130	Α	Sample stomach	0.69	0.69	XXX	0	0	0	0	0
89132	Α	Sample stomach	0.31	0.31	XXX	0	0	0	0	0
89135	Α	Sample stomach	1.09	1.09	XXX	0	0	0	0	0
89136	Α	Sample stomach	0.35	0.35	XXX	0	0	0	0	0
89140	Α	Sample stomach	1.40	1.40	XXX	0	0	0	0	0
89141	Α	Sample stomach	1.26	1.26	XXX	0	0	0	0	0
89350	Α	Sputum specimen	0.33	0.33	XXX	0	0	0	0	0
89360	Α	Collect sweat	0.36	0.36	XXX	0	0	0	0	0

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 20 SR 1163; 25 SR 1142

5221.4041 FEE ADJUSTMENTS FOR PROFESSIONAL/TECHNICAL COMPONENTS FOR PATHOLOGY/LABORATORY SERVICES.

Subpart 1. General. Fees for pathology and laboratory services shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other practitioners. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. The maximum fee for the professional component of the service is calculated according to the following formula:

Maximum fee = .75 x (total RVUs x CF). The billing code for the professional component of the service is the specific procedure code plus the modifier 26. The maximum fee for the technical component of the service is calculated according to the following formula: Maximum fee = .25 x (total RVUs x CF). The billing code for the technical component of the service is the specific procedure code plus the modifier TC.

Subp. 2. Services provided to hospital inpatients. The maximum fee for a service rendered by a provider to an employee while hospitalized as an inpatient is that calculated for the professional component of the service only. Charges for the technical component of the service for an inpatient may be included in the separate billing by hospital and are limited by Minnesota Statutes, section 176.136, subdivision 1b.

- Subp. 3. Separate billing for each component. If the professional component is split from the technical component and both are billed separately, the total cost for both shall not exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 4. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated according to the formula in part 5221.4020.
- Subp. 5. Services performed in an independent laboratory. The maximum fee for physician pathology services performed in an independent laboratory is that calculated for the complete service, using the RVUs corresponding to the service code listed without a modifier in part 5221.4040, subpart 2b, and the formula in part 5221.4020.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.4050 PHYSICAL MEDICINE AND REHABILITATION PROCEDURE CODES.

Subpart 1. **Key to abbreviations and terms.** For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of physical medicine and rehabilitation procedure codes.

1	2	3	4	5	6	7	8	9	10	11	12

A. Procedure codes 97001 to 97004 relate to physical and occupational therapy evaluation and reevaluation procedure codes.

97001	Α	PT evaluation	1.29	1.29	XXX	0	0	0	0	0
97002	Α	PT reevaluation	0.51	0.51	XXX	0	0	0	0	0
97003	Α	OT evaluation	1.29	1.29	XXX	0	0	0	0	0
97004	Α	OT reevaluation	0.51	0.51	XXX	0	0	0	0	0

B. Procedure codes 97010 to 97799 relate to physical medicine and rehabilitation procedure codes.

97010	В	Hot or cold packs	0.00	0.00	XXX	9	9	9	9	9
97012	Α	Mechanical fraction	0.37	0.37	XXX	4	0	0	0	0
97014	Α	Electrical stimulation	0.32	0.32	XXX	4	0	0	0	0
97016	Α	Vasopneumatic devices	0.36	0.36	XXX	4	0	0	0	0
97018	Α	Paraffin bath therapy	0.26	0.26	XXX	4	0	0	0	0
97020	Α	Microwave therapy	0.22	0.22	XXX	4	0	0	0	0
97022	Α	Whirlpool therapy	0.30	0.30	XXX	4	0	0	0	0
97024	Α	Diathermy treatment	0.23	0.23	XXX	4	0	0	0	0
97026	Α	Infrared therapy	0.22	0.22	XXX	4	0	0	0	0
97028	Α	Ultraviolet therapy	0.23	0.23	XXX	4	0	0	0	0
97032	Α	Electrical stimulation	0.32	0.32	XXX	4	0	0	0	0
97033	Α	Electric current	0.33	0.33	XXX	4	0	0	0	0
97034	Α	Contrast bath therapy	0.25	0.25	XXX	4	0	0	0	0
97035	Α	Ultrasound therapy	0.26	0.26	XXX	4	0	0	0	0
97036	Α	Hydrotherapy	0.41	0.41	XXX	4	0	0	0	0
97039	Α	Unlisted therapy service	0.37	0.37	XXX	4	0	0	0	0
97110	Α	Therapeutic exercises	0.47	0.47	XXX	0	0	0	0	0
97112		Neuromuscular reeducation	0.47	0.47	XXX	0	0	0	0	0

FEES FOR MEDICAL SERVICES 5221,4050

97113	Α	Aquatic therapy	0.52	0.52	XXX	0	0	0	0	0
97116	Α	Gait training therapy	0.41	0.41	XXX	0	0	0	0	0
97124	Α	Massage therapy	0.37	0.37	XXX	0	0	0	0	0
97139	Α	Unlisted phys. med. service	0.31	0.31	XXX	0	0	0	0	0
97140	Α	Manual therapy	0.53	0.41	XXX	0	0	0	0	0
97150	Α	Group therapy procedure	0.39	0.39	XXX	0	0	0	0	0
97504	Α	Orthotic training	0.48	0.48	XXX	0	0	0	0	0
97520	Α	Prosthetic training	0.49	0.49	XXX	0	0	0	0	0
97530	Α	Therapeutic activities	0.50	0.50	XXX	0	0	0	0	0
97535	Α	Self care/home management	0.51	0.51	XXX	0	0	0	0	0
97537	Α	Community/work training	0.51	0.51	XXX	0	0	0	0	0
97542	Α	Wheelchair management	0.35	0.35	XXX	0	0	0	0	0
97545	R	Work hardening	0.00	0.00	XXX	0	0	0	0	0
97546	R	Work hardening	0.00	0.00	XXX	0	0	0	0	0
97703	Α	Prosthetic checkout	0.36	0.36	XXX	0	0	0	0	0
97750	Α	Physical performance test	0.57	0.57	XXX	0	0	0	0	0
97770	Α	Cognitive skills	0.60	0.60	XXX	0	0	0	0	0
97780	N	Acupuncture, no stimulus	0.00	0.00	XXX	9	9	9	9	9
97781	N	Acupuncture with stimulus	0.00	0.00	XXX	9	9	9	9	9
97799	C	Physical medicine	0.00	0.00	XXX	0	0	0	0	0

C. Procedure codes V5336 to V5364 relate to miscellaneous physical medicine procedure codes.

V5336	N	Repair communication device	0.00	0.00	XXX	9	9	9	9	9
V5362	R	Speech screening	0.00	0.00	XXX	0	0	0	0	0
V5363	R	Language screening	0.00	0.00	XXX	0	0	0	0	0
V5364	R	Dysphagia screening	0.00	0.00	XXX	0	0	0	0	0

Subp. 3. Additional payment instructions. The instructions and examples in items A to D are in addition to CPT code descriptions found in the CPT manual. Additional instructions include both general instructions for a group of codes as well as specific instructions for an individual specific code.

A. Supervised modalities.

(1) Additional general instructions for supervised modality codes 97010 to 97028. All supervised modalities refer to one or more areas. For example, if diathermy is applied to the cervical and low back on the same day, the charge would be one unit. If the diathermy and electrical stimulation are applied to the low back, the charge would be one unit of diathermy and one unit of electrical stimulation.

(2) Additional specific instructions for supervised modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97014	Electrical stimulation	Unattended electrical stimulation includes muscle stimulation, low volt therapy, sine wave therapy, stimulation of peripheral nerve, galvanic, and unattended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.

B. Constant attendance modalities.

(1) Additional general instructions for constant attendance modality codes 97032 to 97039. The application of a constant attendance modality is to one or more areas. Where the CPT manual specifies a specific time frame, count only the actual treatment time, and do not count setup, preparation of the area, cleanup, or documentation time. For example, with ultrasound treatment for two areas, the shoulder and elbow, if total treatment time for both areas is less than 15 minutes, one unit of ultrasound is appropriate. All units billed require supporting documentation.

(2) Additional specific instructions for constant attendance modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97032	Electrical stimulation	Electrical stimulation (manual) includes attended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.
97033	Electric current	RVU includes the use of disposable or reusable electrodes.
97546.	C. Additional specific	instructions for therapeutic procedure codes 97110 to
CPT Code	CPT Description	Specific Instructions and Examples
97110	Therapeutic exercises	Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises.
97112	Neuromuscular reeducation	Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais.
97113	Aquatic therapy	This code applies to any water-based exercise program such as Hubbard Tank or pools.
97140	Manual therapy	In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this code also includes, but is not limited to: myofascial release, joint mobilization and manipulation, manual lymphatic drainage, manual traction, soft tissue mobilization and manipulation, trigger point therapy, acupressure, muscle stimulation - manual (nonelectrical),

and transverse friction massage. This code is not paid when reported with any

FEES FOR MEDICAL SERVICES 5221,4050

of the osteopathic manipulative treatment (OMT) (98925-98929) or chiropractic manipulative treatment (CMT) (98940-98943) codes on the same regions(s)/body part on the same day. This code may be paid when reported with CMT or OMT codes only if used on a different region(s)/body part on the same day and must be accompanied by CPT modifier 59 which identifies a distinct procedural service.

97150 Group therapeutic

Therapeutic procedure(s) for a group is used when two or more patients are present for the same type of service such as instruction in body mechanics training, or group exercises when participants are doing same type exercises, etc. There is no time definition for this code. Providers may charge only one unit, regardless of size of group, number of areas treated, or length of time involved.

97504 Orthotic training

This code applies to fabrication, instruction in use, fitting, and care and precautions of the orthotic.

97530 Therapeutic activities

This code is used for treatment promoting functional use of a muscle, muscle group, or body part. This code is not to be used for PROM, active assistive ROM, manual stretch, or manual therapy. Examples for use of code: A patient has had rotator cuff repair. When treatment incorporates functional motion of reaching to increase range of motion and strength, 97530 should be used. A patient has a herniated disc. When treatment incorporates instruction in body mechanics and positioning and simulated activities to improve functional performance, 97530 should be used.

97537 Community/ work Community/work reintegration training includes jobsite analysis.

97545 Work hardening/ conditioning Work hardening/conditioning units are for the initial two hours each visit. Codes 97545 and 97546 refer to services provided within a work hardening or work conditioning program described in part part 5221.6500, subpart 2, item D.

97546 Work hardening/conditioning

Work hardening/conditioning additional units are for each additional hour each visit. Refers to time beyond initial two hours of work conditioning or work hardening.

5221.4050 FEES FOR MEDICAL SERVICES

D. Additional specific instructions and examples for other physical medicine activities.

CPT

Code Specific Instructions and Examples CPT Description

97750 Physical Physical performance test or measurement

> performance includes isokinetic strength testing,

comprehensive muscle strength or joint range of motion testing, or functional

capacity evaluations.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.135; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 20 SR 858; 25 SR 1142

5221.4051 FEE ADJUSTMENTS FOR PHYSICAL MEDICINE AND REHABILITA-TION SERVICES.

Maximum fees for the physical medicine and rehabilitation modalities in the following list are determined according to the following payment schedule when more than one modality on the list is provided to the same patient on the same day: 100 percent of the fee calculated according to the formula in part 5221.4020 for the modality with the highest RVU and 75 percent of the fee calculated according to the formula in part 5221.4020 for each additional modality. All modalities after the first modality with the highest RVU shall be coded by adding modifier 51 to the applicable procedure code.

97012	Mechanical traction therapy
97014	Electric stimulation therapy
97016	Vasopneumatic device therapy
97018	Paraffin bath therapy
97020	Microwave therapy
97022	Whirlpool therapy
97024	Diathermy treatment
97026	Infrared therapy
97028	Ultraviolet therapy
97032	Electrical stimulation
97033	Electric current
97034	Contrast bath therapy
97035	Ultrasound therapy
97036	Hydrotherapy
97039	Unlisted therapy service

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 25 SR 1142

5221.4060 CHIROPRACTIC PROCEDURE CODES.

Subpart 1. Key to abbreviations and terms. For descriptions of columns, abbreviations, and terms, see part 5221.4020, subpart 2.

Subp. 2a. [Repealed, 25 SR 1142]

Subp. 2b. List of chiropractic procedure codes.

1	2	3	4	5	6	7	8	9	10	11	12
codes.	A.	Pr	ocedure code numbers 72010	to 73610	relate	to ra	diolo	ogy	pro	ced	ure
coucs.											
72010		Α	X-ray exam of spine	0.86	0.86	XXX	0	0	0	0	0
72010	26	Α	X-ray exam of spine	0.33	0.33	XXX	0	0	0	0	0
72010	TC		X-ray exam of spine	0.53	0.53	XXX	0	0	0	0	0
72020			X-ray exam of spine	0.33	0.33	XXX	0	0	0	0	0
72020	26	Α	X-ray exam of spine	0.11	0.11	XXX	0	0	0	0	0
72020	TC	Α	X-ray exam of spine	0.22	0.22	XXX	0	0	0	0	0
72040		Α	X-ray exam of neck	0.47	0.47	XXX	0	0	0	0	0
72040	26	Α	X-ray exam of neck	0.16	0.16	XXX	0	0	0	0	0
72040	TC	Α	X-ray exam of neck	0.31	0.31	XXX	0	0	0	0	0
72050		Α	X-ray exam of neck	0.69	0.69	XXX	0	0	0	0	0
72050	26	Α	X-ray exam of neck	0.23	0.23	XXX	0	0	0	0	0
72050	TC	Α	X-ray exam of neck	0.46	0.46	XXX	0	0	0	0	0
72052		Α	X-ray exam of neck	0.86	0.86	XXX	0	0	0	0	0
72052	26	Α	X-ray exam of neck	0.27	0.27	XXX	0	0	0	0	0
72052	TC	A	X-ray exam of neck	0.59	0.59	XXX	0	0	0	0	0
72070		Α	X-ray exam of thoracic	0.50	0.50	XXX	0	0	0	0	0
72070	26	Α	X-ray exam of thoracic	0.16	0.16	XXX	0	0	0	0	0
72070	TC	Α	X-ray exam of thoracic	0.34	0.34	XXX	0	0	0	0	0
72074		Α	X-ray exam of thoracic	0.64	0.64	XXX	0	0	0	0	0
72074	26	Α	X-ray exam of thoracic	0.16	0.16	XXX	0	0	0	0	0
72074	TC	Α	X-ray exam of thoracic	0.47	0.47	XXX	0	0	0	0	0
72080		Α	X-ray exam of thoracic	0.51	0.51	XXX	0	0	0	0	0
72080	26	Α	X-ray exam of thoracic	0.16	0.16	XXX	0	0	0	0	0
72080	TC	Α	X-ray exam of thoracic	0.35	0.35	XXX	0	0	0	0	0
72090		Α	X-ray exam of thoracic	0.56	0.56	XXX	0	0	0	0	0
72090	26	Α	X-ray exam of thoracic	0.21	0.21	XXX	0	0	0	0	0
72090	TC	Α	X-ray exam of thoracic	0.35	0.35	XXX	0	0	0	0	0
72100		Α	X-ray exam of lumbosacral	0.51	0.51	XXX	0	0	0	0	0
72100	26	Α	X-ray exam of lumbosacral	0.16	0.16	XXX	0	0	0	0	0
72100	TC		X-ray exam of lumbosacral	0.35	0.35	XXX	0	0	0	0	0
72110		Α	X-ray exam of lumbosacral	0.70	0.70	XXX	0	0	0	0	0
72110	26	Α	X-ray exam of lumbosacral	0.23	0.23	XXX	0	0	0	0	0
72110	TC	Α	X-ray exam of lumbosacral	0.47	0.47	XXX	0	0	0	0	0
72114		Α	X-ray exam of lumbosacral	0.88	0.88	XXX	0	0	0	0	0
72114	26	Α	X-ray exam of lumbosacral	0.27	0.27	XXX	0	0	0	0	0
72114	TC	Α	X-ray exam of lumbosacral	0.61	0.61	XXX	0	0	0	0	0
72120			X-ray exam of lumbosacral	0.63	0.63	XXX	0	0	0	0	0
72120	26		X-ray exam of lumbosacral	0.16	0.16	XXX	0	0	0	0	0
72120	TC	Α	X-ray exam of lumbosacral	0.46	0.46	XXX	0	0	0	0	0
72170			X-ray exam of pelvis	0.39	0.39	XXX	0	0	0	0	0
72170	26		X-ray exam of pelvis	0.12	0.12	XXX	0	0	0	0	0
72170	TC		X-ray exam of pelvis	0.27	0.27	XXX	Õ	Õ	Ō	Õ	0
72190			X-ray exam of pelvis	0.50	0.50	XXX	Ŏ	Õ	Ŏ	Õ	Õ
72190	26		X-ray exam of pelvis	0.16	0.16	XXX	ŏ	Õ	Ŏ	ŏ	Ŏ
72190	TC		X-ray exam of pelvis	0.35	0.35	XXX	0	0	0	ő	0
73020		A	X-ray exam of shoulder	0.36	0.36	XXX	0	3	0	0	0
73020	26			0.30	0.30	XXX	0	3	0	0	0
73020			X-ray exam of shoulder	0.11	0.11	XXX	0	3	0	0	0
73030			X-ray exam of shoulder	0.43	0.43	XXX	0	3	0	0	0
15050		7	21-14y Chain of Shoulder	0.40	J.7J	MM	U	J	U	U	U

5221.4060 FEES FOR MEDICAL SERVICES

73030	26	Α	X-ray exam of shoulder	0.13	0.13	XXX	0	3	0	0	0
73030	TC	Α	X-ray exam of shoulder	0.29	0.29	XXX	0	3	0	0	0
73070		Α	X-ray exam of elbow	0.38	0.38	XXX	0	3	0	0	0
73070	26	Α	X-ray exam of elbow	0.11	0.11	XXX	0	3	0	0	0
73070	TC	Α	X-ray exam of elbow	0.27	0.27	XXX	0	3	0	0	0
73100		Α	X-ray exam of wrist	0.37	0.37	XXX	0	3	0	0	0
73100	26	Α	X-ray exam of wrist	0.12	0.12	XXX	0	3	0	0	0
73100	TC	Α	X-ray exam of wrist	0.25	0.25	XXX	0	3	0	0	0
73500		Α	X-ray exam of hip	0.37	0.37	XXX	0	0	0	0	0
73500	26	Α	X-ray exam of hip	0.13	0.13	XXX	0	0	0	0	0
73500	TC	Α	X-ray exam of hip	0.24	0.24	XXX	0	0	0	0	0
73562		Α	X-ray exam of knee	0.43	0.43	XXX	0	3	0	0	0
73562	26	Α	X-ray exam of knee	0.14	0.14	XXX	0	3	0	0	0
73562	TC	Α	X-ray exam of knee	0.29	0.29	XXX	0	3	0	0	0
73610		Α	X-ray exam of ankle	0.40	0.40	XXX	0	3	0	0	0
73610	26	Α	X-ray exam of ankle	0.13	0.13	XXX	0	3	0	0	0
73610	TC	Α	X-ray exam of ankle	0.28	0.28	XXX	0	3	0	0	0

 $\,$ B. Procedure code numbers 81000 and 81002 relate to pathology and laboratory procedure codes.

81000	 X Urinalysis, nonautomated 	0.12 0.12	XXX	9	9	9	9	9
81002	X Urinalysis, nonautomated	1 0.07 0.07	XXX	9	9	9	9	9

C. Procedure code numbers 97010 to 97799 relate to physical medicine and rehabilitation procedure codes.

97010	В	Hot or cold packs	0.00	0.00	XXX	9	9	9	9	9
97012	Α	Mechanical traction	0.23	0.23	XXX	4	0	0	0	0
97014	Α	Electric stimulation	0.20	0.20	XXX	4	0	0	0	0
97016	Α	Vasopneumatic devices	0.23	0.23	XXX	4	0	0	0	0
97018	Α	Paraffin bath therapy	0.16	0.16	XXX	4	0	0	0	0
97020	Α	Microwave therapy	0.14	0.14	XXX	4	0	0	0	0
97022	Α	Whirlpool therapy	0.19	0.19	XXX	4	0	0	0	0
97024	Α	Diathermy treatment	0.15	0.15	XXX	4	0	0	0	0
97026	Α	Infrared therapy	0.13	0.13	XXX	4	0	0	0	0
97028	Α	Ultraviolet therapy	0.14	0.14	XXX	4	0	0	0	0
97032	Α	Electrical stimulation	0.20	0.20	XXX	4	0	0	0	0
97033	Α	Electric current	0.21	0.21	XXX	4	0	0	0	0
97034	Α	Contrast bath therapy	0.16	0.16	XXX	4	0	0	0	0
97035	Α	Ultrasound therapy	0.16	0.16	XXX	4	0	0	0	.0
97036	Α	Hydrotherapy	0.25	0.25	XXX	4	0	0	0	0
97039	Α	Unlisted therapy service	0.23	0.23	XXX	4	0	0	0	0
97110	Α	Therapeutic exercises	0.29	0.29	XXX	0	0	0	0	0
97112	Α	Neuromuscular reeducation	0.29	0.29	XXX	0	0	0	0	0
97113	Α	Aquatic therapy	0.33	0.33	XXX	0	0	0	0	0
97116	Α	Gait training therapy	0.26	0.26	XXX	0	0	0	0	0
97124	Α	Massage therapy	0.23	0.23	XXX	0	0	0	0	0
97139	Α	Unlisted phys. med. service	0.19	0.19	XXX	0	0	0	0	0
97140	Α	Manual therapy	0.33	0.26	XXX	0	0	0	0	0
97150	Α	Group therapy procedure	0.24	0.24	XXX	0	0	0	0	0
97504	Α	Orthotic training	0.30	0.30	XXX	0	0	0	0	0
97520	Α	Prosthetic training	0.31	0.31	XXX	0	0	0	0	0
97530	Α	Therapeutic activities	0.31	0.31	XXX	0	0	0	0	0
97535	Α	Self care/home management	0.32	0.32	XXX	0	0	0	0	0

97537	Α	Community/work training	0.32	0.32	XXX	0	0	0	0	0
97542	Α	Wheelchair management	0.22	0.22	XXX	0	0	0	0	0
97545	R	Work hardening/conditioning	0.00	0.00	XXX	0	0	0	0	0
97546	R	Work hardening/conditioning	0.00	0.00	XXX	0	0	0	0	0
97703	Α	Prosthetic checkout	0.23	0.23	XXX	0	0	0	0	0
97750	Α	Physical performance test	0.36	0.36	XXX	0	0	0	0	0
97770	Α	Cognitive skill	0.37	0.37	XXX	0	0	0	0	0
97780	N	Acupuncture, no stimulus	0.00	0.00	XXX	9	9	9	9	9
97781	N	Acupuncture with stimulus	0.00	0.00	XXX	9	9	9	9	9
97799	C	Physical medicine	0.00	0.00	XXX	0	0	0	0	0

D. Procedure code numbers 98940 to 98943 relate to chiropractic manipulative treatment codes.

98940	Α	Chiropractic manipulation	0.38	0.30	XXX	0	0	0	0	0
98941	Α	Chiropractic manipulation	0.47	0.40	XXX	0	0	0	0	0
98942	Α	Chiropractic manipulation	0.58	0.51	XXX	0	0	0	0	0
98943	Α	Chiropractic manipulation	0.35	0.35	XXX	4	0	0	0	0

E. Procedure code numbers 99201 to 99213 relate to evaluation and management services codes.

99201	Α	Office/outpatient	0.45	0.33	XXX	0	0	0	0	0
99202		Office/outpatient	0.71	0.56	XXX	0	0	0	0	0
99203		Office/outpatient	0.98	0.81	XXX	0	0	0	0	0
99211	Α	Office/outpatient	0.20	0.14	XXX	0	0	0	0	0
99212	Α	Office/outpatient	0.39	0.30	XXX	0	0	0	0	0
99213	Α	Office/outpatient	0.56	0.44	XXX	0	0	0	0	0

F. Procedure code number 99199 relates to miscellaneous procedures.

99199 C Special service 0.00 0.00 XXX 0 0 0 0

Subp. 3. Select chiropractic procedure code descriptions, instructions, and examples. The following instructions and examples are in addition to CPT code descriptions found in the CPT manual. Additional instructions include both general instructions for a group of codes as well as specific instructions for an individual specific code.

A. Supervised modalities.

(1) Additional general instructions for supervised modality codes 97010 to 97028. All supervised modalities refer to one or more areas. For example, if diathermy is applied to the cervical and low back on the same day, the charge would be one unit. If the diathermy and electrical stimulation are applied to the low back, the charge would be one unit of diathermy and one unit of electrical stimulation.

(2) Additional specific instructions for supervised modalities.

CPT Code	CPT Description	Specific Instructions and Examples
97014	Electrical stimulation	Unattended electrical stimulation includes muscle stimulation, low volt therapy, sine wave therapy, stimulation

5221.4060 FEES FOR MEDICAL SERVICES

of peripheral nerve, galvanic, and unattended clinical application of TENS. RVU includes the use of disposable or reusable electrodes.

B. Constant attendance modalities.

CPT

- (1) Additional general instructions for constant attendance modality codes 97032 to 97039. The application of a constant attendance modality is to one or more areas. Where the CPT manual specifies a time frame, count only the actual treatment time, and do not count setup, preparation of the area, cleanup, or documentation time. For example, with ultrasound treatment for two areas, the shoulder and elbow, if total treatment time for both areas is less than 15 minutes, one unit of ultrasound is appropriate. All units billed require supporting documentation.
 - (2) Additional specific instructions for constant attendance modalities.

97032 Electrical stimulation (manual) includes attended clinical application of TENS. RVU includes the use of disposable or reusable electrodes. 97033 Electric RVU includes the use of disposable or reusable electrodes. C. Additional specific instructions for therapeutic procedure codes 97110 to 197546. CPT Code CPT Description Specific Instructions and Examples 97110 Therapeutic Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises. 97112 Neuromuscular reeducation Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais. 97113 Aquatic This code applies to any water-based exercise program such as Hubbard Tank or pools. 97140 Manual In addition to the services included in the CPT manual incorporated by reference in part 5221,0405, item D, this code also includes, but is not limited	Code	CPT Description	Specific Instructions and Examples
C. Additional specific instructions for therapeutic procedure codes 97110 to 97546. CPT Code CPT Description Specific Instructions and Examples 97110 Therapeutic Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises. 97112 Neuromuscular reeducation Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais. 97113 Aquatic This code applies to any water-based exercise program such as Hubbard Tank or pools. 97140 Manual In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this	97032		attended clinical application of TENS. RVU includes the use of
CPT Code CPT Description Specific Instructions and Examples 97110 Therapeutic exercises Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises. 97112 Neuromuscular reeducation Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais. 97113 Aquatic This code applies to any water-based exercise program such as Hubbard Tank or pools. 97140 Manual In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this	97033		
Code CPT Description Specific Instructions and Examples 97110 Therapeutic exercises Examples include, but are not limited to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises. 97112 Neuromuscular reeducation Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais. 97113 Aquatic This code applies to any water-based exercise program such as Hubbard Tank or pools. 97140 Manual In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this	97546.	C. Additional specific	instructions for therapeutic procedure codes 97110 to
to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic, or isometric strengthening exercises. Prilip Neuromuscular reeducation Examples include, but are not limited to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais. This code applies to any water-based exercise program such as Hubbard Tank or pools. Manual therapy In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this		CPT Description	Specific Instructions and Examples
reeducation to, facilitation techniques, NDT, Rood, Brunnstrom, PNF, and FeldenKrais. 97113 Aquatic This code applies to any water-based exercise program such as Hubbard Tank or pools. 97140 Manual In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this	97110		to, any type of range of motion, stretching, or strengthening exercises; e.g., stabilization and closed kinetic chain exercises, passive range of motion, active and assistive range of motion, progressive resistive exercises, prolonged stretch, isokinetic, isotonic,
therapy exercise program such as Hubbard Tank or pools. 97140 Manual In addition to the services included in the CPT manual incorporated by reference in part 5221.0405, item D, this	97112		to, facilitation techniques, NDT, Rood,
therapy in the CPT manual incorporated by reference in part 5221.0405, item D, this	97113		exercise program such as Hubbard
	97140		in the CPT manual incorporated by reference in part 5221.0405, item D, this

to: myofascial release, joint mobilization and manipulation, manual lymphatic drainage, manual traction, soft tissue mobilization and manipulation, trigger point therapy, acupressure, muscle stimulation - manual (nonelectrical), and transverse friction massage. This code is not paid when reported with any of the osteopathic manipulative treatment (OMT) (98925--98929) or chiropractic manipulative treatment (CMT) (98940-98943) codes on the same region(s)/body part on the same day. This code may be paid when reported with CMT or OMT codes only if used on a different region(s)/body part on the same day and must be accompanied by CPT modifier 59 which identifies a distinct procedural service.

97150 Group therapeutic

Therapeutic procedure(s) for a group is used when two or more patients are present for the same type of service such as instruction in body mechanics training, or group exercises when participants are doing same type exercises, etc. There is no time definition for this code. Providers may charge only one unit, regardless of size of group, number of areas treated, or length of time involved.

97504 Orthotic training

This code applies to fabrication, instruction in use, fitting, and care and precautions of the orthotic.

97530 Therapeutic activities

This code is used for treatment promoting functional use of a muscle, muscle group, or body part. This code is not to be used for PROM, active assistive ROM, manual stretch, or manual therapy. Examples for use of code: A patient has had rotator cuff repair. When treatment incorporates functional motion of reaching to increase range of motion and strength, 97530 should be used. A patient has a herniated disc. When treatment incorporates instruction in body mechanics and positioning and simulated activities to improve functional performance, 97530 should used.

97537 Community/ work

Community/work reintegration training includes jobsite analysis.

5221.4060 FEES FOR MEDICAL SERVICES

97545	Work hardening/ conditioning	Work hardening/conditioning units are for the initial two hours each visit. Codes 97545 and 97546 refer to services provided within a work hardening or work conditioning program described in part 5221.6500, subpart 2, item D.
97546	Work hardening/ conditioning	Work hardening/conditioning additional units are for each additional hour each visit. Refers to time beyond initial two hours of work conditioning or work hardening.

D. Additional specific instructions and examples for other physical medicine activities.

CPT

performance

Code CPT Description Specific Instructions and Examples

97750 Physical Physical performance test or measurement

includes isokinetic strength testing, comprehensive muscle strength or joint range of motion testing, or functional

capacity evaluations.

Subp. 4. Evaluation and management services coding and reporting.

A. Evaluation and management services may be coded and paid separately from the chiropractic manipulative therapy services described by CPT codes 98940 to 98943 only if the condition requires a significant, separately identifiable evaluation and management service above and beyond the usual preservice, intraservice, and postservice work associated with the manipulative procedure, as described in subitems (1) to (3). When performing the evaluation and management service on the same day as a spinal or extraspinal manipulation, the evaluation and management code must be coded using the CPT modifier 25.

- (1) Preservice work for CPT codes 98940 to 98943 includes the following:
 - (a) documentation and chart review;
 - (b) imaging review;
 - (c) test interpretation and care planning; and
- (d) premanipulation procedures which include a brief evaluation of the current problem, including components of a review of symptoms, and a focused exam of the current problem and related areas.
 - (2) Intraservice work for CPT codes 98940 to 98943 includes the follow-
 - (a) manipulation; and
 - (b) postmanipulation assessment and procedures.
 - (3) Postservice work for CPT codes 98940 to 98943 includes the follow-

ing:

ing:

- (a) chart documentation, including documentation of appropriate subjective and objective assessments as well as the procedural components of patient visit; and
- (b) if necessary, arrange for further services and coordination of patient care. This may include telephone or written communications with other health care providers, family members, employers, medical case manager for a managed care organization certified under Minnesota Statutes, section 176.1351, or insurers regarding the coordination of patient care or consultation services.

- B. Circumstances in which a separate evaluation and management service is appropriate under item A include the following:
 - (1) if there is a new injury;
 - (2) if there is an exacerbation of a previous injury; or
 - (3) if there is an unanticipated change in condition.
- C. A reexamination in the following circumstances may be coded and paid as a separate evaluation and management service if the reexamination is above and beyond the usual preservice, intraservice, and postservice work associated with the manipulative procedure as described in item A, subitems (1) to (3):
- (1) in preparation for a requested report other than a report of work ability:
 - (2) if requested to render an opinion about a job offer;
 - (3) when a job search is initiated:
- (4) to review the patient's condition after a period of treatment by another health care provider; or
- (5) to evaluate the patient's condition in anticipation of a change in the treatment plan.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 20 SR 530; 22 SR 500; 25 SR 1142

5221.4061 FEE ADJUSTMENTS FOR CHIROPRACTIC SERVICES.

Subpart 1. **Multiple modalities.** Maximum fees for the chiropractic modalities in the following list are determined according to the following payment schedule when more than one modality on the list is provided to the same patient on the same day: 100 percent of the fee calculated according to the formula in part 5221.4020 for the modality with the highest relative value and 75 percent of the fee calculated according to the formula in part 5221.4020 for each additional modality. All modalities after the first modality with the highest relative value, shall be coded by adding modifier 51 to the applicable modality code.

97012 97014 97016 97018 97020 97022 97024 97026 97028 97032 97033 97034 97035	Mechanical traction therapy Electrical stimulation therapy Vasopneumatic device therapy Paraffin bath therapy Microwave therapy Whirlpool therapy Diathermy treatment Infrared therapy Ultraviolet therapy Electrical stimulation Electric current Contrast bath therapy Ultrasound therapy
97036	Hydro therapy
97039	Unlisted therapy service

Subp. 2. Extraspinal code. If the extraspinal code (98943) is used in conjunction with any of the spinal chiropractic manipulative treatment (CMT) codes (98940 to 98942) on the same day, the extraspinal code must be coded with CPT modifier 51. The CPT modifier 51 reduces the RVU of 98943 when used in conjunction with any of the CMT codes (98940 to 98942) on the same day by 50 percent.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.136; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.4062 PROFESSIONAL/TECHNICAL COMPONENTS FOR CHIROPRACTIC SERVICES.

Subpart 1. General. Fees for certain services which are a combination of professional and technical care shall be adjusted when the professional and technical components of the service are performed by different individuals or entities. The professional component of the service represents the care rendered by the health care provider, such as examination of the patient, performance and supervision of the procedure, and consultation with other providers. The technical component of the service represents all other costs associated with the service, such as the cost of equipment, the salary of technicians, and supplies normally used in delivering the service. Services subject to this distinction are identified in part 5221.4060, subpart 2b, by modifiers appearing in column 2 next to the service codes. Modifier TC indicates relative RVUs for the technical component of the service and modifier 26 indicates RVUs for the professional component of the service. The maximum fee for either component of the service is calculated using the RVUs for the component provided and the formula in part 5221.4020.

- Subp. 2. Separate billing for both components. If the professional component is split from the technical component and both are billed separately, the total cost for both cannot exceed the maximum fee allowed for the complete service, unless there are extenuating circumstances and there is documented justification for the additional cost.
- Subp. 3. One billing for both components. If the same health care provider renders both the professional and technical components of the service, the maximum fee is calculated for the complete service by using the RVUs corresponding to the service code listed without a modifier in part 5221.4060, subpart 2b, and the formula in part 5221.4020.

Statutory Authority: MS s 176.135; 176.1351; 176.136; 176.83

History: 25 SR 1142

5221.4070 PHARMACY.

Subpart 1. Substitution of generically equivalent drugs. A generically equivalent drug as defined in Minnesota Statutes, section 151.21, subdivision 2, must be dispensed in place of the ordered drug if:

A. the generically equivalent drug is approved by the United States Food and Drug Administration and is also determined as therapeutically equivalent by the United States Food and Drug Administration;

- B. in the professional judgment of the pharmacist, the substituted drug is therapeutically equivalent to the ordered drug; and
- C. the charge for the substituted generically equivalent drug is less than the charge for the drug originally ordered.

However, a substitution shall not be made if the ordering provider has written in his or her own handwriting "Dispense as written" or "DAW" on the prescription, as provided in the Minnesota Drug Selection Act, Minnesota Statutes, section 151.21. The dispensing provider must notify the recipient and the payer when a generically equivalent drug is dispensed. The notice to the recipient may be given orally or by appropriate labeling on the medication's container. The notice to the payer must be in writing on a claim form prescribed in part 5221.0700, subpart 2.

Subp. 2. **Procedure code.** The procedure code for a medication is the current HCPCS code which correctly describes the medication as provided or the prescription number. Procedure codes are not required for nonprescription medications.

Subp. 3. Maximum fee.

A. The employer's liability for compensable prescription medications provided for outpatient use by a large hospital, clinic, or an independent pharmacy shall be limited to the sum of the average wholesale price (AWP) of the medication on the date

the medication was dispensed, and a professional dispensing fee of \$5.14 per medication.

- B. The employer's liability for compensable nonprescription medications shall be the lower of the actual retail price of the medication or the sum of the average wholesale price (AWP) of the medication, on the date the medication was dispensed, and a professional dispensing fee of \$5.14 per medication.
- C. The employer's liability for compensable prescription medications provided for inpatient use, including an inpatient who is being discharged, by a large hospital is limited to 85 percent of the usual and customary charge according to part 5221.0500, subpart 2, item D.
- D. The employer's liability for compensable prescription medications provided by a small hospital is paid at 100 percent of the usual and customary fee according to part 5221.0500, subpart 2, item C.

Statutory Authority: MS s 175.171; 176.101; 176.135; 176.1351; 176.231; 176.83

History: 18 SR 1472; 25 SR 1142

5221.6010 AUTHORITY.

Parts 5221.6010 to 5221.8900 are adopted under the authority of Minnesota Statutes, sections 176.83, subdivisions 1, 3, 4, and 5, and 176.103, subdivision 2.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6020 PURPOSE AND APPLICATION.

Subpart 1. **Purpose.** Parts 5221.6010 to 5221.6600 establish parameters for reasonably required treatment of employees with compensable workers' compensation injuries to prevent excessive services under Minnesota Statutes, sections 176.135 and 176.136, subdivision 2. Parts 5221.6010 to 5221.6600 do not affect any determination of liability for an injury under Minnesota Statutes, chapter 176, and are not intended to expand or restrict a health care provider's scope of practice under any other statute.

Subp. 2. **Application.** All treatment must be medically necessary as defined in part 5221.6040, subpart 10. In the absence of a specific parameter, any applicable general parameters govern. A departure from a parameter that limits the duration or type of treatment may be appropriate in any one of the circumstances specified in part 5221.6050, subpart 8. Parts 5221.6010 to 5221.6600 apply to all treatment provided after January 4, 1995, regardless of the date of injury. All limitations on the duration of a specific treatment modality or type of modality begin with the first time the modality is initiated after January 4, 1995. However, consideration may be given to treatment initiated under the emergency rules (parts 5221.6050 to 5221.6500 [Emergency]). Parts 5221.6010 to 5221.6600 do not apply to treatment of an injury after an insurer has denied liability for the injury. However, in such cases the rules do apply to treatment initiated after liability has been established. References to days and weeks in parts 5221.6050 to 5221.6600 mean calendar days and weeks unless specified otherwise.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6030 INCORPORATION BY REFERENCE.

The ICD-9-CM diagnostic codes referenced in parts 5221.6010 to 5221.6600 are contained in the fourth edition of the International Classification of Diseases, Clinical Modification, 9th Revision, 1994, and corresponding annual updates. This document is subject to annual revisions and is incorporated by reference. It is published by the United States Department of Health and Human Services, Centers for Medicare and Medicaid Services, and may be purchased through the Superintendent of Documents,

5221.6030 FEES FOR MEDICAL SERVICES

United States Government Printing Office, Washington, D.C. 20402. It is available through the Minitex interlibrary loan system.

Statutory Authority: MS s 176.103; 176.83 **History:** 19 SR 1412; L 2002 c 277 s 32

5221.6040 DEFINITIONS.

- Subpart 1. **Scope.** The terms used in parts 5221.6010 to 5221.6600 have the meanings given them in this part.
- Subp. 2. Active treatment. "Active treatment" means treatment specified in parts 5221.6200, subpart 4; 5221.6205, subpart 4; 5221.6210, subpart 4; 5221.6300, subpart 4; and 5221.6305, subpart 2, item C, which requires active patient participation in a therapeutic program to increase flexibility, strength, endurance, or awareness of proper body mechanics.
- Subp. 3. Chronic pain syndrome. "Chronic pain syndrome" means any set of verbal or nonverbal behaviors that:
 - A. involve the complaint of enduring pain;
 - B. differ significantly from the patient's preinjury behavior;
 - C. have not responded to previous appropriate treatment;
- D. are not consistent with a known organic syndrome which has remained untreated; and
 - E. interfere with physical, psychological, social, or vocational functioning.
- Subp. 4. Condition. A patient's "condition" means the symptoms, physical signs, clinical findings, and functional status that characterize the complaint, illness, or injury related to a current claim for compensation.
 - Subp. 5. Emergency treatment. "Emergency treatment" means treatment that is:
- A. required for the immediate diagnosis and treatment of a medical condition that, if not immediately diagnosed and treated, could lead to serious physical or mental disability or death; or
 - B. immediately necessary to alleviate severe pain.

Emergency treatment includes treatment delivered in response to symptoms that may or may not represent an actual emergency but that is necessary to determine whether an emergency exists.

- Subp. 6. **Etiology.** "Etiology" means the anatomic alteration, physiologic dysfunction, or other biological or psychological abnormality which is considered a cause of the patient's condition.
- Subp. 7. Functional status. "Functional status" means the ability of an individual to engage in activities of daily living and other social, recreational, and vocational activities.
- Subp. 8. **Initial nonsurgical management or treatment.** "Initial nonsurgical management or treatment" is initial treatment provided after an injury that includes passive treatment, active treatment, injections, and durable medical equipment under parts 5221.6200, subparts 3, 4, 5, and 8; 5221.6205, subparts 3, 4, 5, and 8; 5221.6210, subparts 3, 4, 5, and 8; 5221.6300, subparts 3, 4, 5, and 8; and 5221.6305, subpart 2. Scheduled and nonscheduled medication may be a part of initial nonsurgical treatment. Initial nonsurgical management does not include surgery or chronic management modalities under part 5221.6600.
- Subp. 9. **Medical imaging procedures.** A "medical imaging procedure" is a technique, process, or technology used to create a visual image of the body or its function. Medical imaging includes, but is not limited to: X-rays, tomography, angiography, venography, myelography, computed tomography (CT) scanning, magnetic resonance imaging (MRI) scanning, ultrasound imaging, nuclear isotope imaging, PET scanning, and thermography.

- Subp. 10. Medically necessary treatment. "Medically necessary treatment" means those health services for a compensable injury that are reasonable and necessary for the diagnosis and cure or significant relief of a condition consistent with any applicable treatment parameter in parts 5221.6050 to 5221.6600. Where parts 5221.6050 to 5221.6600 do not govern, the treatment must be reasonable and necessary for the diagnosis or cure and significant relief of a condition consistent with the current accepted standards of practice within the scope of the provider's license or certification.
- Subp. 11. Neurologic deficit. "Neurologic deficit" means a loss of function secondary to involvement of the central or peripheral nervous system. This may include, but is not limited to, motor loss; spasticity; loss of reflex; radicular or anatomic sensory loss; loss of bowel, bladder, or erectile function; impairment of special senses, including vision, hearing, taste, or smell; or deficits in cognitive or memory function.
- A. "Static neurologic deficit" means any neurologic deficit that has remained the same by history or noted by repeated examination since onset.
- B. "Progressive neurologic deficit" means any neurologic deficit that has become worse by history or noted by repeated examination since onset.
- Subp. 12. **Passive treatment.** "Passive treatment" is any treatment modality specified in parts 5221.6200, subpart 3; 5221.6205, subpart 3; 5221.6210, subpart 3; 5221.6300, subpart 3; and 5221.6305, subpart 2, item B. Passive treatment modalities include bedrest; thermal treatment; traction; acupuncture; electrical muscle stimulation; braces; manual and mechanical therapy; massage; and adjustments.
- Subp. 13. Therapeutic injection. "Therapeutic injection" is any injection modality specified in parts 5221.6200, subpart 5; 5221.6205, subpart 5; 5221.6210, subpart 5; 5221.6300, subpart 5; and 5221.6305, subpart 2, item A. Therapeutic injections include trigger point injections, sacroiliac injections, facet joint injections, facet nerve blocks, nerve root blocks, epidural injections, soft tissue injections, peripheral nerve blocks, injections for peripheral nerve entrapment, and sympathetic blocks.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6050 GENERAL TREATMENT PARAMETERS; EXCESSIVE TREATMENT; PRIOR NOTIFICATION.

Subpart 1. General.

A. All treatment must be medically necessary treatment, as defined in part 5221.6040, subpart 10. The health care provider must evaluate the medical necessity of all treatment under item B on an ongoing basis.

Parts 5221.6050 to 5221.6600 do not require or permit any more frequent examinations than would normally be required for the condition being treated, but do require ongoing evaluation of the patient that is medically necessary, consistent with accepted medical practice.

- B. The health care provider must evaluate at each visit whether initial nonsurgical treatment for the low back, cervical, thoracic, and upper extremity conditions specified in parts 5221.6200, 5221.6205, 5221.6210, and 5221.6300, is effective according to subitems (1) to (3). No later than any applicable treatment response time in parts 5221.6200 to 5221.6300, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in subitems (1) to (3):
- (1) the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- (2) the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and

(3) the employee's functional status, especially vocational activities, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

Except as otherwise provided under parts 5221.6200, subpart 3, item B; 5221.6205, subpart 3, item B; 5221.6210, subpart 3, item B; and 5221.6300, subpart 3, item B, if there is not progressive improvement in at least two of subitems (1) to (3), the modality must be discontinued or significantly modified, or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider who ordered the treatment.

- C. The health care provider must use the least intensive setting appropriate and must assist the employee in becoming independent in the employee's own care to the extent possible so that prolonged or repeated use of health care providers and medical facilities is minimized.
- Subp. 2. **Documentation.** A health care provider must maintain an appropriate record, as defined in part 5221.0100, subpart 1a, of any treatment provided to a patient.
- Subp. 3. Nonoperative treatment. Health care providers shall provide a trial of nonoperative treatment before offering or performing surgical treatment unless the treatment for the condition requires immediate surgery, unless an emergency situation exists, or unless the accepted standard of initial treatment for the condition is surgery.
- Subp. 4. Chemical dependency. The health care provider shall maintain diligence to detect incipient or actual chemical dependency to any medication prescribed for treatment of the employee's condition. In cases of incipient or actual dependency, the health care provider shall refer the employee for appropriate evaluation and treatment of the dependency.
- Subp. 5. Referrals between health care providers. The primary health care provider directing the course of treatment shall make timely and appropriate referrals for consultation for opinion or for the transfer of care if the primary health care provider does not have any reasonable alternative treatment to offer and there is a reasonable likelihood that the consultant may offer or recommend a reasonable alternative treatment plan. This subpart does not prohibit a referral for consultation in other circumstances based on accepted medical practice and the patient's condition.
- A. Referrals from consulting health care provider. If the consultant has reasonable belief that another consultation is appropriate, that consultant must coordinate further referral with the original treating health care provider unless the consultant has been approved as the employee's treating health care provider. The consultant is under no obligation to provide or recommend treatment or further referral, if in the consultant's opinion, all reasonable and necessary treatment has been rendered. The consultant shall in this situation refer the employee back to the original treating health care provider for further follow-up.
- B. Information sent to consultant. When a referring health care provider arranges for consultation or transfer of care, except in cases of emergency, the referring health care provider shall, with patient authorization, summarize for the consultant orally or in writing the conditions of injury, the working diagnosis, the treatment to date, the patient's response to treatment, all relevant laboratory and medical imaging studies, return to work considerations, and any other information relevant to the consultation. In addition, the referring health care provider shall make available to the consultant, with patient authorization, a copy of all medical records relevant to the employee's injury.
- Subp. 6. Communication between health care providers and consideration of prior care.
- A. Information requested by new health care provider. Upon accepting for treatment a patient with a workers' compensation injury, the health care provider shall ask the patient if treatment has been previously given for the injury by another health

care provider. If the patient reports that treatment has been previously given for the injury by another health care provider and if the medical records for the injury have not been transferred, the new health care provider shall request authorization from the employee for relevant medical records. Upon receipt of the employee authorization, the new health care provider shall request relevant medical records from the previous health care providers. Upon receipt of the request for medical records and employee authorization, the previous health care providers shall provide the records within seven working days.

- B. Treatment by prior health care provider. If the employee has reported that care for an injury has been previously given:
- (1) Where a previous health care provider has performed diagnostic imaging, a health care provider may not repeat the imaging or perform alternate diagnostic imaging for the same condition except as permitted in part 5221.6100.
- (2) When a therapeutic modality employed by a health care provider was no longer improving the employee's condition under subpart 1, item B, or has been used for the maximum duration allowed under parts 5221.6050 to 5221.6600, another health care provider may not employ the same modality at any time thereafter to treat the same injury except if one of the departures applies under subpart 8, after surgery, or for treatment of reflex sympathetic dystrophy under part 5221.6305.
- (3) It is also inappropriate for two health care providers to use the same treatment modality concurrently.
- C. Employee refusal. An employee's refusal to provide authorization for release of medical records does not justify repeat treatment or diagnostic testing. An insurer is not liable for repeat diagnostic testing or other duplicative treatment prohibited by this subpart.
- Subp. 7. Determinations of excessive treatment; notice of denial to health care providers and employee; expedited processing of medical requests.
- A. In addition to services deemed excessive under part 5221.0500 and Minnesota Statutes, section 176.136, subdivision 2, treatment is excessive if:
- (1) the treatment is inconsistent with an applicable parameter or other rule in parts 5221.6050 to 5221.6600; or
- (2) the treatment is consistent with the parameters in parts 5221.6050 to 5221.6600, but is not medically necessary treatment.
- B. If the insurer denies payment for treatment that departs from a parameter under parts 5221.6050 to 5221.6600, the insurer must provide the employee and health care provider with written notice of the reason for the denial and that the treatment rules permit departure from the parameters in specified circumstances. If the insurer denies authorization for proposed treatment after prior notification has been given under subpart 9, the insurer must provide the employee and health care provider in writing with notice of the reason why the information given by the health care provider does not support the proposed treatment and notice of the right to review of the denial under subpart 9, item C. The insurer may not deny payment for a program of chronic management that the insurer has previously authorized for an employee, either in writing or by routine payment for services, without providing the employee and the employee's health care provider with at least 30 days' notice of intent to apply any of the chronic management parameters in part 5221.6600 to future treatment. The notice must include the specific parameters that will be applied in future determinations of compensability by the insurer.
- C. If the insurer denies authorization or payment for treatment governed by parts 5221.6050 to 5221.6600, the health care provider or the employee may request a determination from the commissioner or compensation judge by filing a medical request or petition under chapter 5220 and Minnesota Statutes, sections 176.106, 176.2615, and 176.305. The medical request may not be filed before completion of the managed care plan's dispute resolution process, if applicable. If the health care provider has notified the insurer of proposed treatment requiring prior notification

5221.6050 FEES FOR MEDICAL SERVICES

under subpart 9, the health care provider or employee must describe or attach a copy of the notification, and any response from the insurer, to the medical request filed with the department. The insurer may, but is not required to, file a medical response where the insurer's response to prior notification under subpart 9 has been attached to the medical request. If the insurer elects to file a medical response in such cases, it must be received within ten working days of the date the medical request was filed with the department. The commissioner or compensation judge may issue a decision based on written submissions no earlier than ten working days after receipt of the medical request, unless a medical response has been filed sooner.

- D. A determination of the compensability of medical treatment under Minnesota Statutes, chapter 176, must include consideration of the following factors:
- (1) whether a treatment parameter or other rule in parts 5221.6050 to 5221.6600 applies to the etiology or diagnosis for the condition;
- (2) if a specific or general parameter applies, whether the treatment is consistent with the treatment parameter and whether the treatment was medically necessary as defined in part 5221.6040, subpart 10; and
- (3) whether a departure from the applicable parameter is or was necessary because of any of the factors in subpart 8.
- Subp. 8. **Departures from parameters.** A departure from a parameter that limits the duration or type of treatment in parts 5221.6050 to 5221.6600 may be appropriate in any one of the circumstances specified in items A to E. The health care provider must provide prior notification of the departure as required by subpart 9.
 - A. Where there is a documented medical complication.
- B. Where previous treatment did not meet the accepted standard of practice and the requirements of parts 5221.6050 to 5221.6600 for the health care provider who ordered the treatment.
- C. Where the treatment is necessary to assist the employee in the initial return to work where the employee's work activities place stress on the part of the body affected by the work injury. The health care provider must document in the medical record the specific work activities that place stress on the affected body part, the details of the treatment plan and treatment delivered on each visit, the employee's response to the treatment, and efforts to promote employee independence in the employee's own care to the extent possible so that prolonged or repeated use of health care providers and medical facilities is minimized.
- D. Where the treatment continues to meet two of the following three criteria, as documented in the medical record:
- (1) the employee's subjective complaints of pain are progressively improving as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- (2) the employee's objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- (3) the employee's functional status, especially vocational activity, is objectively improving as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.
- E. Where there is an incapacitating exacerbation of the employee's condition. However, additional treatment for the incapacitating exacerbation may not exceed, and must comply with, the parameters in parts 5221.6050 to 5221.6600.
- Subp. 9. **Prior notification; health care provider and insurer responsibilities.** Prior notification is the responsibility of the health care provider who wants to provide the treatment in item A. Prior notification need not be given in any case where emergency treatment is required.

- A. The health care provider must notify the insurer of proposed treatment in subitems (1) to (4) at least seven working days before the treatment is initiated, except as otherwise provided in subitem (4):
- (1) for chronic management modalities where prior notification is required under part 5221.6600;
- (2) for durable medical equipment requiring prior notification in parts 5221.6200, subpart 8; 5221.6205, subpart 8; 5221.6210, subpart 8; and 5221.6300, subpart 8;
- (3) for any nonemergency inpatient hospitalization or nonemergency inpatient surgery. A surgery or hospitalization is considered inpatient if the patient spends at least one night in the facility; and
- (4) for treatment that departs from a parameter limiting the duration or type of treatment in parts 5221.6050 to 5221.6600. The health care provider must notify the insurer within two business days after initiation of treatment if the departure from a parameter is for an incapacitating exacerbation or an emergency.
- B. The health care provider's prior notification required by item A may be made orally, or in writing, and shall provide the following information, when relevant:
 - (1) the diagnosis;
- (2) when giving prior notification for chronic management modalities, durable medical equipment, or inpatient hospitalization or surgery required by item A, subitems (1) to (3), whether the proposed treatment is consistent with the applicable treatment parameter; and
- (3) when giving prior notification for treatment that departs from a treatment parameter, or notification of treatment for an incapacitating exacerbation or emergency, the basis for departure from any applicable treatment parameter specified in subpart 8; the treatment plan, including the nature and anticipated length of the proposed treatment; and the anticipated effect of treatment on the employee's condition.
- C. The insurer must provide a toll-free facsimile and telephone number for health care providers to provide prior notification. The insurer must respond orally or in writing to the requesting health care provider's prior notification of proposed treatment in item A within seven working days of receipt of the request. Within the seven days, the insurer must either approve the request, deny authorization, request additional information, request that the employee obtain a second opinion, or request an examination by the employer's physician. A denial must include notice to the employee and health care provider of the reason why the information given by the health care provider in item B does not support the treatment proposed, along with notice of the right to review of the denial under subitem (3).
- (1) If the health care provider does not receive a response from the insurer within the seven working days, authorization is deemed to have been given.
- (2) If the insurer authorizes the treatment, the insurer may not later deny payment for the treatment authorized.
- (3) If the insurer denies authorization, the health care provider or employee may orally or in writing request that the insurer review its denial of authorization.

The insurer's review of its denial must be made by a currently licensed registered nurse, medical doctor, doctor of osteopathy, doctor of chiropractic, or a person credentialed by a program approved by the commissioner of Labor and Industry. The insurer may also delegate the review to a certified managed care plan under subpart 10. In lieu of or in addition to the insurer's review under this subitem, the insurer may request an examination of the employee under subitem (4), (5), or (6) and the requirements of those subitems apply to the proposed treatment. Unless an examination of the employee is requested under subitem (4), (5), or (6), the insurer's

5221.6050 FEES FOR MEDICAL SERVICES

determination following review must be communicated orally or in writing to the requester within seven working days of receipt of the request for review.

Instead of requesting a review, or if the insurer maintains its denial after the review, the health care provider or the employee may file with the commissioner a medical request or a petition for authorization of the treatment under subpart 7, item C, or except as specified in subitem (4), (5), or (6), may proceed with the proposed treatment subject to a later determination of compensability by the commissioner or compensation judge.

- (4) If the insurer requests an examination of the employee by the employer's physician, the health care provider may elect to provide the treatment subject to a determination of compensability by the commissioner or compensation judge under subpart 7, item B. However, the health care provider may not provide nonemergency surgery where the insurer has requested an examination for surgery except as provided in subitems (5) and (6), and may not provide continued passive care modalities where prior approval by the insurer, commissioner, or compensation judge is required under parts 5221.6200, subpart 3, item B, subitem (2); 5221.6205, subpart 3, item B, subitem (2); 5221.6300, subpart 3, item B, subitem (2).
- (5) If prior notification of surgery is required under item A, subitem (3), the insurer may require that the employee obtain a second opinion from a physician of the employee's choice under Minnesota Statutes, section 176.135, subdivision 1a. If within seven working days of the prior notification the insurer notifies the employee and health care provider that a second opinion is required, the health care provider may not perform the nonemergency surgery until the employee provides the second opinion to the insurer. Except as otherwise provided in parts 5221.6200, subpart 6, items B and C; 5221.6205, subpart 6, items B and C; 5221.6300, subpart 6, item B; and 5221.6305, subpart 3, item B, if the insurer denies authorization within seven working days of receiving the second opinion, the health care provider may elect to perform the surgery, subject to a determination of compensability by the commissioner or compensation judge under subpart 7.
- (6) In any case where prior notification of proposed surgery is required, the insurer may elect to obtain an examination of the employee by the employer's physician under Minnesota Statutes, section 176.155, sometimes referred to as an "independent medical examination." If the insurer notifies the employee and health care provider of the examination within seven working days of the provider's notification, the proposed nonemergency surgery may not be provided pending the examination. However, after 45 days following the insurer's request for an examination, the health care provider may elect to proceed with the surgery, subject to a determination of compensability by the commissioner or compensation judge under subpart 7.
- (7) The insurer's request for additional information must be directed to the requesting health care provider and must specify the additional information required that is necessary to respond to the health care provider's notification of proposed treatment. The proposed treatment may not be given until the provider provides reasonable additional information. Once the additional information has been received, the insurer must respond within seven working days according to subitems (1) to (6).
- Subp. 10. Certified managed care plans. The insurer may delegate responsibility for the notices required in subpart 7, item B, and the response to prior notification under subpart 9, to the certified managed care plan with which the insurer has contracted to manage the employee's medical treatment under Minnesota Statutes, section 176.135, subdivision 1f. Alternatively, the managed care plan may act as an intermediary between the treating health care provider and the insurer. In either case, the notices and time periods in subparts 7, 8, and 9 also apply to the managed care plan. Where the insurer has delegated responsibility to the managed care plan, the insurer may not later deny treatment authorized by the plan.

- Subp. 11. **Outcome studies.** The commissioner shall perform outcome studies on the treatment modalities in parts 5221.6200 to 5221.6600. The modalities to be studied shall be selected in consultation with the Workers' Compensation Medical Services Review Board. The commissioner may require health care providers who use these modalities to prospectively gather and report outcome information on patients treated, with necessary consent of the employee. The health care providers shall report the outcome information on the modalities in parts 5221.6200 to 5221.6600 on a form prescribed by the commissioner, which may include:
 - A. the name of the health care provider;
- B. the name of the patient, date of injury, date of birth, gender, and, with patient permission, level of education and social security number;
- C. the name of the workers' compensation insurer and managed care plan, if any;
 - D. the pretreatment and posttreatment employment status;
- E. the nature of treatment given before and after the treatment being studied for the same condition;
- F. the diagnosis, symptoms, physical findings, and functional status before and after the treatment being studied for the same condition; and
 - G. the presence or absence of preexisting or concurrent conditions.

Statutory Authority: *MS s 176.103; 176.83*

History: 19 SR 1412

5221.6100 PARAMETERS FOR MEDICAL IMAGING.

- Subpart 1. **General principles.** All medical imaging must comply with items A to E. Except for emergency evaluation of significant trauma, a health care provider must document in the medical record an appropriate history and physical examination, along with a review of any existing medical records and laboratory or imaging studies regarding the patient's condition, before ordering any imaging study.
- A. Effective imaging. A health care provider should initially order the single most effective imaging study for diagnosing the suspected etiology of a patient's condition. No concurrent or additional imaging studies should be ordered until the results of the first study are known and reviewed by the treating health care provider. If the first imaging study is negative, no additional imaging is indicated except for repeat and alternative imaging allowed under items D and E.
- B. Appropriate imaging. Imaging solely to rule out a diagnosis not seriously being considered as the etiology of the patient's condition is not indicated.
- C. Routine imaging. Imaging on a routine basis is not indicated unless the information from the study is necessary to develop a treatment plan.
- D. Repeat imaging. Repeat imaging, of the same views of the same body part with the same imaging modality is not indicated except as follows:
 - (1) to diagnose a suspected fracture or suspected dislocation;
- (2) to monitor a therapy or treatment which is known to result in a change in imaging findings and imaging of these changes are necessary to determine the efficacy of the therapy or treatment; repeat imaging is not appropriate solely to determine the efficacy of physical therapy or chiropractic treatment;
 - (3) to follow up a surgical procedure;
- (4) to diagnose a change in the patient's condition marked by new or altered physical findings;
- (5) to evaluate a new episode of injury or exacerbation which in itself would warrant an imaging study; or
- (6) when the treating health care provider and a radiologist from a different practice have reviewed a previous imaging study and agree that it is a technically inadequate study.

5221.6100 FEES FOR MEDICAL SERVICES

E. Alternative imaging.

- (1) Persistence of a patient's subjective complaint or failure of the condition to respond to treatment are not legitimate indications for repeat imaging. In this instance an alternative imaging study may be indicated if another etiology of the patient's condition is suspected because of the failure of the condition to improve.
- (2) Alternative imaging is not allowed to follow up negative findings unless there has been a change in the suspected etiology and the first imaging study is not an appropriate evaluation for the suspected etiology.
- (3) Alternative imaging is allowed to follow up abnormal but inconclusive findings in another imaging study. An inconclusive finding is one that does not provide an adequate basis for accurate diagnosis.
- Subp. 2. Specific imaging procedures for low back pain. Except for the emergency evaluation of significant trauma, a health care provider must document in the medical record an appropriate history and physical examination, along with a review of any existing medical records and laboratory or imaging studies regarding the patient's condition, before ordering any imaging study of the low back.
- A. Computed tomography (CT) scanning is indicated any time that one of the following conditions is met:
 - (1) when cauda equina syndrome is suspected;
 - (2) for evaluation of progressive neurologic deficit; or
- (3) when bony lesion is suspected on the basis of other tests or imaging procedures.

Except as specified in subitems (1) to (3), CT scanning is not indicated in the first eight weeks after an injury.

Computed tomography scanning is indicated after eight weeks if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.

- B. Magnetic resonance imaging (MRI) scanning is indicated any time that one of the following conditions is met:
 - (1) when cauda equina syndrome is suspected;
 - (2) for evaluation of progressive neurologic deficit;
- (3) when previous spinal surgery has been performed and there is a need to differentiate scar due to previous surgery from disc herniation, tumor, or hemorrhage; or
 - (4) suspected discitis.

Except as specified in subitems (1) to (4), MRI scanning is not indicated in the first eight weeks after an injury.

Magnetic resonance imaging scanning is indicated after eight weeks if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.

- C. Myelography is indicated in the following circumstances:
- (1) may be substituted for otherwise indicated CT scanning or MRI scanning in accordance with items A and B, if those imaging modalities are not locally available:
- (2) in addition to CT scanning or MRI scanning, if there are progressive neurologic deficits or changes and CT scanning or MRI scanning has been negative; or
- (3) for preoperative evaluation in cases of surgical intervention, but only if CT scanning or MRI scanning have failed to provide a definite preoperative diagnosis.

- D. Computed tomography myelography is indicated in the following circumstances:
- (1) the patient's condition is predominantly sciatica, and there has been previous spinal surgery, and tumor is suspected;
- (2) the patient's condition is predominantly sciatica and there has been previous spinal surgery and MRI scanning is equivocal;
- (3) when spinal stenosis is suspected and the CT or MRI scanning is equivocal;
- (4) in addition to CT scanning or MRI scanning, if there are progressive neurologic symptoms or changes and CT scanning or MRI scanning has been negative; or
- (5) for preoperative evaluation in cases of surgical intervention, but only if CT scanning or MRI scanning have failed to provide a definite preoperative diagnosis.
- E. Intravenous enhanced CT scanning is indicated only if there has been previous spinal surgery, and the imaging study is being used to differentiate scar due to previous surgery from disc herniation or tumor, but only if intrathecal contrast for CT-myelography is contraindicated and MRI scanning is not available or is also contraindicated.
 - F. Gadolinium enhanced MRI scanning is indicated when:
- (1) there has been previous spinal surgery, and the imaging study is being used to differentiate scar due to previous surgery from disc herniation or tumor;
 - (2) hemorrhage is suspected;
 - (3) tumor or vascular malformation is suspected;
 - (4) infection or inflammatory disease is suspected; or
 - (5) unenhanced MRI scanning was equivocal.
 - G. Discography is indicated when:
 - (1) all of the following are present:
 - (a) back pain is the predominant complaint;
 - (b) the patient has failed to improve with initial nonsurgical manage-

ment;

- (c) other imaging has not established a diagnosis; and
- (d) lumbar fusion surgery is being considered as a therapy; or
- (2) there has been previous spinal surgery, and pseudoarthrosis, recurrent disc herniation, annular tear, or internal disc disruption is suspected.
 - H. Computed tomography discography is indicated when:
- (1) sciatica is the predominant complaint and lateral disc herniation is suspected; or
- (2) if appropriately performed discography is equivocal or paradoxical, with a normal X-ray pattern but a positive pain response, and an annular tear or intraannular injection is suspected.
- I. Nuclear isotope imaging (including technicium, indium, and gallium scans) are not indicated unless tumor, stress fracture, infection, avascular necrosis, or inflammatory lesion is suspected on the basis of history, physical examination findings, laboratory studies, or the results of other imaging studies.
- J. Thermography is not indicated for the diagnosis of any of the clinical categories of low back conditions in part 5221.6200, subpart 1, item A.
- K. Anterior-posterior (AP) and lateral X-rays of the lumbosacral spine are limited by subitems (1) and (2).
 - (1) They are indicated in the following circumstances:

5221.6100 FEES FOR MEDICAL SERVICES

- (a) when there is a history of significant acute trauma as the precipitating event of the patient's condition, and fracture, dislocation, or fracture dislocation is suspected;
- (b) when the history, signs, symptoms, or laboratory studies indicate possible tumor, infection, or inflammatory lesion;
 - (c) for postoperative follow-up of lumbar fusion surgery;
 - (d) when the patient is more than 50 years of age;
- (e) before beginning a course of treatment with spinal adjustment or manipulation; or
- (f) eight weeks after an injury if the patient continues with symptoms and physical findings after the course of initial nonsurgical care and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities.
 - (2) They are not indicated in the following circumstances:
 - (a) to verify progress during initial nonsurgical treatment; or
 - (b) to evaluate a successful initial nonsurgical treatment program.
- L. Oblique X-rays of the lumbosacral spine are limited by subitems (1) and (2).
 - (1) They are indicated in the following circumstances:
- (a) to follow up abnormalities detected on anterior-posterior or lateral X-ray;
 - (b) for postoperative follow-up of lumbar fusion surgery; or
- (c) to follow up spondylolysis or spondylolisthesis not adequately diagnosed by other indicated imaging procedures.
- (2) They are not indicated as part of a package of X-rays including anterior-posterior and lateral X-rays of the lumbosacral spine.
- M. Electronic X-ray analysis of plain radiographs and diagnostic ultrasound of the lumbar spine are not indicated for diagnosis of any of the low back conditions in part 5221.6200, subpart 1, item A.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6200 LOW BACK PAIN.

Subpart 1. Diagnostic procedures for treatment of low back injury. A health care provider shall determine the nature of the condition before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating distal to the knee, or pain conforming to a dermatomal distribution and accompanied by anatomically congruent motor weakness or reflex changes. This part does not apply to fractures of the lumbar spine, or back pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional low back pain, includes referred pain to the leg above the knee unless it conforms to an L2, L3, or L4 dermatomal distribution and is accompanied by anatomically congruent motor weakness or reflex changes. Regional low back pain includes the diagnoses of lumbar, lumbosacral, or sacroiliac: strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, spondylosis, and other diagnoses for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the lumbar spine or sacroiliac joints and which effects the lumbosacral region, with or without referral to the buttocks and/or leg above the knee, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721, 721.3, 721.5 to 721.90, 722, 722.3, 722.3, 722.5, 722.51, 722.52, 722.6, 722.9, 722.90, 722.93, 724.2, 724.5, 724.6,

724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.2 to 739.4, 756.1 to 756.19, 847.2 to 847.9, 922.3, 926.1, 926.11, and 926.12.

- (2) Radicular pain, with or without regional low back pain, with static or no neurologic deficit. This includes the diagnoses of sciatica; lumbar or lumbosacral radiculopathy, radiculitis or neuritis; displacement or herniation of intervertebral disc with myelopathy, radiculopathy, radiculitis or neuritis; spinal stenosis with myelopathy, radiculopathy, radiculitis or neuritis; and any other diagnoses for pain in the leg below the knee believed to originate with irritation of a nerve root in the lumbar spine, including, but not limited to, the ICD-9-CM codes 721.4, 721.42, 721.91, 722.1, 722.10, 722.2, 722.7, 722.73, 724.0, 724.00, 724.02, 724.09, 724.3, 724.4, and 724.9. In these cases, neurologic findings on history and physical examination are either absent or do not show progressive deterioration.
- (3) Radicular pain, with or without regional low back pain, with progressive neurologic deficit. This includes the same diagnoses as subitem (2), however, this category applies when there is a history of progressive deterioration in the neurologic symptoms and physical findings which include worsening sensory loss, increasing muscle weakness, or progressive reflex changes.
- (4) Cauda equina syndrome, which is a syndrome characterized by anesthesia in the buttocks, genitalia, or thigh and accompanied by disturbed bowel and bladder function, ICD-9-CM codes 344.6, 344.60, and 344.61.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional low back pain, radicular pain, or cauda equina syndrome, except in any of the following circumstances:
- (1) when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis;
 - (2) to evaluate potential adverse side effects of medications; or
 - (3) as part of a preoperative evaluation.

Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

- C. Medical imaging evaluation of the lumbosacral spine must be based on the findings of the history and physical examination and cannot be ordered before the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with all of the standards in part 5221.6100, subparts 1 and 2. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are always inappropriate for regional low back pain as defined in item A, subitem (1). EMG and nerve conduction studies may be an appropriate diagnostic tool for radicular pain and cauda equina syndrome as defined in item A, subitems (2) to (4), after the first three weeks of radicular symptoms. Repeat EMG and nerve conduction studies for radicular pain and cauda equina syndrome are not indicated unless a new neurologic symptom or finding has developed which in itself would warrant electrodiagnostic testing. Failure to improve with treatment is not an indication for repeat testing.
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
 - (1) surface electromyography or surface paraspinal electromyography;
 - (2) thermography;
 - (3) plethysmography;
 - (4) electronic X-ray analysis of plain radiographs;
 - (5) diagnostic ultrasound of the lumbar spine; or
- (6) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).

5221.6200 FEES FOR MEDICAL SERVICES

- F. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing may be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit with a physician, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychosocial evaluations may be indicated for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
 - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
 - (4) Is the patient chemically dependent?
 - (5) Are there any interpersonal conflicts interfering with recovery?
 - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve injection, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain before surgery and to diagnose conditions which fail to respond to initial nonsurgical management.
- (2) These injections are invasive and when done as diagnostic procedures only, are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not indicated during the period of initial nonsurgical management.
- (2) After the period of initial nonsurgical management functional capacity assessment or evaluation is indicated in either of the following circumstances:

- (a) activity restrictions and capabilities must be identified; or
- (b) there is a question about the patient's ability to do a specific job.
- (3) A functional capacity evaluation is not appropriate to establish baseline performance before treatment, or for subsequent assessments, to evaluate change during or after treatment.
- (4) Only one completed functional capacity evaluation is indicated per injury.
- J. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with accepted medical practice.

Subp. 2. General treatment parameters for low back pain.

- A. All medical care for low back pain, appropriately assigned to a clinical category in subpart 1, item A, is determined by the clinical category to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 13, as follows:
 - (1) subpart 11 governs regional low back pain;
- (2) subpart 12 governs radicular pain with no or static neurologic deficits; and
- (3) subpart 13 governs cauda equina syndrome and radicular pain with progressive neurologic deficits.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed, the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with low back problems, except patients with progressive neurologic deficit or cauda equina syndrome under subpart 1, item A, subitems (3) and (4), must be given initial nonsurgical management which may include active treatment modalities, passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical treatment begins with the first active, passive, medication, durable medical equipment, or injection modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 13, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with radicular pain with progressive neurological deficit, or cauda equina syndrome may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy in a clinical setting with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical care.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 13, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date.

5221.6200 FEES FOR MEDICAL SERVICES

- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care:
 - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and

and

- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
 - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

F. Mechanical traction:

- (1) Treatment given in a clinical setting:
 - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
 - (a) time for patient education and training, one session; and
- (b) patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and

5221.6200 FEES FOR MEDICAL SERVICES

- (3) maximum treatment duration, 12 weeks.
- I. Phoresis includes iontophoresis and phonophoresis:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (3) maximum treatment is nine sessions of either iontophoresis or phonophoresis, or combination, to any one site, with a maximum duration of 12 weeks for all treatment.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.

K. Spinal braces and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:

- (1) time for treatment response, three days;
- (2) treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities can extend past the 12-week limitation on passive treatment modalities so long as the maximum duration for the active modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the lumbosacral spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment, this shall not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter.

Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

(1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:

- (a) maximum treatment frequency, three times per week for three weeks, and should decrease in frequency thereafter; and
 - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program, and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, up to three visits for instruction and monitoring; and
- (b) there is no limit on the duration or frequency of exercise at home.
- Subp. 5. **Therapeutic injections.** Injection modalities are indicated as set forth in items A to C. Use of injections can extend past the 12-week limit on passive treatment modalities so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections, including injections of trigger points, facet joints, facet nerves, sacroiliac joints, sympathetic nerves, epidurals, nerve roots, and peripheral nerves. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
 - (1) Trigger point injections:
 - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week to any one site if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections to different sites are reimbursable per patient visit; and
 - (c) maximum treatment, four injections to any one site.
 - (2) Sacroiliac joint injections:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first injection. Only two injections are reimbursable per patient visit; and
 - (c) maximum treatment, two injections to any one site.
 - (3) Facet joint or nerve injections:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks to any one site if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. No more than three injections to different sites are reimbursable per patient visit; and
 - (c) maximum treatment, three injections to any one site.
 - (4) Nerve root blocks:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first injection. Only three injections to different sites are reimbursable per patient visit; and
 - (c) maximum treatment, two injections to any one site.
 - (5) Epidural injections:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
 - (c) maximum treatment, three injections.

5221.6200 FEES FOR MEDICAL SERVICES

- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
 - (1) time for treatment response, within one week;
 - (2) maximum treatment frequency, may repeat once for any site; and
 - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of low back problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures and arthrodesis. Surgery may only be performed if it also meets the specific parameters specified in subparts 11 to 13 and part 5221.6500. The health care provider must provide prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following lumbar decompression or implantation of a dorsal column stimulator or morphine pump; or
 - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 13 and part 5221.6500, and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if a second opinion is requested by the insurer.
- C. The following surgical therapies have very limited application and require a second opinion that confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation that indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, and is not a candidate for any other surgical therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, and is not a candidate for any other surgical therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of low back pain must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in the situations specified in items A to D. The health care provider must provide prior notification as required in items B and C according to part 5221.6050, subpart 9.
- A. Lumbar braces, corsets, or supports are indicated as specified in subpart 3, item K.
- B. For patients using electrical stimulation or mechanical traction devices at home, the device and any required supplies are indicated within the parameters of subpart 3, items E and F. Prior notification must be provided to the insurer for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonsurgical care or during reevaluation and surgical therapy. Prior notification must be provided to the insurer for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the

patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate use of that facility instead of authorizing purchase of the equipment for home use.

- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for low back conditions:
- (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments; or
 - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and must evaluate whether initial nonsurgical treatment is effective according to items A to C. No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:
- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of the injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive imitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified, or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional low back pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonscheduled medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and that the most cost-effective regimen is used.

Subp. 11. Specific treatment parameters for regional low back pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional low back pain under subpart 1, item A, subitem (1).
- (1) The passive, active, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used

5221.6200 FEES FOR MEDICAL SERVICES

in sequence or simultaneously during the period of initial nonsurgical management, depending on the severity of the condition.

- (2) The only therapeutic injections indicated for patients with regional back pain are trigger point injections, facet joint injections, facet nerve injections, sacroiliac joint injections, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical treatment must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as otherwise specified in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation, if indicated, may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100. Medical imaging studies which do not meet these parameters are not indicated.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and physical findings.
- (6) The only surgical procedures indicated for patients with regional low back pain only are decompression of a lumbar nerve root or lumbar arthrodesis, with or without instrumentation, which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, items A and C. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated; their use must meet the parameters of subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery, it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of part 5221.6050, subpart 9, for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated, or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management according to the parameters of part 5221.6600.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management which must be provided according to the parameters of part 5221.6600.

Subp. 12. Specific treatment parameters for radicular pain, with or without regional low back pain, with no or static neurologic deficits.

A. Initial nonsurgical treatment is appropriate for all patients with radicular pain, with or without regional low back pain, with no or static neurologic deficits under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks, and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional low back pain, therapeutic facet joint injections, facet nerve injections, trigger point injections, and sacroiliac injections may also be indicated.

B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It must be provided within the parameters of subpart 11, item B.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered, the patient refused surgical therapy, or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional back pain, with static neurologic deficits must meet all of the parameters of part 5221.6600.

Subp. 13. Specific treatment parameters for cauda equina syndrome and for radicular pain, with or without regional low back pain, with progressive neurologic deficits.

A. Patients with cauda equina syndrome or with radicular pain, with or without regional low back pain, with progressive neurologic deficits may require immediate or emergency surgical evaluation at any time during the course of the overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any initial nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, except that surgical evaluation and surgical therapy may begin at any time.

B. If the health care provider decides to proceed with a course of initial nonsurgical care for a patient with radicular pain with progressive neurologic changes, it must follow the parameters of subpart 12, item A.

C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional back pain, with foot drop or progressive neurologic changes at first presentation must meet the parameters of part 5221.6600.

Statutory Authority: *MS s* 176.103; 176.83

History: 19 SR 1412

5221.6205 FEES FOR MEDICAL SERVICES

5221.6205 NECK PAIN.

Subpart 1. Diagnostic procedures for treatment of neck injury. A health care provider shall determine the nature of the condition before initiating treatment.

A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating distal to the shoulder. This part does not apply to fractures of the cervical spine or cervical pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.

- (1) Regional neck pain includes referred pain to the shoulder and upper back. Regional neck pain includes the diagnoses of cervical strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, and other diagnoses for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the cervical spine and which affects the cervical region, with or without referral to the upper back or shoulder, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721 to 721.0, 721.5 to 721.90, 722.3 to 722.30, 722.4, 722.6, 722.9 to 722.91, 723 to 723.3, 723.5 to 723.9, 724.5, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.1, 756.1 to 756.19, 847 to 847.0, 920, 922.3, 925, and 926.1 to 926.12.
- (2) Radicular pain, with or without regional neck pain, with no or static neurologic deficit. This includes the diagnoses of brachialgia; cervical radiculopathy, radiculitis, or neuritis; displacement or herniation of intervertebral disc with radiculopathy, radiculitis, or neuritis; spinal stenosis with radiculopathy, radiculitis, or neuritis; and other diagnoses for pain in the arm distal to the shoulder believed to originate with irritation of a nerve root in the cervical spine, including, but not limited to, the ICD-9-CM codes 721.1, 721.91, 722 to 722.0, 722.2, 722.7 to 722.71, 723.4, and 724 to 724.00. In these cases neurologic findings on history and examination are either absent or do not show progressive deterioration.
- (3) Radicular pain, with or without regional neck pain, with progressive neurologic deficit, which includes the same diagnoses as subitem (2); however, in these cases there is a history of progressive deterioration in the neurologic symptoms and physical findings, including worsening sensory loss, increasing muscle weakness, and progressive reflex changes.
- (4) Cervical compressive myelopathy, with or without radicular pain, is a condition characterized by weakness and spasticity in one or both legs and associated with any of the following: exaggerated reflexes, an extensor plantar response, bowel or bladder dysfunction, sensory ataxia, or bilateral sensory changes.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional neck pain, or radicular pain, except:
- (1) when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis;
 - (2) to evaluate potential adverse side effects of medications; or
 - (3) as part of a preoperative evaluation.

Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.

C. Medical imaging evaluation of the cervical spine must be based on the findings of the history and physical examination and cannot be ordered prior to the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.

(MEP).

- D. EMG and nerve conduction studies are always inappropriate for the regional neck pain diagnoses in item A, subitem (1). EMG and nerve conduction studies may be an appropriate diagnostic tool for radicular pain and myelopathy diagnoses in item A, subitems (2) to (4), after the first three weeks of radicular or myelopathy symptoms. Repeat EMG and nerve conduction studies for radicular pain and myelopathy are not indicated unless a new neurologic symptom or finding has developed which in itself would warrant electrodiagnostic testing. Failure to improve with treatment is not an indication for repeat testing.
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
 - (1) surface electromyography or surface paraspinal electromyography;
 - (2) thermography;
 - (3) plethysmography;
 - (4) electronic X-ray analysis of plain radiographs;
 - (5) diagnostic ultrasound of the spine; or
 - (6) somatosensory evoked potentials (SSEP) and motor evoked potentials
- F. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing can be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychological evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
 - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
 - (4) Is the patient chemically dependent?
 - (5) Are there any interpersonal conflicts interfering with recovery?
 - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors, such as those in subitems (1) to (6), likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve block, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain prior to surgery and to diagnose conditions which fail to respond to initial nonsurgical management
- (2) These blocks and injections are invasive and when done as diagnostic procedures only, are not indicated unless noninvasive procedures have failed to establish the diagnosis.

5221.6205 FEES FOR MEDICAL SERVICES

- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not necessarily limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine a patient's physical capacities in general or to determine and report work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not reimbursable during the period of initial nonoperative care.
- (2) Functional capacity assessment or evaluation is reimbursable in either of the following circumstances:
- (a) permanent activity restrictions and capabilities must be identified; or
 - (b) there is a question about the patient's ability to do a specific job.
- J. Consultations with other health care providers may be initiated at any time by the treating health care provider, consistent with accepted medical practice.

Subp. 2. General treatment parameters for neck pain.

- A. All medical care for neck pain appropriately assigned to a clinical category in subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 14, as follows:
 - (1) subpart 11 governs regional neck pain;
 - (2) subpart 12 governs radicular pain with static neurologic deficits;
 - (3) subpart 13 governs radicular pain with progressive neurologic deficits;
 - (4) subpart 14 governs myelopathy.

and

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with neck problems, except patients with radicular pain with progressive neurological deficit, or myelopathy under subpart 1, item A, subitems (3) and (4), must be given initial nonsurgical care which may include both active and passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical management begins with the first passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.

- (2) Second, for patients with persistent symptoms, initial nonoperative care is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice, and subparts 6 and 11 to 14, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with radicular pain with progressive neurological deficit, or myelopathy may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical management.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 14, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date.
- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care;
 - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.

5221.6205 FEES FOR MEDICAL SERVICES

- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating modalities and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
 - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.

F. Mechanical traction:

and

- (1) Treatment given in a clinical setting:
 - (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting, but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
 - (a) time for patient education and training, one session; and

- (b) a patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
 - I. Phoresis includes iontophoresis and phonophoresis:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Cervical collars, spinal braces, and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
 - (1) time for treatment response, three days;
- (2) treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, up to three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limitation on passive treatment modalities, so long as the maximum duration for the active modality is not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of

5221.6205 FEES FOR MEDICAL SERVICES

the cervical spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment, it must not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter. Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks, decreasing in frequency thereafter; and
 - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program, and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, up to three visits for instruction and monitoring; and
- (b) there is no limit on the duration or frequency of exercise at home.
- Subp. 5. **Therapeutic injections.** Injection modalities are indicated as set forth in items A to C. Use of injections may extend past the 12-week limit on passive treatment modalities, so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections include trigger points injections, facet joint injections, facet nerve blocks, sympathetic nerve blocks, epidurals, nerve root blocks, and peripheral nerve blocks. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
 - (1) Trigger point injections:
 - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. Only three injections are reimbursable per patient visit; and
 - (c) maximum treatment, four injections to any one site.
 - (2) Facet joint injections or facet nerve blocks:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection or block. If subsequent injections or blocks demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections or blocks should be discontinued. Only three injections or blocks are reimbursable per patient visit; and
 - (c) maximum treatment, three injections or blocks to any one site.
 - (3) Nerve root blocks:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection no sooner than two weeks after the previous injection if a positive response to the first injection. No more than three blocks are reimbursable per patient visit; and
 - (c) maximum treatment, two blocks to any one site.

- (4) Epidural injections:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
 - (c) maximum treatment, three injections.
- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
 - (1) time for treatment response, within one week;
 - (2) maximum treatment frequency, may repeat once for any site; and
 - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of neck problems and are not reimbursable.
- Subp. 6. Surgery, including decompression procedures and arthrodesis. Surgery may only be performed if it meets the specific parameters of subparts 11 to 14 and part 5221.6500. The health care provider must provide prior notification for nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following decompression or implantation of a dorsal column stimulator or morphine pump; or
 - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 14 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if requested by the insurer.
- C. The following surgical therapies have very limited application and require a second opinion which confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- (2) Morphine pump is indicated for a patient who has somatic pain, is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- Subp. 7. Chronic management. Chronic management of neck disorders must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only as specified in items A to D. The health care provider must provide prior notification as required in items B and C according to part 5221.6050, subpart 9.
- A. Cervical collars, braces, or supports and home cervical traction devices may be indicated within the parameters of subpart 3, items F and K.
- B. For patients using electrical stimulation at home, the device and any required supplies are indicated within the parameters of subpart 3, item E. Prior notification must be given for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.

or

- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonoperative care or during reevaluation and surgical therapy. Prior notification must be given to the insurer before purchase of the home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate the use of that facility instead of authorizing purchase of equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for neck pain conditions:
 - (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments;
 - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and shall evaluate whether initial nonsurgical management is effective according to items A to C.

No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality has resulted in progressive improvement as specified in items A to C:

- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional working under the direction of the treating health care provider but remains the ultimate responsibility of the treating health care provider.

Subp. 10. **Scheduled and nonscheduled medication.** Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional neck pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonnarcotic medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

Subp. 11. Specific treatment parameters for regional neck pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patients with regional neck pain under subpart 1, item A, subitem (1).
- (1) The active, passive, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management depending on the severity of the condition.
- (2) The only therapeutic injections indicated for patients with regional neck pain are trigger point injections, facet joint injections, facet nerve blocks, and epidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical treatment must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as otherwise provided in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation if indicated may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100, subpart 1.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.
- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and physical findings.
- (6) The only surgical procedure indicated for patients with regional neck pain only is cervical arthrodesis, with or without instrumentation, which must meet the parameters of subpart 6. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery, it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of part 5221.6050, subpart 9, for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated or if the patient does not wish to proceed with surgical therapy, then the patient is a candidate for chronic management.

C. If the patient continues with symptoms and objective physical findings after surgery has been rendered or the patient refuses surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to part 5221.6600.

Subp. 12. Specific treatment parameters for radicular pain, with or without regional neck pain, with no or static neurologic deficits.

- A. Initial nonsurgical treatment is appropriate for all patients with radicular pain, with or without regional neck pain, with no or static neurologic deficits under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional neck pain, therapeutic facet joint injections, facet nerve blocks, and trigger point injections may also be indicated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It must be provided within the parameters of subpart 11, item B, with the following modifications: the only surgical procedures indicated for patients with radicular pain are decompression of a cervical nerve root which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, item B, and cervical arthrodesis, with or without instrumentation. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered, the patient refused surgical therapy, or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional neck pain, with static neurologic changes must meet all of the parameters of part 5221.6600.

Subp. 13. Specific treatment parameters for radicular pain, with or without regional neck pain, with progressive neurologic changes.

- A. Patients with radicular pain, with or without regional neck pain, with progressive neurologic deficits may require immediate or emergency evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:
 - (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with radicular pain are decompression of a cervical nerve root which must meet the parameters of subpart 6 and part 5221.6500, subpart 2, item B, or cervical arthrodesis, with or without instrumentation. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with radicular pain with progressive neurologic changes, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities,

then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional neck pain, with progressive neurologic changes at first presentation must meet all of the parameters of part 5221.6600.

Subp. 14. Specific treatment parameters for myelopathy.

- A. Patients with myelopathy may require emergency surgical evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:
 - (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with myelopathy are anterior or posterior decompression of the spinal cord, or cervical arthrodesis with or without instrumentation. For patients with failed back surgery, dorsal column stimulators or morphine pumps may be indicated consistent with the parameters of subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with myelopathy, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with myelopathy must meet all of the parameters of part 5221.6600.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6210 THORACIC BACK PAIN.

Subpart 1. Diagnostic procedures for treatment of thoracic back injury. A health care provider shall determine the nature of the condition before initiating treatment.

- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must assign the patient at each visit to the consistency appropriate clinical category according to subitems (1) to (4). The diagnosis must be documented in the medical record. For the purposes of subitems (2) and (3), "radicular pain" means pain radiating in a dermatomal distribution around the chest or abdomen. This part does not apply to fractures of the thoracic spine or thoracic back pain due to an infectious, immunologic, metabolic, endocrine, neurologic, visceral, or neoplastic disease process.
- (1) Regional thoracic back pain includes the diagnoses of thoracic strain, sprain, myofascial syndrome, musculoligamentous injury, soft tissue injury, and any other diagnosis for pain believed to originate in the discs, ligaments, muscles, or other soft tissues of the thoracic spine and which effects the thoracic region, including, but not limited to, ICD-9-CM codes 720 to 720.9, 721 to 721.0, 721.5 to 721.90, 722.3 to 722.30, 722.4, 722.6, 722.9 to 722.91, 723 to 723.3, 723.5 to 723.9, 724.5, 724.8, 724.9, 732.0, 737 to 737.9, 738.4, 738.5, 739.1, 756.1 to 756.19, 847 to 847.0, 920, 922.3, 925, and 926.1 to 926.12.
- (2) Radicular pain, with or without regional thoracic back pain, includes the diagnoses of thoracic radiculopathy, radiculitis, or neuritis; displacement or herniation of intervertebral disc with radiculopathy, radiculitis, or neuritis; spinal stenosis with radiculopathy, radiculitis, or neuritis; and any other diagnoses for pain believed to originate with irritation of a nerve root in the thoracic spine, including, but not limited

5221.6210 FEES FOR MEDICAL SERVICES

to, the ICD-9-CM codes 721.1, 721.91, 722 to 722.0, 722.2, 722.7 to 722.71, 723.4, and 724 to 724.00.

- (3) Thoracic compressive myelopathy, with or without radicular pain, is a condition characterized by weakness and spasticity in one or both legs and associated with any of the following: exaggerated reflexes, an extensor plantar response, bowel or bladder dysfunction, sensory ataxia, or bilateral sensory changes.
- B. Laboratory tests are not indicated in the evaluation of a patient with regional thoracic back pain, or radicular pain, except when a patient's history, age, or examination suggests infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders, such as rheumatoid arthritis or ankylosing spondylitis, or side effects of medications. Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications. Laboratory tests may also be ordered as part of a preoperative evaluation.
- C. Medical imaging evaluation of the thoracic spine must be based on the findings of the history and physical examination and cannot be ordered prior to the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with all of the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are always inappropriate for regional thoracic back pain and radicular pain under item A, subitems (1) to (3).
- E. The use of the following procedures or tests is not indicated for the diagnosis of any of the clinical categories in item A:
 - (1) surface electromyography or surface paraspinal EMG;
 - (2) thermography;

(MEP).

- (3) plethysmography;
- (4) electronic X-ray analysis of plain radiographs;
- (5) diagnostic ultrasound of the spine; or
- (6) somatosensory evoked potentials (SSEP) and motor evoked potentials
- F. Computerized range of motion or strength measuring tests are not reimbursable during the period of initial nonsurgical care, but may be reimbursable during a period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonoperative care computerized range of motion or strength testing can be performed but must be done in conjunction with and shall not be reimbursed separately from an office visit, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- G. Personality or psychological evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate care. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
 - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
 - (4) Is the patient chemically dependent?
 - (5) Are there any interpersonal conflicts interfering with recovery?

- (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors, such as those listed in subitems (1) to (6), likely to interfere with the potential benefit of the surgery?
- H. Diagnostic analgesic blocks or injection studies include facet joint injection, facet nerve block, epidural differential spinal block, nerve block, and nerve root block.
- (1) These procedures are used to localize the source of pain prior to surgery and to diagnose conditions which fail to respond to initial nonoperative care.
- (2) These blocks and injections are invasive and when done as diagnostic procedures only are not indicated unless noninvasive procedures have failed to establish the diagnosis.
- (3) Selection of patients, choice of procedure, and localization of the level of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (4) These blocks and injections can also be used as therapeutic modalities and as such are subject to the guidelines of subpart 5.
- I. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculoskeletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the requested information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not reimbursable during the period of initial nonoperative care.
- (2) Functional capacity assessment or evaluation is reimbursable in either of the following circumstances:
- (a) permanent activity restrictions and capabilities must be identified; or
 - (b) there is a question about the patient's ability to do a specific job.
- J. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with standard medical practice.

Subp. 2. General treatment parameters for thoracic back pain.

- A. All medical care for thoracic back pain, appropriately assigned to a category of subpart 1, item A, is determined by the diagnosis and clinical category in subpart 1, item A, to which the patient has been assigned. General parameters for treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 13, as follows:
 - (1) subpart 11 governs regional thoracic back pain;
 - (2) subpart 12 governs radicular pain; and
 - (3) subpart 13 governs myelopathy.

The health care provider must, at each visit, reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing, and opinions and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past

5221.6210 FEES FOR MEDICAL SERVICES

the maximum duration specified in items C to F, or to repeat a therapy or treatment previously provided for the same injury.

- B. In general, a course of treatment is divided into three phases.
- (1) First, all patients with thoracic back problems, except patients with myelopathy under subpart 1, item A, subitem (3), must be given initial nonoperative care which may include active and passive treatment modalities, injections, durable medical equipment, and medications. These modalities and parameters are described in subparts 3, 4, 5, 8, and 10. The period of initial nonsurgical treatment begins with the first clinical passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 13, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Patients with myelopathy may require immediate surgical therapy.
- (b) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy may be in addition to any received during the period of initial nonsurgical care.
- (c) Surgery must follow the parameters in subparts 6 and 11 to 13, and part 5221.6500.
- (d) A decision against surgery at this time does not preclude a decision for surgery made at a later date in light of new clinical information.
- (3) Third, for those patients who are not candidates for or refuse surgical therapy, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may also include durable medical equipment as described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.

Subp. 3. Passive treatment modalities.

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to I is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to I are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care:
 - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and

- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating modalities and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
- (a) maximum time for patient education and training, up to three sessions; and
- (b) patient may use the electrical stimulation device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
 - F. Mechanical traction:
 - (1) Treatment given in a clinical setting:

5221.6210 FEES FOR MEDICAL SERVICES

- (a) time for treatment response, three treatments;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks in a clinical setting but only if used in conjunction with other therapies.
- (2) Home use of a mechanical traction device may be prescribed as follow-up to use of traction in a clinical setting if it has proven to be effective treatment and is expected to continue to be effective treatment. Initial use of a mechanical traction device must be in a supervised setting in order to ensure proper patient education:
 - (a) maximum time for patient education and training, one session;

and

- (b) a patient may use the mechanical traction device for one month, at which time effectiveness of the treatment must be reevaluated by the health care provider before continuing home use of the device.
- G. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for one to three weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- H. Manual therapy includes soft tissue and joint mobilization, therapeutic massage, and manual traction:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
 - I. Phoresis includes iontophoresis and phonophoresis:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- J. Bedrest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Bedrest should not be prescribed for more than seven days.
- K. Spinal braces and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active muscle strengthening exercise to avoid deconditioning and prolonged disability:
 - (1) time for treatment response, three days;
- (2) maximum treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, three weeks unless patient is status postfusion.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limit on passive treatment modalities, so long as the maximum durations for the active treatment modalities are not exceeded.
- A. Education must teach the patient about pertinent anatomy and physiology as it relates to spinal function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which includes an initial education and training session, and two followup visits.

- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, back, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of an initial nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the thoracic spine. While aerobic exercise and extremity strengthening may be performed as adjunctive treatment this shall not be the primary focus of the exercise program.

Exercises shall be evaluated to determine if the desired goals are being attained. Strength, flexibility, and endurance shall be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation and monthly thereafter. Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.

- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, three times per week for three weeks and should decrease with time thereafter; and
 - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting appropriate to the goals of the exercise program and may supplement or follow the period of supervised exercise:
- (a) maximum treatment frequency, one to three visits for instruction and monitoring; and
- (b) there is no limit on the duration and frequency of exercise at home.
- Subp. 5. Therapeutic injections. Injection modalities are indicated as set forth in items A to C. Use of injections may extend past the 12-week limit on passive treatment modalities, so long as the maximum treatment for injections is not exceeded.
- A. Therapeutic injections include trigger points injections, facet joint injections, facet nerve blocks, sympathetic nerve blocks, epidurals, nerve root blocks, and peripheral nerve blocks. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site.
 - (1) Trigger point injections:
 - (a) time for treatment response, within 30 minutes;
- (b) maximum treatment frequency, once per week if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections are reimbursable per patient visit; and
 - (c) maximum treatment, four injections to any one site.
 - (2) Facet joint injections or facet nerve blocks:
 - (a) time for treatment response, within one week;

5221.6210 FEES FOR MEDICAL SERVICES

- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection or block. If subsequent injections or blocks demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections or blocks should be discontinued. Only three injections or blocks are reimbursable per patient visit; and
 - (c) maximum treatment, three injections or blocks to any one site.
 - (3) Nerve root blocks:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, can repeat injection two weeks after the previous injection if a positive response to the first block. Only three injections are reimbursable per patient visit; and
 - (c) maximum treatment, two blocks to any one site.
 - (4) Epidural injections:
 - (a) time for treatment response, within one week;
- (b) maximum treatment frequency, once every two weeks if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only one injection is reimbursable per patient visit; and
 - (c) maximum treatment, three injections.
- B. Permanent lytic or sclerosing injections, including radio frequency denervation of the facet joints. These injections can only be given in conjunction with active treatment modalities directed to the same anatomical site:
 - (1) time for treatment response, within one week;
 - (2) optimum treatment frequency, may repeat once for any site; and
 - (3) maximum duration, two injections to any one site.
- C. Prolotherapy and botulinum toxin injections are not indicated in the treatment of thoracic back problems and are not reimbursable.
- Subp. 6. **Surgery, including decompression procedures.** Surgery may only be performed if it meets the specific parameters of subparts 11 to 13 and part 5221.6500. The health care provider must provide prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from the initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) eight weeks following decompression or implantation of a dorsal column stimulator or morphine pump; or
 - (2) 12 weeks following arthrodesis.
- B. Repeat surgery must also meet the parameters of subparts 11 to 13 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if a second opinion is requested by the insurer.
- C. The surgical therapies in subitems (1) and (2) have very limited application and require a second opinion which confirms that the treatment is indicated and within the parameters listed, and a personality or psychosocial evaluation which indicates that the patient is likely to benefit from the treatment.
- (1) Dorsal column stimulator is indicated for a patient who has neuropathic pain, and is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.

- (2) Morphine pump is indicated for a patient who has somatic pain, and is not a candidate for any other invasive therapy, and has had a favorable response to a trial screening period.
- Subp. 7. **Chronic management.** Chronic management of thoracic back pain must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in certain specific situations, as specified in items A to D. The health care provider must provide the insurer with prior notification as required by items B and C, according to part 5221.6050, subpart 9.
- A. Braces or supports may be indicated within the parameters of subpart 3, item K.
- B. For patients using electrical stimulation or mechanical traction devices at home, the device and any required supplies are indicated within the parameters of subpart 3, items E and F. Prior notification of the insurer is required for purchase of the device or for use longer than one month. The insurer may provide equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonoperative care or during reevaluation and surgical therapy. Prior notification of the insurer is required for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of exercise equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment, the insurer may mandate the use of that facility instead of authorizing purchase of equipment for home use.
- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for thoracic back pain conditions:
 - (1) whirlpools, Jacuzzis, hot tubs, special bath or shower attachments; or
 - (2) beds, waterbeds, mattresses, chairs, recliners, or loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary, and must evaluate whether initial nonsurgical management is effective according to items A to C. No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:
- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving, as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items of items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be

5221.6210 FEES FOR MEDICAL SERVICES

delegated to an allied health professional working under the direction of the treating health care provider but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. These medications are not indicated in the treatment of patients with regional thoracic back pain after the first two weeks.

Patients with radicular pain may require longer periods of treatment.

The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonnarcotic medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

Subp. 11. Specific treatment parameters for regional thoracic back pain.

- A. Initial nonsurgical treatment must be the first phase of treatment for all patien:s with regional thoracic back pain under subpart 1, item A, subitem (1).
- (1) The active, passive, injection, durable medical equipment, and medication treatment modalities and procedures in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management, depending on the severity of the condition.
- (2) The only therapeutic injections indicated for patients with regional thoracic back pain are trigger point injections, facet joint injections, facet nerve blocks, and exidural blocks, and their use must meet the parameters of subpart 5.
- (3) After the first week of treatment, initial nonsurgical management must at all times contain active treatment modalities according to the parameters of subpart 4.
- (4) Initial nonsurgical treatment must be provided in the least intensive setting consistent with quality health care practices.
- (5) Except as provided in subpart 3, passive treatment modalities in a clinic setting or requiring attendance by a health care provider are not indicated beyond 12 weeks after any passive modality other than bedrest or bracing is first initiated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and objective physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. The purpose of surgical evaluation is to determine whether surgery is indicated in the treatment of a patient who has failed to recover with initial nonsurgical care. If the patient is not a surgical candidate, then chronic management is indicated.
- (1) Surgical evaluation may begin as soon as eight weeks after, but must begin no later than 12 weeks after, beginning initial nonsurgical management. An initial recommendation or decision against surgical therapy does not preclude surgery at a later date.
- (2) Surgical evaluation may include the use of appropriate medical imaging techniques. The imaging technique must be chosen on the basis of the suspected etiology of the patient's condition but the health care provider must follow the parameters of part 5221.6100. Medical imaging studies which do not meet these parameters are not indicated.
- (3) Surgical evaluation may also include diagnostic blocks and injections. These blocks and injections are only indicated if their use is consistent with the parameters of subpart 1, item H.

- (4) Surgical evaluation may also include personality or psychosocial evaluation, consistent with the parameters of subpart 1, item G.
- (5) Consultation with other health care providers may be appropriate as part of the surgical evaluation. The need for consultation and the choice of consultant will be determined by the findings on medical imaging, diagnostic analgesic blocks and injections, if performed, and the patient's ongoing subjective complaints and objective physical findings.
- (6) The only surgical procedure indicated for patients with regional thoracic back pain only is thoracic arthrodesis with or without instrumentation, which must meet the parameters of subpart 6, and part 5221.6500, subpart 2, item C. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- (a) If surgery is indicated, it should be offered to the patient as soon as possible. If the patient agrees to the proposed surgery it should be performed as expeditiously as possible consistent with sound medical practice, and consistent with any requirements of parts 5221.6010 to 5221.6500 for prior notification of the insurer or second opinions.
- (b) If surgery is not indicated or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management.
- C. If the patient continues with symptoms and objective physical findings after surgery has been rendered or the patient refuses surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to the parameters of part 5221.6600.

Subp. 12. Specific treatment parameters for radicular pain.

- A. Initial nonsurgical treatment is appropriate for all patients with radicular pain under subpart 1, item A, subitem (2), and must be the first phase of treatment. It must be provided within the parameters of subpart 11, item A, with the following modifications: epidural blocks and nerve root and peripheral nerve blocks are the only therapeutic injections indicated for patients with radicular pain only. If there is a component of regional thoracic back pain, therapeutic facet joint injections, facet nerve blocks, and trigger point injections may also be indicated.
- B. Surgical evaluation or chronic management is indicated if the patient continues with symptoms and physical findings after the course of initial nonsurgical care, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities. It shall be provided within the parameters of subpart 11, item B, with the following modifications: the only surgical procedures indicated for patients with radicular pain are decompression or arthrodesis. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refused surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with radicular pain, with or without regional thoracic back pain, must meet all of the parameters of part 5221.6600.

Subp. 13. Specific treatment parameters for myelopathy.

A. Patients with myelopathy may require emergency surgical evaluation at any time during the course of their overall treatment. The decision to proceed with surgical evaluation is made by the health care provider based on the type of neurologic changes observed, the severity of the changes, the rate of progression of the changes, and the response to any nonsurgical treatments. Surgery, if indicated, may be performed at any

5221.6210 FEES FOR MEDICAL SERVICES

time during the course of treatment. Surgical evaluation and surgery shall be provided within the parameters of subpart 11, item B, with the following modifications:

- (1) surgical evaluation and surgical therapy may begin at any time; and
- (2) the only surgical procedures indicated for patients with myelopathy are decompression and arthrodesis. For patients with failed surgery, dorsal column stimulators or morphine pumps may be indicated consistent with subpart 6, item C.
- B. If the health care provider decides to proceed with a course of nonsurgical care for a patient with myelopathy, it must follow the parameters of subpart 12, item A.
- C. If the patient continues with symptoms and objective physical findings after surgical therapy has been rendered or the patient refuses surgical therapy or the patient was not a candidate for surgical therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with myelopathy must meet all of the parameters of par: 5221.6600.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6300 UPPER EXTREMITY DISORDERS.

- Subpart 1. Diagnostic procedures for treatment of upper extremity disorders (UED). A health care provider shall determine the nature of an upper extremity disorder before initiating treatment.
- A. An appropriate history and physical examination must be performed and documented. Based on the history and physical examination the health care provider must at each visit assign the patient to the appropriate clinical category according to subitems (1) to (6). The diagnosis must be documented in the medical record. Patients may have multiple disorders requiring assignment to more than one clinical category. This part does not apply to upper extremity conditions due to a visceral, vascular, infectious, immunological, metabolic, endocrine, systemic neurologic, or neoplastic disease process, fractures, lacerations, amputations, or sprains or strains with complete tissue disruption.
- (1) Epicondylitis. This clinical category includes medial epicondylitis and lateral epicondylitis, ICD-9-CM codes 726.31 and 726.32.
- (2) Tendonitis of the forearm, wrist, and hand. This clinical category encompasses any inflammation, pain, tenderness, or dysfunction or irritation of a tendor, tendon sheath, tendon insertion, or musculotendinous junction in the upper extremity at or distal to the elbow due to mechanical injury or irritation, including, but not limited to, the diagnoses of tendonitis, tenosynovitis, tendovaginitis, peritendinitis, extensor tendinitis, de Quervain's syndrome, intersection syndrome, flexor tendinitis, and trigger digit, including, but not limited to, ICD-9-CM codes 726.4, 726.5, 726.8, 726.9, 726.90, 727, 727.0, 727.00, 727.03, 727.04, 727.05, and 727.2.
- (3) Nerve entrapment syndromes. This clinical category encompasses any compression or entrapment of the radial, ulnar, or median nerves, or any of their branches, including, but not limited to, carpal tunnel syndrome, pronator syndrome, anterior interosseous syndrome, cubital tunnel syndrome, Guyon's canal syndrome, radial tunnel syndrome, posterior interosseous syndrome, and Wartenburg's syndrome, including, but not limited to, ICD-9-CM codes 354, 354.0, 354.1, 354.2, 354.3, 354.8, and 354.9.
- (4) Muscle pain syndromes. This clinical category encompasses any painful condition of any of the muscles of the upper extremity, including the muscles responsible for movement of the shoulder and scapula, characterized by pain and stiffness, including, but not limited to, the diagnoses of chronic nontraumatic muscle strain, repetitive strain injury, cervicobrachial syndrome, tension neck syndrome, overuse syndrome, myofascial pain syndrome, myofasciitis, nonspecific myalgia, fibrositis,

fibromyalgia, and fibromyositis, including, but not limited to, ICD-9-CM codes 723.3, 729.0, 729.1, 729.5, 840, 840.3, 840.5, 840.6, 840.8, 840.9, 841, 841.8, 841.9, and 842.

- (5) Shoulder impingement syndromes, including tendonitis, bursitis, and related conditions. This clinical category encompasses any inflammation, pain, tenderness, dysfunction, or irritation of a tendon, tendon insertion, tendon sheath, musculotendinous junction, or bursa in the shoulder due to mechanical injury or irritation, including, but not limited to, the diagnoses of impingement syndrome, supraspinatus tendonitis, infraspinatus tendonitis, calcific tendonitis, bicipital tendonitis, subacromial bursitis, subcoracoid bursitis, subdeltoid bursitis, and rotator cuff tendinitis, including, but not limited to, ICD-9-CM codes 726.1 to 726.2, 726.9, 726.90, 727 to 727.01, 727.2, 727.3, 840, 840.4, 840.6, 840.8, and 840.9.
- (6) Traumatic sprains or strains of the upper extremity. This clinical category encompasses an instantaneous or acute injury, as a result of a single precipitating event to the ligaments or the muscles of the upper extremity including, without limitation, ICD-9-CM codes 840 to 842.19. Injuries to muscles as a result of repetitive use, or occurring gradually over time without a single precipitating trauma, are considered muscle pain syndromes under subitem (4). Injuries with complete tissue disruption are not subject to this parameter.
- B. Certain laboratory tests may be indicated in the evaluation of a patient with upper extremity disorder to rule out infection, metabolic-endocrinologic disorders, tumorous conditions, systemic musculoskeletal disorders such as rheumatoid arthritis, or side effects of medications. Laboratory tests may be ordered at any time the health care provider suspects any of these conditions, but the health care provider must justify the need for the tests ordered with clear documentation of the indications.
- C. Medical imaging evaluation of upper extremity disorders must be based on the findings of the history and physical examination and cannot be ordered before the health care provider's clinical evaluation of the patient. Medical imaging may not be performed as a routine procedure and must comply with the standards in part 5221.6100, subpart 1. The health care provider must document the appropriate indications for any medical imaging studies obtained.
- D. EMG and nerve conduction studies are only appropriate for nerve entrapment disorders and recurrent nerve entrapment after surgery.
- E. The following diagnostic procedures or tests are not indicated for diagnosis of upper extremity disorders:
 - (1) surface electromyography;
 - (2) thermography; or
- (3) somatosensory evoked potentials (SSEP) and motor evoked potentials (MEP).
- F. The following diagnostic procedures or tests are considered adjuncts to the physical examination and are not reimbursed separately from the office visit:
 - (1) vibrometry;
 - (2) neurometry;
 - (3) Semmes-Weinstein monofilament testing; or
 - (4) algometry.
- G. Computerized range of motion or strength measuring tests are not indicated during the period of initial nonsurgical management, but may be indicated during the period of chronic management when used in conjunction with a computerized exercise program, work hardening program, or work conditioning program. During the period of initial nonsurgical management, computerized range of motion or strength testing can be performed but must be done in conjunction with and are not reimbursed separately from an office visit with a physician, chiropractic evaluation or treatment, or physical or occupational therapy evaluation or treatment.
- H. Personality or psychosocial evaluations may be a useful tool for evaluating patients who continue to have problems despite appropriate initial nonsurgical care.

5221.6300 FEES FOR MEDICAL SERVICES

The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:

- (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
 - (4) Is the patient chemically dependent?
 - (5) Are there any interpersonal conflicts interfering with recovery?
 - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
 - I. Diagnostic analgesic blocks or injection studies.
- (1) These procedures are used to localize the source of pain and to diagnose conditions which fail to respond to appropriate initial nonsurgical management.
- (2) Selection of patients, choice of procedure, and localization of the site of injection should be determined by documented clinical findings indicating possible pathologic conditions and the source of pain symptoms.
- (3) These blocks and injections can also be used as therapeutic modalities and as such are subject to the parameters of subpart 5.
- J. Functional capacity assessment or evaluation is a comprehensive and objective assessment of a patient's ability to perform work tasks. The components of a functional capacity assessment or evaluation include, but are not limited to, neuromusculosk-eletal screening, tests of manual material handling, assessment of functional mobility, and measurement of postural tolerance. A functional capacity assessment or evaluation is an individualized testing process and the component tests and measurements are determined by the patient's condition and the required information. Functional capacity assessments and evaluations are performed to determine and report a patient's physical capacities in general or to determine work tolerance for a specific job, task, or work activity.
- (1) Functional capacity assessment or evaluation is not indicated during the first 12 weeks of initial nonsurgical treatment.
- (2) Functional capacity assessment or evaluation is indicated after the first 12 weeks of care in either of the following circumstances:
 - (a) activity restrictions and capabilities must be identified; or
- (b) there is a question about the patient's ability to return to do a specific job.
- (3) A functional capacity evaluation is not appropriate to establish baseline performance before treatment, or for subsequent assessments, to evaluate change during or after treatment.
- (4) Only one completed functional capacity evaluation is indicated per injury.
- K. Consultations with other health care providers can be initiated at any time by the treating health care provider consistent with accepted medical practice.
 - Subp. 2. General treatment parameters for upper extremity disorders.
- A. All medical care for upper extremity disorders, appropriately assigned to a category of subpart 1, item A, is determined by the diagnosis and clinical category in subpar: 1, item A, to which the patient has been assigned. General parameters for

treatment modalities are set forth in subparts 3 to 10. Specific treatment parameters for each clinical category are set forth in subparts 11 to 16 as follows:

- (1) subpart 11 governs epicondylitis;
- (2) subpart 12 governs tendonitis of the forearm, wrist, and hand;
- (3) subpart 13 governs upper extremity nerve entrapment syndromes;
- (4) subpart 14 governs upper extremity muscle pain syndromes;
- (5) subpart 15 governs shoulder impingement syndromes; and
- (6) subpart 16 governs traumatic sprains and strains of the upper extremity.

The health care provider must at each visit reassess the appropriateness of the clinical category assigned and reassign the patient if warranted by new clinical information including symptoms, signs, results of diagnostic testing and opinions, and information obtained from consultations with other health care providers. When the clinical category is changed the treatment plan must be appropriately modified to reflect the new clinical category and these changes must be recorded in the medical record. However, a change of clinical category does not in itself allow the health care provider to continue a therapy or treatment modality past the maximum duration specified in subparts 3 to 10, or to repeat a therapy or treatment previously provided for the same injury, unless the treatment or therapy is subsequently delivered to a different part of the body.

When treating more than one clinical category or body part for which the same treatment modality is appropriate, then the treatment modality should be applied simultaneously, if possible, to all indicated areas.

- B. In general, a course of treatment must be divided into three phases:
- (1) First, all patients with an upper extremity disorder must be given initial nonsurgical management, unless otherwise specified. Initial nonsurgical management may include any combination of the passive, active, injection, durable medical equipment, and medication treatment modalities listed in subparts 3, 4, 5, 8, and 10, appropriate to the clinical category. The period of initial nonsurgical treatment begins with the first passive, active, injection, durable medical equipment, or medication modality initiated. Initial nonsurgical treatment must result in progressive improvement as specified in subpart 9.
- (2) Second, for patients with persistent symptoms, initial nonsurgical management is followed by a period of surgical evaluation. This evaluation should be completed in a timely manner. Surgery, if indicated, should be performed as expeditiously as possible consistent with sound medical practice and subparts 6 and 11 to 16, and part 5221.6500. The treating health care provider may do the evaluation, if it is within the provider's scope of practice, or may refer the employee to a consultant.
- (a) Any patient who has had surgery may require postoperative therapy with active and passive treatment modalities. This therapy can be in addition to any received during the period of initial nonsurgical management.
- (b) Surgery must follow the parameters in subparts 6 and 11 to 16, and part 5221.6500.
- (c) A decision against surgery at this time does not preclude a decision for surgery made at a later date.
- (3) Third, for those patients who are not candidates for surgery or refuse surgery, or who do not have complete resolution of their symptoms with surgery, a period of chronic management may be indicated. Chronic management modalities are described in part 5221.6600, and may include durable medical equipment is described in subpart 8.
- C. A treating health care provider may refer the employee for a consultation at any time during the course of treatment consistent with accepted medical practice.
 - Subp. 3. Passive treatment modalities.

5221.6300 FEES FOR MEDICAL SERVICES

- A. Except as set forth in item B or part 5221.6050, subpart 8, the use of passive treatment modalities in a clinical setting as set forth in items C to H is not indicated beyond 12 calendar weeks after any of the passive modalities in item C to H are initiated. There are no limitations on the use of passive treatment modalities by the employee at home.
- B. (1) An additional 12 visits for the use of passive treatment modalities over an additional 12 months may be provided if all of the following apply:
- (a) the employee is released to work or is permanently totally disabled and the additional passive treatment must result in progressive improvement in, or maintenance of, functional status achieved during the initial 12 weeks of passive care:
 - (b) the treatment must not be given on a regularly scheduled basis;
- (c) the health care provider must document in the medical record a plan to encourage the employee's independence and decreased reliance on health care providers;
- (d) management of the employee's condition must include active treatment modalities during this period;
- (e) the additional 12 visits for passive treatment must not delay the required surgical or chronic pain evaluation required by this chapter; and
- (f) passive care is inappropriate while the employee has chronic pain syndrome.
- (2) Except as otherwise provided in part 5221.6050, subpart 8, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining employability; if the employee is permanently totally disabled, or if upon retirement the employee is eligible for ongoing medical benefits for the work injury, treatment may continue beyond the additional 12 visits only after prior approval by the insurer, commissioner, or compensation judge based on documentation in the medical record of the effectiveness of further passive treatment in maintaining functional status.
- C. Adjustment or manipulation of joints includes chiropractic and osteopathic adjustments or manipulations:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- D. Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
 - (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without health care provider assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- E. Electrical muscle stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.

and

- (1) Treatment given in a clinical setting:
 - (a) time for treatment response, two to four treatments;
- (b) maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (c) maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies.
- (2) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
 - (a) time for patient education and training, one to three sessions;
- (b) patient may use the electrical stimulation device unsupervised for one month, at which time effectiveness of the treatment must be reevaluated by the provider before continuing home use of the device.
- F. Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
 - G. Phoresis includes phonopheresis and iontophoresis:
 - (1) time for treatment response, three to five sessions;
- (2) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
- (3) maximum treatment duration is nine sessions of either iontophoresis or phonophoresis, or combination, to any one site, with a maximum duration of 12 weeks for all treatment.
- H. Manual therapy includes soft tissue and joint mobilization and therapeutic massage:
 - (1) time for treatment response, three to five treatments;
- (2) maximum treatment frequency, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
 - (3) maximum treatment duration, 12 weeks.
- I. Splints, braces, and other movement-restricting appliances. Bracing required for longer than two weeks must be accompanied by active motion exercises to avoid stiffness and prolonged disability:
 - (1) time for treatment response, ten days;
- (2) maximum treatment frequency, limited to intermittent use during times of increased physical stress or prophylactic use at work; and
- (3) maximum continuous duration, eight weeks. Prophylactic use is allowed indefinitely.
- J. Rest. Prolonged restriction of activity and immobilization are detrimental to a patient's recovery. Total restriction of use of an affected body part should not be prescribed for more than two weeks, unless rigid immobilization is required. In cases of rigid immobilization, active motion exercises at adjacent joints should begin no later than two weeks after application of the immobilization.
- Subp. 4. Active treatment modalities. Active treatment modalities must be used as set forth in items A to D. Use of active treatment modalities may extend past the 12-week limitation on passive treatment modalities so long as the maximum treatment for the active treatment modality is not exceeded.

5221.6300 FEES FOR MEDICAL SERVICES

- A. Education must teach the patient about pertinent anatomy and physiology as it relates to upper extremity function for the purpose of injury prevention. Education includes training on posture, biomechanics, and relaxation. The maximum number of treatments is three visits, which include an initial education and training session, and two follow-up visits.
- B. Posture and work method training must instruct the patient in the proper performance of job activities. Topics include proper positioning of the trunk, neck, and arms, use of optimum biomechanics in performing job tasks, and appropriate pacing of activities. Methods include didactic sessions, demonstrations, exercises, and simulated work tasks. The maximum number of treatments is three visits.
- C. Worksite analysis and modification must examine the patient's work station, tools, and job duties. Recommendations are made for the alteration of the work station, selection of alternate tools, modification of job duties, and provision of adaptive equipment. The maximum number of treatments is three visits.
- D. Exercise, which is important to the success of a nonsurgical treatment program and a return to normal activity, must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must, at least in part, be specifically aimed at the musculature of the upper extremity. While aerobic exercise may be performed as adjunctive treatment this must not be the primary focus of the exercise program.

Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, or endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the testing sooner than two weeks after the initial evaluation and monthly thereafter.

- Subitems (1) and (2) govern supervised and unsupervised exercise, except for computerized exercise programs and health clubs, which are governed by part 5221.6600.
- (1) Supervised exercise. One goal of an exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:
- (a) maximum treatment frequency, up to three times per week for three weeks. Should decrease with time thereafter; and
 - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting and may supplement or follow the period of supervised exercise.
- Subp. 5. Therapeutic injections. Therapeutic injections include injections of trigger points, sympathetic nerves, peripheral nerves, and soft tissues. Therapeutic injections can only be given in conjunction with active treatment modalities directed to the same anatomical site. Use of injections may extend past the 12-week limitation on passive modalities, so long as the maximum treatment for injections in items A to C is not exceeded.

A. Trigger point injections:

- (1) time for treatment response, within 30 minutes;
- (2) maximum treatment frequency, once per week to any one site if a positive response to the first injection at that site. If subsequent injections at that site demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then trigger point injections should be redirected to other areas or discontinued. No more than three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, four injections to any one site over the course of treatment.
- B. Soft tissue injections include injections of a bursa, tendon, tendon sheath, ganglion, tendon insertion, ligament, or ligament insertion:
 - (1) time for treatment response, within one week;

- (2) maximum treatment frequency, once per month to any one site if a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections should be discontinued. Only three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, three injections to any one site over the course of treatment.
 - C. Injections for median nerve entrapment at the carpal tunnel:
 - (1) time for treatment response, within one week;
- (2) maximum treatment frequency, can repeat injection in one month if a positive response to the first injection. Only three injections to different sites are reimbursable per patient visit; and
- (3) maximum treatment, two injections to any one site over the course of treatment.
- Subp. 6. **Surgery.** Surgery may only be performed if it meets applicable parameters in subparts 11 to 16 and part 5221.6500.
- A. In order to optimize the beneficial effect of surgery, postoperative therapy with active and passive treatment modalities may be provided, even if these modalities had been used in the preoperative treatment of the condition. In the postoperative period the maximum treatment duration with passive treatment modalities in a clinical setting from initiation of the first passive modality used, except bedrest or bracing, is as follows:
- (1) for rotator cuff repair, acromioclavicular ligament repair, or any surgery for a clinical category in this part which requires joint reconstruction, 16 weeks; or
 - (2) for all other surgery for clinical categories in this part, eight weeks.

The health care provider must provide the insurer with prior notification of nonemergency inpatient surgery according to part 5221.6050, subpart 9.

- B. Repeat surgery must also meet the parameters of subparts 11 to 16 and part 5221.6500 and is not indicated unless the need for the repeat surgery is confirmed by a second opinion obtained before surgery, if requested by the insurer.
- Subp. 7. Chronic management. Chronic management of upper extremity disorders must be provided according to the parameters of part 5221.6600.
- Subp. 8. **Durable medical equipment.** Durable medical equipment is indicated only in the situations specified in items A to D. The health care provider must provide the insurer with prior notification as required in items B and C and part 5221.6050, subpart of the control of
- A. Splints, braces, straps, or supports may be indicated as specified in subpart 3, item I.
- B. For patients using an electrical stimulation device at home, the device and any required supplies are indicated within the parameters of subpart 3, item E. Prior notification of the insurer is required for purchase of the device or for use longer than one month. The insurer may provide the equipment if it is comparable to that prescribed by the health care provider.
- C. Exercise equipment for home use, including bicycles, treadmills, and stairclimbers, are indicated only within the context of a program or plan of an approved chronic management program. This equipment is not indicated during initial nonsurgical care or during reevaluation and surgical therapy. Prior notification of the insurer is required for the purchase of home exercise equipment. The insurer may decide which brand of a prescribed type of equipment is provided to the patient. If the employer has an appropriate exercise facility on its premises with the prescribed equipment the insurer may mandate use of that facility instead of authorizing purchase of the equipment for home use.

5221.6300 FEES FOR MEDICAL SERVICES

or

- (1) Indications: the patient is deconditioned and requires reconditioning which can be accomplished only with the use of the prescribed exercise equipment. The health care provider must document specific reasons why the exercise equipment is necessary and cannot be replaced with other activities.
- (2) Requirements: the use of the equipment must have specific goals and there must be a specific set of prescribed activities.
- D. The following durable medical equipment is not indicated for home use for the upper extremity disorders specified in subparts 11 to 16:
 - (1) whirlpools, Jacuzzis, hot tubs, and special bath or shower attachments;
 - (2) beds, waterbeds, mattresses, chairs, recliners, and loungers.
- Subp. 9. Evaluation of treatment by health care provider. The health care provider must evaluate at each visit whether the treatment is medically necessary and whether initial nonsurgical treatment is effective according to items A to C.

No later than the time for treatment response established for the specific modality as specified in subparts 3, 4, and 5, the health care provider must evaluate whether the passive, active, injection, or medication treatment modality is resulting in progressive improvement as specified in items A to C:

- A. the employee's subjective complaints of pain or disability are progressively improving, as evidenced by documentation in the medical record of decreased distribution, frequency, or intensity of symptoms;
- B. the objective clinical findings are progressively improving as evidenced by documentation in the medical record of resolution or objectively measured improvement in physical signs of injury; and
- C. the employee's functional status, especially vocational activity, is progressively improving, as evidenced by documentation in the medical record, or successive reports of work ability, of less restrictive limitations on activity.

If there is not progressive improvement in at least two items in items A to C, the modality must be discontinued or significantly modified or the provider must reconsider the diagnosis. The evaluation of the effectiveness of the treatment modality can be delegated to an allied health professional directly providing the treatment, but remains the ultimate responsibility of the treating health care provider.

Subp. 10. Scheduled and nonscheduled medication. Prescription of controlled substance medications scheduled under Minnesota Statutes, section 152.02, including, without limitation, narcotics, is indicated only for the treatment of severe acute pain. Therefore, these medications are not routinely indicated in the treatment of patients with upper extremity disorders. The health care provider must document the rationale for the use of any scheduled medication. Treatment with nonscheduled medication may be appropriate during any phase of treatment and intermittently after all other treatment has been discontinued. The prescribing health care provider must determine that ongoing medication is effective treatment for the patient's condition and the most cost-effective regimen is used.

Subp. 11. Specific treatment parameters for epicondylitis.

A. Initial nonsurgical management is appropriate for all patients with epicondylitis and must be the first phase of treatment.

- (1) The passive, active, injection, durable medical equipment, and medication treatment modalities and procedures specified in subparts 3, 4, 5, 8, and 10, may be used in sequence or simultaneously during the period of initial nonsurgical management depending on the severity of the condition. After the first week of treatment, initial nonsurgical care must at all times include active treatment modalities according to subpart 4.
- (2) Initial nonsurgical management must be provided in the least intensive setting consistent with quality health care practices.

- (3) Except as provided in subpart 3, use of passive treatment modalities in a clinic setting or requiring attendance by a health care provider for a period in excess of 12 weeks is not indicated.
- (4) Use of home-based treatment modalities with monitoring by the treating health care provider may continue for up to 12 months. At any time during this period the patient may be a candidate for chronic management if surgery is ruled out as an appropriate treatment.
- B. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. The purpose and goal of surgical evaluation is to determine whether surgery is indicated for the patient who has failed to recover with appropriate nonsurgical care or chronic management.
- (1) Surgical evaluation, if indicated, must begin no later than 12 months after beginning initial nonsurgical management.
- (2) Surgical evaluation may include the use of appropriate laboratory and electrodiagnostic testing within the parameters of subpart 1, if not already obtained during the initial evaluation. Repeat testing is not indicated unless there has been an objective change in the patient's condition which in itself would warrant further testing. Failure to improve with therapy does not, by itself, warrant further testing.
- (3) Plain films may be appropriate if there is a history of trauma, infection, or inflammatory disorder and are subject to the general parameters in part 5221.6100, subpart 1. Other medical imaging studies are not indicated.
- (4) Surgical evaluation may also include personality or psychological evaluation consistent with the parameters of subpart 1, item H.
- (5) Consultation with other health care providers is an important part of surgical evaluation of a patient who fails to recover with appropriate initial nonsurgical management. The need for consultation and the choice of consultant will be determined by the diagnostic findings and the patient's condition. Consultation is governed by part 5221.6050, subpart 6.
- (6) If surgery is indicated, it may not be performed until 12 months after initial nonsurgical management was begun except in a patient who has had resolution of symptoms with appropriate treatment followed by a recurrence with intractable pain. In this instance, a second surgical opinion must confirm the need for surgery sooner than 12 months after initial nonsurgical management was begun.
- (7) If surgery is not indicated, or if the patient does not wish to proceed with surgery, then the patient is a candidate for chronic management. An initial recommendation or decision against surgery does not preclude surgery at a later date.
- C. If the patient continues with symptoms and objective physical findings after surgery or the patient refused surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management according to part 5221.6600.
- Subp. 12. Specific treatment parameters for tendonitis of forearm, wrist, and hand.
- A. Except as provided in item B, subitem (3), initial nonsurgical management is appropriate for all patients with tendonitis and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A.
- B. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).

5221.6300 FEES FOR MEDICAL SERVICES

- (1) For patients with a specific diagnosis of de Quervain's syndrome, surgical evaluation and surgical therapy, if indicated, may begin after only two months of initial nonsurgical management.
- (2) For patients with a specific diagnosis of trigger finger or trigger thumb, surgical evaluation and potential surgical therapy may begin after only one month of initial nonsurgical management.
- (3) For patients with a locked finger or thumb, surgery may be indicated immediately without any preceding nonsurgical management.
- C. If the patient continues with symptoms and objective physical findings after surgery, or the patient refused surgery or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with tendonitis must meet all of the parameters of part 5221.6600.

Subp. 13. Specific treatment parameters for nerve entrapment syndromes.

- A. Initial nonsurgical management is appropriate for all patients with nerve entrapment syndromes, except as specified in subitem (2), and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A, with the following modifications: nonsurgical management may be inappropriate for patients with advanced symptoms and signs of nerve compression, such as abnormal two-point discrimination, motor weakness, or muscle atrophy, or for patients with symptoms of nerve entrapment due to acute trauma. In these cases, immediate surgical evaluation may be indicated.
- B. If the patient continues with symptoms and objective physical findings after 12 weeks of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).
- (1) Surgical evaluation may begin, and surgical therapy may be provided, if indicated, after 12 weeks of initial nonsurgical management, except where immediate surgical evaluation is indicated under item A.
- (2) Surgery is indicated if an EMG confirms the diagnosis, or if there has been temporary resolution of symptoms lasting at least seven days with local injection.
- (3) If there is neither a confirming EMG or appropriate response to local injection, or if surgery has been previously performed at the same site, surgery is not indicated unless a second opinion confirms the need for surgery.
- C. If the patient continues with symptoms and objective physical findings after all surgery, or the patient refused surgery therapy or the patient was not a candidate for surgery therapy, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with nerve entrapment syndromes must meet all of the parameters of part 5221.6600.

Subp. 14. Specific treatment parameters for muscle pain syndromes.

- A. Initial nonsurgical management is appropriate for all patients with muscle pain syndromes and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A.
 - B. Surgery is not indicated for the treatment of muscle pain syndrome.
- C. If the patient continues with symptoms and objective physical findings after initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with muscle pain syndrome must meet all of the parameters of part 5221.6600.

Subp. 15. Specific treatment parameters for shoulder impingement syndromes.

- A. Initial nonsurgical management is appropriate for all patients with shoulder impingement syndromes without clinical evidence of rotator cuff tear and must be the first phase of treatment. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11, item A, except as follows:
- (1) continued nonsurgical management may be inappropriate, and early surgical evaluation may be indicated, for patients with:
 - (a) clinical findings of rotator cuff tear; or
 - (b) acute rupture of the proximal biceps tendon;
- (2) use of home-based treatment modalities with monitoring by the health care provider may continue for up to six months. At any time during this period the patient may be a candidate for chronic management if surgery is ruled out as an appropriate treatment.
- B. If the patient continues with symptoms and objective physical findings after six months of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then surgical evaluation or chronic management is indicated. Surgical evaluation and surgical therapy must meet all of the parameters of subpart 11, item B, with the modifications in subitems (1) to (3).
- (1) Surgical evaluation must begin no later than six months after beginning initial nonsurgical management.
- (2) Diagnostic injection, arthrography, CT-arthrography, or MRI scanning may be indicated as part of the surgical evaluation.
- (3) The only surgical procedures indicated for patients with shoulder impingement syndrome and related conditions are rotator cuff repair, acromioplasty, excision of distal clavicle, excision of bursa, removal of adhesion, or repair of proximal biceps tendon, all of which must meet the parameters of part 5221.6500, subpart 3.
- C. If the patient continues with symptoms and objective physical findings after surgery, or the patient refused surgery or was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management for patients with shoulder impingement syndrome must meet the parameters of part 5221.6600.

Subp. 16. Specific treatment parameters for traumatic sprains and strains of the upper extremity.

- A. Initial nonsurgical management must be the first phase of treatment for all patients with traumatic sprains and strains of the upper extremity without evidence of complete tissue disruption. Any course or program of initial nonsurgical management must meet all of the parameters of subpart 11.
- B. Surgery is not indicated for the treatment of traumatic sprains and strains, unless there is clinical evidence of complete tissue disruption. Patients with complete tissue disruption may need immediate surgery.
- C. If the patient continues with symptoms and objective physical findings after 12 weeks of initial nonsurgical management, and if the patient's condition prevents the resumption of the regular activities of daily life, including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management must meet all of the parameters of part 5221.6600.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6305 REFLEX SYMPATHETIC DYSTROPHY OF THE UPPER AND LOWER EXTREMITIES.

Subpart 1. Scope.

5221.6305 FEES FOR MEDICAL SERVICES

- A. This clinical category encompasses any condition of the upper or lower extremity characterized by concurrent presence in the involved extremity of five of the following conditions: edema; local skin color change of red or purple; osteoporosis in underlying bony structures demonstrated by radiograph; local dyshidrosis; local abnormality of skin temperature regulation; reduced passive range of motion in contiguous joints; local alteration of skin texture of smooth or shiny; or typical findings of reflex sympathetic dystrophy on bone scan. This clinical category includes, but is not limited to, the diagnoses of reflex sympathetic dystrophy, causalgia, Sudek's atrophy, algoneurodystrophy, and shoulder-hand syndrome, and including, but not limited to, ICD-9-CM codes 337.9, 354.4, and 733.7.
- B. Reflex sympathetic dystrophy occurs as a complication of another preceding injury. The treatment parameters of this part refer to the treatment of the body part affected by the reflex sympathetic dystrophy. The treatment for any condition not affected by reflex sympathetic dystrophy continues to be subject to whatever treatment parameters otherwise apply. Any treatment under this part for the reflex sympathetic dystrophy may be in addition to treatment received for the original condition.
- C. Thermography may be used in the diagnosis of reflex sympathetic dystrophy, but is considered an adjunct to physical examination and is not reimbursed separately from the office visit.
- Subp. 2. Initial nonsurgical management. Initial nonsurgical management is appropriate for all patients with reflex sympathetic dystrophy and must be the first phase of treatment. Any course or program of initial nonsurgical management is limited to the modalities specified in items A to D.
- A. Therapeutic injection modalities. The only injections allowed for reflex sympathetic dystrophy are sympathetic block, intravenous infusion of steroids or sympatholytics, or epidural block.
- (1) Unless medically contraindicated, sympathetic blocks or the intravenous infusion of steroids or sympatholytics must be used if reflex sympathetic dystrophy has continued for four weeks and the employee remains disabled as a result of the reflex sympathetic dystrophy.
 - (a) Time for treatment response: within 30 minutes.
- (b) Maximum treatment frequency: can repeat an injection at a site if there was a positive response to the first injection. If subsequent injections demonstrate diminishing control of symptoms or fail to facilitate objective functional gains, then injections must be discontinued. No more than three injections to different sites are reimbursable per patient visit.
- (c) Maximum treatment duration: may be continued as long as injections control symptoms and facilitate objective functional gains, if the period of improvement is progressively longer with each injection.
- (2) Epidural block may only be performed in patients who had an incomplete improvement with sympathetic block or intravenous infusion of steroids or sympatholytics.
- B. Only the passive treatment modalities set forth in subitems (1) to (4) are indicated. These passive treatment modalities in a clinical setting or requiring attendance by a health care provider are not indicated beyond 12 weeks from the first modality initiated for treatment of the reflex sympathetic dystrophy.
- (1) Thermal treatment includes all superficial and deep heating and cooling modalities. Superficial thermal modalities include hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, cold soaks, infrared, whirlpool, and fluidotherapy. Deep thermal modalities include diathermy, ultrasound, and microwave.
 - (a) Treatment given in a clinical setting:
 - i. time for treatment response, two to four treatments;
- ii. maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and

and

FEES FOR MEDICAL SERVICES 5221.6305

- iii. maximum treatment duration, 12 weeks of treatment in a clinical setting but only if given in conjunction with other therapies specified in this subpart.
- (b) Home use of thermal modalities may be prescribed at any time during the course of treatment. Home use may only involve hot packs, hot soaks, hot water bottles, hydrocollators, heating pads, ice packs, and cold soaks which can be applied by the patient without professional assistance. Home use of thermal modalities does not require any special training or monitoring, other than that usually provided by the health care provider during an office visit.
- (2) Desensitizing procedures, such as stroking or friction massage, stress loading, and contrast baths:
 - (a) time for treatment response, three to five treatments;
- (b) maximum treatment frequency in a clinical setting, up to five times per week for the first one to two weeks decreasing in frequency thereafter; and
- (c) maximum treatment duration in a clinical setting, 12 weeks. Home use of desensitizing procedures may be prescribed at any time during the course of treatment.
- (3) Electrical stimulation includes galvanic stimulation, TENS, interferential, and microcurrent techniques.
 - (a) Treatment given in a clinical setting:
 - i. time for treatment response, two to four treatments;
- ii. maximum treatment frequency, up to five times per week for the first one to three weeks, decreasing in frequency thereafter; and
- iii. maximum treatment duration, 12 weeks of treatment in a clinical setting, but only if given in conjunction with other therapies.
- (b) Home use of an electrical stimulation device may be prescribed at any time during a course of treatment. Initial use of an electrical stimulation device must be in a supervised setting in order to ensure proper electrode placement and patient education:
 - i. time for patient education and training, one to three sessions;

ii. patient may use the electrical stimulation device unsupervised for one month, at which time effectiveness of the treatment must be reevaluated by the provider before continuing home use of the device.

- (4) Acupuncture treatments. Endorphin-mediated analgesic therapy includes classic acupuncture and acupressure:
 - (a) time for treatment response, three to five sessions;
- (b) maximum treatment frequency, up to three times per week for the first one to three weeks, decreasing in frequency thereafter; and
 - (c) maximum treatment duration, 12 weeks.
- C. Active treatment includes supervised and unsupervised exercise. After the first week of treatment, initial nonsurgical management must include exercise. Exercise is essential for a return to normal activity and must include active patient participation in activities designed to increase flexibility, strength, endurance, or muscle relaxation. Exercise must be specifically aimed at the involved musculature. Exercises must be evaluated to determine if the desired goals are being attained. Strength, flexibility, or endurance must be objectively measured. While the provider may objectively measure the treatment response as often as necessary for optimal care, after the initial evaluation the health care provider may not bill for the tests sooner than two weeks after the initial evaluation, and monthly thereafter.
- (1) Supervised exercise. One goal of a supervised exercise program must be to teach the patient how to maintain and maximize any gains experienced from exercise. Self-management of the condition must be promoted:

5221.6305 FEES FOR MEDICAL SERVICES

- (a) maximum treatment frequency, up to five times per week for three weeks. Should decrease in frequency thereafter; and
 - (b) maximum duration, 12 weeks.
- (2) Unsupervised exercise must be provided in the least intensive setting and may supplement or follow the period of supervised exercise. Maximum duration is unlimited.
- D. Oral medications may be indicated in accordance with accepted medical practice.

Subp. 3. Surgery.

- A. Surgical sympathectomy may only be performed in patients who had a sustained but incomplete improvement with sympathetic blocks by injection.
- B. Dorsal column stimulator or morphine pump may be indicated for a patient with neuropathic pain unresponsive to all other treatment modalities who is not a candidate for any other therapy and has had a favorable response to a trial screening period. Use of these devices is indicated only if a second opinion confirms that this treatment is indicated, and a personality or psychosocial evaluation indicates that the patient is likely to benefit from this treatment.
- Subp. 4. Chronic management. If the patient continues with symptoms and objective physical findings after surgery, or the patient refuses surgery, or the patient was not a candidate for surgery, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. Any course or program of chronic management must satisfy all of the treatment parameters of part 5221.6600.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6400 INPATIENT HOSPITALIZATION PARAMETERS.

Subpart 1. General principles.

- A. The health care provider must provide prior notification of inpatient hospital admission for nonemergency care according to part 5221.6050, subpart 9. Hospitalization is characterized as inpatient if the patient spends at least one night in the hospital.
- B. Treatment for emergency conditions, including incapacitating pain, should not be delayed to provide the insurer with prior notification. The admitting health care provider should notify the insurer within two business days following an emergency admission, or within two business days after the health care provider learns that it is a workers' compensation injury. The medical necessity for the emergency hospitalization is subject to retrospective review, based on the information available at the time of the emergency hospitalization.
- C. Unless the patient's condition requires special care, only ward or semiprivate accommodations are indicated. The admitting health care provider must document the special care needs.
- D. Admissions before the day of surgery are indicated only if they are medically necessary to stabilize the patient before surgery. Admission before the day of surgery to perform any or all of a preoperative work-up which could have been completed as an outpatient is not indicated.
- E. Inpatient hospitalization solely for physical therapy, bedrest, or administration of injectable drugs is indicated only if the treatment is otherwise indicated and the patient's condition makes the patient unable to perform the activities of daily life and participate in the patient's own treatment and self-care.
- F. Discharge from the hospital must be at the earliest possible date consistent with proper health care.
- G. If transfer to a convalescent center or nursing home is indicated, prior notification is required as provided for inpatient hospitalization.

- Subp. 2. Specific requirements for hospital admission of patients with low back pain. Hospitalization for low back pain is indicated in the circumstances in items A to D.
- A. When the patient experiences incapacitating pain as evidenced by inability to mobilize for activities of daily living, for example unable to ambulate to the bathroom, and in addition, the intensity of service during admission meets the criteria in subitems (1) and (2).
- (1) Physical therapy is necessary at least twice daily for assistance with mobility. Heat, cold, ultrasound, and massage therapy alone do not meet this criterion.
- (2) Muscle relaxants or narcotic analgesics are necessary intramuscularly or intravenously for a minimum of three injections in 24 hours. Need for parenteral analgesics is determined by:
 - (a) an inability to take oral medications or diet (N.P.O.); or
 - (b) an inability to achieve relief with aggressive oral analgesics.
- B. For surgery which is otherwise indicated according to part 5221.6500 and is appropriately scheduled as an inpatient procedure.
- C. For evaluation and treatment of cauda equina syndrome, according to part 5221.6200, subpart 13.
- D. For evaluation and treatment of foot drop or progressive neurologic deficit, according to part 5221.6200, subpart 13.

Statutory Authority: *MS s 176.103; 176.83*

History: 19 SR 1412

5221.6500 PARAMETERS FOR SURGICAL PROCEDURES.

Subpart 1. General.

- A. The health care provider must provide prior notification according to part 5221.6050, subpart 9, before proceeding with any elective inpatient surgery.
- B. Emergency surgery may proceed without prior notification. The reasonableness and necessity for the emergency surgery is subject to retrospective review based on the information available at the time of the emergency surgery.
- Subp. 2. **Spinal surgery.** Initial nonsurgical, surgical, and chronic management parameters are also included in parts 5221.6200, low back pain; 5221.6205, neck pain; and 5221.6210, thoracic back pain.
- A. Surgical decompression of a lumbar nerve root or roots includes, but is not limited to, the following lumbar procedures: laminectomy, laminotomy, discectomy, microdiscectomy, percutaneous discectomy, or foraminotomy. When providing prior notification for decompression of multiple nerve roots, the procedure at each nerve root is subject independently to the requirements of subitems (1) to (3).
- (1) Diagnoses: surgical decompression of a lumbar nerve root may be performed for the following diagnoses:
- (a) intractable and incapacitating regional low back pain with positive nerve root tension signs and an imaging study showing displacement of lumbar intervertebral disc which impinges significantly on a nerve root or the thecal sac, ICD-9-CM code 722.10;
 - (b) sciatica, ICD-9-CM code 724.3; or
 - (c) lumbosacral radiculopathy or radiculitis, ICD-9-CM code 724.4.
- (2) Indications: both of the following conditions in units (a) and (b) must be satisfied to indicate that the surgery is reasonably required.
- (a) Response to nonsurgical care: the employee's condition includes one of the following:
- i. failure to improve with a minimum of eight weeks of initial nonsurgical care; or

5221.6500 FEES FOR MEDICAL SERVICES

- ii. cauda equina syndrome, ICD-9-CM code 344.6, 344.60, or 344.61; or
 - iii. progressive neurological deficits.
- (b) Clinical findings: the employee exhibits one of the findings of subunit i in combination with the test results of subunit ii or, in the case of diagnosis in subitem (1), unit (a), a second opinion confirms that decompression of the lumbar nerve root is the appropriate treatment for the patient's condition:
- i. subjective sensory symptoms in a dermatomal distribution which may include radiating pain, burning, numbness, tingling, or paresthesia, or objective clinical findings of nerve root specific motor deficit, including, but not limited to, foot drop or quadriceps weakness, reflex changes, or positive EMG; and
- ii. medical imaging test results that correlate with the level of nerve root involvement consistent with both the subjective and objective findings.
- (3) Repeat surgical decompression of a lumbar nerve root is not indicated at the same nerve root unless a second opinion, if requested by the insurer, confirms that surgery is indicated.
- B. Surgical decompression of a cervical nerve root. Surgical decompression of a cervical nerve root or roots includes, but is not limited to, the following cervical procedures: laminectomy, laminotomy, discectomy, foraminotomy with or without fusion. When providing prior notification for decompression of multiple nerve roots, the procedure at each nerve root is subject independently to the requirements of subitems (1) to (3).
- (1) Diagnoses: surgical decompression of a cervical nerve root may be performed for the following diagnoses:
- (a) displacement of cervical intervertebral disc, ICD-9-CM code 722.0, excluding fracture; or
- (b) cervical radiculopathy or radiculitis, ICD-9-CM code 723.4, excluding fracture.
- (2) Indications: the requirements in units (a) and (b) must be satisfied to indicate that surgery is reasonably required:
- (a) response to nonsurgical care, the employee's condition includes one of the following:
- i. failure to improve with a minimum of eight weeks of initial nonsurgical care;
 - ii. cervical compressive myelopathy; or
 - iii. progressive neurologic deficits;
- (b) clinical findings: the employee exhibits one of the findings of subunit i, in combination with the test results of subunit ii:
- i. subjective sensory symptoms in a dermatomal distribution which may include radiating pain, burning, numbness, tingling, or paresthesia, or objective clinical findings of nerve root specific motor deficit, reflex changes, or positive EMG; and
- ii. medical imaging test results that correlate with the level of nerve root involvement consistent with both the subjective and objective findings.
- (3) Second opinions: surgical decompression of a cervical nerve root is not indicated for the following conditions, unless a second opinion, if requested by the insurer, confirms that the surgery is indicated:
 - (a) repeat surgery at same level; or
 - (b) request for surgery at the C3-4 level.
 - C. Lumbar arthrodesis with or without instrumentation.
- (1) Indications: one of the following conditions must be satisfied to indicate that the surgery is reasonably required:

- (a) unstable lumbar vertebral fracture, ICD-9-CM codes 805.4, 805.5, 806.4, and 806.5; or
- (b) for a second or third surgery only, documented reextrusion or redisplacement of lumbar intervertebral disc, ICD-9-CM code 722.10, after previous successful disc surgery at the same level and new lumbar radiculopathy with or without incapacitating back pain, ICD-9-CM code 724.4. Documentation under this item must include an MRI or CT scan or a myelogram; or
- (c) traumatic spinal deformity including a history of compression (wedge) fracture or fractures, ICD-9-CM code 733.1, and demonstrated acquired kyphosis or scoliosis, ICD-9-CM codes 737.1, 737.10, 737.30, 737.41, and 737.43; or
- (d) incapacitating low back pain, ICD-9-CM code 724.2, for longer than three months, and one of the following conditions involving lumbar segments L-3 and below is present:
- i. for the first surgery only, degenerative disc disease, ICD-9-CM code 722.4, 722.5, 722.6, or 722.7, with postoperative documentation of instability created or found at the time of surgery, or positive discogram at one or two levels; or
 - ii. pseudoarthrosis, ICD-9-CM code 733.82;
 - iii. for the second or third surgery only, previously operated disc;

or

- iv. spondylolisthesis.
- (2) Contraindications: lumbar arthrodesis is not indicated as the first primary surgical procedure for a new, acute lumbosacral disc herniation with unilateral radiating leg pain in a radicular pattern with or without neurological deficit.
- (3) Retrospective review: when lumbar arthrodesis is performed to correct instability created during a decompression, laminectomy, or discectomy, approval for the arthrodesis will be based on a retrospective review of the operative report.
- Subp. 3. Upper extremity surgery. Initial nonsurgical, surgical, and chronic management parameters for upper extremity disorders are found in part 5221.6300, subparts 1 to 16.

A. Rotator cuff repair:

- (1) Diagnoses: rotator cuff surgery may be performed for the following diagnoses:
- (a) rotator cuff syndrome of the shoulder, ICD-9-CM code 726.1, and allied disorders: unspecified disorders of shoulder bursae and tendons, ICD-9-CM code 726.10, calcifying tendinitis of shoulder, ICD-9-CM code 726.11, bicipital tenosynovitis, ICD-9-CM code 726.12, and other specified disorders, ICD-9-CM code 726.19; or
 - (b) tear of rotator cuff, ICD-9-CM code 727.61.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), both of the following conditions must be satisfied to indicate that surgery is reasonably required:
- (a) response to nonsurgical care: the employee's condition has failed to improve with adequate initial nonsurgical treatment; and
 - (b) clinical findings: the employee exhibits:
 - i. severe shoulder pain and inability to elevate the shoulder; or
- ii. weak or absent abduction and tenderness over rotator cuff, or pain relief obtained with an injection of anesthetic for diagnostic or therapeutic trial; and
- iii. positive findings in arthrogram, MRI, or ultrasound, or positive findings on previous arthroscopy, if performed.

B. Acromioplasty:

(1) Diagnosis: acromioplasty may be performed for acromial impingement syndrome, ICD-9-CM codes 726.0 to 726.2.

5221.6500 FEES FOR MEDICAL SERVICES

- (2) Criteria and indications: in addition to the diagnosis in subitem (1), both of the following conditions must be satisfied for acromioplasty:
- (a) response to nonsurgical care: the employee's condition has failed to improve after adequate initial nonsurgical care; and
- (b) clinical findings: the employee exhibits pain with active elevation from 90 to 130 degrees and pain at night, and a positive impingement test.
 - C. Repair of acromioclavicular or costoclavicular ligaments:
- (1) Diagnosis: surgical repair of acromioclavicular or costoclavicular ligaments may be performed for acromioclavicular separation, ICD-9-CM codes 831.04 to 831.14.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), the requirements of units (a) and (b) must be satisfied for repair of acromioclavicular or costoclavicular ligaments:
 - (a) response to nonsurgical care: the employee's condition includes:
 - i. failure to improve after at least a one-week trial period in a

support brace; or

- ii. separation cannot be reduced and held in a brace; or
- iii. grade III separation has occurred; and
- (b) clinical findings: the employee exhibits localized pain at the acromioclavicular joint and prominent distal clavicle and radiographic evidence of separation at the acromioclavicular joint.
 - D. Excision of distal clavicle:
- (1) Diagnosis: excision of the distal clavicle may be performed for the following conditions:
 - (a) acromioclavicular separation, ICD-9-CM codes 831.01 to 831.14;
- (b) osteoarthrosis of the acromioclavicular joint, ICD-9-CM codes 715.11, 715.21, and 715.31; or
 - (c) shoulder impingement syndrome.
- (2) Criteria and indications: in addition to one of the diagnosis in subitem (1), the following conditions must be satisfied for excision of distal clavicle:
- (a) response to nonsurgical care: the employee's condition fails to improve with adequate initial nonsurgical care; and
 - (b) clinical findings: the employee exhibits:
- i. pain at the acromioclavicular joint, with aggravation of pain with motion of shoulder or carrying weight;
- ii. confirmation that separation of AC joint is unresolved and prominent distal clavicle, or pain relief obtained with an injection of anesthetic for diagnostic/therapeutic trial; and
- iii. separation at the acromioclavicular joint with weight-bearing films, or severe degenerative joint disease at the acromioclavicular joint noted on X-rays.
 - E. Repair of shoulder dislocation or subluxation (any procedure):
- (1) Diagnosis: surgical repair of a shoulder dislocation may be performed for the following diagnoses:
 - (a) recurrent dislocations, ICD-9-CM code 718.31;
 - (b) recurrent subluxations; or
 - (c) persistent instability following traumatic dislocation.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following clinical findings must exist for repair of a shoulder dislocation:
- (a) the employee exhibits a history of multiple dislocations or subluxations that inhibit activities of daily living; and

arm: and

- (b) X-ray findings are consistent with multiple dislocations or subluxations.
 - F. Repair of proximal biceps tendon:
- (1) Diagnosis: surgical repair of a proximal biceps tendon may be performed for proximal rupture of the biceps, ICD-9-CM code 727.62 or 840.8.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), both of the following conditions must be satisfied for repair of proximal biceps tendon:
- (a) the procedure may be done alone or in conjunction with another indicated repair of the rotator cuff; and
 - (b) clinical findings: the employee exhibits:
 - i. complaint of pain that does not resolve with attempt to use
 - ii. palpation of "bulge" in upper aspect of arm.
- G. Epicondylitis. Specific requirements for surgery for epicondylitis are included in part 5221.6300, subpart 11.
- H. Tendinitis. Specific requirements for surgery for tendinitis are included in part 5221.6300, subpart 12.
- I. Nerve entrapment syndromes. Specific requirements for nerve entrapment syndromes are included in part 5221.6300, subpart 13.
 - J. Muscle pain syndromes. Surgery is not indicated for muscle pain syndromes.
- K. Traumatic sprains and strains. Surgery is not indicated for the treatment of traumatic sprains and strains, unless there is clinical evidence of complete tissue disruption. Patients with complete tissue disruption may need immediate surgery.

Subp. 4. Lower extremity surgery.

- A. Anterior cruciate ligament (ACL) reconstruction:
- (1) Diagnoses: surgical repair of the anterior cruciate ligament, including arthroscopic repair, may be performed for the following diagnoses:
- (a) old disruption of anterior cruciate ligament, ICD-9-CM code 717.83; or
 - (b) sprain of cruciate ligament of knee, ICD-9-CM code 844.2.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1) the conditions in units (a) to (c) must be satisfied for anterior cruciate ligament reconstruction. Pain alone is not an indication:
- (a) the employee gives a history of instability of the knee described as "buckling or giving way" with significant effusion at time of injury, or description of injury indicates a rotary twisting or hyperextension occurred;
- (b) there are objective clinical findings of positive Lachman's sign, positive pivot shift, and/or positive anterior drawer; and
- (c) there are positive diagnostic findings with arthrogram, MRI, or arthroscopy and there is no evidence of severe compartmental arthritis.
 - B. Patella tendon realignment or Maquet procedure:
- (1) Diagnosis: patella tendon realignment may be performed for dislocation of patella, open, ICD-9-CM code 836.3, or closed, ICD-9-CM code 836.4, or chronic residuals of dislocation.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), all of the following conditions must be satisfied for a patella tendon realignment:
- (a) the employee gives a history of rest pain as well as pain with patellofemoral movement, and recurrent effusion, or recurrent dislocation; and
- (b) there are objective clinical findings of patellar apprehension, synovitis, lateral tracking, or Q angle greater than 15 degrees.
 - C. Knee joint replacement:

5221.6500 FEES FOR MEDICAL SERVICES

- (1) Diagnoses: knee joint replacement may be performed for degeneration of articular cartilage or meniscus of knee, ICD-9-CM codes 717.1 to 717.4.
- (2) Criteria and indications: in addition to the diagnosis in subitem (1), the following conditions must be satisfied for a knee joint replacement:
- (a) clinical findings: the employee exhibits limited range of motion, night pain in the joint or pain with weight-bearing, and no significant relief of pain with an adequate course of initial nonsurgical care; and
- (b) diagnostic findings: there is significant loss or erosion of cartilage to the bone, and positive findings of advanced arthritis and joint destruction with standing films, MRI, or arthroscopy.
 - D. Fusion; ankle, tarsal, metatarsal:
 - (1) Diagnoses: fusion may be performed for the following conditions:
- (a) malunion or nonunion of fracture of ankle, tarsal, or metatarsal, ICD-9-CM code 733.81 or 733.82; or
 - (b) traumatic arthritis (arthropathy), ICD-9-CM code 716.17.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following conditions must be satisfied for an ankle, tarsal, or metatarsal fusion:
- (a) initial nonsurgical care: the employee must have failed to improve with an adequate course of initial nonsurgical care which included:
- i. immobilization which may include casting, bracing, shoe modification, or other orthotics; and
 - ii. anti-inflammatory medications;
 - (b) clinical findings:
- i. the employee gives a history of pain which is aggravated by activity and weight-bearing, and relieved by xylocaine injection; and
- ii. there are objective findings on physical examination of malalignment or specific joint line tenderness, and decreased range of motion; and
- (c) diagnostic findings: there are medical imaging studies confirming the presence of:
 - i. loss of articular cartilage and joint space narrowing;
 - ii. bone deformity with hypertrophic spurring and sclerosis; or
 - iii. nonunion or malunion of a fracture.
 - E. Lateral ligament ankle reconstruction:
- (1) Diagnoses: ankle reconstruction surgery involving the lateral ligaments may be performed for the following conditions:
 - (a) chronic ankle instability, ICD-9-CM code 718.87; or
 - (b) grade III sprain, ICD-9-CM codes 845.0 to 845.09.
- (2) Criteria and indications: in addition to one of the diagnoses in subitem (1), the following conditions must be satisfied for a lateral ligament ankle reconstruction:
- (a) initial nonsurgical care: the employee must have received an adequate course of initial nonsurgical care including, at least:
 - i. immobilization with support, cast, or ankle brace, followed by
 - ii. a physical rehabilitation program; and
 - (b) clinical findings:
 - i. the employee gives a history of ankle instability and swelling;

and

ii. there is a positive anterior drawer sign on examination; or

iii. there are positive stress X-rays identifying motion at ankle or subtalar joint with at least a 15 degree lateral opening at the ankle joint, or

demonstrable subtalar movement, and negative to minimal arthritic joint changes on X-ray, or ligamentous injury is shown on MRI scan.

- (3) Prosthetic ligaments: prosthetic ligaments are not indicated.
- (4) Implants: requests for any plastic implant must be confirmed by a second opinion.
- (5) Calcaneus osteotomy: requests for calcaneus osteotomies must be confirmed by a second opinion.

Statutory Authority: MS s 176.103; 176.83

History: 19 SR 1412

5221.6600 CHRONIC MANAGEMENT.

- Subpart 1. **Scope.** This part applies to chronic management of all types of physical injuries, even if the injury is not specifically governed by parts 5221.6200 to 5221.6500. If a patient continues with symptoms and physical findings after all appropriate initial nonsurgical and surgical treatment has been rendered, and if the patient's condition prevents the resumption of the regular activities of daily life including regular vocational activities, then the patient may be a candidate for chronic management. The purpose of chronic management is twofold: the patient should be made independent of health care providers in the ongoing care of a chronic condition; and the patient should be returned to the highest functional status reasonably possible.
- A. Personality or psychological evaluation may be indicated for patients who are candidates for chronic management. The treating health care provider may perform this evaluation or may refer the patient for consultation with another health care provider in order to obtain a psychological evaluation. These evaluations may be used to assess the patient for a number of psychological conditions which may interfere with recovery from the injury. Since more than one of these psychological conditions may be present in a given case, the health care provider performing the evaluation must consider all of the following:
 - (1) Is symptom magnification occurring?
- (2) Does the patient exhibit an emotional reaction to the injury, such as depression, fear, or anger, which is interfering with recovery?
- (3) Are there other personality factors or disorders which are interfering with recovery?
 - (4) Is the patient chemically dependent?
 - (5) Are there any interpersonal conflicts interfering with recovery?
 - (6) Does the patient have a chronic pain syndrome or psychogenic pain?
- (7) In cases in which surgery is a possible treatment, are psychological factors likely to interfere with the potential benefit of the surgery?
- B. Any of the chronic management modalities of subpart 2 may be used singly or in combination as part of a program of chronic management.
- C. No further passive treatment modalities or therapeutic injections are indicated, except as otherwise provided in parts 5221.6200, subpart 3, item B; 5221.6205, subpart 3, item B; 5221.6210, subpart 3, item B; and 5221.6300, subpart 3, item B.
- D. No further diagnostic evaluation is indicated unless there is the development of symptoms or physical findings which would in themselves warrant diagnostic evaluation.
- E. A program of chronic management must include appropriate means by which use of scheduled medications can be discontinued or severely limited.
- Subp. 2. Chronic management modalities. The health care provider must provide prior notification of the chronic management modalities in items B to F according to part 5221.6050, subpart 9. Prior notification is not required for home-based exercises in item A, unless durable medical equipment is prescribed for home use. The insurer may not deny payment for a program of chronic management that the insurer has previously

5221.6600 FEES FOR MEDICAL SERVICES

authorized for an employee, either in writing or by routine payment for services, without providing the employee and the employee's health care provider with at least 30 days' notice of intent to apply any of the chronic management parameters in part 5221.6600 to future treatment. The notice must include the specific parameters that will be applied in future determinations of compensability by the insurer.

- A. Home-based exercise programs consist of aerobic conditioning, stretching and flexibility exercises, and strengthening exercises done by the patient on a regular basis at home without the need for supervision or attendance by a health care provider. Maximum effectiveness may require the use of certain durable medical equipment that may be prescribed and reimbursed within any applicable treatment parameters in parts 5221.6200 to 5221.6305.
- (1) Indications: exercise is necessary on a long-term basis to maintain function.
- (2) Requirements: the patient should receive specific instruction and training in the exercise program. Repetitions, durations, and frequencies of exercises must be specified. Any durable medical equipment needed must be prescribed in advance and the insurer must be given prior notification of proposed purchase.
 - (3) Treatment period, one to three visits for instruction and monitoring. B. Health clubs:
- (1) Indications: the patient is deconditioned and requires a structured environment to perform prescribed exercises. The health care provider must document the reasons why reconditioning cannot be accomplished with a home-based program of exercise.
- (2) Requirements: the program must have specific prescribed exercises stated in objective terms, for example "30 minutes riding stationary bicycle three times per week." There must be a specific set of prescribed activities and a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a prescribed frequency of attendance and the patient must maintain adequate documentation of attendance. There must be a prescribed duration of attendance.
- (3) Treatment period, 13 weeks. Additional periods of treatment require additional prior notification of the insurer. Additional periods of treatment at a health club are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment. If the employer has an appropriate exercise facility on its premises the insurer may mandate use of that facility instead of providing a health club membership.
- C. Computerized exercise programs utilize computer controlled exercise equipment that allows for the isolation of specific muscle groups and the performance of graded exercise designed to increase strength, tone, flexibility, and range of motion. In combination with computerized range of motion or strength measuring tests, these programs allow for quantitative measurement of effort and progress.
- (1) Indications: the patient is deconditioned and requires a structured environment to accomplish rehabilitation goals. The health care provider must document the reasons why reconditioning cannot be accomplished with a home-based program of exercise.
- (2) Requirements: the program must have specific goals stated in objective terms, for example "improve strength of back extensors 50 percent." There must be a specific set of prescribed activities and a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a prescribed frequency and duration of attendance.
- (3) Treatment period, six weeks. Additional periods of treatment require additional prior notification of the insurer. Additional periods of treatment are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment.

- D. Work conditioning and work hardening programs are intensive, highly structured, job oriented, individualized treatment plans based on an assessment of the patient's work setting or job demands, and designed to maximize the patient's return to work. These programs must include real or simulated work activities. Work conditioning is designed to restore an individual's neuromusculoskeletal strength, endurance, movement, flexibility, and motor control, and cardiopulmonary function. Work conditioning uses physical conditioning and functional activities related to the individual's work. Services may be provided by one discipline of health care provider. Work hardening is designed to restore an individual's physical, behavioral, and vocational functions within an interdisciplinary model. Work hardening addresses the issues of productivity, safety, physical tolerances, and work behaviors. An interdisciplinary team includes professionals qualified to evaluate and treat behavioral, vocational, physical, and functional needs of the individual.
- (1) Indications: the patient is disabled from usual work and requires reconditioning for specific job tasks or activities and the reconditioning cannot be done on the job. The health care provider must document the reasons why work hardening cannot be accomplished through a structured return to work program. Work conditioning is indicated where only physical and functional needs are identified. Work hardening is indicated where, in addition to physical and functional needs, behavioral and vocational needs are also identified that are not otherwise being addressed.
- (2) Requirements: the program must have specific goals stated in terms of work activities, for example "able to type for 30 minutes." There must be an individualized program of activities and the activities must be chosen to simulate required work activities or to enable the patient to participate in simulated work activities. There must be a specific timetable of progression in those activities, designed so that the goals can be achieved in the prescribed time. There must be a set frequency and hours of attendance and the program must maintain adequate documentation of attendance. There must be a set duration of attendance. Activity restrictions must be identified at completion of the program.
- (3) Treatment period, six weeks. Additional periods of treatment require prior notification of the insurer. Additional periods of treatment at a work hardening program or work conditioning program are not indicated unless there is documentation of attendance and progression in activities during the preceding period of treatment or unless there has been a change in the patient's targeted return to work job which necessitates a redesign of the program.
- E. Chronic pain management programs consist of multidisciplinary teams who provide coordinated, goal-oriented services to reduce pain disability, improve functional status, promote return to work, and decrease dependence on the health system of persons with chronic pain syndrome. Pain management programs must provide physical rehabilitation, education on pain, relaxation training, psychosocial counseling, medical evaluation, and, if indicated, chemical dependency evaluation. The program of treatment must be individualized and based on an organized evaluative process for screening and selecting patients. Treatment may be provided in an inpatient setting, outpatient setting, or both as appropriate.
- (1) Indications: the patient is diagnosed as having a chronic pain syndrome.
- (2) Requirements: an admission evaluation must be performed by a doctor, and a licensed mental health professional, each with at least two years experience in evaluation of chronic pain patients and chronic pain treatment, or one year of formal training in a pain fellowship program. The evaluation must confirm the diagnosis of chronic pain syndrome and a willingness and ability of the patient to benefit from a pain management program. There must be a specific set of prescribed activities and treatments, and a specific timetable of progression in those activities. There must be a set frequency and hours of attendance and the program must maintain adequate documentation of attendance. There must be a set duration of attendance.

5221.6600 FEES FOR MEDICAL SERVICES

- (3) Treatment period: for initial treatment, a maximum of 20 eight-hour days, though fewer or shorter days can be used, and a maximum duration of four weeks no matter how many or how long the days prescribed. For aftercare, a maximum of 12 sessions is allowed. Only one completed pain management program is indicated for an injury.
 - F. Individual or group psychological or psychiatric counseling.
- (1) Indications: a personality or psychosocial evaluation has revealed one or more of the problems listed in subpart 1, item A, which interfere with recovery from the physical injury, but the patient does not need or is not a candidate for a pain management program.
- (2) Requirements: there must be a specific set of goals based on the initial personality or psychosocial evaluation and a timetable for achieving those goals within the prescribed number of treatment or therapy sessions. There must be a prescribed frequency of attendance and the treating health care provider must maintain adequate documentation of attendance. There must be a prescribed duration of treatment.
- (3) Treatment period: a maximum of 12 sessions. Only one completed program of individual or group psychological or psychiatric counseling is indicated for an injury.

Statutory Authority: *MS s 176.103; 176.83*

History: 19 SR 1412

5221.8900 DISCIPLINARY ACTION; PENALTIES.

- Subpart 1. **Discipline.** A health care provider is subject to disciplinary action under Minnesota Statutes, section 176.103, for failure to comply with the requirements in parts 5221.6010 to 5221.6600 or the violation of any of the provisions of Minnesota Statutes, chapter 176, or other rules or orders issued pursuant thereto.
- Subp. 2. Complaints. Complaints about professional behavior or services of health care providers relating to noncompliance with established workers' compensation laws, rules, or orders shall be made in writing to the commissioner. The commissioner or a designee shall assist a person in filing a complaint, if necessary. A complaint may be submitted by any person who becomes aware of a violation, including designees of the commissioner, administrative law judges, and presiding officials at judicial proceedings.
- Subp. 3. **Review and investigation.** The commissioner shall investigate all complaints to determine whether there has been a violation of established workers' compensation laws, rules, or orders. The commissioner may refer a matter to another agency that has jurisdiction over the provider's license or conduct, or to an agency that has prosecuting authority in the event of suspected theft or fraud or to a peer review organization for an opinion. Absent suspected theft or fraud, providing treatment outside a parameter set forth in parts 5221.6020 to 5221.6500 shall not in itself result in a referral to a prosecuting authority.

If an investigation indicates that discipline may be warranted, the commissioner shall determine whether the violation involves inappropriate, unnecessary, or excessive treatment, or whether the violation involves other statutes or rules. The commissioner shall take appropriate action according to subpart 6, 7, or 8.

Subp. 4. Cooperation with disciplinary proceedings. A health care provider who is the subject of a complaint investigated by the commissioner under Minnesota Statutes, section 176.103, shall cooperate fully with the investigation. Cooperation includes, but is not limited to, responding fully and promptly to any questions raised by the commissioner relating to the subject of the investigation and providing copies of records, reports, logs, data, and cost information as requested by the commissioner to assist in the investigation. The health care provider shall not charge for services but may charge for the cost of copies of medical records, at the rate set in part 5219.0300, subpart 2, for this investigation. Cooperation includes attending, in person, a meeting scheduled by the commissioner for the purposes of subpart 5. This subpart does not limit the health care provider's right to be represented by an attorney.

- Subp. 5. **In-person meeting.** When conferring with the parties to a complaint is deemed appropriate, the commissioner shall schedule a meeting for the purpose of clarification of issues, obtaining information, instructing parties to the complaint, or for the purpose of resolving disciplinary issues.
- Subp. 6. Resolution by instruction or written agreement. The commissioner may resolve a complaint through instruction of a provider, or may enter into stipulated consent agreements regarding discipline with a provider in lieu of initiating a contested case or medical services review board proceeding.
 - Subp. 7. Inappropriate, unnecessary, or excessive treatment.
- A. Except as otherwise provided in subparts 3 and 6, if the suspected violation involves a treatment standard set forth in parts 5221.6020 to 5221.6500 the commissioner must refer the health care provider to the medical services review board for review under Minnesota Statutes, section 176.103, subdivision 2, if:
- (1) the situation requires medical expertise in matters beyond the department's general scope;
- (2) wherever possible under Minnesota Statutes, chapter 176, a final determination has been made by a workers' compensation presiding official, or provider licensing or registration body that the medical treatment in issue was inappropriate, unnecessary, or excessive; and
- (3) a pattern of consistently providing inappropriate, unnecessary, or excessive services exists for three or more employees.
- B. Where the medical service review board's report to the commissioner indicates a violation of treatment standards or other inappropriate, unnecessary, or excessive treatment the commissioner shall order a sanction. Sanctions may include, but are not limited to, a warning; a fine of up to \$200 per violation; a restriction on providing treatment; requiring preauthorization by the board, the payor, or the commissioner for a plan of treatment; and suspension from receiving compensation for the provision of treatment.
- C. Within 30 days of receipt of the order of sanction, the health care provider may request in writing a review by the commissioner of the sanction in accordance with the procedure set forth in Minnesota Statutes, section 176.103, subdivision 2a. Within 30 days following receipt of the compensation judge's decision reviewing the sanction, a provider may petition the workers' compensation court of appeals for review according to the procedures in Minnesota Statutes, section 176.103, subdivision 2a.
- Subp. 8. Violations of statutes and rules other than those involving inappropriate, unnecessary, or excessive treatment. If the suspected violation warranting discipline involves a statute or rule other than treatment standards, the commissioner shall initiate a contested case hearing for disciplinary action under Minnesota Statutes, section 176.103, subdivision 3, paragraph (b), and the administrative procedure act in Minnesota Statutes, chapter 14.
- A. Upon petition of the commissioner and following receipt of the recommendation of the administrative law judge, the medical services review board may issue a fine of up to \$200 for each violation, or disqualify or suspend the health care provider from receiving payment for services, according to Minnesota Statutes, section 176.103, subdivision 3, paragraph (b).
- B. Within 30 days after service of the board's decision, a provider may petition the Workers' Compensation Court of Appeals for review according to Minnesota Statutes, section 176.421.
- Subp. 9. **Penalties.** In addition to disciplinary action under subparts 1 to 8, the commissioner may assess a penalty under part 5220.2810 if a health care provider fails to release existing written medical data according to Minnesota Statutes, section 176.138. A penalty may also be assessed under part 5220.2830 and Minnesota Statutes, section 176.231, subdivision 10, if a health care provider fails to provide reports required by part 5221.0410.

Statutory Authority: *MS s* 176.103; 176.83

History: 19 SR 1412