

1335.1200 FLOODPROOFING REGULATIONS, SECTION 205.3.

Subpart 1. **No. 2.** FPR section 205.3, No. 2 is amended to read as follows:

Two sets of complete plans and specifications, in addition to plans and specifications required by the building code, except that plans and specifications for any and all proposed improvement in the primary flood hazard area(s) shall be prepared by an engineer or architect licensed by the state to practice as such. All drawings and specifications shall bear the true name of the author thereof, followed by such title as the author may be lawfully authorized to use. All plans and sections shall be noted with the proposed floodproofing class of each space below the RFD including detail drawings of walls and wall openings.

Exception: Plans for Group M Division 1 Occupancies need not be prepared by a licensed architect or engineer.

Subp. 2. **No. 3.** FPR section 205.3, No. 3 is amended to read as follows:

Two copies of the owner's contingency plan, which shall describe in detail all procedures for temporary placement and removal or contingent protection proposed items in spaces affected by these regulations including:

A. plans and schedules for items to be removed and locations of places above the RFD to which they will be removed if these contents violate restrictions associated with the floodproofing class of the space in which they are placed temporarily, including specific organizational responsibilities; and

B. procedures, materials, and equipment for protecting items required to have protection by their floodproofing class, but for which this protection is proposed to be provided contingently, including specific organizational responsibilities for accomplishing this protection.

Waivers of restrictions implicitly requested by submission of the owner's contingency plan may be granted by the building official as provided by 1101.2.

Statutory Authority: *MS s 104.05*

History: *17 SR 1279*

Published Electronically: *July 30, 2007*