

2110.0390 PHYSICAL REQUIREMENTS.**Subpart 1. Space.** Space:

A. There shall be a combined clinic and classroom size of at least 25 square feet for each enrollee to be accommodated. This space shall exclude all office space, storage areas, lounge facilities, and restrooms.

B. All supplies and materials shall be stored in a space not accessible to the public.

C. The dispensary shall be a specified area inaccessible to the public.

D. There shall be a furnished student lounge of at least 120 contiguous square feet.

Subp. 2. **Entrances and exits.** Entrances and exits must comply with the requirements of applicable local building codes and ordinances.

Subp. 3. **Electrical requirements.** Each classroom shall be clearly lit and shall have at least two electrical outlets. Use of extension cords shall not be an acceptable means of meeting this requirement.

Subp. 4. **Toilet facilities.** Each school shall provide adequate toilet facilities on its premises or in an adjacent common area for the use of students, staff, and customers. Separate restroom facilities must be provided for women and men.

Subp. 5. **Additional.** In addition, each school shall meet the physical requirements for salons contained in parts 2105.0360, subparts 3 to 7.

Statutory Authority: *MS s 45.023; 154.45; 154.47; 154.48; 155A.05; 155A.26; 155A.29; 155A.30*

History: *11 SR 389; 13 SR 1056; L 2005 c 27 s 9; L 2009 c 78 art 6 s 26*

Published Electronically: *August 20, 2009*