CHAPTER 7009

MINNESOTA POLLUTION CONTROL AGENCY AMBIENT AIR QUALITY STANDARDS

	AMBIENT AIR QUALITY STANDARDS
7009.0010	DEFINITIONS.
7009.0020	PROHIBITED EMISSIONS.
7009.0030	ENFORCEMENT.
7009.0040	ENFORCEMENT; OPTIONS.
7009.0050	INTERPRETATION AND MEASUREMENT METHODOLOGY, EXCEPT FOR HYDROGEN SULFIDE.
7009.0060	MEASUREMENT METHODOLOGY FOR HYDROGEN SULFIDE.
7009.0070	TIME OF COMPLIANCE.
7009.0080	STATE AMBIENT AIR QUALITY STANDARDS.
	AIR POLLUTION EPISODES
7009.1000	AIR POLLUTION EPISODES.
7009.1010	DEFINITIONS.
7009.1020	EPISODE LEVELS.
7009.1030	EPISODE DECLARATION.

- 7009.1040 CONTROL ACTIONS.
- 7009.1050 EMERGENCY POWERS.
- 7009.1060 TABLE 1.
- 7009.1070 TABLE 2: EMISSION REDUCTION OBJECTIVES FOR PARTICULATE MATTER.
- 7009,1080 TABLE 3: EMISSION OBJECTIVES FOR SULFUR OXIDES.
- 7009.1090 TABLE 4: EMISSION REDUCTION OBJECTIVES FOR NITROGEN OXIDES.
- 7009.1100 TABLE 5: EMISSION REDUCTION OBJECTIVES FOR HYDROCARBONS.
- 7009.1110 TABLE 6: EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE.

ADOPTION OF FEDERAL REGULATIONS

7009.9000 DETERMINING CONFORMITY OF GENERAL FEDERAL ACTIONS TO STATE OR FEDERAL IMPLEMENTATION PLANS.

AMBIENT AIR QUALITY STANDARDS

7009.0010 DEFINITIONS.

Subpart 1. **Scope.** For the purpose of parts 7009.0010 to 7009.0080, the following terms have the meanings given them.

Subp. 2. **Primary ambient air quality standards; primary standards.** "Primary ambient air quality standards" or "primary standards" mean levels established to protect the public health from adverse effects. The adverse effects that the standards should protect against include acute or chronic subjective symptoms and physiological changes that are likely to interfere with normal activity in healthy or sensitive individuals or to interfere unreasonably with the enjoyment of life or property.

Subp. 3. **Secondary ambient air quality standards; secondary standards.** "Secondary ambient air quality standards" or "secondary standards" mean levels established to protect the public welfare from any known or anticipated adverse effects, such as injury to agricultural crops and livestock, damage to or deterioration of property, annoyance and nuisance of persons, or hazards to air and ground transportation.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

7009.0020 PROHIBITED EMISSIONS.

No person shall emit any pollutant in such an amount or in such a manner as to cause or contribute to a violation of any ambient air quality standard beyond such person's property line, provided however, that in the event the general public has access to the person's property or portion thereof, the ambient air quality standards shall apply in those locations. The general public shall not include employees, trespassers, or other categories of people who have been directly authorized by the property owner to enter or remain on the property for a limited period of time and for a specific purpose.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

7009.0030 ENFORCEMENT.

The requirement in part 7009.0020 applies without respect to whether emission rules stated in other air pollution control rules of the agency are also being violated. However, in enforcing the ambient air quality standards specified in parts 7009.0010 to 7009.0080, the agency shall not seek payment of a civil or criminal penalty from a person to or with whom a permit or stipulation agreement has been issued or entered into by the agency if and only if:

A. that permit or stipulation agreement establishes emission limitations or standards of performance for the pollutant or precursor thereof for which there is an ambient air quality standard which has been violated; and

B. the person to or with whom the permit or stipulation agreement has been issued or entered into by the agency was in compliance with the corresponding emission limitations and standards of performance at the time of the violation of the ambient air quality standard.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

7009.0040 ENFORCEMENT; OPTIONS.

Notwithstanding part 7009.0030, any violations of the ambient air quality standards shall constitute grounds for the modification or revocation of a permit, for action by the agency to amend a stipulation agreement, or for other enforcement action by the agency to further require reduction or control of that person's emissions.

History: 18 SR 614

Published Electronically: April 18, 2000

7009.0050 INTERPRETATION AND MEASUREMENT METHODOLOGY, EXCEPT FOR HYDROGEN SULFIDE.

For all ambient air quality standards except hydrogen sulfide, interpretation of the standards and measurements made to determine compliance with the standards shall be performed as set forth in:

- A. Code of Federal Regulations, title 40, part 50, National Primary and Secondary Ambient Air Quality Standards, as amended; or
- B. Code of Federal Regulations, title 40, part 53-Ambient Air Monitoring Reference and Equivalent Methods, as amended; and
- C. Code of Federal Regulations, title 40, part 58, Ambient Air Quality Surveillance, as amended.

Statutory Authority: MS s 116.07

History: 18 SR 614; 19 SR 550; 23 SR 2224

Published Electronically: April 18, 2000

7009.0060 MEASUREMENT METHODOLOGY FOR HYDROGEN SULFIDE.

For hydrogen sulfide, measurements made to determine compliance with the standards shall be performed in accordance with any measurement method approved by the commissioner. The commissioner shall approve a measurement method where the sensitivity, precision, accuracy, response time, and interference levels of the method are comparable to that of the measurement methods for the other pollutants described in part 7009.0050; and when the person seeking to take the measurement has developed and submitted to the agency a quality assurance plan that provides operational procedures for each of the activities described in Code of Federal Regulations, as amended, title 40, part 58, appendix A.2.2, Quality Assurance Requirements for State and Local Air Monitoring Stations.

Statutory Authority: MS s 116.07

History: L 1987 c 186 s 15; 18 SR 614; 19 SR 550

Published Electronically: April 18, 2000

7009.0070 TIME OF COMPLIANCE.

The ozone and sulfur dioxide standards shall be attained as expeditiously as practicable but in no case later than December 31, 1984.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

7009.0080 STATE AMBIENT AIR QUALITY STANDARDS.

The following table contains the state ambient air quality standards.

Pollutant/Air Contaminant	Primary Standard	Secondary Standard	Remarks
Hydrogen Sulfide	0.05 ppm by volume (70.0 micrograms per cubic meter)		1/2 hour average not to be exceeded over 2 times per year
	0.03 ppm by volume (42.0 micrograms per cubic meter)		1/2 hour average not to be exceeded over 2 times in any 5 consecutive days
Ozone	0.08 ppm by volume (235 micrograms per cubic meter)	same as primary standard	daily maximum 8 hour average; the standard is attained when the average of the annual fourth-highest daily maximum 8-hour average ozone concentration is less than or equal to the standard
Carbon Monoxide	9 ppm by volume (10 milligrams per cubic meter)	same as primary standard	maximum 8 hour concentration not to be exceeded more than once per year
	30 ppm by volume (35 milligrams per cubic meter)	same as primary standard	maximum 1 hour concentration not to be exceeded more than once per year
Sulfur Dioxide	80 micrograms per cubic meter (0.03 ppm by volume)	60 micrograms per cubic meter (0.02 ppm by volume)	maximum annual arithmetic mean
	365 micrograms per cubic meter (0.14 ppm by volume)	same as primary standard	maximum 24 hour concentration not to be exceeded more than once per year
		915 micrograms per cubic meter (0.35 ppm by volume)	maximum 3 hour concentration not to be exceeded more than once per year in Air Quality Control Regions 127, 129, 130, and 132

			maximum 3 hour concentration not to be exceeded more than once per year in Air Quality Control Regions 128, 131, and 133
	1300 micrograms per cubic meter (0.5 ppm by volume)		maximum 3 hour concentration not to be exceeded more than once per year
	1300 micrograms per cubic meter (0.5 ppm by volume)		maximum 1 hour concentration not to be exceeded more than once per year
Particulate Matter	75 micrograms per cubic meter	60 micrograms per cubic meter	maximum annual geometric mean
	260 micrograms per cubic meter	150 micrograms per cubic meter	maximum 24 hour concentration not to be exceeded more than once per year
Nitrogen Dioxide	0.05 ppm by volume (100 micrograms per cubic meter)	same as primary standard	maximum annual arithmetic mean
Lead	1.5 micrograms per cubic meter	same as primary standard	maximum arithmetic mean averaged over a calendar quarter
PM-10	150 micrograms per cubic meter	same as primary standard	maximum 24-hour average concentration; the standard is attained when the expected number of days per calendar year exceeding the value of the standard is equal to or less than one
	50 micrograms per cubic meter	same as primary standard	annual arithmetic mean; the standard is attained when the expected annual arithmetic mean concentration is less than or equal to the value of the standard
PM-2.5	65 micrograms per cubic meter	same as primary standard	24-hour average concentration; the standard is attained when the 98th percentile 24-hour concentration is less than or equal to the standard

15.0 micrograms per same as primary cubic meter standard

annual arithmetic mean; the standard is attained when the annual arithmetic mean concentration is less than or equal to the standard

Statutory Authority: MS s 116.07

History: 18 SR 614; 19 SR 550; 22 SR 1237; 23 SR 2224

Published Electronically: April 18, 2000

AIR POLLUTION EPISODES

7009.1000 AIR POLLUTION EPISODES.

Parts 7009.1000 to 7009.1110 apply to any owner or operator of any emission facility or stationary source having allowable emissions of any single air pollutant of 250 or more tons per year located within or having air pollutant emissions affecting any area within Minnesota for which an air pollution alert, air pollution warning, air pollution emergency, or air pollution significant harm episode has been declared by the commissioner.

Statutory Authority: MS s 116.07

History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614; 20 SR 2316

Published Electronically: April 18, 2000

7009.1010 DEFINITIONS.

Subpart 1. **Scope.** As used in parts 7009.1000 to 7009.1110, the following words shall have the meanings defined herein.

- Subp. 2. **Air pollutant.** "Air pollutant" means particulate matter, sulfur dioxide, nitrogen oxides, ozone, carbon monoxide, or nonmethane hydrocarbons.
- Subp. 3. **Alert level.** "Alert level" means the concentration of pollutants, as specified in part 7009.1020, at which first stage control actions are to be taken.
- Subp. 4. **Allowable emission.** "Allowable emission" means the emission rate calculated using the maximum rated capacity of the emission facility or stationary source, unless the emission facility or stationary source is subject to enforceable permit conditions which limit the operating rate or hours of operation or both, and the applicable standard of performance in agency rules or the standard in the permit, whichever is more stringent.
- Subp. 4a. **Commissioner.** "Commissioner" means the commissioner of the Minnesota Pollution Control Agency or the commissioner's designee.
- Subp. 5. **Declaration.** "Declaration" means the formal public notification of an episode made by the commissioner.
 - Subp. 6. [Repealed by amendment, L 1987 c 186 s 15]
- Subp. 7. **Emergency level.** "Emergency level" means that concentration of pollutants, as specified in part 7009.1020, at which third stage control actions are to be taken.

- Subp. 8. **Episode.** "Episode" means that period of time during which ambient air concentrations of air pollutants equal or exceed the alert level and meteorological conditions are such that the air pollutant concentrations can be expected to persist or to increase in the absence of control actions.
- Subp. 9. **Significant harm level.** "Significant harm level" means that concentration of pollutants, as specified in part 7009.1020, at which fourth stage control actions are to be taken.
- Subp. 10. **Warning level.** "Warning level" means that concentration of pollutants, as specified in part 7009.1020, at which second stage control actions are to be taken.

History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614

Published Electronically: April 18, 2000

7009.1020 EPISODE LEVELS.

The level at which the commissioner shall declare an air pollutant alert, warning, emergency, or significant harm episode shall be determined by table 1 in part 7009.1060.

Statutory Authority: MS s 116.07

History: L 1987 c 186 s 15; 18 SR 614

Published Electronically: April 18, 2000

7009.1030 EPISODE DECLARATION.

Subpart 1. **Alert.** An air pollution alert shall be declared by the commissioner when the commissioner finds that the concentration of any air pollutant has reached the alert level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the alert level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken.

- Subp. 2. **Warning.** An air pollution warning shall be declared by the commissioner when the commissioner finds that the concentration of any air pollutant has reached the warning level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the warning level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken. An air pollution warning shall also be declared by the commissioner when the commissioner finds that the alert level concentrations for any air pollutant have persisted in the area for 48 hours and are expected to continue for the subsequent 12 hours.
- Subp. 3. **Emergency.** An air pollution emergency shall be declared by the commissioner when the concentration of any air pollutant has reached the emergency level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the emergency level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken. An air pollution emergency shall also be declared by the commissioner when the commissioner finds that the warning level concentrations for any air pollutant have persisted in the area for 48 hours and are expected to continue for the subsequent 12 hours.

- Subp. 4. **Significant harm episode.** An air pollution significant harm episode shall be declared by the commissioner when the concentration of any air pollutant has reached the significant harm level at any monitoring site and meteorological conditions are such that the air pollutant concentration can be expected to remain at, or exceed, the significant harm level for 12 or more hours or, in the case of ozone, to recur the following day at the same or higher levels unless control actions are taken.
- Subp. 5. **Geographical area.** The geographical area subject to episode levels of any air pollutant shall be delineated to the extent feasible and shall be identified in the commissioner's declaration.
 - Subp. 6. **End of episode.** The commissioner shall terminate the episode by declaration when:
- A. the measured air pollutant concentrations no longer satisfy the criteria specified in part 7009.1020; and
- B. the meteorological conditions indicate that there will not be a recurrence of episode levels of air pollutants within 24 hours of control actions are reduced or eliminated.

History: L 1987 c 186 s 15; 18 SR 614

Published Electronically: April 18, 2000

7009.1040 CONTROL ACTIONS.

- Subpart 1. **Compliance required.** Notwithstanding the provisions of other rules or of any installation permit, operating permit, stipulation agreement, variances, or order of the agency, all persons shall, upon notification by the commissioner or the commissioner's designee, comply with episode control directives issued by the commissioner.
- Subp. 2. **Control directive.** Control directives issued to any owner or operator of an emission facility shall be based on the emission reduction plan submitted to the commissioner pursuant to subpart 3; provided, however, that in the event that no emission reduction plan has been approved for such facility, the episode control directives shall be based upon the emission reduction objectives set forth at subpart 4.
- Subp. 3. **Episode emission reduction plan.** The owner or operator of each emission facility or stationary source located in an area of the state designated by the commissioner as having exceeded the alert levels in part 7009.1060, table 1, within the last ten years and having allowable emissions of greater than or equal to 250 tons per year of the pollutant causing the episode, shall submit to the commissioner an episode emission reduction plan to be implemented at the facility or stationary source in the event of a declaration by the commissioner of an air pollution episode. The plan shall be submitted to the commissioner within 90 days of the designation of the area or by September 1, 1995, whichever is later. The plan shall be consistent with the emission reduction objectives in subpart 4 and shall designate at least two individuals to be notified in the event of the declaration of an air pollution episode. The plan shall be subject to the approval of the commissioner. If the commissioner finds that the plan is inconsistent with such emission reduction objectives, the plan shall be returned to the owner or operator along with a written statement of the reason(s) for disapproval. The owner or operator shall correct the deficiency within 30 days of notification of disapproval and shall resubmit the plan to the commissioner.
- Subp. 4. **Emission reduction objectives.** For the purpose of these parts, emission reduction objectives shall be as indicated in tables 2 through 6 in parts 7009.1070 to 7009.1110. In the event of

episode levels of both particulate matter and sulfur dioxide the commissioner shall direct coal fired electric power generating facilities which pollutant is to be reduced at each facility.

Subp. 5. **Right to enter.** During the time that an air pollution episode declaration is in effect and has not been terminated, the owner or operator of any emission facility who has been directed to implement any portion of the facility's emission reduction plan shall allow the agency, or any authorized employee or agent of the agency, when authorized by law and upon the presentation of proper credentials to enter upon the property of the owner or operator for the purpose of obtaining information or examining records or conducting surveys or investigations pertaining to the operation of the emission facilities and the control equipment. The owner or operator shall make available on the premises to such agency employee a copy of the episode emission reduction plan for the emission facility and shall, upon request of the agency employee, demonstrate that the control directives issued to the owner or operator are being implemented.

Statutory Authority: MS s 116.07

History: L 1987 c 186 s 15; 13 SR 2154; 18 SR 614; 20 SR 2316; 22 SR 1237

Published Electronically: April 18, 2000

7009.1050 EMERGENCY POWERS.

Nothing in these parts shall be interpreted to preempt the agency's emergency powers as provided in Minnesota Statutes, section 116.11 or to preclude appropriate actions from being taken by the agency to protect the public health.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

7009.1060 TABLE 1.

	Alert	Warning	Emergency	Significant Harm
SO ₂ 24 hr. avg.	300 ppb $800 \mu\text{g/m}^3$	600 ppb 1600 μg/m ³	800 ppb 2100 μg/m ³	1000 ppb 2620 μg/m ³
Part. 24 hr. avg.	$375 \mu g/m^3$	$625 \mu g/m^3$	$875 \mu g/m^3$	$1000~\mu\text{g/m}^3$
CO 8 hr. avg.	15 ppm 17 mg/m ³	30 ppm 34 mg/m ³	40 ppm 46 mg/m ³	50 ppm 57.5 mg/m ³
NO ₂ 24 hr. avg.	150 ppb 282 μg/m ³	300 ppb 565 μg/m ³	400 ppb 750 μg/m ³	500 ppb 938 μg/m ³

NO_2	600 ppb	1200 ppb	1600 ppb	2000 ppb
1 hr. avg.	1130 μ g/m ³	$2260 \mu g/m^3$	$3000 \mu g/m^3$	$3750 \mu g/m^3$
Ozone	200 ppb	400 ppb	500 ppb	600 ppb
1 hr. avg.	$400 \mu g/m^3$	$800 \mu g/m^3$	1000 μg/m ³	$1200 \mu g/m3$
$SO_2 \times Part.$ $\mu g/m^3 \times \mu g/m^3$				
24 hr. x 24 hr.	65×10^3	261×10^3	393×10^3	490×10^3

History: 18 SR 614

Published Electronically: April 18, 2000

7009.1070 TABLE 2: EMISSION REDUCTION OBJECTIVES FOR PARTICULATE MATTER.

EMISSION FACILITY	AIR POLLUTION ALERT	AIR POLLUTION WARNING	AIR POLLUTION EMERGENCY
1. Coal or oil-fired electric power generating facilities.	by utilization of fuels	a. Maximum reduction by utilization of fuels having lowest available ash content.	a. Maximum reduction by utilization of fuels having lowest available ash content.
	b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing	b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.	b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.
	c. Substantial reduction by diverting electric power generation to facilities outside of Alert Area.	c. Maximum reduction by diverting electric power generation to facilities outside of Warning Area.	c. Maximum reduction by diverting electric power generation to facilities outside of Emergency Area.
2. Coal or oil-fired process steam generating facilities	by utilization of fuels	a. Maximum reduction by utilization of fuels having lowest available ash content.	a. Maximum reduction by reducing heat and steam demands to absolute necessities consistent with preventing equipment damage.

- b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.
- c. Reduction of steam load c. Reduction of steam demands consistent with continuing plant operation.
- b. Maximum utilization of midday (12:00 noon to 4:00 p.m). atmospheric turbulence for boiler lancing and soot blowing
- load demands consistent with continuing plant operations.
 - d. Making ready for use a plan of action to be taken if an emergency develops.
- b. Maximum utilization of midday (12:00 noon to 4:00 p.m.) atmospheric turbulence for boiler landing and soot blowing.
- c. Taking the action called for in the emergency plan.

- 3. A-Manufacturing, processing, and mining industries. AND B-Other persons required by this rule to prepare standby plans.
- a. Substantial reduction of air contaminants from manufacturing operations by curtailing, postponing, or deferring production and reasonable economic allied operations.

b. Maximum reduction

by deferring trade waste

emit particles.

producing heat load

plant operations.

demands for processing

consistent with continuing

disposal operations which

of air contaminants from manufacturing operations by, if necessary, assuming hardship by postponing production and allied operations.

a. Maximum reduction

- b. Maximum reduction by deferring trade waste disposal operations which emit particles.
- producing heat load demands for processing consistent with continuing plant operations.
- a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.
- b. Elimination of air contaminants from trade waste disposal processes which emit particles.
- c. Reduction of particulate c. Reduction of particulate c. Maximum reduction of particulate producing heat load demands for processing.
- 4. Refuse disposal operations.
- limiting burning of refuse the use of incinerators. in incinerators to the hours between 12:00 noon and 4:00 p.m.
- prevention of open burning. prevention of open burning. prevention of open burning.
- b. Substantial reduction by b. Complete elimination of b. Complete elimination of
- a. Maximum reduction by a. Maximum reduction by a. Maximum reduction by
 - the use of incinerators.

History: 18 SR 614

Published Electronically: April 18, 2000

7009.1080 TABLE 3: EMISSION OBJECTIVES FOR SULFUR OXIDES.

EMISSION FACILITY	AIR POLLUTION ALERT	AIR POLLUTION WARNING	AIR POLLUTION EMERGENCY
1. Coal or oil-fired electric power generating facilities.	a. Substantial reduction by utilization of fuels having lowest available sulfur content.	a. Maximum reduction by utilization of fuels having lowest available sulfur content.	a. Maximum reduction by utilization of fuels having lowest available sulfur content.
	b. Substantial reduction by diverting electric power generation to facilities outside of Alert Area.	b. Maximum reduction by diverting electric power generation to facilities outside of Warning Area.	b. Maximum reduction by diverting electric power generation to facilities outside of Emergency Area.
2. Coal or oil-fired process steam generating facilities.	a. Substantial reduction by utilization of fuels having lowest available sulfur content.	a. Maximum reduction by utilization of fuels having the lowest available sulfur content.	a. Maximum reduction by reducing heat and steam demands to absolute necessities consistent with preventing equipment damage.
	b. Reduction of steam load demands consistent with continuing plant operations.	b. Reduction of steam load demands consistent with continuing plant operations.	b. Taking the action called for in the emergency plan.
		c. Making ready for use a plan of action to be taken if an emergency develops.	

- 3. A-Manufacindustries **AND B-Other persons** required by this rule to prepare standby plans.
- a. Substantial reduction turing and processing of air contaminants from manufacturing operations by curtailing, postponing, or deferring production and allied operations.
- a. Maximum reduction of air contaminants from manufacturing operations by, if necessary, assuming reasonable economic hardship by postponing production and allied operations.
 - contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.

a. Elimination of air

- b. Maximum reduction by deferring trade waste disposal operations which emit sulfur dioxide.
- c. Reduction of sulfur dioxide producing heat load demands for processing consistent with processing consistent continuing plant operations with continuing plant
- b. Maximum reduction by deferring trade waste disposal operations which emit sulfur dioxide.
 - c. Reduction of sulfur dioxide producing heat load demands for operations.
- b. Elimination of air contaminants from trade waste disposal processes which emit sulfur dioxide.
- c. Maximum reduction of sulfur dioxide producing load demands for processing.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

7009.1090 TABLE 4: EMISSION REDUCTION OBJECTIVES FOR NITROGEN OXIDES.

EMISSION FACILITY	AIR POLLUTION ALERT	AIR POLLUTION WARNING	AIR POLLUTION EMERGENCY
1. Steam-electric power generating facilities.	a. Substantial reduction by utilization of fuel which results in the formation of less air contaminant.	a. Maximum reduction by utilization of fuel which results in the formation of less air contaminant.	•
	b. Substantial reduction by diverting electric power generation to facilities outside of Alert Area.	b. Maximum reduction by diverting electric power generation facilities outside of Warning Area.	

- 2. Process steam generating facilities.
- a. Substantial reduction by utilization of fuel which results in the formation of less air contaminant.
- results in the formation of demands to absolute less air contaminant.
- a. Maximum reduction by a. Maximum reduction by utilization of fuel which reducing heat and steam necessities consistent with preventing equipment damage.
- b. Reduction of steam load demands consistent with continuing plant operations.
- b. Reduction of steam load demands consistent with continuing plant operations.
- c. Making ready for use a plan of action to be taken if an emergency develops.
- 3. A-Manufacturing and a. Substantial reduction processing industries. **AND** by this rule to prepare standby plans.
- or deferring production and allied operations.
- a. Maximum reduction of air contaminants from of air contaminants from contaminants from B-Other persons required by curtailing, postponing, by, if necessary, assuming by ceasing, curtailing, reasonable economic hardship by postponing production and allied operations.
- a. Elimination of air manufacturing operations manufacturing operations manufacturing operations postponing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.
 - b. Maximum reduction by deferring trade waste emit nitrogen oxides.
 - b. Maximum reduction by deferring trade waste disposal operations which disposal operations which waste disposal processes emit nitrogen oxides.
- b. Elimination of air contaminants from trade which emit nitrogen oxides.

- c. Reduction of nitrogen oxide producing heat load demands for processing consistent with continuing plant operations.
- c. Reduction of nitrogen oxide producing heat load demands for processing consistent with continuing plant operations.
- c. Maximum reduction of nitrogen oxide producing heat load demands for processing.

- 4. Stationary internal combustion engines.
- a. Reduction of power demands consistent with continuing operations.
- a. Reduction of power demands consistent with continuing operations.
- a. Maximum reduction by reducing power demands to absolute necessities consistent with personnel safety and preventing equipment damage.

- b. Maximum reduction by utilization of fuels or power source which less air contaminants.
- b. Maximum reduction by utilization of fuels or power source which results in the formation of results in the formation of less air contaminants.

- 5. Refuse disposal operations.
- a. Maximum reduction by prevention of open burning.
- b. Substantial reduction by limiting burning of refuse in incinerators to the hours between 12:00 noon and 4:00 p.m.
- a. Maximum reduction by prevention of open burning.
- of the use of incinerators. of the use of incinerators.
- a. Maximum reduction by prevention of open burning.
- b. Complete elimination b. Complete elimination

History: 18 SR 614

Published Electronically: April 18, 2000

7009.1100 TABLE 5: EMISSION REDUCTION OBJECTIVES FOR HYDROCARBONS.

EMISSION FACILITY AIR POLLUTION AIR POLLUTION AIR POLLUTION **ALERT** WARNING **EMERGENCY** 1. Petroleum products a. Substantial reduction a. Maximum reduction a. Elimination of storage and distribution. of air contaminants by of air contaminants by air contaminants by curtailing, postponing, assuming reasonable curtailing, postponing, or deferring transfer economic hardship by or deferring transfer postponing transfer operations. operations to the extent operations. possible without causing damage to equipment. 2. Surface coating and a. Substantial reduction a. Maximum reduction a. Elimination of preparation. of air contaminants by of air contaminants by air contaminants by curtailing, postponing, assuming reasonable curtailing, postponing, or deferring transfer economic hardship by or deferring transfer operations. postponing transfer operations to the extent operations. possible without causing damage to equipment.

- processing industries. AND B-Other persons required by curtailing, postponing, by, if necessary, assuming by ceasing, curtailing, by this rule to prepare standby plans.
- 3. A-Manufacturing and a. Substantial reduction a. Maximum reduction or deferring production and allied operations.
 - of air contaminants from of air contaminants from contaminants from reasonable economic hardship by postponing production and allied operations.
- a. Elimination of air manufacturing operations manufacturing operations manufacturing operations postponing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.
- 4. Mobile sources.
- a. Voluntary reduction in a. Voluntary reduction unnecessary vehicle use in response to Agency advisory.
 - in vehicle use through increased use of public transport, car pools, and van pools.
- a. Maximum reduction by banning vehicle use except for emergencies.

History: 18 SR 614

Published Electronically: April 18, 2000

7009.1110 TABLE 6: EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE.

EMISSION FACILITY	AIR POLLUTION	AIR POLLUTION	AIR POLLUTION
	ALERT	WARNING	EMERGENCY
 A-Manufacturing industries. AND B-Other persons required by this rule to prepare standby plans. 	manufacturing operations	of air contaminants from	manufacturing operations
2. Refuse disposal operations.	a. Maximum reduction	a. Maximum reduction	a. Maximum reduction
	by prevention of open	by prevention of open	by prevention of open
	burning.	burning.	burning.

3. Mobile Sources.

unnecessary vehicle use in vehicle use through in response to Agency advisory.

a. Voluntary reduction in a. Voluntary reduction increased use of public transport, car pools, and van pools.

a. Maximum reduction by banning vehicle use except for emergencies.

Statutory Authority: MS s 116.07

History: 18 SR 614

Published Electronically: April 18, 2000

ADOPTION OF FEDERAL REGULATIONS

7009,9000 DETERMINING CONFORMITY OF GENERAL FEDERAL ACTIONS TO STATE OR FEDERAL IMPLEMENTATION PLANS.

Code of Federal Regulations, title 40, part 51, subpart W, as amended, entitled "Determining Conformity of General Federal Actions to State or Federal Implementation Plans," is adopted and incorporated by reference, with the exception of Code of Federal Regulations, title 40, part 51, subpart W, section 51.851(a).

Statutory Authority: MS s 116.07

History: 20 SR 1167

Published Electronically: April 18, 2000