## **7511.1009 SECTION 1009, STAIRWAYS.**

Subpart 1. IFC section 1009.13.

IFC section 1009.13 is amended to read:

**1009.13 Alternating tread devices.** Alternating tread devices are limited to an element of a means of egress in buildings of Groups F, H, and S from a mezzanine not more than 250 square feet (23 m<sup>2</sup>) in area and which serves not more than five occupants; in buildings of Groups I-3 from a guard tower, observation station, or control room not more than 250 square feet (23 m<sup>2</sup>) in area and for access to unoccupied roofs. Access to mechanical equipment or appliances on a roof shall be in accordance with IBC section 1209.3.1 and the Minnesota Mechanical Code.

(IFC sections 1009.13.1, 1009.13.2, and the exception still apply.)

Subp. 2. **IFC section 1009.14.** IFC section 1009.14 is amended to read:

**1009.14 Ships ladders.** Ships ladders constructed in accordance with Minnesota Rules, part 1305.1209, shall be permitted to be used as a means of egress component at the following locations:

- 1. Ships ladders are permitted to be used in Group I-3 occupancies for means of egress at control rooms or elevated facility observation stations not more than 250 square feet (23 m<sup>2</sup>) in floor area.
- 2. Ships ladders are permitted to be used as a component for means of egress at recessed or elevated floors or platforms when the area served has an occupant load of five or fewer, and the space meets all of the following criteria:
  - 2.1 Access to the area served is limited to building facilities staff, maintenance staff, employees, or other authorized personnel;
  - 2.2 Required access to the area served is limited and periodic;
  - 2.3 The area served is used for building maintenance service functions, or for equipment access or monitoring;
  - 2.4 The area served is not required to have a second means of egress by other provisions of this code; and
  - 2.5 The area served is not classified as a Group H occupancy.
- 3. Ships ladders are permitted to be used for access to unoccupied spaces in accordance with Minnesota Rules, part 1305.1209.

**Statutory Authority:** *MS s 299F.011; 326B.02* 

**History:** 32 SR 10; 40 SR 1437

Published Electronically: May 12, 2016