## 3 MCAR 1

- 1 Department of Agriculture
- 2 Plant Industry Division

3

4 Adopted Amendments to Rules Governing Seed Potato Certification

5

- 6 Rules as Adopted
- 7 3 MCAR S 1.0129 General guidance.
- 8 The provisions of this section govern the production of
- 9 potatoes for use as certified seed potatoes.
- 10 A.-C. [Unchanged.]
- 11 D. Certified seed potato grades. Grades of certified seed
- 12 potatoes are established according to the physical defects of
- 13 the tubers. There are three grades used for shipping Minnesota
- 14 certified seed potatoes.
- 15 l. [Unchanged.]
- 16 2. The yellow tag certified seed potato grade is the
- 17 second grade. This grade allows more physical defects of the
- 18 tubers than the blue tag certified seed potato grade. It may be
- 19 used by growers of Foundation certified, Approved certified, and
- 20 Certified seed potatoes. The yellow tag grade may also be used
- 21 for intrastate and interstate shipments of certified seed
- 22 potatoes.
- 3. [Unchanged.]
- 24 E.-F. [Unchanged.]
- 25 3 MCAR S 1.0131 Requirements for certified seed potato
- 26 production.
- The standards in this rule must be met before potatoes may
- 28 be classified as certified seed potatoes.
- 29 A.-C. [Unchanged.]
- 30 D. Tags, bulk certificates, seals.
- 31 l. Official blue, yellow, or white tags, bearing the
- 32 grower's name and address, variety, and the crop year, shall be
- 33 issued when the potatoes meet the certification requirements
- 34 described in 3 MCAR S 1.0130 and A.-C.
- 35 2.-4. [Unchanged.]

- 1 E. [Unchanged.]
- 2 3 MCAR S 1.0132 Requirements for foundation certified seed
- 3 potato production.
- 4 Foundation certified seed potatoes consist of potatoes
- 5 which meet all the requirements of 3 MCAR SS 1.0130 and 1.0131
- 6 as well as the additional requirements in this rule.
- 7 A.-F. [Unchanged.]
- 8 G. Blue, yellow, or white tags with the word "Foundation"
- 9 stamped across the front of the tag shall be issued only after
- 10 all requirements of 3 MCAR S 1.0132 are met. In addition, the
- ll crop must be at least the third crop grown following the year in
- 12 which bacterial ring rot was found before becoming eligible to
- 13 be tagged with Foundation tags.
- 14 3 MCAR S 1.0135 Minnesota certified seed potato grades and
- 15 tolerances.
- 16 A. Minnesota certified seed potato grades. Before potatoes
- 17 are eligible for grading as certified seed potatoes, the
- 18 requirements of 3 MCAR SS 1.0130 and 1.0131 must be met. In
- 19 addition, Foundation certified seed potatoes must meet the
- 20 requirements of 3 MCAR S 1.0132. Approved certified seed
- 21 potatoes must meet the requirements of 3 MCAR S 1.0133. Grading
- 22 and tagging or issuance of a bulk certificate are the final
- 23 steps in the certification process.
- Minnesota blue tag certified seed potato grade. To be
- 25 graded as Minnesota blue tag certified seed potatoes, the
- 26 potatoes must meet the following requirements:
- a. The potatoes must be, at the time of final
- 28 inspection, of one variety, fairly well-shaped, free from
- 29 bacterial ring rot, powdery scab, late blight, freezing, black
- 30 heart, and soft rot or wet breakdown, and free from injury by
- 31 surface or pitted scab, and from damage caused by dirt or other
- 32 foreign matter, second growth, growth cracks, air cracks, cuts,
- 33 shriveling, sprouts, pitted scab, surface scab, russet scab, dry
- 34 rot, other diseases, insects or worms, external discoloration
- 35 caused from loss of skin, mechanical or other means, and from

- 1 serious damage caused by sunburn, hollow heart, or internal
- 2 discoloration other than hollow heart.
- b. [Unchanged.]
- 4 c. Lot tolerances. In order to allow for variations
- 5 incident to proper grading and handling, the following
- 6 tolerances, by weight, are provided:
- 7 (1) For defects:
- 8 (a)-(f) [Unchanged.]
- 9 (g) 6% for potatoes which fail to meet the
- 10 remaining requirements of the grade, provided that included in
- 11 that amount not more than the following percentages are allowed
- 12 for the following defects:
- (i)-(iii) [Unchanged.]
- 14 (iv) Bacterial ring rot 0.0%
- 15 (v) Powdery scab 0.0%

16

- 17 (2) [Unchanged.]
- 2. Minnesota yellow tag certified seed potato grade. To
- 19 be graded as Minnesota yellow tag certified seed potatoes, the
- 20 potatoes must meet the following requirements.
- 21 a. The potatoes must be, at the time of final
- 22 inspection, of one variety, fairly well-shaped, and free from
- 23 bacterial ring rot, powdery scab, late blight, freezing, black
- 24 heart, and soft rot or wet breakdown, and from damage caused by
- 25 second growth, growth cracks, air cracks, cuts, shriveling,
- 26 sprouts (after April 15, sprouts are not a factor), pitted scab,
- 27 surface scab, dry rot, other diseases, insects or worms,
- 28 external discoloration caused from loss of skin, mechanical or
- 29 other means, and from serious damage caused by dirt or other
- 30 foreign matter, russet scab, hollow heart, or internal
- 31 discoloration other than hollow heart. Pressure bruising, or
- 32 flattened or depressed areas with or without underlying flesh
- 33 discoloration, are not factors.
- b. [Unchanged.]
- 35 c. Lot tolerances. In order to allow for variations
- 36 incident to proper grading and handling the following

	torcrances, of weight, are provided.
2	(1) For defects:
3	(a) 20% for potatoes seriously damaged by hollow
4	heart;
5	(b) 5% for potatoes seriously damaged by internal
6	discoloration other than hollow heart;
7	(c) 20% for potatoes damaged by sprouts; and
8	(d) 20% for potatoes which fail to meet the
9	remaining requirements of the grade, provided that included in
10	that amount not more than the following percentages are allowed:
11	(i)-(ii) [Unchanged.]
12	(iii) 6% serious damage for other defects
13	other than hollow heart, and internal discoloration other than
14	hollow heart provided, that of this six percent not more than
15	the following percentages are allowed for the following defects:
16	(aa) Soft rot, frozen, or wet 0.5%
17	breakdown
18	(bb) Bacterial ring rot 0.0%
19	(cc) Powdery scab 0.0%
20	(2) [Unchanged.]
21	3. [Unchanged.]
22	BD. [Unchanged.]