1 Department of Natural Resources

2

3 Adopted Rules Relating to Boat and Water Safety

4

- 5 Rules as Adopted
- 6 6110.1200 NAVIGATION OF WATERCRAFT ON THE WATERS OF THE STATE;
- 7 SAFETY EQUIPMENT.
- 8 Subpart 1. Rules of the road. Rules of the road:
- 9 A. to C. [Unchanged.]
- 10 D. A nonmotorized watercraft has right-of-way over a
- 11 motor-powered watercraft except when it is the overtaking
- 12 watercraft. Motor-powered watercraft should always keep clear
- 13 and pass astern of nonmotorized watercraft.
- 14 E. Small watercraft shall not insist on the
- 15 right-of-way, nor unnecessarily impede the passage of large
- 16 commercial vessels, which are restricted in their ability to
- 17 maneuver by size, draft, or speed.
- F. When watercraft are in a narrow channel, each
- 19 shall keep as far to the right as may be safe or practical.
- 20 G. All watercraft shall yield the right-of-way to
- 21 enforcement or other authorized emergency watercraft displaying
- 22 a red or blue flashing light.
- 23 Subp. 2. Mode of operation of watercraft. Mode of
- 24 operation:
- A. to C. [Unchanged.]
- D. No person shall operate a watercraft in the
- 27 vicinity of a lock and dam on the Mississippi River from Upper
- 28 St. Anthony Falls through Lock and Dam Number Eight in violation
- 29 of the following:
- 30 (1) In the marked restricted area 600 feet
- 31 upstream or 150 feet downstream of the dam, including auxiliary
- 32 locks not in service.
- 33 (2) At greater than a slow-no wake speed in the
- 34 lock or lock approach area. Slow-no wake, means the operation
- 35 of a watercraft at the slowest possible speed necessary to

APPROVED IN THE REVISOR OF STATUTES OFFICE BY:

- 1 maintain steerage, and in no case greater than five miles per
- 2 hour.
- 3 (3) Enforcement, emergency, resource management,
- 4 and other government personnel or contractors are exempt from
- 5 this part when performing official duties or authorized work.
- 6 E. The operator of any watercraft, when signaled to
- 7 do so by a conservation officer, sheriff, or sheriff's deputy
- 8 shall bring the watercraft to a stop or maneuver it in a manner
- 9 which will allow the officer to come alongside.
- 10 Subp. 3. Personal flotation (lifesaving) devices.
- ll Flotation devices:
- 12 A. to C. [Unchanged.]
- D. All personal flotation devices required by this
- 14 subpart shall be:
- (1) and (2) [Unchanged.]
- 16 (3) in serviceable condition free of tears, rot,
- 17 punctures, or waterlogging, and with all straps and fastners
- 18 present and in good condition;
- 19 (4) either readily accessible or worn; except for
- 20 those Type V devices which are required to be worn to be
- 21 accepted as United States Coast Guard approved. Readily
- 22 accessible means easily retrievable within a reasonable amount
- 23 of time in an emergency. Personal flotation devices located in
- 24 locked containers, under heavy objects or left in shipping bags
- 25 are not considered readily accessible;
- 26 (5) [Unchanged.]
- Subp. 4. to 7. [Unchanged.]
- 28 6110.1500 WATERWAY MARKERS.
- 29 Subpart 1. [Unchanged.]
- 30 Subp. 2. Channel marker buoys. Channel marker buoys:
- 31 A. [Unchanged.]
- B. Where channel marker buoys are placed to indicate
- 33 the location of a well defined boating channel, an all green
- 34 buoy and an all red buoy shall be placed in opposition to each
- 35 other to indicate the course of the channel is located between

- 1 them. In flowing water, the red buoy shall be situated on the
- 2 right side of the channel when facing upstream. A green
- 3 flashing light shall be used in conjunction with a green buoy if
- 4 it is to be lighted. When reflectorization is used with a green
- 5 buoy, it shall be green in color and no less than a four-inch
- 6 wide strip shall completely surround the buoy and shall be
- 7 located at the top of the buoy. Number designations shall be
- 8 odd. A red flashing light shall be used in conjunction with a
- 9 red buoy if it is to be lighted. When reflectorization is used
- 10 with a red buoy, it shall be red in color and no less than a
- ll four-inch wide strip shall completely surround the buoy and
- 12 shall be located at the top of the buoy. Number designations
- 13 shall be even. Existing black buoys may be used through
- 14 December 31, 1987.
- C. and D. [Unchanged.]
- Subp. 3. to 6. [Unchanged.]
- 17 6110.1900 ACCIDENT REPORTS.
- 18 Each county sheriff shall report to the commissioner of
- 19 natural resources promptly, on forms provided by the
- 20 commissioner, each accident involving a watercraft, and every
- 21 drowning, in order to properly evaluate the water safety
- 22 program. In the event of death, the report shall be made within
- 23 48 hours; in event of serious injury which incapacitates the
- 24 victim for more than 72 hours or involves property damage of
- 25 over \$200 report must be made within five days. Each charge of
- 26 a violation of law made against a watercraft operator and each
- 27 written warning thereof shall be reported. Each watercraft for
- 28 hire which does not comply with the standards of safety for such
- 29 watercraft shall also be reported.