11-26-86

1 Department of Agriculture 2 3 Adopted Permanent Rules Relating to Seed Potato Certification 4 5 Rules as Adopted 1555.6950 MINNESOTA CERTIFIED SEED POTATO GRADES AND TOLERANCES. 6 7 Subpart 1. [Unchanged.] 8 Subp. 2. Minnesota blue tag certified seed potato grade. 9 To be graded as Minnesota blue tag certified seed potatoes, the potatoes must meet the following requirements: 10 A. The potatoes must be, at the time of final 11 inspection, of one variety, fairly well-shaped, free from 12 13 bacterial ring rot, powdery scab, late blight, freezing, black heart, and soft rot or wet breakdown, and free from injury by 14 15 surface or pitted scab, and from damage caused by dirt or other 16 foreign matter, second growth, growth cracks, air cracks, cuts, shriveling, sprouts, pitted scab, surface scab, russet scab, dry 17 rot, other diseases, insects or worms, external discoloration 18 caused from loss of skin, mechanical or other means, and from 19 20 serious damage caused by hollow heart or internal discoloration 21 other than hollow heart. Sunburn is not a factor. 22 B. [Unchanged.] C. Lot tolerances. In order to allow for variations 23 incident to proper grading and handling, the following 24 tolerances, by weight, are provided: 25 26 (1) For defects: 27 (a) 10 percent for potatoes seriously 28 damaged by hollow heart; 29 (b) 5 percent for potatoes seriously damaged 30 by internal discoloration (other than hollow heart); 31 (c) 8 percent for potatoes injured by 32 (slight) scab; 33 (d) 10 percent for potatoes damaged by dirt or other foreign matter; 34 35 (e) 10 percent for potatoes damaged by

1

11-26-86 [REVISOR ] CEL/LY AR1043 1 sprouts; and 2 (f) 6 percent for potatoes which fail to meet the remaining requirements of the grade, provided that 3 included in that amount not more than the following percentages 4 5 are allowed for the following defects: 6 i. Soft rot, frozen, or wet breakdown, 0.5 percent; 7 8 ii. Damage by surface or pitted scab, 2.0 percent; 9 iii. Damage by dry rot, 2.0 percent; 10 iv. Bacterial ring rot, 0.0 percent; 11 12 and 13 v. Powdery scab, 0.0 percent. 14 (2) For offsize: 15 (a) 5 percent for potatoes which fail to 16 meet the required or specified minimum size, 17 (b) 10 percent for potatoes which fail to 18 meet the required maximum size. 19 Subp. 3. Minnesota yellow tag certified seed potato grade. To be graded as Minnesota yellow tag certified seed 20 21 potatoes, the potatoes must meet the following requirements. 22 A. The potatoes must be, at the time of final 23 inspection, of one variety, fairly well-shaped, and free from bacterial ring rot, powdery scab, late blight, freezing, black 24 25 heart, and soft rot or wet breakdown, and from damage caused by 26 second growth, growth cracks, air cracks, cuts, shriveling, 27 sprouts (after April 15, sprouts are not a factor), pitted scab, surface scab, dry rot, other diseases, insects or worms, 28 external discoloration caused from loss of skin, mechanical or 29 30 other means, and from serious damage caused by dirt or other foreign matter, russet scab, hollow heart, or internal 31 discoloration other than hollow heart. Pressure bruising, or 32 33 flattened or depressed areas with or without underlying flesh discoloration, and sunburn are not factors. 34 35 B. and C. [Unchanged.] 36 Subp. 4. to 7. [Unchanged.]

2