1 Department of Administration

2

- 3 Adopted Permanent Rules Relating to Minnesota State Building
- 4 Code

5

- 6 Rules as Adopted
- 7 CHAPTER 1305
- 8 DEPARTMENT OF ADMINISTRATION
- 9 MINNESOTA STATE BUILDING CODE
- 10 AMENDMENT TO THE UNIFORM BUILDING CODE
- 11 1305.2050 SECTION 801.
- UBC Section 801 is amended to read as follows:
- UBC Section 801. Group E Occupancies are:
- Division 1. Any building used for educational purposes
- 15 through the 12th grade by 50 or more persons for more than 12
- 16 hours per week or four hours in any one day.
- Division 2. Any building used for educational purposes
- 18 through the 12th grade by less than 50 persons for more than 12
- 19 hours per week or four hours in any one day.
- Division 3. Any building used for day-care purposes for
- 21 more than ten children.
- For occupancy separations, see Table No. 5-B.
- 23 1305.2100 SECTION 802.
- UBC Section 802(c) is amended to read as follows:
- 25 Section 802(c) Special Provisions. Rooms in Divisions 1
- 26 and 2 occupancies used for day-care purposes, kindergarten,
- 27 first grade, or second grade pupils, and Division 3 occupancies
- 28 may not be located above the first story or in a basement unless
- 29 at least one exit is provided directly to the outside.
- 30 EXCEPTION: In buildings equipped with an automatic
- 31 sprinkler system throughout, rooms used for kindergarten, first-
- 32 grade and second-grade children or for day-care purposes may be
- 33 located on the second story, if there are at least two exits
- 34 directly to the exterior for the exclusive use of those
- 35 occupants.

Approved by Revisor Africake

23

23---Manufacturing-Areas

200

```
1
          Storage and janitor closets must be of one-hour
    fire-resistive construction. Stages and enclosed platforms must
 2
    be constructed in accordance with chapter 39. For attic space
    partitions and draft stops, see section 2516(f).
 5
    1305.6200 TABLE NO. 33-A.
 6
         UBC Table No. 33-A is amended as follows:
 7
          Delete-the-right-hand-column-entitled-"Access-by-means-of-a
    ramp-or-an-elevator-must-be-provided-for-the-physically
 8
 9
    handicapped-as-indicated."
10
         Also-delete-footnotes-27-37-47-57-67-87-107-and-11:
11
         Amend use item 18 to read as follows:
12
         18.
              Nurseries for
13
               Children (Day-care)
                                   10
                                                 35
.14
         Amend-use-item-20-to-read-as-follows:
15
         20---Stores-Retail-sales-rooms
16
             Basement
                                     See-Note-7
                                                 20
17
              Ground-Floor
                                     <del>50</del>
                                                 30
18
             Upper-Floors
                                     20
                                                 50
19
         Amend-use-item-22-to-read-as-follows:
20
        22.--Warehouses
                                     30
                                                 500
         Renumber-use-items-23.-to-25.-as-24.-to-26.-and-insert-a
21
    new-use-item-23-to-read-as-follows:
22
```