

**103G.291 PUBLIC WATER SUPPLY PLANS; APPROPRIATION DURING DEFICIENCY.**

Subdivision 1. **Declaration and conservation.** (a) If the governor determines and declares by executive order that there is a critical water deficiency, public water supply authorities appropriating water must adopt and enforce water conservation restrictions within their jurisdiction that are consistent with rules adopted by the commissioner.

(b) The restrictions must limit lawn sprinkling, vehicle washing, golf course and park irrigation, and other nonessential uses, and have appropriate penalties for failure to comply with the restrictions.

Subd. 2. **Modification of appropriation for noncompliance.** Disregard of critical water deficiency orders, even though total appropriation remains less than that permitted, is adequate grounds for immediate modification of a public water supply authority's water use permit.

Subd. 3. **Water supply plans; demand reduction.** (a) Every public water supplier serving more than 1,000 people must submit a water supply plan to the commissioner for approval by January 1, 1996. In accordance with guidelines developed by the commissioner, the plan must address projected demands, adequacy of the water supply system and planned improvements, existing and future water sources, natural resource impacts or limitations, emergency preparedness, water conservation, supply and demand reduction measures, and allocation priorities that are consistent with section 103G.261. Public water suppliers must update their plan and, upon notification, submit it to the commissioner for approval every ten years.

(b) The water supply plan in paragraph (a) is required for all communities in the metropolitan area, as defined in section 473.121, with a municipal water supply system and is a required element of the local comprehensive plan required under section 473.859. Water supply plans or updates submitted after December 31, 2008, must be consistent with the metropolitan area master water supply plan required under section 473.1565, subdivision 1, paragraph (a), clause (2).

(c) Public water suppliers serving more than 1,000 people must employ water use demand reduction measures, including a conservation rate structure, as defined in subdivision 4, paragraph (a), unless exempted under subdivision 4, paragraph (c), before requesting approval from the commissioner of health under section 144.383, paragraph (a), to construct a public water supply well or requesting an increase in the authorized volume of appropriation. Demand reduction measures must include evaluation of conservation rate structures and a public education program that may include a toilet and showerhead retrofit program.

(d) Public water suppliers serving more than 1,000 people must submit records that indicate the number of connections and amount of use by customer category and volume of

water unaccounted for with the annual report of water use required under section 103G.281, subdivision 3.

(e) For the purposes of this section, "public water supplier" means an entity that owns, manages, or operates a public water supply, as defined in section 144.382, subdivision 4.

Subd. 4. **Conservation rate structure required.** (a) For the purposes of this section, "conservation rate structure" means a rate structure that encourages conservation and may include increasing block rates, seasonal rates, time of use rates, individualized goal rates, or excess use rates. The rate structure must consider each residential unit as an individual user in multiple-family dwellings.

(b) To encourage conservation, a public water supplier serving more than 1,000 people in the metropolitan area, as defined in section 473.121, subdivision 2, shall use a conservation rate structure by January 1, 2010. All remaining public water suppliers serving more than 1,000 people shall use a conservation rate structure by January 1, 2013.

(c) A public water supplier without the proper measuring equipment to track the amount of water used by its users, as of July 1, 2008, is exempt from this subdivision and the conservation rate structure requirement under subdivision 3, paragraph (c).

**History:** 1990 c 391 art 7 s 31; 1993 c 186 s 6; 2007 c 131 art 1 s 57; 2008 c 363 art 5 s 20,21